United States of America FEDERAL COMMUNICATIONS COMMISSION EXPERIMENTAL SPECIAL TEMPORARY AUTHORIZATION

	EX	PERIMENTAL		WF9XYD		
_	(Nature of Service)		_	(Call Sign)		
	XT	MO		0691-EX-ST-2012		
_	(Class of Station)		_	(File Number)		
NAME		Space Exploration Technologies Corp. (SpaceX)				
Thin Con	aial Tampa	ram. Authorization is grant	ad upon the average condition that it may be terminated by the	Commission of any time without		

This Special Temporary Authorization is granted upon the express condition that it may be terminated by the Commission at any time without advance notice or hearing if in its discretion the need for such action arises. Nothing contained herein shall be construed as a finding by the Commission that the authority herein granted is or will be in the public interest beyond the express terms hereof.

This Special Temporary Authorization shall not vest in the grantee any right to operate the station nor any right in the use of the frequencies designated in the authorization beyond the term hereof, nor in any other manner than authorized herein. Neither the authorization nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934. This authorization is subject to the right of use of control the Government of the United States conferred by Section 706 of the Communications Act of 1934.

Special Temporary Authority is hereby granted to operate the apparatus described below:

Purpose Of Operation:

Falcon 9 will be carrying a spacecraft with food and other supplies to the International Space Station.

Station Locations

- (1) MOBILE: Launch Vehicle First Stage, CCAFS and downrange until ocean impact, centered around NL 28-34-; WL 80-34-
- (2) MOBILE: Launh Vehicle Second Stage at CCAFS, downrange and on-orbit, centered around NL 28-34-; WL 80-34-

Frequency Information

MOBILE: Launch Vehicle First Stage, CCAFS and downrange until ocean impact, centered around NL 28-34-; WL 80-34-

Frequency 2221.5 MHz	Station Class MO	Emission Designator 3M66F1D	Authorized Power 26 W (ERP)	Frequency Tolerance (+/-) 0.002 %
2273.5 MHz	МО	3M27F1D	14 W (ERP)	0.002 %



Frequency Information

MOBILE: Launh Vehicle Second Stage at CCAFS, downrange and on-orbit, centered around NL 28-34-; WL 80-34-

Frequency 2213.5 MHz	Station Class MO	Emission Designator	Authorized Power 10 W (ERP)	Frequency Tolerance (+/-) 0.002 %
		3M66F1C		
2251.5 MHz	МО	3M27F1D	9 W (ERP)	0.002 %
5765 MHz	MO	2M00LXN	193 W (ERP)	

Special Conditions:

- (1) All SpaceX operations granted on an experimental basis shall be on an unprotected, non-interference basis to authorized federal stations.
- (2) Use of this STA is for a single demonstration of a low-cost, commercial capability to transport cargo to the International Space Station (ISS) and return it safely to the Earth mission only. This STA is limited to the single Falcon 9 launch scheduled, as of 28 September 2012, for no earlier than 5 October 2012. This STA will expire as soon as the launch has been completed. Any future launches will need to submit applications to the FCC to be re-coordinated with NTIA.
- (3) SpaceX shall be aware that future non-federal launches will be considered on a case-by-case basis, especially for requests in the band 2200-2290 MHz, and SpaceX shall have no expectations that future launches will be approved.
- (4) Prior to transmitting, SpaceX shall coordinate and schedule their operations through: a) at KSC, the KSC spectrum manager (Steve Schindler, steven.f.schindler@nasa.gov) to receive a KSC local RFA that will detail specific local operational requirements; and b) at KSC and Cape Canaveral Air Force Station (CCAFS), the Eastern Range Scheduling office (321) 853-5941; 45th Spectrum Wing Spectrum Office 24/7 (321) 494-5838
- (5) The STOP BUZZER POC information, for both for ground testing and for launch/on-orbit/reentry operations, is: SpaceX Mission Control Center Dragon Communication Coordinator Console

Diagon Communication Coordinator

Direct: (310) 363-6119

This phone shall be manned by the staff communications coordinator 24/7.

(6) All transmissions in the band 2200-2290 MHz will comply with national and international power flux-density limits.

Special Conditions:

(7) SpaceX shall keep a log of all transmissions in the band 2200-2290 MHz that would be provided to NTIA after the mission. This log should include at least date, time, frequency, eirp density, and pointing direction of the antenna. The log should be provided to the following people at NTIA: skotler@ntia.doc.gov and edavison@ntia.doc.gov.