United States of America FEDERAL COMMUNICATIONS COMMISSION EXPERIMENTAL SPECIAL TEMPORARY AUTHORIZATION

	EXPERIMENTAL	<u></u>	WP9XLD
	(Nature of Service		(Call Sign)
_	XT MO	<u></u>	0150-EX-ST-2020
	(Class of Station)		(File Number)
NAME	Space Exploration Technologies Corp. (SpaceX)		

This Special Temporary Authorization is granted upon the express condition that it may be terminated by the Commission at any time without advance notice or hearing if in its discretion the need for such action arises. Nothing contained herein shall be construed as a finding by the Commission that the authority herein granted is or will be in the public interest beyond the express terms hereof.

This Special Temporary Authorization shall not vest in the grantee any right to operate the station nor any right in the use of the frequencies designated in the authorization beyond the term hereof, nor in any other manner than authorized herein. Neither the authorization nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934. This authorization is subject to the right of use of control the Government of the United States conferred by Section 706 of the Communications Act of 1934.

Special Temporary Authority is hereby granted to operate the apparatus described below:

Purpose Of Operation:

Experimental launch, landing, and recovery of the Starship suborbital test vehicle from Boca Chica TX.

Station Locations

(1) MOBILE: Boca Chica Pad Suborbital Test Veh Max Alt 20 km, within 2 km, centered around NL 25-59-50; WL 97-09-25

Frequency Information

MOBILE: Boca Chica Pad Suborbital Test Veh Max Alt 20 km, within 2 km, centered around NL 25-59-50; WL 97-09-25

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2211 MHz	MO	4M84F1D	23.2 W (ERP)	0.000225 %
		4M88G1D		
		5M00G1D		
2232.5 MHz	МО		23.2 W (ERP)	0.000225 %
		4M84F1D		
		4M88G1D		





Frequency Information

MOBILE: Boca Chica Pad Suborbital Test Veh Max Alt 20 km, within 2 km, centered around NL 25-59-50; WL 97-09-25

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2232.5 MHz	МО	5M00G1D	23.2 W (ERP)	0.000225 %
2247.5 MHz	МО	4M84F1D 4M88G1D 5M00G1D	23.2 W (ERP)	0.000225 %
2272.5 MHz	МО	4M84F1D 4M88G1D 5M00G1D	23.2 W (ERP)	0.000225 %

Special Conditions:

- (1) Operation is subject to prior coordination with the local Society of Broadcast Engineers, Inc. (SBE) frequency coordinator. Consult the list at https://www.sbe.org/sections/freq_local.php to find the appropriate coordinator.
- (2) All operations shall be limited to Starship prelaunch check out test, suborbital test vehicle communications for SpaceX Mission 1578 from the Boca Chica launch pad and the experimental recovery following the suborbital launch. This STA will expire as soon as the launch has been completed or 16 September 2020, whichever occurs first.
- (3) SpaceX shall be aware that future access for non-federal launches in the 2200-2290 MHz band will be considered on a case-by-case basis and SpaceX shall have no expectations that future commercial launches will be approved for use in this band.

Special Conditions:

- (4) As soon as possible, but no later than 60 business days prior to the planned launch, SpaceX is required to email: Jimmy.Nguyen@us.af.mil, Robert.Avery.9@us.af.mil, Shaobei.Xu.1@us.af.mil, david.pooley@us.af.mil) Felipe Arroyo (felipe.arroyo-1@nasa.gov, NASA/WFF), NASA GSFC Spectrum Office (NASA-DL-GSFC-Spectrum-Management@mail.nasa.gov), Stephen Horan (stephen.j.horan@nasa.gov, NASA/LaRC), NOAA Satellite Operations Control Center (Matt.G.Sullivan@noaa.gov), Richard Ontiveros, (richard.ontiveros1@navy.mil, NMSC), and NASA JSC Spectrum Office (JSC-DL-Spectrum-Management@mail.nasa.gov with the following data for launch coordination:
 - a.primary and back up launch date/time/window;
 - b.planned first- and second-stage trajectory, transmission frequencies with associated duration/cut-off time;
 - c.the launch coordination Memo
 - d.copy/ies of FCC granted (STA) for frequency/ies that will be used for the launch
- (5) The STOP BUZZER POC information, for launch operations shall be provided to NTIA (bmitchell@ntia.doc.gov). This phone shall be manned 24/7.
- (6) All transmissions in the band 2200-2290 MHz shall comply with national and international power flux density limits, unless otherwise coordinated and agreed to. PFD analysis and exceedances shall be provided in the FCC application and provided to the NTIA for US Government review.
- (7) No later than 5 business days prior to the planned launch, SpaceX is required to provide the primary and back up launch date/time/window to Jimmy.Nguyen@us.af.mil, Robert.Avery.9@us.af.mil, Shaobei.Xu.1@us.af.mil, david.pooley@us.af.mil . In the event of last-minute changes, 48-hour notice is required.