

**United States of America  
FEDERAL COMMUNICATIONS COMMISSION  
EXPERIMENTAL  
SPECIAL TEMPORARY AUTHORIZATION**

EXPERIMENTAL

(Nature of Service)

W12XUB

(Call Sign)

XT    FX MO

(Class of Station)

1039-EX-ST-2021

(File Number)

NAME Space Explorations Technologies

This Special Temporary Authorization is granted upon the express condition that it may be terminated by the Commission at any time without advance notice or hearing if in its discretion the need for such action arises. Nothing contained herein shall be construed as a finding by the Commission that the authority herein granted is or will be in the public interest beyond the express terms hereof.

This Special Temporary Authorization shall not vest in the grantee any right to operate the station nor any right in the use of the frequencies designated in the authorization beyond the term hereof, nor in any other manner than authorized herein. Neither the authorization nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934. This authorization is subject to the right of use of control the Government of the United States conferred by Section 706 of the Communications Act of 1934.

Special Temporary Authority is hereby granted to operate the apparatus described below:

Purpose Of Operation:  
Spacecraft communication

Station Locations

- (1) Cape Canaveral (BREVARD), FL - NL 28-36-30; WL 80-36-15
- (2) Cape Canaveral (BREVARD), FL - NL 28-36-30; WL 80-36-13
- (3) Cape Canaveral (BREVARD), FL - NL 28-37-27; WL 80-41-12
- (4) Vandenberg AFB (SANTA BARBARA), CA - NL 34-43-09; WL 120-31-52
- (5) Cape Canaveral (BREVARD), FL - NL 28-32-37; WL 80-35-25
- (6) Kodiak (Kodiak Island), AK - NL 57-27-18; WL 152-22-25
- (7) Inarajan, GU - NL 13-16-56; EL 144-45-19
- (8) Boca Chica (CAMERON), TX - NL 25-59-27; WL 97-10-55
- (9) MOBILE: Daytona Recovery Location - Ship, within 75 km, centered around NL 29-48-00; WL 80-36-00
- (10) MOBILE: Daytona Recovery Location - Ship, within 75 km, centered around NL 29-48-00; WL 80-36-00
- (11) MOBILE: Jacksonville Recovery Location - Ship, within 75 km, centered around NL 30-55-00; WL 80-15-00
- (12) MOBILE: Jacksonville Recovery Location - Ship, within 75 km, centered around NL 30-55-00; WL 80-15-00
- (13) MOBILE: Panama City Recovery Location - Ship, within 75 km, centered around NL 29-45-58; WL 86-01-41
- (14) MOBILE: Panama City Recovery Location - Ship, within 75 km, centered around NL 29-45-58; WL 86-01-41

This authorization effective August 28, 2021 and  
will expire 3:00 A.M. EST February 28, 2022

**FEDERAL  
COMMUNICATIONS  
COMMISSION**



Station Locations

- (15) MOBILE: Tallahassee Recovery Location - Ship, within 75 km, centered around NL 29-15-00; WL 84-12-00
- (16) MOBILE: Tallahassee Recovery Location - Ship, within 75 km, centered around NL 29-15-00; WL 84-12-00
- (17) MOBILE: Tampa Recovery Location - Ship, within 75 km, centered around NL 28-30-00; WL 83-45-00
- (18) MOBILE: Tampa Recovery Location - Ship, within 75 km, centered around NL 28-30-00; WL 83-45-00
- (19) MOBILE: Port Canaveral Dock- Ship, within 10 km, centered around NL 28-24-47; WL 80-37-13
- (20) MOBILE: Port Canaveral Recovery Location - Ship, within 75 km, centered around NL 28-51-00; WL 80-13-48
- (21) MOBILE: Port Canaveral Dock- Ship, within 10 km, centered around NL 28-24-47; WL 80-37-13
- (22) MOBILE: Port Canaveral Recovery Location - Ship, within 75 km, centered around NL 28-51-00; WL 80-13-48
- (23) MOBILE: Pensacola Naval Air Station Dock - Ship, within 10 km, centered around NL 30-20-44; WL 87-16-01
- (24) MOBILE: Pensacola Naval Air Station Dock - Ship, within 10 km, centered around NL 30-20-44; WL 87-16-01
- (25) MOBILE: Pensacola Recovery Location - Ship, within 75 km, centered around NL 29-48-00; WL 87-30-00
- (26) MOBILE: Pensacola Recovery Location - Ship, within 75 km, centered around NL 29-48-00; WL 87-30-00
- (27) MOBILE: Port Tampa Bay Dock - Ship, within 10 km, centered around NL 27-55-46; WL 82-26-00
- (28) MOBILE: Port Tampa Bay Dock - Ship, within 10 km, centered around NL 27-55-46; WL 82-26-00

Frequency Information

Cape Canaveral (BREVARD), FL - NL 28-36-30; WL 80-36-15

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2106.40625 MHz	FX	4M31G1D	3 W (ERP)	0.00003 %

## Frequency Information

Cape Canaveral (BREVARD), FL - NL 28-36-30; WL 80-36-13

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2106.40625 MHz	FX	4M31G1D	3 W (ERP)	0.00003 %

Cape Canaveral (BREVARD), FL - NL 28-37-27; WL 80-41-12

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2106.40625 MHz	FX	4M31G1D	609 W (ERP)	0.00003 %

Vandenberg AFB (SANTA BARBARA), CA - NL 34-43-09; WL 120-31-52

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2106.40625 MHz	FX	4M31G1D	609 W (ERP)	0.00003 %

Cape Canaveral (BREVARD), FL - NL 28-32-37; WL 80-35-25

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2106.40625 MHz	FX	4M31G1D	609 W (ERP)	0.00003 %

## Frequency Information

Kodiak (Kodiak Island), AK - NL 57-27-18; WL 152-22-25

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2106.40625 MHz	FX	4M31G1D	609 W (ERP)	0.00003 %

Inarajan, GU - NL 13-16-56; EL 144-45-19

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2106.40625 MHz	FX	4M31G1D	609 W (ERP)	0.00003 %

Boca Chica (CAMERON), TX - NL 25-59-27; WL 97-10-55

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2106.40625 MHz	FX	4M31G1D	609 W (ERP)	0.00003 %

MOBILE: Daytona Recovery Location - Ship, within 75 km, centered around NL 29-48-00; WL 80-36-00

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2106.40625 MHz	MO	4M31G1D	609 W (ERP)	0.00003 %

## Frequency Information

MOBILE: Daytona Recovery Location - Ship, within 75 km, centered around NL 29-48-00; WL 80-36-00

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2106.40625 MHz	MO	4M31G1D	3 W (ERP)	0.00003 %

MOBILE: Jacksonville Recovery Location - Ship, within 75 km, centered around NL 30-55-00; WL 80-15-00

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2106.40625 MHz	MO	4M31G1D	609 W (ERP)	0.00003 %

MOBILE: Jacksonville Recovery Location - Ship, within 75 km, centered around NL 30-55-00; WL 80-15-00

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2106.40625 MHz	MO	4M31G1D	3 W (ERP)	0.00003 %

MOBILE: Panama City Recovery Location - Ship, within 75 km, centered around NL 29-45-58; WL 86-01-41

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2106.40625 MHz	MO	4M31G1D	609 W (ERP)	0.00003 %

## Frequency Information

MOBILE: Panama City Recovery Location - Ship, within 75 km, centered around NL 29-45-58; WL 86-01-41

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2106.40625 MHz	MO	4M31G1D	3 W (ERP)	0.00003 %

MOBILE: Tallahassee Recovery Location - Ship, within 75 km, centered around NL 29-15-00; WL 84-12-00

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2106.40625 MHz	MO	4M31G1D	609 W (ERP)	0.00003 %

MOBILE: Tallahassee Recovery Location - Ship, within 75 km, centered around NL 29-15-00; WL 84-12-00

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2106.40625 MHz	MO	4M31G1D	3 W (ERP)	0.00003 %

MOBILE: Tampa Recovery Location - Ship, within 75 km, centered around NL 28-30-00; WL 83-45-00

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2106.40625 MHz	MO	4M31G1D	609 W (ERP)	0.00003 %

## Frequency Information

MOBILE: Tampa Recovery Location - Ship, within 75 km, centered around NL 28-30-00; WL 83-45-00

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2106.40625 MHz	MO	4M31G1D	3 W (ERP)	0.00003 %

MOBILE: Port Canaveral Dock- Ship, within 10 km, centered around NL 28-24-47; WL 80-37-13

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2106.40625 MHz	MO	4M31G1D	609 W (ERP)	0.00003 %

MOBILE: Port Canaveral Recovery Location - Ship, within 75 km, centered around NL 28-51-00; WL 80-13-48

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2106.40625 MHz	MO	4M31G1D	609 W (ERP)	0.00003 %

MOBILE: Port Canaveral Dock- Ship, within 10 km, centered around NL 28-24-47; WL 80-37-13

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2106.40625 MHz	MO	4M31G1D	3 W (ERP)	0.00003 %

## Frequency Information

MOBILE: Port Canaveral Recovery Location - Ship, within 75 km, centered around NL 28-51-00; WL 80-13-48

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2106.40625 MHz	MO	4M31G1D	3 W (ERP)	0.00003 %

MOBILE: Pensacola Naval Air Station Dock - Ship, within 10 km, centered around NL 30-20-44; WL 87-16-01

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2106.40625 MHz	MO	4M31G1D	609 W (ERP)	0.00003 %

MOBILE: Pensacola Naval Air Station Dock - Ship, within 10 km, centered around NL 30-20-44; WL 87-16-01

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2106.40625 MHz	MO	4M31G1D	3 W (ERP)	0.00003 %

MOBILE: Pensacola Recovery Location - Ship, within 75 km, centered around NL 29-48-00; WL 87-30-00

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2106.40625 MHz	MO	4M31G1D	609 W (ERP)	0.00003 %

## Frequency Information

MOBILE: Pensacola Recovery Location - Ship, within 75 km, centered around NL 29-48-00; WL 87-30-00

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2106.40625 MHz	MO	4M31G1D	3 W (ERP)	0.00003 %

MOBILE: Port Tampa Bay Dock - Ship, within 10 km, centered around NL 27-55-46; WL 82-26-00

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2106.40625 MHz	MO	4M31G1D	609 W (ERP)	0.00003 %

MOBILE: Port Tampa Bay Dock - Ship, within 10 km, centered around NL 27-55-46; WL 82-26-00

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2106.40625 MHz	MO	4M31G1D	3 W (ERP)	0.00003 %

## Special Conditions:

- (1) Operation is subject to prior coordination with the Society of Broadcast Engineers, Inc. (SBE); ATTN: Executive Director; 9102 North Meridian Street, Suite 305; Indianapolis, IN 46260; telephone, (866) 632-4222; FAX, (317) 846-9120; e-mail, executivedir @ sbe.org; information, www.sbe.org.
- (2) The station identification requirements of Section 5.115 of the Commission's Rules are waived.
- (3) Immediate notification shall be provided to the NASA GSFC Spectrum Management Office at 301.283.5089 or NASA-DL-GSFC-Spectrum-Management@mail.nasa.gov, and the NASA JSC Spectrum Manager, Cathy Sham at 281.483.0124 or catherine.c.sham@nasa.gov (jsc-dl-spectrum-management@mail.nasa.gov), in the event that activation of any SpaceX or SpaceX-contracted station is required to address contingency scenarios 1-3 in Special Condition (5).
- (4) This STA is limited to contingency Dragon2 capsule command operations for the upcoming SpaceX Inspiration-4 private spacefarer mission. This STA will expire when the Dragon 2 completes its re-entry/splashdown and recovery operations or 28 February 2022, whichever occurs first. Any future missions shall submit new applications to the FCC for coordination with the NTIA.

**Special Conditions:**

- (5) All transmissions from the indicated stations to the Dragon 2 spacecraft during any phase of flight are contingent upon occurrence of one of the following scenarios: 1) a non-recoverable loss of the Tracking and Data Relay Satellite (TDRS) forward link signal to the Dragon 2 spacecraft during a critical mission phase, 2) a declared spacecraft emergency due to a Dragon 2 spacecraft issue, or 3) As excepted below. All transmissions shall cease after successful mitigation of the contingency scenario and transition back to nominal operations.
- (6) Exceptions for the use of the 2106.40625 MHz transmissions are permitted below. These operations shall be conducted on a non-interference basis:
  - a. System Checkout Activities: System checkout activities are limited to: 1) one pre-launch checkout between a SpaceX station at Cape Canaveral Space Force Station/Kennedy Space Center and the Dragon 2 spacecraft while on the launch pad, 2) one on-orbit command path checkout with a single SpaceX-contracted ground station and the Dragon2 capsule. On-orbit command path checkout shall not occur when the NASA International Space Station (NORAD designation 25544, International Spacecraft ID 1998-067A) is within 10 degrees of the uplink station antenna boresight.
  - b. Post Dragon 2 Splashdown: Recovery boat transmissions using a frequency of 2106.40625 MHz during nominal recovery operations shall be limited to an ERP less than or equal to 3 Watts (ground station lower power mode). Nominal recovery operations start about 30 minutes after splashdown and last through umbilical power/communication connection, totaling approximately 6 to 8 hours.
- (7) SpaceX shall provide the radio frequency communication plan, spacecraft trajectory, event timeline, and operation scenarios to the NASA JSC Spectrum Manager, Cathy Sham (catherine.c.sham@nasa.gov) for situational awareness no later than 30 days prior to launch. An updated radio frequency communication plan for de-orbit and re-entry operations shall be provided no later than 7 days prior to de-orbit. In the event of last-minute changes, a minimum 24-hour notice is required.
- (8) Prior to transmitting at Cape Canaveral Space Force Station (CCSFS), Florida, SpaceX shall coordinate and schedule their operations with Range Scheduling, COMM: (321-853-5941, email: 1ropschd@us.af.mil) and provide a copy of FCC license to the 45th Space Wing Spectrum Management Office, (321)-853-8408, email: 45sw.erfmo@us.af.mil with Cc'ing DoD EAFC (321)-853-8426 at 45sw.dodeafc@us.af.mil.
- (9) All SpaceX operations granted on an experimental basis shall be on an unprotected, non-interference basis to authorized federal stations.
- (10) Uplink transmissions using a frequency of 2106.4025 MHz and 609 Watt effective radiated power shall not occur during NASA Orion spacecraft operations (entire mission duration).
- (11) Uplink transmissions using a frequency of 2106.4025 MHz and 609 Watt effective radiated power shall not occur when the NASA International Space Station (NORAD designation 25544, International Spacecraft ID 1998-067A) is within 10 degrees of the uplink station antenna boresight. In the event a declared spacecraft emergency requires breach of this condition, immediate notification shall be provided to the NASA JSC Spectrum Manager, Cathy Sham at 281.483.0124 or catherine.c.sham@nasa.gov (jsc-dl-spectrum-management@mail.nasa.gov).
- (12) Prior to the planned operating at Vandenberg Space Force Base (VSFB), CA, SpaceX is required to coordinate and schedule their operations with 2 ROPS/DOS Range Scheduling (805) 606-8825, 2 ROPS/DOS Section (2ROPS.DOS@us.af.mil).

**Special Conditions:**

- (13) Provide copy of FCC license to SLD 30 Spectrum Management Office (805) 606-6695, email: 30scs.scorf@us.af.mil.