



Your source for quality GNSS Networking Solutions and Design Services, Now!

Change the values in the yellow boxes to calculate required readings

| Receive Ant Gain                        | Ant Cable Insertion Loss | Repeater Amp Gain | Repeater Ant Gain Best Case | Range in Feet       | Repeated Signal Power @ Range In dBm    |
|---|--------------------------|-------------------|-----------------------------|---------------------|---|
| 33                                      | -12                      | 29                | 3                           | 270                 | -151.72                                 |
| GPS Carrier Frequency MHz               |                          | Total System Gain |                             | Range in Miles      | Total Signal Power @ Range in Watts     |
| 1575                                    |                          | 53                |                             | 0.05                | 672.9E-21                               |
| Avg Receive Power L1 dBm North America  |                          |                   |                             | Range in Meters     | Radiated Power dBm                      |
| -130                                    |                          |                   |                             | 84.15               | -77                                     |
| Free Space loss with Isotropic Antennas |                          |                   |                             | Range in Kilometers | Transmitted Power (pW)                  |
| -74.72                                  |                          |                   |                             | 0.08                | 9.6                                     |
|   |                          |                   |                             |                     | Effective Radiated Power (pW)           |
|   |                          |                   |                             |                     | 19.2                                    |
|   |                          |                   |                             |                     | Effective Isotropic Radiated Power (pW) |
|   |                          |                   |                             |                     | 31.5                                    |
|   |                          |                   |                             |                     | Effective Radiated Power (dBW)          |
|   |                          |                   |                             |                     | -107                                    |



*Your source for quality GNSS Networking Solutions and Design Services, Now!*