

Deployment Parameters

The foregoing application proposed modification of the experimental trial authorized by license WM2XTP. The modification proposes point to point operation from numerous sites in and around the Miami, Florida metropolitan area. The facilities will deploy directional antennas which will transmit on the 5925 – 6135 MHz (UNII-5) and 6525 – 6875 (UNII-7) MHz bands. Specific parameters of proposed operation are detailed in the chart below:

From Homestead 1	
Coordinates	25° 28' 27"N, 80° 28' 16"W
Beam Width in Horizontal Plane	11 ° at half power
Orientation in Horizontal Plane	62°, 196°, 213° and 218°
Beam Tilt	16 ° down tilt

From Florida City 2	
Coordinates	25° 26' 36"N, 80° 32' 06"W
Beam Width in Horizontal Plane	11 ° at half power
Orientation in Horizontal Plane	242°
Beam Tilt	16 ° down tilt

From MPOP 10 3	
Coordinates	25° 26' 51"N, 80° 29' 41.26"W
Beam Width in Horizontal Plane	11 ° at half power
Orientation in Horizontal Plane	38°
Beam Tilt	16 ° down tilt

From MPOP 11 4	
Coordinates	25° 26' 26.2"N, 80° 29' 44.87"W
Beam Width in Horizontal Plane	11 ° at half power
Orientation in Horizontal Plane	33°

Beam Tilt	16 ° down tilt
From MPOP 12 5	
Coordinates	25° 26' 26.78"N, 80° 28' 55.4"W
Beam Width in Horizontal Plane	11 ° at half power
Orientation in Horizontal Plane	16°
Beam Tilt	16 ° down tilt

From MPOP 9	
Coordinates	25° 30' 34.17"N, 80° 26' 8.38"W
Beam Width in Horizontal Plane	11 ° at half power
Orientation in Horizontal Plane	215°
Beam Tilt	16 ° down tilt

From CBANK 7	
Coordinates	25° 29' 56.46"N, 80° 26' 37.75"W
Beam Width in Horizontal Plane	11 ° at half power
Orientation in Horizontal Plane	35°
Beam Tilt	16 ° down tilt

From Channel 6 8	
Coordinates	25° 32' 23.9"N, 80° 28' 06.4"W
Beam Width in Horizontal Plane	7 ° at half power
Orientation in Horizontal Plane	85°, 135°, 228°, 277 °, 328° and 349°
Beam Tilt	16 ° vertical and 0 ° down tilt

From MPOP 17 9	
Coordinates	25° 33' 02.9"N, 80° 20' 19.6"W
Beam Width in Horizontal Plane	7 ° at half power
Orientation in Horizontal Plane	265°
Beam Tilt	16 ° vertical and 0 ° down tilt

From MPOP 9	
Coordinates	25° 30' 34"N, 80° 26' 08"W
Beam Width in Horizontal Plane	7 ° at half power
Orientation in Horizontal Plane	316°
Beam Tilt	16 ° vertical and 0 ° down tilt

From MPOP 16 11	
Coordinates	25° 29' 38.9"N, 80° 31' 30.06"W
Beam Width in Horizontal Plane	7 ° at half power
Orientation in Horizontal Plane	48°
Beam Tilt	16 ° vertical and 0 ° down tilt

From MPOP 7 12	
Coordinates	25° 32' 48"N, 80° 31' 53"W
Beam Width in Horizontal Plane	7 ° at half power
Orientation in Horizontal Plane	97°
Beam Tilt	16 ° vertical and 0 ° down tilt

From MPOP 4 13	
Coordinates	25° 37' 37"N, 80° 31' 41"W
Beam Width in Horizontal Plane	7 ° at half power
Orientation in Horizontal Plane	148°
Beam Tilt	16 ° vertical and 0 ° down tilt

From MPOP 1 14	
Coordinates	25° 40' 01.7"N, 80° 29' 41"W
Beam Width in Horizontal Plane	7 ° at half power
Orientation in Horizontal Plane	169°
Beam Tilt	16 ° vertical and 0 ° down tilt