



Lynk Towers 1-4 (Ka-band)

NARRATIVE STATEMENT

Lynk Global, INC.
510 N. WASHINGTON ST, SUITE 200, FALLS CHURCH, VA 22046



EXPERIMENTAL STA APPLICATION
NARRATIVE STATEMENT

(1) Applicant Information.

Lynk Global, Inc.
510 N. Washington Street, Suite 200
Falls Church, VA 22046

Margo Deckard, COO
+1-937-367-8737
mdeckard@lynk.world

Kill Switch Point of Contact:
Operations Director: +1 (703) 623-7982

If Kill Switch is to be initiated, please contact to inform that the request is made:
Tyghe Speidel +1 (240) 705-9409 tspeidel@lynk.world
Robert Noteboom +1 (703) 623-7982 bnoteboom@lynk.world
Mr. Speidel and Mr. Noteboom are also the points of contact if additional assistance is required to turn payload power off or any other related matter.

(2) Description of why experimental authorization is needed.

Lynk Global, Inc. (“Lynk”) seeks experimental special temporary authority (“STA”) to access and test the performance of ground equipment with Lynk’s satellites *Lynk Tower 1*, *Lynk Tower 2*, *Lynk Tower 3*, and *Lynk Tower 4*.¹ Lynk is developing a cellular-based SmallSat communications network that will provide global GSM and LTE cellular services using Low Earth Orbit (“LEO”) satellites. There is the need to perform testing as soon as possible on satellite equipment to gather important information regarding the performance of feeder links and capabilities of the network/system control. Lynk requests to test feeder link operations in the 20.1-20.2 GHz and 29.9-30.0 bands with an earth station located in Maui, Hawaii.² Lynk makes this request to ensure continued operations while the commercial license is processed. Lynk anticipates a grant soon.

(3) Description of the operation to be conducted and its purpose.

This application requests an STA to perform a series of very short tests via a free-flying payloads when flying over the specifically referenced earth station herein located in Maui, Hawaii. A typical pass over the earth station site will last about nine (9) minutes and will

¹ The *Lynk Tower 1* satellite is launched and in operation under File Number 0656-EX-CN-2021; the *Lynk Tower 2* satellite is authorized under File Number 1117-EX-CN-2021; and *Lynk Tower 3* and *Lynk Tower 4* are launched and in operation under File Number 0113-EX-CN-2022. *Lynk Tower 2* is expected to be launched in April 2024.

² On 5-Sep-2023, the earth station site located in Maui, Hawaii, received an FCC Grant of Authority, FCC Public Notice Report No. SES-02599, Callsign E220035, File# SES-AMD-20220919-00979.



take place approximately three (3) times per day per satellite. All operations will be conducted on a non-interference basis and consistent with Lynk's small satellite authorization for the Lynk SmallSat System, which includes *Lynk Towers 1-4*.³

(4) Timing of proposed operation.

Lynk requests authorization for 4 months starting November 17, 2023, or earlier if possible.

(5) Class(es) of station (fixed, mobile, fixed & mobile) and call sign of station (if applicable).

The earth station will operate in a fixed mode, and the space stations will operate in non-geostationary orbit as launched and authorized.

(6) Description of the location(s) and, if applicable, geographical coordinates of the proposed operation.

Location	Latitude	Longitude	Proposed Operation
Maui, Hawaii	20° 49' 1.5 N	156° 27' 16.9 W	Feeder Link / Gateway

(7) Transmit equipment to be used.

# of Units	Equipment	Manufacturer	Model
1	Ka-band Antenna (space station)	Lynk	Custom

(8) Frequencies.

Operations	Downlink	Uplink
Feeder Link / Gateway	20.1-20.2 GHz	29.9-30.0 GHz

(9) Max effective radiated power (ERP) or equivalent isotropic radiated power (EIRP).

See below, Question (12).

(10) Emission designator.

See below, Question (12).

(11) Overall height of antenna structure above the ground.

Not applicable to space stations.

³ In the Matter of Lynk Global, Inc. Application to deploy and operate space stations filed under the FCC streamlined small space station authorization, 47 CFR § 25.122, Order and Authorization, IBFS File No. SAT-LOA-20210511-00064.



(12) Supplemental Technical Information.

Feeder Link Testing		
Parameters	Downlink (space-to-Earth)	
Frequencies	20.1-20.2 GHz	
Center Frequency	Variable	
Channel Bandwidth	≤ 50 MHz	
Gain	23.17 dBiC	
Output Power	Amplifier	4 W
	Antenna	2.52 W
EIRP	27.19 dBW	
ERP (EIRP -2.15 dB)	25.04 dBW	
	319 W	
Emission Designator	50M0G7W	
Frequency Tolerance	0.00001%	
Modulating Signal	Digital on/off quantized	
Polarization	LHCP and RHCP	
Beam	Type	Steerable / Directional
	Width (at half power point)	7.92 degrees**

** Full Cone beamwidth at half power.