

\$\$ADD NG T230454
TYP01 N
DAT01 230825
CLA01 U
FRQ01 M1030.0000
EXD01 250831
STC01 XD
EMS01 9M00M1D
PWR01 W200.00000
STC02 XD
EMS02 22M00V1D
PWR02 W200.00000
XSC01 NM
XAL01 WSMR
XLA01 330453N
XLG01 1063041W
XAD01 14PHASEDARRY01211H0003T
XAP01 V
XAZ01 ND
RSC01 NM
RAL01 WSMR
RLA01 330453N
RLG01 1063041W
RAD01 14PHASEDARRY01211H0003T
RAP01 V
RAZ01 ND
BUR01 FCC
BIN01
REM01 *PRR,425/225
REM02 *RAD,0085,0046NM,B
REM03 *EQT,C,RAY 5800 IFF SYSTEM,PD0.8/1.06
REM04 *EQR,C,RAY 5800 IFF SYSTEM
REM05 *NTS,M018,FAA ,231027,AJIMENE,NG T230454
SUP01 ASSIGNMENT SUPPORTS TESTING 5800 IFF SYSTEM SPECIAL CONDITIONS: 1)SUPPORT
SUP02 TS MODES 1,2,3/A,C, AND 5(L1) 2) MODE S IS NOT AUTHORIZED 3) DOES NOT OP
SUP03 ERATE AS SSR (CONTINUOUSLY 360 DEG) 4) INTERROGATORS IFF ONLY WHEN AND W
SUP04 HERE TARGET IS PRESENT 5) MAX 4 ANTENNA PASSES TO ACQUIRE TARGET 6) TARG
SUP05 ET REVISIT INTERVAL SHALL BE 30 SECONDS OR LONGER AFTER ACQUISITION AND
SUP06 USE STAGGER 7) MAX OF ONE SYSTEMS MAY OPERATE SIMULTANEOUSLY IN ANY COMB
SUP07 INATION (IAW OTHER RFAS) 5800, TPX-56,TPX-57, TPX-61, OR TPX-62 8) MUST
SUP08 COORDINATE WITH ARMY TO ENSURE THAT THE TOTAL NUMBER OF AUTHORIZED SYSTE
SUP09 MS (TPX-56, TPX-57, TPX-61, OR 5800) OPERATING CONCURRENTLY IS NOT EXCEE
SUP10 DED.9) SHALL USE THE LOWEST NUMBER OF HITS NECESSARY TO UPDATE TRACK 10)
SUP11 AIMS PLATFORM CERTIFIED EQUIPMENT WITH NO CHANGES TO IFF 11) FOR FOREIG
SUP12 N SENTINEL F1 RADARS 12) ALL IFF ACTIVITIES WILL BE COORDINATED WITH LOC
SUP13 AL AIR TRAFFIC CONTROL 13) STOP BUZZER POC JOHN ADAMS 8033180021 OR 7142
SUP14 625019.