

\$\$ADD NG T230486
TYP01 N
DAT01 230828
CLA01 U
FRQ01 M1030.0000
EXD01 250831
STC01 XD
EMS01 22M00V1D
PWR01 W200.00000
STC02 XD
EMS02 9M00M1D
PWR02 W200.00000
XSC01 AZ
XAL01 YUMA PROVING GROUNDS
XLA01 331055N
XLG01 1140758W
XAD01 14GPHASEDARRY00475H0003T
XAP01 V
XAZ01 ND
RSC01 AZ
RAL01 YUMA PROVING GROUNDS
RLA01 331055N
RLG01 1140758W
RAD01 14GPHASEDARRY00475H0003T
RAP01 V
RAZ01 ND
BUR01 FCC
BIN01
REM01 *PRR,425/225
REM02 *RAD,0055,0030NM,B
REM03 *EQT,C,RAY 5800 IFF SYSTEM,PD0.8/1.06
REM04 *EQR,C,RAY 5800 IFF SYSTEM
REM05 *NTS,M018,FAA ,231027,AJIMENE,NG T230486
SUP01 ASSIGNMENT SUPPORTS TESTING 5800 IFF SYSTEM SPECIAL CONDITIONS: 1) SUPPO
SUP02 RTS MODES 1,2,3/A,C, AND 5 (L1) 2) MODE S IS NOT AUTHORIZED 3) DOES NOT
SUP03 OPERATE AS SSR (CONTINUOUSLY 360 DEG) 4) INTERROGATORS IFF ONLY WHEN AND
SUP04 WHERE TARGET IS PRESENT 5) MAX 4 ANTENNA PASSES TO ACQUIRE TARGET 6) TA
SUP05 RGET REVISIT INTERVAL SHALL BE 30 SECONDS OR LONGER AFTER ACQUISITION AN
SUP06 D USE STAGGER 7) MAX OF TWO SYSTEMS MAY OPERATE SIMULTANEOUSLY IN ANY CO
SUP07 MBINATION (IAW OTHER RFAS) 5800, TPX-57, TPX-61, OR TPX-62 8) 5800 AND T
SUP08 PX-56 SHALL NOT OPERATE SIMULTANEOUSLY 9) SHALL USE THE LOWEST NUMBER OF
SUP09 HITS NECESSARY TO UPDATE TRACK 10) AIMS PLATFORM CERTIFIED EQUIPMENT WI
SUP10 TH NO CHANGES TO IFF 11) FOR FOREIGN SENTINEL F1 RADARS 12) ALL IFF ACTI
SUP11 VITIES WILL BE COORDINATED WITH LOCAL AIR TRAFFIC CONTROL 13)MUST COORDI
SUP12 NATE WITH ARMY TO ENSURE THAT THE TOTAL NUMBER OF AUTHORIZED SYSTEMS (TP
SUP13 X-56, TPX-57, TPX-61, OR 5800) OPERATING CONCURRENTLY IS NOT EXCEEDED 14
SUP14) STOP BUZZER POC JOHN ADAMS 8033180021 OR 7142625019.