

\$\$ADD NG T240028
TYP01 N
DAT01 240223
CLA01 U
FRQ01 M1030.0000
EXD01 260102
STC01 XD
EMS01 22M00V1D
PWR01 W200.00000
STC02 XD
EMS02 9M00M1D
PWR02 W200.00000
XSC01 AL
XAL01 REDSTONE ARSENAL
XLA01 343746N
XLG01 0863910W
XAD01 13GPHASEDARRY00196H0003T
XAP01 V
XAZ01 ND
RSC01 AL
RAL01 REDSTONE ARSENAL
RLA01 343746N
RLG01 0863910W
RAD01 13GPHASEDARRY00196H0003T
RAP01 V
RAZ01 ND
BUR01 FCC
BIN01
REM01 *PRR,425
REM02 *RAD,0010,0005NM,B
REM03 *EQT,C,RAY TPX-61,PD30
REM04 *EQR,C,RAY TPX-61
REM05 *NTS,M018,FAA ,240223,AJIMENE,NG T240028
SUP01 ASSIGNMENT SUPPORTS TESTING TPX-61 IFF SYSTEM SPECIAL CONDITIONS: 1) SUP
SUP02 PORT FOR MODES 1,2,3/A,C, AND 5 (LEVEL 1) 2) MODE S RADIATION IS NOT AUT
SUP03 HORIZED 3) DOES NOT OPERATE AS SSR (CONTINUOUSLY 360 DEG) 4) INTERROGATE
SUP04 S IFF ONLY WHEN AND WHERE TARGET IS PRESENT 5) MAX 4 ANTENNA PASSES TO A
SUP05 CQUIRE TARGET 6) TARGET REVISIT INTERVAL SHALL BE 30 SECONDS OR LONGER A
SUP06 FTER ACQUISITION AND USE STAGGER 7) MAX OF TWO SYSTEMS MAY OPERATE SIMUL
SUP07 TANEOUSLY IN ANY COMBINATION (IAW OTHER RFAS) 5800, TPX-57, TPX-61, OR T
SUP08 PX-62 8) TPX-61 AND TPX-56 SHALL NOT OPERATE SIMULTANEOUSLY 9) SHALL USE
SUP09 THE LOWEST NUMBER OF HITS NECESSARY TO UPDATE TRACK 10) AIMS PLATFORM C
SUP10 CERTIFIED EQUIPMENT WITH NO CHANGES TO IFF 11) FOR FOREIGN SENTINEL F1 RA
SUP11 DARS 12) ALL IFF ACTIVITIES WILL BE COORDINATED WITH LOCAL AIR TRAFFIC
SUP12 CONTROL 13) STOP BUZZER POC TYLER SMITH 7147244190