# United States of America FEDERAL COMMUNICATIONS COMMISSION EXPERIMENTAL SPECIAL TEMPORARY AUTHORIZATION

_	EXPERIMENTAL		WW9XPI
	(Nature of Service)		(Call Sign)
_	XT MO		0519-EX-ST-2024
	(Class of Station)		(File Number)
NAME		Space Exploration Holdings, LLC	

This Special Temporary Authorization is granted upon the express condition that it may be terminated by the Commission at any time without advance notice or hearing if in its discretion the need for such action arises. Nothing contained herein shall be construed as a finding by the Commission that the authority herein granted is or will be in the public interest beyond the express terms hereof.

This Special Temporary Authorization shall not vest in the grantee any right to operate the station nor any right in the use of the frequencies designated in the authorization beyond the term hereof, nor in any other manner than authorized herein. Neither the authorization nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934. This authorization is subject to the right of use of control the Government of the United States conferred by Section 706 of the Communications Act of 1934.

Special Temporary Authority is hereby granted to operate the apparatus described below:

# Purpose Of Operation:

Additional locations to ongoing test communications between direct-to-cellular payloads on SpaceX's NGSO Gen2 satellites and a limited number of Part 24 certified test devices.

#### Station Locations

- (1) MOBILE: non-geostationary orbit
- (2) MOBILE: Mountain View, CA, within 100 km, centered around NL 37-24-55; WL 122-04-18
- (3) MOBILE: Mountain View, CA, within 100 km, centered around NL 37-23-27; WL 121-29-15
- (4) MOBILE: Kansas City, KS, within 100 km, centered around NL 38-54-55; WL 94-39-26
- (5) MOBILE: Kansas City, KS, within 100 km, centered around NL 39-55-19; WL 96-21-07
- (6) MOBILE: Redmond, WA, within 100 km, centered around NL 48-29-28; WL 120-49-29
- (7) MOBILE: Redmond, WA, within 100 km, centered around NL 47-21-14; WL 121-27-04
- (8) MOBILE: Redmond, WA, within 100 km, centered around NL 47-40-31; WL 122-07-42
- (9) MOBILE: San Diego, CA, within 100 km, centered around NL 32-53-08; WL 117-12-41
- (10) MOBILE: San Diego, CA, within 100 km, centered around NL 33-18-13; WL 116-15-20
- (11) MOBILE: Dallas, TX, within 100 km, centered around NL 33-06-30; WL 96-49-16
- (12) MOBILE: Reston, VA, within 100 km, centered around NL 38-57-01; WL 77-22-40
- (13) MOBILE: Reston, VA, within 100 km, centered around NL 38-29-32; WL 79-41-16
- (14) MOBILE: Bethel, OK, within 100 km, centered around NL 34-21-33; WL 94-48-44
- (15) MOBILE: Green Bank Telescope, WV, within 100 km, centered around NL 38-25-59; WL 79-50-23
- (16) MOBILE: VLA-Socorro, NM, within 100 km, centered around NL 34-04-44; WL 107-37-06

FEDERAL COMMUNICATIONS COMMISSION



#### **Station Locations**

- (17) MOBILE: VLBA-Brewster, WA, within 100 km, centered around NL 48-07-52; WL 119-41-00
- (18) MOBILE: VLBA-Kitt Peak, AZ, within 100 km, centered around NL 31-57-23; WL 111-36-45
- (19) MOBILE: VLBA-Los Alamos, NM, within 100 km, centered around NL 35-46-30; WL 106-14-44
- (20) MOBILE: VLBA-Mauna Kea, HI, within 100 km, centered around NL 19-48-05; WL 155-27-20
- (21) MOBILE: VLBA-North Liberty, IA, within 100 km, centered around NL 41-46-17; WL 91-34-27
- (22) MOBILE: VLBA-Owens Valley, CA, within 100 km, centered around NL 37-13-54; WL 118-16-37
- (23) MOBILE: VLBA-Pie Town, NM, within 100 km, centered around NL 34-18-04; WL 108-07-09
- (24) MOBILE: VLBA-Fort Davis, TX, within 100 km, centered around NL 30-38-06; WL 103-56-41
- (25) MOBILE: VLBA-Hancock, NH, within 100 km, centered around NL 42-56-01; WL 71-59-12
- (26) MOBILE: Wayland, ID, within 100 km, centered around NL 47-10-12; WL 116-28-12
- (27) MOBILE: Rock Creek, CO, within 100 km, centered around NL 38-40-48; WL 104-51-00
- (28) MOBILE: Anna, IL, within 100 km, centered around NL 37-27-36; WL 89-14-24
- (29) MOBILE: Enough, MO, within 100 km, centered around NL 37-42-00; WL 90-55-12
- (30) MOBILE: Whitmore Lake, MI, within 100 km, centered around NL 42-25-48; WL 83-45-36
- (31) MOBILE: Cape Canaveral, FL, within 100 km, centered around NL 28-24-36; WL 80-46-12
- (32) MOBILE: California, Statewide
- (33) MOBILE: Washington, Statewide
- (34) MOBILE: Texas, Statewide
- (35) MOBILE: Hawaii, Statewide

# Frequency Information

MOBILE: non-geostationary orbit

	Station	Emission	Authorized	Frequency
Frequency	Class	Designator	Power	Tolerance (+/-)
1990-1995 MHz	MO		384591.8 W (ERP)	0.002 %
		1M08D7W		
		4M50D7W		

MOBILE: Mountain View, CA, within 100 km, centered around NL 37-24-55; WL 122-04-18

Frequency 1910-1915 MHz	Station Class MO	Emission Designator 5M00W7D	Authorized Power 1200 mW (ERP)	Frequency Tolerance (+/-) 0.0001 %		
MOBILE: Mountain View, CA, within 10	00 km, centered a	around NL 37-23-27	; WL 121-29-15			
Frequency 1910-1915 MHz	Station Class MO	Emission Designator 5M00W7D	Authorized Power 1200 mW (ERP)	Frequency Tolerance (+/-) 0.0001 %		
MOBILE: Kansas City, KS, within 100 l	km, centered aro	und NL 38-54-55; W	'L 94-39-26			
Frequency 1910-1915 MHz	Station Class MO	Emission Designator 5M00W7D	Authorized Power 1200 mW (ERP)	Frequency Tolerance (+/-) 0.0001 %		
MOBILE: Kansas City, KS, within 100 km, centered around NL 39-55-19; WL 96-21-07						
Frequency 1910-1915 MHz	Station Class MO	Emission Designator 5M00W7D	Authorized Power 1200 mW (ERP)	Frequency Tolerance (+/-) 0.0001 %		

MOBILE: Redmond, WA, within 100 km, centered around NL 48-29-28; WL 120-49-29

	Station	Emission	Authorized	Frequency
Frequency	Class	Designator	Power	Tolerance (+/-)
1910-1915 MHz	MO		1200 mW (ERP)	0.0001 %
		5M00W7D		

MOBILE: Redmond, WA, within 100 km, centered around NL 47-21-14; WL 121-27-04

	Station	Emission	Authorized	Frequency
Frequency	Class	Designator	Power	Tolerance (+/-)
1910-1915 MHz	MO		1200 mW (ERP)	0.0001 %
		5M00W7D		

MOBILE: Redmond, WA, within 100 km, centered around NL 47-40-31; WL 122-07-42

_	Station	Emission	Authorized	Frequency
Frequency	Class	Designator	Power	Tolerance (+/-)
1910-1915 MHz	MO		1200 mW (ERP)	0.0001 %
		5M00W7D		

MOBILE: San Diego, CA, within 100 km, centered around NL 32-53-08; WL 117-12-41

	Station	Emission	Authorized	Frequency
Frequency	Class	Designator	Power	Tolerance (+/-)
1910-1915 MHz	MO		1200 mW (ERP)	0.0001 %
		5M00W7D		

MOBILE: San Diego, CA, within 100 km, centered around NL 33-18-13; WL 116-15-20

	Station	Emission	Authorized	Frequency
Frequency	Class	Designator	Power	Tolerance (+/-)
1910-1915 MHz	MO		1200 mW (ERP)	0.0001 %
		5M00W7D		

MOBILE: Dallas, TX, within 100 km, centered around NL 33-06-30; WL 96-49-16

	Station	Emission	Authorized	Frequency
Frequency	Class	Designator	Power	Tolerance (+/-)
1910-1915 MHz	MO		1200 mW (ERP)	0.0001 %
		5M00W7D		

MOBILE: Reston, VA, within 100 km, centered around NL 38-57-01; WL 77-22-40

	Station	Emission	Authorized	Frequency
Frequency	Class	Designator	Power	Tolerance (+/-)
1910-1915 MHz	MO		1200 mW (ERP)	0.0001 %
		5M00W7D		

MOBILE: Reston, VA, within 100 km, centered around NL 38-29-32; WL 79-41-16

	Station	Emission	Authorized	Frequency
Frequency	Class	Designator	Power	Tolerance (+/-)
1910-1915 MHz	MO		1200 mW (ERP)	0.0001 %
		5M00W7D		

MOBILE: Bethel, OK, within 100 km, centered around NL 34-21-33; WL 94-48-44

	Frequency 1910-1915 MHz	Station Class MO	Emission Designator 5M00W7D	Authorized Power 1200 mW (ERP)	Frequency Tolerance (+/-) 0.0001 %
MOBILE: G	reen Bank Telescope, WV, with	hin 100 km, ce	entered around NL 38	8-25-59; WL 79-50-23	
	Frequency 1910-1915 MHz	Station Class MO	Emission Designator 5M00W7D	Authorized Power 1200 mW (ERP)	Frequency Tolerance (+/-) 0.0001 %
MOBILE: V	LA-Socorro, NM, within 100 km	n, centered ar	ound NL 34-04-44; V	VL 107-37-06	
	Frequency 1910-1915 MHz	Station Class MO	Emission Designator 5M00W7D	Authorized Power 1200 mW (ERP)	Frequency Tolerance (+/-) 0.0001 %
MOBILE: VLBA-Brewster, WA, within 100 km, centered around NL 48-07-52; WL 119-41-00					
	Frequency 1910-1915 MHz	Station Class MO	Emission Designator 5M00W7D	Authorized Power 1200 mW (ERP)	Frequency Tolerance (+/-) 0.0001 %

MOBILE: VLBA-Kitt Peak, AZ, within 100 km, centered around NL 31-57-23; WL 111-36-45

	Frequency 1910-1915 MHz	Station Class MO	Emission Designator 5M00W7D	Authorized Power 1200 mW (ERP)	Frequency Tolerance (+/-) 0.0001 %	
MOBILE: VLB	A-Los Alamos, NM, within 10	00 km, centere	ed around NL 35-46-3	30; WL 106-14-44		
	Frequency 1910-1915 MHz	Station Class MO	Emission Designator 5M00W7D	Authorized Power 1200 mW (ERP)	Frequency Tolerance (+/-) 0.0001 %	
MOBILE: VLB	A-Mauna Kea, HI, within 100	) km, centered	d around NL 19-48-05	5; WL 155-27-20		
	Frequency 1910-1915 MHz	Station Class MO	Emission Designator 5M00W7D	Authorized Power 1200 mW (ERP)	Frequency Tolerance (+/-) 0.0001 %	
MOBILE: VLBA-North Liberty, IA, within 100 km, centered around NL 41-46-17; WL 91-34-27						
	Frequency 1910-1915 MHz	Station Class MO	Emission Designator 5M00W7D	Authorized Power 1200 mW (ERP)	Frequency Tolerance (+/-) 0.0001 %	

MOBILE: VLBA-Owens Valley, CA, within 100 km, centered around NL 37-13-54; WL 118-16-37

	Station	Emission	Authorized	Frequency
Frequency	Class	Designator	Power	Tolerance (+/-)
1910-1915 MHz	MO		1200 mW (ERP)	0.0001 %
		5M00W7D		

MOBILE: VLBA-Pie Town, NM, within 100 km, centered around NL 34-18-04; WL 108-07-09

	Station	Emission	Authorized	Frequency
Frequency	Class	Designator	Power	Tolerance (+/-)
1910-1915 MHz	MO		1200 mW (ERP)	0.0001 %
		5M00W7D		

MOBILE: VLBA-Fort Davis, TX, within 100 km, centered around NL 30-38-06; WL 103-56-41

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1910-1915 MHz	MO	J	1200 mW (ERP)	0.0001 %
		5M00W7D		

MOBILE: VLBA-Hancock, NH, within 100 km, centered around NL 42-56-01; WL 71-59-12

	Station	Emission	Authorized	Frequency
Frequency	Class	Designator	Power	Tolerance (+/-)
1910-1915 MHz	MO		1200 mW (ERP)	0.0001 %
		5M00W7D		

MOBILE: Wayland, ID, within 100 km, centered around NL 47-10-12; WL 116-28-12

Frequency 1910-1915 MHz	Station Class MO	Emission Designator 5M00W7D	Authorized Power 1200 mW (ERP)	Frequency Tolerance (+/-) 0.0001 %	
MOBILE: Rock Creek, CO, within 100	km, centered aro	und NL 38-40-48; W	/L 104-51-00		
Frequency 1910-1915 MHz	Station Class MO	Emission Designator 5M00W7D	Authorized Power 1200 mW (ERP)	Frequency Tolerance (+/-) 0.0001 %	
MOBILE: Anna, IL, within 100 km, cen	tered around NL	37-27-36; WL 89-14	-24		
Frequency 1910-1915 MHz	Station Class MO	Emission Designator 5M00W7D	Authorized Power 1200 mW (ERP)	Frequency Tolerance (+/-) 0.0001 %	
MOBILE: Enough, MO, within 100 km, centered around NL 37-42-00; WL 90-55-12					
Frequency 1910-1915 MHz	Station Class MO	Emission Designator 5M00W7D	Authorized Power 1200 mW (ERP)	Frequency Tolerance (+/-) 0.0001 %	

MOBILE: Whitmore Lake, MI, within 100 km, centered around NL 42-25-48; WL 83-45-36

	Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
	1910-1915 MHz	МО	5M00W7D	1200 mW (ERP)	0.0001 %
MOBILE: Ca	ape Canaveral, FL, within 100	km, centered a	around NL 28-24-36; \	WL 80-46-12	
	Frequency 1910-1915 MHz	Station Class MO	Emission Designator 5M00W7D	Authorized Power 1200 mW (ERP)	Frequency Tolerance (+/-) 0.0001 %
MOBILE: Ca	alifornia, Statewide				
	Frequency 1910-1915 MHz	Station Class MO	Emission Designator 5M00W7D	Authorized Power 1200 mW (ERP)	Frequency Tolerance (+/-) 0.0001 %
MOBILE: Washington, Statewide					
	Frequency 1910-1915 MHz	Station Class MO	Emission Designator 5M00W7D	Authorized Power 1200 mW (ERP)	Frequency Tolerance (+/-) 0.0001 %

MOBILE: Texas, Statewide

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1910-1915 MHz	MO		1200 mW (ERP)	0.0001 %
		5M00W7D		

MOBILE: Hawaii, Statewide

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
1910-1915 MHz	MO		1200 mW (ERP)	0.0001 %
		5M00W7D		

# **Special Conditions:**

- (1) Following launch of each satellite, the licensee must notify the FCC through electronic submission to the license file, of the status of the satellite (transmissions commenced, etc.), not later than 7 days after commencement or expected commencement of transmissions, and of termination of transmissions, not later than three months after such termination.
- (2) All operations of the Gen2 Starlink satellites must also comport with the Commission's decision in the SpaceX Gen2 Partial Grant, Order and Authorization, FCC 22- 91 (rel. Dec. 1, 2022), and the terms and conditions in the SpaceX Gen2 V-band Grant, ICFS File No. SAT-MOD-20230322-00062 (granted-in-part/dismissed-in-part Oct. 13, 2023, reissued Nov. 9, 2023). Except for the addition of testing authority specifically addressed in this grant of STA, operations must also comport with all terms and conditions of the SpaceX Gen2 modification, ICFS File No. SAT-MOD-20230207-00021 (granted-in-part/deferred-in-part December 1, 2023).
- (3) This STA grant is limited to testing in the continental United States with earth stations at the specific locations identified. Although SpaceX's satellites are capable of operating in the 1429 MHz to 2690 MHz frequencies, testing is limited to the 1910-1915 MHz and 1990-1995 MHz bands. SpaceX may not conduct any commercial operations. SpaceX must obtain additional approval from the Commission before operating its satellites in the 1429 MHz to 2690 MHz frequency range with any locations outside the United States.
- (4) Prior to commencing any operations in the 1910-1915 MHz and 1990-1995 MHz bands, the applicant must obtain consent from T-Mobile, the licensee in this band.
- (5) Operations of earth stations are permissible only in SpaceX/T-Mobile controlled environments, and are not permitted to public consumer devices. Notice will be given to any users that E911 functionality may not be available during test periods.

### **Special Conditions:**

- (6) Prior to commencing any operations SpaceX must notify any potentially affected operators, including those with operations adjacent to the 1910-1915 MHz and 1990-1995 MHz bands. The notice must include the name and contact information of the stop buzzer personnel that will be available to cease operations in the event of reported interference. The notification should include the testing parameters (specific earth station location(s), antenna gain(s), EIRP, EIRP density) and day and times of each test.
- (7) The 24/7 point of contact in the United States, with authority and ability to cease all emissions, for this operation is satellite-operators-pager@spacex.com, which links to the pagers of appropriate technical personnel.
- (8) All operations under this grant of STA must be on an unprotected and non-interference basis (NIB), i.e., SpaceX must not cause harmful interference to and must not claim protection from interference caused to it by any other lawfully operating station.
- (9) In the event of any harmful interference caused under this grant of STA, SpaceX must immediately cease operations upon notification of such interference. SpaceX must immediately inform the Commission, in writing, of such an event.
- (10) SpaceX shall maintain full control of its satellites at all times and shall operate its satellites in accordance with any existing coordination agreements.
- (11) All operations under this grant must stay within the minimum power level, as codified in part 24 of the Commission's rules, to close the link.
- (12) Earth station operations must not exceed the operational power levels and parameters requested and coordinated. Operations must comply with the parameters below:
  ParametersEarth Stations
  Max Power0.5 W
  Max ERP30.8 dBm
  Frequency Tolerance0.0001%

Emission Designator5M00W7D

Bandwidth5 MHz

- (13) SpaceX shall submit the appropriate advance publication and information to the International Telecommunication Union (ITU) prior to any operations. SpaceX must comply with any cross-border agreement(s) relevant to this band.
- (14) Any action taken or expense incurred as a result of operations pursuant to this grant is solely at SpaceX's own risk. Grant of this Experimental STA does not imply grant or denial of any other pending application and is without prejudice to any determination that the Commission may make regarding pending or future SpaceX applications.
- (15) This authorization is subject to modification to bring it into conformance with any rules or policies adopted by the Commission in the future. Accordingly, in making any investments relating to operations authorized in this grant, SpaceX assumes the risk that it may be subject to additional conditions or requirements as a result of any future Commission actions.
- (16) Within 60 days following each launch of the modified Starlink Gen2 satellites addressed in ICFS File No. SAT-MOD-20230207-00021 (granted-in-part/deferred-in-part December 1, 2023), please submit a test report.

File Number: 0519-EX-ST-2024 Call Sign: WW9XPI

Licensee Name: Space Exploration Holdings, LLC

# **Special Conditions:**

(17) SpaceX must, at all times, take all necessary measures to ensure that the STA operation at this earth station does not create potential exposure of humans to radiofrequency radiation in excess of the FCC exposure limits defined in 47 CFR §§ I.1307(b), 1.1310 wherever such exposures might occur. Measures must be taken to ensure compliance with limits for both general population/uncontrolled exposure and for occupational/controlled exposure, as defined in those rule sections. The FCC's OET Bulletin 65 (available online at www.fcc.gov/oet/rfsafety) provides information on predicting exposure levels and on methods for ensuring compliance, including the use of warning and alert signs and protective equipment for workers.