

ACCESS SERVICE
CHECK SHEET

The Title Page and Pages 1 through 31-153 inclusive of this tariff are effective as of the date shown. Original and revised pages as named below, and Supplement Nos. 1, 3, 4, 9, 11, 14, 15, 16, 17, 20, 21, 22, 23, 25, 26, 28, 30, 36, 41, 43, 45, 46, 47, 49, 50, 51, 52, 56, 57, 60, 61, 62, 65, 67, 71, 72, 76, 78, 82, 83, 85, 86, 88, 92, 97, 103, 106, 107, 109, 110, 111, 114, 116, 118, 119, 122, 124, 127, 129, 133, 134, 135, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 149, 150 and 151 contain all changes from the original tariff that are in effect on the date hereof.

<u>Page</u>	<u>Number of Revisions Except as Indicated</u>	<u>Page</u>	<u>Number of Revisions Except as Indicated</u>
Title Page 1	2nd	23	3rd
1	581st*	24	6th
2	95th	25	8th
2.1	50th	26	2nd
3	134th	27	2nd
4	100th*	28	1st
4.1	28th*	29	Original
5	81st	30	1st
5.1	13th	31	8th
6	80th	32	8th
7	101st	33	3rd
7.1	72nd	34	4th
7.2	4th	35	1st
8	73rd*	36	1st
8.1	35th	37	Original
9	14th	38	1st
9.1	7th	39	3rd
10	95th	40	1st
10.1	49th	41	3rd
10.2	38th	41.1	2nd
11	172nd	41.2	3rd
12	148th	42	2nd
12.1	78th	43	3rd
13	122nd*	44	3rd
13.1	16th	45	1st
14	4th	46	9th
15	10th	46.1	6th
16	17th	47	6th
16.1	9th	48	9th
17	18th	49	1st
17.1	7th	50	13th
18	15th	50.1	11th
19	19th	51	8th
19.1	16th	52	11th
20	3rd	53	20th
21	6th	53.1	10th
22	10th	54	18th

* New or Revised Page

(This page filed under Transmittal No. 546)

Issued: April 1, 1999

Effective: April 16, 1999

Vice President - Access and Network Interconnection Marketing

222 Bloomingdale Rd., White Plains, NY 10605

ACCESS SERVICE
CHECK SHEET

<u>Page</u>	<u>Number of Revisions Except as Indicated</u>	<u>Page</u>	<u>Number of Revisions Except as Indicated</u>
5-24	1st	6-7.6	3rd
5-25	1st	6-8	9th
5-26	4th	6-8.1	2nd
5-26.1	Original	6-9	4th
5-27	4th	6-10	4th
5-27.1	Original	6-11	7th
5-28	14th	6-12	13th
5-29	7th	6-12.1	9th
5-29.1	9th	6-12.1.1	6th
5-30	4th	6-12.2	1st
5-30.1	Original	6-13	6th
5-31	12th	6-13.1	5th
5-32	9th	6-14	7th
5-33	9th	6-15	7th
5-33.1	4th	6-16	2nd
5-34	7th	6-17	4th
5-34.1	1st	6-18	Original
5-34.1.1	2nd	6-19	5th
5-34.2	2nd	6-20	2nd
5-34.3	Original	6-21	2nd
5-34.4	1st	6-22	4th
5-35	6th	6-22.1	8th
5-36	6th	6-23	Original
5-37	7th	6-24	5th
5-38	6th	6-24.1	6th
5-39	5th	6-24.1.1	Original
5-40	5th	6-24.2	3rd
5-41	3rd	6-24.3	6th
		6-24.4	1st
6-1	5th	6-25	Original
6-1.1	1st	6-26	5th
6-1.2	7th	6-26.1	3rd
6-1.3	6th	6-27	3rd
6-2	4th	6-27.1	1st
6-3	5th	6-28	4th
6-3.1	3rd	6-28.1	3rd
6-3.2	3rd	6-29	2nd
6-4	3rd	6-30	2nd
6-5	5th	6-31	4th
6-5.1	2nd	6-32	2nd
6-5.2	Original	6-33	2nd
6-6	2nd	6-34	2nd
6-6.1	Original	6-35	4th
6-7	6th	6-36	6th
6-7.1	4th	6-37	2nd
6-7.2	Original	6-38	2nd
6-7.3	2nd	6-39	3rd*
6-7.4	3rd		
6-7.5	1st		

* New or Revised Page

(This page filed under Transmittal No. 546)

Issued: April 1, 1999

Effective: April 16, 1999

Vice President - Access and Network Interconnection Marketing

222 Bloomingdale Rd., White Plains, NY 10605

ACCESS SERVICE
CHECK SHEET

<u>Page</u>	<u>Number of Revisions Except as Indicated</u>	<u>Page</u>	<u>Number of Revisions Except as Indicated</u>
6-40	2nd	6-51.29.2	Original
6-41	6th	6-52	1st
6-42	2nd	6-53	1st
6-43	2nd	6-54	7th
6-44	6th	6-54.1	1st
6-45	4th*	6-55	3rd
6-45.1	5th	6-56	4th
6-46	7th	6-56.1	3rd
6-47	9th	6-57	6th
6-48	8th	6-58	9th
6-48.1	4rd	6-59	7th
6-49	6th	6-60	4th
6-50	9th	6-61	1st
6-50.1	Original	6-62	6th
6-51	8th*		
6-51.1	1st		
6-51.2	1st		
6-51.3	4th		
6-51.4	1st		
6-51.5	1st		
6-51.6	1st		
6-51.7	2nd		
6-51.8	3rd		
6-51.9	6th		
6-51.10	1st		
6-51.11	2nd		
6-51.12	2nd*		
6-51.13	2nd		
6-51.14	7th		
6-51.15	2nd		
6-51.16	1st		
6-51.17	2nd		
6-51.18	2nd*		
6-51.19	2nd		
6-51.20	6th		
6-51.21	8th		
6-51.22	6th		
6-51.22.1	4th		
6-51.23	4th		
6-51.23.1	3rd		
6-51.24	5th		
6-51.25	3rd*		
6-51.26	2nd		
6-51.26.1	Original		
6-51.27	1st		
6-51.28	3rd		
6-51.28.1	5th		
6-51.29	9th		
6-51.29.1	1st		

* New or Revised Page

(This page filed under Transmittal No. 546)

Issued: April 1, 1999

Effective: April 16, 1999

Vice President - Access and Network Interconnection Marketing

222 Bloomingdale Rd., White Plains, NY 10605

ACCESS SERVICE
CHECK SHEET

<u>Page</u>	<u>Number of Revisions Except as Indicated</u>	<u>Page</u>	<u>Number of Revisions Except as Indicated</u>
8-1	2nd	13-3	2nd
8-2	1st	13-4	7th
8-3	2nd	13-4.1	8th
8-4	2nd	13-4.2	Original
8-5	1st	13-5	2nd
		13-6	1st
9-1	6th	13-7	2nd
9-2	6th	13-8	1st
9-3	6th	13-9	3rd
9-4	9th	13-9.1	5th
9-4.1	2nd	13-9.2	5th
9-5	1st	13-10	3rd
9-6	1st	13-11	2nd
9-6.1	1st	13-12	2nd
9-7	2nd	13-12.1	3rd
9-8	5th	13-12.2	6th
9-9	2nd	13-12.3	Original
9-10	3rd	13-12.4	Original
9-11	2nd	13-12.5	Original
9-12	2nd	13-12.6	Original
9-12.1	7th	13-12.7	5th
9-12.2	1st	13-12.7.1	1st
9-13	7th	13-12.8	Original
		13-13	1st
10-1	Original	13-14	Original
10-2	Original	13-15	2nd*
10-3	Original	13-16	1st
10-4	1st	13-17	1st*
10-5	Original	13-18	Original
10-6	Original	13-19	5th
10-7	Original	13-19.1	3rd
10-8	Original	13-20	4th
10-9	Original	13-21	1st
10-10	1st	13-22	3rd
10-11	1st	13-23	4th
		13-24	4th
11-1	Original	13-25	5th
11-2	2nd	13-26	3rd
11-3	1st	13-27	3rd
		13-28	5th
12-1	Original	13-28.1	Original
12-2	Original	13-28.2	Original
12-3	2nd	13-29	1st
12-4	1st	13-30	3rd
12-5	1st	13-31	2nd
		13-32	1st
13-1	3rd		
13-1.1	3rd	14-1	Original
13-2	6th		

* New or Revised Page

(This page filed under Transmittal No. 546)

Issued: April 1, 1999

Effective: April 16, 1999

Vice President - Access and Network Interconnection Marketing

222 Bloomingdale Rd., White Plains, NY 10605

ACCESS SERVICE
CHECK SHEET

<u>Page</u>	<u>Number of Revisions Except as Indicated</u>	<u>Page</u>	<u>Number of Revisions Except as Indicated</u>
31-93	4th	31-128	2nd
31-93.1	Original	31-129	2nd
31-93.2	1st	31-130	2nd
31-93.3	1st	31-131	2nd
31-93.4	Original	31-132	2nd
31-93.5	Original	31-133	2nd
31-94	2nd	31-134	2nd
31-95	2nd	31-135	2nd
31-96	1st	31-136	2nd
31-97	1st	31-137	2nd
31-98	1st	31-138	2nd
31-99	1st	31-138.1	6th
31-100	1st	31-138.2	5th
31-101	1st	31-138.3	5th
31-102	7th	31-138.4	Original
31-102.1	2nd	31-139	2nd
31-102.2	8th	31-140	18th
31-102.3	Original	31-140.1	Original
31-103	1st	31-141	3rd
31-103.1	Original	31-142	5th
31-104	1st	31-143	8th
31-105	1st	31-144	11th
31-106	1st	31-145	5th
31-106.1	Original	31-146	1st
31-107	1st	31-147	1st
31-108	2nd*	31-148	8th
31-109	2nd*	31-148.1	6th
31-110	1st	31-148.2	7th
31-111	1st	31-148.3	6th
31-112	1st	31-148.4	5th
31-113	1st	31-148.5	4th
31-114	1st	31-148.6	6th
31-115	1st	31-148.7	5th
31-116	1st	31-148.8	6th
31-117	1st	31-148.9	6th
31-118	2nd	31-148.10	4th
31-119	7th	31-148.11	6th
31-120	1st	31-148.11.1	1st
31-121	1st	31-148.11.2	2nd
31-122	1st	31-148.11.3	2nd
31-123	1st	31-148.11.4	1st
31-124	1st	31-148.11.5	2nd
31-125	8th	31-148.11.6	2nd
31-125.1	6th		
31-125.2	1st		
31-126	7th		
31-127	2nd		

* New or Revised Page

(This page filed under Transmittal No. 546)

Issued: April 1, 1999

Effective: April 16, 1999

Vice President - Access and Network Interconnection Marketing
222 Bloomingdale Rd., White Plains, NY 10605

ACCESS SERVICE

6. Switched Access Service (Cont'd)6.2 Provision and Description of Switched Access Service (Cont'd)6.2.2 Feature Group B (FGB) (Cont'd)(C) Transmission Specifications

FGB is provided with either Type B or Type C Transmission Specifications. The specifications for the associated parameters are guaranteed to the end office when routed directly or to the first point of switching when routed via an access tandem. Type C Transmission Specifications are provided with Interface Group 1 and Type B is provided with Interface Groups 2, 6, 7* and 9. Type DB Data Transmission Parameters are provided with FGB to the first point of switching.

(D) Testing Capabilities

FGB is provided, in the terminating direction where equipment is available, with seven digit access to balance (100 type) test line, milliwatt (102 type) test line, nonsynchronous or synchronous test line, automatic transmission measuring (105 type) test line, data transmission (107 type) test line, loop around test line, short circuit test line and open circuit test line. In addition to the tests described in 6.1.6 preceding which are included with the installation of service, additional Cooperative Acceptance Testing, Cooperative Scheduled Testing, Manual Scheduled Testing and Nonscheduled Testing are available as set forth in 13.3.5 following.

(C)

* New England Telephone only

(This page filed under Transmittal No. 546)

Issued: April 1, 1999

Effective: April 16, 1999

ACCESS SERVICE

6. Switched Access Service (Cont'd)6.2 Provision and Description of Switched Access Service (Cont'd)6.2.3 Feature Group C (FGC) (Cont'd)(D) Testing Capabilities

FGC is provided, in the terminating direction where equipment is available, with seven digit access to balance (100 type) test line, milliwatt (102 type) test line, nonsynchronous or synchronous test line, automatic transmission measuring (105 type) test line, data transmission (107 type) test line, loop around test line, short circuit test line and open circuit test line. In addition to the tests described in 6.1.6 preceding which are included with the installation of service, additional Cooperative Acceptance Testing, Cooperative Scheduled Testing or Manual Scheduled Testing, and Nonscheduled Testing are available as set forth in 13.3.5 following for FGC. (C)

6.2.4 Feature Group D (FGD)(A) Description

- (1) FGD is provided at Telephone Company designated end office switches whether routed directly or via Telephone Company designated access tandem switches.

For FGD with the SS7 signaling option, the CCSA signaling connection is provided to Telephone Company designated STPs.

- (2) FGD is provided as trunk side switching through the use of end office or access tandem switch trunk equipment. The switch trunk equipment may be provided with wink start start-pulsing signals and answer and disconnect supervisory signaling, or without signaling when the SS7 signaling option is specified.

(This page filed under Transmittal No. 546)

Issued: April 1, 1999

Effective: April 16, 1999

ACCESS SERVICE

6. Switched Access Service (Cont'd)6.2 Provision and Description of Switched Access Service (Cont'd)6.2.4 Feature Group D (FGD) (Cont'd)(C) Transmission Specifications (Cont'd)

- When routed to an access or TOPS tandem only Type A is provided.
- Type A is provided on the transmission path from the access or TOPS tandem to the end office.

Type C Transmission Specifications are provided with Interface Group 1. Type A and Type B Transmission Specifications are provided with Interface Groups 2, 6, 7* and 9.

Type DA Data Transmission Parameters are provided for the transmission path between the customer's premises, multiplexing node or virtual collocation arrangement and the access tandem and between the access tandem and the end office. Type DB Data Transmission Parameters are provided with FGD for the transmission path between the customer's premises, multiplexing node or virtual collocation arrangement and the end office when directly routed to the end office.

(D) Testing Capabilities

FGD is provided, in the terminating direction where equipment is available, with seven digit access to balance (100 type) test line, milliwatt (102 type) test line, nonsynchronous or synchronous test line, automatic transmission measuring (105 type) test line, data transmission (107 type) test line, loop around test line, short circuit test line and open circuit test line. In addition to the tests described in 6.1.6 and 6.1.8 preceding which are included with the installation of service, additional Cooperative Acceptance Testing, Cooperative Scheduled Testing, Manual Scheduled Testing, and Nonscheduled Testing, are available for FGD as set forth in 13.3.5 following.

(C)

* New England Telephone only

(This page filed under Transmittal No. 546)

Issued: April 1, 1999

Effective: April 16, 1999

ACCESS SERVICE

6. Switched Access Service (Cont'd)6.2 Provision and Description of Switched Access Service (Cont'd)6.2.7 Circuit Switched Trunk (CST) BSA - Option 1 (Cont'd)(C) Transmission Specifications

CST BSA - Option 1 is provided with either Type B or Type C Transmission Specifications. The specifications for the associated parameters are guaranteed to the end office when routed directly or to the first point of switching when routed via an access tandem. Type C Transmission Specifications are provided with Interface Group 1 and Type B is provided with Interface Groups 2, 6, 7* and 9. Type DB Data Transmission Parameters are provided with CST BSA - Option 1 to the first point of switching.

(D) Testing Capabilities

CST BSA - Option 1 is provided, in the terminating direction where equipment is available, with seven digit access to balance (100 type) test line, milliwatt (102 type) test line, nonsynchronous or synchronous test line, automatic transmission measuring (105 type) test line, data transmission (107 type) test line, loop around test line, short circuit test line and open circuit test line. In addition to the tests described in 6.1.6 preceding which are included with the installation of service, additional Cooperative Acceptance Testing, Cooperative (C) Scheduled Testing, Manual Scheduled Testing and Nonscheduled Testing are available as set forth in 13.3.5 following.

* New England Telephone only

(This page filed under Transmittal No. 546)

Issued: April 1, 1999

Effective: April 16, 1999

ACCESS SERVICE

6. Switched Access Service (Cont'd)6.2 Provision and Description of Switched Access Service (Cont'd)6.2.8 Circuit Switched Trunk (CST) BSA - Option 2 (Cont'd)(D) Testing Capabilities

CST BSA - Option 2 is provided, in the terminating direction where equipment is available, with seven digit access to balance (100 type) test line, milliwatt (102 type) test line, nonsynchronous or synchronous test line, automatic transmission measuring (105 type) test line, data transmission (107 type) test line, loop around test line, short circuit test line and open circuit test line. In addition to the tests described in 6.1.6 preceding which are included with the installation of service, additional Cooperative Acceptance Testing, Cooperative Scheduled Testing or Manual Scheduled Testing, and Nonscheduled Testing are available as set forth in 13.3.5 following for CST BSA - Option 2.

(C)

6.2.9 Circuit Switched Trunk (CST) BSA - Option 3(A) Description

- (1) CST BSA - Option 3 is provided at Telephone Company designated end office switches whether routed directly or via Telephone Company designated access tandem switches.

For CST BSA - Option 3 with the SS7 signaling option, the CCSA signaling connection is provided to Telephone Company designated STPs.

- (2) CST BSA - Option 3 is provided as trunk side switching through the use of end office or access tandem switch trunk equipment. The switch trunk equipment may be provided with wink start start-pulsing signals and answer and disconnect supervisory signaling, or without signaling when the SS7 signaling option is specified.

(This page filed under Transmittal No. 546)

Issued: April 1, 1999

Effective: April 16, 1999

ACCESS SERVICE

6. Switched Access Service (Cont'd)6.2 Provision and Description of Switched Access Service (Cont'd)6.2.9 Circuit Switched Trunk (CST) BSA - Option 3 (Cont'd)(C) Transmission Specifications (Cont'd)

- When routed to an access or TOPS tandem only Type A is provided.
- Type A is provided on the transmission path from the access or TOPS tandem to the end office.

Type C Transmission Specifications are provided with Interface Group 1. Type A and Type B Transmission Specifications are provided with Interface Groups 2, 6, 7* and 9.

Type DA Data Transmission Parameters are provided for the transmission path between the customer's premises or multiplexing node and the access tandem and between the access tandem and the end office. Type DB Data Transmission Parameters are provided with CST BSA - Option 3 for the transmission path between the customer's premises or multiplexing node and the end office when directly routed to the end office.

(D) Testing Capabilities

CST BSA - Option 3 is provided, in the terminating direction where equipment is available, with seven digit access to balance (100 type) test line, milliwatt (102 type) test line, nonsynchronous or synchronous test line, automatic transmission measuring (105 type) test line, data transmission (107 type) test line, loop around test line, short circuit test line and open circuit test line. In addition to the tests described in 6.1.6 and 6.1.8 preceding which are included with the installation of service, additional Cooperative Acceptance Testing, Cooperative Scheduled Testing, Manual Scheduled Testing, and Nonscheduled Testing, are available for CST BSA - Option 3 as set forth in 13.3.5 following.

(C)

* New England Telephone only

(This page filed under Transmittal No. 546)

Issued: April 1, 1999

Effective: April 16, 1999

Vice President - Access and Network Interconnection Marketing
222 Bloomingdale Rd., White Plains, NY 10605

(T)

ACCESS SERVICE

13. Additional Engineering, Additional Labor and Miscellaneous Services (Cont'd)13.3 Miscellaneous Services (Cont'd)13.3.5 Testing Services (Cont'd)(A) Switched Access Service (Cont'd)(1) Additional Cooperative Acceptance Testing

Additional Cooperative Acceptance Testing (ACAT) of Switched Access Service involves the Telephone Company provision of a technician at its office(s) and the customer provision of a technician at its premises, with suitable test equipment to perform the required tests.

Additional Cooperative Acceptance Tests may, for example, consist of the following tests:

Impulse Noise
Phase Jitter
Signal to C-Notched Noise Ratio
Intermodulation (Nonlinear) Distortion
Frequency Shift (Offset)
Envelope Delay Distortion
Dial Pulse Percent Break

(2) Reserved for Future Use

(C)
(D)
(D)
(D)
(D)
(D)
(D)
(D)
(D)
(D)
(D)
(D)
(D)

Issued: April 1, 1999

Effective: April 16, 1999

ACCESS SERVICE

13. Additional Engineering, Additional Labor and Miscellaneous Services (Cont'd)

13.3 Miscellaneous Services (Cont'd)

13.3.5 Testing Services (Cont'd)

(A) Switched Access Service (Cont'd)

(5) Nonscheduled Testing

Nonscheduled Testing (NST) of Switched Access Services is where:

- The customer provides remote office test lines and 105 test lines with associated responders or their functional equivalent ("automatic testing"); or
- The Telephone Company provides a technician at its office(s) and the customer provides a technician at its premises, with suitable test equipment to perform the required tests ("cooperative testing"); or
- The Telephone Company provides a technician at its office(s), and/or at the customer's premises with suitable test equipment to perform the required tests ("manual testing").
- Nonscheduled Tests may consist of any tests, e.g., loss, noise, slope, envelope delay, which the customer may require.

(6) Obligations of the Customer

The customer shall provide the Remote Office Test Line priming data to the Telephone Company, as appropriate, to support NST as set forth in (C) 13.3.5(A)(5) preceding.

The customer shall make the facilities to be tested available to the Telephone Company at times mutually agreed upon.

31. The NYNEX Telephone Companies Rates and Charges (Cont'd)

31.13.6 Testing Services (Cont'd)

(2) Reserved for Future Use

[illegible]

Effective: April 16, 1999

(T)

ACCESS SERVICE

31. The NYNEX Telephone Companies Rates and Charges (Cont'd)

31.13 Additional Engineering, Additional Labor and Miscellaneous Services (Cont'd)

31.13.6 Testing Services (Cont'd)

(A) Switched Access (Cont'd)

(D)

(D)

(D)

(D)

(D)

(D)

(D)

(D)

(D)

(D)

(D)

(D)

(D)

(D)

(D)

(D)

(D)

(D)

(D)

(D)

(D)

(D)

(D)

(D)

(D)

(This page filed under Transmittal No. 546)

Issued: April 1, 1999

Effective: April 16, 1999

Vice President - Access and Network Interconnection Marketing
222 Bloomingdale Rd., White Plains, NY 10605

(T)