

CHECK SHEET

Title Page and Original Pages 0-1 to 0-53; 1-1; 2-0 to 2-140; 3-0 to 3-24; 4-0 to 4-14; 5-0 to 5-40; 6-0 to 6-455; 7-0 to 7-867; 8-1 to 8-513; 9-0 to 9-26; 10-0 to 10-71; 11-0 to 11-14; 12-0 to 12-46; 13-0 to 13-94; 14-0 to 14-25; 15-0 to 15-157; 16-0 to 16-185; 17-0 to 17-569; 18-0 to 18-3; 19-0 to 19-7, 20-0 to 20-28; 21-1 to 21-52; 22-0 to 22-4; 23-0 to 23-28; 24-0 to 24-421 inclusive of this Tariff are effective as of November 11, 2003. Original and revised pages as named below and Supplement Nos. 1, 2, 3, and 4 contain all changes from the original Tariff that are in effect on the date hereof.

PAGE	NUMBER OF REVISION EXCEPT AS INDICATED	PAGE	NUMBER OF REVISION EXCEPT AS INDICATED	PAGE	NUMBER OF REVISION EXCEPT AS INDICATED
Title	Original	0-1.25	27th	0-7	Original
0-1	402nd *	0-1.26	37th *	0-8	Original
0-1.1	64th	0-1.27	33rd	0-9	Original
0-1.2	37th	0-1.28	19th	0-10	Original
0-1.3	49th	0-1.29	39th	0-11	1st
0-1.4	21st	0-1.30	10th	0-12	Original
0-1.5	6th	0-1.31	5th	0-13	4th
0-1.6	8th	0-1.32	9th	0-14	6th
0-1.7	9th	0-1.33	12th	0-15	7th
0-1.8	9th	0-1.34	15th	0-15.1	4th
0-1.9	29th	0-1.35	12th	0-16	3rd
0-1.10	24th	0-1.36	14th	0-16.1	6th
0-1.11	16th	0-1.37	9th	0-17	6th
0-1.12	27th	0-1.38	16th	0-18	Original
0-1.13	17th	0-1.39	37th	0-19	Original
0-1.14	22nd	0-1.40	26th	0-20	1st
0-1.15	11th	0-1.41	8th	0-21	1st
0-1.16	21st	0-1.42	24th	0-22	Original
0-1.17	21st	0-1.43	36th	0-23	Original
0-1.18	25th	0-1.44	31st	0-24	2nd
0-1.19	64th	0-1.45	19th	0-25	1st
0-1.20	37th	0-2	1st	0-26	7th
0-1.21	11th	0-3	3rd	0-27	1st
0-1.22	11th	0-4	Original	0-28	1st
0-1.23	42nd	0-5	5th	0-29	2nd
0-1.24	14th	0-6	Original		

* New or Revised Page.

(Filed under Transmittal No. 429.)

Issued: October 6, 2010

Effective: October 21, 2010

1801 California Street, Denver, Colorado 80202

CHECK SHEET (Cont'd)

PAGE	NUMBER OF REVISION EXCEPT AS INDICATED	PAGE	NUMBER OF REVISION EXCEPT AS INDICATED	PAGE	NUMBER OF REVISION EXCEPT AS INDICATED
8-492	Original	9-8	1st	10-9	Original
8-493	Original	9-8.1	1st	10-10	Original
8-494	Original	9-9	4th	10-11	Original
8-495	Original	9-10	4th	10-12	Original
8-496	Original	9-11	8th	10-13	Original
8-497	Original	9-12	2nd	10-14	Original
8-498	Original	9-13	4th	10-15	Original
8-499	Original	9-14	2nd	10-16	Original
8-500	Original	9-15	2nd	10-17	Original
8-501	Original	9-16	11th	10-18	Original
8-502	Original	9-17	4th *	10-19	Original
8-503	Original	9-18	2nd	10-20	Original
8-504	Original	9-19	2nd	10-21	Original
8-505	Original	9-20	2nd	10-22	Original
8-506	Original	9-21	2nd	10-23	Original
8-507	Original	9-21.1	1st	10-24	Original
8-508	Original	9-22	1st	10-25	Original
8-509	Original	9-23	1st	10-26	Original
8-510	Original	9-24	2nd	10-27	Original
8-511	Original	9-24.1	1st	10-28	Original
8-512	Original	9-25	1st	10-29	Original
8-513	Original	9-26	1st	10-30	1st
9-0	7th	10-0	Original	10-31	1st
9-1	5th	10-1	Original	10-32	1st
9-1.1	2nd	10-2	Original	10-32.1	2nd
9-2	9th	10-3	Original	10-32.2	1st
9-3	3rd	10-4	Original	10-33	Original
9-4	6th	10-5	Original	10-34	Original
9-5	5th	10-6	Original	10-35	Original
9-6	3rd	10-7	Original	10-36	Original
9-7	5th	10-8	Original	10-37	Original
				10-38	Original

* New or Revised Page.

(Filed under Transmittal No. 429.)

Issued: October 6, 2010

Effective: October 21, 2010

1801 California Street, Denver, Colorado 80202

9. DIRECTORY ASSISTANCE SERVICE

9.7 OPERATOR SERVICES-AUTOMATIC CALL DISTRIBUTION SERVICE (OS-ACD)

A. General

The Company will use Nortel's Traffic Operator Position System (TOPS™) to provide Operator Services-Automatic Call Distribution (OS-ACD) Service. (TOPS™ is a Nortel registered trademark.) OS-ACD Service will provide operator distribution functionality to customers who deliver calls to the Company's network. The Company will queue, route, and manage calls to customer-provided operator terminals that are compatible with Nortel's Open Position Protocol (OPP). The number of positions served and the call processing capacity of OS-ACD Service is engineered based on the customer's requirements and the Company's available capacity.

1. The transport facilities required to transport calls to the designated OS-ACD switch may be provided by either the customer or the Company. (C)
2. The customer is responsible for interconnecting facilities between the designated OS-ACD switch and the customer's Operator Service Position (OSP). (C)

B. Availability

OS-ACD Service is available at switch locations designated by the Company and as identified in National Exchange Carrier Association (NECA) Tariff F.C.C. No. 4. Additional switch locations will be added, and will be published in the NECA Tariff F.C.C. No. 4, as facilities become available.

C. Technical Requirements

Nortel's Open Position Protocol (OPP) is used as the network interface between OS-ACD Service and the customer's OSPs. The OPP network interface is defined in Nortel Document No. NISQ214-1. Compatible customer-provided equipment (CPE) and software will also be required.

D. Rate Regulations

1. Rates are applied per call delivered to the Company's network.
2. Testing and implementation is required and will be priced on an individual case basis.

E. Rates and Charges

OS-ACD Service, per call	\$0.0524
--------------------------	----------