

Comparison of Proposed Indices
VZTC8181.wk4 to VZTCd301.wk4

Page 1 of 3

		DS3 Transmux Rate Change Filing VZTC8181.wk4				Frame Relay C
		PROPOSED PCI (A)	PROPOSED API (B)	PROPOSED SBI (C)	PROPOSED SBI LIMIT (D)	PROPOSED PCI (A)
<u>Common Line Basket</u>						
100	Total Common Line	N/A	N/A	N/A	N/A	N/A
<u>Traffic Sensitive Basket</u>						
200	Local Switching	N/A	N/A	19.4149	20.3856	N/A
210	Information	N/A	N/A	15.4875	16.2619	N/A
220	Database Access	N/A	N/A	96.5115	101.3396	N/A
230	800 DB VertSvcs Sub-Cat	N/A	N/A	93.3900	101.7804	N/A
240	Billing Name and Address	N/A	N/A	82.5516	86.6870	N/A
250	Local Switching Trunk Ports	N/A	N/A	89.9348	94.4316	N/A
260	STP Port Terminations	N/A	N/A	98.1656	103.0738	N/A
299	Total Traffic Sensitive	27.1905	27.1905	N/A	N/A	27.1905
<u>Trunking Basket</u>						
300	Interconnection Charge	N/A	N/A	0.0000	0.0000	N/A
310	Tandem Switched Transport	N/A	N/A	176.6237	180.1562	N/A
311	TST Density Zone 1	N/A	N/A	138.0526	158.7605	N/A
312	TST Density Zone 2	N/A	N/A	72.9601	83.9042	N/A
313	TST Density Zone 3	N/A	N/A	75.6746	87.0258	N/A
314	TST Density Zone 4	N/A	N/A	0.0000	0.0000	N/A
315	TST Density Zone 5	N/A	N/A	0.0000	0.0000	N/A
316	TST Density Zone 6	N/A	N/A	0.0000	0.0000	N/A
317	TST Density Zone 7	N/A	N/A	0.0000	0.0000	N/A
320	VoiceGrade - Switched	N/A	N/A	79.0534	83.0061	N/A
321	VG DTT/EF Density Zone 1	N/A	N/A	196.5957	226.0850	N/A

322	VG DTT/EF Density Zone 2	N/A	N/A	65.1387	74.9095	N/A
323	VG DTT/EF Density Zone 3	N/A	N/A	73.9539	85.0470	N/A
324	VG DTT/EF Density Zone 4	N/A	N/A	0.0000	0.0000	N/A
325	VG DTT/EF Density Zone 5	N/A	N/A	0.0000	0.0000	N/A
326	VG DTT/EF Density Zone 6	N/A	N/A	0.0000	0.0000	N/A
327	VG DTT/EF Density Zone 7	N/A	N/A	0.0000	0.0000	N/A
340	High Cap & Other - Switched	N/A	N/A	94.2125	98.9231	N/A
350	DS-1 SubCat - Switched	N/A	N/A	95.6072	100.3876	N/A
351	DS1 DTT Density Zone 1	N/A	N/A	94.4699	108.6404	N/A
352	DS1 DTT Density Zone 2	N/A	N/A	155.1718	178.4476	N/A
353	DS1 DTT Density Zone 3	N/A	N/A	164.6424	189.3387	N/A
354	DS1 DTT Density Zone 4	N/A	N/A	0.0000	0.0000	N/A
355	DS1 DTT Density Zone 5	N/A	N/A	0.0000	0.0000	N/A
356	DS1 DTT Density Zone 6	N/A	N/A	0.0000	0.0000	N/A
357	DS1 DTT Density Zone 7	N/A	N/A	0.0000	0.0000	N/A
360	DS-3 SubCat - Switched	N/A	N/A	75.6604	79.4434	N/A
361	DS3 DTT Density Zone 1	N/A	N/A	72.4524	83.3202	N/A
362	DS3 DTT Density Zone 2	N/A	N/A	72.8879	83.8211	N/A
363	DS3 DTT Density Zone 3	N/A	N/A	74.4870	85.6600	N/A
364	DS3 DTT Density Zone 4	N/A	N/A	0.0000	0.0000	N/A
365	DS3 DTT Density Zone 5	N/A	N/A	0.0000	0.0000	N/A
366	DS3 DTT Density Zone 6	N/A	N/A	0.0000	0.0000	N/A
367	DS3 DTT Density Zone 7	N/A	N/A	0.0000	0.0000	N/A

**Comparison of Proposed Indices
VZTC8181.wk4 to VZTCd301.wk4**

DS3 Transmux Rate Change Filing VZTC8181.wk4

Frame Relay C

PROPOSED PCI (A)	PROPOSED API (B)	PROPOSED SBI (C)	PROPOSED SBI LIMIT (D)	PROPOSED PCI (A)
------------------------	------------------------	------------------------	------------------------------	------------------------

370	HC Other Sw Density Zone 1	N/A	N/A	0.0000	0.0000	N/A
371	HC Other Sw Density Zone 2	N/A	N/A	0.0000	0.0000	N/A
372	HC Other Sw Density Zone 3	N/A	N/A	0.0000	0.0000	N/A
373	HC Other Sw Density Zone 4	N/A	N/A	0.0000	0.0000	N/A
374	HC Other Sw Density Zone 5	N/A	N/A	0.0000	0.0000	N/A
375	HC Other Sw Density Zone 6	N/A	N/A	0.0000	0.0000	N/A
376	HC Other Sw Density Zone 7	N/A	N/A	0.0000	0.0000	N/A
380	Signalling Interconnection	N/A	N/A	0.0000	0.0000	N/A
381	SigIntCon Density Zone 1	N/A	N/A	0.0000	0.0000	N/A
382	SigIntCon Density Zone 2	N/A	N/A	0.0000	0.0000	N/A
383	SigIntCon Density Zone 3	N/A	N/A	0.0000	0.0000	N/A
384	SigIntCon Density Zone 4	N/A	N/A	0.0000	0.0000	N/A
385	SigIntCon Density Zone 5	N/A	N/A	0.0000	0.0000	N/A
386	SigIntCon Density Zone 6	N/A	N/A	0.0000	0.0000	N/A
387	SigIntCon Density Zone 7	N/A	N/A	0.0000	0.0000	N/A
499	Total Trunking	45.0407	44.6364	N/A	N/A	45.0407
<u>Interexchange Basket</u>						
600	Total Interexchange	78.5008	78.4986	N/A	N/A	78.5008
<u>Special Access Basket</u>						
720	VG/WATS, Met, Tgh - Special	N/A	N/A	88.4657	93.0576	N/A
721	VG Spec Density Zone 1	N/A	N/A	0.0000	0.0000	N/A
722	VG Spec Density Zone 2	N/A	N/A	0.0000	0.0000	N/A
723	VG Spec Density Zone 3	N/A	N/A	0.0000	0.0000	N/A
724	VG Spec Density Zone 4	N/A	N/A	0.0000	0.0000	N/A
725	VG Spec Density Zone 5	N/A	N/A	0.0000	0.0000	N/A
726	VG Spec Density Zone 6	N/A	N/A	0.0000	0.0000	N/A
727	VG Spec Density Zone 7	N/A	N/A	0.0000	0.0000	N/A
730	Audio & Video	N/A	N/A	118.4357	124.5831	N/A
731	Audio/Video Density Zone 1	N/A	N/A	0.0000	0.0000	N/A
732	Audio/Video Density Zone 2	N/A	N/A	0.0000	0.0000	N/A
733	Audio/Video Density Zone 3	N/A	N/A	0.0000	0.0000	N/A
734	Audio/Video Density Zone 4	N/A	N/A	0.0000	0.0000	N/A
735	Audio/Video Density Zone 5	N/A	N/A	0.0000	0.0000	N/A
736	Audio/Video Density Zone 6	N/A	N/A	0.0000	0.0000	N/A
737	Audio/Video Density Zone 7	N/A	N/A	0.0000	0.0000	N/A
740	High Cap & DDS - Special	N/A	N/A	66.9591	70.3029	N/A

750	DS-1 SubCat - Special	N/A	N/A	67.4007	70.8234	N/A
751	DS1 Spec Density Zone 1	N/A	N/A	63.6329	73.1266	N/A
752	DS1 Spec Density Zone 2	N/A	N/A	66.8289	76.9326	N/A
753	DS1 Spec Density Zone 3	N/A	N/A	68.6790	79.1145	N/A
754	DS1 Spec Density Zone 4	N/A	N/A	0.0000	0.0000	N/A
755	DS1 Spec Density Zone 5	N/A	N/A	0.0000	0.0000	N/A
756	DS1 Spec Density Zone 6	N/A	N/A	0.0000	0.0000	N/A
757	DS1 Spec Density Zone 7	N/A	N/A	0.0000	0.0000	N/A
760	DS-3 SubCat - Special	N/A	N/A	58.9840	61.6620	N/A
761	DS3 Spec Density Zone 1	N/A	N/A	58.4317	66.9866	N/A
762	DS3 Spec Density Zone 2	N/A	N/A	51.5091	58.7770	N/A
763	DS3 Spec Density Zone 3	N/A	N/A	56.1861	64.2764	N/A
764	DS3 Spec Density Zone 4	N/A	N/A	0.0000	0.0000	N/A
765	DS3 Spec Density Zone 5	N/A	N/A	0.0000	0.0000	N/A
766	DS3 Spec Density Zone 6	N/A	N/A	0.0000	0.0000	N/A
767	DS3 Spec Density Zone 7	N/A	N/A	0.0000	0.0000	N/A

**Comparison of Proposed Indices
VZTC8181.wk4 to VZTCd301.wk4**

Page 3 of 3

DS3 Transmux Rate Change Filing VZTC8181.wk4

Frame Relay C

		PROPOSED PCI (A)	PROPOSED API (B)	PROPOSED SBI (C)	PROPOSED SBI LIMIT (D)	PROPOSED PCI (A)
770	DDS&Other Sp Density Zone 1	N/A	N/A	0.0000	0.0000	N/A
771	DDS&Other Sp Density Zone 2	N/A	N/A	0.0000	0.0000	N/A
772	DDS&Other Sp Density Zone 3	N/A	N/A	0.0000	0.0000	N/A
773	DDS&Other Sp Density Zone 4	N/A	N/A	0.0000	0.0000	N/A
774	DDS&Other Sp Density Zone 5	N/A	N/A	0.0000	0.0000	N/A
775	DDS&Other Sp Density Zone 6	N/A	N/A	0.0000	0.0000	N/A
776	DDS&Other Sp Density Zone 7	N/A	N/A	0.0000	0.0000	N/A

790	Wideband	N/A	N/A	95.4253	100.1965	N/A
791	WB Density Zone 1	N/A	N/A	0.0000	0.0000	N/A
792	WB Density Zone 2	N/A	N/A	0.0000	0.0000	N/A
793	WB Density Zone 3	N/A	N/A	0.0000	0.0000	N/A
794	WB Density Zone 4	N/A	N/A	0.0000	0.0000	N/A
795	WB Density Zone 5	N/A	N/A	0.0000	0.0000	N/A
796	WB Density Zone 6	N/A	N/A	0.0000	0.0000	N/A
797	WB Density Zone 7	N/A	N/A	0.0000	0.0000	N/A
899	Total Special Access	44.0958	44.0957	N/A	N/A	44.0958

WORKPAPER INDICES COMP

ustomer Service Management Detariffing VZTCd301.wk4

PROPOSED API (B)	PROPOSED SBI (C)	PROPOSED SBI LIMIT (D)
N/A	N/A	N/A
N/A	19.4149	20.3856
N/A	15.4875	16.2619
N/A	96.5115	101.3396
N/A	93.3900	101.7804
N/A	82.5516	86.6870
N/A	89.9348	94.4316
N/A	98.1656	103.0738
27.1905	N/A	N/A
N/A	0.0000	0.0000
N/A	176.6237	180.1562
N/A	138.0526	158.7605
N/A	72.9601	83.9042
N/A	75.6746	87.0258
N/A	0.0000	0.0000
N/A	0.0000	0.0000
N/A	0.0000	0.0000
N/A	0.0000	0.0000
N/A	79.0534	83.0061
N/A	196.5957	226.0850

N/A	65.1387	74.9095
N/A	73.9539	85.0470
N/A	0.0000	0.0000
N/A	0.0000	0.0000
N/A	0.0000	0.0000
N/A	0.0000	0.0000
N/A	94.2125	98.9231
N/A	95.6072	100.3876
N/A	94.4699	108.6404
N/A	155.1718	178.4476
N/A	164.6424	189.3387
N/A	0.0000	0.0000
N/A	0.0000	0.0000
N/A	0.0000	0.0000
N/A	0.0000	0.0000
N/A	75.6604	79.4434
N/A	72.4524	83.3202
N/A	72.8879	83.8211
N/A	74.4870	85.6600
N/A	0.0000	0.0000
N/A	0.0000	0.0000
N/A	0.0000	0.0000
N/A	0.0000	0.0000

WORKPAPER INDICES COMP

ustomer Service Management Detariffing VZTCd301.wk4

PROPOSED	PROPOSED	PROPOSED
API	SBI	SBI LIMIT
(B)	(C)	(D)

N/A		95.4253	100.1965
N/A		0.0000	0.0000
N/A		0.0000	0.0000
N/A		0.0000	0.0000
N/A		0.0000	0.0000
N/A		0.0000	0.0000
N/A		0.0000	0.0000
N/A		0.0000	0.0000
N/A		0.0000	0.0000
44.0957	N/A		N/A