

SPECIAL CONSTRUCTION
CHECK SHEET

Title Page and Pages 0-1 to 19-14 inclusive of this Tariff are effective as of May 1, 2013.

| PAGE | NUMBER OF REVISION EXCEPT AS INDICATED | PAGE | NUMBER OF REVISION EXCEPT AS INDICATED | PAGE | NUMBER OF REVISION EXCEPT AS INDICATED |
|-------|--|------|--|------|--|
| Title | 1st | 2-12 | 1st | 5-16 | 1st |
| 0-1 | 17th * | 2-13 | 1st | 5-17 | 1st |
| 0-1.1 | 5th | 2-14 | 1st | 5-18 | 1st |
| 0-1.2 | 15th * | 3-1 | 1st | 5-19 | 1st |
| 0-1.3 | 11th * | 3-2 | 1st | 5-20 | 1st |
| 0-1.4 | 13th * | 3-3 | 1st | 5-21 | 1st |
| 0-1.5 | 13th * | 3-4 | 1st | 6-1 | 1st |
| 0-1.6 | 15th * | 3-5 | 1st | 6-2 | 1st |
| 0-1.7 | 16th * | 3-6 | 1st | 6-3 | 1st |
| 0-1.8 | 11th * | 3-7 | 1st | 6-4 | 1st |
| 0-2 | 1st | 3-8 | 1st | 6-5 | 1st |
| 0-3 | 1st | 3-9 | 1st | 6-6 | 1st |
| 0-4 | 1st | 3-10 | 1st | 6-7 | 1st |
| 0-5 | 1st | 4-1 | 1st | 6-8 | 1st |
| 0-6 | 1st | 5-1 | 1st | 6-9 | 1st |
| 0-7 | 1st | 5-2 | 1st | 6-10 | 1st |
| 0-8 | 1st | 5-3 | 1st | 6-11 | 1st |
| 1-1 | 1st | 5-4 | 1st | 6-12 | 1st |
| 2-1 | 1st | 5-5 | 1st | 6-13 | 1st |
| 2-2 | 1st | 5-6 | 1st | 6-14 | 1st |
| 2-3 | 1st | 5-7 | 1st | 6-15 | 1st |
| 2-4 | 1st | 5-8 | 1st | 6-16 | 1st |
| 2-5 | 1st | 5-9 | 1st | 6-17 | 1st |
| 2-6 | 1st | 5-10 | 1st | 6-18 | 1st |
| 2-7 | 1st | 5-11 | 1st | 6-19 | 1st |
| 2-8 | 1st | 5-12 | 1st | 6-20 | 1st |
| 2-9 | 1st | 5-13 | 1st | 6-21 | 1st |
| 2-10 | 1st | 5-14 | 1st | 6-22 | 1st |
| 2-11 | 1st | 5-15 | 1st | 6-23 | 1st |

* New or Revised Page.

ISSUE DATE:
December 17, 2015

Issued Under Transmittal No. 77
Vice President-Regulatory Operations
100 CenturyLink Drive
Monroe, Louisiana 71203

EFFECTIVE DATE:
January 1, 2016

SPECIAL CONSTRUCTION
CHECK SHEET

| PAGE | NUMBER OF REVISION EXCEPT AS INDICATED | PAGE | NUMBER OF REVISION EXCEPT AS INDICATED | PAGE | NUMBER OF REVISION EXCEPT AS INDICATED |
|------|--|------|--|------|--|
| 7-51 | 1st | 7-85 | Original | 9-5 | 1st |
| 7-52 | 1st | 7-86 | 1st | 9-6 | 1st |
| 7-53 | 1st | 7-87 | Original * | 9-7 | 1st |
| 7-54 | 1st | 8-1 | 1st | 9-8 | 1st |
| 7-55 | 1st | 8-2 | 1st | 9-9 | 1st |
| 7-56 | 1st | 8-3 | 1st | 9-10 | 1st |
| 7-57 | 1st | 8-4 | 1st | 9-11 | 1st |
| 7-58 | 1st | 8-5 | 1st | 9-12 | 1st |
| 7-59 | 1st | 8-6 | 1st | 9-13 | 1st |
| 7-60 | 1st | 8-7 | 1st | 9-14 | 1st |
| 7-61 | 1st | 8-8 | 1st | 9-15 | 1st |
| 7-62 | 1st | 8-9 | 1st | 9-16 | 1st |
| 7-63 | 1st | 8-10 | 1st | 9-17 | 1st |
| 7-64 | 1st | 8-11 | 1st | 9-18 | 1st |
| 7-65 | 1st | 8-12 | 1st | 9-19 | 1st |
| 7-66 | 1st | 8-13 | 1st | 9-20 | 1st |
| 7-67 | 1st | 8-14 | 1st | 9-21 | 1st |
| 7-68 | 1st | 8-15 | 1st | 9-22 | 1st |
| 7-69 | 1st | 8-16 | 1st | 9-23 | 1st |
| 7-70 | 1st | 8-17 | 1st | 9-24 | 1st |
| 7-71 | 1st | 8-18 | 1st | 9-25 | 1st |
| 7-72 | 1st | 8-19 | 1st | 9-26 | 1st |
| 7-73 | 1st | 8-20 | 1st | 9-27 | 1st |
| 7-74 | 1st | 8-21 | 1st | 9-28 | 1st |
| 7-75 | 1st | 8-22 | 1st | 9-29 | 1st |
| 7-76 | 1st | 8-23 | 2nd | 9-30 | 1st |
| 7-77 | 2nd | 8-24 | 3rd | 9-31 | 1st |
| 7-78 | 2nd | 8-25 | 3rd | 9-32 | 1st |
| 7-79 | 2nd | 8-26 | 1st | 9-33 | 1st |
| 7-80 | 1st | 8-27 | Original * | 9-34 | 1st |
| 7-81 | 2nd | 9-1 | 1st | 9-35 | 1st |
| 7-82 | 3rd | 9-2 | 1st | 9-36 | 1st |
| 7-83 | 2nd | 9-3 | 1st | 9-37 | 1st |
| 7-84 | 1st | 9-4 | 1st | 9-38 | 1st |

* New or Revised Page.

ISSUE DATE:
December 17, 2015Issued Under Transmittal No. 77
Vice President-Regulatory Operations
100 CenturyLink Drive
Monroe, Louisiana 71203EFFECTIVE DATE:
January 1, 2016

SPECIAL CONSTRUCTION
CHECK SHEET

| PAGE | NUMBER OF REVISION EXCEPT AS INDICATED | PAGE | NUMBER OF REVISION EXCEPT AS INDICATED | PAGE | NUMBER OF REVISION EXCEPT AS INDICATED |
|------|--|-------|--|-------|--|
| 9-39 | 1st | 9-73 | 1st | 9-107 | 1st |
| 9-40 | 1st | 9-74 | 1st | 9-108 | 1st |
| 9-41 | 1st | 9-75 | 1st | 9-109 | 1st |
| 9-42 | 1st | 9-76 | 1st | 9-110 | 1st |
| 9-43 | 1st | 9-77 | 1st | 9-111 | 1st |
| 9-44 | 1st | 9-78 | 1st | 9-112 | 1st |
| 9-45 | 1st | 9-79 | 1st | 9-113 | 1st |
| 9-46 | 1st | 9-80 | 1st | 9-114 | 1st |
| 9-47 | 1st | 9-81 | 1st | 9-115 | 1st |
| 9-48 | 1st | 9-82 | 1st | 9-116 | 1st |
| 9-49 | 1st | 9-83 | 1st | 9-117 | 1st |
| 9-50 | 1st | 9-84 | 1st | 9-118 | 1st |
| 9-51 | 1st | 9-85 | 1st | 9-119 | 1st |
| 9-52 | 1st | 9-86 | 1st | 9-120 | 1st |
| 9-53 | 1st | 9-87 | 1st | 9-121 | 1st |
| 9-54 | 1st | 9-88 | 1st | 9-122 | 1st |
| 9-55 | 1st | 9-89 | 1st | 9-123 | 1st |
| 9-56 | 1st | 9-90 | 1st | 9-124 | 1st |
| 9-57 | 1st | 9-91 | 1st | 9-125 | 1st |
| 9-58 | 1st | 9-92 | 1st | 9-126 | 1st |
| 9-59 | 1st | 9-93 | 1st | 9-127 | 1st |
| 9-60 | 1st | 9-94 | 1st | 9-128 | 1st |
| 9-61 | 1st | 9-95 | 1st | 9-129 | 1st |
| 9-62 | 1st | 9-96 | 1st | 9-130 | 1st |
| 9-63 | 1st | 9-97 | 1st | 9-131 | 1st |
| 9-64 | 1st | 9-98 | 1st | 9-132 | 1st |
| 9-65 | 1st | 9-99 | 1st | 9-133 | 1st |
| 9-66 | 1st | 9-100 | 1st | 9-134 | 1st |
| 9-67 | 1st | 9-101 | 1st | 9-135 | 1st |
| 9-68 | 1st | 9-102 | 1st | 9-136 | 1st |
| 9-69 | 1st | 9-103 | 1st | 9-137 | 1st |
| 9-70 | 1st | 9-104 | 1st | 9-138 | 1st |
| 9-71 | 1st | 9-105 | 1st | 9-139 | 1st |
| 9-72 | 1st | 9-106 | 1st | 9-140 | 1st |

* New or Revised Page.

ISSUE DATE:
December 17, 2015Issued Under Transmittal No. 77
Vice President-Regulatory Operations
100 CenturyLink Drive
Monroe, Louisiana 71203EFFECTIVE DATE:
January 1, 2016

SPECIAL CONSTRUCTION
CHECK SHEET

| PAGE | NUMBER OF REVISION EXCEPT AS INDICATED | PAGE | NUMBER OF REVISION EXCEPT AS INDICATED | PAGE | NUMBER OF REVISION EXCEPT AS INDICATED |
|-------|---|-------|---|-------|---|
| 9-141 | 1st | 10-12 | 1st | 10-46 | 1st |
| 9-142 | 1st | 10-13 | 1st | 10-47 | 1st |
| 9-143 | 1st | 10-14 | 1st | 10-48 | 1st |
| 9-144 | 1st | 10-15 | 1st | 10-49 | 1st |
| 9-145 | 1st | 10-16 | 1st | 10-50 | 1st |
| 9-146 | 1st | 10-17 | 1st | 10-51 | 1st |
| 9-147 | 1st | 10-18 | 1st | 10-52 | 1st |
| 9-148 | 1st | 10-19 | 1st | 10-53 | 1st |
| 9-149 | 1st | 10-20 | 1st | 10-54 | 1st |
| 9-150 | 1st | 10-21 | 1st | 10-55 | 1st |
| 9-151 | 1st | 10-22 | 1st | 10-56 | 1st |
| 9-152 | 1st | 10-23 | 1st | 10-57 | 1st |
| 9-153 | 1st | 10-24 | 1st | 10-58 | 1st |
| 9-154 | 1st | 10-25 | 1st | 10-59 | 1st |
| 9-155 | 2nd | 10-26 | 1st | 10-60 | 1st |
| 9-156 | 1st | 10-27 | 1st | 10-61 | 1st |
| 9-157 | 2nd | 10-28 | 1st | 10-62 | 1st |
| 9-158 | 1st | 10-29 | 1st | 10-63 | 1st |
| 9-159 | 1st | 10-30 | 1st | 10-64 | 1st |
| 9-160 | 3rd | 10-31 | 1st | 10-65 | 1st |
| 9-161 | 1st | 10-32 | 1st | 10-66 | 1st |
| 9-162 | 2nd | 10-33 | 1st | 10-67 | 1st |
| 9-163 | Original | 10-34 | 1st | 10-68 | 1st |
| 10-1 | 1st | 10-35 | 1st | 10-69 | 1st |
| 10-2 | 1st | 10-36 | 1st | 10-70 | 1st |
| 10-3 | 1st | 10-37 | 1st | 10-71 | 1st |
| 10-4 | 1st | 10-38 | 1st | 10-72 | 1st |
| 10-5 | 1st | 10-39 | 1st | 10-73 | 1st |
| 10-6 | 1st | 10-40 | 1st | 10-74 | 1st |
| 10-7 | 1st | 10-41 | 1st | 10-75 | 1st |
| 10-8 | 1st | 10-42 | 1st | 10-76 | 1st |
| 10-9 | 1st | 10-43 | 1st | 10-77 | 1st |
| 10-10 | 1st | 10-44 | 1st | 10-78 | 1st |
| 10-11 | 1st | 10-45 | 1st | 10-79 | 1st |

* New or Revised Page.

ISSUE DATE:
December 17, 2015Issued Under Transmittal No. 77
Vice President-Regulatory Operations
100 CenturyLink Drive
Monroe, Louisiana 71203EFFECTIVE DATE:
January 1, 2016

SPECIAL CONSTRUCTION
CHECK SHEET

| PAGE | NUMBER OF REVISION EXCEPT AS INDICATED | PAGE | NUMBER OF REVISION EXCEPT AS INDICATED | PAGE | NUMBER OF REVISION EXCEPT AS INDICATED |
|--------|---|--------|---|--------|---|
| 10-80 | 1st | 10-114 | 1st | 10-148 | 1st |
| 10-81 | 1st | 10-115 | 1st | 10-149 | 1st |
| 10-82 | 1st | 10-116 | 1st | 10-150 | 1st |
| 10-83 | 1st | 10-117 | 1st | 10-151 | 1st |
| 10-84 | 1st | 10-118 | 1st | 10-152 | 1st |
| 10-85 | 1st | 10-119 | 1st | 10-153 | 1st |
| 10-86 | 1st | 10-120 | 1st | 10-154 | 1st |
| 10-87 | 1st | 10-121 | 1st | 10-155 | 1st |
| 10-88 | 1st | 10-122 | 1st | 10-156 | 1st |
| 10-89 | 1st | 10-123 | 1st | 10-157 | 1st |
| 10-90 | 1st | 10-124 | 1st | 10-158 | 1st |
| 10-91 | 1st | 10-125 | 1st | 10-159 | 1st |
| 10-92 | 1st | 10-126 | 1st | 10-160 | 1st |
| 10-93 | 1st | 10-127 | 1st | 10-161 | 1st |
| 10-94 | 1st | 10-128 | 1st | 10-162 | 1st |
| 10-95 | 1st | 10-129 | 1st | 10-163 | 1st |
| 10-96 | 1st | 10-130 | 1st | 10-164 | 1st |
| 10-97 | 1st | 10-131 | 1st | 10-165 | 1st |
| 10-98 | 1st | 10-132 | 1st | 10-166 | 1st |
| 10-99 | 1st | 10-133 | 1st | 10-167 | 1st |
| 10-100 | 1st | 10-134 | 1st | 10-168 | 1st |
| 10-101 | 1st | 10-135 | 1st | 10-169 | 1st |
| 10-102 | 1st | 10-136 | 1st | 10-170 | 1st |
| 10-103 | 1st | 10-137 | 1st | 10-171 | 1st |
| 10-104 | 1st | 10-138 | 1st | 10-172 | 1st |
| 10-105 | 1st | 10-139 | 1st | 10-173 | 1st |
| 10-106 | 1st | 10-140 | 1st | 10-174 | 1st |
| 10-107 | 1st | 10-141 | 1st | 10-175 | 1st |
| 10-108 | 1st | 10-142 | 1st | 10-176 | 1st |
| 10-109 | 1st | 10-143 | 1st | 10-177 | 1st |
| 10-110 | 1st | 10-144 | 1st | 10-178 | 1st |
| 10-111 | 1st | 10-145 | 1st | 10-179 | 1st |
| 10-112 | 1st | 10-146 | 1st | 10-180 | 1st |
| 10-113 | 1st | 10-147 | 1st | 10-181 | 1st |

* New or Revised Page.

ISSUE DATE:
December 17, 2015Issued Under Transmittal No. 77
Vice President-Regulatory Operations
100 CenturyLink Drive
Monroe, Louisiana 71203EFFECTIVE DATE:
January 1, 2016

SPECIAL CONSTRUCTION
CHECK SHEET

| PAGE | NUMBER OF REVISION EXCEPT AS INDICATED | PAGE | NUMBER OF REVISION EXCEPT AS INDICATED | PAGE | NUMBER OF REVISION EXCEPT AS INDICATED |
|--------|--|-------|--|-------|--|
| 10-182 | 1st | 11-8 | 1st | 12-23 | 1st |
| 10-183 | 1st | 11-9 | 1st | 12-24 | 1st |
| 10-184 | 1st | 11-10 | 1st | 12-25 | 1st |
| 10-185 | 1st | 11-11 | 1st | 12-26 | 1st |
| 10-186 | 1st | 11-12 | 1st | 12-27 | 1st |
| 10-187 | 1st | 11-13 | 1st | 12-28 | 1st |
| 10-188 | 1st | 11-14 | 1st | 12-29 | 1st |
| 10-189 | 1st | 11-15 | 1st | 12-30 | 1st |
| 10-190 | 1st | 11-16 | 2nd | 12-31 | 1st |
| 10-191 | 1st | 11-17 | 2nd | 12-32 | 1st |
| 10-192 | 1st | 11-18 | 1st | 12-33 | 1st |
| 10-193 | 1st | 11-19 | 3rd | 12-34 | 1st |
| 10-194 | 1st | 12-1 | 1st | 12-35 | 1st |
| 10-195 | 1st | 12-2 | 1st | 12-36 | 1st |
| 10-196 | 1st | 12-3 | 1st | 12-37 | 1st |
| 10-197 | 1st | 12-4 | 1st | 12-38 | 1st |
| 10-198 | 2nd | 12-5 | 1st | 12-39 | 1st |
| 10-199 | 1st | 12-6 | 1st | 12-40 | 1st |
| 10-200 | 2nd | 12-7 | 1st | 12-41 | 1st |
| 10-201 | 1st | 12-8 | 1st | 12-42 | 1st |
| 10-202 | 2nd | 12-9 | 1st | 12-43 | 1st |
| 10-203 | 1st | 12-10 | 1st | 12-44 | 1st |
| 10-204 | 2nd | 12-11 | 1st | 12-45 | 1st |
| 10-205 | 2nd | 12-12 | 1st | 12-46 | 1st |
| 10-206 | 2nd | 12-13 | 1st | 12-47 | 1st |
| 10-207 | 1st | 12-14 | 1st | 12-48 | 1st |
| 10-208 | 1st | 12-15 | 1st | 12-49 | 1st |
| 11-1 | 1st | 12-16 | 1st | 12-50 | 1st |
| 11-2 | 1st | 12-17 | 1st | 12-51 | 1st |
| 11-3 | 1st | 12-18 | 1st | 12-52 | 1st |
| 11-4 | 1st | 12-19 | 1st | 12-53 | 1st |
| 11-5 | 1st | 12-20 | 1st | 12-54 | 2nd |
| 11-6 | 1st | 12-21 | 1st | 12-55 | 1st |
| 11-7 | 1st | 12-22 | 1st | 12-56 | 2nd |

* New or Revised Page.

ISSUE DATE:
December 17, 2015Issued Under Transmittal No. 77
Vice President-Regulatory Operations
100 CenturyLink Drive
Monroe, Louisiana 71203EFFECTIVE DATE:
January 1, 2016

SPECIAL CONSTRUCTION
CHECK SHEET

| PAGE | NUMBER OF REVISION EXCEPT AS INDICATED | PAGE | NUMBER OF REVISION EXCEPT AS INDICATED | PAGE | NUMBER OF REVISION EXCEPT AS INDICATED |
|-------|--|-------|--|-------|--|
| 12-57 | 1st | 14-10 | 1st | 16-4 | 1st |
| 12-58 | 1st | 14-11 | 1st | 16-5 | 1st |
| 12-59 | 2nd | 14-12 | 1st | 16-6 | 1st |
| 13-1 | 1st | 14-13 | 1st | 16-7 | 1st |
| 13-2 | 1st | 14-14 | 1st | 16-8 | 1st |
| 13-3 | 1st | 14-15 | 1st | 16-9 | 1st |
| 13-4 | 1st | 14-16 | 1st | 16-10 | 1st |
| 13-5 | 1st | 14-17 | 1st | 16-11 | 1st |
| 13-6 | 1st | 14-18 | 1st | 16-12 | 1st |
| 13-7 | 1st | 14-19 | 1st | 16-13 | 1st |
| 13-8 | 1st | 14-20 | 3rd | 16-14 | 1st |
| 13-9 | 1st | 14-21 | 2nd | 16-15 | 1st |
| 13-10 | 1st | 14-22 | 3rd | 16-16 | 2nd |
| 13-11 | 1st | 14-23 | Original | 16-17 | 3rd |
| 13-12 | 1st | 15-1 | 1st | 16-18 | Original |
| 13-13 | 1st | 15-2 | 1st | 17-1 | 1st |
| 13-14 | 1st | 15-3 | 1st | 17-2 | 1st |
| 13-15 | 1st | 15-4 | 1st | 17-3 | 1st |
| 13-16 | 1st | 15-5 | 1st | 17-4 | 1st |
| 13-17 | 1st | 15-6 | 1st | 17-5 | 1st |
| 13-18 | 1st | 15-7 | 1st | 17-6 | 1st |
| 13-19 | 1st | 15-8 | 1st | 17-7 | 1st |
| 13-20 | 1st | 15-9 | 1st | 17-8 | 1st |
| 13-21 | 2nd | 15-10 | 1st | 17-9 | 1st |
| 13-22 | 2nd | 15-11 | 1st | 17-10 | 1st |
| 14-1 | 1st | 15-12 | 1st | 17-11 | 1st |
| 14-2 | 1st | 15-13 | 1st | 17-12 | 1st |
| 14-3 | 1st | 15-14 | 1st | 17-13 | 1st |
| 14-4 | 1st | 15-15 | 2nd | 17-14 | 1st |
| 14-5 | 1st | 15-16 | 3rd | 17-15 | 1st |
| 14-6 | 1st | 15-17 | Original | 17-16 | 1st |
| 14-7 | 1st | 16-1 | 1st | 17-17 | 1st |
| 14-8 | 1st | 16-2 | 1st | 17-18 | 1st |
| 14-9 | 1st | 16-3 | 1st | 17-19 | 1st |

* New or Revised Page.

ISSUE DATE:
December 17, 2015Issued Under Transmittal No. 77
Vice President-Regulatory Operations
100 CenturyLink Drive
Monroe, Louisiana 71203EFFECTIVE DATE:
January 1, 2016

SPECIAL CONSTRUCTION
CHECK SHEET

| PAGE | NUMBER OF REVISION EXCEPT AS INDICATED | PAGE | NUMBER OF REVISION EXCEPT AS INDICATED | PAGE | NUMBER OF REVISION EXCEPT AS INDICATED |
|-------|---|-------|---|-------|---|
| 17-20 | 2nd | 18-17 | 1st | 18-34 | 3rd |
| 18-1 | 1st | 18-18 | 1st | 18-35 | 3rd * |
| 18-2 | 1st | 18-19 | 1st | 19-1 | 1st |
| 18-3 | 1st | 18-20 | 1st | 19-2 | 1st |
| 18-4 | 1st | 18-21 | 1st | 19-3 | 1st |
| 18-5 | 1st | 18-22 | 1st | 19-4 | 1st |
| 18-6 | 1st | 18-23 | 1st | 19-5 | 1st |
| 18-7 | 1st | 18-24 | 1st | 19-6 | 1st |
| 18-8 | 1st | 18-25 | 1st | 19-7 | 1st |
| 18-9 | 1st | 18-26 | 1st | 19-8 | 1st |
| 18-10 | 1st | 18-27 | 1st | 19-9 | 1st |
| 18-11 | 1st | 18-28 | 1st | 19-10 | 1st |
| 18-12 | 1st | 18-29 | 1st | 19-11 | 1st |
| 18-13 | 1st | 18-30 | 1st | 19-12 | 1st |
| 18-14 | 1st | 18-31 | 1st | 19-13 | 3rd |
| 18-15 | 1st | 18-32 | 1st | 19-14 | 1st |
| 18-16 | 1st | 18-33 | 2nd | | |

* New or Revised Page.

ISSUE DATE:
December 17, 2015

FCC2015-018

Issued Under Transmittal No. 77
Vice President-Regulatory Operations
100 CenturyLink Drive
Monroe, Louisiana 71203EFFECTIVE DATE:
January 1, 2016

SPECIAL CONSTRUCTION

7. CHARGES TO PROVIDE PERMANENT FACILITIES

7.1 COLORADO (Cont'd)

CASE NO: 256
 CUSTOMER: Verizon Business
 DESCRIPTION: Special construction work will consist of placement of 2,225 feet of underground fiber cable, 1,525 feet of conduit, 2,125 feet of inner-duct and 2 hand holes to provide DS3 Service. The location for this construction is 9595 W Quincy Ave., Littleton, CO. A total charge of \$12,158.30 is due and payable in a one-time, up-front payment.

REFERENCE: CO15S0292

NONRECURRING CHARGE: \$12,158.30

(N)

(N)

SPECIAL CONSTRUCTION

8. CHARGES TO PROVIDE PERMANENT FACILITIES

8.1 IDAHO (Cont'd)

CASE NO: 83
 CUSTOMER: Verizon Business
 DESCRIPTION: Special construction work will consist of cobblestone boring for the placement of 2,395 feet of underground fiber cable to provide DS3 Service. The location for this construction is 7940 W Rifleman, Boise, ID. A total charge of \$13,000.00 is due and payable in a one-time, up-front payment.

REFERENCE: ID14S0203

NONRECURRING CHARGE: \$13,000.00

(N)

(N)

SPECIAL CONSTRUCTION

18. CHARGES TO PROVIDE PERMANENT FACILITIES

18.1 WASHINGTON (Cont'd)

CASE NO: 106
CUSTOMER: Verizon Business
DESCRIPTION: Special construction work will consist of the placement of 1 mile of underground fiber cable facilities to provide DS3 Service. The location for this construction is 2807 W Lewis St., Pasco, WA. A total charge of \$26,892.42 is due and payable in a one-time, up-front payment.

REFERENCE: WA13T0128 | NONRECURRING CHARGE: \$26,892.42

CASE NO: 107
CUSTOMER: Level 3 Communications
DESCRIPTION: Special construction work will consist of the placement of 466 feet of underground fiber cable and innerduct and 250 feet of fiber entrance cable to provide DS3 Service. The location for this construction is 1102 Pacific Ave, Tacoma, WA. A total charge of \$29,834.92 is due and payable in a one-time, up-front payment.

REFERENCE: WA13S4679 | NONRECURRING CHARGE: \$29,834.92

CASE NO: 108
CUSTOMER: Verizon Business
DESCRIPTION: Special construction work will consist of the placement of 5,357 feet of underground fiber cable, 400 feet of inner-duct and 5 hand holes to provide DS3 Service. The location for this construction is 9256 Randolph NE, Moses Lake, WA. A total charge of \$70,326.30 is due and payable in a one-time, up-front payment.

REFERENCE: WA15S0434 | NONRECURRING CHARGE: \$70,326.30

(N)
|
(N)