WIRE CENTER INFORMATION
PENDING CHANGES
SECTION 12
ALABAMA

EFFECTIVE: JANUARY 01, 2018

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE	
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --	
MONTGOMERY	DTHNALXAXCX	07830	01981	402G	478	GR	(C)
229/231(7000-7999)							(C)
334/203(8000-8999),248(7000-7999),276(7000-7999)							(C)
334/282(7000-7999),304(7000-7999),316(7000-7999)							(C)
334/336(7000-7999),342(4000-4999),344(3000-3999)							(C)
334/352(6000-6999),362(7000-7999),367(7000-7999)							(C)
334/368(7000-7999),369(7000-7999),377(7000-7999)							(C)
334/378(7000-7999),401(7000-7999),402(7000-7999)							(C)
334/415(7000-7999),422(7000-7999),423(7000-7999)							(C)
334/432(7000-7999),438(7000-7999),455(7000-7999)							(C)
334/458(7000-7999),463(7000-7999),471(7000-7999)							(C)
334/472(7000-7999),487(7000-7999),489(7000-7999)							(C)
334/504(7000-7999),510(7000-7999),523(7000-7999)							(C)
334/542(7000-7999),547(7000-7999),550(7000-7999)							(C)
334/569(7000-7999),575(7000-7999),581(7000-7999)							(C)
334/586(7000-7999),589(7000-7999),594(7000-7999)							(C)
334/597(7000-7999),602(7000-7999),641(7000-7999)							(C)
334/662(5000-5999),689(7000-7999),698(7000-7999)							(C)
334/708(7000-7999),709(7000-7999),723(7000-7999)							(C)
334/758(7000-7999),764(7000-7999),785(7000-7999)							(C)
334/892(7000-7999),896(7000-7999),908(7000-7999)							(C)
334/918(7000-7999),945(7000-7999),997(7000-7999)							(C)
"	"	"	"	"	"	"	
229/231(7000-7999)						"	
334/203(8000-8999),248(7000-7999),276(7000-7999)						"	
334/282(7000-7999),304(7000-7999),316(7000-7999)						"	
334/336(7000-7999),342(4000-4999),344(3000-3999)						"	
334/352(6000-6999),362(7000-7999),367(7000-7999)						"	
334/368(7000-7999),369(7000-7999),377(7000-7999)						"	
334/378(7000-7999),401(7000-7999),402(7000-7999)						"	
334/415(7000-7999),422(7000-7999),423(7000-7999)						"	
334/432(7000-7999),438(7000-7999),455(7000-7999)						"	
334/458(7000-7999),463(7000-7999),471(7000-7999)						"	
334/472(7000-7999),487(7000-7999),489(7000-7999)						"	
334/504(7000-7999),510(7000-7999),523(7000-7999)						"	
334/542(7000-7999),547(7000-7999),550(7000-7999)						"	
334/569(7000-7999),575(7000-7999),581(7000-7999)						"	
334/586(7000-7999),589(7000-7999),597(7000-7999)						"	
334/602(7000-7999),641(7000-7999),662(5000-5999)						"	

-------- Continued on next page --------

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE	TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- --	-- --

-------- Continued from previous page --------

334/689(7000-7999),698(7000-7999),708(7000-7999)						"	
334/709(7000-7999),723(7000-7999),758(7000-7999)						"	
334/764(7000-7999),785(7000-7999),892(7000-7999)						"	
334/896(7000-7999),908(7000-7999),918(7000-7999)						"	
334/945(7000-7999),997(7000-7999)							

END OF REPORT

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ABBEVILLE	ABVLALXADS0	07752	01993	9788	478	AA BA DA DD
334/585						GC GD GG GN
						GQ GR HB HD
						II SH SQ ST
						TJ TU
ALABASTER	ALBSALMADS0	07568	02420	5181	476	AA BA DA G4
205/620,621,663,664,685(0000-0999),685(1000-1999)						GC GD GL GQ
205/685(3000-3999),685(4000-4999),685(5000-5999)						GR PC PL PR
205/685(6000-6999),685(7000-7999),685(8000-9999)						PU RC RD RM
						SJ SV T9 TJ
						TK XA
ALBERTA	ALBRALXARS0	07816	02414	9789	478	AA BA DA GG
334/573						GM GN GR SV
ALBERTVILLE	ALVLALMADS0	07323	02427	5181	476	AA BA DA GC
256/878,891,894(0000-0999),894(2000-2999),894(3000-3999)						GD GL GQ GR
256/894(4000-4999),894(5000-5999),894(6000-6999)						PC PL PR PU
256/894(7000-7999),894(8000-8999)						RC RD SK SV
						XA
ALEXANDER CITY	ALCYALMTDS0	07553	02249	5181	476	AA BA DA G4
256/212(1000-1999),212(2000-2999),212(3000-3999)						GC GL GQ GR
256/212(4000-4999),212(5000-5999),212(9000-9999)						PC PL RC RD
256/215(0000-0999),215(3000-3999),215(4000-4999)						RM SK SV XA
256/215(5000-5999),215(7000-8999),234,329,409(1000-2999)						
256/409(4000-4999),409(6000-6999),409(9000-9999),500						
ALICEVILLE	ACVLALXADS0	07706	02624	9789	476	AA DA DD GC
205/373(0000-0999),373(1000-1999),373(2000-2999)						GN GQ GR SV
205/373(3000-3999),373(5000-5999),373(6000-6999)						TJ
205/373(8000-8999)						
ANDALUSIA	ANDSALXADS0	07912	02168	9788	478	AA BA DA DD
334/222,427,428,881						GC GD GE GG
						GN GR HB HD
						II RD RM SH
						SQ ST TU

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ANNISTON	ANTNALLEDS0	07392	02308	5181	476	AA BA DA G4
256/820,847(0000-4999),847(8000-8999),848(3000-3999)						GC GD GL GQ
256/848(9000-9999)						GR PC PL SK
						SV TJ XA
ANNISTON	ANTNALMT0GT	07406	02304	5181	476	DA GB GQ GR
/						PC PL QB QF
						XA
ANNISTON	ANTNALMT11T	07406	02304	5181	476	DA GB GQ GR
/						PC PL XA
ANNISTON	ANTNALMTDS0	07406	02304	5181	476	AA BA DA GB
256/231,235,236,237,238(0000-2999),238(4000-9999)						GC GL GQ GR
256/240(1000-1999),240(2000-2999),240(3000-3999)						PC PL QB QF
256/240(4000-4999),240(5000-5999),240(6000-6999)						RC RD SK SP
256/240(7000-7999),240(8000-8999),240(9000-9999),741						SV XA
ANNISTON	ANTNALMTK11	07406	02304	5181	476	DA GQ GR UB
/						UE UG UP VP
						XA ZY
ANNISTON	ANTNALOXDS0	07417	02300	5181	476	AA BA DA G4
256/831,832(0000-5999),832(7000-8999),835						GC GL GQ GR
						PC PL RA RF
						RG RH SJ SM
						SN SV XA
ARAB	ARABAL06RS0	07324	02486	0283	476	DA OE T9
256/931(3590-3609)						
ARAB	ARABAL07RS0	07353	02470	0283	476	DA OE T9
256/586(0007-0045),931(0049-0419)						
ARAB	ARABALXA02T	07339	02478	0283	476	D1 DA GB OE
/						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
ARAB 256/317,586(0000-0006),586(0046-0048),586(0600-0603) 256/586(0983-9999),931(0000-0048),931(0420-3589) 256/931(3610-9999)	ARABALXADS1	07339	02478	0283	476	AA BA DA DD GC GL GN GR HA HD OE RC RD RM SH SM SQ T3 T9 TJ ZZ
ARDMORE 256/420,423 931/427,565,732	ARMRALXADS0	07239	02601	0280	470	AA DA T3 TJ
ARITON 334/762	ARITALXARS0	07788	02073	9788	478	AA BA DA GE GG GJ GM GN GR HB HD II TJ TU UG
ARLINGTON 334/385	ARTNALXARS0	07862	02424	0315	478	AA BA DA TJ
ARONEY 256/561(2000-2999),561(3000-3999),561(4000-4999) 256/561(5000-5999),561(6000-6999),561(7000-7999) 256/561(8000-8999)	ARNYALXARS0	07326	02398	0314	476	GR OE RC RD RM SQ TJ TU
ASHFORD 334/522,691,814,899	ASFRALXADS0	07824	01951	0295	478	AA BA DA GC GL GN GR T3 TJ XE XF
ASHLAND 256/354	ASLDALXADS0	07480	02264	9789	476	AA DA DD GC GG GN GQ GR II RC RD SV
ASHVILLE 205/594(9000-9999)	AHVLALXARP0	07409	02390	0302	476	AA DA GC GD GI GN GR HB HD II RA RC RD RH SQ TJ UM UP UU UW VA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ASHVILLE	AHVLALXARS0	07409	02390	0302	476	AA DA GC GD
205/594(0000-0999),594(2000-2999),594(3000-3999)						GI GN GR HB
205/594(4000-4999),594(5000-5999),594(7000-7999)						HD II RA RC
						RD RH SQ TJ
						UM UP UU UW
						VA
ATHENS	ATHNALERRS0	07302	02625	5181	477	AA BA DA GC
256/614(0000-0999),614(1000-1999),614(6000-6999)						GD GL GQ GR
256/614(7000-7999),614(8000-8999),729						PC PL PR PU
						SJ SV TJ
ATHENS	ATHNALMADS0	07285	02603	5181	477	AA BA DA GC
256/216(0000-3999),216(5000-6999),216(8000-9999)						GD GL GQ GR
256/230(0000-4999),230(6000-6999),230(8000-8999)						PC PL PR PU
256/230(9000-9999),232,233,771(0000-2999),771(4000-9999)						SK SV TJ TK
256/771(4000-9999)						
ATMORE	ATMRALXA02T	08055	02307	4464	480	BA DA GB GD
/						GK GN GR HB
						HD IB RA RB
						RC RD RE RF
						RG RH RM RS
						SL SP SQ T3
						UF UG UH UJ
						UK UR US UT
						UU UW UX UY
ATMORE	ATMRALXADS0	08055	02307	4464	480	AA BA D1 DA
251/368,446						DD GB GC GN
						GR HA HD IC
						ID IE IF IG
						IH RC RD RS
						SH SQ TL UG
						UM UP UR US
						UW UX VA WE

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ATTALLA	ATTLALNMRS0	07360	02382	5181	476	AA BA DA GC
256/538,570(0000-0999),570(2000-2999)						GD GQ GR PC
						PL SK SV TJ
						XA
AUBURN	AUBNALMABBA	07574	02138	5181	478	DA GQ GR SJ
/						TJ TU
AUBURN	AUBNALMADS0	07574	02138	5181	478	AA BA DA GL
334/442,466,501,502,821,826,844,887						GQ GR PC PL
						RC RD SJ SV
						TJ UK
BANKS	BNKSALXARS0	07751	02106	9788	478	AA BA DA GG
334/243						GM GN GR HB
						HD II TJ TU
BARTON	BARTALXA20W	07375	02740	0286	477	OE T9
/						
BARTON	BARTALXARS0	07375	02740	0286	477	AA AB BA BC
256/370(4000-4999),370(5000-5999),370(7000-7999)						DA DD EA GI
256/370(8000-8999)						GJ GL GN GQ
						HB HD HJ IA
						IB IC ID IE
						IF IG IH II
						OE OH OR RC
						RD SH SP SQ
						T8 T9 TA TB
						TJ TL TP TQ
						UG UP UR UU
						UW UX VA WE
BAY MINETTE	BYMNALMARS0	08107	02340	5181	480	AA BA DA GC
251/580(0000-5999),580(8000-9999),937						GD GQ GR PC
						PL PR PU RC
						RD SK SV TJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
BAYOU LA BATRE	BLBTALXARS1	08236	02372	9789	480	AA DA GN GR
251/824(1000-1999),824(2000-2999),824(3000-3999)						II RC RD SJ
251/824(4000-4999),824(7000-7999),824(9000-9999)						SV TJ
BEATRICE	BTRCALXARS0	07893	02333	0306	480	AA BA DA DD
251/789						GN GR HD IC
						ID IE IF IG
						IH SQ TL
BELLE FONTAINE	BLFNALMARS0	08217	02356	5181	480	AA BA DA GC
251/973(0000-2999),973(4000-4999),973(9000-9999)						GD GL GQ GR
						PC PL PR PU
						SJ SV TJ
BERRY	BRRYALXARS0	07558	02587	9789	476	AA DA DD GE
205/689(0000-1999),689(4000-6999),689(8000-9999)						GM GN GR II
						SV TJ
BESSEMER	BSMRALBPRS0	07537	02496	5181	476	AA BA DA GC
205/436(0000-0999),436(3000-3999),436(4000-4999)						GD GL GQ GR
205/436(5000-5999),436(7000-7999)						PC PL PR PU
						SJ SV T9 TJ
BESSEMER	BSMRALBURS0	07585	02465	5181	476	AA BA DA GC
205/477						GD GL GQ GR
						PC PL SJ SV
						TJ XA
BESSEMER	BSMRALHTDS0	07546	02470	5181	476	AA BA DA GC
205/491,497,744						GD GL GQ GR
						PC PL PR PU
						RC RD SJ SV
						T9 TJ TK XA

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
BESSEMER 205/424,425,426,428,481	BSMRALMARPA	07553	02457	5181	476	AA BA DA GC GL GQ GR HD PC PL PR PU RC RD SH SV T7 T9 TJ TK TU XA
BIRMINGHAM /	BRHMAL4100T	07517	02442	7469	476	DA DD G2 GB GD GE GJ GN GQ HB HC IA IB IC IE IF IG IH II QA
BIRMINGHAM 205/216(7000-7999),217(4000-4999),255(4000-4999) 205/307(5000-5999),319(3000-3999),336(4000-4999) 205/421(9000-9999),453(6000-6999),453(8000-8999) 205/460(3000-3999),460(4000-4999),510(7000-7999) 205/535(3000-3999),543(8000-8999),544(3000-3999) 205/545(2000-2999),547(4000-4999),564(2000-2999) 205/564(3000-3999),565(3000-3999),578(3000-3999) 205/578(5000-5999),588(3000-3999),607(3000-3999) 205/650(3000-3999),661(8000-8999),671(3000-3999) 205/675(3000-3999),687(3000-3999),715(8000-8999) 205/747(2000-2999),747(3000-4999),764(6000-6999) 205/775(6000-6999),895(3000-3999),928(5000-5999) 205/986(0000-0999),986(1000-1999),986(2000-2999) 205/986(3000-3999),986(4000-4999),986(5000-5999) 205/986(6000-6999),986(7000-8999),986(9000-9999) 205/994(3000-3999),994(7000-7999) 256/273(3000-3999),281(4000-4999),401(5000-5999) 256/414(3000-3999),644(4000-4999),649(3000-3999) 256/660(3000-3999),676(2000-2999),676(3000-3999) 256/676(4000-5999),677(6000-6999),680(3000-3999) 256/691(3000-3999)	BRHMAL41DS0	07517	02442	7469	476	DA DD G2 GD GE GJ GN GQ HB HC IA IB IC IE IF IG IH II QA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
BIRMINGHAM	BRHMALCHDS0	07523	02427	5181	476	AA BA DA GC
205/262,298,967,968(0000-0999),968(2000-9999),969,970						GD GL GQ GR
205/971,972,977						PA PJ PR PU
						RC RD SJ SV
						T9 TJ TK UK
						XA
BIRMINGHAM	BRHMALCPDS0	07484	02438	5181	476	AA BA DA GC
205/520(0000-2999),520(5000-5999),520(7000-7999)						GL GQ GR PA
205/520(9000-9999),815(0000-5999),815(8000-9999),853,854						PJ PR PU SJ
205/856						SV T9 TJ TK
						XA
BIRMINGHAM	BRHMALELRS1	07500	02437	5181	476	AA BA DA GC
205/329(2000-2999),833,836,838						GD GL GQ GR
						PA PJ PR PU
						SJ SV T9 TJ
						TK XA
BIRMINGHAM	BRHMALEN11W	07528	02456	5181	476	DA GG GQ GR
/						PA PJ PR PU
						T9 TJ TK XA
BIRMINGHAM	BRHMALENRPA	07528	02456	5181	476	AA BA DA GC
205/206(1000-1999),206(2000-2999),206(8000-8999),780,781						GD GL GQ GR
205/783(0000-0999),783(2000-2999),783(3000-3999)						PA PJ PR PU
205/783(4000-4999),783(6000-6999),783(7000-7999)						SJ SV T9 TJ
205/783(8000-8999),783(9000-9999),785,786,787(2000-2999)						TK XA
205/787(3000-3999),787(4000-4999),787(5000-5999)						
205/787(6000-6999),787(7000-7999),787(8000-8999)						
205/787(9000-9999),788						
BIRMINGHAM	BRHMALEWRPA	07506	02431	5181	476	AA BA DA GC
205/951,956,957(0000-0999),957(1000-1999),957(2000-2999)						GD GL GQ GR
205/957(5000-5999),957(8000-8999)						PA PJ PR PU
						RC RD SJ SV
						T9 TJ XA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
BIRMINGHAM                  BRHMALFODS0 07517 02463 5181  476 AA BA DA GC
   205/791(0000-0999),791(1000-1999),791(2000-2999)          GD GL GQ GR
   205/791(3000-3999),791(4000-4999),791(6000-6999)          PA PJ PR PU
   205/791(8000-8999),791(9000-9999),796(0000-3999)          SJ SV T9 TJ
   205/796(9000-9999),798                                    TK XA
.......................................................................
BIRMINGHAM                  BRHMALFSDS0 07520 02442 5181  476 AA BA DA GC
   205/212(2000-3999),212(5000-7999),212(9000-9999)          GD GL GQ GR
   205/379(2000-2999),379(3000-3999),379(4000-4999)          PA PJ PR PU
   205/379(5000-5999),379(9000-9999),558(1000-1999)          QB QF RC RD
   205/558(2000-2999),558(3000-3999),558(4000-4999)          SJ SV T9 TJ
   205/558(7000-7999),638,918(0000-0999),918(1000-1999)      UK XA
   205/918(2000-2999),918(4000-4999),918(5000-5999)
   205/918(9000-9999),930,933,934,939,975,996
.......................................................................
BIRMINGHAM                  BRHMALFSK11 07520 02442 5181  476 DA GQ GR PR
      /                                                      PU T9 TJ UE
                                                             UG UK XA
.......................................................................
BIRMINGHAM                  BRHMALHR1MD 07517 02447 5618  476 DA
   205/285(2000-2999),536(7000-8999),722(5000-5999)
.......................................................................
BIRMINGHAM                  BRHMALHRDS0 07517 02447 5618  476 DA
   205/201(7000-7999),329(7000-7999),358(1000-1999)
   205/358(9000-9999),396(1000-1999),397,417(6000-6999)
   205/417(8000-9999),503(4000-5999),504(8000-8999)
   205/545(9000-9999),552(0000-1999),637(2000-2999)
   205/639(5000-5999),722(0000-0999),722(9000-9999)
   205/745(2000-3999),745(4000-4999),769(0000-0999)
   205/769(3000-3999),834(9000-9999),876(1000-1999)
   205/876(2000-2999),912(8000-8999)
   256/295(9000-9999),624(9000-9999)
.......................................................................
BIRMINGHAM                  BRHMALHWBB1 07523 02438 5181  476 DA GQ GR PA
      /                                                      PJ PR PU T8
                                                             T9 TD TG TJ
                                                             TK UK XA XD
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
BIRMINGHAM	BRHMALHWBB2	07523	02438	5181	476	DA GQ GR PR
/						PU T8 T9 TD
						TG TJ TK UK
						XA XD
BIRMINGHAM	BRHMALHWBB3	07523	02438	5181	476	DA GQ GR PR
/						PU T8 T9 TD
						TG TJ TK UK
						XA XD
BIRMINGHAM	BRHMALHWBB5	07523	02438	5181	476	DA GQ GR PR
/						PU T8 T9 TD
						TG TJ TK UK
						XA XD
BIRMINGHAM	BRHMALHWBB6	07523	02438	5181	476	DA GQ GR PR
/						PU T8 T9 TD
						TG TJ TK UK
						XA XD
BIRMINGHAM	BRHMALHWBB7	07523	02438	5181	476	DA GQ GR PR
/						PU T8 T9 TD
						TG TJ TK UK
						XA XD
BIRMINGHAM	BRHMALHWBB8	07523	02438	5181	476	DA GQ GR PR
/						PU T8 T9 TD
						TG TJ TK UK
						XA XD
BIRMINGHAM	BRHMALHWBB9	07523	02438	5181	476	DA GQ GR PR
/						PU T8 T9 TD
						TG TJ TK UK
						XA XD
BIRMINGHAM	BRHMALHWBBC	07523	02438	5181	476	DA GQ GR PR
/						PU T7 T8 T9
						TJ TK TU UK
						XA XD

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
BIRMINGHAM /	BRHMALHWBBE	07523	02438	5181	476	DA GQ GR PR PU T8 T9 TU XA XD
BIRMINGHAM /	BRHMALHWBBF	07523	02438	5181	476	DA GQ GR PR PU T8 T9 TU XA XD
BIRMINGHAM /	BRHMALHWBBV	07523	02438	5181	476	DA GQ GR PR PU T8 T9 TD TG XA XD
BIRMINGHAM /	BRHMALHWBBW	07523	02438	5181	476	DA GQ GR PR PU T8 T9 TD TG XA XD
BIRMINGHAM /	BRHMALHWBBX	07523	02438	5181	476	DA GQ GR PR PU T8 T9 TG XA XD
BIRMINGHAM /	BRHMALHWBBY	07523	02438	5181	476	DA GQ GR PR PU T8 T9 TD TG XA XD
BIRMINGHAM /	BRHMALHWBBZ	07523	02438	5181	476	DA GQ GR PR PU T8 T9 TD TG XA XD
BIRMINGHAM 205/268,414,423(0000-4999),423(7000-9999),445(0000-2999) 205/445(5000-8999),721(1000-1999),726,802,803(0000-5999) 205/803(7000-9999),868(0000-2999),868(4000-9999),870,871 205/874(0000-1999),874(3000-3999),874(7000-8999),877,879 205/879	BRHMALHWDS0	07523	02438	5181	476	AA BA DA G4 GC GD GL GQ GR PA PJ PR PU QB QF RC RD SL SV T8 T9 TJ TK UK XA XD
BIRMINGHAM 205/309	BRHMALHWGT1	07523	02438	5181	476	DA GQ GR PA PR PU T9 UF

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
BIRMINGHAM	BRHMALHWK11	07523	02438	5181	476	DA GQ GR PR
/						PU T8 T9 TJ
						TK UB UG UK
						UP VP XA XD
						ZY
BIRMINGHAM	BRHMALHWK31	07523	02438	5181	476	DA GQ GR PR
/						PU T8 T9 TJ
						TK UG UK VB
						XA XD
BIRMINGHAM	BRHMALHWOGT	07523	02438	5181	476	DA GB GQ GR
/						PA PJ PR PU
						QB QF T8 T9
						TJ TK UK XA
						XD
BIRMINGHAM	BRHMALMT0GT	07518	02446	5181	476	DA G1 G2 G3
/						G8 GB GE GQ
						GR PA PJ PR
						PU QB QF T9
						TJ TK UK XA
BIRMINGHAM	BRHMALMT21W	07518	02446	5181	476	DA G8 GQ GR
/						HC PA PJ PR
						PU T9 TJ TK
						UK XA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
BIRMINGHAM	BRHMALMT84Z	07518	02446	402G	476	GR
205/273(7000-7999),286(7000-7999),291(7000-7999)						
205/303(7000-7999),315(7000-7999),319(5000-5999)						
205/395(7000-7999),430(7000-7999),433(8000-8999)						
205/448(7000-7999),452(7000-7999),463(4000-4999)						
205/465(4000-4999),479(1000-1999),494(8000-8999)						
205/508(7000-7999),518(7000-7999),528(7000-7999)						
205/530(7000-7999),548(7000-7999),549(7000-7999)						
205/551(7000-7999),557(7000-7999),564(7000-7999)						
205/571(7000-7999),575(7000-7999),594(8000-8999)						
205/606(7000-7999),627(8000-8999),629(8000-8999)						
205/650(7000-7999),656(7000-7999),670(4000-4999)						
205/679(7000-7999),689(7000-7999),694(8000-8999)						
205/707(7000-7999),708(7000-7999),735(8000-8999)						
205/740(7000-7999),760(7000-7999),775(9000-9999)						
205/779(7000-7999),810(7000-7999),814(7000-7999)						
205/828(7000-7999),832(7000-7999),857(6000-6999)						
205/928(7000-7999),955(8000-8999)						
256/202(8000-8999),253(7000-7999),254(7000-7999)						
256/281(7000-7999),304(7000-7999),315(7000-7999)						
256/357(7000-7999),363(7000-7999),377(7000-7999)						
256/396(7000-7999),402(7000-7999),408(7000-7999)						
256/414(7000-7999),449(7000-7999),485(7000-7999)						
256/581(7000-7999),598(7000-7999),600(7000-7999)						
256/645(7000-7999),660(7000-7999),662(7000-7999)						
256/676(7000-7999),691(7000-7999),743(7000-7999)						
256/745(7000-7999),748(7000-7999),790(7000-7999)						
256/853(7000-7999),872(7000-7999),914(7000-7999)						
256/926(7000-7999)						
BIRMINGHAM	BRHMALMTBBA	07518	02446	5181	476	DA G8 GQ GR
/						PR PU T9 TU
						XA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
BIRMINGHAM	BRHMALMTDS1	07518	02446	5181	476	AA BA DA G8
205/214,226,231,241,244,250,251,252,254,257						GC GD GE GL
205/264(0000-0999),264(2000-9999),279,297,307(0000-4999)						GQ GR PA PJ
205/307(6000-7999),320,321,322,323,324,325						PR PU QB QF
205/326(0000-6999),326(8000-9999),327(0000-0999)						SL SS T9 TJ
205/327(2000-9999),328,458,488,502(0000-0999)						TK UK XA
205/502(1000-1999),502(3000-3999),502(5000-5999)						
205/502(8000-8999),502(9000-9999),521,524,581(0000-5999)						
205/581(7000-9999),583,714,715(0000-2999),715(4000-7999)						
205/715(9000-9999),716(0000-5999),716(7000-9999),731,741						
205/766,801						
BIRMINGHAM	BRHMALMTK12	07518	02446	5181	476	DA G8 GQ GR
/						PA PJ PR PU
						T9 TJ TK UB
						UE UG UK UP
						XA ZY
BIRMINGHAM	BRHMALMTK31	07518	02446	5181	476	DA G8 GQ GR
/						PR PU T9 TJ
						TK UG UK VB
						XA
BIRMINGHAM	BRHMALOMDS0	07525	02415	5181	476	AA BA DA G4
205/408,437,980,981,991,992,995						GC GD GL GQ
						GR PA PJ PR
						PU QB QF SJ
						SV T9 TJ TK
						XA
BIRMINGHAM	BRHMALOXDS0	07534	02444	5181	476	AA BA DA GC
205/238(2000-3999),259(4000-4999),290(0000-4999)						GD GQ GR PA
205/290(6000-9999),420(4000-7999),667,769(7000-9999)						PJ PR PU RA
205/912(0000-7999),912(9000-9999),916,917(0000-4999)						RB RC RD RE
205/917(6000-6999),917(8000-9999),940(0000-3999)						RF RG RK SE
205/940(5000-9999),941,942,943,944(0000-0999)						SF SJ SM SN
205/944(1000-1999),944(2000-2999),944(3000-3999)						SV T9 TJ TK
205/944(4000-4999),944(5000-5999),944(6000-6999)						UK XA
205/944(7000-7999),944(8000-8999),945						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
BIRMINGHAM	BRHMALOXK11	07534	02444	5181	476	DA GQ GR PR
/						PU T9 TJ TK
						UB UE UG UK
						UP XA ZY
BIRMINGHAM	BRHMALRCDS0	07545	02429	5181	476	AA BA DA GC
205/220,261(0000-0999),261(4000-7999),402(0000-3999)						GD GL GQ GR
205/402(5000-5999),402(6000-6999),402(7000-7999)						PA PJ PR PU
205/402(9000-9999),403(0000-0999),403(1000-1999)						QB QF SJ SV
205/403(2000-2999),403(3000-3999),403(4000-4999)						T9 TJ TK UK
205/403(6000-6999),403(7000-7999),403(8000-8999)						XA
205/403(9000-9999),444,560,682,733,739(0000-0999)						
205/739(5000-7999),982,983(5000-5999),983(9000-9999),985						
205/987,988,989						
BIRMINGHAM	BRHMALRCK11	07545	02429	5181	476	DA GQ GR PR
/						PU T9 UB UE
						UG UP XA ZY
BIRMINGHAM	BRHMALRCK31	07545	02429	5181	476	DA GQ GR PR
/						PU T9 TJ TK
						UG UK VB XA
BIRMINGHAM	BRHMALTARPA	07504	02446	5181	476	AA BA DA GC
205/808(0000-0999),808(1000-1999),808(3000-3999)						GD GL GQ GR
205/808(4000-4999),808(5000-5999),808(7000-7999)						PA PJ PR PU
205/808(9000-9999),841,849						RC RD SJ SV
						T9 XA
BIRMINGHAM	BRHMALVA21W	07537	02435	5181	476	DA GQ GR PA
/						PJ PR PU T9
						TB TJ TK XA
BIRMINGHAM	BRHMALVADS0	07537	02435	5181	476	AA BA DA GC
205/822,823,824,978,979						GD GL GQ GR
						PA PJ PR PU
						RC RD SJ SV
						T9 TJ TK XA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
BIRMINGHAM	BRHMALWERS0	07534	02453	5181	476	AA BA DA GC
205/923,925,929(0000-0999),929(1000-1999),929(2000-2999)						GD GL GQ GR
205/929(3000-3999),929(4000-4999),929(5000-5999)						PA PJ PR PU
205/929(6000-6999),929(8000-8999),929(9000-9999)						RF RH SJ SM
						SV T9 TJ TK
						XA
BIRMINGHAM	BRHMALWLDS0	07509	02439	5181	476	AA BA DA G4
205/510(0000-6999),591,592,595,599						GC GD GL GQ
						GR PA PJ PR
						PU RC RD SJ
						SV T9 TJ UK
						XA
BIRMINGHAM	BRHNAL04DS0	07410	02365	4839	476	DA DD
205/228(8000-8999),259(1000-2999),277(1000-1999)						
205/277(2000-2999),277(3000-3999),277(4000-4999)						
205/277(5000-5999),313,314(0000-0999),314(1000-1999)						
205/314(2000-2999),314(3000-3999),314(4000-4999)						
205/314(5000-5999),314(6000-6999),314(7000-7999)						
205/314(8000-8999),341(1000-1999),378(1000-1999)						
205/378(2000-2999),378(3000-3999),378(4000-4999)						
205/378(5000-5999),402(4000-4999),418(1000-1999)						
205/418(2000-2999),418(3000-3999),418(4000-4999)						
205/418(5000-5999),423(6000-6999),433(1000-1999)						
205/440(4000-4999),508(2000-2999),561(1000-1999)						
205/561(2000-2999),561(3000-3999),561(5000-5999)						
205/572(4000-4999),578(4000-4999),679(6000-6999)						
205/705(1000-1999),716(6000-6999),721(2000-2999)						
205/721(6000-6999),730(3000-3999),747(1000-1999)						
205/769(1000-1999),775(1000-1999),775(2000-2999)						
205/775(3000-3999),775(4000-4999),775(5000-5999)						
205/776(6000-6999),815(6000-6999),917(5000-5999)						
205/983(6000-6999)						
256/419(2000-2999)						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
BIRMINGHAM                  BRHNAL04DS1 07410 02365 4839  476 DA DD
   205/258(7000-7999),282(8000-8999),319(2000-2999)
   205/543(1000-1999),753(4000-4999),860(4000-4999)
   256/247(4000-4999),272(6000-6999),279(4000-4999)
   256/346(7000-7999),401(8000-8999),459(7000-7999)
   256/576(3000-3999)
   334/500(1000-1999)
.......................................................................
BLOUNTSVILLE                BUVLALXADS1 07390 02467 0282  476 BA BC DA DD
   205/429,559(5000-9999)                                       G5 GI GL GN
                                                                GR HB IA IB
                                                                IC OE QE RL
                                                                T3 TJ UG UY
                                                                VA XG
.......................................................................
BOAZ                        BOAZALMADS0 07332 02412 5181  476 AA BA DA GC
   256/593,840(0000-0999),840(1000-1999),840(2000-2999)         GD GL GQ GR
   256/840(3000-3999),840(4000-4999),840(5000-5999)             PC PL PR PU
   256/840(6000-6999),840(8000-8999),840(9000-9999)             RA RC RD RF
                                                                SK SV TJ XA
.......................................................................
BON SECOUR                  BNSCALXARS0 08212 02276 0298  480 AA DA GM
   251/949(1000-1999),949(3000-3999),949(4000-4999)
   251/949(5000-5999),949(6000-6999),949(7000-7999)
   251/949(9000-9999)
.......................................................................
BRANTLEY                    BTLYALXARS0 07839 02159 9788  478 AA BA DA GG
   334/527                                                      GM GN GR HB
                                                                HD II SH SQ
                                                                ST TU
.......................................................................
BREWTON                     BRTOALMADS0 08002 02245 5181  480 AA BA DA GC
   251/809(0000-3999),809(6000-9999),867                        GD GL GQ GR
                                                                PC PL RC RD
                                                                RF RH SK SV
                                                                TJ
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
BRIDGEPORT	BRPTALMARS2	07151	02419	5181	472	AA BA DA GC
256/495(0000-0999),495(2000-4999),495(9000-9999)						GD GL GQ GR
						PC PL RF SK
						SV TJ
BRILLIANT	BRILALXARS0	07502	02650	9789	476	AA DA DD GE
205/465(1000-2999),465(5000-6999),465(8000-9999)						GM GN GR II
						SV TJ
BRUNDIDGE	BRNDALXADS0	07774	02101	9788	478	AA DA DD GG
334/735						GN GR HB HD
						II TJ TU
BUTLER	BTLRALXADS0	07912	02534	0284	476	AA BA DA G7
205/459						GC GD GR OE
						RC RD RM SQ
						TJ TU TZ
CALERA	CALRALMARS0	07592	02395	5181	476	AA BA DA G4
205/668(0000-4999),668(6000-7999),668(9000-9999)						GC GD GL GQ
						GR PC PL PR
						PU RF RH SJ
						SV T9 TJ XA
CAMDEN	CMDNALXADS0	07852	02370	4464	478	AA BA D1 DA
334/682						DD GC GN GR
						HD IC ID IE
						IF IG IH RC
						RD RS SH SQ
						TL UG UM US
						UW UX VA WE
CAMP HILL	CMPHALXADS0	07554	02186	0302	476	AA DA GD GM
256/896(0000-0999),896(2000-2999),896(4000-4999)						GR HD RA RC
256/896(9000-9999)						RD RH SQ UM
						UP UU UW VA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
CARBON HILL 205/924(0000-0999),924(1000-1999),924(2000-2999) 205/924(4000-4999),924(8000-8999),924(9000-9999)	CRHLALNMRS0	07507	02600	5181	476	AA BA DA G4 GC GD GQ GR PC PL PR PU RF RH SJ SV TJ XA
CARROLLTON 205/367	CRTNALXADS0	07676	02628	9789	476	AA DA DD GC GN GR SV TJ
CASTLEBERRY 251/966	CSTLALXADS0	07959	02256	0285	480	DA T3 TJ
CATHERINE 334/225	CTHRALXARS0	07829	02418	4464	478	AA BA DA DD GN GR HD IC ID IE IF IG IH TL
CEDAR BLUFF 256/779(1000-1999),779(2000-2999),779(3000-3999) 256/779(4000-4999),779(5000-5999),779(6000-6999) 256/779(7000-7999),779(8000-8999)	CDRBALXARL0	07278	02326	0314	476	GM GR OE RC RD RM SQ TJ
CENTRE /	CNTRALXE03T	07299	02330	0314	476	GB RC RD RM
CENTRE 256/927	CNTRALXEDS2	07299	02330	0314	476	AA BA D1 DA G7 GC GR OE RC RD RM SQ T7 TJ TU TZ
CENTRE 256/923(1000-1999)	CNTRALXEGT0	07299	02330	0314	476	AA BA D1 DA G7 GC GR OE RC RD RM SQ T7 TJ TU TZ
CENTREVILLE 205/225(0000-0999),926(0000-7999),926(9000-9999)	CNVIALMARS0	07656	02441	5181	476	AA BA DA GC GD GL GQ GR PC PL RF RH SJ SV TJ XA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
CHELSEA                     CHLSALMARS0 07534 02399 5181  476 AA BA DA G4
   205/678(0000-0999),678(2000-3999),678(4000-4999)          GC GD GL GQ
   205/678(5000-5999),678(6000-9999)                         GR PC PL PR
                                                             PU RF RH SJ
                                                             SV T9 TJ XA
.......................................................................
CHEROKEE                    CHRKALXA00W 07378 02757 0286  477 OE T9 TZ
      /
.......................................................................
CHEROKEE                    CHRKALXADS2 07378 02757 0286  477 AA AB BA BC
   256/359(0000-0999),359(1000-1999),359(4000-4999)          DA DD EA GI
   256/359(5000-5999),359(6000-6999),359(7000-7999)          GJ GL GN GQ
   256/359(9000-9999)                                        GR HB HD HJ
                                                             IA IB IC ID
                                                             IE IF IG IH
                                                             II OE OH OR
                                                             RC RD SH SP
                                                             SQ T3 T8 T9
                                                             TA TB TJ TL
                                                             TP TQ TZ UG
                                                             UP UR UU UW
                                                             UX VA WE XE
                                                             XF
.......................................................................
CHILDERSBURG                CHBGALMARS0 07525 02348 5181  476 AA BA DA G4
   256/378                                                   GC GD GL GQ
                                                             GR PC PL RF
                                                             RH SK SV TJ
                                                             XA
.......................................................................
CHRYSLER                    CHRYALXARS0 08019 02369 0306  480 AA BA DA DD
   251/862(5000-5999)                                        GN GR IC ID
                                                             IE IF IG IH
                                                             SQ TL
.......................................................................
CHULAFINNEE                 CHLFALXARS0 07411 02263 9789  476 AA DA DD GM
   256/253(0000-0999),253(2000-3999),253(9000-9999)          GN GR SV TJ
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
CITRONELLE	CTRNALNMRS0	08105	02436	5181	480	AA BA DA G5
251/866(0000-0999),866(2000-2999),866(3000-3999)						GC GD GQ GR
251/866(5000-5999),866(7000-7999),866(9000-9999)						PC PL PR PU
						RF RH SJ SV
						TJ
CLANTON	CLANALMADS0	07633	02348	5181	476	AA BA DA G4
205/280,755						GC GD GL GQ
						GR PC PL RC
						RD RF RH SJ
						SV TJ XA
CLAYTON	CYTNALMARS0	07711	02057	5181	478	AA BA DA GC
334/775						GD GL GQ GR
						PC PL RF RH
						SJ SV TJ
CLEVELAND	CLVBAL01RS0	07408	02455	0312	476	DA OE T3 TJ
/						
CLIO	CLIOALXARS0	07757	02066	9788	478	AA BA DA GE
334/397						GG GJ GM GN
						GR HB HD II
						TJ
COFFEEVILLE	CFVLALXADS0	07965	02479	9789	480	AA BA DA GN
251/276(0000-0999),276(3000-3999)						GR SV TU
COLLINSVILLE	COVLALXARS0	07294	02370	0314	476	GM GR OE RC
256/524(1000-1999),524(2000-2999),524(3000-3999)						RD RM SQ TJ
256/524(4000-4999),524(5000-5999),524(6000-6999)						
256/524(7000-7999),524(8000-8999)						
COLUMBIA	CLMAALXARS0	07792	01941	9788	478	AA BA DA GE
334/696						GG GJ GM GN
						GR HB HD II
						SH SQ ST TJ
						TU UG

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
COLUMBIANA	CLMBALMADS0	07565	02379	5181	476	AA BA DA G4
205/669,670(0000-0999),670(5000-5999),670(6000-6999)						GC GD GL GQ
205/670(9000-9999)						GR PC PL PR
						PU RC RD RF
						RH SJ SV T9
						TJ XA
CORDOVA	CRDVALMARS0	07504	02530	5181	476	AA BA DA G4
205/483(0000-0999),483(1000-1999),483(5000-5999)						GC GD GL GQ
205/483(6000-6999),483(7000-7999),483(8000-8999)						GR PC PL PR
205/483(9000-9999)						PU RF RH SJ
						SV TJ XA
COURTLAND	CRLDALMARS0	07339	02639	5181	477	AA BA DA GC
256/637(0000-2999),637(5000-9999)						GD GL GQ GR
						PC PL RF RH
						SJ SV TJ
CROSSVILLE	CSVLALXARL0	07301	02394	0314	476	GC GM GR OE
256/528(1000-1999),528(2000-2999),528(3000-3999)						RC RD RM SQ
256/528(4000-4999),528(5000-5999),528(6000-6999)						TJ
256/528(7000-7999),528(8000-8999)						
CULLMAN	CLMNALFARS0	07368	02500	5181	477	AA BA DA GC
256/796						GD GL GQ GR
						PC PL RF RH
						SJ SV TJ
CULLMAN	CLMNALJCRS0	07410	02554	5181	477	AA BA DA GC
256/747(0000-0999),747(1000-1999),747(2000-2999)						GD GL GQ GR
256/747(3000-3999),747(4000-4999),747(6000-6999)						PC PL RA RF
256/747(7000-7999),747(8000-8999),747(9000-9999)						RG RH SJ SV
						TJ
CULLMAN	CLMNALMADS0	07394	02517	5181	477	AA BA DA GC
256/734,735(0000-0999),735(1000-1999),735(2000-2999)						GD GL GQ GR
256/735(5000-5999),736(0000-2999),736(5000-9999),737,739						PC PL RC RD
256/775						RF RH SK SV
						TJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
DADEVILLE	DDVLALMARS0	07557	02207	5181	476	AA DA G4 GC
256/825						GD GL GQ GR
						PC PL RF RH
						SJ SV TJ XA
DALEVILLE	DLVLALXADS0	07843	02041	9788	478	AA BA DA DD
334/255,503,598						GC GD GE GG
						GJ GN GR HB
						HD II RD SH
						SQ ST TI TJ
						TU UG
DAUPHIN ISLAND	DPISALXARS0	08257	02335	9789	480	AA DA DD GG
251/861(2000-2999),861(3000-3999),861(4000-4999)						GM GN GR II
251/861(5000-5999),861(6000-6999),861(7000-7999)						SV TJ
251/861(8000-8999)						
DECATUR	DCTRALMTDS0	07325	02584	5181	477	AA BA DA GC
256/301,306(0000-5999),306(7000-9999),308,309(0000-0999)						GD GL GQ GR
256/309(2000-3999),309(5000-5999),340,341(0000-6999)						PC PL RC RD
256/341(9000-9999),350,351,353,355,432(0000-0999)						RF RH SK SV
256/432(1000-1999),432(2000-2999),432(3000-3999)						TJ TK
256/432(4000-4999),432(5000-5999),432(6000-6999)						
256/432(8000-8999),552,560(0000-0999),560(2000-4999)						
256/560(6000-6999),580(2000-4999),580(8000-9999)						
256/584(0000-0999),584(3000-3999),584(4000-4999)						
256/584(5000-5999),584(6000-6999),584(7000-7999)						
256/584(8000-8999),584(9000-9999)						
DECATUR	DCTRALMTK11	07325	02584	5181	477	DA GQ GR TJ
/						TK UB UE UG
						UP ZY
DELTA	DELTALXARS0	07435	02277	9789	476	AA DA DD GG
256/488(5000-5999),488(9000-9999)						GM GN GQ GR
						II SV TJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
DEMOPOLIS	DMPLALMADS0	07798	02511	5181	478	AA BA DA G4
334/287,289						GC GD GL GQ
						GR PC PL RF
						RH SK SV TJ
DETROIT	DTRTALXARS0	07535	02717	9789	476	AA DA DD GE
205/273(4000-4999)						GM GN GR II
						SV TJ
DIXONS MILLS	DXMLALXADS0	07881	02458	0315	478	AA BA DA TJ
334/992						XF
DORA	DORAALMARS0	07500	02512	5181	476	AA BA DA GA
205/255(0000-0999),648						GD GL GQ GR
						PC PL PR PU
						RF RH SJ SV
						T9 TJ XA
DOTHAN	DTHNALXA03T	07830	01981	9788	478	GB HB
/						
DOTHAN	DTHNALXABB1	07830	01981	9788	478	T7 TU
/						
DOTHAN	DTHNALXADS0	07830	01981	9788	478	AA BA DA DD
334/340,671,673,677,678,702,712,792,793,794						GC GD GE GG
						GJ GN GR HB
						HC HD II RC
						RD SH SQ ST
						TD TI TU UG
DOTHAN	DTHNALXADS2	07830	01981	9788	478	AA BA DA GR
334/615						TD TH
DOUBLE SPRINGS	DBSPALXARS1	07448	02605	9789	476	AA DA DD GE
205/489(0000-8999)						GM GN GR II
						SV TJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
DOZIER	DOZRALXARS0	07866	02167	9788	478	AA DA GG GM
334/496						GN GR HB HD
						II SH SQ ST
						TJ TU
ECHO	ECHOALXARS0	07789	02018	9788	478	AA BA DA DD
334/795						GE GG GJ GM
						GN GR HB HD
						II SQ TJ TU
						UG
ECLECTIC	ECLCALXADS1	07619	02231	0302	478	AA DA GC GD
334/541						GI GL GN GR
						HB HD RA RC
						RD RH SQ UM
						UP UU UW VA
ECLECTIC	ECLCALXAPS1	07619	02231	0302	478	AA DA GC GD
334/331						GI GL GN GR
						HB HD RA RC
						RD RH SQ UM
						UP UU UW VA
ELBA	ELBAALXADS0	07854	02111	9788	478	AA BA DA DD
334/897						GC GD GG GN
						GR HB HD II
						RC SH SQ ST
						TJ TU UG
ELBERTA	ELBTALXARS0	08182	02264	0298	480	AA DA GM
251/986(3000-3999),986(4000-4999),986(5000-5999)						
251/986(6000-6999),986(7000-7999),986(8000-8999)						
251/986(9000-9999)						
ELBERTA	ELBTALXBRS0	08190	02249	0298	480	AA BA DA DD
251/987						GM
ELKMONT	ELMTALXA0MD	07263	02615	0280	477	AA DA TJ
256/379,732						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ENTERPRISE	ENTRALXADS0	07854	02066	9788	478	AA BA DA DD
334/308,347,348,393						GC GD GE GG
						GJ GN GR II
						RD SH SQ ST
						TU UG
ETHELSVILLE	ETVLALXARS0	07657	02662	9789	476	AA DA DD GM
205/658(1000-1999),658(2000-2999),658(3000-3999)						GN GR SV TJ
205/658(4000-4999),658(5000-5999),658(6000-6999)						
205/658(7000-7999),658(8000-8999),658(9000-9999)						
EUFAULA	EUFLALMADS0	07680	02009	5181	478	AA BA DA GC
229/334						GD GL GQ GR
334/616,687,688						PC PL RF RH
						SK SV TJ
EUTAW	EUTWALBORS0	07744	02557	5181	476	AA BA DA GC
205/336(0000-0999),336(8000-9999)						GD GL GQ GR
						PC PL RH SJ
						SV TJ
EUTAW	EUTWALMARS0	07740	02553	5181	476	AA BA DA GC
205/372(0000-6999),372(8000-9999)						GD GL GQ GR
						PC PL RF RH
						SJ SV TJ XA
EVERGREEN	EVRGALMARS0	07930	02259	5181	480	AA BA DA GC
251/578						GD GL GQ GR
						PC PL RC RD
						RF RH SJ SV
						TJ
EXCEL	EXCLALXARS0	07963	02323	0306	480	AA BA DA DD
251/765(2000-9999)						GN GR HD IC
						ID IE IF IG
						IH SQ TL

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
FAIRHOPE	FRHPALMADS0	08188	02325	5181	480	AA BA DA G4
251/279(1000-5999),928,929(0000-3999),929(7000-7999),990						GC GD GL GQ
251/990						GR PC PL PR
						PU RF RH SK
						SV TJ
FALKVILLE	FLVLALXADS0	07363	02546	9789	477	AA DA DD GN
256/784(5000-6999),784(9000-9999)						GR RC RD SV
FAYETTE	FYTTALXARS0	07573	02628	9789	476	AA DA DD GE
205/748,904,932						GM GN GR II
						RC RD SV TJ
FINCHBURG	FNBGALXARS0	07934	02357	0306	480	AA BA DA DD
251/282(1000-5999)						GN GR HD IC
						ID IE IF IG
						IH SQ TL
FLATWOOD	FLWDALXARS0	07580	02555	0311	476	GM OE RC RD
205/998						RM SQ
FLOMATON	FMTNALMTRS0	08039	02266	5181	480	AA BA DA GC
251/296						GD GL GQ GR
850/256						PC PL RF RH
						SK SV TJ
FLORALA	FLRLALXADS0	07956	02113	0291	448	AA BA DA OE
850/652(0000-4999),834						RA RC RD SV
						T3 TJ TZ XF
FLORALA	FLRLALXADS0	07956	02113	0294	448	AA BA DA OE
334/572,858						RA RC RD SV
						T3 TJ TZ XF
FLORENCE	FLRNALMADS0	07345	02715	5181	477	AA BA DA GC
256/718,740(0000-0999),740(4000-4999),740(5000-5999)						GL GQ GR PC
256/740(6000-6999),740(8000-8999),760,764,765,766,767						PL QB QF RC
256/768						RD RF RH SJ
						SV TJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
FOLEY /	FOLYALXA01T	08190	02278	0298	480	GB SQ
FOLEY 251/943,952,970,971,972	FOLYALXADS0	08190	02278	0298	480	AA BA D1 DA DD G2 GA HD RC RD T7 TU
FOLEY 251/955	FOLYALXBRS0	08204	02267	0298	480	AA BA DA DD GM
FOREST HOME 334/346	FRHMALXARS0	07837	02283	9788	478	AA BA DA GG GM GN GR HB HD II TJ TU
FORT DEPOSIT 334/227	FTDPALMARS0	07791	02252	5181	478	AA BA DA GC GD GL GQ GR PC PL RF RH SJ SM SV TJ
FORT MORGAN 251/540	FTMRALXARS0	08242	02297	0298	480	AA DA DD GM
FORT MORGAN 251/543	FTMRALXBRS0	08250	02311	0298	480	AA BA DA DD GM
FORT PAYNE 256/844(1000-2999),844(4000-4999),844(6000-6999) 256/844(8000-9999),845,997(0000-2999),997(5000-5999) 256/997(9000-9999)	FTPYALMARS0	07247	02368	5181	476	AA DA GC GD GL GQ GR PC PL RC RD RF RH SJ SV TJ XA
FOWL RIVER 251/873(2000-2999),873(4000-4999),873(5000-5999)	FWRVALXARS0	08237	02353	9789	480	AA DA DD GG GM GN GR II SV TJ
FREDONIA 334/499(0000-0999),499(1000-1999),499(2000-2999) 334/499(3000-3999),499(4000-4999),499(5000-5999)	FRDNALXA499	07486	02146	0371	438	AA BA DA GR HD RA RB RC RD SH SM SQ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
FRISCO CITY	FRCYALXARS0	07967	02334	0306	480	AA BA DA DD
251/267(0000-6999),267(9000-9999)						GN GR HD IC
						ID IE IF IG
						IH SQ TL UX
						VA WE
GADSDEN	GDSDALHSDS0	07354	02360	5181	476	AA BA DA GC
256/492,494(0000-1999),494(3000-6999),494(9000-9999)						GD GL GQ GR
						PC PL RF RH
						SJ SV TJ XA
GADSDEN	GDSDALMT01T	07354	02369	5181	476	DA GB GQ GR
/						XA
GADSDEN	GDSDALMTDS0	07354	02369	5181	476	AA BA DA GC
256/439(0000-0999),439(2000-2999),439(3000-3999)						GD GQ GR PC
256/439(4000-4999),439(5000-5999),439(6000-6999)						PL RC RD RF
256/439(7000-7999),439(9000-9999),543,545,546(0000-4999)						RH SK SV XA
256/546(6000-9999),547,549,569(0000-0999),569(1000-1999)						
256/569(2000-2999),569(3000-3999),569(4000-4999)						
256/569(6000-6999),569(7000-7999),569(8000-8999)						
256/569(9000-9999)						
GADSDEN	GDSDALMTK11	07354	02369	5181	476	DA GQ GR UB
/						UE UG UP XA
						ZY
GADSDEN	GDSDALRDDS0	07368	02367	5181	476	AA BA DA GC
256/413(0000-0999),413(1000-1999),413(3000-3999)						GD GL GQ GR
256/413(4000-4999),413(6000-6999),413(7000-7999)						PC PL RF RH
256/413(8000-8999),442						SJ SV TJ XA
GANTT	GNTTALXARS0	07893	02179	9788	478	AA BA DA GG
334/388						GM GN GR HB
						HD II SH SQ
						ST TJ TU

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
GARDENDALE	GRDLALNMRS0	07492	02461	5181	476	AA BA DA GC
205/608(0000-3999),608(4000-4999),631						GD GQ GR PC
						PL PR PU RF
						RH SJ SV T9
						TJ XA
GAYLESVILLE	GLVLALXARS0	07266	02322	0314	476	GM GR OE RC
256/422(1000-1999),422(2000-2999),422(3000-3999)						RD RM SQ TJ
256/422(4000-4999),422(5000-5999),422(6000-6999)						
256/422(7000-7999),422(8000-8999)						
GENEVA	GENVALXADS0	07910	02040	9788	478	AA BA DA DD
334/684						GC GD GG GN
						GR HB HD II
						RD SH SQ ST
						TJ TU
GEORGIANA	GRGNALXADS0	07870	02243	9788	478	AA DA GG GM
334/376						GN GR HB HD
						II RD SH SQ
						ST TJ TU
GOODWATER	GDWRALMARS0	07541	02278	5181	476	AA BA DA G4
256/839(0000-1999),839(5000-6999)						GC GD GL GQ
						GR PC PL RF
						RH SJ SV
GORDO	GORDALXADS0	07648	02603	9789	476	AA DA DD GC
205/364(0000-0999),364(1000-1999),364(3000-3999)						GN GR SV TJ
205/364(4000-4999),364(5000-5999),364(6000-6999)						
205/364(7000-7999),364(8000-8999),364(9000-9999)						
GOSHEN	GSHNALXADS1	07802	02151	0284	478	AA DA GM GR
334/484						OE TJ
GOSPORT	GSPTALXARS0	07956	02379	0306	480	AA BA DA DD
251/258						GN GR HD IC
						ID IE IF IG
						IH SQ TL

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
GRAND BAY	GDBAALXARS1	08234	02395	9789	480	AA DA GM GN
251/865(0000-0999),865(1000-1999),865(2000-2999)						GR II SV TJ
251/865(3000-3999),865(4000-4999),865(5000-5999)						
251/865(6000-6999),865(9000-9999)						
GRAYSON	GYSNALXADS0	07413	02601	0314	477	AA BA DA G7
256/292(1000-1999),292(2000-2999),292(3000-3999)						RC RD RM SQ
256/292(4000-4999),292(5000-5999),292(6000-6999)						
GRAYSVILLE	GYVLALNMRS0	07510	02484	5181	476	AA BA DA GC
205/674						GD GQ GR PC
						PL PR PU RC
						RD RF RH SJ
						T9 TJ XA
GREENSBORO	GNBOALMARS0	07741	02491	5181	478	AA BA DA G4
334/624						GC GD GL GQ
						GR PC PL RF
						RH SJ SV TJ
GREENVILLE	GNVLALXADS0	07824	02244	9788	478	AA BA DA DD
334/382,383						GC GD GG GN
						GR HB HD II
						RD RF SH SQ
						ST TJ TU
GROVE HILL	GVHLALXADS0	07948	02422	0284	480	AA BA DA GR
251/275(0000-0999),275(1000-1999),275(2000-2999)						HH HI OE TJ
251/275(3000-3999),275(4000-4999),275(7000-7999)						TU
251/275(8000-8999),275(9000-9999)						
GUIN	GUINALXARS0	07527	02668	9789	476	AA DA DD GE
205/468						GM GN GR II
						SV
GULF SHORES	GLSHALXARS0	08215	02264	0298	480	AA DA DD GM
251/967,968						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
GULF SHORES	GLSHALXBRS0	08223	02266	0298	480	AA DA DD GM
251/948,975						
GUNTERSVILLE	GTVLAL06RS0	07325	02469	0283	476	DA OE T9
256/753(0110-0379),753(8000-8999)						
GUNTERSVILLE	GTVLALNMRS0	07313	02449	5181	476	AA BA DA GC
256/505(0000-0999),505(3000-6999),571(0000-0999)						GD GQ GR PC
256/571(1000-1999),571(2000-2999),571(4000-4999)						PL PR PU RC
256/571(7000-9999),582						RD RF RH SJ
						SV TJ XA
GURLEY	GRLYALMARS0	07255	02497	5181	477	AA BA DA GC
256/776(0000-6999),776(8000-9999)						GD GL GQ GR
						PC PL RF RH
						SJ SV TJ
HACKLEBURG	HCBGALXARS0	07458	02686	9789	476	AA DA DD GE
205/935						GM GN GR II
						SV TJ
HALEYVILLE	HLVLALXARS0	07451	02648	9789	476	AA DA DD GE
205/485(1000-2999),485(5000-9999),486						GM GN GR II
						RC RD SV
HAMILTON	HMTNALXARS0	07498	02698	9789	476	AA DA DD GE
205/921,952						GM GN GR II
						RC RD SV TJ
HANCEVILLE	HNVLALBRRS0	07441	02520	5181	477	AA BA DA GC
256/287(0000-0999),287(1000-1999),287(2000-2999)						GD GL GQ GR
256/287(3000-3999),287(4000-4999),287(6000-6999)						PC PL RA RF
256/287(7000-7999),287(9000-9999)						RH SJ SV T9
						TJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
HANCEVILLE 256/352	HNVLALNMRS0	07410	02495	5181	477	AA BA DA GC GD GL GQ GR PC PL RF RG RH SJ SV T9 TJ XA
HARTFORD 334/588	HRFRALXADS0	07880	02018	9788	478	AA BA DA GG GM GN GR HB HD II SH SQ ST TJ TU
HARTSELLE 256/751(0000-3999),751(4000-4999),751(5000-5999) 256/751(9000-9999),773	HRTSALNMRS0	07353	02563	5181	477	AA DA GC GD GQ GR PC PL RC RD RF RH SJ SV TJ
HARTSELLE 256/778(0000-0999),778(7000-9999)	HRTSALPERS0	07334	02532	5181	477	AA BA DA GC GD GL GQ GR PC PL RA RF RH SJ SV TJ
HAYNEVILLE 334/278,548,563	HYVLALXADS0	07752	02274	0299	478	AA DA TJ XF
HAZELGREEN 256/828,829(0000-0999),829(1000-1999),829(3000-3999) 256/829(9000-9999)	HZGRALMARS0	07237	02546	5181	477	AA BA DA G5 GC GD GQ GR PC PL PR PU RF RH SJ SV
HEADLAND 334/693	HDLDALXARS0	07801	01985	9788	478	AA BA DA DD GE GG GM GN GR HB HD II SH SQ ST TU UG
HEFLIN 256/463(0000-5999),463(7000-8999)	HFLNALXADS0	07386	02264	9789	476	AA DA DD GN GR RC RD SV TJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
HOLTVILLE	HLVIALMARS0	07645	02276	5181	478	AA BA DA GC
334/569(0000-0999),569(1000-1999),569(2000-2999)						GD GL GQ GR
334/569(3000-3999)						PC PL PR PS
						RF RH SJ SQ
						TJ
HUEYTOWN	BSMRALHTRS0	07546	02471	7469	476	DA DD G2 GD
205/565(0000-0999),565(2000-2999)						GE GJ GN GQ
						HB HC IA IB
						IC IF IG IH
						II QA
HUGULEY	HGLYALXA576	07509	02127	0371	438	AA BA DA GR
334/576						HD
HUNTSVILLE	HNVIAL180MD	07266	02535	7469	477	BA DA
256/320(4000-4999),324(3000-3999),444(3000-3999)						
256/522(4000-4999),665(9000-9999),686(5000-5999)						
256/686(6000-6999),690(5000-5999),712(3000-3999)						
256/754(3000-3999),801(3000-3999),829(6000-6999)						
256/841(3000-3999),850(7000-7999),898(3000-3999)						
256/924(3000-3999),924(7000-7999),947(5000-5999)						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
HUNTSVILLE	HNVIALDYDS0	07278	02549	7451	477	AA BC DA DD
256/206(9000-9999),280(9000-9999),313,319,327,336,428						G2 G3 G4 G5
256/450,544,615(0000-0999),616(0000-0999),704,705,730						G6 G7 G8 GA
256/801(6000-6999),842,876,955,961,973(2000-6000)						GC GD GE GJ
						GL GN GP GQ
						GR HB HI HK
						IA IB IC ID
						IE IF IG IH
						II JC QA QB
						QE QF SA SH
						SI SP SQ ST
						SU SW UA UG
						UH UJ UK UN
						UP UQ UR US
						UU UW UX UY
						VC VJ VO VP
						VQ WE WG WH
						WJ
HUNTSVILLE	HNVIALDYPS0	07278	02549	327A	477	AA BC DA DD
256/799						G2
HUNTSVILLE	HNVIALLWDS0	07260	02541	5181	477	AA BA DA GC
256/372,746(0000-0999),746(1000-1999),746(2000-2999)						GD GL GQ GR
256/746(4000-4999),746(5000-5999),746(8000-8999)						PB PK PR PU
256/746(9000-9999),851,852,858(0000-0999),858(2000-2999)						RC RD RF RH
256/858(3000-3999),858(4000-4999),858(5000-5999)						SK SV TJ TK
256/858(6000-6999),858(8000-8999),858(9000-9999),859						
HUNTSVILLE	HNVIALMT21W	07267	02534	5181	477	DA GQ GR HC
/						PB PK PR PU
						TJ TK UK
HUNTSVILLE	HNVIALMT51W	07267	02534	5181	477	DA GQ GR PB
/						PK PR PU TB
						TJ TK UK

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
HUNTSVILLE /	HNVIALMT53X	07267	02534	5181	477	DA GQ GR PB PK PR PU TJ TK UK ZZ
HUNTSVILLE 256/265,288(0000-0999),288(1000-1999),427,512 256/517(0000-1999),517(3000-6999),517(9000-9999),518,519 256/532(0000-0999),532(1000-1999),532(2000-2999) 256/532(3000-3999),532(4000-4999),532(5000-5999) 256/532(6000-6999),532(7000-7999),532(8000-8999),533,534 256/535,536,539,551,564	HNVIALMTDS0	07267	02534	5181	477	AA BA DA GB GC GL GQ GR PB PK PR PU QB QF RC RD RF RH SL SV TJ TK UK
HUNTSVILLE /	HNVIALMTK11	07267	02534	5181	477	DA GQ GR PB PK PR PU TJ TK UB UE UG UK UP ZY
HUNTSVILLE /	HNVIALMTK31	07267	02534	5181	477	DA GQ GR PR PU TJ TK UG UK VB
HUNTSVILLE /	HNVIALPW21W	07278	02525	5181	477	DA GQ GR HC PB PK PR PU TJ TK UK
HUNTSVILLE 256/213(2000-2999),213(3000-3999),213(4000-4999) 256/213(5000-5999),213(9000-9999),429(4000-5999) 256/429(6000-7999),650,880,881,882,883,885(0000-4999) 256/885(7000-7999),885(8000-8999),885(9000-9999)	HNVIALPWDS0	07278	02525	5181	477	AA BA DA GC GD GL GQ GR PB PK PR PU RC RD RF RH SJ SV TJ TK UK
HUNTSVILLE /	HNVIALPWK31	07278	02525	5181	477	DA GQ GR PR PU TJ TK UG UK VB

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
HUNTSVILLE	HNVIALRWDS0	07276	02549	5181	477	AA BA DA GC
256/922,963(1000-1999),963(2000-2999),963(3000-3999)						GD GL GQ GR
256/963(4000-4999),963(5000-5999),963(6000-6999)						PB PK PR PU
256/963(7000-7999),963(8000-8999),964(1000-1999)						RC RD RF RH
256/964(4000-4999),964(5000-5999),971						SJ SV TJ UK
HUNTSVILLE	HNVIALRWK11	07276	02549	5181	477	DA GQ GR PR
/						PU TJ UB UE
						UG UK UP ZY
HUNTSVILLE	HNVIALUN0GT	07272	02547	5181	477	DA G2 G3 G8
/						GB GJ GQ GR
						PB PK PR PU
						QB QF T8 TJ
						TK UK XA XD
HUNTSVILLE	HNVIALUN0MD	07272	02547	4839	477	DA DD
256/261(1000-1999),261(2000-2999),261(6000-7999)						
256/280(2000-2999),284(1000-1999),434(4000-4999)						
256/434(5000-5999),724(3000-3999),727(1000-1999)						
256/756(5000-5999),978(1000-1999)						
HUNTSVILLE	HNVIALUN2MD	07272	02547	7469	477	BA DA
/						
HUNTSVILLE	HNVIALUNBB2	07272	02547	5181	477	DA G8 GQ GR
/						PB PK PR PU
						T8 TD TG TJ
						TK UK XA XD
HUNTSVILLE	HNVIALUNBB3	07272	02547	5181	477	DA G8 GQ GR
/						PR PU T8 TD
						TG TJ TK UK
						XA XD
HUNTSVILLE	HNVIALUNBB4	07272	02547	5181	477	DA G8 GQ GR
/						PR PU T8 TD
						TG TJ TK UK
						XA XD

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
HUNTSVILLE	HNVIALUNBB5	07272	02547	5181	477	DA G8 GQ GR
/						PR PU T8 TD
						TG TJ TK XA
						XD
HUNTSVILLE	HNVIALUNBB6	07272	02547	5181	477	DA G8 GQ GR
/						PR PU T8 TD
						TG TJ XA XD
HUNTSVILLE	HNVIALUNBB7	07272	02547	5181	477	DA G8 GQ GR
/						PR PU T8 TD
						TG XA XD
HUNTSVILLE	HNVIALUNBBA	07272	02547	5181	477	DA G8 GQ GR
/						PR PU T7 T8
						TJ TK TU UK
						XA XD
HUNTSVILLE	HNVIALUNDS0	07272	02547	5181	477	AA BA DA G4
256/217(0000-0999),217(1000-1999),217(2000-2999)						G8 GC GD GE
256/217(6000-6999),217(8000-8999),220,430,716(0000-0999)						GL GQ GR PB
256/716(1000-1999),716(2000-2999),716(3000-3999)						PK PR PU QB
256/716(4000-4999),721,722,726,763(5000-5999)						QF RC RD RF
256/824(1000-1999),824(2000-2999),824(3000-3999)						RH SL SV T8
256/824(4000-4999),824(5000-5999),824(6000-6999)						TJ TK UK XA
256/824(7000-7999),824(8000-8999),830,837,864,890,895						XD
256/937(4000-5999)						
HUNTSVILLE	HNVIALUNDS1	07272	02546	5618	477	DA
256/424(0000-0999),424(4000-4999),424(6000-9999)						
256/444(9000-9999),445(3000-3999),724(9000-9999)						
HUNTSVILLE	HNVIALUNK11	07272	02547	5181	477	DA G8 GQ GR
/						PR PU T8 TJ
						TK UB UE UG
						UK UP XA XD
						ZY

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
HUNTSVILLE	HNVIALUNK31	07272	02547	5181	477	DA G8 GQ GR
/						PR PU T8 TJ
						TK UG UK VB
						XA XD
HUNTSVILLE	HNVIALUNX7Y	07272	02547	4839	477	DA DD
256/970(1000-1999),970(2000-2999),970(3000-3999)						
HUNTSVILLE	HNVIALUNXJY	07272	02547	402G	477	GR
256/203(7000-7999),242(7000-7999),257(7000-7999)						
256/278(7000-7999),284(6000-6999),287(8000-8999)						
256/324(6000-6999),333(7000-7999),380(7000-7999)						
256/410(7000-7999),462(7000-7999),482(7000-7999)						
256/502(7000-7999),573(7000-7999),576(7000-7999)						
256/588(7000-7999),607(5000-5999),615(7000-7999)						
256/667(7000-7999),669(7000-7999),686(7000-7999)						
256/724(4000-4999),812(7000-7999),813(7000-7999)						
256/826(7000-7999),912(7000-7999)						
HUNTSVILLE	HNVIALUNY4X	07272	02546	7451	477	AA BC DA DD
256/469(9000-9999)						G2
HURTSBORO	HRBOALOMRS0	07638	02090	5181	478	AA BA DA GC
334/667						GD GL GQ GR
						PC PL PR PU
						RF RH SJ SV
						TJ
HUXFORD	HXFRALXARS0	08015	02320	4464	480	AA BA DA DD
251/294(5000-5999),294(7000-9999)						GN GR HD IC
						ID IE IF IG
						IH SQ TL
IRVINGTON- ST. ELMO	IRSEALXADS0	08220	02381	9789	480	AA DA DD GM
251/957(0000-0999),957(1000-1999),957(2000-2999)						GN GR II SV
251/957(3000-3999),957(4000-4999),957(6000-6999)						TJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
JACKSON	JCSNALNMRS0	07996	02422	5181	480	AA BA DA GC
251/246,247						GD GL GQ GR
						PC PL RF RH
						SV TJ
JACKSONVILLE	JCVLALMADS0	07370	02309	5181	476	AA BA DA G4
256/435,782(0000-0999),782(1000-1999),782(2000-2999)						GC GD GL GQ
256/782(3000-3999),782(4000-4999),782(5000-5999)						GR PC PL RF
256/782(6000-6999),782(7000-7999),782(8000-8999)						RH SK SV TJ
						XA
JASPER	JSPRALMTDS0	07497	02553	5181	476	AA BA DA G4
205/221,295(0000-2999),295(4000-4999),295(9000-9999)						GC GD GL GQ
205/302(0000-6999),302(9000-9999),384,387(0000-0999)						GR PC PL PR
205/387(1000-1999),387(2000-2999),387(4000-4999)						PU RC RD RF
205/387(5000-5999),387(6000-6999),387(7000-7999)						RH SK SP SV
205/387(8000-8999),387(9000-9999)						TJ UB UG UP
						XA
JEMISON	JMSNALXADS0	07619	02379	9789	476	AA DA DD GC
205/688(1000-5999),688(8000-9999)						GG GN GR II
						SV
JOPPA	JPPAAL01RS0	07344	02496	0283	476	DA OE T9
256/586(0049-0559)						
JOPPA	JPPAAL02RS0	07347	02486	0283	476	DA OE T9
256/586(0604-0982)						
KENNEDY	KNDYALXARS1	07605	02642	0301	482	DA GR HD
205/596(1000-1999),596(3000-4999),596(8000-9999)						
KILLEN	KLLNALMARS4	07324	02698	5181	477	AA BA DA GC
256/272(0000-0999),272(8000-8999),757						GD GL GQ GR
						PC PL RC RD
						RF RH SJ SV
						TJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
KINSTON	KSTNALXARS1	07901	02108	9788	478	AA BA DA DD
334/565						GG GM GN GR
						HB HD II SH
						SQ ST TU
KOWALIGA	KWLGALXARP0	07599	02230	0302	478	AA DA GD GM
334/857(6000-6999)						GR HB HD RA
						RC RD RH SQ
						UM UP UU UW
						VA
KOWALIGA	KWLGALXARS0	07599	02230	0302	478	AA DA GD GM
334/857(0000-0999),857(1000-1999),857(2000-2999)						GR HB HD RA
334/857(3000-3999),857(4000-4999),857(5000-5999)						RC RD RH SQ
334/857(7000-7999),857(8000-8999),857(9000-9999)						UM UP UU UW
						VA
LAFAYETTE	LFYTALRSRS0	07513	02156	5181	478	AA BA DA GC
334/864(0000-0999),864(2000-2999),864(4000-9999)						GD GL GQ GR
						PC PL RC RD
						RF RH SJ SV
						TJ
LANETT	LNTTALACDS0	07507	02124	0371	438	DA GR
/						
LANGDALE	LNDLALXA756	07506	02112	0324	438	AA BA DA GC
334/710(0000-0999),756						GD GM GQ GR
						HD RA RB RC
						RD SH SM SQ
LECTA	LECTALXARS0	07384	02233	9789	476	AA DA DD GM
256/748(2000-4999),748(8000-8999)						GN GR SV TJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
LEEDS	LEDSALXARS0	07490	02406	0302	476	AA DA GC GD
205/699,702(2000-2999),702(3000-3999),702(4000-4999)						GI GL GN GR
205/702(7000-7999),702(8000-8999)						HB HD RA RC
						RD RH SJ SQ
						ST TJ UG UM
						UP UU UW VA
LEEDS	LEDSALXBDS0	07476	02404	0302	476	AA DA GC GD
205/577(4000-4999),640						GI GJ GL GN
						GR HB HD II
						RA RC RD RH
						SJ SQ ST TJ
						UG UM UP UU
						UW VA
LEEDS	LEDSALXBPS0	07476	02404	0302	476	AA DA GC GD
205/571(9000-9999),702(0000-0999)						GI GJ GL GN
						GR HB HD II
						RA RC RD RH
						SJ SQ ST TJ
						UG UM UP UU
						UW VA
LEESBURG	LSBGALXARS0	07301	02348	0314	476	GC GM GR OE
256/526(1000-1999),526(2000-2999),526(3000-3999)						RC RD RM SQ
256/526(4000-4999),526(5000-5999),526(6000-6999)						TJ
256/526(7000-7999),526(8000-8999)						
LEIGHTON	LGTNALMARS0	07352	02680	5181	477	AA BA DA G5
256/446(0000-0999),446(3000-6999),446(8000-9999)						GC GD GQ GR
						PC PL RF RH
						SJ SV TJ
LEXINGTON	LXTNALMARS0	07288	02682	5181	477	AA BA DA GC
256/229(0000-0999),229(5000-6999),229(9000-9999)						GD GL GQ GR
						PC PL RF RH
						SJ SV TJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
LILLIAN 251/962	LLLNALXARS0	08167	02237	0298	480	AA DA GM
LILLIAN 251/961	LLLNALXBRS0	08184	02243	0298	480	AA BA DA DD GM
LINCOLN 205/763	LNCLALXARS0	07440	02345	9789	476	AA DA DD GE GM GN GR II SV
LINDEN 334/295	LNDNALMARS0	07835	02485	5181	478	AA BA DA G4 GC GD GL GQ GR PC PL RF RH SJ SV TJ
LINEVILLE 256/396(0000-2999),396(5000-6999),396(9000-9999)	LNVLALXARS0	07466	02255	9789	476	AA DA DD GG GM GN GR II SV TJ
LISMAN 205/398	LSMNALXADS0	07901	02552	0284	476	AA BA DA G7 GC GD GR OE RC RD RM SQ TJ
LIVINGSTON 205/652	LVTNALLARS0	07814	02576	5181	476	AA BA DA GC GD GL GQ GR PC PL RF RH SJ SV XA
LOUISVILLE 334/266	LSVLALXARS0	07739	02065	9788	478	AA BA DA GE GG GJ GM GN GR HB HD II TJ TU
LOXLEY 251/964	LXLYALXARS0	08155	02310	0298	480	AA DA GM
LOXLEY 251/960	LXLYALXBRS0	08150	02299	0298	480	AA BA DA DD GM

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
LUVERNE	LVRNALXADS0	07814	02173	9788	478	AA BA DA GG
334/335						GN GR HB HD
						II RD SH SQ
						TJ TU
LYNN	LYNNALXARS0	07479	02619	0311	476	AA BA DA G7
205/893						GC GM OE RC
						RD RM SQ TJ
MADISON	MDSNALNMDS0	07293	02554	5181	477	AA BA DA GC
256/461,464(0000-0999),464(3000-3999),464(4000-4999)						GD GL GQ GR
256/464(5000-5999),464(6000-6999),464(7000-7999)						PC PL RC RD
256/464(8000-8999),464(9000-9999),542(2000-2999)						RF RH SJ SV
256/542(4000-6999),772,774(0000-0999),774(1000-1999)						UK
256/774(2000-2999),774(3000-3999),774(4000-4999)						
256/774(5000-5999),774(6000-6999),774(7000-7999)						
256/774(8000-8999)						
MADISON	MDSNALNMK11	07293	02554	5181	477	DA GQ GR UB
/						UE UG UK UP
						ZY
MAGNOLIA SPRINGS	MGSPALXARS0	08199	02292	0298	480	AA DA GM
251/965						
MAPLESVILLE	MPVLALMARS0	07663	02382	5181	478	AA BA DA GC
334/366(0000-0999),366(1000-1999),366(2000-2999)						GD GL GQ GR
334/366(4000-4999),366(5000-5999)						PC PL RF RH
						SJ SV TJ
MARGERUM	MGRMALXA00W	07384	02773	0286	477	OE T9
/						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MARGERUM	MGRMALXARS0	07384	02773	0286	477	AA AB BA BC
256/360(2000-2999),360(3000-3999),360(4000-4999)						DA DD EA GI
256/360(6000-6999),360(7000-7999)						GJ GL GN GQ
						HB HD HJ IA
						IB IC ID IE
						IF IG IH II
						OE OH OR RC
						RD SH SP SQ
						T8 T9 TA TB
						TJ TL TP TQ
						UG UP UR UU
						UW UX VA WE
MARION	MARNALNMRS0	07731	02439	5181	478	AA BA DA G4
334/683						GC GD GL GQ
						GR PC PL SJ
						SV TJ
MARLOW	MRLWALXARS0	08187	02302	0298	480	AA BA DA DD
251/988						GM
MASSEY	MSSYALXARS0	07372	02567	9789	477	AA DA DD GM
256/462(1000-1999),462(3000-3999)						GN GR SV
MCCULLOUGH	MCCLALXARS0	08033	02330	4464	480	AA BA DA DD
251/577(6000-6999),577(9000-9999)						GN GR HD IC
						ID IE IF IG
						IH SQ TL
MCINTOSH	MCINALMARS0	08055	02420	5181	480	AA BA DA G4
251/944(0000-6999),944(8000-9999)						GC GD GL GQ
						GR PC PL RF
						RH SK SV TJ
MCKENZIE	MCKNALXADS0	07887	02230	9788	478	AA DA DD GG
334/374						GN GR HB HD
						II RD SH SQ
						ST TJ TU

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MENTONE	MENTALXARS0	07210	02360	9789	476	AA BA DA GM
256/634(0000-0999),634(3000-4999),634(8000-8999)						GN GR SV
MIDLAND CITY	MLCYALXARS0	07821	02005	9788	478	AA DA DD GE
334/983,984						GG GJ GM GN
						GR HB HD II
						SH SQ TU UG
MILLPORT	MLPTALXADS0	07616	02656	0301	482	DA GR HD
205/662(0000-1999),662(3000-5999),662(8000-9999)						
MILLRY	MLRYALXA01T	08008	02503	0304	480	GB TK
/						
MILLRY	MLRYALXADS1	08008	02503	0304	480	DA DD G2 GD
251/542,754,777,827,843,846,847						GI GN GQ GR
						HA HD HJ IA
						IB IC IG II
						OE SH SP SQ
						SU SW T3 TI
						TJ TK TZ UG
						UR US UU UX
						UY VA XF
MOBILE	MOBLAL023MD	08167	02367	5618	480	DA
/						
MOBILE	MOBLAL02DS1	08167	02367	5618	480	DA
/						
MOBILE	MOBLAL111MD	08180	02367	7281	480	BA DA
251/243(9000-9999),697(9000-9999),725(5000-5999)						
850/724(3000-3999)						

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
MOBILE                      MOBLAL97DS0 08178 02376 4839  480 DA DD
   251/239(1000-1999),316(7000-7999),460(3000-3999)
   251/517(1000-1999),706(0000-0999),706(1000-1999)
   251/706(2000-2999),706(3000-3999),706(4000-4999)
   251/706(5000-5999),706(6000-6999),706(8000-8999)
   251/929(5000-5999),957(7000-7999)
.......................................................................
MOBILE                      MOBLALAPDS0 08185 02395 5181  480 AA BA DA G4
   251/607(0000-5999),607(7000-7999),607(9000-9999)          GC GD GL GQ
   251/631(1000-9999),633,634,635(0000-1999),639             GR PB PK PR
   251/776(1000-1999),776(5000-7999)                         PU RF RH SK
                                                             SP SV TJ TK
                                                             UB UG UP
.......................................................................
MOBILE                      MOBLALAZ00Z 08167 02367 402G  480 GR
   228/641(6000-6999)
   251/201(7000-7999),227(7000-7999),235(7000-7999)
   251/236(6000-6999),254(7000-7999),256(7000-7999)
   251/262(7000-7999),271(7000-7999),273(7000-7999)
   251/276(7000-7999),284(7000-7999),290(7000-7999)
   251/299(7000-7999),306(7000-7999),308(7000-7999)
   251/494(7000-7999),824(8000-8999),861(0000-0999)
   251/873(7000-7999),929(6000-6999),973(7000-7999)
   251/989(1000-1999)
   850/366(7000-7999)
.......................................................................
MOBILE                      MOBLALAZ0GT 08167 02367 5181  480 DA G2 G3 G8
      /                                                      GB GQ GR PB
                                                             PK PR PU QB
                                                             QF T8 TJ TK
                                                             UK XD
.......................................................................
MOBILE                      MOBLALAZ1GT 08167 02367 5181  480 DA G8 GB GQ
      /                                                      GR PR PU T8
                                                             TJ XD
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MOBILE /	MOBLALAZ21W	08167	02367	5181	480	DA G8 GQ GR HC PB PK PR PU T8 TJ TK UK XD
MOBILE /	MOBLALAZ51W	08167	02367	5181	480	DA G8 GQ GR PB PK PR PU T8 TB TJ TK UK XD
MOBILE /	MOBLALAZBB1	08167	02367	5181	480	DA G8 GQ GR PB PK PR PU T8 TD TG TJ TK UK XD
MOBILE /	MOBLALAZBB2	08167	02367	5181	480	DA G8 GQ GR PR PU T8 TD TG TJ TK UK XD
MOBILE /	MOBLALAZBB3	08167	02367	5181	480	DA G8 GQ GR PR PU T8 TD TG TJ TK UK XD
MOBILE /	MOBLALAZBB4	08167	02367	5181	480	DA G8 GQ GR PR PU T8 TD TG TJ XD
MOBILE /	MOBLALAZBB5	08167	02367	5181	480	DA G8 GQ GR PR PU T8 TG TJ XD
MOBILE /	MOBLALAZBB6	08167	02367	5181	480	DA G8 GQ GR PR PU T8 TD TG TJ XD

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
MOBILE                      MOBLALAZBBA 08167 02367 5181  480 DA G8 GQ GR
     /                                                          PR PU T8 TJ
                                                                TK TU UK XD
.......................................................................
MOBILE                      MOBLALAZDS0 08167 02367 5181  480 AA BA DA G8
   251/208,219(1000-3999),219(5000-5999),221,405(0000-0999)  GB GC GD GE
   251/405(1000-1999),405(4000-4999),405(5000-5999)          GL GQ GR PB
   251/405(6000-6999),405(7000-7999),405(9000-9999)          PK PR PU QB
   251/415(0000-0999),415(1000-1999),415(2000-2999)          QF RC RD RF
   251/415(3000-3999),415(5000-5999),415(6000-6999)          RH SL SS T8
   251/415(7000-7999),415(8000-8999),415(9000-9999),431,432  TJ TK UK XD
   251/433,434,435,436(0000-0999),436(2000-8999),438
   251/439(0000-0999),439(1000-1999),439(2000-2999)
   251/439(3000-3999),439(4000-4999),439(7000-7999)
   251/439(8000-8999),441(0000-0999),441(1000-1999)
   251/441(2000-2999),441(3000-3999),441(5000-5999)
   251/441(6000-6999),441(7000-7999),441(8000-8999)
   251/441(9000-9999),574,690,694,770
.......................................................................
MOBILE                      MOBLALAZDS1 08167 02367 5618  480 DA
     /
.......................................................................
MOBILE                      MOBLALAZK02 08167 02367 5181  480 DA G8 GQ GR
     /                                                          PB PK PR PU
                                                                T8 TJ TK UK
                                                                XD
.......................................................................
MOBILE                      MOBLALAZK11 08167 02367 5181  480 DA G8 GQ GR
     /                                                          PB PK PR PU
                                                                T8 TJ TK UB
                                                                UE UG UK UP
                                                                XD ZY
.......................................................................
MOBILE                      MOBLALAZXWY 08167 02367 7221  480 BA DA
   251/239(3000-3999),241(3000-3999),255(3000-3999)
   251/262(3000-3999),266(5000-5999),270(3000-3999)
   251/273(3000-3999),287(9000-9999),288(6000-6999)
   251/299(3000-3999),406(8000-8999),439(6000-6999)
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
MOBILE /	MOBLALAZXYY	08167	02367	5618	480	DA
MOBILE /	MOBLALAZZYY	08167	02367	5618	480	DA
MOBILE 251/408(0000-0999),408(4000-4999),408(6000-6999),443	MOBLALBFRS0	08200	02364	5181	480	AA BA DA GC GD GL GQ GR PB PK PR PU RA RC RD RF RG RH SJ SM SV TJ
MOBILE /	MOBLALOS21W	08172	02374	5181	480	DA GQ GR HC PB PK PR PU TJ TK UK
MOBILE 251/450(0000-0999),450(1000-1999),450(2000-2999) 251/450(3000-3999),450(4000-4999),450(5000-5999) 251/450(6000-6999),450(7000-7999),450(9000-9999),470,471 251/472(0000-0999),472(1000-4999),473(1000-1999) 251/473(2000-2999),473(3000-3999),473(4000-4999) 251/473(5000-5999),473(6000-6999),473(7000-7999) 251/473(8000-8999),473(9000-9999),476,478,479	MOBLALOSDS0	08172	02374	5181	480	AA BA DA GC GL GQ GR PB PK PR PU RC RD RF RH SK SN SV TJ TK UK
MOBILE 251/330(0000-4999),330(7000-7999),452,456,457	MOBLALPRDS0	08160	02377	5181	480	AA BA DA GC GD GL GQ GR PB PK PR PU RC RD RF RH SK SV TJ
MOBILE 251/442(0000-0999),442(2000-3999),675,679	MOBLALSADS0	08143	02383	5181	480	AA BA DA GC GD GL GQ GR PB PK PR PU RF RH SK SV TJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MOBILE	MOBLALSEDS0	08168	02410	5181	480	AA BA DA G4
228/641(3000-3999)						GC GD GL GQ
251/645,649						GR PB PK PR
						PU RF RH SK
						SV TJ
MOBILE	MOBLALSFDS0	08160	02341	5181	480	AA BA DA GC
251/447(0000-0999),621,625(0000-4999),625(6000-6999)						GL GQ GR PB
251/625(8000-8999),626						PK PR PU RF
						RH SK SV TJ
MOBILE	MOBLALSHDS0	08175	02384	5181	480	AA BA DA GC
251/304(0000-0999),304(1000-1999),304(2000-2999)						GD GL GQ GR
251/304(3000-3999),304(4000-4999),304(6000-6999)						PB PK PR PU
251/304(7000-7999),304(8000-8999),316(0000-3999)						RC RD RF RG
251/316(5000-6999),316(8000-9999),340(0000-0999)						RH SK SV TJ
251/340(1000-1999),340(3000-3999),340(4000-4999)						TK UK
251/340(5000-5999),340(6000-6999),340(7000-7999)						
251/340(8000-8999),340(9000-9999),341(0000-1999)						
251/341(3000-6999),341(8000-9999),342,343,344						
251/345(0000-3999),345(5000-5999),345(7000-9999)						
251/380(0000-5999),380(9000-9999),414(0000-0999)						
251/414(1000-1999),414(2000-2999),414(3000-3999)						
251/414(4000-4999),414(5000-5999),414(8000-8999)						
251/414(9000-9999),459(7000-7999),460(0000-0999)						
251/460(2000-2999),460(4000-9999),461(0000-5999)						
251/461(7000-9999)						
MOBILE	MOBLALSKDS0	08185	02377	5181	480	AA BA DA GC
251/602,643(1000-1999),643(7000-7999),660(0000-3999)						GD GL GQ GR
251/660(5000-9999),661,662(0000-8999),665,666						PB PK PR PU
						RC RD RF RH
						SK SV TJ TK
MOBILE	MOBLALTHRS0	08205	02374	5181	480	AA BA DA GC
251/653,654(0000-0999)						GD GQ GR PB
						PK PR PU RC
						RD RF RH SK
						SV TJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE				
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--	
MONROEVILLE	MOVLALXADS0	07944	02329	0306	480	AA	BA	DA	DD	
251/575,743						GC	GN	GR	HD	
						IC	ID	IE	IF	
						IG	IH	RS	SH	
						SR	TL	UM	UR	
						US	UW	UX	VA	
						WE				
MONTEVALLO	MNTVALNMDS0	07603	02412	5181	476	AA	BA	DA	GC	
205/665,679(4000-4999)						GD	GQ	GR	PC	
						PL	PR	PU	RC	
						RD	RF	RH	SJ	
						SV	T9	TJ	XA	
MONTGOMERY	DTHNALXAXCX	07830	01981	402G	478	GR				(C)
229/231(7000-7999)										(C)
334/203(8000-8999),248(7000-7999),276(7000-7999)										(C)
334/282(7000-7999),304(7000-7999),316(7000-7999)										(C)
334/336(7000-7999),342(4000-4999),344(3000-3999)										(C)
334/352(6000-6999),362(7000-7999),367(7000-7999)										(C)
334/368(7000-7999),369(7000-7999),377(7000-7999)										(C)
334/378(7000-7999),401(7000-7999),402(7000-7999)										(C)
334/415(7000-7999),422(7000-7999),423(7000-7999)										(C)
334/432(7000-7999),438(7000-7999),455(7000-7999)										(C)
334/458(7000-7999),463(7000-7999),471(7000-7999)										(C)
334/472(7000-7999),487(7000-7999),489(7000-7999)										(C)
334/504(7000-7999),510(7000-7999),523(7000-7999)										(C)
334/542(7000-7999),547(7000-7999),550(7000-7999)										(C)
334/569(7000-7999),575(7000-7999),581(7000-7999)										(C)
334/586(7000-7999),589(7000-7999),594(7000-7999)										(C)
334/597(7000-7999),602(7000-7999),641(7000-7999)										(C)
334/662(5000-5999),689(7000-7999),698(7000-7999)										(C)
334/708(7000-7999),709(7000-7999),723(7000-7999)										(C)
334/758(7000-7999),764(7000-7999),785(7000-7999)										(C)
334/892(7000-7999),896(7000-7999),908(7000-7999)										(C)
334/918(7000-7999),945(7000-7999),997(7000-7999)										(C)

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
MONTGOMERY                  MTGMAL100MD 07691 02249 7281  478 BA DA
   334/248(5000-5999),258(2000-2999),350(3000-3999)
   334/350(5000-5999),362(2000-2999),363(3000-3999)
   334/370(2000-2999),392(3000-3999),414(9000-9999)
   334/424(3000-3999),450(0000-0999),450(2000-2999)
   334/521(3000-3999),526(3000-3999),575(3000-3999)
   334/617(3000-3999),662(3000-3999),717(2000-2999)
   334/723(3000-3999),731(2000-2999),731(3000-3999)
   334/734(8000-8999),803(8000-8999),866,986(0000-0999)
   334/986(9000-9999),991(3000-3999),997(3000-3999)
.......................................................................
MONTGOMERY                  MTGMAL31DS0 07690 02247 7451  478 AA BC DA DD
   334/420,495,647(0000-0999)                                 G2 G3 G4 G5
                                                              G6 G7 G8 GA
                                                              GC GD GE GJ
                                                              GL GN GP GQ
                                                              GR HB HI HK
                                                              IA IB IC ID
                                                              IE IF IG IH
                                                              II JC QA QB
                                                              QE QF SA SH
                                                              SI SP SQ ST
                                                              SU SW UA UG
                                                              UH UJ UK UN
                                                              UP UQ UR US
                                                              UU UW UX UY
                                                              VC VJ VO VP
                                                              VQ WE WG WH
                                                              WJ
.......................................................................
MONTGOMERY                  MTGMAL31PS0 07691 02248 327A  478 AA BC DA DD
   334/533                                                    G2
.......................................................................
MONTGOMERY                  MTGMALBIK11 07676 02221 5181  478 DA GQ GR PC
      /                                                       PL UG
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MONTGOMERY	MTGMALDADS0	07686	02239	5181	478	AA BA DA GC
334/213(0000-0999),213(1000-1999),213(2000-2999)						GD GL GQ GR
334/213(3000-3999),213(4000-4999),213(5000-5999)						PA PJ PR PS
334/213(6000-6999),213(7000-7999),213(8000-8999),215,244						QB QF RC RD
334/260,270,271,272,273,274(0000-4999),274(6000-6999)						RF RH SK SV
334/274(8000-8999),274(9000-9999),277,279,394(0000-2999)						TJ TK UK
334/394(4000-9999),395,396,409(0000-0999),409(2000-2999)						
334/409(3000-3999),409(5000-5999),409(6000-6999)						
334/409(7000-7999),409(8000-8999),409(9000-9999)						
334/416(0000-0999),647(3000-4999),676(5000-5999)						
334/676(6000-6999),676(7000-7999)						
MONTGOMERY	MTGMALDAK11	07686	02239	5181	478	DA GQ GR PR
/						PS TJ TK UB
						UE UG UK UP
						ZY
MONTGOMERY	MTGMALMBRS0	07674	02272	5181	478	AA BA DA GL
334/285,290(0000-4999),290(6000-7999)						GQ GR PA PJ
						PR PS RH SJ
						SV TJ
MONTGOMERY	MTGMALMT08Z	07692	02248	7221	478	BA DA
334/434(5000-5999),523(2000-2999),523(3000-3999)						
334/523(4000-4999),523(5000-5999),523(9000-9999)						
334/552(3000-3999),564(3000-3999),819(3000-3999)						
MONTGOMERY	MTGMALMT0GT	07692	02248	5181	478	DA G1 G2 G3
/						G8 GB GQ GR
						PA PJ PR PS
						QB QF T8 TJ
						TK UK XD
MONTGOMERY	MTGMALMT13Z	07692	02248	5618	478	DA
334/416(1000-7999),487(9000-9999),649(5000-5999)						

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MONTGOMERY	MTGMALMT21W	07692	02248	5181	478	DA G8 GQ GR
/						HC PA PJ PR
						PS T8 TJ TK
						UK XD
MONTGOMERY	MTGMALMT21Z	07692	02248	4839	478	DA DD
334/557(1000-1999),557(7000-7999),568(3000-3999)						
MONTGOMERY	MTGMALMT51W	07692	02248	5181	478	DA G8 GQ GR
/						PA PJ PR PS
						T8 TB TJ TK
						UK XD
MONTGOMERY	MTGMALMTBB1	07692	02248	5181	478	DA G8 GQ GR
/						PA PJ PR PS
						T8 TD TG TJ
						TK UK XD
MONTGOMERY	MTGMALMTBB2	07692	02248	5181	478	DA G8 GQ GR
/						PR PS T8 TD
						TG TJ TK UK
						XD
MONTGOMERY	MTGMALMTBB3	07692	02248	5181	478	DA G8 GQ GR
/						PR PS T8 TD
						TG TJ TK UK
						XD
MONTGOMERY	MTGMALMTBB4	07692	02248	5181	478	DA G8 GQ GR
/						PR PS T8 TD
						TG TJ TK UK
						XD
MONTGOMERY	MTGMALMTBB5	07692	02248	5181	478	DA G8 GQ GR
/						PR PS T8 TD
						TG TJ TK XD

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MONTGOMERY	MTGMALMTBB6	07692	02248	5181	478	DA G8 GQ GR
/						PR PS T8 TD
						TG TJ XD
MONTGOMERY	MTGMALMTBB7	07692	02248	5181	478	DA G8 GQ GR
/						PR PS T8 TD
						TG XD
MONTGOMERY	MTGMALMTBB8	07692	02248	5181	478	DA G8 GQ GR
/						PR PS T8 TD
						TG XD
MONTGOMERY	MTGMALMTBBA	07692	02248	5181	478	DA G8 GQ GR
/						PR PS T7 T8
						TJ TK TU UK
						XD
MONTGOMERY	MTGMALMTDS0	07692	02248	5181	478	AA BA DA G4
334/206,223(0000-3999),223(5000-9999),229(0000-8999),242						G8 GB GC GE
334/353,833(0000-0999),833(3000-4999),833(7000-7999)						GL GQ GR PA
334/833(8000-8999),954(0000-0999),954(2000-2999)						PJ PR PS QB
334/954(3000-3999),954(4000-4999),954(5000-5999)						QF RC RD RE
334/954(6000-6999),954(7000-7999),956(0000-0999)						RF RH RM SL
334/956(1000-1999),956(2000-2999),956(3000-3999)						SS T8 TJ TK
334/956(4000-4999),956(5000-5999),956(7000-7999)						UC UK XD
334/956(8000-8999)						
MONTGOMERY	MTGMALMTDS2	07692	02248	5181	478	AA BA DA G8
334/230(0000-4999),230(8000-9999),240(0000-4999)						GB GC GL GQ
334/240(6000-9999),241,261(0000-0999),261(1000-1999)						GR PA PJ PR
334/261(2000-2999),261(3000-3999),261(4000-4999)						PS QB QF RC
334/261(5000-5999),261(6000-6999),261(8000-8999)						RD RF RH RM
334/261(9000-9999),262,263,264,265,269(0000-0999)						SL SS T8 TJ
334/269(1000-1999),269(2000-2999),269(3000-3999)						TK UC UK XD
334/269(4000-4999),269(5000-5999),269(6000-6999)						
334/269(7000-7999),269(9000-9999),293(0000-0999)						
334/293(2000-9999),517(2000-3999),517(7000-7999)						
334/517(9000-9999),832,834,860						

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MONTGOMERY	MTGMALMTDS3	07692	02248	5618	478	DA
334/513(3000-6999),521(9000-9999),526(9000-9999)						
334/528(9000-9999),551						
MONTGOMERY	MTGMALMTK11	07692	02248	5181	478	DA G8 GQ GR
/						PA PJ PR PS
						T8 TJ TK UB
						UE UG UK UP
						XD ZY
MONTGOMERY	MTGMALMTK31	07692	02248	5181	478	DA G8 GQ GR
/						PR PS T8 TJ
						TK UG UK VB
						XD
MONTGOMERY	MTGMALMTXQX	07692	02248	4839	478	DA DD
334/539(1000-1999),539(3000-3999),539(4000-4999)						
334/819(1000-1999),819(5000-5999)						
MONTGOMERY	MTGMALNODS0	07701	02242	5181	478	AA BA DA GC
334/280(0000-5999),280(7000-7999),280(9000-9999),281,284						GD GL GQ GR
334/286,288,612(0000-0999),612(2000-2999),612(5000-5999)						PA PJ PR PS
334/613						RC RD RF RH
						SK SV TJ TK
MORGAN CITY	MRCYALXADS0	07313	02507	0283	476	AA BA DA DD
256/471,498						GL GM GN GR
						OE SQ T9
MORRISONS CROSS	MRCRALXARS0	07421	02226	9789	476	AA DA DD GG
256/363(1000-3999)						GM GN GR II
						SV TJ
MOULTON	MOLTALNMDS0	07375	02620	5181	477	AA BA DA G4
256/905(0000-0999),905(2000-2999),905(3000-3999),974						GC GD GL GQ
						GR PC PL RF
						RH SJ SV TJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MOUNDVILLE	MNVLALXADS0	07687	02526	0307	476	AA BA DA T3
205/371						TJ XE
MOUNT VERNON	MTVRALMARS0	08086	02400	5181	480	AA BA DA G5
251/829(0000-0999),829(2000-6999),829(9000-9999)						GQ GR PC PL
						PR PU RF RH
						SJ SV TJ
MUNFORD	MNFDALMARS0	07442	02310	5181	476	AA BA DA G4
256/358(0000-0999),358(1000-1999),358(3000-3999)						GL GQ GR PC
256/358(4000-4999),358(5000-5999),358(6000-6999)						PL RF RH SJ
256/358(9000-9999)						SV TJ XA
NANAFALIA	NNFLALXARS0	07889	02496	0315	478	AA BA DA TJ
334/736						
NAUVOO	NAUVALXADS0	07485	02603	0311	476	AA BA DA G7
205/697(0000-0999),697(2000-2999),697(5000-5999)						RC RD RM SQ
						TJ
NEEDHAM	NDHMALXARS0	07938	02536	0284	476	AA BA DA G7
205/673						GM GR OE RC
						RD RM SQ TJ
NEW BROCKTON	NWBCALXARS0	07848	02085	9788	478	AA BA DA GE
334/894						GG GJ GM GN
						GR HB HD II
						RC SH SQ TJ
						TU UG
NEW HOPE	NWHPALXADS0	07287	02485	0308	477	AA BA DA GR
256/723,725,728						OE TJ TZ XF
NEWTON	NWTNALXARS0	07828	02026	9788	478	AA BA DA GE
334/299						GG GJ GM GN
						GR HB HD II
						SH SQ TJ TU
						UG

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
NEWVILLE	NWVIALXARS0	07788	01991	9788	478	AA DA DD GG
334/889						GM GN GQ GR
						HB HD II SH
						SQ TJ TU
NOTASULGA	NTSLALXARS0	07601	02164	9789	478	AA DA DD GG
334/257						GM GN GR II
						SV TJ
OAKMAN	OKMNALXADS0	07529	02560	0311	476	AA BA DA G7
205/622(0000-0999),622(2000-2999),622(3000-3999)						GD OE RC RD
205/622(5000-5999)						RM SQ TJ TU
						TZ
ODEN RIDGE	ODRGALXARS0	07349	02526	9789	477	AA DA DD GM
256/482(2000-3999),482(8000-8999)						GN GR SQ
ODENVILLE	ODVLALXARP0	07450	02399	0302	476	AA DA GC GD
205/629(9000-9999)						GI GL GN GR
						HB HD II RA
						RC RD RH SJ
						SQ ST TJ UG
						UM UP UU UW
						VA
ODENVILLE	ODVLALXARS0	07450	02399	0302	476	AA DA GC GD
205/629(0000-0999),629(2000-2999),629(3000-3999)						GI GL GN GR
205/629(5000-5999),629(6000-6999),629(7000-7999)						HB HD II RA
						RC RD RH SJ
						SQ ST TJ UG
						UM UP UU UW
						VA
OHATCHEE	OHTCALMARS0	07398	02338	5181	476	AA BA DA G4
256/892						GC GD GL GQ
						GR PC PL RF
						RH SJ SV TJ
						XA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
ONEONTA /	ONNTAL07RS0	07413	02418	0312	476	DA OE T3 TJ
ONEONTA 205/274,625	ONNTALXADS1	07406	02435	0312	476	BA DA GR OE T3 TJ
OPELIKA 334/528(1000-7999),528(8000-8999),704(0000-2999) 334/704(9000-9999),705,737(0000-4999),737(7000-7999) 334/741(0000-5999),741(7000-9999),742(0000-2999) 334/742(4000-9999),745,749	OPLKALMTDS0	07558	02126	5181	478	AA BA DA GC GD GL GQ GR PC PL RF RH RM SK SV TJ
OPELIKA /	OPLKALMTK11	07558	02126	5181	478	DA GQ GR TJ UB UE UG UP ZY
OPP 334/493	OPP ALXADS0	07897	02129	9788	478	AA BA DA DD GC GD GG GN GR HB HD II RD SH SQ ST TJ TU
ORANGE BEACH 251/981	ORBHALXARS0	08205	02248	0298	480	AA DA DD GM
ORANGE BEACH 251/980	ORBHALXCRS0	08201	02240	0298	480	AA BA DA DD GM
ORANGE BEACH 251/974	ORBHALXDRS0	08212	02251	0298	480	AA BA DA DD GM
ORRVILLE 334/996	ORVLALXADS0	07787	02394	9789	478	AA BA DA GN GR SV
OZARK 334/445,774	OZRKALXADS0	07808	02045	9788	478	AA BA DA DD GC GD GE GG GJ GN GR HB HD II RD SH SQ ST TU UG

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
PANOLA	PANLALXARS0	07751	02626	9789	476	AA DA DD GM
205/455(0000-0999),455(1000-1999),455(2000-2999)						GN GR SV
205/455(3000-3999),455(4000-4999),455(5000-5999)						
205/455(6000-6999),455(8000-8999)						
PARRISH	PRSHALNMRS0	07517	02544	5181	476	AA BA DA G5
205/686(0000-0999),686(2000-2999),686(5000-5999)						GC GD GQ GR
205/686(7000-7999),686(9000-9999)						PC PL PR PU
						RD RF RH SJ
						SV TJ XA
PELL CITY	PLCYALXABB1	07460	02369	9789	476	T7 TU
/						
PELL CITY	PLCYALXADS0	07460	02369	9789	476	AA DA DD GC
205/338,525(0000-1999),525(4000-4999),525(5000-5999)						GE GG GJ GN
205/812(1000-9999),814(0000-5999),814(9000-9999),884						GR HC II RC
						RD SV T7 TU
PENNINGTON	PNTNALXARS0	07873	02517	0284	476	AA BA DA G7
205/654						GM GR OE RC
						RD RM SQ TJ
PETERMAN	PTMNALXARS0	07928	02325	0306	480	AA BA DA DD
251/564(2000-3999),564(5000-5999),564(9000-9999)						GN GR HD IC
						ID IE IF IG
						IH SQ TL
PHENIX CITY	PHCYALFMRS0	07591	02031	5181	438	AA BA DA GC
334/855						GD GL GQ GR
						PC PL PR PU
						RF RH SJ SV
						TJ
PHENIX CITY	PHCYALMADS0	07559	02051	5181	438	AA BA DA GC
334/214,291,297,298,448,480,732						GD GL GQ GR
						PC PL PR PU
						RC RD RF RH
						SK SV TJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
PHIL CAMPBELL	PHBLALXARS0	07434	02674	9789	476	AA DA DD GE
205/993						GM GN GR II
						SV TJ
PIEDMONT	PDMTALMARS0	07336	02296	5181	476	AA BA DA G5
256/447(0000-4999),447(6000-9999)						GC GD GQ GR
						PC PL RF RH
						SJ SV TJ XA
PINE APPLE	PNAPALXARS0	07848	02309	0306	480	AA BA DA DD
251/746						GN GR HD IC
						ID IE IF IG
						IH SQ TL
PINE HILL	PNHLALXADS0	07880	02417	9789	478	AA BA DA GG
334/963						GM GN GR RC
						RD SQ
PINSON	PNSNALMADS0	07474	02446	5181	476	AA BA DA GC
205/680,681,683(0000-0999)						GD GL GQ GR
						PC PL PR PU
						RF RH SJ SV
						T9 TJ XA
PRATTVILLE	PRVLALMADS0	07690	02283	5181	478	AA BA DA GC
334/358,361,365,595(0000-0999)						GD GL GQ GR
						PC PL PR PS
						RF RH SJ SV
						TJ TK
RAGLAND	RGLDALXADS0	07419	02364	0316	476	AA DA TJ XE
205/472						
RAINSVILLE	RNVLALXADS1	07248	02393	0290	476	AA BA DA GR
256/451,597,623,632,638(0000-0999),638(1000-1999)						HB HD OE RC
256/638(2000-2999),638(3000-3999),638(4000-4999)						RD RM T3 TJ
256/638(6000-6999),638(7000-7999),638(8000-8999)						TK TZ XF
256/638(9000-9999),657(0000-7999),657(9000-9999)						
256/659(0000-7999),659(9000-9999)						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
RAMER	RAMRALXADS0	07747	02201	0305	478	AA BA DA OE
334/537,562,584						TJ TZ XE XF
RED BAY	RDBAALMARS0	07453	02753	5181	477	AA BA DA G4
256/356(0000-0999),356(2000-4999),356(8000-9999)						GC GD GL GQ
662/676(2000-2999),676(4000-4999),676(9000-9999)						GR PC PL RF
						RH SJ SV TJ
RED LEVEL	RDLVALXARS0	07904	02200	9788	478	AA BA DA GG
334/469						GM GN GR HB
						HD II SH SQ
						ST TJ TU
REFORM	RFRMALXADS0	07647	02627	9789	476	AA DA DD GC
205/375						GN GR RC RD
						SV TJ
REPTON	RPTNALXARS0	07959	02304	0306	480	AA BA DA DD
251/248						GN GR HD IC
						ID IE IF IG
						IH SQ
RINEHART	RNHRALXARS0	07247	02333	0314	476	GM GR OE RC
256/643(1000-1999),643(3000-3999),643(4000-4999)						RD RM SQ TJ
256/643(5000-5999),643(7000-7999),643(8000-8999)						
ROANOKE	RONKALXA20W	07460	02177	0317	478	OE T9 TZ
/___						

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ROANOKE	RONKALXADS2	07460	02177	0317	478	AA AB BA BC
334/863(2000-2999),863(3000-3999),863(4000-4999)						DA DD EA GI
334/863(5000-5999),863(6000-6999),863(7000-7999)						GL GN GQ GR
334/863(8000-8999),863(9000-9999)						HB HD HJ IA
						IB IC ID IE
						IF IG IH II
						OE OH OR RC
						RD SH SP SQ
						T3 T8 T9 TA
						TB TJ TL TP
						TQ TW TZ UG
						UP UR UU UW
						UX VA WE XE
						XF
ROBERTSDALE	RBDLALXARS0	08164	02296	0298	480	AA DA GM
251/947						
ROBERTSDALE	RBDLALXBRS0	08175	02303	0298	480	AA BA DA DD
251/945						GM
ROCK MILLS	RCMLALXA00W	07453	02165	0317	478	OE T9
/						
ROCK MILLS	RCMLALXARS0	07453	02165	0317	478	AA AB BA BC
334/885(4000-4999),885(5000-5999),885(6000-6999)						DA DD EA GI
334/885(7000-7999),885(9000-9999)						GL GN GQ HB
						HD HJ IA IB
						IC ID IE IF
						IG IH II OE
						OH OR RC RD
						SH SP SQ T8
						T9 TA TB TJ
						TL TP TQ TW
						UG UP UR UU
						UW UX VA WE

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ROCKFORD	RCFRALXADS0	07587	02286	9789	476	AA DA DD GN
256/377(1000-2999),377(4000-4999)						GR II RC RD
						SV
ROGERSVILLE	RRVLALMARS0	07308	02655	5181	477	AA BA DA GC
256/247(0000-1999),247(3000-3999),247(5000-7999)						GD GL GQ GR
256/247(9000-9999)						PC PL RC RD
						RF RH SJ SV
						TJ
RUSSELLVILLE	RLVLALMADS0	07406	02693	5181	477	AA BA DA G4
256/331(0000-6999),331(8000-9999),332						GC GD GL GQ
						GR PC PL RC
						RD RF RH SK
						SV TJ
SAMSON	SMSNALXADS0	07910	02076	9788	478	AA DA DD GG
334/898						GN GR HB HD
						II SH SQ ST
						TJ TU
SAND ROCK	SNRCALXARS0	07289	02354	0314	476	GC GM GR OE
256/523(0000-1999),523(3000-7999),523(9000-9999)						RC RD RM SQ
						TJ
SCOTTSBORO	SCBOALXADS0	07231	02441	9788	477	AA BA DA DD
256/218,259,574,575(0000-0999),575(1000-1999)						GC GD GE GG
256/575(2000-2999),575(3000-3999),575(5000-5999)						GN GR HB HD
256/575(6000-6999),575(8000-8999),575(9000-9999)						II RD SH SQ
SECTION	SECTALXADS0	07243	02424	9788	477	AA DA DD GG
256/228(0000-1999),228(3000-4999),228(6000-7999)						GN GR HB HD
256/228(9000-9999)						SQ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SELMA	SELMALMTDS0	07748	02368	5181	478	AA BA DA GC
334/418(0000-0999),418(1000-1999),418(2000-2999)						GD GL GQ GR
334/418(3000-3999),418(4000-4999),418(5000-5999)						PC PL RC RD
334/418(6000-6999),418(8000-8999),418(9000-9999),872,874						RF RH RM SK
334/875,876(0000-0999),876(1000-1999),876(3000-3999)						SP SV TJ UB
334/876(4000-4999),876(5000-5999),876(8000-9999)						UG UP
334/877(0000-0999),877(1000-1999),877(2000-2999)						
334/877(3000-3999),877(4000-4999),877(5000-5999)						
334/877(6000-6999)						
SEMINOLE	SMNLALXARS0	08152	02264	0298	480	AA DA GM
251/946						
SEMINOLE	SMNLALXBRS0	08152	02266	0298	480	AA BA DA DD
251/942						GM
SHAWMUT	SHWMALXA768	07513	02109	0371	438	AA BA DA GR
334/768						HD RA RB RC
						RD SH SM SQ
SHEFFIELD	SHFDALMTDS0	07354	02714	5181	477	AA BA DA GC
256/314(0000-1999),314(3000-9999),381,383,386,389						GD GL GQ GR
						PC PL RC RD
						RF RH SK SV
						TJ
SHEFFIELD	SHFDALMTK11	07354	02714	5181	477	DA GQ GR TJ
/						UB UE UG UP
						ZY
SKYLINE	SKLNALXARS0	07216	02466	9788	477	AA DA GG GM
256/587(0000-0999),587(3000-3999),587(6000-6999)						GN GR HB HD
256/587(9000-9999)						SQ
SLOCOMB	SLCMALXARS0	07870	02001	9788	478	AA BA DA DD
334/886						GE GG GM GN
						GR HB HD II
						SH SQ ST TJ
						TU UG

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
SNEAD 205/466	SNEDALXARS0	07366	02442	0300	476	DA GR OE TJ XG
SOMERVILLE /	SOVLAL01RS0	07319	02515	0283	476	DA OE T9
SPRINGVILLE 205/467(1000-1999)	SPVLALXARP0	07440	02418	0302	476	AA DA GC GD GI GN GR HB HD II RA RC RD RH SQ TJ UM UP UU UW VA
SPRINGVILLE 205/467(0000-0999),467(2000-2999),467(3000-3999) 205/467(6000-6999),467(7000-7999),467(9000-9999)	SPVLALXARS0	07440	02418	0302	476	AA DA GC GD GI GN GR HB HD II RA RC RD RH SQ TJ UM UP UU UW VA
STEVENSON 256/437(0000-4999),437(7000-9999)	STSNALMADS1	07176	02430	5181	472	AA BA DA GC GD GL GQ GR PC PL RC RD RF RH SJ SV TJ
SULLIGENT 205/698	SLGNALXARS1	07557	02697	9789	476	AA DA DD GE GM GN GR II SV TJ
SUMMERDALE 251/989(0000-0999),989(2000-2999),989(3000-3999) 251/989(4000-4999),989(5000-5999),989(6000-6999) 251/989(7000-7999),989(9000-9999)	SRDLALXARS0	08176	02289	0298	480	AA DA GM
SWEET WATER 334/994	SWWRALXARS0	07881	02473	0315	478	AA BA DA TJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SYLACAUGA	SYLCALMTDS0	07536	02320	5181	476	AA BA DA G4
256/207(0000-3999),207(7000-7999),208(0000-4999)						GC GD GL GQ
256/208(6000-8999),245,249						GR PC PL RC
						RD RH SK SV
						XA
TALLADEGA	TLDGALMADS0	07471	02325	5181	476	AA BA DA G4
256/315(0000-5999),315(8000-9999),362,480(0000-0999)						GC GD GL GQ
256/480(2000-2999),480(4000-5999),761						GR PC PL RC
						RD RH SK SV
						TJ XA
TALLADEGA	TLDGALRFRS0	07481	02347	5181	476	AA BA DA G4
256/268(0000-2999),268(5000-5999),268(9000-9999)						GC GD GL GQ
						GR PC PL RH
						SJ SV TJ XA
TALLASSEE	TLLSALXADS0	07625	02198	9789	478	AA DA DD GC
334/252,283						GG GN GR II
						RC RD SV TJ
TEXARKANA	TXRKTXXAYMD	08112	03624	7277	554	BA DA
870/330(3000-3999)						
THOMASTON	THMTALXARS0	07828	02452	4464	478	AA BA DA DD
334/627						GN GR HD IC
						ID IE IF IG
						IH TL
THOMASVILLE	THVLALMARS0	07905	02436	5181	478	AA DA GC GD
334/636,637						GL GQ GR PC
						PL RC RD RF
						RH SJ SV TJ
THORSBY	THRSALXARS0	07624	02368	9789	476	AA DA DD GG
205/646,857(2000-2999)						GM GN GR II
						RC RD SQ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
TOWN CREEK	TWCKALMARS0	07346	02660	5181	477	AA BA DA GC
256/685(0000-0999),685(2000-2999),685(3000-3999)						GD GL GQ GR
256/685(9000-9999)						PC PL RF RH
						SJ SV TJ
TROY	TROYALMARS0	07771	02134	5181	478	AA BA DA GC
334/566,670(0000-6999),670(9000-9999),807,808(1000-1999)						GD GL GQ GR
334/808(2000-2999),808(3000-3999),808(4000-4999)						PC PL RC RD
334/808(6000-6999),808(8000-8999),808(9000-9999)						RF RH SJ SV
						TJ TK
TRUSSVILLE	TSVLALXAPS1	07480	02425	9789	476	AA DA DD GC
205/655,661(0000-7999),661(9000-9999)						GG GN GR HA
						II RC RD SV
TUSCALOOSA	TSCLALDHDS0	07637	02523	5181	476	AA BA DA GC
205/462(0000-2999),462(4000-6999),462(9000-9999),507,553						GD GL GQ GR
205/554,556,562,633						PC PL QB QF
						RC RD RF RH
						RM SJ SV TJ
						TK UK XA
TUSCALOOSA	TSCLALMTDS0	07641	02537	5181	476	AA BA DA GC
205/247(0000-5999),247(7000-9999),248(0000-1999)						GD GL GQ GR
205/248(3000-6999),248(8000-9999),342,343,344(4000-9999)						PC PL RC RD
205/345,347,348,349(0000-8999),366,391(0000-6999)						RF RH RM SK
205/391(9000-9999),464(0000-8999),750,752,758,759						SV TJ TK UK
						XA
TUSCALOOSA	TSCLALMTK11	07641	02537	5181	476	DA GQ GR TJ
/						TK UB UE UG
						UK UP XA ZY
TUSCALOOSA	TSCLALNODS0	07634	02550	5181	476	AA BA DA GC
205/330,333,339						GD GQ GR PC
						PL RC RD RF
						RH SJ SV XA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
TUSKEGEE	TSKGALMARS0	07629	02153	5181	478	AA BA DA GC
334/724,725(0000-3999),725(5000-5999),725(8000-8999),727						GD GL GQ GR
334/727						PC PL RC RD
						RF RH SJ SV
						TJ
UNION GROVE	UNGVAL01RS0	07323	02497	0283	476	DA OE T9
/						
UNION GROVE	UNGVALXADS0	07319	02480	0283	476	AA BA DA DD
256/296,753(0000-0109),753(0380-7999),753(9000-9999)						GL GM GN GR
						OE SQ T9
UNION SPRINGS	UNSPALXA01T	07685	02128	0322	478	GB
/						
UNION SPRINGS	UNSPALXADS2	07685	02128	0322	478	AA BA DA OE
334/474,485,529,738(1000-9999)						TJ TZ
UNION SPRINGS	UNSPALXADS3	07685	02128	0322	478	DA
334/738(0000-0999)						
UNIONTOWN	UNTWALNMRS0	07783	02453	5181	478	AA BA DA G5
334/628						GC GD GQ GR
						PC PL RF SJ
						SV TJ
URIAH	URIHALXARS0	08001	02336	0306	480	AA BA DA DD
251/862(2000-2999),862(9000-9999)						GN GR HD IC
						ID IE IF IG
						IH SQ TL
VALLEY HEAD	VYHDALXADS0	07215	02364	9789	476	AA DA GG GN
256/635(0000-1999),635(6000-6999)						GR RC RD SV
VERNON	VERNALXARS0	07581	02680	9789	476	AA DA DD GE
205/695						GG GM GN GR
						II RC RD SV
						TJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
VINCENT	VNCNALMARS0	07507	02369	5181	476	AA BA DA G4
205/672(0000-0999),672(1000-1999),672(2000-2999)						GC GD GL GQ
205/672(3000-3999),672(7000-7999),672(8000-8999)						GR PC PL PR
205/672(9000-9999)						PU RF RH SJ
						SV T9 TJ XA
VREDENBURGH	VRBGALXARS0	07885	02368	4464	478	AA BA DA DD
334/337						GR HD IC SQ
						TL
WADLEY	WDLYALXARS0	07484	02205	9789	476	AA DA DD GG
256/395(0000-0999),395(2000-2999),395(4000-4999)						GM GN GR II
256/395(9000-9999)						SV TJ
WALNUT GROVE	WLGVALXARS0	07369	02421	0300	476	DA GR OE TJ
205/589						XG
WARRIOR	WRRRALNMDS0	07461	02476	5181	476	AA BA DA GC
205/590(0000-0999),590(1000-1999),590(2000-2999)						GD GQ GR PC
205/590(3000-3999),590(4000-4999),590(7000-7999),647						PL RC RD RF
						RH SJ SV T9
						TJ XA
WEDOWEE	WEDWALXARS0	07442	02213	9789	476	AA DA DD GG
256/357(0000-0999),357(2000-4999),357(9000-9999)						GM GN GR II
						RC RD SV TJ
WEST BLOCTON	WBTNALNMRS0	07622	02457	5181	476	AA BA DA GL
205/938(0000-0999),938(1000-1999),938(2000-2999)						GQ GR PC PL
205/938(3000-3999),938(5000-5999),938(7000-7999)						RF RH SJ SV
205/938(9000-9999)						XA
WETUMPKA	WTMPALMA21W	07653	02249	5181	478	DA GQ GR HC
/						PC PL PR PS
						TJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALABAMA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
WETUMPKA	WTMPALMADS0	07653	02249	5181	478	AA BA DA GC
334/514,567						GD GL GQ GR
						PC PL PR PS
						RC RD RF RH
						SJ TJ
WHORTON	WHTNALXARS0	07287	02300	0314	476	GC GM GR OE
256/475(1000-1999),475(2000-2999),475(3000-3999)						RC RD RM SQ
256/475(4000-4999),475(5000-5999),475(6000-6999)						TJ
256/475(7000-7999),475(8000-8999)						
WICKSBURG	WCBGALXARS0	07848	02021	9788	478	AA DA GE GG
334/692						GJ GM GN GR
						HB HD II RD
						SH SQ TJ TU
						UG
WINFIELD	WNFDALXADS0	07524	02650	9789	476	AA DA DD GC
205/232,487						GE GG GN GR
						II RC RD SJ
						SV TH TJ
WOODLAND	WDLDALXARS0	07423	02204	9789	476	AA DA DD GG
256/449(2000-2999),449(6000-6999),449(9000-9999)						GM GN GR II
						RC SV TJ
YORK	YORKALMARS0	07843	02585	5181	476	AA BA DA GC
205/392(0000-1999),392(3000-5999),392(7000-7999)						GD GL GQ GR
205/392(9000-9999)						PC PL RF RH
						SJ SV TJ XA

END OF SECTION

WIRE CENTER INFORMATION
PENDING CHANGES
SECTION 13
ALASKA

EFFECTIVE: JANUARY 01, 2018

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALASKA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE				
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--	
AKIACHAK	AKCKAKXA825	02465	13031	3023	832	DA	G2	GL	GM	(C)
907/825						GN	GP	GQ	HA	(C)
						HD	IB	IC	ID	(C)
						IF	IG	OE	PN	(C)
						SP	SQ	TJ	TZ	(C)
						UG	UW			(C)
"	"	"	"	"	"	DA	G2	GL	GM	
" / "						GN	GP	GQ	HA	
						HD	IB	IC	ID	
						IF	IG	OE	PN	
						SP	SQ	T3	T9	
						TJ	TK	TZ	UG	
						UW	XE	XF		
AKIAK	AKIKAKXA765	02477	13011	3023	832	DA	G2	GL	GM	(C)
907/765						GN	GP	GQ	HA	(C)
						HD	IB	IC	ID	(C)
						IF	IG	OE	PN	(C)
						SP	SQ	TJ	TZ	(C)
						UG	UW			(C)
"	"	"	"	"	"	DA	G2	GL	GM	
" / "						GN	GP	GQ	HA	
						HD	IB	IC	ID	
						IF	IG	OE	PN	
						SP	SQ	T3	T9	
						TJ	TK	TZ	UG	
						UW	XE	XF		
ARCTIC VILLAGE	ARVGAKXADS1	01552	10925	3023	832	CA	G2	GL	GM	(C)
907/587						GN	GP	HD	IC	(C)
						ID	IF	IG	OE	(C)
						PN	SP	SQ	TJ	(C)
						TZ	UG	UW		(C)
"	"	"	"	"	"	CA	G2	GL	GM	
" / "						GN	GP	HD	IC	
						ID	IF	IG	OE	
						PN	SP	SQ	UG	
						UW				

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALASKA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE				
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--	
BEAVER	BEVRAKXADS1	01887	11228	3023	832	CA	G2	GL	GM	(C)
907/628						GN	GP	HD	IC	(C)
						ID	IF	IG	OE	(C)
						PN	SP	SQ	TJ	(C)
						TZ	UG	UW		(C)
"	"	"	"	"	"	CA	G2	GL	GM	
" / "						GN	GP	HD	IC	
						ID	IF	IG	OE	
						PN	SP	SQ	UG	
						UW				
BETHEL	BETHAKXADS0	02479	13076	1449	832	DA	G2	GL	GM	(C)
907/543						GN	GP	GQ	HA	(C)
						HD	IB	IC	ID	(C)
						IF	IG	OE	PN	(C)
						RD	SH	SP	SQ	(C)
						TJ	TZ	UG	UR	(C)
						UW	WG			(C)
"	"	"	"	"	"	DA	G2	GL	GM	
" / "						GN	GP	GQ	HA	
						HD	IB	IC	ID	
						IF	IG	OE	PN	
						RD	SH	SP	SQ	
						T3	T9	TJ	TK	
						TZ	UG	UR	UW	
						WG	XE	XF		
CHALKYITSIK	CHKYAKXADS1	01918	10895	3023	832	CA	G2	GL	GM	(C)
907/848						GN	GP	HD	IC	(C)
						ID	IF	IG	OE	(C)
						PN	SP	SQ	TJ	(C)
						TZ	UG	UW		(C)
"	"	"	"	"	"	CA	G2	GL	GM	
" / "						GN	GP	HD	IC	
						ID	IF	IG	OE	
						PN	SP	SQ	UG	
						UW				

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALASKA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE				
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--	
CHEFORNAK	CHFNAKXA867	02458	13384	3023	832	DA	G2	GL	GM	(C)
907/867						GN	GP	GQ	HA	(C)
						HD	IB	IC	ID	(C)
						IF	IG	OE	PN	(C)
						SP	SQ	TJ	TZ	(C)
						UG	UW			(C)
"	"	"	"	"	"	DA	G2	GL	GM	
" / "						GN	GP	GQ	HA	
						HD	IB	IC	ID	
						IF	IG	OE	PN	
						SP	SQ	T3	T9	
						TJ	TK	TZ	UG	
						UW	XE	XF		
EEK	EEK AKXA536	02575	13170	3023	832	DA	G2	GL	GM	(C)
907/536						GN	GP	GQ	HA	(C)
						HD	IB	IC	ID	(C)
						IF	IG	OE	PN	(C)
						SP	SQ	TJ	TZ	(C)
						UG	UW			(C)
"	"	"	"	"	"	DA	G2	GL	GM	
" / "						GN	GP	GQ	HA	
						HD	IB	IC	ID	
						IF	IG	OE	PN	
						SP	SQ	T3	T9	
						TJ	TK	TZ	UG	
						UW	XE	XF		

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALASKA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE				
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--	
KIPNUK	KPNKAKXA896	02517	13390	3023	832	DA	G2	GL	GM	(C)
907/896						GN	GP	GQ	HA	(C)
						HD	IB	IC	ID	(C)
						IF	IG	OE	PN	(C)
						SP	SQ	TJ	TZ	(C)
						UG	UW			(C)
"	"	"	"	"	"	DA	G2	GL	GM	
" / "						GN	GP	GQ	HA	
						HD	IB	IC	ID	
						IF	IG	OE	PN	
						SP	SQ	T3	T9	
						TJ	TK	TZ	UG	
						UW	XE	XF		
KONGIGANAK	KNGGAKXA557	02580	13283	3023	832	DA	G2	GL	GM	(C)
907/557						GN	GP	GQ	HA	(C)
						HD	IB	IC	ID	(C)
						IF	IG	OE	PN	(C)
						SP	SQ	TJ	TZ	(C)
						UG	UW			(C)
"	"	"	"	"	"	DA	G2	GL	GM	
" / "						GN	GP	GQ	HA	
						HD	IB	IC	ID	
						IF	IG	OE	PN	
						SP	SQ	T3	T9	
						TJ	TK	TZ	UG	
						UW	XE	XF		

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALASKA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE				
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--	
KOTZEBUE	KTZBAKXADS1	01194	12350	3019	832	DA	GL	GN	GQ	(C)
907/442						HA	HD	HE	HJ	(C)
						IA	IC	ID	IF	(C)
						IG	II	OE	SH	(C)
						SI	SP	SQ	SU	(C)
						T8	T9	TJ	TK	(C)
						TZ	UG	UM	UP	(C)
						UU	UW	UX	VA	(C)
						VC	VM	WC	WE	(C)
						XA	XD			(C)
"	"	"	"	"	"	DA	GL	GN	GQ	
" / "						HA	HD	HE	HJ	
						IA	IC	ID	IF	
						IG	II	OE	SH	
						SI	SP	SQ	SU	
						T8	T9	TJ	TZ	
						UG	UM	UP	UU	
						UW	UX	VA	VC	
						VM	WC	WE	XA	
						XD				
KWIGILLINGOK	KWGKAKXA588	02585	13318	3023	832	CA	G2	GL	GM	(C)
907/588						GN	GP	GQ	HA	(C)
						HD	IC	ID	IF	(C)
						IG	OE	PN	SP	(C)
						SQ	TJ	TZ	UG	(C)
						UW				(C)
"	"	"	"	"	"	CA	G2	GL	GM	
" / "						GN	GP	GQ	HA	
						HD	IC	ID	IF	
						IG	OE	PN	SP	
						SQ	T3	T9	TJ	
						TK	TZ	UG	UW	
						XE	XF			

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALASKA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MANLEY HOT SPRINGS	MHSPAKXADS1	02078	11626	3023	832	CA G2 GL GM (C)
907/672						GN GP HD IC (C)
						ID IF IG OE (C)
						PN SP SQ TJ (C)
						TZ UG UW (C)
"	"	"	"	"	"	CA G2 GL GM
" / "						GN GP HD IC
						ID IF IG OE
						PN SP SQ UG
						UW
MCGRATH	MGRTAKXADS0	02320	12268	1449	832	DA G2 GL GM (C)
907/524						GN GP HD IB (C)
						IC ID IF IG (C)
						OE PN RD SP (C)
						SQ TJ TZ UG (C)
						UW (C)
"	"	"	"	"	"	DA G2 GL GM
" / "						GN GP HD IB
						IC ID IF IG
						OE PN RD SP
						SQ UG UW
MINTO	MINTAKXADS1	02087	11497	3023	832	CA G2 GL GM (C)
907/798						GN GP HD IC (C)
						ID IF IG OE (C)
						PN SP SQ TJ (C)
						TZ UG UW (C)
"	"	"	"	"	"	CA G2 GL GM
" / "						GN GP HD IC
						ID IF IG OE
						PN SP SQ UG
						UW

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALASKA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE				
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--	
NEWTOK	NWTKAKXA237	02278	13312	3023	832	DA	G2	GL	GM	(C)
907/237						GN	GP	GQ	HA	(C)
						HD	IB	IC	ID	(C)
						IF	IG	OE	PN	(C)
						SP	SQ	TJ	TZ	(C)
						UG	UW			(C)
"	"	"	"	"	"	DA	G2	GL	GM	
" / "						GN	GP	GQ	HA	
						HD	IB	IC	ID	
						IF	IG	OE	PN	
						SP	SQ	T3	T9	
						TJ	TK	TZ	UG	
						UW	XE	XF		
NIGHTMUTE	NGMTAKXA647	02333	13361	3023	832	DA	G2	GL	GM	(C)
907/647						GN	GP	GQ	HA	(C)
						HD	IB	IC	ID	(C)
						IF	IG	OE	PN	(C)
						SP	SQ	TJ	TZ	(C)
						UG	UW			(C)
"	"	"	"	"	"	DA	G2	GL	GM	
" / "						GN	GP	GQ	HA	
						HD	IB	IC	ID	
						IF	IG	OE	PN	
						SP	SQ	T3	T9	
						TJ	TK	TZ	UG	
						UW	XE	XF		

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALASKA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE				
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--	
QUINHAGAK	QNHGAKXA556	02679	13217	3023	832	DA	G2	GL	GM	(C)
907/556						GN	GP	GQ	HA	(C)
						HD	IB	IC	ID	(C)
						IF	IG	OE	PN	(C)
						SP	SQ	TJ	TZ	(C)
						UG	UW			(C)
"	"	"	"	"	"	DA	G2	GL	GM	
" / "						GN	GP	GQ	HA	
						HD	IB	IC	ID	
						IF	IG	OE	PN	
						SP	SQ	T3	T9	
						TJ	TK	TZ	UG	
						UW	XE	XF		
RUBY	RUBYAKXADS1	01951	12064	3025	832	DA	GD	GL	GM	(C)
907/468						GN	GQ	HD	IB	(C)
						IC	ID	IF	IG	(C)
						OE	RC	RD	TJ	(C)
						UG	WE			(C)
"	"	"	"	"	"	CA	OE	TJ	XE	
" / "						XF				
STEVENS VILLAGE	STVGAKXADS1	01911	11400	3023	832	CA	G2	GL	GM	(C)
907/478						GN	GP	HD	IC	(C)
						ID	IF	IG	OE	(C)
						PN	SP	SQ	TJ	(C)
						TZ	UG	UW		(C)
"	"	"	"	"	"	CA	G2	GL	GM	
" / "						GN	GP	HD	IC	
						ID	IF	IG	OE	
						PN	SP	SQ	UG	
						UW				

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALASKA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE				
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--	
TANANA	TANNAKXADS1	01992	11731	3025	832	DA	GD	GL	GM	(C)
907/366						GN	GQ	HD	IB	(C)
						IC	ID	IF	IG	(C)
						OE	RC	RD	UG	(C)
						WE				(C)
"	"	"	"	"	"	CA	OE			
" / "										
TOKSOOK BAY	TKBYAKXA427	02333	13410	3023	832	DA	G2	GL	GM	(C)
907/427						GN	GP	GQ	HA	(C)
						HD	IB	IC	ID	(C)
						IF	IG	OE	PN	(C)
						SP	SQ	TJ	UG	(C)
						UW				(C)
"	"	"	"	"	"	DA	G2	GL	GM	
" / "						GN	GP	GQ	HA	
						HD	IB	IC	ID	
						IF	IG	OE	PN	
						SP	SQ	T3	T9	
						TJ	TK	UG	UW	
						XE	XF			
TULUKSAK	TLSKAKXA695	02452	12964	3023	832	DA	G2	GL	GM	(C)
907/695						GN	GP	GQ	HA	(C)
						HD	IB	IC	ID	(C)
						IF	IG	OE	PN	(C)
						SP	SQ	TJ	TZ	(C)
						UG	UW			(C)
"	"	"	"	"	"	DA	G2	GL	GM	
" / "						GN	GP	GQ	HA	
						HD	IB	IC	ID	
						IF	IG	OE	PN	
						SP	SQ	T3	T9	
						TJ	TK	TZ	UG	
						UW	XE	XF		

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALASKA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE				
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--	
TUNTUTULIAK	TTTLAKXA256	02515	13215	3023	832	DA	G2	GL	GM	(C)
907/256						GN	GP	GQ	HA	(C)
						HD	IB	IC	ID	(C)
						IF	IG	OE	PN	(C)
						SP	SQ	TJ	TZ	(C)
						UG	UW			(C)
"	"	"	"	"	"	DA	G2	GL	GM	
" / "						GN	GP	GQ	HA	
						HD	IB	IC	ID	
						IF	IG	OE	PN	
						SP	SQ	T3	T9	
						TJ	TK	TZ	UG	
						UW	XE	XF		
TUNUNAK	TNNKAKXA652	02313	13417	3023	832	DA	G2	GL	GM	(C)
907/652						GN	GP	GQ	HA	(C)
						HD	IB	IC	ID	(C)
						IF	IG	OE	PN	(C)
						SP	SQ	TJ	TZ	(C)
						UG	UW			(C)
"	"	"	"	"	"	DA	G2	GL	GM	
" / "						GN	GP	GQ	HA	
						HD	IB	IC	ID	
						IF	IG	OE	PN	
						SP	SQ	T3	T9	
						TJ	TK	TZ	UG	
						UW	XE	XF		
UNALAKLEET	UNLKAKXADS0	01889	12607	1449	832	DA	G2	GL	GM	(C)
907/624						GN	GP	HD	IB	(C)
						IC	ID	IF	IG	(C)
						OE	PN	RD	SP	(C)
						SQ	TJ	TZ	UG	(C)
						UW				(C)
"	"	"	"	"	"	DA	G2	GL	GM	
" / "						GN	GP	HD	IB	
						IC	ID	IF	IG	
						OE	PN	RD	SP	
						SQ	UG	UW		

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALASKA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE				
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--	
VENETIE	VENTAKXA849	01770	11090	3023	832	CA	G2	GL	GM	(C)
907/849						GN	GP	HD	IC	(C)
						ID	IF	IG	OE	(C)
						PN	SP	SQ	TJ	(C)
						TZ	UG	UW		(C)
"	"	"	"	"	"	CA	G2	GL	GM	
" / "						GN	GP	HD	IC	
						ID	IF	IG	OE	
						PN	SP	SQ	UG	
						UW				
.....										
WHITTIER	WHTRAKXADS0	03060	11814	3025	832	DA	DD	GD	GL	(C)
907/472						GM	GN	GQ	HD	(C)
						IB	IC	ID	IF	(C)
						IG	OE	RC	RD	(C)
						UG	UW	WE		(C)
"	"	"	"	"	"	DA	OE			
" / "										

END OF REPORT

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALASKA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE				
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--	
ADAK	ADAKAKXGDS0	03175	15740	989C	832	DA	GN	GQ	HD	
907/592						HJ	IB	IC	IE	
						IG	II	JD	JE	
						OE	RC	RD	SF	
						SH	SI	SP	ST	
						SU	T3	TJ	TL	
						TR	TZ	UF	UV	
						VC	WE	XA	XB	
AKHIOK	AKHKAKXADS1	03673	12725	3030	832	AA	CA	GM	HD	
907/836						IC	ID	RA	RB	
						RC	RD			
AKIACHAK	AKCKAKXA825	02465	13031	3023	832	DA	G2	GL	GM	(C)
907/825						GN	GP	GQ	HA	(C)
						HD	IB	IC	ID	(C)
						IF	IG	OE	PN	(C)
						SP	SQ	TJ	TZ	(C)
						UG	UW			(C)
AKIAK	AKIKAKXA765	02477	13011	3023	832	DA	G2	GL	GM	(C)
907/765						GN	GP	GQ	HA	(C)
						HD	IB	IC	ID	(C)
						IF	IG	OE	PN	(C)
						SP	SQ	TJ	TZ	(C)
						UG	UW			(C)
AKUTAN	AKTNAKXADS1	03603	14295	3030	832	AA	DA	GM	HD	
907/698						IC	ID	II	RA	
						RB	RC	RD	WE	
ALAKANUK	AKUKAKXARS0	01927	13082	3023	832	DA	G2	GL	GM	
907/238						GN	GP	GQ	HA	
						HD	IB	IC	ID	
						IF	IG	OE	PN	
						SP	SQ	UG	UW	

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALASKA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ALLAKAKET	ALKTAKXADS1	01674	11636	3002	832	AA BA CA GK
907/968						GL GN HD HE
						IA IC ID RA
						RB RC RD SA
						SP SQ UG UW
						WE
AMBLER	AMBLAKXADS1	01366	11979	3019	832	DA GL GN HE
907/445						HJ IA IC II
						OE SI SP SQ
						SU T9 TJ TZ
						UG UM UP UU
						UW UX VA VM
						WC WE XA XD
ANAKTUVIK PASS	AKPSAKXADS1	01372	11402	3001	832	AA CA GN IC
907/661						OE T9 TJ TK
						XE
ANCHORAGE	ANCRAKXCDS1	02928	11899	3000	832	AA BA DA GB
907/261,271,273,550,561,562,563,564,565(0000-0999)						GD GN GR HB
907/565(1000-1999),565(2000-2999),565(3000-3999)						HC HD JE RA
907/565(4000-4999),565(5000-5999),565(6000-6999)						RC RD RE RH
907/565(7000-7999),565(8000-8999),566,569,570(0000-0999)						RM RS SH SP
907/570(3000-3999),570(5000-5999),570(9000-9999),729,751						SQ ST TJ TK
907/762,786,992(0000-0999),992(1000-1999),992(2000-2999)						UP WE XF
907/992(3000-3999),992(4000-4999),992(5000-5999)						
907/992(6000-6999),992(7000-7999),992(8000-8999)						
ANCHORAGE	ANCRAKXEDS1	02928	11884	3000	832	AA BA DA GD
907/269,330(0000-0999),330(1000-1999),330(2000-2999)						GR HB HD JE
907/330(3000-3999),330(5000-5999),330(6000-6999)						RA RC RD RE
907/330(8000-8999),331(1000-1999),331(2000-2999)						RH RM SH SP
907/331(5000-5999),332,333,337,338,538(0000-0999)						SQ ST TJ TK
						UP WE XF

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALASKA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
ANCHORAGE                   ANCRAKXNDS1 02923 11899 3000  832 BA DA GD GR
   907/257,258,263,264,265,270,272,274,276,277,278,279       HB HC HD JE
   907/280(0000-0999),280(1000-1999),280(2000-2999)          RA RC RD RE
   907/280(3000-3999),280(4000-4999),280(5000-5999)          RH RM SH SP
   907/280(6000-6999),297(0000-0999),297(1000-1999)          SQ ST TJ TK
   907/297(2000-2999),297(3000-3999),297(4000-4999)          UP WE XF
   907/297(5000-5999),297(6000-6999),297(7000-7999)
   907/343(0000-0999),343(1000-1999),343(2000-2999)
   907/343(3000-3999),343(4000-4999),343(5000-5999)
   907/343(6000-6999),343(7000-7999),343(8000-8999),742,777
   907/787(0000-0999),787(1000-1999),787(2000-2999)
   907/787(3000-3999),787(4000-4999),787(5000-5999)
   907/787(6000-6999),787(7000-7999),787(8000-8999)
   907/792(0000-0999),792(1000-1999),792(2000-2999)
   907/792(3000-3999),792(4000-4999),792(5000-5999)
   907/792(6000-6999),792(7000-7999),792(8000-8999)
   907/793(1000-1999),793(2000-2999),793(3000-3999)
   907/793(4000-4999),793(5000-5999),793(6000-6999)
   907/793(8000-8999),793(9000-9999),936
.......................................................................
ANCHORAGE                   ANCRAKXRRS1 02951 11894 3000  832 AA BA DA GD
   907/345,348                                               GR HB HD JE
                                                             RA RC RD RE
                                                             RH RM SH SP
                                                             SQ ST TJ TK
                                                             UP WE XF
.......................................................................
ANCHORAGE                   ANCRAKXSDS1 02938 11901 3000  832 AA BA DA GD
   907/267(0000-0999),267(1000-1999),267(2000-2999)          GR HB HD JE
   907/267(3000-3999),267(4000-4999),267(5000-5999)          RA RC RD RE
   907/267(6000-6999),267(7000-7999),267(8000-8999),275,336  RH RM SH SP
   907/341(0000-0999),341(1000-1999),341(2000-2999)          SQ ST TJ TK
   907/341(5000-5999),341(6000-6999),341(8000-8999),344,349  UP WE XF
   907/365(0000-0999),365(1000-1999),365(2000-2999)
   907/365(3000-3999),365(4000-4999),365(5000-5999)
   907/365(6000-6999),365(7000-7999),365(8000-8999),380,522
   907/782(0000-0999),782(1000-1999),782(2000-2999)
   907/782(3000-3999)
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALASKA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ANCHORAGE	ANCRAKXWDS1	02930	11908	3000	832	AA BA DA GD
907/243,245,248,249,266,342(0000-0999),342(1000-1999)						GR HB HD JE
907/342(3000-3999),342(4000-4999),342(6000-6999)						RA RC RD RE
907/342(8000-8999)						RH RM SH SP
						SQ ST TJ TK
						UP WE XF
ANCHORAGE/ELMENDORF	ELMNAKXARS1	02913	11888	3000	832	AA BA DA GD
907/753(0000-0999),753(1000-1999),753(2000-2999)						GR HB HD JE
907/753(3000-3999),753(4000-4999),753(5000-5999)						RA RC RD RE
907/753(7000-7999),753(8000-8999),753(9000-9999)						RH RM SH SP
						SQ ST TJ UP
						WE
ANCHORAGE/FT.RICH	FTRCAKXARS1	02919	11870	3000	832	AA BA DA GD
907/428(0000-0999),428(1000-1999),428(2000-2999)						GR HB HD JE
907/428(3000-3999),428(4000-4999),428(5000-5999)						RA RC RD RE
907/428(6000-6999),428(7000-7999),428(9000-9999)						RH RM SH SP
						SQ ST TJ UP
						WE
ANCHORAGE/GIRDWD	GRWDAKXARS1	03007	11849	3000	832	AA BA DA GD
907/754(1000-1999),754(2000-2999),783(0000-0999)						GR HB HD JE
907/783(1000-1999),783(2000-2999),783(3000-3999)						RA RC RD RE
907/783(8000-8999)						RH RM SH SP
						SQ ST TJ TK
						UP WE
ANCHORAGE/INDN	INDNAKXARS1	02988	11877	3000	832	AA BA DA GD
907/653						GR HB HD JE
						RA RC RD RE
						RH RM SH SP
						SQ ST TJ UP
						WE

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALASKA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ANCHORAGE/O'MALLEY	ANCRAKXORS1	02946	11894	3000	832	AA BA DA GD
907/346(1000-1999),346(2000-2999),346(3000-3999)						GR HB HD JE
907/346(4000-4999),346(5000-5999),346(6000-6999)						RA RC RD RE
907/346(8000-8999),346(9000-9999)						RH RM SH SP
						SQ ST TJ TK
						UP WE
ANGOON	ANGNAKXADS1	04122	10451	3030	832	AA DA GM HD
907/788						IC ID RA RB
						RC RD WE
ANIAK	ANIKAKXA675	02430	12776	3004	832	DA DD GM OE
907/675						TJ TZ
ANVIK	ANVKAKXA663	02170	12706	3004	832	CA GM OE TJ
907/663						TZ
ARCTIC VILLAGE	ARVGAKXADS1	01552	10925	3023	832	CA G2 GL GM (C)
907/587						GN GP HD IC (C)
						ID IF IG OE (C)
						PN SP SQ TJ (C)
						TZ UG UW (C)
ATKA	ATKAAKXADS1	03333	15445	3030	832	AA CA GM HD
907/839						IC ID RA RB
						RC RD UP
ATMAUTLUAK	AMLKAKXA553	02430	13114	3023	832	DA G2 GL GM
907/553						GN GP GQ HA
						HD IB IC ID
						IF IG OE PN
						SP SQ UG UW
ATQASUK	ATKSAKXADS1	00695	11528	3001	832	AA CA GN IC
907/633						OE T9 TJ TK
						XE

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALASKA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
BARROW	BRRWAKXADS1	00552	11388	3001	832	AA BA DA GN
907/852						OE RD SQ T9
						TJ TK XE
BEAVER	BEVRAKXADS1	01887	11228	3023	832	CA G2 GL GM (C)
907/628						GN GP HD IC (C)
						ID IF IG OE (C)
						PN SP SQ TJ (C)
						TZ UG UW (C)
BETHEL	BETHAKXADS0	02479	13076	1449	832	DA G2 GL GM (C)
907/543						GN GP GQ HA (C)
						HD IB IC ID (C)
						IF IG OE PN (C)
						RD SH SP SQ (C)
						TJ TZ UG UR (C)
						UW WG (C)
BETTLES	BTLSAKXADS1	01640	11512	3002	832	AA BA CA GK
907/692						GL GN HD HE
						IA IC ID RA
						RB RC RD SA
						SP SQ UG UW
						WE
BIG LAKE	BGLKAKXARS1	02849	11866	3015	832	AA BC DA GN
907/892						GR IC II JE
						OE PN RA RN
						RO RX SJ SV
						SX T9 TD TJ
						TK TU UG UL
						UM UP UR WE
						WG
BIRCH CREEK	BRCKAKXADS1	01950	11101	3023	832	CA G2 GL GM
907/221						GN GP HD IC
						ID IF IG OE
						PN SP SQ UG
						UW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALASKA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE				
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--	
BORDER CITY	BRCYAKXADS1	02868	10916	3030	832	AA	CA	GM	HD	
907/774						IC	ID	RA	RB	
						RC	RD	UP	WE	
BUCKLAND	BCLDAKXADS1	01447	12364	3019	832	DA	GL	GN	HE	
907/494						HJ	IA	IC	II	
						OE	SI	SP	SQ	
						SU	T9	TJ	TZ	
						UG	UM	UP	UU	
						UW	UX	VA	VM	
						WC	WE			
CANTWELL	CNTWAKXARS0	02481	11613	3015	832	AA	BC	DA	GN	
907/768						IC	II	PN	RA	
						RN	RO	SJ	SV	
						SX	T9	TK	UG	
						UL	UM	UP	WE	
CENTRAL	CNTLAKXADS1	02128	11071	3023	832	CA	G2	GL	GM	
907/520						GN	GP	HD	IC	
						ID	IF	IG	OE	
						PN	SP	SQ	UG	
						UW				
CHALKYITSIK	CHKYAKXADS1	01918	10895	3023	832	CA	G2	GL	GM	(C)
907/848						GN	GP	HD	IC	(C)
						ID	IF	IG	OE	(C)
						PN	SP	SQ	TJ	(C)
						TZ	UG	UW		(C)
CHEFORNAK	CHFNAKXA867	02458	13384	3023	832	DA	G2	GL	GM	(C)
907/867						GN	GP	GQ	HA	(C)
						HD	IB	IC	ID	(C)
						IF	IG	OE	PN	(C)
						SP	SQ	TJ	TZ	(C)
						UG	UW			(C)
CHENA HOT SPRINGS	CHHSAKXADS1	02208	11220	3028	832	CA	GM			
907/369										

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALASKA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
CHENEGA BAY	CHBYAKXB573	03237	11801	3023	832	CA G2 GL GM
907/573						GN GP HD IC
						ID IF IG OE
						PN SP SQ UG
						UW
CHEVAK	CHVKAKXA858	02103	13318	3023	832	DA G2 GL GM
907/858						GN GP GQ HA
						HD IB IC ID
						IF IG OE PN
						SP SQ UG UW
CHIGNIK	CGNKAKXADS1	03602	13252	3030	832	AA CA GM HD
907/749						IC ID RA RB
						RC RD
CHIGNIK LAGOON	CGLGAKXADS1	03592	13264	3030	832	AA CA GM HD
907/840						IC ID RA RB
						RC RD
CHIGNIK LAKE	CGLKAKXADS1	03591	13295	3030	832	AA CA GM HD
907/845						IC ID RA RB
						RC RD
CHISANA	CHSNAKXADS1	02963	11054	3017	832	AA BA CA GK
907/734						GL GN HD HE
						IA IC ID RA
						RB RC RD SA
						SP SQ UG UW
						WE
CHITINA	CHTNAKXADS1	03028	11329	3006	832	CA OE PN T9
907/823						TJ TK
CHUATHBALUK	CHBKAKXA467	02442	12752	3023	832	DA G2 GL GM
907/467						GN GP GQ HA
						HD IB IC ID
						IF IG OE PN
						SP SQ UG UW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALASKA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
CHUGIAK	CHGKAKXARS1	02895	11840	3015	832	AA BC DA GN
907/688						GR IC II JE
						OE PN RA RN
						RO SJ SV SX
						T9 TD TJ TK
						TU UG UL UM
						UP UR WE WG
CIRCLE	CRCLAKXADS1	02091	10986	3005	832	CA OE WE
907/773						
CLEAR	CLERAKXARS0	02279	11560	3015	832	AA BC DA GN
907/582						IC II PN RA
						RN RO SJ SV
						SX T9 TK UG
						UL UM UP WE
CLEARY SUMMIT	CYSTAKXADS1	02169	11342	3028	832	AA CA GM
907/389						
COFFMAN COVE	CFCVAKXADS1	04474	10281	3030	832	AA CA GM HD
907/329						IC ID RA RB
						RC RD WE
COLD BAY	CLBAAKXADS0	03579	13837	3011	832	BA DA GK GL
907/532						GN HA HD HJ
						IA IC ID II
						OE SI SU SX
						T3 TI TJ TL
						TZ UG UP UT
						UU UW UX VC
						WE XA XB XE
						XF
COLDFOOT	CLFCAKZADS0	02205	11385	3028	832	AA BA CA GM
907/678						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALASKA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
COOPER LANDING	CPLDAKXADS0	03075	11976	3011	832	BA DA GK GL
907/595(0000-0999),595(1000-1999),595(2000-2999)						GN GQ GR HB
907/595(3000-3999),595(4000-4999),595(5000-5999)						HD HJ IA IB
907/595(6000-6999),595(8000-8999),595(9000-9999)						IC ID II JE
						OE OR SI SU
						SX TJ TZ UG
						UP UT UU UW
						UX WE WG XE
						XF
CORDOVA	CRDVAKXACG1	03205	11532	3007	832	AA BA DA HD
907/424						OE TJ UP UR
						VA WE WF WG
						WH XE
COUNCIL	CNCLAKXADS0	01538	12703	3016	832	BA CA GK GL
907/665						GN HE IA IC
						ID SI SU SX
						UG UP UT UU
						UW UX
CRAIG	CRAGAKXADS1	04591	10334	3017	832	AA DA GK GL
907/826						GN HD HE HJ
						IA IC ID IF
						II PN RA RB
						RC RD SA SJ
						SP SQ TJ TL
						TU UG UR US
						UW VM WE
CROOKED CR.	CKCKAKXA432	02436	12614	3004	832	CA GM
907/432						
DEADHORSE	DHRSAKXA659	01031	10959	3001	832	AA DA GN IA
907/659,670						IC OE SH SQ
						T9 TJ TK TZ
						UR

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALASKA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
DEERING	DRNGAKXADS1	01351	12470	3019	832	DA GL GN HE
907/363						HJ IA IC II
						OE SI SP SQ
						SU T9 TJ TZ
						UG UM UP UU
						UW UX VA VM
						WC WE XA XD
DELTA JUNCTION	DLJTAKXADS1	02438	11270	3030	832	AA DA GC HB
907/895						HD IC ID OE
						PN RA RB RC
						RD SK SP SQ
						UP UR WE
DILLINGHAM	DLHMAKXADS0	03013	12965	3018	832	DA DD GM GN
907/842						IC ID II OE
						RA RC RD RU
						SP SQ SU SW
						T8 TJ TK TZ
						UG UP UR UU
						VA VP WE WJ
						XF
DOT LAKE	DTLKAKXADS1	02573	11140	3017	832	AA BA CA GK
907/882						GL GN HD HE
						IA IC ID RA
						RB RC RD SA
						SP SQ UG UW
						WE
DOUGLAS	DGLSAKXARS1	03951	10405	3022	832	AA BA DA GC
907/364						GL GM GN HA
						HD IC ID II
						RA RB RC RD
						SK SQ ST TJ
						UG UP UR UU
						WE ZZ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALASKA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE				
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--	
DRY CREEK	DRCKAKXADS1	02545	11191	3017	832	AA	BA	CA	GK	
907/323						GL	GN	HD	HE	
						IA	IC	ID	RA	
						RB	RC	RD	SA	
						SP	SQ	UG	UW	
						WE				
EAGLE	EAGLAKXADS1	02385	10801	3026	832	AA	BA	CA	GK	
907/547						GL	GN	HD	HE	
						IA	IC	ID	RA	
						RB	RC	RD	SA	
						SP	SQ	UG	UW	
						WE				
EAGLE RIVER	EGRVAKXADS1	02910	11857	3015	832	AA	BC	DA	GN	
907/622,689,694,696,862						GQ	GR	HB	HD	
						IC	II	IS	JE	
						OE	PN	RA	RC	
						RD	RX	SH	SP	
						SQ	T9	TD	TJ	
						TK	TU	UG	UL	
						UM	UP	UR	WE	
						WG	XD	XE	XF	
EDNA BAY	EDBYAKXADS1	04480	10385	3017	832	AA	BA	CA	GK	
907/594						GL	GN	HD	HE	
						IA	IC	ID	RA	
						RB	RC	RD	SA	
						SP	SQ	UG	UW	
						WE				
EEK	EEK AKXA536	02575	13170	3023	832	DA	G2	GL	GM	(C)
907/536						GN	GP	GQ	HA	(C)
						HD	IB	IC	ID	(C)
						IF	IG	OE	PN	(C)
						SP	SQ	TJ	TZ	(C)
						UG	UW			(C)

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALASKA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
EGEGIK	EGEKAKXADS1	03245	12942	3030	832	AA CA GM HD
907/233						IC ID RA RB
						RC RD
EIELSON AFB	ELSNAKXADS1	02260	11342	3022	832	AA BA DA GC
907/372						GD GL GN HA
						HD IC ID II
						RA RB RC RD
						SJ SP SQ ST
						TJ UG UP UU
EKUK	EKUKAKXA236	03058	12999	3018	832	DA DD HE OE
907/236						TZ
EKWOK	EKWKAKXA464	02998	12832	3003	832	BA DA DD G2
907/464						GL GN GQ HA
						HI IB IC ID
						IH OE SV TJ
						TZ
ELFIN COVE	EFCVAKXADS1	03942	10631	3030	832	AA CA GM HD
907/239						IC ID RA RB
						RC RD WE
ELIM	ELIMAKXADS0	01666	12630	3016	832	BA DA GK GL
907/890						GN HE HJ IA
						IC ID II OE
						SI SU SX T3
						TJ TZ UG UP
						UT UU UW UX
						WE
EMMONAK	EMNKAKXADS0	01915	13059	3023	832	DA G2 GL GM
907/949						GN GP GQ HA
						HD IB IC ID
						IF IG OE PN
						SP SQ UG UW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALASKA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ENGLISH BAY	EHBAAKXA281	03248	12266	3030	832	AA CA GM HD
907/281						IC ID RA RB
						RC RD
FAIRBANKS	FRBNAKXADS1	02206	11385	3008	832	AA BA DA GE
907/450(0000-0999),450(1000-1999),450(2000-2999)						IC IG IH II
907/450(3000-3999),450(4000-4999),450(5000-5999)						OE PN RA RC
907/450(6000-6999),450(7000-7999),450(8000-8999),451,452						RD RH SN SP
907/455,456,457,458,459,474,479,712(0000-0999)						SQ ST TJ TK
907/712(1000-1999),712(2000-2999),712(3000-3999)						UB UG UP UR
907/712(5000-5999),712(6000-6999),712(8000-8999)						US UT UU UW
907/712(9000-9999)						UX WE XF
FALSE PASS	FLPSAKXADS1	03610	13954	3030	832	AA CA GM HD
907/548						IC ID RA RB
						RC RD WE
FORT GREELY	FTGRAKXARS1	02453	11272	3030	832	AA CA GC GM
907/869						HD IC ID RA
						RB RC RD SK
						SP SQ
FORT WAINWRIGHT	FTWRAKXADS1	02209	11375	3022	832	AA DA GC GD
907/356(0000-0999),356(1000-1999),356(2000-2999)						GL GN HA HD
907/356(3000-3999),356(5000-5999),356(6000-6999)						IC ID II RA
907/356(7000-7999),356(8000-8999)						RB RC RD SK
						SQ ST TJ UG
						UP UR ZZ
FORT YUKON	FTYKAKXADS0	01897	11034	3011	832	BA DA GK GL
907/662						GN HB HD HJ
						IA IC ID II
						OE SI SU SX
						T3 TJ TZ UG
						UP UT UU UW
						UX XA XB XE
						XF

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALASKA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
GALENA AFB	GALNAKXADS0	01889	12187	3011	832	BA DA GK GL
907/656						GN HB HD HJ
						IA IC ID IG
						II OE SI SU
						SX T3 TI TJ
						TZ UG UP UT
						UU UW UX WE
						XA XB XE XF
GAMBELL	GMBLAKXADS1	01284	13466	3023	832	DA G2 GL GM
907/985						GN GP HD IB
						IC ID IF IG
						OE PN SP SQ
						UG UW
GLENNALLEN	GLALAKXA822	02868	11391	3006	832	DA GR OE PN
907/822						SH T8 T9 TJ
						TK TS TU WF
						WG WH
GOLOVIN	GLVNAKXADS0	01641	12701	3016	832	BA DA GK GL
907/779						GN HE HJ IA
						IC ID II OE
						SI SU SX T3
						TJ TZ UG UP
						UT UU UW UX
						WE
GOODNEWS BAY	GNBAAKXA967	02829	13261	3023	832	DA G2 GL GM
907/967						GN GP HD IB
						IC ID IF IG
						OE PN SP SQ
						UG UW
GRAYLING	GRYLAKXA453	02125	12667	3004	832	CA GM OE TJ
907/453						TZ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALASKA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
GUSTAVUS	GSTVAKXADS1	03902	10549	3030	832	AA DA GM HD
907/697						IC ID RA RB
						RC RD WE
HAINES	HANSAKXADS1	03723	10490	3017	832	AA DA EA GJ
907/766						GK GL GN HA
						HD HE HJ IA
						IB IC ID IE
						IF II JE OE
						PN RA RB RC
						RD SA SJ SP
						SQ T3 T7 TB
						TI TJ TL TP
						TQ TR TU TZ
						UG UR US UW
						VC VM VN WE
						XF
HAINES/KLUKWAN	KLWAAKXADS0	03678	10535	3017	832	AA DA EA GJ
907/767						GK GL GN HA
						HD HE HJ IA
						IB IC ID IE
						IF II JE OE
						PN RA RB RC
						RD SA SJ SP
						SQ TB TI TJ
						TL TP TQ TR
						TU UG UR US
						UW VC VM VN
						WE
HALIBUT COVE	HTCVAKXADS1	03223	12173	3030	832	AA CA GM HD
907/296						IC ID RA RB
						RC RD

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALASKA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
HEALY	HELYAKXADS1	02382	11584	3015	832	AA BC DA GN
907/683						GQ HB HD IC
						II JE OE PN
						RA RC RD RX
						SH SP SQ T9
						TD TK TU UG
						UL UM UP UR
						WE WG
HEALY LAKE	HYLKAKXADS1	02474	11180	3017	832	AA BA CA GK
907/876						GL GN HD HE
						IA IC ID RA
						RB RC RD SA
						SP SQ UG UW
						WE
HOBART BAY	HBBAAKXADS1	04157	10315	3030	832	GM HD IC ID
/						RA RB RC RD
HOLLIS	HLLSAKXADS1	04594	10271	3017	832	AA BA CA GK
907/530						GL GN HD HE
						IA IC ID RA
						RB RC RD SA
						SP SQ TJ UG
						UW WE
HOLY CROSS	HLCRAKXA476	02285	12725	3004	832	CA GM OE TJ
907/476						TZ
HOMER	HOMRAKXADS1	03200	12202	3030	832	AA BA DA GC
907/226,235						GD HA HD IC
						ID II OE PN
						RA RB RC RD
						SQ TJ TK UG
						UP UR UU WE
						WF XF ZZ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALASKA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
HOONAH	HONHAKXADS1	03974	10530	3030	832	AA DA GM HD
907/945						IC ID RA RB
						RC RD WE
HOOPER BAY	HPBYAKXA758	02072	13360	3023	832	DA G2 GL GM
907/758						GN GP HD IB
						IC ID IF IG
						OE PN SP SQ
						UG UW
HUGHES	HGHSAKXADS1	01725	11821	3030	832	AA CA GM HD
907/889						IC ID RA RB
						RC RD WE
HUSLIA	HUSLAKXACG1	01713	12031	3030	832	AA CA GM HD
907/829						IC ID RA RB
						RC RD
HYDABURG	HYBGAKXADS1	04655	10299	3017	832	AA DA GK GL
907/285						GN HD HE HJ
						IA IC ID IF
						II PN RA RB
						RC RD SA SJ
						SP SQ TJ TL
						UG UW VM WE
IGIUGIG	IGUGAKXA533	03080	12676	3003	832	BA CA G2 GL
907/533						GN IC ID IH
						OE SV TJ TZ
ILIAMNA	ILMNAKXADS0	03036	12524	3011	832	BA DA GK GL
907/571						GN HD HJ IA
						IC ID II OE
						SI SU SX T3
						TI TJ TL TZ
						UG UP UT UU
						UW UX VC WE
						XA XB XE XF

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALASKA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
IVANOF BAY	IVBAAKXADS1	03626	13410	3030	832	AA CA GM HD
907/669(8000-8999)						IC ID RA RB
						RC RD
JIM RIVER CAMP	JRCPAKXADS1	01687	11453	3002	832	AA BA CA GK
907/541						GL GN HD HE
						IA IC ID RA
						RB RC RD SA
						SP SQ UG UW
						WE
JUNEAU	JUNEAKXADS1	03946	10405	3022	832	AA BA DA GC
907/463,465(0000-0999),465(1000-1999),465(2000-2999)						GL GN HA HD
907/465(3000-3999),465(4000-4999),465(5000-5999)						IC ID II OE
907/465(6000-6999),465(8000-8999),586,713(0000-0999)						PN RA RB RC
907/713(1000-1999),713(2000-2999),713(3000-3999)						RD SK SQ ST
907/713(6000-6999),713(8000-8999),713(9000-9999)						T3 T4 T7 TJ
907/796(0000-0999),796(1000-1999),796(2000-2999)						TU UG UP UR
907/796(3000-3999),796(4000-4999),796(5000-5999)						UU WE XE XF
907/796(6000-6999),796(7000-7999),796(8000-8999)						XG ZZ
KAKE	KAKEAKXADS1	04248	10391	3030	832	AA DA GM HD
907/785						IC ID RA RB
						RC RD SQ WE
KAKHONAK	KHNKAKXA282	03108	12549	3030	832	AA CA GM HD
907/282						IC ID RA RB
						RC RD
KAKTOVIK	KKTVAKXADS1	01163	10620	3001	832	AA CA GN IC
907/640						OE T9 TJ TK
						XE
KALSKAG	KLKGAKXA471	02394	12854	3004	832	CA GM OE TJ
907/471						TZ
KALTAG	KLTGAKXA534	01896	12381	3030	832	AA CA GM HD
907/534						IC ID RA RB
						RC RD WE

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALASKA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
KARLUK	KRLKAKXADS1	03527	12696	3030	832	AA CA GM HD
907/241						IC ID RA RB
						RC RD
KASAAN	KASNAKXADS1	04584	10240	3030	832	AA CA GM HD
907/542						IC ID RA RB
						RC RD WE
KASIGLUK	KSGKAKXA477	02415	13134	3023	832	DA G2 GL GM
907/477						GN GP GQ HA
						HD IB IC ID
						IF IG OE PN
						SP SQ UG UW
KAZAKOF BAY	KZSLAKXADS1	03491	12445	3030	832	GM HD IC ID
/						RA RB RC RD
KENAI	KENAAKXADS1	03015	12091	3030	832	AA BA DA GC
907/283,335						GD GL GN HB
						HD IC ID II
						OE PN RA RB
						RC RD SK SQ
						ST TJ UG UP
						UR UU WE WF
						XF ZZ
KETCHIKAN	KTCHAKXBDS1	04631	10155	3013	832	AA BA DA GE
907/225,228,247						GJ GL GN GP
						GQ HA HD HK
						IB IC ID IG
						IH II OE RA
						RC RD SI SP
						SQ SU SW T3
						T8 T9 TA TJ
						TU TZ UA UB
						UG UM UP US
						UU UW UX UZ
						VA VC WE XF

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALASKA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE				
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--	
KIANA	KIANAKXADS1	01278	12183	3019	832	DA	GL	GN	HE	
907/475						HJ	IA	IC	II	
						OE	SI	SP	SQ	
						SU	T9	TJ	TZ	
						UG	UM	UP	UU	
						UW	UX	VA	VM	
						WC	WE	XA	XD	
KING COVE	KGCVAKXADS0	03638	13811	3011	832	BA	DA	GK	GL	
907/497						GN	HB	HD	HJ	
						IA	IC	ID	II	
						OE	SI	SU	SX	
						T3	TI	TJ	TL	
						TZ	UG	UP	UT	
						UU	UW	UX	VC	
						WE	XA	XB	XE	
						XF	XG			
KING SALMON	KGSLAKXACG1	03181	12820	3003	832	BA	DA	DD	G2	
907/246						GL	GN	GQ	HA	
						HI	IB	IC	ID	
						IH	OE	SJ	SV	
						TJ	TZ	UG	UL	
						UM	UP	UU	UW	
						UX	VM	WE		
KIPNUK	KPNKAKXA896	02517	13390	3023	832	DA	G2	GL	GM	(C)
907/896						GN	GP	GQ	HA	(C)
						HD	IB	IC	ID	(C)
						IF	IG	OE	PN	(C)
						SP	SQ	TJ	TZ	(C)
						UG	UW			(C)

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALASKA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
KIVALINA	KVLNAKXADS1	00938	12367	3019	832	DA GL GN HE
907/645						HJ IA IC II
						OE SI SP SQ
						SU T9 TJ TZ
						UG UM UP UU
						UW UX VA VM
						WC WE XA XD
KLAWOCK	KLWKAKXADS0	04574	10326	3030	832	AA CA GM HD
907/755						IC ID RA RB
						RC RD WE
KOBUK	KOBKAKXADS1	01442	11928	3019	832	DA GL GN HE
907/948						HJ IA IC II
						OE SI SP SQ
						SU T9 TJ TZ
						UG UM UP UU
						UW UX VA VM
						WC WE XA XD
KODIAK	KODKAKXCDS1	03567	12455	3030	832	AA BA DA GC
907/481(0000-0999),481(1000-1999),481(2000-2999)						GD GL GN HA
907/481(3000-3999),481(4000-4999),481(5000-5999)						HD IC ID II
907/481(6000-6999),481(7000-7999),481(8000-8999),486						PN RA RB RC
						RD SJ SQ UG
						UP UR UU WE
						ZZ
KODIAK (COAST GUARD)	KODKAKAGRS1	03574	12472	3030	832	AA BA DA GC
907/487(0000-0999),487(1000-1999),487(2000-2999)						GM HD IC ID
907/487(4000-4999),487(5000-5999),487(8000-8999)						PN RA RB RC
907/487(9000-9999)						RD SK UG UP
						UR UU WE
KOLIGANEK	KLGKAKXA596	02928	12773	3003	832	BA DA DD G2
907/596						GL GN GQ HA
						HI IB IC ID
						IH OE SV TJ
						TZ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALASKA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE				
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--	
KONGIGANAK	KNGGAKXA557	02580	13283	3023	832	DA	G2	GL	GM	(C)
907/557						GN	GP	GQ	HA	(C)
						HD	IB	IC	ID	(C)
						IF	IG	OE	PN	(C)
						SP	SQ	TJ	TZ	(C)
						UG	UW			(C)
KOTLIK	KTLKAKXA899	01917	12944	3023	832	CA	G2	GL	GM	
907/899						GN	GP	HD	IC	
						ID	IF	IG	OE	
						PN	SP	SQ	UG	
						UW				
KOTZEBUE	KTZBAKXADS1	01194	12350	3019	832	DA	GL	GN	GQ	(C)
907/442						HA	HD	HE	HJ	(C)
						IA	IC	ID	IF	(C)
						IG	II	OE	SH	(C)
						SI	SP	SQ	SU	(C)
						T8	T9	TJ	TK	(C)
						TZ	UG	UM	UP	(C)
						UU	UW	UX	VA	(C)
						VC	VM	WC	WE	(C)
						XA	XD			(C)
KOYUK	KYUKAKXADS0	01657	12503	3016	832	BA	DA	GK	GL	
907/963						GN	HE	HJ	IA	
						IC	ID	II	OE	
						SI	SU	SX	T3	
						TJ	TZ	UG	UP	
						UT	UU	UW	UX	
						WE	XE			
KOYUKUK	KYKKAKXADS1	01826	12232	3030	832	AA	CA	GM	HD	
907/927						IC	ID	RA	RB	
						RC	RD			

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALASKA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE				
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--	
KWETHLUK	KWLKAKXACG1	02487	13041	3023	832	DA	G2	GL	GM	
907/757						GN	GP	GQ	HA	
						HD	IB	IC	ID	
						IF	IG	OE	PN	
						SP	SQ	UG	UW	
KWIGILLINGOK	KWGKAKXA588	02585	13318	3023	832	CA	G2	GL	GM	(C)
907/588						GN	GP	GQ	HA	(C)
						HD	IC	ID	IF	(C)
						IG	OE	PN	SP	(C)
						SQ	TJ	TZ	UG	(C)
						UW				(C)
LAKE MINCHUMINA	MNCHAKXDDS1	02257	11880	3023	832	CA	G2	GL	GM	
907/674						GN	GP	HD	IC	
						ID	IF	IG	OE	
						PN	SP	SQ	UG	
						UW				
LARSEN BAY	LRBAAKXADS1	03553	12650	3030	832	AA	CA	GM	HD	
907/847						IC	ID	RA	RB	
						RC	RD			
LEMON CREEK	JUNEAKXBRS1	03931	10413	3022	832	AA	BA	DA	GC	
907/780						GL	GM	GN	HA	
						HD	IC	ID	II	
						PN	RA	RB	RC	
						RD	SK	SQ	ST	
						TJ	UG	UP	UR	
						UU	WE	ZZ		
LEVELOCK	LVLKAKXA287	03079	12795	3003	832	BA	DA	DD	G2	
907/287						GL	GN	GQ	HA	
						HI	IB	IC	ID	
						IH	OE	SV	TJ	
						TZ				

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALASKA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
LIME VILLAGE	LMVGAKXA526	02668	12422	3023	832	CA G2 GL GM
907/526						GN GP HD IC
						ID IF IG OE
						PN SP SQ UG
						UW
LITTLE DIOMEDE	LTDMAKXADS0	01083	12960	3016	832	BA DC GK GL
907/686						GN HE HJ IA
						IC ID II SI
						SU SX T3 TJ
						UG UP UT UU
						UW UX WE
LIVENGOOD	LVGDAKXADS1	02040	11412	3023	832	CA G2 GL GM
907/295						GN GP HD IC
						ID IF IG OE
						PN SP SQ UG
						UW
MANLEY HOT SPRINGS	MHSPAKXADS1	02078	11626	3023	832	CA G2 GL GM (C)
907/672						GN GP HD IC (C)
						ID IF IG OE (C)
						PN SP SQ TJ (C)
						TZ UG UW (C)
MANOKOTAK	MNKTAKXA289	02996	13030	3018	832	DA DD HE OE
907/289						TZ
MARSHALL	MRSHAKXACG1	02231	12968	3023	832	DA G2 GL GM
907/679						GN GP GQ HA
						HD IB IC ID
						IF IG OE PN
						SP SQ UG UW
MCCARTHY	MCCRAKXACM0	03086	11180	3006	832	CA
907/554						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALASKA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE				
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--	
MCGRATH	MGRTAKXADS0	02320	12268	1449	832	DA	G2	GL	GM	(C)
907/524						GN	GP	HD	IB	(C)
						IC	ID	IF	IG	(C)
						OE	PN	RD	SP	(C)
						SQ	TJ	TZ	UG	(C)
						UW				(C)
MEKORYUK	MKYKAKXA827	02295	13525	3023	832	DA	G2	GL	GM	
907/827						GN	GP	GQ	HA	
						HD	IB	IC	ID	
						IF	IG	OE	PN	
						SP	SQ	UG	UW	
MENTASTA	MNTSAKXADS1	02732	11167	3006	832	CA	OE	T9	TJ	
907/291						TK				
MESHIK	MSHKAKXADS1	03455	13216	3030	832	AA	CA	GM	HD	
907/837						IC	ID	RA	RB	
						RC	RD			
METLAKATLA	MTKTAKXADS0	04682	10146	3017	832	AA	DA	GK	GL	
907/886						GN	HD	HE	HJ	
						IA	IC	ID	IF	
						II	PN	RA	RB	
						RC	RD	SA	SJ	
						SP	SQ	TJ	TL	
						TU	UG	UR	US	
						UW	VM	WE		
MEYERS CHUCK	MYCHAKXADS1	04541	10218	3017	832	AA	BA	CA	GK	
907/946						GL	GN	HD	HE	
						IA	IC	ID	RA	
						RB	RC	RD	SA	
						SP	SQ	UG	UW	
						WE				

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALASKA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE				
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--	
MINTO	MINTAKXADS1	02087	11497	3023	832	CA	G2	GL	GM	(C)
907/798						GN	GP	HD	IC	(C)
						ID	IF	IG	OE	(C)
						PN	SP	SQ	TJ	(C)
						TZ	UG	UW		(C)
MOOSE PASS	MSPSAKXARS0	03103	11909	3011	832	AA	BA	DA	GK	
907/288(0000-0999),288(1000-1999),288(2000-2999)						GL	GN	GQ	GR	
907/288(3000-3999),288(4000-4999),288(5000-5999)						HJ	IC	II	IS	
907/288(6000-6999),288(7000-7999),288(9000-9999)						JE	OE	OH	OR	
						RD	SK	T3	TI	
						TJ	TZ	UG	UP	
						UT	UU	UW	UX	
						WE	WG	XE	XF	
MOUNTAIN VILLAGE	MTVGAKXA591	02098	13083	3023	832	DA	G2	GL	GM	
907/591						GN	GP	GQ	HA	
						HD	IB	IC	ID	
						IF	IG	OE	PN	
						SP	SQ	UG	UW	
NAPAKIAK	NPKKAKXA589	02481	13105	3023	832	DA	G2	GL	GM	
907/589						GN	GP	GQ	HA	
						HD	IB	IC	ID	
						IF	IG	OE	PN	
						SP	SQ	UG	UW	
NAPASKIAK	NPSKAKXA737	02480	13108	3023	832	DA	G2	GL	GM	
907/737						GN	GP	HD	IB	
						IC	ID	IF	IG	
						OE	PN	SP	SQ	
						UG	UW			
NAUKITI	NUKIAKXADS1	04501	10332	3017	832	AA	BA	CA	GK	
907/629						GL	GN	HD	HE	
						IA	IC	ID	RA	
						RB	RC	RD	SA	
						SP	SQ	UG	UW	
						WE				

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALASKA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
NELSON LAGOON	NLLGAKXADS1	03506	13584	3030	832	AA CA GM HD
907/989						IC ID RA RB
						RC RD
NENANA	NENAAKXADS1	02232	11535	3030	832	AA CA GM HD
907/832						IC ID RA RB
						RC RD WE
NEW STUYAHOK	NWSKAKXA693	02985	12805	3003	832	BA DA DD G2
907/693						GL GN GQ HA
						HI IB IC ID
						IH OE SV TJ
						TZ
NEWTOK	NWTKAKXA237	02278	13312	3023	832	DA G2 GL GM (C)
907/237						GN GP GQ HA (C)
						HD IB IC ID (C)
						IF IG OE PN (C)
						SP SQ TJ TZ (C)
						UG UW (C)
NIGHTMUTE	NGMTAKXA647	02333	13361	3023	832	DA G2 GL GM (C)
907/647						GN GP GQ HA (C)
						HD IB IC ID (C)
						IF IG OE PN (C)
						SP SQ TJ TZ (C)
						UG UW (C)
NIKOLAI	NKLAAKXA293	02361	12153	3023	832	CA G2 GL GM
907/293						GN GP HD IC
						ID IF IG OE
						PN SP SQ UG
						UW
NIKOLSKI	NKLIAKXADS1	03625	14778	3030	832	AA CA GM HD
907/576						IC ID RA RB
						RC RD

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALASKA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
NINILCHIK	NCHKAKXARS0	03148	12178	3030	832	AA DA GM HD
907/567						IC ID JE RA
						RB RC RD TJ
NOATAK	NOTKAKXADS1	01044	12283	3019	832	DA GL GN HE
907/485						HJ IA IC II
						OE SI SP SQ
						SU T9 TJ TZ
						UG UM UP UU
						UW UX VA VM
						WC WE XA XD
NOME	NOMEAKXADS0	01525	12890	3016	832	AA BA DA GK
907/443						GL GN GQ GR
						HB HD HJ IC
						ID II IS JE
						OE OH RD T3
						TI TJ TK TZ
						UG UP UT UU
						UW UX VC WE
						XA XB XE XF
NONDALTON	NDLTAKXADS1	02989	12506	3030	832	AA CA GM HD
907/294						IC ID RA RB
						RC RD
NOORVIK	NRVKAKXADS1	01279	12245	3019	832	DA GL GN HE
907/636						HJ IA IC II
						OE SI SP SQ
						SU T9 TJ TZ
						UG UM UP UU
						UW UX VA VM
						WC WE

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALASKA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
NORTH KENAI	NKENAKXARS1	02975	12087	3030	832	AA BA DA GC
907/776						GM HD IC ID
						RA RB RC RD
						SH SP SQ ST
						TJ TK UG UP
						UU WE
NORTH POLE	NRPLAKXADS1	02236	11360	3030	832	AA BA DA GC
907/488,490(0000-0999),490(1000-1999),490(2000-2999)						GD GL GN HB
907/490(3000-3999),490(4000-4999),490(5000-5999)						HD IC ID II
907/490(6000-6999),490(7000-7999),490(9000-9999)						JE RA RB RC
						RD SH SQ ST
						TJ TK UG UP
						UR UU WE ZZ
NORTHWAY	NRWYAKXADS1	02771	10985	3030	832	AA CA GM HD
907/778						IC ID RA RB
						RC RD SP SQ
						WE
NUIQSUT	NUSTAKXADS1	00958	11133	3001	832	AA CA GN IC
907/480						OE T9 TJ TK
						XE
NULATO	NULTAKXADS1	01840	12283	3030	832	AA CA GM HD
907/898						IC ID RA RB
						RC RD WE
NUNAPITCHUK	NNPCAKXA527	02413	13126	3023	832	DA G2 GL GM
907/527						GN GP GQ HA
						HD IB IC ID
						IF IG OE PN
						SP SQ UG UW
OLD HARBOR	OLHBAKXADS1	03657	12607	3030	832	AA CA GM HD
907/286						IC ID RA RB
						RC RD

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALASKA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
OUZINKIE	OUZNAKXADS1	03535	12456	3030	832	AA CA GM HD
907/680						IC ID RA RB
						RC RD
PALMER	PLMRAKXACA0	02864	11789	3015	832	XF
/						
PALMER	PLMRAKXADS1	02864	11789	3015	832	AA BC DA GN
907/745,746,761,861						GQ GR HB HD
						IC II IS JE
						OE PN RA RC
						RD RX SH SP
						SQ T3 T4 T7
						T9 TD TJ TK
						TU UG UL UM
						UP UR WE WG
						XD XE XF
PALMER	PLMRAKXAGT1	02864	11789	3015	832	XF
/						
PALMER	PLMRAKXAPS0	02864	11789	3015	832	XF
/						
PEDRO BAY	PDBAAKXA850	03062	12452	3030	832	AA CA GM HD
907/850						IC ID RA RB
						RC RD
PELICAN	PLCNAKXADS1	03997	10626	3030	832	AA CA GM HD
907/735						IC ID RA RB
						RC RD WE
PERRYVILLE	PYVLAKXADS1	03643	13372	3030	832	AA CA GM HD
907/853						IC ID RA RB
						RC RD

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALASKA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
PETERSBURG	PTBRAKXADS0	04295	10278	3017	832	AA DA GK GL
907/772						GN HD HE HJ
						IA IC ID IF
						II OE PN RA
						RB RC RD SA
						SJ SP SQ T3
						TI TJ TL TU
						TZ UG UR US
						UW VM WE
PILOT POINT	PLPTAKXADS1	03374	13031	3030	832	AA CA GM HD
907/797						IC ID RA RB
						RC RD WE
PILOT STATION	PLSTAKXA549	02175	13030	3023	832	DA G2 GL GM
907/549						GN GP GQ HA
						HD IB IC ID
						IF IG OE PN
						SP SQ UG UW
PLATINUM	PLTMAKXA979	02838	13297	3023	832	CA G2 GL GM
907/979						GN GP HD IC
						ID IF IG OE
						PN SP SQ UG
						UW
POINT BAKER	PNBKAKXADS1	04390	10369	3030	832	AA CA GM HD
907/559						IC ID RA RB
						RC RD
POINT HOPE	PNHPAKXADS1	00711	12419	3001	832	AA CA GN IC
907/368						OE T9 TJ TK
						XE
POINT LAY	PNLYAKXADS1	00617	11979	3001	832	AA CA GN IC
907/833						OE T9 TJ TK
						XE

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALASKA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE				
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--	
PORT ALEXANDER	PTALAKXADS1	04402	10497	3030	832	AA	CA	GM	HD	
907/568						IC	ID	RA	RB	
						RC	RD	WE		
PORT ALSWORTH	PTAHAKXADS1	02963	12430	3030	832	AA	CA	GM	HD	
907/781						IC	ID	RA	RB	
						RC	RD			
PORT GRAHAM	PTGMAKXADS1	03252	12258	3030	832	AA	CA	GM	HD	
907/284						IC	ID	RA	RB	
						RC	RD			
PORT LIONS	PTLNAKXADS0	03531	12502	3011	832	BA	DC	GK	GL	
907/454						GN	HE	HJ	IA	
						IC	ID	II	OE	
						SI	SU	SX	T3	
						TJ	TZ	UG	UP	
						UT	UU	UW	UX	
						WE	XA	XB	XF	
PORT PROTECTION	PTPRAKXADS1	04396	10369	3030	832	AA	CA	GM	HD	
907/489						IC	ID	RA	RB	
						RC	RD	WE		
QUINHAGAK	QNHGAKXA556	02679	13217	3023	832	DA	G2	GL	GM	(C)
907/556						GN	GP	GQ	HA	(C)
						HD	IB	IC	ID	(C)
						IF	IG	OE	PN	(C)
						SP	SQ	TJ	TZ	(C)
						UG	UW			(C)
RAMPART	RMPRAKXADS1	01984	11537	3023	832	CA	G2	GL	GM	
907/358						GN	GP	HD	IC	
						ID	IF	IG	OE	
						PN	SP	SQ	UG	
						UW				
RED DEVIL	RDDVAKXA447	02490	12553	3004	832	CA	GM			
907/447										

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALASKA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE				
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--	
RED DOG	RDDGAKXADS1	00949	12205	3019	832	DA	GL	GN	HE	
907/426						HJ	IA	IC	II	
						SI	SP	SQ	SU	
						T9	UG	UM	UP	
						UU	UW	UX	VA	
						VM	WC	WE		
RUBY	RUBYAKXADS1	01951	12064	3025	832	DA	GD	GL	GM	(C)
907/468						GN	GQ	HD	IB	(C)
						IC	ID	IF	IG	(C)
						OE	RC	RD	TJ	(C)
						UG	WE			(C)
RUSSIAN MISSION	RUMNAKXACG1	02291	12912	3023	832	DA	G2	GL	GM	
907/584						GN	GP	GQ	HA	
						HD	IB	IC	ID	
						IF	IG	OE	PN	
						SP	SQ	UG	UW	
SAND POINT	SNPNAKXADS0	03688	13582	3011	832	BA	DA	GK	GL	
907/383						GN	HD	HJ	IA	
						IC	ID	II	OE	
						SI	SU	SX	T3	
						TI	TJ	TL	TZ	
						UG	UP	UT	UU	
						UW	UX	VC	WE	
						XA	XB	XE	XF	
SAVOONGA	SVNGAKXADS1	01380	13389	3023	832	DA	G2	GL	GM	
907/984						GN	GP	HD	IB	
						IC	ID	IF	IG	
						OE	PN	SP	SQ	
						UG	UW			
SCAMMON BAY	SMBAAKXA558	02041	13274	3023	832	DA	G2	GL	GM	
907/558						GN	GP	GQ	HA	
						HD	IB	IC	ID	
						IF	IG	OE	PN	
						SP	SQ	UG	UW	

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALASKA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SELAWIK	SLWKAKXADS1	01373	12201	3019	832	DA GL GN HE
907/484						HJ IA IC II
						OE SI SP SQ
						SU T9 TJ TZ
						UG UM UP UU
						UW UX VA VM
						WC WE
SELDOVIA	SLDVAKXARS1	03238	12238	3030	832	AA DA GM HD
907/234						IC ID RA RB
						RC RD TJ
SEWARD	SWRDAKXADS0	03180	11947	3011	832	AA BA DA GK
907/224						GL GN GQ GR
						HB HD HJ IA
						IB IC II IS
						JE OE OH RD
						SH SV T3 TI
						TJ TZ UG UP
						UR UT UU UW
						UX VC WE WG
						XA XB XD XE
						XF
SHAGELUK	SHLKAKXA473	02203	12649	3004	832	CA GM OE TJ
907/473						TZ
SHAKTOOLIK	SHKTAKXADS0	01772	12579	3016	832	BA DA GK GL
907/955						GN HE HJ IA
						IB IC ID II
						OE SI SU SX
						T3 TJ TZ UG
						UP UT UU UW
						UX WE XE

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALASKA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SHELDON POINT	SLPNAKXA498	01946	13119	3023	832	DA G2 GL GM
907/498						GN GP GQ HA
						HD IB IC ID
						IF IG OE PN
						SP SQ UG UW
SHISHMAREF	SHMFAKXADS0	01145	12686	3016	832	BA DA GK GL
907/649						GN HE HJ IA
						IC ID II OE
						SI SU SX T3
						TJ TZ UG UP
						UT UU UW UX
						WE
SHUNGNAK	SHGKAKXADS1	01436	11949	3019	832	DA GL GN HE
907/437						HJ IA IC II
						OE SI SP SQ
						SU T9 TJ TZ
						UG UM UP UU
						UW UX VA VM
						WC WE
SITKA	SITKAKXADS1	04213	10557	3030	832	AA BA DA GC
907/747,966						GL GN HB HD
						IC ID II PN
						RA RB RC RD
						SJ SP SQ TJ
						UG UP UR UU
						WE
SKAGWAY	SKWYAKXADS2	03676	10468	3017	832	AA DA GK GL
907/983						GN HA HD HE
						HJ IA IB IC
						ID IF II PN
						RA RB RC RD
						SA SJ SP SQ
						TB TJ TL UG
						UR US UW VM
						WE

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALASKA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SLEETMUTE	SLMTAKXA449	02515	12547	3004	832	CA GM
907/449						
SOLDOTNA	SLDTAKXADS2	03026	12076	3030	832	AA BA DA GC
907/260,262,714						GL GN HA HD
						IC ID II OE
						PN RA RB RC
						RD SK SQ ST
						TJ TK UG UP
						UR UU WE WF
						XF ZZ
ST. GEORGE	STGRAKXADS1	02827	14356	3030	832	AA CA GM HD
907/859						IC ID RA RB
						RC RD SQ WE
ST. MARY'S	STMYAKXA438	02137	13042	3023	832	DA G2 GL GM
907/438						GN GP GQ HA
						HD IB IC ID
						IF IG OE PN
						SP SQ UG UW
ST. MICHAEL	STMCAKXADS0	01908	12761	3016	832	BA DA GK GL
907/923						GN HE HJ IA
						IC ID II OE
						SI SU SX T3
						TJ TZ UG UP
						UT UU UW UX
						WE
ST. PAUL	STPLAKXADS1	02670	14352	3030	832	AA DA GM HD
907/546						IC ID RA RB
						RC RD SQ WE

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALASKA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE				
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--	
STEBBINS	STBSAKXADS0	01886	12776	3016	832	BA	DA	GK	GL	
907/934						GN	HE	HJ	IA	
						IC	ID	II	OE	
						SI	SU	SX	T3	
						TJ	TZ	UG	UP	
						UT	UU	UW	UX	
						WE				
STERLING	JUNEAKXSRS1	03929	10424	3022	832	AA	BA	DA	GC	
907/789,790						GL	GM	GN	HA	
						HD	IC	ID	II	
						OE	PN	RA	RB	
						RC	RD	SK	SQ	
						ST	TJ	UG	UP	
						UR	UU	WE	ZZ	
STEVENS VILLAGE	STVGAKXADS1	01911	11400	3023	832	CA	G2	GL	GM	(C)
907/478						GN	GP	HD	IC	(C)
						ID	IF	IG	OE	(C)
						PN	SP	SQ	TJ	(C)
						TZ	UG	UW		(C)
STONEY RIVER	STRVAKXA537	02525	12485	3004	832	CA	GM			
907/537										
TAKOTNA	TKTNAKXA298	02294	12306	3023	832	CA	G2	GL	GM	
907/298						GN	GP	HD	IC	
						ID	IF	IG	OE	
						PN	SP	SQ	UG	
						UW				
TALKEETNA	TLKTAKXARS0	02673	11822	3015	832	AA	BC	DA	GN	
907/733						GR	IC	II	JE	
						OE	PN	RA	RN	
						RO	SJ	SV	SX	
						T9	TD	TK	TU	
						UG	UL	UM	UP	
						UR	WE	WG		

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALASKA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE				
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--	
TANANA	TANNAKXADS1	01992	11731	3025	832	DA	GD	GL	GM	(C)
907/366						GN	GQ	HD	IB	(C)
						IC	ID	IF	IG	(C)
						OE	RC	RD	UG	(C)
						WE				(C)
TATITLEK	TTLKAKXA325	03106	11603	3006	832	CA	OE	T9	TJ	
907/325						TK				
TELLER	TLLRAKXADS0	01322	12852	3016	832	BA	DA	GK	GL	
907/642						GN	HE	HJ	IA	
						IC	ID	II	OE	
						SI	SU	SX	T3	
						TJ	TZ	UG	UP	
						UT	UU	UW	UX	
						WE	XE			
TENAKEE SPRINGS	TKSPAKXADS1	04051	10517	3030	832	AA	DA	GM	HD	
907/736						IC	ID	RA	RB	
						RC	RD	WE		
TETLIN	TLINAKXBDS1	02720	11031	3017	832	AA	BA	CA	GK	
907/324						GL	GN	HD	HE	
						IA	IC	ID	RA	
						RB	RC	RD	SA	
						SP	SQ	UG	UW	
						WE				
THORNE BAY	THBYAKXADS1	04550	10252	3030	832	AA	DA	GM	HD	
907/828						IC	ID	RA	RB	
						RC	RD	WE		
TOGIAK	TGAKAKXA493	02908	13151	3023	832	DA	G2	GL	GM	
907/493						GN	GP	GQ	HA	
						HD	IB	IC	ID	
						IF	IG	OE	PN	
						SP	SQ	UG	UW	

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALASKA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE				
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--	
TOK	TOK AKXADS2	02664	11063	3017	832	AA	DA	EA	GJ	
907/883						GK	GL	GN	HA	
						HD	HE	HJ	IA	
						IB	IC	ID	IE	
						IF	II	OE	PN	
						RA	RB	RC	RD	
						SA	SJ	SP	SQ	
						T3	T7	TJ	TL	
						TP	TQ	TR	TU	
						TZ	UG	UR	US	
						UW	VC	VM	VN	
						WE				
TOKSOOK BAY	TKBYAKXA427	02333	13410	3023	832	DA	G2	GL	GM	(C)
907/427						GN	GP	GQ	HA	(C)
						HD	IB	IC	ID	(C)
						IF	IG	OE	PN	(C)
						SP	SQ	TJ	UG	(C)
						UW				(C)
TULUKSAK	TLSKAKXA695	02452	12964	3023	832	DA	G2	GL	GM	(C)
907/695						GN	GP	GQ	HA	(C)
						HD	IB	IC	ID	(C)
						IF	IG	OE	PN	(C)
						SP	SQ	TJ	TZ	(C)
						UG	UW			(C)
TUNTUTULIAK	TTTLAKXA256	02515	13215	3023	832	DA	G2	GL	GM	(C)
907/256						GN	GP	GQ	HA	(C)
						HD	IB	IC	ID	(C)
						IF	IG	OE	PN	(C)
						SP	SQ	TJ	TZ	(C)
						UG	UW			(C)

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALASKA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE				
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--	
TUNUNAK	TNNKAKXA652	02313	13417	3023	832	DA	G2	GL	GM	(C)
907/652						GN	GP	GQ	HA	(C)
						HD	IB	IC	ID	(C)
						IF	IG	OE	PN	(C)
						SP	SQ	TJ	TZ	(C)
						UG	UW			(C)
TWIN HILLS	TWHLAKXA525	02910	13140	3023	832	DA	G2	GL	GM	
907/525						GN	GP	GQ	HA	
						HD	IB	IC	ID	
						IF	IG	OE	PN	
						SP	SQ	UG	UW	
TYONEK	TYNKAKXARS0	02906	12035	3015	832	AA	BC	DA	GN	
907/583						IC	II	PN	RA	
						RN	RO	SJ	SV	
						SX	UG	UL	UM	
						UP	WE			
UNALAKLEET	UNLKAKXADS0	01889	12607	1449	832	DA	G2	GL	GM	(C)
907/624						GN	GP	HD	IB	(C)
						IC	ID	IF	IG	(C)
						OE	PN	RD	SP	(C)
						SQ	TJ	TZ	UG	(C)
						UW				(C)
UNALASKA	UNLSAKXADS0	03604	14410	3011	832	BA	DA	GK	GL	
907/581						GN	GQ	GR	HB	
						HD	HJ	IA	IB	
						IC	ID	IG	II	
						IS	OE	SH	SI	
						SV	SW	SX	T3	
						TI	TJ	TW	TZ	
						UG	UP	UR	UT	
						UU	UW	UX	VC	
						WE	WG	XA	XE	
						XF				

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALASKA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE				
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--	
VALDEZ	VLDZAKXA835	03056	11551	3006	832	DA	GR	OE	PN	
907/834,835						SH	T7	T8	T9	
						TJ	TK	TU	TZ	
						WF	WG	WH		
VENETIE	VENTAKXA849	01770	11090	3023	832	CA	G2	GL	GM	(C)
907/849						GN	GP	HD	IC	(C)
						ID	IF	IG	OE	(C)
						PN	SP	SQ	TJ	(C)
						TZ	UG	UW		(C)
WAINWRIGHT	WNRTAKXADS1	00563	11671	3001	832	AA	CA	GN	IC	
907/763						OE	T9	TJ	TK	
						XE				
WALES	WALSAKXADS0	01159	12924	3016	832	BA	DA	GK	GL	
907/664						GN	HE	HJ	IA	
						IC	ID	II	OE	
						SI	SU	SX	T3	
						TJ	TZ	UG	UP	
						UT	UU	UW	UX	
						WE				
WASILLA	WSLLAKXARS0	02858	11821	3015	832	AA	BC	DA	GN	
907/352,354,355,357,373,376,430,691(0000-0999)						GR	IC	II	JE	
907/691(1000-1999),691(2000-2999),691(3000-3999),730,863						OE	PN	RA	RN	
907/864						RO	RX	SJ	SV	
						SX	T3	T4	T7	
						T9	TD	TJ	TK	
						TU	UG	UL	UM	
						UP	UR	WE	WG	
						XD	XE	XF		
WHALE PASS	WPSSAKXADS1	04452	10313	3017	832	AA	BA	CA	GK	
907/846						GL	GN	HD	HE	
						HJ	IC	ID	RA	
						RB	RC	RD	SA	
						SP	SQ	UG	UW	
						VM	WE			

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ALASKA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE				
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--	
WHITE MOUNTAIN	WTMTAKXADS0	01594	12712	3016	832	BA	DA	GK	GL	
907/638						GN	HE	HJ	IA	
						IC	ID	II	OE	
						SI	SU	SX	T3	
						TJ	TZ	UG	UP	
						UT	UU	UW	UX	
						WE				
WHITTIER	WHTRAKXADS0	03060	11814	3025	832	DA	DD	GD	GL	(C)
907/472						GM	GN	GQ	HD	(C)
						IB	IC	ID	IF	(C)
						IG	OE	RC	RD	(C)
						UG	UW	WE		(C)
WILLOW	WLLWAKXARS2	02800	11865	3015	832	AA	BC	DA	GN	
907/495						GR	IC	II	JE	
						OE	PN	RA	RN	
						RO	RX	SJ	SV	
						SX	T9	TD	TJ	
						TK	TU	UG	UL	
						UM	UP	UR	WE	
						WG				
WRANGELL	WRGLAKXADS1	04376	10217	3017	832	AA	DA	EA	GJ	
907/874						GK	GL	GN	GR	
						HA	HD	HE	HJ	
						IA	IB	IC	ID	
						IE	IF	II	OE	
						PN	RA	RB	RC	
						RD	SA	SJ	SP	
						SQ	T3	T7	TB	
						TI	TJ	TL	TP	
						TQ	TR	TU	TZ	
						UG	UR	US	UW	
						VC	VM	VN	WE	
YAKUTAT	YKUTAKXADS1	03578	10953	3030	832	AA	DA	GM	HD	
907/784						IC	ID	RA	RB	
						RC	RD	WE		

END OF SECTION

WIRE CENTER INFORMATION
PENDING CHANGES
SECTION 14
ARIZONA

EFFECTIVE: JANUARY 01, 2018

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE	TYPE			
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--	
PHOENIX	PHNXAZNODS1	09123	06749	5101	666	AA	BA	DA	G4	(C)
602/745						GC	GD	GE	GG	(C)
						GJ	GN	GQ	GR	(C)
						HB	HD	IB	IC	(C)
						ID	IH	II	PA	(C)
						PE	PJ	SH	SP	(C)
						SQ	TA	TH	TL	(C)
						UR	VC	WD	WE	(C)
						WF	WG	WH	WI	(C)
						WJ				(C)
"	"	"	"	"	"	"				
602/207(0000-7999),207(9000-9999),221,490(1000-2999)						"				
602/490(4000-7999),546(0000-5999),559(0000-0999)						"				
602/559(2000-3999),605(0000-1999),605(5000-7999)						"				
602/605(9000-9999),630,640(1000-1999),640(2000-2999)						"				
602/640(3000-3999),640(4000-4999),640(5000-5999)						"				
602/640(6000-6999),640(7000-7999),640(8000-8999)						"				
602/640(9000-9999),651(0000-0999),651(2000-3999)						"				
602/651(5000-7999),651(9000-9999),664(1000-1999)						"				
602/664(2000-2999),664(3000-3999),664(4000-4999)						"				
602/664(5000-5999),664(6000-6999),664(7000-7999)						"				
602/664(8000-8999),664(9000-9999),665(0000-7999)						"				
602/665(9000-9999),678(9000-9999),745,916(2000-5999)						"				
602/916(9000-9999)										

==========

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
PHOENIX                     PHNXAZNODS3 09123 06749 5101  666 AA BA DA G4 (C)
   602/200(0000-3999),200(5000-9999),207(0000-7999)          GC GD GE GG (C)
   602/207(9000-9999),212,217,221,222,230,234                GN GQ GR HB (C)
   602/235(1000-9999),240,241,248,263,264,265,266,274,277    HD IB IC ID (C)
   602/279,280,285,287,294,297(0000-4999),297(8000-9999)     IH II PA PE (C)
   602/351(0000-4999),351(6000-9999),406,479,490(1000-2999)  PJ RA RB RC (C)
   602/490(4000-7999),512(0000-0999),512(2000-2999)          RD RE RF RG (C)
   602/512(4000-4999),512(6000-6999),512(8000-8999),530,532  RH RJ RK SH (C)
   602/546(0000-5999),559(0000-0999),559(2000-3999),604      SN SP SQ TA (C)
   602/605(0000-1999),605(5000-7999),605(9000-9999),630,631  TH TL UR VC (C)
   602/636(0000-6999),636(9000-9999),640(1000-9999),650      WD WE WF WG (C)
   602/651(0000-0999),651(2000-3999),651(5000-7999)          WH WI WJ    (C)
   602/651(9000-9999),664(1000-9999),665(0000-7999)                      (C)
   602/665(9000-9999),678(9000-9999),728,764,776(0000-7999)              (C)
   602/776(9000-9999),798,916(6000-8999)                                 (C)
 "                          "           "     "     "     "        "
   602/200(0000-3999),200(5000-9999),212,217,222,230,234          "
   602/235(1000-9999),240,241,248,263,264,265,266,274,277         "
   602/279,280,285,287,294,297(0000-4999),297(8000-9999)          "
   602/351(0000-4999),351(6000-9999),406,479,512(0000-0999)       "
   602/512(2000-2999),512(4000-4999),512(6000-6999)               "
   602/512(8000-8999),530,532,604,631,636(0000-6999)              "
   602/636(9000-9999),650,728,764,776(0000-7999)                  "
   602/776(9000-9999),798,916(6000-8999)
.......................................................................
PHOENIX                     PHNZAZ87DS0 XXXXX XXXXX XXXX XXX  XX XX XX XX (D)
     /                                                                    (D)
.......................................................................
PHOENIX                     PHNZAZ87PS0 XXXXX XXXXX XXXX XXX  XX XX XX XX (D)
     /                                                                    (D)
```

==========

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE	
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --	
PHOENIX	PHNZAZZJDS1	09138	06764	7282	666	DA	(C)
480/270(7000-8999),281,282(6000-6999),282(9000-9999)							(C)
480/296(0000-0999),296(2000-2999),296(7000-7999)							(C)
480/319(8000-8999),401(3000-3999),407(3000-3999)							(C)
480/426(6000-7999),428(6000-6999),448(3000-4999)							(C)
480/454(5000-5999),459(2000-4999),477,482(4000-4999)							(C)
480/494(8000-8999),501(4000-4999),508(3000-3999)							(C)
480/509(6000-7999),518(8000-9999),534(3000-3999),552,554							(C)
480/567(0000-1999),567(3000-3999),567(7000-7999)							(C)
480/567(9000-9999),579(3000-3999),586(2000-3999)							(C)
480/586(9000-9999),587(4000-4999),612(6000-6999)							(C)
480/612(8000-9999),665(3000-3999),665(4000-4999)							(C)
480/665(5000-5999),715,718(0000-4999),718(6000-6999),723							(C)
480/734(2000-2999),739(1000-1999),739(4000-4999)							(C)
480/750(5000-6999),758(3000-3999),758(6000-6999)							(C)
480/845(5000-6999),912(8000-8999)							(C)
520/494(3000-3999),635(2000-2999)							(C)
602/281(1000-1999),281(3000-3999),281(7000-9999),282							(C)
602/313(2000-2999),358(0000-0999),358(2000-2999)							(C)
602/384(2000-2999),384(9000-9999),427(0000-3999)							(C)
602/427(6000-6999),427(9000-9999),459(7000-8999)							(C)
602/466(9000-9999),476(6000-6999),567,586(1000-5999)							(C)
602/603(6000-8999),687(1000-1999),687(4000-5999)							(C)
602/718(1000-1999),718(3000-3999),734(0000-4999)							(C)
602/734(6000-6999),734(7000-9999),782(4000-4999)							(C)
602/833(3000-3999),833(6000-7999),883(3000-4999)							(C)
623/233(8000-8999),255(3000-3999),277(1000-1999)							(C)
623/277(2000-2999),277(3000-3999),282(3000-3999)							(C)
623/295(3000-3999),299(3000-3999),299(4000-4999)							(C)
623/312(1000-1999),336(6000-6999),432(3000-3999)							(C)
623/476(0000-1999),476(3000-4999),499(3000-3999)							(C)
623/518(1000-1999),666(7000-7999),687(2000-3999)							(C)
623/696(3000-4999),734(1000-1999),745(3000-3999)							(C)
623/745(4000-4999),759(7000-7999),777(5000-5999)							(C)
623/850(5000-5999)							(C)
928/220(7000-7999),238(3000-3999),239(3000-3999)							(C)
928/239(6000-6999),248(3000-3999),315(4000-4999)							(C)
928/388(6000-6999),427(5000-5999),499(3000-3999)							(C)
928/589(3000-3999),693(3000-3999),864(5000-5999)							(C)

-------- Continued on next page --------

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE	TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- --	-- --

-------- Continued from previous page --------

928/910(4000-4999) (C)
" " " " " "
480/270(7000-8999),281,282(6000-6999),282(9000-9999) "
480/296(0000-0999),296(2000-2999),296(7000-7999) "
480/319(8000-8999),401(3000-3999),407(3000-3999) "
480/426(6000-7999),428(6000-6999),448(3000-4999) "
480/454(5000-5999),459(2000-4999),477,482(4000-4999) "
480/494(8000-8999),508(3000-3999),509(6000-7999) "
480/518(8000-9999),534(3000-3999),552,554,567(0000-1999) "
480/567(3000-3999),567(7000-7999),567(9000-9999) "
480/579(3000-3999),586(2000-3999),586(9000-9999) "
480/612(6000-6999),612(8000-9999),665(3000-3999) "
480/665(4000-4999),665(5000-5999),715,718(0000-4999) "
480/718(6000-6999),723,734(2000-2999),739(1000-1999) "
480/739(4000-4999),750(5000-6999),758(3000-3999) "
480/758(6000-6999),845(5000-6999),912(8000-8999) "
520/494(3000-3999),635(2000-2999) "
602/281(1000-1999),281(3000-3999),281(7000-9999),282 "
602/313(2000-2999),358(0000-0999),358(2000-2999) "
602/384(2000-2999),384(9000-9999),427(0000-3999) "
602/427(6000-6999),427(9000-9999),459(7000-8999) "
602/466(9000-9999),476(6000-6999),567,586(1000-5999) "
602/603(6000-8999),687(1000-1999),687(4000-5999) "
602/718(1000-1999),718(3000-3999),734(0000-4999) "
602/734(6000-6999),734(7000-9999),782(4000-4999) "
602/833(3000-3999),833(6000-7999),883(3000-4999) "
623/233(8000-8999),255(3000-3999),277(1000-1999) "
623/277(2000-2999),277(3000-3999),282(3000-3999) "
623/295(3000-3999),299(3000-3999),299(4000-4999) "
623/312(1000-1999),336(6000-6999),432(3000-3999) "
623/476(0000-1999),476(3000-4999),499(3000-3999) "
623/518(1000-1999),666(7000-7999),687(2000-3999) "
623/696(3000-4999),734(1000-1999),745(3000-3999) "
623/745(4000-4999),759(7000-7999),777(5000-5999) "
623/850(5000-5999) "
928/220(7000-7999),238(3000-3999),239(3000-3999) "
928/239(6000-6999),248(3000-3999),315(4000-4999) "

-------- Continued on next page --------

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE	TYPE	
---------NPA/NXX----------	----------	-----	-----	----	----	--	-- -- --	

-------- Continued from previous page --------

928/388(6000-6999),427(5000-5999),499(3000-3999) "
928/589(3000-3999),693(3000-3999),864(5000-5999) "
928/910(4000-4999)

.....

TUCSON	TCSNAZXGDS0	09346	06487	7465	668	DA	DD	(C)
520/226(3000-3999),254(8000-8999),257(1000-1999)								(C)
520/353(3000-3999),368(3000-3999),402(6000-6999)								(C)
520/477(3000-5999),526(7000-7999),526(8000-8999)								(C)
520/549(0000-0999),685(4000-4999),686(5000-5999)								(C)
520/729(3000-3999),833(5000-5999),917,918,987(4000-4999)								(C)
520/988(3000-3999),999(4000-4999)								(C)
928/235(3000-3999),961(8000-8999)								(C)
"	"	"	"	"	"	"		
520/226(3000-3999),254(8000-8999),257(1000-1999)								"
520/353(3000-3999),368(3000-3999),402(6000-6999)								"
520/477(3000-5999),526(7000-7999),526(8000-8999)								"
520/549(0000-0999),685(4000-4999),686(5000-5999)								"
520/729(3000-3999),833(5000-5999),917,918,987(4000-4999)								"
520/988(3000-3999),999(4000-4999)								"
928/235(3000-3999)								

END OF REPORT

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
AGUA FRIA	AGFIAZSRDS0	09089	06789	5101	666	AA BA DA G4
623/232(4000-4999),362,376,537(0000-0999),537(1000-1999)						GC GD GE GG
623/537(2000-2999),537(3000-3999),537(4000-4999)						GJ GN GQ GR
623/537(6000-6999),561(0000-3999),561(5000-9999),566,572						HB HD IB IC
623/806(7000-7999),825						ID IH II OE
						PC PL SH SP
						SQ TA TL VC
						WE
AJO	AJO AZXCDS0	09392	06838	3334	666	BA DA G1 G7
520/387						GC GE GJ GQ
						HA HJ HL IB
						IC ID IE IF
						IG IH II JB
						JD RA SJ SV
						SX T8 T9 TD
						TI TJ TK UG
						VC VM WE WG
						XE
ALPINE	ALPIAZXCRS1	08924	06249	4426	666	AA BA DA GC
928/339(0000-0999),339(1000-1999),339(4000-4999)						GD GM GR HJ
928/339(5000-5999),339(6000-6999),339(9000-9999)						RC RD RF RM
						SQ
ARIZONA CITY	AZCYAZ03RS1	09264	06641	5101	666	AA BA DA G4
520/466(5000-6999),466(8000-8999),494(0000-0999)						GC GD GE GG
520/494(1000-1999),494(8000-8999),494(9000-9999)						GN GQ GR HD
						IB IC ID IH
						II PC PL RA
						RB RC RD RE
						RF RG RH RM
						SH SP SQ TL
						WE

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ASH FORK	ASFKAZMARS1	08774	06905	5101	666	AA BA DA G4
928/637(0000-0999),637(1000-1999),637(2000-2999)						GC GD GE GG
928/637(9000-9999)						GN GQ HB HD
						IB IC ID IH
						II PC PL SH
						SP SQ TL WE
BEARDSLEY	BRDSAZMADS0	09101	06811	5101	666	AA BA DA G4
623/214,222,455(7000-7999),474(3000-3999),524						GC GD GE GG
623/537(5000-5999),537(9000-9999),544,546,556(0000-0999)						GJ GN GQ GR
623/556(1000-1999),556(2000-2999),556(4000-4999)						HB HD IB IC
623/556(5000-5999),556(8000-8999),556(9000-9999),584,975						ID IH II OE
623/975						PC PL SH SP
						SQ TA TH TL
						VC WE
BENSON	BNSNAZMADS0	09371	06352	5101	668	AA BA DA G4
520/586						GC GD GE GG
						GN GQ GR HB
						HD IB IC ID
						IH II PC PL
						SH SP SQ TH
						WE
BENSON	BNSNAZSDDS0	09380	06335	5101	668	AA BA DA G4
520/720(2000-2999),720(4000-4999),720(5000-5999)						GC GD GE GG
520/720(9000-9999)						GN GQ GR HB
						HD IB IC ID
						IH II PC PL
						SH SP SQ TH
						WE
BISBEE	BISBAZMARS1	09467	06248	5101	668	AA BA DA G4
520/432(1000-1999),432(2000-2999),432(3000-3999)						GC GD GE GG
520/432(4000-4999),432(5000-5999),432(6000-6999)						GN GQ GR HD
520/432(7000-7999),432(8000-8999),432(9000-9999)						IB IC ID IH
						II PC PL SH
						SP SQ TH TL
						WE

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
BISBEE	PLMNAZMARS1	09486	06289	5101	668	AA BA DA G4
520/366(0000-0999),366(5000-5999),366(9000-9999)						GC GD GE GG
						GN GQ GR HD
						IB IC ID IH
						II PC PL SH
						SP SQ TL WE
BLACK CANYON	BLCNAZMARS1	09006	06792	5101	666	AA BA DA G4
623/374(0000-0999),374(5000-5999),374(8000-9999)						GC GD GE GG
						GN GQ GR HD
						IB IC ID IH
						II PC PL SH
						SP SQ TA TL
						WE
BLACK MESA	BLMSAZXFRS0	08415	06628	4449	980	BA DA GC GD
928/677						GR HJ II SQ
						UL UM
BLUE RIDGE	BLRGAZXCOMD	08854	06648	2171	666	OE TJ UD
928/477						
BONITA	BONTAZXCDS0	09227	06329	4470	668	AA BA DA HD
928/828						SJ SQ TJ UR
						UX WE WG WH
BOUSE	BOUSAZXCRS1	09104	07115	4419	730	DA GM GN GR
928/851(1000-1999),851(2000-2999)						II
BOWIE	BOWIAZXCDS0	09259	06226	4470	668	AA BA DA HD
520/847						SJ SQ TJ UR
						UX WE WG WH

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
BUCKEYE	BCKYAZMADS0	09170	06835	5101	666	AA BA DA G4
623/327(0000-3999),327(9000-9999),386,393(2000-7999)						GC GD GE GG
623/474(0000-0999),474(5000-5999),474(6000-6999)						GJ GN GQ GR
623/691(6000-6999),866(6000-6999),925(3000-3999)						HB HD IB IC
						ID IH II PC
						PL RA RB RC
						RD RE RF RG
						RH RM SA SH
						SP SQ TH TL
						VC WE
BULLHEAD CITY	BLCYAZXCDS0	08874	07274	2172	666	AA BA DA GC
928/219(3000-3999),444(1000-1999),704,758,763						GD GN GR HJ
						RP RQ SR
BULLHEAD CITY NORTH	BLCYAZXERS1	08862	07266	2172	666	AA BA DA GC
928/754(1000-6999),754(9000-9999)						GN GR HJ RN
						RO
CAMP VERDE	CMVRAZMARS1	08888	06764	5101	666	AA BA DA GC
928/554(0000-0999),554(8000-8999),567(0000-3999)						PC PL RA RB
928/567(5000-9999)						RC RD RE RF
						RG RH RM SA
						SQ TH WE
CASA GRANDE	CSGRAZMADS0	09241	06662	5101	666	AA BA DA G4
520/316(0000-5999),316(7000-9999),374(7000-9999),421						GC GD GE GG
520/423(0000-0999),423(1000-1999),423(2000-2999)						GJ GN GQ GR
520/423(8000-8999),426,494(5000-6999),836,858(7000-8999)						HB HD IB IC
520/876						ID IH II PC
						PL SH SP SQ
						TL VC WE
CASA GRANDE	CSGRAZMADSH	09241	06662	5101	666	PC PL TD WE
/						
CASCABEL	CSELAZXCDS0	09306	06386	4490	668	DA GN HA HK
520/212						IC II TJ UG
						UL UM UP WE

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
CASTLE ROCK	CSRKAZXCRS1	08985	07202	2172	666	AA BA DA GC
928/764(1000-4999),764(9000-9999)						GN GR HJ RN
						RO
CAVE CREEK-CAREFREE	CVCKAZMADS0	09047	06740	5101	666	AA BA DA G4
480/437(1000-3999),437(9000-9999),488,575,595						GC GD GE GG
480/635(5000-5999)						GJ GN GQ GR
						HB HD IB IC
						ID IH II PC
						PL SH SP SQ
						TA TH TL VC
						WE

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE			
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--
CHANDLER	CHNDAZ79DS0	09158	06712	7078	666	AA	BA	DA	
480/203(2000-2999),207(1000-1999),207(6000-6999)									
480/207(7000-7999),214(3000-3999),214(5000-5999),219									
480/245(4000-4999),245(6000-6999),245(7000-7999)									
480/247(2000-2999),247(3000-3999),247(4000-4999)									
480/247(5000-5999),247(6000-6999),247(7000-7999)									
480/247(8000-8999),247(9000-9999),248(6000-6999)									
480/248(7000-7999),248(8000-8999),248(9000-9999)									
480/256(0000-0999),257(1000-1999),257(2000-2999)									
480/257(3000-3999),264(2000-2999),264(3000-3999)									
480/264(4000-4999),264(5000-5999),264(6000-6999)									
480/264(7000-7999),265(8000-8999),265(9000-9999)									
480/268(7000-7999),268(8000-8999),268(9000-9999)									
480/272(6000-6999),272(7000-7999),272(8000-8999)									
480/272(9000-9999),275(2000-2999),275(3000-3999)									
480/275(4000-4999),275(5000-5999),275(6000-6999)									
480/275(7000-7999),275(8000-8999),284(4000-4999)									
480/284(5000-5999),284(6000-6999),284(7000-7999)									
480/284(8000-8999),287(8000-8999),287(9000-9999)									
480/292(7000-7999),292(8000-8999),292(9000-9999)									
480/306(4000-4999),306(5000-5999),306(6000-6999)									
480/306(7000-7999),306(8000-8999),307(6000-6999)									
480/307(8000-8999),307(9000-9999),350(7000-7999)									
480/361(0000-0999),361(1000-9999),362(8000-8999)									
480/366(4000-4999),387(5000-5999),393(3000-3999)									
480/393(4000-4999),393(5000-5999),397(1000-1999)									
480/397(2000-2999),398(7000-7999),398(8000-8999)									
480/398(9000-9999),404(6000-6999),404(7000-7999)									
480/404(9000-9999),426(2000-2999),427(2000-2999)									
480/427(3000-3999),427(4000-4999),428(5000-5999)									
480/454(2000-2999),454(4000-4999),459(5000-5999)									
480/466(7000-7999),471(6000-6999),471(8000-8999)									
480/474(4000-4999),478(6000-6999),478(8000-8999)									
480/500(5000-5999),527(3000-3999),553(6000-6999)									
480/553(7000-7999),556(1000-1999),584(3000-3999)									
480/584(4000-4999),584(5000-5999),584(6000-6999)									
480/588(5000-5999),588(6000-6999),588(7000-7999)									
480/588(8000-8999),625(0000-0999),625(3000-3999)									
480/625(4000-4999),626(9000-9999),629(4000-5999)									

-------- Continued on next page --------

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

LOCALITY CLLI WCV WCH CC LATA OFFICE TYPE
---------NPA/NXX---------- ---------- ----- ----- ---- ---- -- -- -- --

-------- Continued from previous page --------

480/629(8000-8999),634(1000-1999),634(4000-4999)
480/634(5000-5999),634(6000-8999),636(1000-1999)
480/636(7000-7999),636(8000-8999),656(0000-0999)
480/656(1000-1999),656(2000-2999),656(3000-3999)
480/656(4000-4999),656(5000-5999),656(6000-6999)
480/656(7000-7999),656(8000-8999),656(9000-9999),659
480/663(3000-3999),664,668(3000-3999),685(2000-2999)
480/685(3000-3999),686(8000-8999),686(9000-9999)
480/689(5000-5999),696(3000-3999),696(4000-4999)
480/699(0000-0999),704(3000-3999),718(5000-5999)
480/718(9000-9999),748(4000-4999),758(4000-4999)
480/758(5000-5999),765(2000-2999),772(4000-4999)
480/773(6000-6999),773(7000-7999),789(4000-4999)
480/789(5000-5999),789(6000-6999),789(7000-7999)
480/789(8000-8999),794(1000-1999),809(4000-4999)
480/809(6000-6999),825(7000-7999),840(1000-1999)
480/878(4000-4999),878(5000-5999),907(5000-5999)
480/907(6000-6999),907(7000-7999),939(2000-2999)
480/993(3000-3999)

.....

CHANDLER CHNDAZ79DS1 09158 06712 7078 666 AA BA DA
480/209(1000-1999),256(1000-1999)
520/233(6000-6999),251(5000-5999),509(1000-1999)
520/509(6000-6999),518(5000-5999),788(6000-6999)

.....

CHANDLER CHNDAZMADS0 09154 06699 5101 666 AA BA DA G4
480/224(0000-6999),224(9000-9999),384(2000-3999) GC GD GE GG
480/384(8000-8999),457(6000-6999),457(7000-7999) GJ GN GQ GR
480/458(3000-3999),496(3000-3999),722,724,726,728,732 HB HD IB IC
480/752(6000-6999),782,786,792,812(0000-4999) ID IH II PC
480/812(6000-9999),814,821,855,857,899,917 PL RA RB RC
480/927(3000-3999),963 RD RE RF RG
RH RJ RK SH
SN SP SQ TA
TH TL VC VJ
WE

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
CHANDLER	CHNDAZSODS0	09170	06696	5101	666	AA BA DA G4
480/384(4000-4999),802,883,895						GC GD GE GG
						GJ GN GQ GR
						HB HD IB IC
						ID IH II PC
						PL SH SP SQ
						TA TH TL VC
						WE
CHANDLER	CHNDAZWEDS0	09158	06721	5101	666	AA BA DA G4
480/403(0000-0999),403(2000-9999),496(0000-1999)						GC GD GE GG
480/496(4000-9999),541,592,598,705,753,763						GJ GN GQ GR
480/783(0000-1999),783(4000-9999),785(0000-5999)						HB HD IB IC
480/785(7000-9999),893,940,961						ID IH II PB
						PL SH SN SP
						SQ TA TH TL
						VC WD WE WF
						WG WH WI WJ
CHANDLER	PHNXAZPPDS0	09162	06740	5101	666	AA BA DA G4
480/704(0000-2999),704(5000-9999),706,759						GC GD GE GG
						GJ GN GQ GR
						HB HD IB IC
						ID IH II PC
						PL SH SP SQ
						TA TD TL VC
						WE
CHINLE	CHNLAZXCRS0	08458	06447	4449	980	BA DA GC GD
928/674						GN GR HJ IC
						ID IE II RN
						RO RS RU SM
						SP SU SV UG
						UL UM UP UR
						US UT UW UX
						UY VA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
CHINO VALLEY	CHVYAZMADS0	08871	06879	5101	666	AA BA DA G4
928/583(0000-0999),583(5000-5999),636						GC GD GE GG
						GJ GN GQ GR
						HB HD IB IC
						ID IH II PC
						PL SH SP SQ
						TH TL VC WE
CIBICUE	CIBCAZXCRL0	08942	06496	4426	666	AA BA DA GC
928/332(0000-0999),332(2000-2999),332(6000-6999)						GD GM GR HJ
928/332(9000-9999)						RC RD RF RM
						SQ
CIBOLA	CIBLAZXCRL0	09246	07209	4419	730	DA GC GE GM
928/857(3000-3999)						GN II
CIRCLE CITY	CRCYAZNMRS1	09071	06861	5101	666	AA BA DA G4
623/388(0000-0999),388(2000-2999),388(9000-9999)						GC GD GE GG
						GN GQ GR HD
						IB IC ID IH
						II PC PL SH
						SP SQ TH TL
						WE
CLIFTON	CFTNAZXCDS0	09099	06238	3333	668	AA BA DA HD
928/865						SJ SQ TJ UR
						UX WE WG WH
COOLIDGE	CLDGAZMARS1	09210	06625	5101	666	AA BA DA G4
520/374(1000-1999),424(2000-2999),723						GC GD GE GG
						GN GQ GR HD
						IB IC ID IH
						II PC PL SH
						SP SQ TH TL
						WE

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
CORONADO	CRNDAZMADS1	09286	06494	5101	668	AA BA DA G4
520/818(0000-0999),818(1000-1999),818(2000-2999)						GC GD GE GG
520/818(3000-3999),818(5000-5999),818(6000-6999)						GJ GN GQ GR
520/818(7000-7999),818(9000-9999),825						HB HD IB IC
						ID IH II PC
						PL SH SP SQ
						TA TH TL VC
						WE
COTTONWOOD	CTWDAZMADS0	08856	06803	5101	666	AA BA DA G4
928/634,639,649						GC GD GE GG
						GJ GN GQ GR
						HB HD IB IC
						ID IH II PC
						PL RA RB RC
						RD RE RF RG
						RH RM SA SH
						SP SQ TH TL
						TU VC WE
COTTONWOOD	CTWDAZSORS1	08866	06791	5101	666	AA BA DA G4
928/646(0000-0999),646(1000-1999),646(3000-3999)						GC GD GE GG
928/646(4000-4999),646(5000-5999),646(6000-6999)						GN GQ GR HD
928/646(7000-7999),646(8000-8999),646(9000-9999)						IB IC ID IH
						II PC PL RA
						RB RC RD RE
						RF RG RH RM
						SA SH SP SQ
						TH TL WE
DEER VALLEY	DRVYAZNO99W	09085	06765	5101	666	HC PC PL WE
/						
DEER VALLEY	DRVYAZNOBB2	09085	06765	5101	666	TU
/						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
DEER VALLEY	DRVYAZNODS0	09085	06765	5101	666	AA BA DA G4
623/207(0000-0999),207(2000-2999),234(5000-7999)						GC GD GE GG
623/236(7000-7999),238(7000-7999),241(8000-8999)						GJ GN GQ GR
623/388(8000-8999),434,445(0000-0999),445(2000-2999)						HB HD IB IC
623/445(3000-3999),445(4000-4999),445(5000-5999)						ID IH II OE
623/445(6000-6999),445(7000-7999),445(8000-8999)						PC PL RA RB
623/445(9000-9999),466(1000-1999),474(1000-1999),492,516						RC RD RE RF
623/547(8000-8999),551,580,581,582,587,780,869						RG RH RJ RK
623/879(0000-0999),879(1000-1999),879(3000-3999)						SH SN SP SQ
623/879(4000-4999),879(5000-5999),879(6000-6999)						TA TH TL VC
623/879(7000-7999),879(8000-8999),879(9000-9999)						WE
623/888(7000-7999)						
DENNEHOTSO	DNHSAZXCRL0	08322	06530	4449	980	BA DA GR HJ
928/658						SQ
DILCON	DLKNAZXCRS0	08656	06538	4449	980	BA DA GR HJ
928/657						SL SQ
DOLAN SPRINGS	DLSPAZXCRS0	08739	07225	2172	666	AA BA DA GC
928/767(3000-4999),767(9000-9999)						GN GR HJ RN
						RO
DOUGLAS	DGLSAZMARS1	09467	06182	5101	668	AA BA DA G4
520/364,368(9000-9999),805						GC GD GE GG
						GN GQ GR HD
						IB IC ID IH
						II PC PL RA
						RB RC RD RE
						RF RG RH RJ
						RK SE SH SP
						SQ TH TL WE

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
DUDLEYVILLE	DDVLAZNMRS1	09192	06478	5101	668	AA BA DA G4
520/357(2000-2999),357(6000-7999)						GC GD GE GG
						GN GQ GR HD
						IB IC ID IH
						II PC PL RA
						RB RC RD RE
						RF RG RH RJ
						RK SH SP SQ
						WE
DUNCAN	DNCNAZXCDS0	09157	06179	3333	668	BA DA HD OE
575/358						SA TJ TZ UR
928/359						UX WE WG WH
EHRENBERG	EHRNAZXFRS1	09190	07191	4419	730	DA GM
928/923(0000-0999),923(7000-7999),923(8000-8999)						
928/923(9000-9999)						
ELFRIDA	ELFRAZXCDS0	09402	06227	3333	668	AA BA DA HD
520/642						SJ SQ TJ UR
						UX WE WG WH
ELOY	ELOYAZ01RS1	09260	06619	5101	666	AA BA DA G4
520/464(0000-0999),464(1000-1999),464(3000-3999)						GC GD GE GG
520/464(8000-8999),466(0000-4999),466(7000-7999)						GN GQ GR HD
520/466(9000-9999),582(2000-2999),582(3000-3999)						IB IC ID IH
						II PC PL RA
						RB RC RD RE
						RF RG RH RM
						SA SH SP SQ
						TH TL WE

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
FLAGSTAFF	FLGSAZEADS0	08740	06751	5101	666	AA BA DA G4
928/522(0000-0999),522(1000-1999),522(2000-2999)						GC GD GE GG
928/522(5000-5999),522(6000-6999),522(7000-7999)						GJ GN GQ GR
928/522(8000-8999),522(9000-9999),526,527,714(0000-0999)						HB HD IB IC
928/714(1000-1999),714(2000-2999),714(4000-4999)						ID IH II PC
928/714(5000-5999),714(9000-9999),864(1000-1999)						PL SH SP SQ
928/864(2000-2999),864(3000-3999),864(4000-4999)						TA TH TL VC
						WE
FLAGSTAFF	FLGSAZMABB2	08746	06759	5101	666	TU
/						
FLAGSTAFF	FLGSAZMADS0	08746	06759	5101	666	AA BA DA G4
928/213,214,226,523,525(7000-7999),556,637(7000-7999)						GC GE GG GJ
928/679(2000-2999),679(4000-4999),679(7000-8999)						GN GQ GR HB
928/679(9000-9999),714(3000-3999),773,774,779,913						HD IB IC ID
						IH II PC PF
						PL RA RB RC
						RD RE RF RG
						RH RJ RK SE
						SH SP SQ TA
						TL VC WE
FLAGSTAFF	FLGSAZMADSH	08746	06759	5101	666	PC PL TD WE
/						
FLAGSTAFF	FLGSAZMAXXX	08746	06759	5101	666	ZZ
/						
FLAGSTAFF	FLGSAZSORS1	08771	06761	5101	666	AA BA DA G4
928/525(0000-0999),525(1000-1999),525(2000-2999)						GC GD GE GG
928/525(3000-3999),525(5000-5999),525(8000-8999)						GN GQ GR HD
928/525(9000-9999)						IB IC ID IH
						II PC PL SH
						SP SQ TA TH
						TL WE

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
FLORENCE	FLRNAZMARS1	09193	06604	5101	666	AA BA DA G4
520/866(2000-2999),866(3000-3999),866(4000-4999)						GC GD GE GG
520/866(5000-5999),866(6000-6999),866(7000-7999)						GN GQ GR HD
520/866(8000-8999),868(0000-5999),868(7000-8999)						IB IC ID IH
520/868(9000-9999)						II PC PL SH
						SP SQ TH TL
						WE
FORT DEFIANCE	FTDFAZXCRS0	08524	06342	4449	980	BA DA G2 G3
928/729						GC GD GN GR
						HJ IC ID IE
						IG IH II RA
						RD RG RN RS
						RU SM SP SR
						SU UG UL UM
						UP UR US UT
						UW UX UY VA
FORT MC DOWELL	FTMDAZMADS0	09085	06694	5101	666	AA BA DA G4
480/816,836,837						GC GD GE GG
						GJ GN GQ GR
						HB HD IB IC
						ID IH II PC
						PL SH SP SQ
						TA TH TL VC
						WE
FORT MC DOWELL	FTMDAZNORS1	09104	06679	5101	666	AA BA DA G4
480/471(0000-4999),471(7000-7999),471(9000-9999)						GC GD GE GG
						GN GQ GR HD
						IB IC ID IH
						II PC PL SH
						SP SQ TA TH
						TL WE
GANADO	GANDAZXCRS0	08557	06422	4449	980	BA DA GC GD
928/755						GR HJ SQ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
GILA BEND	GLBNAZMARS1	09265	06838	5101	666	AA BA DA G4
928/487(9000-9999),683(0000-0999),683(2000-2999)						GC GD GE GG
928/683(6000-6999),683(9000-9999)						GN GQ GR HD
						IB IC ID IH
						II PC PL SH
						SP SQ WE
GLENDALE	GLDLAZMADS0	09118	06772	5101	666	AA BA DA G4
623/232(7000-7999),235(2000-2999),235(3000-3999)						GC GD GE GG
623/237(4000-7999),334(7000-7999),435,463(0000-4999)						GJ GN GQ GR
623/463(6000-9999),474(9000-9999),487(6000-6999),842,847						HB HD IB IC
623/866(4000-5999),866(7000-7999),915,930,931,934,937						ID IH II OE
623/939						PC PL RA RB
						RC RD RE RF
						RG RH RJ RK
						SH SN SP SQ
						TA TH TL VC
						WE
GLENDALE	GLDLAZMADSH	09118	06772	5101	666	PC PL TD WE
/						
GLENDALE	GLDLAZMADSJ	09118	06772	5101	666	PC PL TD WE
/						
GLENDALE	GLDLAZMADSK	09118	06772	5101	666	PC PL TD WE
/						
GLENDALE	GLDLAZMAK11	09118	06772	5101	666	HD PC PL UE
/						WE
GLENDALE	GLDLAZMARS3	09118	06772	4544	666	DA DD G2 GD
/						GE GJ GN GQ
						HB HC IA IB
						IC IF IG IH
						II QA
GLENDALE	GLDLAZMAXXX	09118	06772	5101	666	ZZ
/						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
GLENDALE	PHNXAZBWDS0	09128	06786	5101	666	AA BA DA G4
623/633(8000-8999),772,872(0000-3999),872(5000-9999),877						GC GD GE GG
623/877						GJ GN GQ GR
						HB HD IB IC
						ID IH II JB
						PC PL SH SN
						SP SQ TA TH
						TL VC WE
GLENDALE	PHNXAZPRDS0	09108	06782	5101	666	AA BA DA G4
623/334(0000-6999),334(8000-9999),412,486,487(0000-5999)						GC GD GE GG
623/487(7000-9999),643(0000-0999),773,776(0000-4999)						GJ GN GQ GR
623/776(7000-9999),878,979						HB HD IB IC
						ID IH II OE
						PC PL RA RB
						RC RD RE RF
						RG RH RJ RK
						SH SP SQ TA
						TH TL VC VJ
						WE
GLOBE	GLOBAZMARS1	09091	06516	5101	668	AA BA DA G4
928/402(0000-0999),402(1000-1999),402(3000-3999)						GC GD GE GG
928/402(4000-4999),402(5000-5999),402(6000-6999)						GN GQ GR HD
928/402(7000-7999),402(8000-8999),402(9000-9999),425						IB IC ID IH
						II PC PL RA
						RB RC RD RE
						RF RG RH RJ
						RK SH SP SQ
						WE
GOLDEN VALLEY	GLVYAZXCRS0	08831	07198	2172	666	AA BA DA GC
928/565(2000-5999),565(7000-7999),565(9000-9999)						GN GR HJ RN
						RO

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
GRAND CANYON	GRCNAZMARS1	08584	06886	5101	666	AA BA DA G4
928/638(0000-4999),638(6000-9999)						GC GD GE GG
						GN GQ GR HD
						IB IC ID IH
						II PC PL SH
						SP SQ WE
GRANITE MOUNTAIN	SCDMAZ89DS0	09053	06710	4490	666	DA GN GR HA
480/683						HK IC II T3
						TJ UG UL UM
						UP UR WE WG
						XF
GREASEWOOD	GSWDAZXCRS0	08603	06468	4449	980	BA DA GR HJ
928/654						
GREEN VALLEY	GNVYAZMADS0	09421	06473	5101	668	AA BA DA G4
520/393(0000-0999),393(1000-1999),393(2000-2999)						GC GD GE GG
520/393(4000-4999),393(5000-5999),393(6000-6999)						GJ GN GQ GR
520/393(7000-7999),399(0000-0999),399(1000-1999)						HB HD IB IC
520/399(2000-2999),399(3000-3999),399(4000-4999)						ID IH II PC
520/399(9000-9999),625,648						PL SH SP SQ
						TA TH TL VC
						WE
GREENHAVEN	MRCNAZXEDS0	08361	06833	2171	666	AA BA DA GM
928/353						GR SQ
GREER	GRERAZXCRL0	08902	06312	4426	666	AA BA CA GC
928/735(0000-0999),735(2000-2999),735(5000-5999)						GM GR HJ RC
928/735(7000-7999),735(9000-9999)						RD
HARQUAHALA VALLEY	HRVYAZXCGT0	09176	06940	2171	666	AA BA DA GM
928/372						GR OE SQ TJ
						TZ
HAWLEY LAKE	HLLKAZXCRL0	08924	06364	4426	666	AA BA DA GC
928/335(0000-0999),335(7000-7999),335(9000-9999)						GM GR HJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
HAYDEN                      HYDNAZMARS1 09174 06495 5101  668 AA BA DA G4
   520/356(1000-1999),356(2000-2999),356(3000-3999)          GC GD GE GG
   520/356(6000-6999),356(7000-7999)                         GN GQ GR HD
                                                             IB IC ID IH
                                                             II PC PL SH
                                                             SP SQ WE
.......................................................................
HAYDEN                      KRNYAZMARS1 09157 06520 5101  668 AA BA DA G4
   520/363(0000-0999),363(5000-5999),363(7000-7999)          GC GD GE GG
   520/363(9000-9999)                                        GN GQ GR HD
                                                             IB IC ID IH
                                                             II PC PL SH
                                                             SP SQ WE
.......................................................................
HEBER                       HEBRAZXCRS0 08870 06538 4426  666 AA BA DA GC
   928/535                                                   GD GR HJ RC
                                                             RD RF RM SQ
.......................................................................
HIGLEY                      HGLYAZMADS1 09149 06676 5101  666 AA BA DA G4
   480/279,384(6000-7999),457(8000-8999),638(5000-5999)      GC GD GE GG
   480/638(8000-8999),638(9000-9999),783(2000-2999)          GJ GN GQ GR
   480/822(5000-5999),840(3000-3999),840(6000-6999)          HB HD IB IC
   480/840(9000-9999),988                                    ID IH II PC
                                                             PL SH SN SP
                                                             SQ TA TH TL
                                                             VC WE
.......................................................................
HIGLEY                      HGLYAZQCDS2 09161 06659 5101  666 AA BA DA G4
   480/358(3000-4999),394(4000-8999),457(1000-1999)          GC GD GE GG
   480/458(5000-5999),474(6000-6999),655(5000-6999)          GJ GN GQ GR
   480/677(2000-2999),677(3000-4999),677(8000-8999)          HB HD IB IC
   480/750(3000-3999),783(3000-3999),784(3000-3999)          ID IH II PC
   480/882(1000-3999),882(9000-9999),888(0000-2999)          PL SH SN SP
   480/888(7000-9999),902(4000-4999),987                     SQ TA TH TL
                                                             VC WE
.......................................................................
HOLBROOK                    HLBKAZXCRS0 08748 06484 4426  666 AA BA DA GC
   928/524                                                   GD GR HJ RC
                                                             RD RF RM SQ
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
HUMBOLDT	HMBLAZMARS1	08917	06828	5101	666	AA BA DA G4
928/632(0000-0999),632(1000-1999),632(5000-5999)						GC GD GE GG
928/632(7000-8999)						GN GQ GR HD
						IB IC ID IH
						II PC PL RA
						RB RC RD RE
						RF RG RH RM
						SA SH SP SQ
						TL WE
HYDER	DTLDAZ01DS0	09329	06979	2171	666	UD
/						
HYDER	HYDRAZXCGT0	09274	06955	2171	666	AA BA DA GM
928/454						GR OE SQ TJ
						TZ
INSCRIPTION CANYON RANCH	PRSCAZFWDS0	08875	06900	3334	666	BA DA G1 GQ
928/422,633,685,858(0000-4999),858(5000-9999)						HJ IB IC ID
						IE IF IH II
						JD SC SJ SV
						SX T9 TK VC
						WG XE
JOSEPH CITY	JSCYAZMARS1	08743	06518	5101	666	AA BA DA G4
928/288(1000-1999),288(3000-3999),288(9000-9999)						GC GD GE GG
						GN GQ GR HD
						IB IC ID IH
						II PC PL SH
						SP SQ TH WE
KAIBETO	KABTAZXCRS0	08432	06733	4449	980	BA DA GR HJ
928/673						SQ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
KAYENTA 928/697	KYNTAZXCRS0	08367	06597	4449	980	AA BA DA G2 G5 GC GN GR HJ IC IE IG IH II RF RG RH RL RM RN RO RU SD UL UM
KEAMS CANYON 928/738	KMCNAZXCRS1	08556	06538	815D	666	AA DA GR HD OE PN RA RC RD TJ TK WE
KINGMAN /	KGMNAZXC01T	08837	07179	2172	666	BA D1 DA GB GN RP RQ SR
KINGMAN 928/718,753	KGMNAZXCDS0	08837	07179	2172	666	AA BA D1 DA GC GD GN GR HJ RN RO SV
KINGMAN 928/263(4000-4999)	KGMNAZXCDS3	08837	07179	2172	666	DA GJ GR HA HD HJ IB IC ID IE IF IG QA QB SQ UG UP UU UX
KINGMAN 928/263(3000-3999),263(5000-5999),681(0000-6999) 928/681(8000-9999),692,757	KGMNAZXEDS0	08822	07173	2172	666	AA BA DA GC GD GN GR HJ RN RO SV
KYKOTSMOVI VILLAGE 928/734(0000-5999)	KIVGAZXCRS1	08562	06615	815D	666	AA BA DA GR OE PN TJ TK WE
LAKE HAVASU CITY 928/302(5000-5999),453,505,680,854,855	LHCYAZXCDS0	08996	07194	2172	666	AA BA DA GC GD GN GR HJ RP RQ SR
LAKE PLEASANT /	PEORAZZF1KD	09061	06799	2191	666	TZ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
LAKESIDE	LKSDAZAERS0	08896	06413	4426	666	AA BA DA GC
928/368(0000-0999),368(1000-1999),368(2000-2999)						GD GR HJ RC
928/368(4000-4999),368(5000-5999),368(6000-6999)						RD RF RM SQ
928/368(8000-8999),368(9000-9999)						
LECHEE	LCHEAZXCRL0	08387	06805	4449	980	BA DA GR HJ
928/698						
LEUPP	LEPPAZXCRS0	08700	06653	4449	980	BA DA GC GD
928/686						GN GR HJ IC
						ID IE IG IH
						II RA RC RD
						RS RU SP SQ
						UG UL UM UP
						UR UX
LITCHFIELD PARK	GDYRAZCWDS0	09147	06798	5101	666	AA BA DA G4
623/207(3000-3999),882(0000-0999),882(1000-1999)						GC GD GE GG
623/882(2000-2999),882(3000-3999),882(7000-7999)						GJ GN GQ GR
623/882(8000-8999),882(9000-9999),925(0000-2999)						HB HD IB IC
623/925(4000-9999),932						ID IH II PC
						PL SH SN SP
						SQ TA TH TL
						VC WE
LITCHFIELD PARK	LTPKAZMABB3	09135	06801	5101	666	TU
/						
LITCHFIELD PARK	LTPKAZMADS0	09135	06801	5101	666	AA BA DA G4
623/535,536,547(0000-4999),856,935						GC GD GE GG
						GJ GN GQ GR
						HB HD IB IC
						ID IH II OE
						PC PL RB RC
						RD RE RF RG
						RH RJ RK SH
						SN SP SQ TA
						TH TL VC WE

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
LITCHFIELD PARK	PHNXAZMYDS0	09128	06773	5101	666	AA BA DA G4
623/245,247,537(8000-8999),691(0000-5999),691(9000-9999)						GC GD GE GG
623/845(0000-0999),845(1000-1999),845(3000-3999)						GJ GN GQ GR
623/845(4000-4999),845(5000-5999),845(6000-6999)						HB HD IB IC
623/845(7000-7999),845(8000-8999),845(9000-9999),846,848						ID IH II OE
623/849,866(0000-1999),873						PC PL RA RB
						RC RD RE RF
						RG RH RJ RK
						SH SN SP SQ
						TA TH TL VC
						WE
LITCHFIELD PARK	TLSNAZMADS0	09140	06780	5101	666	AA BA DA G4
623/285(0000-2999),313(9000-9999),327(4000-8999),333						GC GD GE GG
623/388(5000-5999),463(5000-5999),465(6000-6999)						GJ GN GQ GR
623/474(2000-2999),474(4000-4999),474(7000-8999)						HB HD IB IC
623/478(0000-0999),478(1000-1999),478(3000-3999)						ID IH II PC
623/478(4000-4999),478(5000-5999),478(6000-6999)						PL SH SN SP
623/478(7000-7999),478(8000-8999),478(9000-9999)						SQ TA TH TL
623/643(9000-9999),742(4000-4999),742(9000-9999),907,936						VC WE
623/936						
LONE BUTTE	LNBTAZXCDS1	09164	06720	2179	666	AA BA D1 DA
520/215,315,418,430,550,562,796						DD HD OE TJ
						TZ
LUKACHUKAI	LKCHAZXCRS0	08389	06406	4449	980	BA DA GC GD
928/787						GN GR HJ SQ
						UL UM
MAMMOTH	MMTHAZMARS1	09227	06455	5101	668	AA BA DA G4
520/487(0000-0999),487(2000-2999),487(9000-9999)						GC GD GE GG
						GN GQ GR HD
						IB IC ID IH
						II PC PL SH
						SP SQ WE

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MANY FARMS	MNFRAZXCRS0	08418	06470	4449	980	BA DA GR HJ
928/781(0000-1999),781(3000-4999),781(6000-6999)						SQ
928/781(9000-9999)						
MARANA	MARNAZ02RS1	09317	06562	5101	668	AA BA DA G4
520/616(9000-9999),665(0000-0999),665(2000-2999)						GC GD GE GG
520/682(5000-6999)						GN GQ GR HD
						IB IC ID IH
						II PC PL RA
						RB RC RD RE
						RF RG RH RJ
						RK SH SP SQ
						TL WE
MARANA	MARNAZ03RS1	09307	06543	5101	668	AA BA DA G4
520/616(7000-8999),682(0000-0999),682(7000-8999)						GC GD GE GG
						GN GQ GR HD
						IB IC ID IH
						II PC PL RA
						RB RC RD RE
						RF RG RH RJ
						RK SH SP SQ
						TL WE
MARANA	MARNAZMARS1	09307	06544	5101	668	AA BA DA G4
520/616(0000-1999),616(3000-6999),682(1000-4999)						GC GD GE GG
520/682(9000-9999),750(5000-5999)						GN GQ GR HD
						IB IC ID IH
						II PC PL RA
						RB RC RD RE
						RF RG RH RJ
						RK SH SP SQ
						TA TH TL WE
MARBLE CANYON	MRCNAZXCDS0	08403	06838	2171	666	AA BA DA GM
928/355						GR

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MARICOPA	MRCPAZMADS0	09215	06725	5101	666	AA BA DA G4
520/217(3000-3999),217(4000-5999),233(2000-2999)						GC GD GE GG
520/316(6000-6999),374(0000-0999),374(6000-6999)						GJ GN GQ GR
520/423(9000-9999),494(2000-2999),494(7000-7999),568						HB HD IB IC
520/866(9000-9999),868(6000-6999)						ID IH II PC
						PL SH SP SQ
						TH TL VC WE
MAYER	MAYRAZMARS1	08938	06823	5101	666	BA DA GC PC
928/632(4000-4999),632(9000-9999),642(1000-1999)						PL RA RB RC
						RD RE RF RG
						RH RM SA SQ
						WE
MCNARY	MCNRAZXCRL0	08910	06386	4426	666	AA BA DA GC
928/334(0000-0999),334(2000-2999),334(7000-7999)						GD GM GR HJ
928/334(8000-8999),334(9000-9999)						RC RD RF RM
						SQ
MEADVIEW	MDVWAZXCRS0	08665	07219	2172	666	AA BA DA GC
928/564(2000-2999),564(9000-9999)						GN GR HJ RN
						RO
MESA	MESAAZGIBB3	09140	06693	5101	666	TU
/						
MESA	MESAAZGIDS0	09140	06693	5101	666	AA BA DA G4
480/497,503(0000-7999),503(9000-9999),507,539,545						GC GD GE GG
480/558(0000-5999),558(7000-9999),632,633,635(0000-1999)						GJ GN GQ GR
480/635(3000-4999),635(7000-9999),657(1000-1999),813,892						HB HD IB IC
480/926						ID IH II PC
						PL SH SN SP
						SQ TA TH TL
						UR VC VJ WD
						WE WF WG WH
						WI WJ
MESA	MESAAZMA99W	09130	06703	5101	666	HC PB PK WE
/						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MESA	MESAAZMADS0	09130	06703	5101	666	AA BA DA G4
480/412,461,464,512(0000-0999),512(3000-3999)						GC GD GE GG
480/512(4000-4999),512(5000-5999),523,610,615,644,649						GJ GN GQ GR
480/655(0000-2999),655(4000-4999),655(7000-9999)						HB HD IB IC
480/668(0000-2999),668(4000-9999),684(5000-7999)						ID IH II PB
480/684(8000-9999),733,827,833,834,835,844,890,898,962						PG PK SH SP
480/964,969						SQ TA TH TL
						UR VC WD WE
						WF WG WH WI
						WJ
MESA	MESAAZMAK11	09130	06703	5101	666	PB PK UE WE
/						
MESA	MESAAZMAXXX	09130	06703	5101	666	ZZ
/						
MESA	SPRSAZWEDS0	09125	06685	5101	666	AA BA DA G4
480/218,256(3000-7999),321(0000-4999),324(0000-0999)						GC GD GE GG
480/324(1000-1999),324(2000-2999),324(3000-3999)						GJ GN GQ GR
480/324(5000-5999),324(8000-8999),324(9000-9999),325,396						HB HD IB IC
480/543(2000-6999),641,654,807,830,832,854,924,981,985						ID IH II PC
480/985						PL RA RB RC
						RD RE RF RG
						RH RJ RK SH
						SN SP SQ TA
						TH TL VC WE
MESA	SPRSAZWEXXX	09125	06685	5101	666	ZZ
/						
MESQUITE CREEK	MQCKAZXCDS2	08904	07260	4409	666	DA OE TJ TK
702/535						TZ
760/629						
928/330,346						

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MIAMI	MIAMAZMARS1	09094	06531	5101	668	AA BA DA G4
928/473(2000-2999),473(3000-3999),473(4000-4999)						GC GD GE GG
928/473(6000-6999),473(7000-7999),473(8000-8999)						GN GQ GR HD
928/473(9000-9999)						IB IC ID IH
						II PC PL SH
						SP SQ WE
MILLSITE	DEWYAZ01DS0	08899	06817	4490	666	DA GN HA HK
928/999(0001-9999)						IC II TJ UG
						UL UM UP UR
						WE
MOHAVE VALLEY	MHVYAZXCRS0	08913	07264	2172	666	AA BA DA GC
928/768,788(1000-4999),788(6000-7999),788(9000-9999)						GD GN GR HJ
						RN RO SV
MORMON LAKE	MMLKAZXCGT0	08798	06714	2171	666	AA BA DA GM
928/354						GR OE SQ TJ
						TZ
MUNDS PARK	MSPKAZMADS0	08800	06747	5101	666	AA BA DA G4
928/286(0000-0999),286(1000-1999),286(2000-2999)						GC GD GE GG
928/286(4000-4999),286(9000-9999)						GN GQ GR HB
						HD IB IC ID
						IH II PC PL
						SH SP SQ TH
						TL VC WE
NEW RIVER	NWRVAZMADS0	09034	06777	5101	666	AA BA DA G4
623/465(0000-5999),465(7999-9999),742(0000-0999)						GC GD GE GG
623/742(6000-7999)						GJ GN GQ GR
						HB HD IB IC
						ID IH II PC
						PL SH SN SP
						SQ TA TH TL
						VC WE
NOGALES	NGLSAZMADSH	09532	06436	5101	668	PC PL TD WE
/						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
NOGALES	NGLSAZMARS1	09532	06436	5101	668	AA BA DA G4
520/285(0000-0999),285(1000-1999),285(2000-2999)						GC GD GE GG
520/285(3000-3999),285(4000-4999),285(5000-5999),287						GN GQ GR HD
520/397(0000-0999),397(1000-1999),397(2000-2999)						IB IC ID IH
520/397(5000-5999),397(7000-7999),397(8000-8999)						II PC PL RA
520/397(9000-9999),988(6000-6999)						RB RC RD RE
						RF RG RH RJ
						RK SE SH SN
						SP SQ TL WE
NOGALES	NGLSAZMWDS0	09522	06440	5101	668	AA BA DA G4
520/281(0000-6999),281(9000-9999),375(0000-0999)						GC GD GE GG
520/375(5000-5999),375(6000-6999),375(7000-7999)						GJ GN GQ HB
520/375(8000-8999),377(0000-6999),377(9000-9999),761						HD IB IC ID
						IH II PC PL
						SH SN SP SQ
						TL VC WE
NORTH PHOENIX	PHNXAZCABB3	09099	06744	5101	666	TU
/						
NORTH PHOENIX	PHNXAZCADS0	09099	06744	5101	666	AA BA DA G4
602/404,482,485,493,494,569,652(0000-0999)						GC GD GE GG
602/652(1000-1999),652(3000-4999),652(6000-6999)						GJ GN GQ GR
602/652(8000-9999),765,787,788,867,923,953,971,992,996						HB HD IB IC
602/996						ID IH II OE
						PB PK RA RB
						RC RD RE RF
						RG RH RJ RK
						SH SN SP SQ
						TA TH TL UR
						VC WD WE WF
						WG WH WI WJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
PAGE	PAGEAZMADS0	08375	06811	5101	666	AA BA DA G4
928/608(0000-0999),608(1000-1999),608(2000-2999)						GC GD GE GG
928/608(4000-4999),608(6000-6999),608(7000-7999)						GN GQ GR HB
928/608(8000-8999),608(9000-9999),645						HD IB IC ID
						IH II PC PL
						SH SP SQ TH
						WE
PARADISE VALLEY	PRVYAZPPDS0	09072	06727	5101	666	AA BA DA G4
480/324(4000-4999),324(7000-7999),342,384(5000-5999),419						GC GD GE GG
480/426(3000-5999),458(2000-2999),463(2000-2999),473,502						GJ GN GQ GR
480/513,515,538,563,585,822(1000-1999),888(3000-4999)						HB HD IB IC
480/927(4000-4999),927(6000-6999)						ID IH II PC
						PL SH SP SQ
						TA TH TL VC
						VJ WE
PARKER	PRKRAZXCDS0	09068	07174	4419	730	AA DA GN GR
928/669						II
PARKER DAM	PRDMAZXCDS0	09049	07162	4419	730	DA GN GR II
760/663(1000-1999),663(3000-3999)						
928/667(0000-0999),667(1000-1999),667(2000-2999)						
928/667(3000-3999),667(4000-4999),667(7000-7999)						
928/667(9000-9999)						
PATAGONIA	PTGNAZELRS1	09494	06377	5101	668	AA BA DA G4
520/455(0000-0999),455(4000-4999),455(5000-5999)						GD GE GG GN
520/455(9000-9999)						GQ GR HD IB
						IC ID IH II
						PC PL SH SP
						SQ TH TL WE

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
PATAGONIA	PTGNAZMARS1	09480	06412	5101	668	AA BA DA G4
520/394(0000-0999),394(2000-2999),394(9000-9999)						GC GD GE GG
						GN GQ GR HD
						IB IC ID IH
						II PC PL SH
						SP SQ TH TL
						WE
PAYSON	PINEAZMARS1	08910	06685	5101	666	AA BA DA G4
928/476(2000-2999),476(3000-3999),476(4000-4999)						GC GD GE GG
928/476(5000-5999),476(6000-6999),476(9000-9999)						GN GQ GR HD
						IB IC ID IH
						II PC PL SH
						SP SQ TL WE
PAYSON	PYSNAZMADS0	08938	06656	5101	666	AA BA DA G4
928/468(0000-0999),468(1000-1999),468(2000-2999)						GC GD GE GG
928/468(5000-5999),468(6000-6999),468(7000-7999)						GJ GN GQ GR
928/468(8000-8999),468(9000-9999),472,474						HB HD IB IC
						ID IH II PC
						PL RA RB RC
						RD RE RF RG
						RH RJ RK SH
						SP SQ TL VC
						WE
PAYSON	TNCKAZMARS1	08907	06618	5101	666	AA BA DA G4
928/478(0000-0999),478(4000-4999),478(5000-5999)						GC GD GE GG
928/478(9000-9999)						GN GQ GR HD
						IB IC ID IH
						II PC PL SH
						SP SQ TL WE
PEARCE	PERCAZXC00W	09364	06264	4470	668	HA

/

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
PEARCE 520/826	PERCAZXCDS0	09364	06264	4470	668	AA BA DA HD OE SJ SQ TJ TZ UR UX WE WG WH
PEORIA 623/455(4000-4999) 928/501	PEORAZFSDS0	09057	06799	2191	666	AA BA DA HD OE SJ ST TJ TK TU TZ WG
PERIDOT 928/475	PRDTAZ01DS0	09097	06456	2169	668	AA BA DA HD OE SJ TJ TZ UR WE
PHOENIX /	PHNAAZ29DSO	09126	06750	4544	666	DA DD G2 GD GE GJ GN GQ HB HC IA IB IC IF IG IH II QA

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE			TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--
PHOENIX	PHNAAZ55DS0	09135	06732	4793	666	BA	DA	GE	GJ
480/212(0000-1999),212(4000-5999),212(7000-9999)						GR	HB	IB	RC
480/223(0000-1999),223(4000-6999),223(9000-9999),237						RD	SH	SQ	T1
480/240(1000-7999),248(1000-3999),265(2000-4999)						T2	UG	UP	UR
480/282(4000-5999),282(8000-8999),291(0000-0999)						US			
480/291(9999-9999),302(2000-5999),302(7000-7999)									
480/304(8000-9999),305(1000-1999),305(2000-2999)									
480/365(0000-0999),393(0000-2999),393(7000-8999)									
480/406(6000-6999),445(9000-9999),467(4000-4999)									
480/471(5000-5999),503(8000-8999),505,522(1000-3999)									
480/588(9000-9999),603(0000-4999),603(9000-9999)									
480/626(0000-2999),626(4000-5999),626(7000-8999)									
480/704(4000-4999),747(9000-9999),760(2000-2999)									
480/882(0000-0999),993(0000-2999)									
602/218(3000-5999),218(7000-9999),288,297(5000-6999),324									
602/337(8000-8999),345(2000-3999),345(6000-9999)									
602/393(0000-7999),393(9000-9999),412(3000-5999)									
602/444(0000-0999),445,476(0000-2999),476(7000-8999)									
602/535(1000-3999),557(0000-0999),606(7000-9999)									
602/633(0000-0999),633(8000-8999),680(1000-5999)									
602/687(6000-6999),707(7000-7999),773(0000-0999)									
602/773(1000-6999),792(0000-0999),794(6000-6999)									
602/845(2000-7999),914(7000-7999),930(4000-4999)									
602/997(3000-3999)									
623/201(1000-2999),207(4000-5999),218(0000-2999)									
623/218(4000-5999),218(7000-7999),218(9000-9999)									
623/241(5000-6999),241(7000-7999),241(9000-9999)									
623/298(0000-7999),398(0000-3999),444(2000-2999)									
623/444(5000-5999),445(1000-1999),643(1000-7999)									
623/643(8000-8999),670(5000-5999),670(7000-7999)									
623/687(9000-9999),691(7000-7999),691(8000-8999)									
623/707(8000-8999),742(1000-3999),889(5000-5999)									
623/889(8000-9999)									

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
PHOENIX                     PHNAAZ55DS1 09135 06732 4793  666 BA DA GE GJ
   480/285(0000-0999),295(7000-8999),302(8000-9999)          GR HB IB RC
   480/304(3000-7999),320(1000-4999),336(2000-8999)          RD SH SQ T1
   480/339(1000-6999),347(1000-4999),371(1000-3999)          T2 UG UP UR
   480/383(6000-6999),397(3000-6999),422(8000-8999)          US
   480/426(0000-1999),436(5000-6999),499,646(9000-9999)
   480/717(3000-6999),779(1000-6999),800(6000-6999)
   480/809(2000-3999),999(7000-7999)
   602/391(2000-2999),399(8000-8999),419(2000-4999)
   602/427(4000-5999),429(2000-2999),429(4000-8999)
   602/441(9000-9999),626(9000-9999),635(9000-9999)
   602/680(6000-6999),702(5000-5999),708(5000-5999)
   602/759(2000-2999),759(6000-6999),777(5000-5999)
   602/777(8000-9999),801(1000-3999),829(2000-4999)
   602/865(1000-1999),865(7000-8999),916(0000-1999)
   623/236(1000-2999),240(1000-8999),383(6000-9999)
   623/399(1000-1999),433(0000-5999),734(9000-9999)
   623/748(2000-2999)
.......................................................................
PHOENIX                     PHNAAZIADS1 09126 06749 231D  666 DA
      /
.......................................................................
PHOENIX                     PHNAAZIADS2 09125 06749 3447  666 DA DD G2 GD
      /                                                       GE GJ GP GQ
                                                              GR HA HD IA
                                                              IB IC ID II
.......................................................................
PHOENIX                     PHNAAZIADS2 09125 06749 7982  666 DA DD G2 GD
      /                                                       GE GJ GP GQ
                                                              GR HA HD IA
                                                              IB IC ID II
.......................................................................
PHOENIX                     PHNAAZVVDS0 09092 06754 7078  666 DA
   602/218(6000-6999)
.......................................................................
PHOENIX                     PHNDAZ79DS0 09082 06751 2191  666 DA
      /
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE			
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--
PHOENIX	PHNDAZLSDS0	09133	06741	7184	666	BA	DA	DD	EA
480/207(4000-4999),207(5000-5999),214(0000-2999)						GB	GC	GD	GE
480/214(4000-4999),214(6000-9999),253(3000-3999)						GJ	GL	GN	GP
480/253(4000-4999),273(8000-8999),327(0000-0999)						GR	HB	HJ	IA
480/327(5000-5999),336(1000-1999),386(5000-5999)						IB	IC	ID	IF
480/386(7000-7999),386(8000-8999),455(6000-6999)						IG	IH	II	QA
480/465(4000-4999),465(5000-5999),468(5000-5999)						QB	QE	RS	SI
480/478(7000-7999),500(2000-2999),519(8000-8999)						SJ	SP	SQ	SU
480/559(6000-6999),658(1000-1999),684(1000-1999)						UF	UG	UK	UR
480/696(2000-2999),729(7000-7999),729(8000-8999)						VC			
480/738(4000-4999),738(5000-5999),800(5000-5999)									
480/822(6000-6999)									
520/204(1000-1999),225(0000-0999),232(2000-2999)									
520/407(5000-5999),407(6000-6999),441(5000-5999)									
520/495(0000-0999),576(5000-5999),908(6000-6999)									
520/908(7000-7999)									
602/247(5000-5999),283(0000-3999),283(7000-7999)									
602/283(9000-9999),314(8000-8999),357(2000-2999)									
602/374(1000-1999),422(8000-8999),425(5000-5999)									
602/429(3000-3999),455(5000-5999),464(0000-2999)									
602/476(5000-5999),483(5000-5999),513(5000-5999)									
602/533(2000-2999),566(5000-5999),638(5000-5999)									
602/644(2000-2999),732(3000-3999),732(4000-4999)									
602/732(5000-5999),732(6000-6999),733(6000-6999)									
602/777(6000-6999),800(5000-5999),812(5000-5999)									
602/888(5000-5999)									
623/207(6000-6999),215(0000-1999),215(9000-9999)									
623/277(4000-4999),277(5000-5999),282(9000-9999)									
623/522(5000-5999),888(3000-3999),888(5000-5999)									
928/415(5000-5999)									

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
PHOENIX	PHNEAZCHDS0	09138	06771	7078	666	AA BA DA

480/579(2000-2999),621(5000-5999),621(6000-6999)
480/621(7000-7999),621(8000-8999)
602/237(5000-5999),237(6000-6999),281(2000-2999)
602/281(6000-6999),283(4000-4999),283(5000-5999)
602/293(3000-3999),296(4000-4999),296(5000-5999)
602/296(7000-7999),314(4000-4999),314(5000-5999)
602/314(6000-6999),334(1000-1999),341(6000-6999)
602/346(0000-0999),354(2000-5999),354(7000-7999)
602/354(8000-8999),358(7000-7999),358(8000-8999),368
602/374(2000-2999),374(3000-3999),374(4000-4999)
602/374(5000-5999),374(6000-6999),374(7000-7999)
602/374(8000-8999),388(4000-4999),396(2000-2999)
602/441(0000-0999),441(1000-1999),441(2000-2999)
602/441(3000-3999),441(4000-4999),441(5000-5999)
602/449(2000-2999),449(3000-3999),449(4000-4999)
602/449(5000-5999),449(6000-6999),449(7000-7999)
602/464(5000-5999),464(6000-6999),464(9000-9999)
602/466(1000-1999),466(2000-2999),466(3000-3999)
602/472(3000-3999),513(8000-8999),535(4000-4999)
602/535(5000-5999),535(8000-8999),566(7000-7999),595
602/606(2000-2999),626(5000-5999),626(7000-7999)
602/626(8000-8999),633(1000-1999),633(2000-2999)
602/633(3000-3999),633(6000-6999),651(1000-1999)
602/680(7000-7999),682(5000-5999),682(7000-7999)
602/687(7000-7999),687(8000-8999),687(9000-9999)
602/688(5000-5999),688(6000-6999),710(1000-1999)
602/714(5000-5999),714(6000-6999),730(3000-3999)
602/730(8000-8999),732(2000-2999),761(2000-2999)
602/761(5000-5999),795,812(3000-3999),812(4000-4999)
602/812(7000-7999),814(8000-8999),824(9000-9999)
602/872(7000-7999),884(3000-3999),900(4000-4999)
602/900(5000-5999),926(3000-3999),926(4000-4999)
602/926(5000-5999),926(6000-6999)
623/215(2000-2999),215(3000-3999),215(4000-4999)
623/215(6000-6999),215(7000-7999),215(8000-8999)
623/217(2000-2999),218(6000-6999),225(7000-7999)
623/234(2000-2999),234(3000-3999),234(4000-4999)
623/234(8000-8999),234(9000-9999),236(3000-3999)

-------- Continued on next page --------

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

LOCALITY CLLI WCV WCH CC LATA OFFICE TYPE
---------NPA/NXX---------- ---------- ----- ----- ---- ---- -- -- -- --

-------- Continued from previous page --------

623/236(8000-8999),236(9000-9999),242(6000-6999)
623/242(7000-7999),242(8000-8999),242(9000-9999)
623/243(5000-5999),243(6000-6999),243(7000-7999)
623/243(9000-9999),249(2000-2999),249(3000-3999)
623/249(4000-4999),249(5000-5999),249(6000-6999)
623/249(7000-7999),251(2000-2999),251(3000-3999)
623/251(4000-4999),251(5000-5999),251(6000-6999)
623/251(7000-7999),266,271(6000-6999),271(7000-7999)
623/271(8000-8999),271(9000-9999),295(4000-4999)
623/302(5000-5999),302(7000-7999),302(9000-9999)
623/312(2000-2999),312(3000-3999),322,328(1000-1999)
623/328(2000-2999),328(3000-3999),328(4000-4999)
623/328(5000-5999),328(6000-6999),328(7000-7999)
623/328(8000-8999),328(9000-9999),337(4000-4999)
623/337(5000-5999),374(2000-2999),374(3000-3999)
623/374(4000-4999),374(6000-6999),374(7000-7999)
623/388(3000-3999),388(4000-4999),388(6000-6999)
623/398(6000-6999),398(7000-7999),398(8000-8999)
623/399(6000-6999),399(8000-8999),399(9000-9999)
623/414(3000-3999),433(7000-7999),433(8000-8999)
623/433(9000-9999),444(4000-4999),444(6000-6999)
623/444(7000-7999),444(8000-8999),444(9000-9999)
623/455(3000-3999),455(8000-8999),455(9000-9999)
623/466(0000-0999),466(6000-6999),466(7000-7999)
623/466(8000-8999),466(9000-9999),476(2000-2999)
623/476(5000-5999),476(7000-7999),476(8000-8999)
623/478(2000-2999),500(3000-3999),500(5000-5999)
623/505(3000-3999),505(7000-7999),518(2000-2999)
623/518(3000-3999),518(4000-4999),518(6000-6999)
623/518(9000-9999),533(3000-3999),533(4000-4999)
623/533(5000-5999),533(6000-6999),537(7000-7999)
623/547(5000-5999),547(6000-6999),547(7000-7999),594
623/748(3000-3999),748(8000-8999),748(9000-9999)
623/777(0000-0999),777(1000-1999),792(5000-5999)
623/792(7000-7999),792(8000-8999)
928/252(2000-2999),252(3000-3999),252(4000-4999)
928/252(6000-6999)

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
PHOENIX	PHNFAZWODSO	09060	06740	7078	666	DA
602/464(8000-8999),933(0000-0999),933(1000-1999)						
602/933(2000-2999),933(3000-3999),933(4000-4999)						
602/933(5000-5999),933(6000-6999),933(7000-7999)						
602/933(8000-8999),933(9000-9999)						
623/256(6000-6999)						
PHOENIX	PHNXAZ12DS0	09133	06748	7282	666	BA DA GI GJ
/						GL GN GQ HA
						HD IA IB II
						SH SI UA UG
						UR UU
PHOENIX	PHNXAZ19DS1	09133	06747	1551	666	D1 DA DD GB
/						GE GJ GL GN
						HB HJ IA IB
						IC ID IG II
						UG
PHOENIX	PHNXAZ28DS3	09127	06749	630E	666	DA DD GE GL
/						GN GP GR IA
						IB
PHOENIX	PHNXAZ81DS0	09164	06738	5101	666	AA BA DA G4
480/283(0000-2999),283(6000-6999),283(8000-9999),460						GC GD GE GG
						GJ GN GQ GR
						HB HD IB IC
						ID IH II PC
						PL SH SP SQ
						TA TH TL VC
						WE

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
PHOENIX                     PHNXAZEADS0 09130 06738 5101  666 AA BA DA G4
   602/220,225,231,236,244,267,273,275,286,302,306,389,392   GC GD GE GG
   602/629,652(5000-5999),681(0000-6999),681(8000-9999),683  GJ GN GQ GR
   602/685,797,914(0000-6999),914(8000-9999)                 HB HD IB IC
                                                             ID IH II OE
                                                             PB PE PL RA
                                                             RB RC RD RE
                                                             RF RG RH RJ
                                                             RK SH SN SP
                                                             SQ TA TH TL
                                                             UR VC WD WE
                                                             WF WG WH WI
                                                             WJ
.......................................................................
PHOENIX                     PHNXAZEAXXX 09130 06738 5101  666 ZZ
     /
.......................................................................
PHOENIX                     PHNXAZGRDS0 09098 06767 5101  666 AA BA DA G4
   602/298,338(3000-8999),375,436,439,467(0000-2999)         GC GD GE GG
   602/467(4000-9999),504(0000-6999),504(8000-9999),543,547  GJ GN GQ GR
   602/548,564,588,644(3000-5999),644(8000-8999)             HB HD IB IC
   602/789(0000-2999),789(6000-9999),843,862(0000-7999)      ID IH II OE
   602/862(9000-9999),863,865(2000-6999),866,896(0000-6999)  PB PE PK RA
   602/896(8000-9999),938,942,978,993                        RB RC RD RE
                                                             RF RG RH RJ
                                                             RK SH SN SP
                                                             SQ TA TL UR
                                                             VC WD WE WF
                                                             WG WH WI WJ
.......................................................................
PHOENIX                     PHNXAZGRXXX 09098 06767 5101  666 ZZ
     /
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
PHOENIX	PHNXAZLVDS0	09155	06760	5101	666	AA BA DA G4
602/237(0000-4999),237(7000-9999),599(2000-2999)						GC GD GE GG
602/599(4000-4999),605(8000-8999),801(0000-0999)						GN GQ GR HB
						HD IB IC ID
						IH II PC PL
						SH SP SQ TA
						TH TL VC WE
PHOENIX	PHNXAZMA01T	09133	06748	5101	666	BA DA GB HD
/						PC PL SN SQ
						WE
PHOENIX	PHNXAZMA01W	09133	06748	5101	666	PC PL TB WE
/						
PHOENIX	PHNXAZMA02W	09133	06748	5101	666	PC PL TB WE
/						
PHOENIX	PHNXAZMA04T	09133	06748	5101	666	G2 G3 PC PL
/						WE
PHOENIX	PHNXAZMA07T	09133	06748	5101	666	BA DA GB HD
/						PC PL SN SQ
						WE
PHOENIX	PHNXAZMA90W	09133	06748	5101	666	HC
/						
PHOENIX	PHNXAZMABB3	09133	06748	5101	666	TU
/						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE			
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--
PHOENIX	PHNXAZMADS1	09133	06748	5101	666	AA	BA	DA	G4
602/364(0000-8999),365(1000-2999),365(3000-3999)						GC	GD	GE	GG
602/365(4000-9999),372,379,382,506,514,542						GJ	GN	GQ	GR
602/594(0000-4999),594(6000-9999),597,771,774(5000-5999)						HB	HD	IB	IC
602/774(7000-9999)						ID	IH	II	PA
						PE	PL	SH	SP
						SQ	TL	UR	VC
						WD	WE	WF	WG
						WH	WI	WJ	
PHOENIX	PHNXAZMADS4	09133	06748	5101	666	AA	BA	DA	G4
602/208,213,219,223(0000-0999),223(2000-9999),226,227						GC	GD	GE	GG
602/229,238,239(0000-3999),239(5000-9999),250(1000-9999)						GJ	GN	GQ	GR
602/251,252,253,254,255,256,257,258,259,261,262,270,271						HB	HD	IB	IC
602/305(1000-1999),307,310,322,340,378,401,407,408,409						ID	IH	II	PA
602/416(0000-0999),416(2000-3999),416(5000-9999),417						PC	PE	PL	RA
602/420(0000-2999),420(4000-9999),440,452,462(0000-6999)						RB	RC	RD	RE
602/462(8000-9999),495,496,498,519,521(3000-5999),523						RF	RG	RH	RJ
602/528,533(0000-0999),534,537,590,593,608						RK	SE	SH	SN
602/652(7000-7999),665(8000-8999),701,709,712						SP	SQ	TL	UR
602/716(0000-0999),716(2000-9999),719,720,744,747,766						VC	WD	WE	WF
602/817(0000-7999),817(9000-9999),822,827,839,876						WG	WH	WI	WJ
PHOENIX	PHNXAZMADSH	09133	06748	5101	666	PC	PL	TD	WE
/									
PHOENIX	PHNXAZMADSJ	09133	06748	5101	666	PC	PL	TD	WE
/									
PHOENIX	PHNXAZMADSK	09133	06748	5101	666	PC	PL	TD	WE
/									
PHOENIX	PHNXAZMADSL	09133	06748	5101	666	PC	PL	TD	WE
/									
PHOENIX	PHNXAZMADSM	09133	06748	5101	666	PC	PL	TD	WE
/									

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
PHOENIX	PHNXAZMADSN	09133	06748	5101	666	PC PL TD WE
/						
PHOENIX	PHNXAZMADSP	09133	06748	5101	666	PC PL TD WE
/						
PHOENIX	PHNXAZMADSR	09133	06748	5101	666	PC PL TD WE
/						
PHOENIX	PHNXAZMADSS	09133	06748	5101	666	PC PL TD WE
/						
PHOENIX	PHNXAZMAK12	09133	06748	5101	666	PC PL UE WE
/						
PHOENIX	PHNXAZMAS01	09133	06748	5101	666	PC PL WE ZZ
/						
PHOENIX	PHNXAZMAXOX	09133	06748	231D	666	GB QC
/						
PHOENIX	PHNXAZMRDS0	09109	06795	5101	666	AA BA DA G4
623/523(0000-0999),523(5000-6999),523(8000-8999)						GC GD GE GG
623/561(4000-4999),583,815,824(0000-0999),832						GJ GN GQ GR
623/872(4000-4999),875,876,933,972,974,977						HB HD IB IC
						ID IH II OE
						PC PL RA RB
						RC RD RE RF
						RG RH RJ RK
						SH SP SQ TA
						TH TL VC WE
PHOENIX	PHNXAZNEBB2	09121	06737	5101	666	TU
/						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE				
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--	
PHOENIX	PHNXAZNEDS0	09121	06737	5101	666	AA	BA	DA	G4	
602/224,355,381,468,474(0000-3999),474(4000-4999)						GC	GD	GE	GG	
602/474(5000-5999),474(7000-8999),474(9000-9999),508						GJ	GN	GQ	GR	
602/521(0000-1999),521(6000-9999),522,553,667,724,778						HB	HD	IB	IC	
602/801(4000-9999),808,840,852,912,952,954,955,956,957						ID	IH	II	OE	
602/977						PC	PL	RA	RB	
						RC	RD	RE	RF	
						RG	RH	RJ	RK	
						SH	SP	SQ	TA	
						TH	TL	VC	WE	
PHOENIX	PHNXAZNEXXX	09121	06737	5101	666	ZZ				
/										
PHOENIX	PHNXAZNO0W1	09123	06749	5101	666	PA	PJ	TB	WE	
/										
PHOENIX	PHNXAZNODS1	09123	06749	5101	666	AA	BA	DA	G4	(C)
602/745						GC	GD	GE	GG	(C)
						GJ	GN	GQ	GR	(C)
						HB	HD	IB	IC	(C)
						ID	IH	II	PA	(C)
						PE	PJ	SH	SP	(C)
						SQ	TA	TH	TL	(C)
						UR	VC	WD	WE	(C)
						WF	WG	WH	WI	(C)
						WJ				(C)

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
PHOENIX                     PHNXAZNODS3 09123 06749 5101  666 AA BA DA G4 (C)
   602/200(0000-3999),200(5000-9999),207(0000-7999)          GC GD GE GG (C)
   602/207(9000-9999),212,217,221,222,230,234                GN GQ GR HB (C)
   602/235(1000-9999),240,241,248,263,264,265,266,274,277    HD IB IC ID (C)
   602/279,280,285,287,294,297(0000-4999),297(8000-9999)     IH II PA PE (C)
   602/351(0000-4999),351(6000-9999),406,479,490(1000-2999)  PJ RA RB RC (C)
   602/490(4000-7999),512(0000-0999),512(2000-2999)          RD RE RF RG (C)
   602/512(4000-4999),512(6000-6999),512(8000-8999),530,532  RH RJ RK SH (C)
   602/546(0000-5999),559(0000-0999),559(2000-3999),604      SN SP SQ TA (C)
   602/605(0000-1999),605(5000-7999),605(9000-9999),630,631  TH TL UR VC (C)
   602/636(0000-6999),636(9000-9999),640(1000-9999),650      WD WE WF WG (C)
   602/651(0000-0999),651(2000-3999),651(5000-7999)          WH WI WJ    (C)
   602/651(9000-9999),664(1000-9999),665(0000-7999)                      (C)
   602/665(9000-9999),678(9000-9999),728,764,776(0000-7999)              (C)
   602/776(9000-9999),798,916(6000-8999)                                 (C)
.......................................................................
PHOENIX                     PHNXAZNOXXX 09123 06749 5101  666 ZZ
     /
.......................................................................
PHOENIX                     PHNXAZNWDS0 09118 06760 5101  666 AA BA DA G4
   602/239(4000-4999),242,246,249,335(0000-8999),336         GC GD GE GG
   602/338(2000-2999),347,416(4000-4999),433,456(3000-3999)  GJ GN GQ GR
   602/456(4000-7999),490(3000-3999),512(3000-3999)          HB HD IB IC
   602/544(0000-5999),544(8000-8999),589,594(5000-5999)      ID IH II PB
   602/599(0000-0999),599(6000-9999),634,644(7000-7999),841  PE PK RA RB
   602/864,865(0000-0999),973,995                            RC RD RE RF
                                                             RG RH RJ RK
                                                             SH SN SP SQ
                                                             TA TL UR VC
                                                             WD WE WF WG
                                                             WH WI WJ
.......................................................................
PHOENIX                     PHNXAZNWXXX 09118 06760 5101  666 ZZ
     /
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
PHOENIX	PHNXAZSEDS0	09142	06731	5101	666	AA BA DA G4
602/414,426,431,437,438,453,454,458,462(7000-7999),470						GC GD GE GG
602/636(7000-8999),659						GJ GN GQ GR
						HB HD IB IC
						ID IH II PB
						PK RA RB RC
						RD RE RF RG
						RH RJ RK SH
						SN SP SQ TA
						TH TL UR VC
						WD WE WF WG
						WH WI WJ
PHOENIX	PHNXAZSEXXX	09142	06731	5101	666	ZZ
/						
PHOENIX	PHNXAZSODS0	09145	06745	5101	666	AA BA DA G4
602/232,243,268,276,304,305(0000-0999),305(2000-9999)						GC GD GE GG
602/323(0000-3999),323(5000-5999),323(8000-9999)						GJ GN GQ GR
602/546(6000-6999)						HB HD IB IC
						ID IH II PC
						PL RA RB RC
						RD RE RF RG
						RH RJ RK SH
						SN SP SQ TA
						TH TL VC VJ
						WE

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
PHOENIX                     PHNXAZSYDS0 09108 06754 5101  666 AA BA DA G4
   602/216,328(1000-5999),328(8000-9999),331,371,395         GC GD GE GG
   602/533(3000-5999),674(0000-6999),674(8000-9999)          GJ GN GQ GR
   602/678(0000-7999),678(8000-8999),749(0000-5999)          HB HD IB IC
   602/749(7000-9999),861,870,906,943,944,997(0000-2999)     ID IH II JB
   602/997(4000-9999)                                        PB PF PK RA
                                                             RB RC RD RE
                                                             RF RG RH RJ
                                                             RK SH SN SP
                                                             SQ TA TH TL
                                                             UR VC WD WE
                                                             WF WG WH WI
                                                             WJ
.......................................................................
PHOENIX                     PHNXAZSYXXX 09108 06754 5101  666 ZZ
     /
.......................................................................
PHOENIX                     PHNXAZUI8MD 09128 06479 916E  666 GR
   435/412(5000-5999)
   480/550(3000-3999),909(3000-3999),935(4000-4999)
   520/277(6000-6999),635(6000-6999),827(5000-5999)
   602/598(7000-7999),782(1000-1999)
   623/233(7000-7999)
   928/212(7000-7999),218(7000-7999),236(8000-8999)
   928/238(7000-7999),240(7000-7999),241(7000-7999)
   928/243(9000-9999),249(7000-7999),251(7000-7999)
   928/293(7000-7999),295(7000-7999),299(7000-7999)
   928/302(7000-7999),315(7000-7999),331(7000-7999)
   928/337(8000-8999),338(7000-7999),339(2000-2999)
   928/404(8000-8999),420(7000-7999),421(7000-7999)
   928/466(7000-7999),551(9000-9999),558(7000-7999)
   928/599(5000-5999),615(3000-3999),635(7000-7999)
   928/671(7000-7999),765(6000-6999),766(3000-3999)
   928/769(7000-7999),770(7000-7999),940(7000-7999)
   928/961(7000-7999)
.......................................................................
PHOENIX                     PHNXAZUIRSM 09128 06479 916E  666 GR
   480/428(7000-7999)
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
PHOENIX                     PHNXAZWEBB1 09135 06759 5101  666 TU
     /
.......................................................................
PHOENIX                     PHNXAZWEDS0 09135 06759 5101  666 AA BA DA G4
   602/233(0000-1000),233(2000-9999),269,272,278,352         GC GD GE GG
   602/353(0000-6999),353(8000-9999),415,442,447             GJ GN GQ GR
   602/455(0000-0999),455(2000-4999),455(6000-9999)          HB HD IB IC
   602/477(0000-8999),484,512(7000-7999),533(1000-1999)      ID IH II OE
   602/533(6000-9999),605(2000-2999),605(3000-3999)          PB PE PK RA
   602/605(4000-4999)                                        RB RC RD RE
                                                             RF RG RH RJ
                                                             RK SH SN SP
                                                             SQ TA TH TL
                                                             UR VC VJ WD
                                                             WE WF WG WH
                                                             WI WJ
.......................................................................
PHOENIX                     PHNZAZ87DS0 XXXXX XXXXX XXXX XXX  XX XX XX XX (D)
     /                                                                    (D)
.......................................................................
PHOENIX                     PHNZAZ87PS0 XXXXX XXXXX XXXX XXX  XX XX XX XX (D)
     /                                                                    (D)
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE	
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --	
PHOENIX	PHNZAZZJDS1	09138	06764	7282	666	DA	(C)
480/270(7000-8999),281,282(6000-6999),282(9000-9999)							(C)
480/296(0000-0999),296(2000-2999),296(7000-7999)							(C)
480/319(8000-8999),401(3000-3999),407(3000-3999)							(C)
480/426(6000-7999),428(6000-6999),448(3000-4999)							(C)
480/454(5000-5999),459(2000-4999),477,482(4000-4999)							(C)
480/494(8000-8999),501(4000-4999),508(3000-3999)							(C)
480/509(6000-7999),518(8000-9999),534(3000-3999),552,554							(C)
480/567(0000-1999),567(3000-3999),567(7000-7999)							(C)
480/567(9000-9999),579(3000-3999),586(2000-3999)							(C)
480/586(9000-9999),587(4000-4999),612(6000-6999)							(C)
480/612(8000-9999),665(3000-3999),665(4000-4999)							(C)
480/665(5000-5999),715,718(0000-4999),718(6000-6999),723							(C)
480/734(2000-2999),739(1000-1999),739(4000-4999)							(C)
480/750(5000-6999),758(3000-3999),758(6000-6999)							(C)
480/845(5000-6999),912(8000-8999)							(C)
520/494(3000-3999),635(2000-2999)							(C)
602/281(1000-1999),281(3000-3999),281(7000-9999),282							(C)
602/313(2000-2999),358(0000-0999),358(2000-2999)							(C)
602/384(2000-2999),384(9000-9999),427(0000-3999)							(C)
602/427(6000-6999),427(9000-9999),459(7000-8999)							(C)
602/466(9000-9999),476(6000-6999),567,586(1000-5999)							(C)
602/603(6000-8999),687(1000-1999),687(4000-5999)							(C)
602/718(1000-1999),718(3000-3999),734(0000-4999)							(C)
602/734(6000-6999),734(7000-9999),782(4000-4999)							(C)
602/833(3000-3999),833(6000-7999),883(3000-4999)							(C)
623/233(8000-8999),255(3000-3999),277(1000-1999)							(C)
623/277(2000-2999),277(3000-3999),282(3000-3999)							(C)
623/295(3000-3999),299(3000-3999),299(4000-4999)							(C)
623/312(1000-1999),336(6000-6999),432(3000-3999)							(C)
623/476(0000-1999),476(3000-4999),499(3000-3999)							(C)
623/518(1000-1999),666(7000-7999),687(2000-3999)							(C)
623/696(3000-4999),734(1000-1999),745(3000-3999)							(C)
623/745(4000-4999),759(7000-7999),777(5000-5999)							(C)
623/850(5000-5999)							(C)
928/220(7000-7999),238(3000-3999),239(3000-3999)							(C)
928/239(6000-6999),248(3000-3999),315(4000-4999)							(C)
928/388(6000-6999),427(5000-5999),499(3000-3999)							(C)
928/589(3000-3999),693(3000-3999),864(5000-5999)							(C)

-------- Continued on next page --------

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

-------- Continued from previous page --------

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
928/910(4000-4999)						(C)
PIMA	PIMAAZMARS1	09154	06319	5101	668	AA BA DA G4
928/485(0000-0999),485(2000-2999),485(3000-3999)						GC GD GE GG
928/485(7000-7999),485(8000-8999),485(9000-9999)						GN GQ GR HD
						IB IC ID IH
						II PC PL SH
						SP SQ TH TL
						WE
PINEDALE	PNDLAZXCRS1	08876	06469	4426	666	AA BA DA GC
928/739						GD GM GR HJ
						RC RD RF RM
						SQ
PINETOP	PNTPAZXARS0	08901	06398	4426	666	AA BA DA GC
928/369(0000-0999),369(1000-1999),369(2000-2999)						GD GR HJ RC
928/369(3000-3999),369(4000-4999),369(5000-5999)						RD RF RM SQ
928/369(7000-7999),369(9000-9999)						
PINETOP	PNTPAZXCRS0	08901	06404	4426	666	AA BA DA GC
928/367						GD GR HJ RC
						RD RF RM SQ
PINON	PINNAZXCRS1	08499	06533	4449	980	BA CA GC GD
928/725						GN GR HJ SQ
						UL UM
POLACCA	PLCCAZXCRS1	08560	06573	815D	666	AA DA GR HD
928/737						OE PN RA RC
						RD TJ TK WE
PORTAL	PRTLAZXCDS0	09329	06143	4470	668	AA BA DA HD
520/558						SJ SQ TJ UR
						UX WE WG WH

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
POSTON 760/664(4000-4999) 928/662(1000-1999),662(4000-4999)	PSTNAZXCRS1	09105	07187	4419	730	DA GM GN GR II
PRESCOTT 928/442(4000-4999)	PRSCAZEARS0	08902	06847	5101	666	AA BA DA G4 GC GD GE GG GN GQ GR HD IB IC ID IH II PC PL SH SP SQ TH TL WE
PRESCOTT 928/442(8000-8999),583(6000-6999),759,772,775	PRSCAZEARS2	08902	06847	5101	666	AA BA DA G4 GC GD GE GG GN GQ GR HD IB IC ID IH II PC PL SH SP SQ TH TL WE
PRESCOTT 928/277(2000-2999),442(0000-3999),442(5000-5999) 928/442(9000-9999),443,445,458(2000-2999),515(5000-7999) 928/541,583(1000-1999),708,717,771,776,777,778	PRSCAZMADS0	08917	06871	5101	666	AA BA DA G4 GC GD GE GG GJ GN GQ GR HB HD IB IC ID IH II PC PL RA RB RC RD RE RF RG RH RJ RK SE SH SN SP SQ TL VC WE
PRESCOTT /	PRSCAZMADSH	08917	06871	5101	666	PC PL TD WE
PRESCOTT /	PRSCAZMAXXX	08917	06871	5101	666	ZZ
PRESCOTT /	PRSCAZSWRS1	08954	06908	5101	666	BA DA GC PC PL SQ TH WE

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
QUARTZSITE	QRTZAZXCDS0	09168	07140	2174	730	AA BA DA GR
928/927						OE TJ TU TZ
RED VALLEY	RDVYAZXCRL0	08344	06386	4449	980	BA DA GC GD
928/653						GN GR HJ UL
						UM
RIM ROCK	CMVRAZRRRS1	08866	06750	5101	666	AA BA DA G4
928/567(4000-4999),592(0000-0999),592(9000-9999)						GC GD GE GG
						GN GQ GR HD
						IB IC ID IH
						II PC PL RA
						RB RC RD RE
						RF RG RH RM
						SA SH SP SQ
						TH TL WE
RIO RICO	NGLSAZ03RS2	09530	06434	5101	668	AA BA DA G4
520/281(7000-8999),377(7000-8999)						GC GD GE GG
						GN GQ GR HD
						IB IC ID IH
						II PC PL RA
						RB RC RD RE
						RF RG RH RM
						SA SH SP SQ
						TH TL WE
ROCK POINT	RKPNAZXCRL0	08343	06488	4449	980	BA DA GR HJ
928/659						SQ
ROOSEVELT LAKE	RSVTAZXCDS0	09049	06593	2171	666	AA BA DA GR
928/467						TJ
ROUGH ROCK	RHRKAZXCRS0	08419	06511	4449	980	BA DA GR HJ
928/728						SQ
SAFFORD	SFFRAZ15DS0	09163	06297	183D	668	AA BA DA GR
928/424						SJ SQ UR UX
						WE WG WH

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SAFFORD	SFFRAZMADS0	09163	06295	5101	668	AA BA DA G4
928/348,387(0000-0999),387(8000-9999),428,432(4000-4999)						GC GD GE GG
928/552,792(5000-5999)						GJ GN GQ GR
						HB HD IB IC
						ID IH II PC
						PL SH SP SQ
						TL VC WE
SAFFORD	SFFRAZMADSH	09163	06295	5101	668	PC PL TD WE
/						
SAINT JOHNS	STJHAZXBRS0	08797	06325	4426	666	AA BA DA GC
928/337(0000-0999),337(2000-2999),337(3000-3999)						GD GR HJ RC
928/337(4000-4999),337(5000-5999),337(6000-6999)						RD RF RM SQ
928/337(7000-7999),337(9000-9999)						
SAINT MICHAELS	STMCAZXE02T	08543	06344	4449	980	GB HB HD RA
/						RC RD RE RF
						RG RH RL RS
						RU SC SD SE
						SF SM SP SR
						ST UD UG UL
						UM UP UR US
						UT UW UX UY
						VA
SAINT MICHAELS	STMCAZXEDS0	08543	06344	4449	980	BA DA GC GD
928/810(0000-0999),810(3000-5999),810(7000-7999)						GN GR HJ IC
928/810(8000-8999),871						ID IE IG IH
						II RA RD RG
						RN RS RU SM
						SP SU SV UG
						UL UM UP UR
						US UT UW UX
						UY VA
SAINT MICHAELS	STMCAZXEPS1	08543	06344	4449	980	DA IP
928/815(4000-4999)						

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SALOME	SALMAZXCDS0	09121	07039	2174	730	AA BA DA GR
928/859						OE TJ
SAN MANUEL	ORCLAZMARS1	09256	06474	5101	668	AA BA DA G4
520/896(0000-0999),896(2000-2999),896(3000-3999)						GC GD GE GG
520/896(5000-5999),896(6000-6999),896(9000-9999)						GN GQ GR HD
						IB IC IH II
						PC PL SH SP
						SQ TH WE
SAN MANUEL	SNMNAZMADS0	09252	06447	5101	668	AA BA DA G4
520/385(0000-4999),385(8000-9999)						GC GD GE GG
						GJ GN GQ GR
						HB HD IB IC
						ID IH II PC
						PL SH SP SQ
						WE
SAN SIMON	SNSMAZXCDS0	09259	06176	4470	668	AA BA DA HD
520/845						OE SJ SQ TJ
						TZ UR UX WE
						WG WH
SANDERS	SNDRAZXCDS0	08646	06358	3334	666	BA DA G1 G7
928/688						GC GE GQ GR
						HJ IB IC ID
						IE IF IG IH
						II JB JD RA
						SJ SV SX T8
						T9 TJ TK UA
						UG VC VE WE
						XE
SANTA ROSA	SNRSAZXARS0	09365	06690	2173	668	BA DA DD GM
520/361						OE TJ
SASABE	SASBAZXCGT0	09505	06550	2171	668	DA GM GR OE
520/823						SQ TJ TZ

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
SCOTTSDALE                  SCDLAZMABB2 09118 06724 5101  666 TU
     /
.......................................................................
SCOTTSDALE                  SCDLAZMADS0 09118 06724 5101  666 AA BA DA G4
   480/312,421(0000-7999),421(9000-9999),423,424,425,429     GC GD GE GG
   480/441,445(0000-8999),448(7000-7999),463(8000-8999),481  GJ GN GQ GR
   480/638(7000-7999),663(0000-2999),663(4000-5999)          HB HD IB IC
   480/663(6000-9999),675(0000-5999),675(7000-9999)          ID IH II PB
   480/840(0000-0999),840(2000-2999),840(7000-8999),874      PE PK RA RB
   480/882(4000-7999),941,945,946,947,949,970,990,994        RC RD RE RF
                                                             RG RH RJ RK
                                                             SH SN SP SQ
                                                             TA TL UR VC
                                                             WD WE WF WG
                                                             WH WI WJ
.......................................................................
SCOTTSDALE                  SCDLAZMADSH 09118 06724 5101  666 PB PK TD WE
     /
.......................................................................
SCOTTSDALE                  SCDLAZMADSJ 09118 06724 5101  666 PB PK TD WE
     /
.......................................................................
SCOTTSDALE                  SCDLAZMADSK 09118 06724 5101  666 PB PK TD WE
     /
.......................................................................
SCOTTSDALE                  SCDLAZMAXXX 09118 06724 5101  666 ZZ
     /
.......................................................................
SCOTTSDALE                  SCDLAZQFDS3 09123 06710 7991  666 DA G1 GJ GL
   480/278(7000-7999),278(8000-8999),362(0000-7999)          GN GR IA IB
   480/362(9000-9999),646(8000-8999)                         IC ID RC RD
                                                             SA SF SG SI
                                                             SJ SM SP SQ
                                                             ST SU SW T8
                                                             TC TD TH TI
                                                             TJ TU UA UG
                                                             UQ UR UT WE
                                                             WF WG WH WI
                                                             WJ XE
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
SCOTTSDALE                  SCDLAZQFGT1 09123 06710 7991  666 DA GG GI GL
   480/270(5000-5999),270(6000-6999),291(5000-5999)          GN GR IA IB
   480/291(6000-6999),291(7000-7999),291(8000-8999)          IC ID IE IG
   480/302(6000-6999),434(6000-6999),476(7000-7999)          OE RC RD SA
   480/527(2000-2999),745(3000-3999),745(8000-8999)          SF SG SI SJ
   480/800(3000-3999)                                        SM SP SQ ST
                                                             SW T8 TC TD
                                                             TI TJ UG UQ
                                                             UR WE WF WG
                                                             WH WI WJ WL
.......................................................................
SCOTTSDALE                  SCDLAZSHDS0 09095 06712 5101  666 AA BA DA G4
   480/301,314,323(1000-1999),323(3000-4999),323(7000-7999)  GC GD GE GG
   480/358(2000-2999),391,451,551,614,657(0000-0999)         GJ GN GQ GR
   480/657(2000-9999),661,767,860,862(1000-1999)             HB HD IB IC
   480/862(7000-8999)                                        ID IH II PC
                                                             PL SH SP SQ
                                                             TA TH TL VC
                                                             VJ WE
.......................................................................
SCOTTSDALE                  SCDLAZTHDS0 09102 06728 5101  666 AA BA DA G4
   480/315,348,365(1000-7999),367,368,443,458(4000-4999)     GC GD GE GG
   480/483,484,556(0000-0999),556(2000-9999),596,607,609     GJ GN GQ GR
   480/624,778,905,922,948,951,991,998                       HB HD IB IC
                                                             ID IH II OE
                                                             PB PK RA RB
                                                             RC RD RE RF
                                                             RG RH RJ RK
                                                             SH SN SP SQ
                                                             TA TH TL UR
                                                             VC WD WE WF
                                                             WG WH WI WJ
.......................................................................
SCOTTSDALE                  SCDLAZTHXXX 09102 06728 5101  666 ZZ
      /
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SEDONA	SEDNAZMADS0	08820	06763	5101	666	AA BA DA G4
928/203(0000-0999),203(1000-1999),203(2000-2999)						GC GD GE GG
928/203(3000-3999),203(4000-4999),203(5000-5999)						GJ GN GQ GR
928/203(7000-7999),203(8000-8999),203(9000-9999),204,282						HB HD IB IC
928/282						ID IH II PC
						PL SE SH SP
						SQ TH TL VC
						WE
SEDONA	SEDNAZSORS3	08841	06758	5101	666	AA BA DA G4
928/284(0000-0999),284(1000-1999),284(2000-2999)						GC GD GE GG
928/284(3000-3999),284(4000-4999),284(5000-5999)						GN GQ GR HD
928/284(6000-6999),284(9000-9999)						IB IC ID IH
						II PC PL SH
						SP SQ TH TL
						WE
SELLS	SLLSAZXADS1	09450	06636	2173	668	BA DA DD OE
520/383						TJ XE
SHONGOPOVI	SHPVAZ02DS0	08559	06597	815D	666	AA BA DA GR
928/734(6000-9999)						OE TJ TK TZ
						XE
SHONTO	SHNTAZXCRS0	08410	06659	4449	980	BA DA GR HJ
928/672						SD
SHOW LOW	SHLWAZXC01T	08879	06428	4426	666	GB
/						
SHOW LOW	SHLWAZXCDS1	08879	06428	4426	666	AA BA DA GC
928/532,537						GD GR HJ RC
						RD RF RM SQ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SIERRA VISTA	SRVSAZMADS0	09458	06332	5101	668	AA BA DA G4
520/417,439,452,454,458,459,515,533,538						GC GD GE GG
						GJ GN GQ GR
						HB HD IB IC
						ID IH II PC
						PG PL RA RB
						RC RD RE RF
						RG RH RJ RK
						SH SN SP SQ
						TL VC WE
SIERRA VISTA	SRVSAZMADSH	09458	06332	5101	668	PC PL TD WE
/						
SIERRA VISTA	SRVSAZNORS1	09440	06343	5101	668	AA BA DA G4
520/456(0000-3999),456(8000-9999)						GC GD GE GG
						GN GQ GR HD
						IB IC ID IH
						II PC PL SH
						SP SQ TL WE
SIERRA VISTA	SRVSAZSODS0	09471	06319	5101	668	AA BA DA G4
520/378,803						GC GD GE GG
						GJ GN GQ GR
						HB HD IB IC
						ID IH II PC
						PL SH SP SQ
						TH TL VC WE
SILVER BELL	ELOYAZ05DS0	09309	06637	4490	666	DA GN HA HK
520/898						IC II TJ UG
						UL UM UP WE
SNOWFLAKE	SNWFAZXCRS0	08827	06449	4426	666	AA BA DA GC
928/536						GD GR HJ RC
						RD RF RM SQ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
SOMERTON 928/627,722	SMTNAZMARS1	09414	07182	5101	666	AA BA DA G4 GC GD GE GG GN GQ GR HD IB IC ID IH II PC PL SH SP SQ TH TL WE
SPRINGERVILLE 928/333	SPVLAZXCRS0	08871	06290	4426	666	AA BA DA GC GD GR HJ RC RD RF RM SQ
STANFIELD 520/424(0000-0999),424(3000-3999),424(9000-9999)	STFDAZMARS1	09249	06700	5101	666	AA BA DA G4 GC GD GE GG GN GQ GR HD IB IC ID IH II PC PL SH SP SQ TH TL WE
SUNIZONA 520/824	SNZNAZXCDS0	09361	06232	4470	668	AA BA DA HD SJ SQ TJ UR UX WE WG WH
SUPAI 928/448	SUPAAZXCDS0	08566	06988	2171	666	AA BA DA GM GR SQ
SUPERIOR 520/689(0000-3999),689(5000-5999),689(9000-9999)	SPRRAZMARS1	09125	06562	5101	666	AA BA DA G4 GC GD GE GG GN GQ GR HD IB IC ID IH II PC PL SH SP SQ WE

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SUPERSTITION-APACHE	SPRSAZMADS0	09122	06665	5101	666	AA BA DA G4
480/354,357,358(0000-1999),358(6000-6999),358(9000-9999)						GC GD GE GG
480/373,380,822(4000-4999),984,986						GJ GN GQ GR
						HB HD IB IC
						ID IH II PC
						PL RA RB RC
						RD RE RF RG
						RH RJ RK SH
						SN SP SQ TA
						TH TL VC WE
SUPERSTITION-APACHE JCT	SPRSAZEADS0	09120	06649	5101	666	AA BA DA G4
480/288,474(0000-3999),474(5000-5999),474(8000-9999),671						GC GD GE GG
480/677(6000-7999),982,983						GJ GN GQ GR
						HB HD IB IC
						ID IH II PC
						PL SH SP SQ
						TA TH TL VC
						WE
TEEC NOS POS	TNPSAZXRRS1	08281	06412	4449	980	BA DA GR HJ
928/656						SD UL UM
TEMPE	TEMPAZMA01W	09133	06723	5101	666	PB PK TB WE
/___						
TEMPE	TEMPAZMABB3	09133	06723	5101	666	TU
/___						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
TEMPE                       TEMPAZMADS0 09133 06723 5101  666 AA BA DA G4
   480/224(7000-8999),303,317,350(0000-6999),350(8000-9999)  GC GD GE GG
   480/377(0000-4999),377(6000-9999),379,384(1000-1999)      GJ GN GQ GR
   480/384(9000-9999),394(0000-0999),394(2000-3999)          HB HD IB IC
   480/394(9000-9999),437(5000-8999),446,449,457(2000-5999)  ID IH II PB
   480/517,557(0000-8999),557(9000-9999),638(0000-0999)      PF PK RA RB
   480/638(1000-1999),638(2000-2999),638(3000-3999)          RC RD RE RF
   480/638(4000-4999),638(6000-6999),642,693,727,731,736     RG RH RJ RK
   480/774,784(0000-2999),784(4000-6999),784(8000-9999),804  SH SN SP SQ
   480/829,858,872,884,894,902(0000-3999),902(5000-9999)     TA TH TL UR
   480/921,927(0000-2999),927(5000-5999),927(7000-9999),929  VC WD WE WF
   480/965,966,967,968                                       WG WH WI WJ
.......................................................................
TEMPE                       TEMPAZMARS1 09133 06723 4544  666 DA DD G2 GD
      /                                                      GE GJ GN GQ
                                                             HB HC IA IB
                                                             IC IF IG IH
                                                             II QA
.......................................................................
TEMPE                       TEMPAZMAXXX 09133 06723 5101  666 ZZ
      /
.......................................................................
TEMPE                       TEMPAZMCDS0 09144 06715 5101  666 AA BA DA G4
   480/263(4000-8999),345,377(5000-5999),413,456             GC GD GE GG
   480/458(0000-1999),458(6000-6999),458(9000-9999),491      GJ GN GQ GR
   480/512(6000-8999),675(6000-6999),730,752(0000-5999)      HB HD IB IC
   480/752(7000-9999),755,756,768(0000-6999),768(9000-9999)  ID IH II PB
   480/775,777,820,822(2000-3999),831,838,839                PK SH SP SQ
   480/842(3000-4999),897                                    TA TH TL UR
                                                             VC WD WE WF
                                                             WG WH WI WJ
.......................................................................
TEMPE                       TEMPAZMCXXX 09144 06715 5101  666 ZZ
      /
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
TOMBSTONE	TMBSAZMARS1	09413	06297	5101	668	AA BA DA G4
520/457(1000-1999),457(2000-2999),457(3000-3999)						GC GD GE GG
520/457(9000-9999)						GN GQ GR HD
						IB IC ID IH
						II PC PL SH
						SP SQ TH TL
						WE
TONTO BASIN	TNBSAZXCDC0	09017	06630	2171	666	AA BA DA GR
928/479						OE TJ TZ
TOYEI	TOYIAZXCRL0	08570	06489	4449	980	BA DA GR HJ
928/736						SQ
TRUXTON	TXTNAZABRS0	08757	07106	2172	666	AA BA DA GC
928/769(1000-1999),769(2000-2999),769(9000-9999)						GN GR HJ RN
						RO
TSAILE	TSILAZXCRS0	08413	06395	4449	980	BA DA G2 G3
928/724						GC GD GN GR
						HJ IC ID IE
						IG IH II RA
						RF RH RM RQ
						RS RU SM SP
						SQ SU UG UM
						UP VA
TUBA CITY	TBCYAZXCRS0	08532	06735	4449	980	BA DA GN GR
928/283						HJ II SQ UL
						UM
TUBAC	TUBCAZMARS1	09478	06470	5101	668	AA BA DA G4
520/398(0000-3999),398(8000-9999)						GC GD GE GG
						GN GQ GR HD
						IB IC ID IH
						II PC PL SH
						SP SQ TH TL
						WE

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
TUCSON	TCSNAZCADS0	09324	06478	5101	668	AA BA DA G4
520/209(7000-7999),209(8000-8999),232(0000-0999)						GC GD GE GG
520/232(1000-1999),232(5000-5999),232(6000-6999)						GJ GN GQ GR
520/232(7000-7999),232(8000-8999),232(9000-9999),299,529						HB HD IB IC
520/577,615						ID IH II PC
						PL SH SN SP
						SQ TA TH TL
						VC WE
TUCSON	TCSNAZCODS0	09322	06514	5101	668	AA BA DA G4
520/572,579,744						GC GD GE GG
						GJ GN GQ GR
						HB HD IB IC
						ID IH II PC
						PL RA RB RC
						RD RE RF RG
						RH RJ RK SH
						SP SQ TA TH
						TL VC WE
TUCSON	TCSNAZCRDS0	09347	06469	5101	668	AA BA DA G4
520/228,334(6000-6999),512,513,514,519(0000-0999)						GC GD GE GG
520/519(1000-1999),519(2000-2999),519(3000-3999)						GJ GN GQ GR
520/519(4000-4999),519(5000-5999),519(6000-6999)						HB HD IB IC
520/519(7000-7999),519(8000-8999),570,571,584,745,747						ID IH II PB
520/748,750(0000-2999),750(4000-4999),750(6000-9999),790						PK RA RB RC
520/790						RD RE RF RG
						RH RJ RK SH
						SN SP SQ TA
						TH TL VC WE
TUCSON	TCSNAZCRXXX	09347	06469	5101	668	ZZ

/

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
TUCSON	TCSNAZEADS0	09342	06480	5101	668	AA BA DA G4
520/318,319,320,321,322,323,324,325,326,327						GC GD GE GG
520/396(5000-7999),784(0000-0999),784(2000-2999)						GJ GN GQ GR
520/784(5000-5999),784(6000-6999),784(7000-7999),795,874						HB HD IB IC
520/881						ID IH II PB
						PK RA RB RC
						RD RE RF RG
						RH RJ RK SH
						SN SP SQ TA
						TH TL VC WE
TUCSON	TCSNAZFWDS0	09334	06495	5101	668	AA BA DA G4
520/209(6000-6999),292,293,407(0000-0999),407(1000-1999)						GC GD GE GG
520/407(2000-2999),407(3000-3999),407(4000-4999)						GJ GN GQ GR
520/407(7000-7999),407(8000-8999),407(9000-9999),408						HB HD IB IC
520/665(3000-4999),690,696,887,888						ID IH II PC
						PL RA RB RC
						RD RE RF RG
						RH RJ RK SH
						SN SP SQ TA
						TH TL VC WE
TUCSON	TCSNAZMA00W	09346	06487	5101	668	HC PB PK WE
/						
TUCSON	TCSNAZMA01W	09346	06487	5101	668	PB PK TB WE
/						
TUCSON	TCSNAZMA04T	09346	06487	5101	668	BA DA G2 G3
/						GB HD PB PK
						WE
TUCSON	TCSNAZMABB2	09346	06487	5101	668	TU
/						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
TUCSON                      TCSNAZMADS1 09346 06487 5101  668 AA BA DA G4
   520/205(3000-9999),206,209(0000-2999),209(4000-5999)      GC GD GE GG
   520/222(0001-1999),243(1000-2999),243(4000-8999)          GJ GN GQ GR
   520/309(2000-2999),309(3000-3999),309(4000-4999)          HB HD IB IC
   520/328(0000-3999),388(1000-9999),443(2000-8999)          ID IH II PB
   520/594(2000-2999),594(3000-3999),594(4000-4999)          PF SH SN SP
   520/594(5000-5999),594(6000-6999),594(7000-7999)          SQ TL VC WE
   520/594(8000-8999),594(9000-9999),617,620,621,622,623
   520/624,626,628(1000-1999),628(2000-2999),628(3000-3999)
   520/628(4000-4999),628(5000-5999),628(6000-6999)
   520/628(7000-7999),628(8000-8999),628(9000-9999),629
   520/638(0000-4999),670,695,724(2000-9999),740
   520/770(0000-0999),770(1000-1999),770(2000-2999)
   520/770(3000-3999),770(4000-4999),770(5000-5999)
   520/770(7000-7999),770(8000-8999),770(9000-9999)
   520/775(4000-9999),791,792,798,837(2000-8999)
   520/838(2000-2999),838(3000-3999),838(5000-5999)
   520/838(6000-6999),838(7000-7999),872,879(0000-0999)
   520/879(4000-9999),882,884,903(0000-0999),903(1000-1999)
   520/903(2000-2999),903(3000-3999),903(5000-5999)
   520/903(6000-6999),903(9000-9999)
.......................................................................
TUCSON                      TCSNAZMADSH 09346 06487 5101  668 PB PK TD WE
      /
.......................................................................
TUCSON                      TCSNAZMADSJ 09346 06487 5101  668 PB PK TD WE
      /
.......................................................................
TUCSON                      TCSNAZMADSK 09346 06487 5101  668 PB PK TD WE
      /
.......................................................................
TUCSON                      TCSNAZMADSL 09346 06487 5101  668 PB PK TD WE
      /
.......................................................................
TUCSON                      TCSNAZMADSM 09346 06487 5101  668 PB PK TD WE
      /
.......................................................................
TUCSON                      TCSNAZMADSN 09346 06487 5101  668 PB PK TD WE
      /
=======================================================================
```

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
TUCSON                      TCSNAZMAGT0 09346 06487 4793  668 BA DA GE GJ
   520/300(7000-8999),301(2000-3999),306(3000-5999)          GR HB IB RC
   520/333(1000-3999),342(5000-5999),395(3000-4999)          RD SH SQ T1
   520/433(3000-3999),433(5000-8999),437(0000-0999)          T2 UG UP UR
                                                             US
.......................................................................
TUCSON                      TCSNAZMAHGH 09346 06487 7078  668 DA
   520/203(7000-7999),203(8000-8999),207(0000-0999)
   520/207(1000-1999),207(2000-2999),207(3000-3999)
   520/207(4000-4999),207(5000-5999),207(6000-6999)
   520/207(7000-7999),207(8000-8999),207(9000-9999)
   520/224(5000-5999),232(3000-3999),263(2000-2999)
   520/263(3000-3999),263(4000-4999),269(6000-6999)
   520/269(7000-7999),300(4000-4999),300(5000-5999)
   520/300(6000-6999),305(3000-3999),305(4000-4999)
   520/308(3000-3999),332(2000-2999),335(1000-1999)
   520/335(2000-2999),335(6000-6999),335(8000-8999)
   520/344(7000-7999),344(8000-8999),345(5000-5999)
   520/373(5000-5999),392(8000-8999),393(3000-3999)
   520/393(8000-8999),396(3000-3999),396(4000-4999)
   520/398(4000-4999),398(5000-5999),398(6000-6999)
   520/398(7000-7999),445(6000-6999),445(7000-7999)
   520/449(8000-8999),495(4000-4999),495(5000-5999)
   520/499(2000-2999),499(3000-3999),561(8000-8999)
   520/647(2000-2999),647(9000-9999),720(6000-6999)
   520/777(3000-3999),777(4000-4999),777(5000-5999)
   520/777(6000-6999),777(7000-7999),777(8000-8999)
   520/822(8000-8999),829(6000-6999),829(7000-7999)
   520/838(0000-0999),867(6000-6999),867(7000-7999)
   520/867(8000-8999)
.......................................................................
TUCSON                      TCSNAZMAIMD 09346 06487 4793  668 BA DA GE GJ
   520/203(0000-0999),282(5000-7999),284(1000-2999)          GR HB IB RC
   520/284(3000-9999),468(3000-4999),616(2000-2999)          RD SH SQ T1
   520/664(3000-3999)                                        T2 UG UP UR
                                                             US
.......................................................................
TUCSON                      TCSNAZMAK02 09346 06487 5101  668 PB PK WE ZZ
      /
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
TUCSON                      TCSNAZMAK11 09346 06487 5101  668 PB PK UE WE
     /
.......................................................................
TUCSON                      TCSNAZMAXYX 09346 06487 916E  668 GR
   520/200(6000-6999),210(6000-6999),263(6000-6999)
   520/348(7000-7999),415(7000-7999),422(3000-3999)
   520/595(7000-7999),639(7000-7999),645(7000-7999)
   520/896(8000-8999),989(7000-7999)
   602/601(3000-3999)
   623/404(7000-7999)
   928/316(7000-7999),402(2000-2999),985(7000-7999)
.......................................................................
TUCSON                      TCSNAZMAXYZ 09346 06487 231D  668 DA
     /
.......................................................................
TUCSON                      TCSNAZMLRS2 09293 06466 5101  668 AA BA DA G4
   520/576(1000-1999),576(9000-9999)                         GD GE GG GN
                                                             GQ GR HD IB
                                                             IC ID IH II
                                                             PC PL SH SN
                                                             SP SQ TA TL
                                                             WE
.......................................................................
TUCSON                      TCSNAZNODS0 09320 06498 5101  668 AA BA DA G4
   520/218,219,225(1000-1999),225(2000-2999),225(3000-3999)  GC GD GE GG
   520/225(4000-4999),225(5000-5999),225(6000-6999)          GJ GN GQ GR
   520/229(0000-0999),229(1000-1999),229(2000-2999)          HB HD IB IC
   520/229(3000-3999),229(4000-4999),229(5000-5999)          ID IH II PC
   520/229(6000-6999),229(8000-8999),229(9000-9999),291,297  PL RA RB RC
   520/410,469,489,498,516,531,544,566,575,712,742,793,797   RD RE RF RG
   520/877,878(0000-0999),878(1000-1999),878(2000-2999)      RH RJ RK SH
   520/878(4000-4999),878(9000-9999)                         SN SP SQ TA
                                                             TL VC WE
.......................................................................
TUCSON                      TCSNAZNODSH 09320 06498 5101  668 PC PL TD WE
     /
.......................................................................
TUCSON                      TCSNAZNOXXX 09320 06498 5101  668 PC PL WE ZZ
     /

=======================================================================
```

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
TUCSON                      TCSNAZRNBB1 09340 06458 5101  668 TU
     /
.......................................................................
TUCSON                      TCSNAZRNDS0 09340 06458 5101  668 AA BA DA G4
   520/258(0000-0999),258(4000-4999),258(5000-5999)          GC GD GE GG
   520/258(6000-6999),258(7000-7999),290,296,298,546,721     GJ GN GQ GR
   520/722,731,733,751,873(0000-0999),873(1000-1999)         HB HD IB IC
   520/873(2000-2999),873(3000-3999),873(4000-4999)          ID IH II PC
   520/873(5000-5999),873(6000-6999),885,886                 PL RA RB RC
                                                             RD RE RF RG
                                                             RH RJ RK SH
                                                             SN SP SQ TA
                                                             TH TL VC WE
.......................................................................
TUCSON                      TCSNAZSEDS0 09365 06460 5101  668 AA BA DA G4
   520/209(9000-9999),574,662,663,664(0000-0999)             GC GD GE GG
   520/664(1000-1999),664(2000-2999),664(9000-9999)          GJ GN GQ GR
                                                             HB HD IB IC
                                                             ID IH II PC
                                                             PL SH SP SQ
                                                             TA TH TL VC
                                                             WE
.......................................................................
TUCSON                      TCSNAZSODS0 09364 06483 5101  668 AA BA DA G4
   520/209(3000-3999),294,295,434,573,665(5000-5999)         GC GD GE GG
   520/665(6000-6999),665(7000-7999),741,746,794,799,806     GJ GN GQ GR
   520/807,889                                               HB HD IB IC
                                                             ID IH II PC
                                                             PF PL RA RB
                                                             RC RD RE RF
                                                             RG RH RJ RK
                                                             SH SN SP SQ
                                                             TA TL VC WE
.......................................................................
TUCSON                      TCSNAZSODSH 09364 06483 5101  668 PC PL TD WE
     /
.......................................................................
TUCSON                      TCSNAZSOXXX 09364 06483 5101  668 ZZ
     /
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
TUCSON                      TCSNAZSWDS0 09363 06500 5101  668 AA BA DA G4
   520/578,822(0000-0999),822(1000-1999),822(2000-2999)      GC GD GE GG
   520/822(3000-3999),822(5000-5999),822(9000-9999),883      GJ GN GQ GR
   520/908(0000-0999),908(1000-1999),908(2000-2999)          HB HD IB IC
   520/908(3000-3999),908(4000-4999),908(5000-5999)          ID IH II PC
   520/908(8000-8999),908(9000-9999)                         PL SH SN SP
                                                             SQ TA TH TL
                                                             VC WE
.......................................................................
TUCSON                      TCSNAZTVDS0 09326 06455 5101  668 AA BA DA G4
   520/749,760                                               GC GD GE GG
                                                             GJ GN GQ GR
                                                             HB HD IB IC
                                                             ID IH II PC
                                                             PL SH SN SP
                                                             SQ TA TH TL
                                                             VC WE
.......................................................................
TUCSON                      TCSNAZWERS1 09340 06503 5101  668 AA BA DA G4
   520/743(0000-0999),743(1000-1999),743(2000-2999)          GC GD GE GG
   520/743(3000-3999),743(4000-4999),743(5000-5999)          GN GQ GR HD
   520/743(7000-7999),743(8000-8999),743(9000-9999)          IB IC ID IH
                                                             II PC PL SH
                                                             SP SQ TA TH
                                                             TL WE
.......................................................................
TUCSON                      TCSNAZXGDS0 09346 06487 7465  668 DA DD       (C)
   520/226(3000-3999),254(8000-8999),257(1000-1999)                       (C)
   520/353(3000-3999),368(3000-3999),402(6000-6999)                       (C)
   520/477(3000-5999),526(7000-7999),526(8000-8999)                       (C)
   520/549(0000-0999),685(4000-4999),686(5000-5999)                       (C)
   520/729(3000-3999),833(5000-5999),917,918,987(4000-4999)               (C)
   520/988(3000-3999),999(4000-4999)                                      (C)
   928/235(3000-3999),961(8000-8999)                                      (C)
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
VAIL	VAILAZNORS1	09360	06430	5101	668	AA BA DA G4
520/647(0000-0999),647(3000-3999),647(7000-7999)						GC GD GE GG
						GN GQ GR HD
						IB IC ID IH
						II PC PL SH
						SP SQ TA TH
						TL WE
VAIL	VAILAZSODS0	09393	06438	5101	668	AA BA DA G4
520/762(0000-0999),762(1000-1999),762(2000-2999)						GC GD GE GG
520/762(3000-3999),762(5000-5999),762(8000-8999)						GN GQ GR HB
520/762(9000-9999),879(1000-3999)						HD IB IC ID
						IH II PC PL
						SH SP SQ TA
						TH TL VC WE
WELLTON	WLTNAZMARS1	09377	07082	5101	666	AA BA DA G4
928/785(3000-3999),785(4000-4999),785(5000-5999)						GC GD GE GG
928/785(8000-8999),785(9000-9999)						GN GQ GR HD
						IB IC ID IH
						II PC PL SH
						SP SQ TH TL
						WE
WEST SAN SIMON	SNRSAZXCRS0	09413	06744	2173	668	BA DA DD GM
520/362						OE TJ
WHITE TANKS	WHTKAZMARS2	09143	06818	5101	666	AA BA DA G4
623/853(0000-0999),853(1000-1999),853(2000-2999)						GC GD GE GG
623/853(4000-4999),853(8000-8999),853(9000-9999)						GN GQ GR HD
						IB IC ID IH
						II PC PL SH
						SP SQ TA TH
						TL WE
WHITERIVER	WHRVAZXBRS0	08963	06394	4426	666	AA BA DA GC
928/338(0000-0999),338(1000-1999),338(2000-2999)						GD GR HJ RC
928/338(3000-3999),338(4000-4999),338(5000-5999)						RF RM SQ
928/338(6000-6999),338(9000-9999)						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
WHITLOW	WHTLAZMADS0	09134	06601	5101	666	AA BA DA G4
520/463(0000-0999),463(1000-1999),463(2000-2999)						GC GD GE GG
						GN GQ GR HB
						HD IB IC ID
						IH II PC PL
						SH SP SQ WE
WICKENBURG	WCBGAZMARS1	09049	06890	5101	666	AA BA DA G4
928/668(0000-0999),668(1000-1999),668(4000-4999)						GC GD GE GG
928/668(5000-5999),684						GN GQ GR HD
						IB IC ID IH
						II PC PL SH
						SN SP SQ WE
WICKENBURG	WCBGAZMAXXX	09049	06890	5101	666	ZZ
/___						
WIDE RUINS	WDRNAZXCRL0	08610	06396	4449	980	BA DA GR HJ
928/652						
WIKIEUP	WIKPAZXCRS0	08925	07080	2172	666	AA BA DA GC
928/765(2000-2999),765(7000-7999),765(9000-9999)						GN GR HJ RN
						RO
WILLCOX	WLCXAZACDS0	09290	06284	183D	668	AA BA DA GR
520/402(8000-8999),766,812(8000-8999)						SJ SQ UR UX
						WE WG WH
WILLCOX	WLCXAZMARS1	09290	06284	5101	668	AA BA DA G4
520/384						GC GD GE GG
						GN GQ GR HD
						IB IC ID IH
						II PC PL SH
						SP SQ WE

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
WILLIAMS	WLMSAZMARS1	08757	06856	5101	666	AA BA DA G4
928/635(1000-1999),635(2000-2999),635(3000-3999)						GC GD GE GG
928/635(4000-4999),635(5000-5999),635(6000-6999)						GN GQ GR HD
928/635(8000-8999),635(9000-9999)						IB IC ID IH
						II PC PL SH
						SP SQ TH TL
						WE
WINSLOW	WNSLAZMADS1	08744	06585	5101	666	AA BA DA G4
928/288(8000-8999),289						GC GD GE GG
						GJ GN GQ GR
						HB HD IB IC
						ID IH II PC
						PL SH SP TH
						WE
WINTERSBURG	WNBGAZ01RS1	09166	06885	5101	666	AA BA DA G4
623/328(0000-0999),393(0000-1999),393(8000-9999)						GC GD GE GG
						GN GQ GR HD
						IB IC ID IH
						II PC PL RA
						RB RC RD RE
						RF RG RH RM
						SA SH SP SQ
						TL WE
YARNELL	YRNLAZMARS1	08996	06905	5101	666	BA DA GC PC
928/427(0000-0999),427(3000-3999),427(4000-4999)						PL SQ TH WE
928/427(6000-6999),427(9000-9999)						
YORK VALLEY	YRVYAZXCDS0	09120	06208	3333	668	AA BA DA HD
928/687						SJ SQ TJ UR
						UX WE WG WH
YOUNG	YONGAZXCDS0	08944	06578	4490	666	DA GN HA HK
928/462						IC II TJ UG
						UL UM UP UR
						WE WG

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARIZONA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
YUCCA	YUCCAZXCRS0	08908	07182	2172	666	AA BA DA GC
928/766(2000-2999),766(9000-9999)						GN GR HJ RN
						RO
YUMA	YUMAAZFTDS1	09388	07132	5101	666	AA BA DA G4
928/305,342,345(0000-0999),345(1000-1999),345(2000-2999)						GC GD GE GG
928/345(3000-3999),345(4000-4999),345(6000-6999)						GJ GN GQ GR
928/345(9000-9999)						HB HD IB IC
						ID IH II PC
						PL SH SN SP
						TA TH TL VC
						WE
YUMA	YUMAAZMADS0	09384	07171	5101	666	AA BA DA G4
928/328(2000-7999),329,343,373(0000-0999),373(1000-1999)						GC GD GE GG
928/373(2000-2999),373(3000-3999),373(4000-4999)						GJ GN GQ GR
928/373(5000-5999),373(6000-6999),373(9000-9999),376						HB HD IB IC
928/502(3000-8999),539,782,783,819						ID IH II PC
						PG PL RA RB
						RC RD RE RF
						RG RH RJ RK
						SE SH SN SP
						SQ TA TL TU
						VC WE
YUMA	YUMAAZMADSH	09384	07171	5101	666	PC PL TD TU
/___						WE
YUMA	YUMAAZMAXXX	09384	07171	5101	666	ZZ
/___						
YUMA	YUMAAZSEDS0	09392	07162	5101	666	AA BA DA G4
928/247(8000-8999),269,314,317,336(1000-1999)						GC GD GE GG
928/336(2000-2999),336(3000-3999),336(4000-4999)						GJ GN GQ GR
928/336(5000-5999),336(6000-6999),336(7000-7999)						HB HD IB IC
928/336(9000-9999),341(0000-0999),341(1000-1999)						ID IH II PC
928/341(2000-2999),341(4000-4999),341(6000-6999)						PL SH SN SP
928/341(7000-7999),341(8000-8999),341(9000-9999),344,726						TA TH TL VC
928/726						WE

END OF SECTION

WIRE CENTER INFORMATION
PENDING CHANGES
SECTION 15
ARKANSAS

EFFECTIVE: JANUARY 01, 2018

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
EVENING SHADE               EVSHARXARS1 07413 03464 1706  528 DA GR RC RD (C)
   870/266(1000-1999),266(2000-2999),266(3000-3999)          TJ          (C)
   870/266(4000-4999),266(5000-5999),266(6000-6999)                      (C)
   870/266(7000-7999),266(9000-9999)                                     (C)
 "                          "           "     "     "     "         "
   870/266(1000-1999),266(2000-2999),266(3000-3999)                "
   870/266(4000-4999),266(5000-5999),266(6000-6999)                "
   870/266(7000-7999),266(8000-8999),266(9000-9999)
.......................................................................
FORTH SMITH                 FTSMARSUJMD 07752 03855 7277  526 BA DA       (C)
   479/221(9000-9999),235(3000-3999),259(9000-9999)                      (C)
   479/268(2000-2999),268(7000-7999),319(5000-5999)                      (C)
   479/321(3000-3999),347(3000-3999),367(3000-3999)                      (C)
   479/431(3000-3999),439(6000-6999),573(3000-3999)                      (C)
   479/717(5000-5999),717(7000-7999),718(6000-6999)                      (C)
   479/769(3000-3999),802(5000-5999),877(2000-2999)                      (C)
   479/877(3000-3999),877(7000-7999)                                     (C)
 "                          "           "     "     "     "         "
   479/221(9000-9999),235(3000-3999),259(9000-9999)                "
   479/268(2000-2999),268(7000-7999),319(5000-5999)                "
   479/321(3000-3999),347(3000-3999),367(3000-3999)                "
   479/431(3000-3999),439(6000-6999),573(3000-3999)                "
   479/717(5000-5999),717(7000-7999),718(6000-6999)                "
   479/802(5000-5999),877(2000-2999),877(3000-3999)                "
   479/877(7000-7999)
.......................................................................
FRANKLIN                    FKLNARXARS1 07405 03499 1706  528 DA GR RC RD (C)
   870/322(1000-1999),322(2000-2999),322(3000-3999)          TJ          (C)
   870/322(4000-4999),322(5000-5999),322(7000-7999)                      (C)
   870/322(8000-8999),322(9000-9999)                                     (C)
 "                          "           "     "     "     "         "
   870/322(1000-1999),322(2000-2999),322(3000-3999)                "
   870/322(4000-4999),322(5000-5999),322(6000-6999)                "
   870/322(7000-7999),322(8000-8999),322(9000-9999)
```

==========

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
GAMALIEL                    GMLLARXARS1 07396 03598 1711  528 AA DA GR HA (C)
   870/467(0000-0999),467(1000-1999),467(2000-2999)          HD RA TJ TY (C)
   870/467(3000-3999),467(5000-5999),467(6000-6999)          WF          (C)
   870/467(7000-7999),467(9000-9999)                                     (C)
 "                          "           "     "     "     "         "
   870/467(0000-0999),467(1000-1999),467(2000-2999)                "
   870/467(3000-3999),467(5000-5999),467(6000-6999)                "
   870/467(7000-7999),467(8000-8999),467(9000-9999)
.......................................................................
HENDERSON                   HNSNARXARS1 07398 03591 1711  528 AA DA GR HA (C)
   870/488(0000-0999),488(1000-1999),488(2000-2999)          HD RA TJ TY (C)
   870/488(3000-3999),488(5000-5999),488(6000-6999)          WF          (C)
   870/488(8000-8999),488(9000-9999)                                     (C)
 "                          "           "     "     "     "         "
   870/488(0000-0999),488(1000-1999),488(2000-2999)                "
   870/488(3000-3999),488(5000-5999),488(6000-6999)                "
   870/488(7000-7999),488(8000-8999),488(9000-9999)
.......................................................................
NORFORK                     NRFRARXADS0 07435 03583 1711  528 AA DA GR HA (C)
   870/499(0000-0999),499(1000-1999),499(3000-3999)          HD RA TJ WF (C)
   870/499(4000-4999),499(5000-5999),499(6000-6999)                      (C)
   870/499(7000-7999),499(8000-8999)                                     (C)
 "                          "           "     "     "     "         "
   870/499(0000-0999),499(1000-1999),499(2000-2999)                "
   870/499(3000-3999),499(4000-4999),499(5000-5999)                "
   870/499(6000-6999),499(7000-7999),499(8000-8999)
.......................................................................
OXFORD                      OXFRARXARS1 07406 03527 1706  528 DA GR RC RD (C)
   870/258(0000-0999),258(1000-1999),258(2000-2999)          TJ          (C)
   870/258(3000-3999),258(4000-4999),258(5000-5999)                      (C)
   870/258(7000-7999),258(9000-9999)                                     (C)
 "                          "           "     "     "     "         "
   870/258(0000-0999),258(1000-1999),258(2000-2999)                "
   870/258(3000-3999),258(4000-4999),258(5000-5999)                "
   870/258(6000-6999),258(7000-7999),258(9000-9999)
```

==========

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
OZARK ACRES                 OZACARXARS1 07353 03447 1706  528 DA GR RC RD (C)
   870/966(0000-0999),966(1000-1999),966(2000-2999)          TJ          (C)
   870/966(3000-3999),966(4000-4999),966(7000-7999)                      (C)
   870/966(8000-8999),966(9000-9999)                                     (C)
 "                          "           "     "     "     "         "
   870/966(0000-0999),966(1000-1999),966(2000-2999)                "
   870/966(3000-3999),966(4000-4999),966(5000-5999)                "
   870/966(7000-7999),966(8000-8999),966(9000-9999)
.......................................................................
TRACY FERRY                 TRFRARXARS1 07417 03593 1711  528 AA DA GR HA (C)
   870/491(0000-0999),491(1000-1999),491(3000-3999)          HD RA TJ TY (C)
   870/491(4000-4999),491(5000-5999),491(6000-6999)          WF          (C)
   870/491(7000-7999),491(9000-9999)                                     (C)
 "                          "           "     "     "     "         "
   870/491(0000-0999),491(1000-1999),491(3000-3999)                "
   870/491(4000-4999),491(5000-5999),491(6000-6999)                "
   870/491(7000-7999),491(8000-8999),491(9000-9999)
.......................................................................
WHITEVILLE                  WHVLARXARS1 07428 03624 1711  528 AA DA GR HA (C)
   870/430(0000-0999),430(1000-1999),430(2000-2999)          HD RA RM TJ (C)
   870/430(3000-3999),430(4000-4999),430(5000-5999)          WF          (C)
   870/430(7000-7999),430(9000-9999)                                     (C)
 "                          "           "     "     "     "         "
   870/430(0000-0999),430(1000-1999),430(2000-2999)                "
   870/430(3000-3999),430(4000-4999),430(5000-5999)                "
   870/430(7000-7999),430(8000-8999),430(9000-9999)
```

END OF REPORT

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ALLISON	ALSNARXARS0	07472	03532	1712	528	AA BA DA GM
870/585						HD IC ID OR
						RC RD T3 T8
						TJ UG WE
ALMA	ALMAARXADS0	07719	03832	1142	526	AA DA GC GD
479/632						GG GN GR IA
						IC II JC SJ
						SQ ST TJ UG
						UP US VA VC
						VM
ALMYRA	ALMYARXARS0	07722	03278	1144	528	BA DA GD GG
870/992(0000-0999),992(1000-1999),992(2000-2999)						GM GN GQ GR
870/992(3000-3999),992(4000-4999),992(5000-5999)						HB HD II RC
870/992(7000-7999),992(8000-8999),992(9000-9999)						RD SQ TJ TY
ALPENA	ALPEARXARS0	07492	03753	1726	528	AA DA GM GN
870/437						HD HE TJ
ALTHEIMER	ALTHARMARS2	07772	03339	5211	530	AA BA DA GC
870/766(1000-1999),766(4000-4999),766(8000-8999)						GD PC QF SV
870/766(9000-9999)						
ALTUS	ALTSARXARS1	07693	03754	1142	528	DA GN GR HB
479/468(0000-0999),468(1000-1999),468(2000-2999)						II TJ TY VM
479/468(3000-3999),468(4000-4999),468(5000-5999)						
479/468(6000-6999),468(8000-8999),468(9000-9999)						
AMITY	AMTYARXARP0	07904	03601	1691	528	AA DA GM GN
870/342(2000-2999)						GR II RN RO
						TJ ZZ
AMITY	AMTYARXARS0	07904	03601	1691	528	AA DA GM GN
870/342(0000-0999),342(1000-1999),342(3000-3999)						GR II RN RO
870/342(4000-4999),342(5000-5999),342(6000-6999)						TJ ZZ
870/342(7000-7999),342(8000-8999),342(9000-9999)						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ARKADELPHIA	ARKDARMADS0	07902	03521	5211	528	AA BA DA GC
870/230(1000-1999),230(2000-2999),230(3000-3999)						HB IA IC ID
870/230(4000-4999),230(5000-5999),230(6000-6999)						IE IF IG IH
870/230(7000-7999),230(8000-8999),245,246,403(0000-0999)						PC QB QF RN
870/464(4000-4999),464(5000-5999),464(6000-6999)						RO SK SR VF
						VP ZX
ASH FLAT	ASFLARXARS1	07381	03477	1706	528	DA GR RC RD
870/994						TJ TY
ASHDOWN	ASHDARMARS1	08069	03660	5211	528	AA BA DA GC
870/898(1000-1999),898(2000-2999),898(3000-3999)						GD HB IA IC
870/898(4000-4999),898(5000-5999),898(6000-6999)						ID IE IF IG
870/898(7000-7999),898(8000-8999)						IH PC QF RN
						RO SV
ATKINS	ATKNARXARS1	07672	03602	1142	528	BA DA GC GD
479/641						GE GG GJ GM
						GN GQ GR HB
						HD II TJ TY
						VM
AUGUSTA	AGSTARXADS0	07547	03351	1144	528	AA BA DA GC
870/347(0000-5999),347(8000-9999)						GD GG GN GR
						HB HD II RC
						RD RF RM SQ
						TJ
BALD KNOB	BLKNARXADS0	07557	03386	1142	528	BA DA GM GN
501/724(0000-3999),724(5000-9999)						GR II TJ VM
						XG
BATESVILLE	BTVLARNODS0	07473	03440	5211	528	BA DA GC HG
870/262(1000-6999),307(0000-0999),307(6000-7999)						IA IC ID IF
870/612(1000-3999),612(5000-6999),612(8000-9999)						IH PC QB QF
870/698(0000-0999),698(1000-1999),698(2000-2999)						RN RO SK SR
870/698(3000-3999),698(4000-4999),698(5000-5999)						UV ZX
870/698(6000-6999),698(7000-7999),698(9000-9999)						
870/744(2000-2999),744(9000-9999),793						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
BATESVILLE	BTVLARSORS1	07489	03436	5211	528	AA BA DA GC
870/251(1000-1999),251(2000-2999),251(3000-3999)						PC QF SV
870/251(4000-4999),251(5000-5999),251(9000-9999)						
BAUXITE	BAXTARBXRS1	07770	03460	5211	528	AA BA DA GC
501/557(1000-1999),557(2000-2999),557(5000-5999)						PC PR PS QF
501/557(9000-9999),602(2000-2999)						
BAY	BAYYARXARS0	07395	03266	1143	528	BA DA GC GD
870/781(0000-0999),781(1000-1999),781(3000-3999)						GM GN GR II
870/781(4000-4999),781(5000-5999),781(6000-6999)						TJ
870/781(7000-7999),781(8000-8999),781(9000-9999)						
BEARDEN	BRDNARXARP0	07946	03412	1691	530	AA DA DD GM
870/687(5000-5999)						GR TJ ZZ
BEARDEN	BRDNARXARS1	07946	03412	1691	530	AA DA DD GM
870/687(0000-0999),687(2000-2999),687(3000-3999)						GR TJ ZZ
870/687(4000-4999),687(6000-6999),687(7000-7999)						
870/687(8000-8999),687(9000-9999)						
BEEBE	BEEBARMARS1	07628	03415	5211	528	AA BA DA GC
501/882						GD HB PC QF
						RN RO SV
BELLA VISTA	BNTVARBVRS1	07524	03921	5211	526	AA BA DA IA
479/855,876(1000-1999),876(2000-2999),876(5000-5999)						IC ID IE IF
479/876(6000-6999),876(7000-7999)						IG IH PC PR
						PS QF RN RO
						SV
BELLEVILLE	BLVLARXADS0	07740	03672	1734	528	AA BA DA TJ
479/493						TK
BENTON	BNTNARANRS0	07800	03495	7656	528	DA
501/722(0000-0999),722(1000-1999)						

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
BENTON                      BNTNARMADS0 07781 03483 5211  528 AA BA DA GC
   501/303(1000-1999),303(2000-2999),303(3000-3999)          HB IA IC ID
   501/303(5000-5999),315,317(2000-4999),574(7000-7999),776  IF IH II PC
   501/778,840(1000-9999),860(0000-0999),860(6000-6999)      PR PS QB QF
   501/860(7000-7999)                                        RN RO SJ SV
.......................................................................
BENTON                      BNTNARNORS1 07762 03488 5211  528 BA DA GC HG
   501/316(0000-0999),316(1000-1999),316(2000-2999)          IA IC ID IF
   501/316(3000-3999),316(5000-5999),794(0000-0999)          IH II PC PR
   501/794(1000-1999),794(2000-2999),794(3000-3999)          PS QF RN RO
   501/794(4000-4999),794(5000-5999)                         SV
.......................................................................
BENTONVILLE                 BNTVARCRDS0 07542 03907 5211  526 AA BA DA GC
   479/204,254,258,271,273,277,286(9000-9999)                HB IA IC ID
   479/418(4000-4999),418(5000-5999),418(7000-8999),464      IF IH II PC
   479/553(0000-0999),553(1000-1999),553(2000-2999)          PR PS QB QF
   479/553(3000-3999),553(4000-4999),553(5000-5999)          RN RO SK SR
   479/553(6000-6999),696(0000-0999),696(3000-3999)          TJ UQ UR VF
   479/696(7000-9999),802(7000-7999)                         ZX
.......................................................................
BENTONVILLE                 BNTVARCRRS1 07542 03907 7656  526 DA
   479/286(0000-0999),286(2000-2999),286(3000-3999)
   479/286(4000-4999),286(5000-5999),286(6000-6999)
   479/286(7000-7999),286(8000-8999),845
.......................................................................
BERRYVILLE                  BEVLARXADS0 07497 03804 1691  528 AA DA DD GM
   870/423(0000-0999),423(1000-1999),423(2000-2999)          GR TJ ZZ
   870/423(3000-3999),423(4000-4999),423(5000-5999)
   870/423(6000-6999),423(7000-7999),423(9000-9999)
   870/480(0000-0999),480(1000-1999),480(4000-4999)
   870/480(5000-5999),480(6000-6999),480(7000-7999)
   870/480(8000-8999),480(9000-9999)
.......................................................................
BERRYVILLE                  BEVLARXAPS0 07497 03804 1691  528 AA DA DD GM
   870/909(9000-9999)                                        GR TJ ZZ
.......................................................................
BIGELOW                     BGLWARXARP0 07698 03531 1691  528 AA DA GM GN
   501/759(4000-4999)                                        GR II RC RD
                                                             TJ
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
BIGELOW 501/759(0000-3999),759(9000-9999)	BGLWARXARS0	07698	03531	1691	528	AA DA GM GN GR II RC RD TJ
BIGGERS 870/769(1000-1999),769(2000-2999),769(3000-3999) 870/769(4000-4999),769(5000-5999),769(6000-6999) 870/769(7000-7999),769(8000-8999),769(9000-9999)	BGRSARXARL0	07299	03360	1144	528	BA DA GC GD GM GN GR II RF SH TJ TY
BISMARCK 501/865	BSMRARXADS0	07872	03557	1697	528	AA BA DA HD OE T8 TJ
BLACK ROCK 870/878(6000-6999)	BLRKARMARS2	07365	03385	5211	528	AA BA DA GC GD PC QF
BLACKFISH LAKE /	BFLKARMARS1	07506	03190	5211	528	PC
BLEVINS 870/874(0000-0999),874(1000-1999),874(2000-2999) 870/874(3000-3999),874(4000-4999),874(5000-5999) 870/874(6000-6999),874(9000-9999)	BLVNARXARL0	07990	03585	1144	528	BA DA GC GD GG GM GN GQ GR HB HD II RC RD RF RM SQ TJ
BLOOMING GROVE 870/566(1000-1999),566(2000-2999),566(3000-3999) 870/566(4000-4999),566(5000-5999),566(6000-6999) 870/566(7000-7999),566(8000-8999),566(9000-9999)	BLGVARXARS0	07266	03275	1144	528	BA DA GC GD GM GN GR II
BLUE MOUNTAIN 479/947	BEMTARXARS1	07751	03719	1710	528	DA TJ
BLUFFTON 479/299	BFTNARXADS0	07789	03679	1734	528	AA BA DA TJ TK
BLYTHEVILLE 870/532(1000-1999),532(4000-4999),532(5000-5999) 870/532(6000-6999),532(8000-8999)	BYVLARLERS1	07308	03191	5211	528	AA BA DA GC GD GE IA IC ID PC QF SV

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
BLYTHEVILLE	BYVLARPO720	07308	03178	5211	528	AA BA DA GE
573/720(1000-2999)						PC RN RO SR
						UV ZX
BLYTHEVILLE	BYVLARPODS0	07308	03178	5211	528	AA BA DA GC
870/762,763,776(1000-1999),776(2000-2999),776(3000-3999)						GE IA IC ID
870/776(4000-4999),776(5000-5999),780,838(1000-1999)						II PC QB QF
870/838(2000-2999),838(3000-3999),838(4000-4999)						RN RO SK SR
870/838(5000-5999),838(6000-6999),838(7000-7999)						UV VF VP ZX
BODCAW	BDCWARMARS2	08040	03529	5211	528	AA BA DA GC
870/899(1000-1999),899(2000-2999)						GD PC QF SV
BOLES	BOLSARXARS0	07843	03743	1142	526	DA GG GM GN
479/577(1000-1999),577(2000-2999),577(3000-3999)						GQ GR II
479/577(4000-4999),577(5000-5999),577(6000-6999)						
479/577(7000-7999),577(8000-8999),577(9000-9999)						
BOONEVILLE	BNVLARXADS0	07765	03753	1142	528	AA DA GN GR
479/675(0000-5999),675(7000-9999)						II TJ TY VM
BRADFORD	BRFRARXARS0	07526	03378	1144	528	BA DA GD GG
501/344(0000-0999),344(1000-1999),344(2000-2999)						GM GN GR RC
501/344(3000-3999),344(4000-4999),344(5000-5999)						RD TJ
501/344(7000-7999),344(8000-8999),344(9000-9999)						
BRADLEY	BRDLARXARS0	08147	03530	1729	530	AA BA DA GN
870/894						GQ GR HB IA
						IC SP TJ UG
						UR UW VE WE
						WF WG
BRINKLEY	BRNKARMADS1	07611	03286	5211	528	SJ

/

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
BRINKLEY                    BRNKARMARS1 07611 03286 5211  528 AA BA DA GC
   870/589(2000-2999),734(1000-1999),734(2000-2999)          PC QF RN RO
   870/734(3000-3999),734(4000-4999),734(5000-5999)          SV
   870/734(6000-6999),734(7000-7999),734(8000-8999)
   870/734(9000-9999)
.......................................................................
CABOT                       CABTARXADS0 07656 03428 1144  528 AA BA DA GC
   501/605(0000-1999),605(5000-5999),605(7000-9999)          GE GG GN GQ
   501/743(1000-1999),743(3000-4999),843,941(0000-5999)      GR HB HD II
   501/941(7000-7999)                                        RC RD RM RS
                                                             SQ TJ TY
.......................................................................
CABOT                       CABTARXARS0 07658 03427 7656  528 DA
   501/628(0000-0999),628(3000-3999),628(5000-5999)
.......................................................................
CALICO ROCK                 CLRKARXARS1 07442 03553 1706  528 DA GR RC RD
   870/297(0000-0999),297(1000-1999),297(2000-2999)          TJ
   870/297(3000-3999),297(4000-4999),297(5000-5999)
   870/297(6000-6999),297(7000-7999),297(8000-8999)
.......................................................................
CALION                      CALNARMARS2 08019 03366 5211  530 AA BA DA GC
   870/748(1000-1999),748(2000-2999)                         GD PC QF SV
.......................................................................
CAMDEN                      CMDNARCURS1 07999 03432 5211  530 AA BA DA GC
   870/231(1000-1999),231(4000-4999),231(5000-5999)          PC QF SV
   870/231(6000-6999),231(9000-9999),498(0000-0999)
.......................................................................
CAMDEN                      CMDNARSHRS1 07980 03428 5211  530 AA BA DA GC
   870/574(0000-0999),574(1000-1999),574(2000-2999)          PC QF RN RO
   870/574(3000-3999),574(4000-4999),574(5000-5999)          SV
.......................................................................
CAMDEN                      CMDNARTERS1 07992 03439 5211  530 AA BA DA GC
   870/836,837(0000-0999),837(1000-1999),837(2000-2999)      IA IC ID IF
   870/837(3000-3999),837(5000-5999),837(6000-6999)          IH PC QF RN
   870/837(8000-8999)                                        RO SV
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
CARAWAY	CRWYARXARS0	07373	03229	1143	528	AA BA DA GM
870/482(0000-0999),482(1000-1999),482(3000-3999)						GN GR HB II
870/482(4000-4999),482(5000-5999),482(6000-6999)						JC SH ST TJ
870/482(7000-7999),482(8000-8999),482(9000-9999)						UG VA VE VM
						WE WF WG
CARLISLE	CRLSARXARS0	07673	03367	1144	528	BA DA GD GG
870/552(1000-1999),552(3000-3999),552(7000-7999)						GM GR HB HD
870/552(9000-9999)						II RC RD TJ
						TY
CARRYVILLE	CRVLARXARL0	07247	03259	1144	528	BA DA GC GD
870/529(0000-0999),529(1000-1999),529(3000-3999)						GM GN GR II
870/529(4000-4999),529(5000-5999),529(6000-6999)						
870/529(7000-7999),529(9000-9999)						
CARTHAGE	CRTHARXARP0	07874	03434	1691	530	AA DA DD GM
870/254(1000-1999)						GR TJ ZZ
CARTHAGE	CRTHARXARS1	07874	03434	1691	530	AA DA DD GM
870/254(0000-0999),254(2000-2999),254(3000-3999)						GR TJ ZZ
870/254(4000-4999),254(5000-5999),254(6000-6999)						
870/254(7000-7999),254(8000-8999),254(9000-9999)						
CASA	CASAARXADS0	07724	03601	1734	528	AA BA DA TJ
501/233						TK
CASH	CASHARMARS2	07413	03330	5211	528	AA BA DA GC
870/477(1000-1999),477(5000-5999)						GD PC QF SV
CAVE CITY	CVCYARMARS1	07432	03442	5211	528	AA BA DA GC
870/283(3000-3999),283(5000-5999),283(6000-6999)						PC QF SV
870/283(7000-7999)						
CENTER RIDGE	CNRGARMARS2	07620	03553	5211	528	AA BA DA GC
501/893(1000-1999),893(2000-2999),893(6000-6999)						PC QF
501/893(9000-9999)						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
CENTERTON	CNTRARXADS1	07550	03918	1142	526	DA GC GD GN
479/795(0000-0999)						GR II RC TJ
						TY
CENTERVILLE	CNVLARXARS1	07717	03627	1142	528	GG GN GQ GR
479/576(0000-0999),576(1000-1999),576(2000-2999)						HB II TJ VM
479/576(3000-3999),576(4000-4999),576(5000-5999)						
479/576(6000-6999),576(8000-8999),576(9000-9999)						
CHARLESTON	CHTNARXADS0	07742	03786	1142	526	AA DA GG GN
479/965(0000-2999),965(7000-9999)						GQ GR HB HD
						II TJ
CHEROKEE VILLAGE	CHVGARXARS1	07360	03470	1706	528	DA GR RC RD
870/257						TJ
CHERRY VALLEY	CHVYARMARS2	07476	03264	5211	528	AA BA DA PC
870/442(1000-1999),525(0000-0999),588(1000-1999)						QF SV
870/588(2000-2999),588(3000-3999),588(4000-4999)						
870/588(5000-5999),588(6000-6999),588(7000-7999)						
CHIDESTER	CHDSARMARS1	07982	03477	5211	530	AA BA DA GC
870/685(1000-1999),685(2000-2999)						PC QF SV
CLARENDON	CLDNARXARS0	07658	03287	1143	528	BA DA GM GN
870/468(0000-5999),468(9000-9999),747(0000-0999)						GR II TJ VM
870/747(1000-1999),747(2000-2999),747(3000-3999)						
870/747(4000-4999),747(5000-5999),747(6000-6999)						
870/747(7000-7999),747(9000-9999)						
CLARKSVILLE	CLVLARXADS0	07666	03708	1142	528	GN GR II TJ
479/705(0000-3999),705(6000-9999),746(0000-0999)						TY VM
479/746(2000-3999),746(5000-5999),746(9000-9999),754						
479/979(0000-3999),979(6000-6999),979(9000-9999)						
CLEVELAND	CLEVARMARS2	07620	03582	5211	528	AA BA DA GC
501/669(1000-1999),669(2000-2999)						GD PC QF

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
CLINTON /	CLTNARXA01T	07569	03556	1692	528	D1 DA GB HB HD
CLINTON 501/745	CLTNARXADS0	07569	03556	1692	528	AA BA DA GC HD OE RD T9 TJ TK TZ
COMPTON 870/420	CMTNARXARS0	07533	03737	1726	528	AA DA GM GN HD HE TJ
CONCORD 870/668(1000-1999),668(3000-3999),668(9000-9999)	CNCRARMARS2	07508	03463	5211	528	AA BA DA GC GD PC QF SV
CONWAY 501/327,328(1000-1999),328(2000-2999),328(3000-3999) 501/328(4000-4999),328(5000-5999),328(6000-6999) 501/328(7000-7999),328(8000-8999),328(9000-9999),329,336 501/342,450,504(2000-2999),505(1000-3999),505(5000-5999) 501/505(7000-9999),513(0000-0999),513(1000-1999) 501/513(2000-2999),513(3000-3999),513(4000-4999) 501/513(5000-5999),513(6000-6999),513(9000-9999) 501/548(0000-0999),548(3000-3999),548(6000-6999),730 501/764(0000-1999),764(5000-5999)	CNWYARMADS0	07668	03508	5211	528	AA BA DA GC PC PR PS QF RN RO SK SR VF VP ZX
CONWAY 501/852(0000-0999),852(1000-1999),852(2000-2999) 501/852(3000-3999),852(4000-4999),852(5000-5999) 501/852(6000-6999),852(7000-7999),852(8000-8999) 501/932(0000-0999),932(3000-3999),932(5000-5999)	CNWYARMARS1	07666	03508	7656	528	DA
CONWAY 501/470(0000-0999),470(1000-1999),470(2000-2999) 501/470(3000-3999),470(4000-4999),470(9000-9999)	CNWYARMYRS1	07691	03495	5211	528	AA BA DA GC PC PR PS QF SV
CORNING 870/857(0000-1999),857(3000-3999),857(5000-6999)	CRNGARXADS0	07267	03332	1144	528	BA DA GC GD GN GR HB II RF TJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
COTTON PLANT	CTNPARXARS0	07592	03307	1144	528	BA DA GD GG
870/459(0000-0999),459(1000-1999),459(2000-2999)						GM GN GR HB
870/459(3000-3999),459(4000-4999),459(5000-5999)						HD II RC RD
870/459(6000-6999),459(8000-8999),459(9000-9999)						SQ TJ
COVE	COVEARXARP0	07940	03772	1691	528	AA DA GM GR
870/387(1000-1999)						II RC RD TJ
						ZZ
COVE	COVEARXARS0	07940	03772	1691	528	AA DA GM GR
870/387(0000-0999),387(2000-2999),387(3000-3999)						II RC RD TJ
870/387(4000-4999),387(5000-5999),387(6000-6999)						ZZ
870/387(7000-7999),387(8000-8999)						
COY	COY ARXARS0	07730	03365	1144	528	BA DA GD GG
501/275						GM GN GR HB
						HD II RC RD
CRAWFORDSVILLE	CFVLARMARS1	07478	03178	5211	528	AA BA DA GD
870/823(1000-1999),823(5000-5999)						HB IA IC ID
						PC PR PU QF
						SV
CROSSETT	CRSTARXADS0	08013	03250	1691	530	AA DA GN GR
870/304,305,364,567						II RN RO TJ
						ZZ
CROSSETT	CRSTARXAPS0	08013	03250	1691	530	AA DA GN GR
870/999(9000-9999)						II RD RN TJ
						ZZ
CRYSTAL SPRINGS	CRSPARMARS2	07843	03601	5211	528	AA BA DA GC
501/991(1000-1999),991(3000-3999)						GD PC QF
DAISY	DASYARXARS1	07929	03643	1691	528	AA DA GM GN
870/398(0000-0999),398(1000-1999),398(2000-2999)						GR II TJ ZZ
870/398(3000-3999),398(4000-4999),398(5000-5999)						
870/398(6000-6999),398(7000-7999),398(8000-8999)						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
DALARK 870/366(2000-2999)	DLRKARXARP0	07906	03485	1691	530	AA DA DD GM GR TJ ZZ
DALARK 870/366(0000-0999),366(1000-1999),366(3000-3999) 870/366(4000-4999),366(5000-5999),366(6000-6999) 870/366(7000-7999),366(8000-8999),366(9000-9999)	DLRKARXARS1	07906	03485	1691	530	AA DA DD GM GR TJ ZZ
DAMASCUS 501/335(0000-1999),335(7000-7999),335(8000-8999)	DMSCARXARS0	07609	03527	1691	528	AA DA GM GR TJ ZZ
DANVILLE /	DAVLARXA01T	07745	03660	1734	528	GB GR
DANVILLE 479/393(2000-7999),495(2000-8999)	DAVLARXADS0	07745	03660	1734	528	AA BA DA GR OE TZ
DARDANELLE 479/229	DRDNARXADS0	07693	03635	1142	528	GC GD GG GN GQ GR HB II TJ TY UG VM
DE QUEEN 870/582(0000-0999),582(6000-6999),582(7000-7999) 870/582(8000-8999),582(9000-9999),584(0000-0999) 870/584(1000-1999),584(2000-2999),584(3000-3999) 870/584(4000-4999),584(5000-5999),584(7000-7999),642	DEQNARXADS0	08014	03726	1691	528	AA DA GN GR HA II RC RD TJ ZZ
DE QUEEN 870/982(9000-9999)	DEQNARXAPS0	08014	03726	1691	528	AA DA GN GR HA II RC RD TJ ZZ
DECATUR 479/752	DCTRARXADS1	07567	03944	1699	526	AA BA DA GR OE TJ TU TZ
DEER 870/428	DEERARXARS0	07576	03698	1726	528	AA DA GM GN HD HE TJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
DELAPLAINE	DLPLARXARS0	07313	03338	1144	528	BA DA GD GM
870/249(0000-0999),249(1000-1999),249(2000-2999)						GN GR II SH
870/249(3000-3999),249(4000-4999),249(5000-5999)						TJ
870/249(6000-6999),249(8000-8999),249(9000-9999)						
DELIGHT	DLGHARXARP0	07953	03587	1691	528	AA DA GM GN
870/379(4000-4999)						GR RD RN TJ
						ZZ
DELIGHT	DLGHARXARS0	07953	03587	1691	528	AA DA GM GN
870/379(0000-0999),379(1000-1999),379(2000-2999)						GR RD RN TJ
870/379(3000-3999),379(5000-5999),379(6000-6999)						ZZ
870/379(7000-7999),379(8000-8999)						
DELL	DELLARMARS1	07332	03194	5211	528	AA BA DA GC
870/564(1000-1999),564(2000-2999),564(3000-3999)						GD IA IC ID
870/564(4000-4999)						PC QF SV
DERMOTT	DRMTARMARS1	07895	03200	5211	530	AA BA DA PC
870/538(1000-1999),538(2000-2999),538(3000-3999)						QF SV
870/538(5000-5999),538(9000-9999)						
DES ARC	DSARARXARS0	07617	03344	1144	528	AA BA DA GD
870/256(0000-4999),256(6000-9999)						GG GM GR HB
						HD II RC RD
						TJ TY
DEVALLS BLUFF	DVBLARXARS0	07652	03322	1144	528	BA DA GD GG
870/998(0000-4999),998(6000-7999),998(9000-9999)						GM GR HB HD
						II RC RD TJ
						TY
DEWITT	DWTTARXADS0	07737	03255	1144	528	AA BA DA GC
870/233,946(0000-4999),946(7000-9999)						GD GG GN GQ
						GR HB HD II
						RC RD RF RM
						SQ TJ TY

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
DIERKS	DRKSARXARS0	07973	03680	1691	528	AA DA GM GN
870/286,825(0000-0999),825(9000-9999)						GR II TJ ZZ
DODDRIDGE	DDRGARXADS0	08168	03572	1724	554	AA AB BA BC
870/691						DA DD GC GI
						GL GN GP GQ
						GR HB HK IA
						IB IC IG II
						JA SJ SP SQ
						SU T8 TJ UG
						UP UX WD WE
						XA
DODGE CITY	DDCYARXARS0	08113	03408	1727	530	AA DA GR SP
870/599(0000-0999),599(2000-2999),599(3000-3999)						SV WE
870/599(4000-4999),599(5000-5999),599(6000-6999)						
870/599(7000-7999),599(8000-8999),599(9000-9999)						
DODGE CITY	DDCYARXARSL	08113	03408	1727	530	AA DA GR SP
318/571(0000-0999),571(1000-1999),571(2000-2999)						SV WE
318/571(3000-3999),571(4000-4999),571(5000-5999)						
318/571(6000-6999),571(7000-7999),571(8000-8999)						
DONALDSON	DNSNARXADS0	07870	03508	1697	528	AA BA DA HD
501/384						OE T3 T8 TJ
DOVER	DOVRARXARS1	07654	03645	1142	528	BA DA GC GD
479/331						GE GG GJ GM
						GN GQ GR HB
						HD II TJ TY
						VM
DRAKES CREEK	DRCKARXARS0	07588	03821	1691	526	AA DA GM GR
479/456(0000-0999),456(1000-1999),456(2000-2999)						II RC RD TJ
479/456(3000-3999),456(4000-4999),456(5000-5999)						ZZ
479/456(6000-6999),456(7000-7999),456(8000-8999)						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
DUMAS 870/382(0000-2999),382(4000-8999)	DUMSARXADS0	07829	03242	1142	530	AA BA DA GE GL GN GR HB HD HJ II TJ VM
DYESS 870/764	DYSSARXARS1	07398	03196	1722	528	DA GN HD TJ
EARLE 870/792(1000-1999),792(7000-7999),792(8000-8999)	EARLARMARS1	07479	03205	5211	528	AA BA DA GD HB IA IC ID PC PR PU QF SV
EL DORADO 870/309(3000-3999),677(4000-4999),862,863,864 870/875(1000-1999),875(2000-2999),875(4000-4999) 870/875(5000-5999),875(6000-6999),875(7000-7999) 870/875(8000-8999),881(0000-0999),881(1000-1999) 870/881(2000-2999),881(4000-4999),881(5000-5999) 870/881(6000-6999),881(7000-7999),881(8000-8999) 870/881(9000-9999)	ELDOARMADS0	08052	03375	5211	530	AA BA DA GC HB IA IC ID IF IH II PC QB QF RN RO SK SR UV ZX
ELAINE 870/827	ELANARXADS0	07698	03178	1691	528	AA DA GM GR
ELKINS 479/643	EKNSARXADS0	07601	03843	1691	526	AA DA GN GR II RC RD SQ TJ ZZ
ELKINS 479/240(4000-4999)	EKNSARXAPS0	07601	03843	1691	526	AA DA GN GR II RC RD SQ TJ ZZ
ELM SPRINGS 479/248	EMSPARXADS1	07575	03897	1142	526	DA GN GR II TJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE				
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--	
EMERSON	EMSNARXADS0	08113	03453	1724	530	AA	AB	BA	BC	
870/547						DA	DD	GC	GI	
						GL	GN	GP	GQ	
						GR	HB	HK	IA	
						IB	IC	IG	II	
						JA	SJ	SP	SQ	
						SU	T8	TJ	UG	
						UP	UX	WD	WE	
						XA				
ENGLAND	ENLDARXADS0	07737	03381	1144	528	AA	BA	DA	GC	
501/842(0000-3999),842(8000-9999)						GD	GG	GN	GR	
						HB	HD	II	RC	
						RD	RF	RM	SQ	
						TJ				
ENOLA	ENOLARXARS1	07629	03478	1691	528	AA	DA	GM	GR	
501/849(0000-0999),849(1000-1999),849(2000-2999)						TJ	ZZ			
501/849(3000-3999)										
ETOWAH	ETWHARXARS1	07378	03209	1722	528	DA	GN	HD	TJ	
870/531										
EUDORA	EUDRARMARS1	07963	03133	5211	530	AA	BA	DA	GC	
870/355(2000-2999),355(4000-4999),355(8000-8999)						PC	QF	SV		
EUREKA SPRINGS	ERSPARMARS1	07505	03832	5211	526	AA	BA	DA	GC	
479/253,363(9000-9999)						GD	HA	IA	IC	
						ID	IE	IF	IG	
						IH	PC	QF	RN	
						RO	SV			
EVENING SHADE	EVSHARXARS1	07413	03464	1706	528	DA	GR	RC	RD	(C)
870/266(1000-1999),266(2000-2999),266(3000-3999)						TJ				(C)
870/266(4000-4999),266(5000-5999),266(6000-6999)										(C)
870/266(7000-7999),266(9000-9999)										(C)
FAIRFIELD BAY	FABAARXADS0	07558	03531	1692	528	AA	BA	DA	GC	
501/884						HD	TJ	TK		

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
FAYETTEVILLE	FYVLAREERS1	07599	03875	5211	526	AA BA DA PC
479/445(1000-1999)						PL PR PS
FAYETTEVILLE	FYVLARHI02T	07599	03872	5211	526	GB PR PS
/						
FAYETTEVILLE	FYVLARHIDS0	07599	03872	5211	526	AA BA DA GC
479/251(1000-9999),442,443,444,463(1000-8999),521,527						HB HG IA IC
479/571(1000-9999),575,582,587,684(0000-0999)						ID IE IF IG
479/684(2000-2999),684(3000-3999),684(4000-4999)						IH II PB PR
479/684(5000-5999),713(1000-8999),718(0000-0999)						PS QB QF RP
479/718(1000-1999),718(2000-2999),718(3000-3999)						RQ SL SS TJ
479/718(4000-4999),718(5000-5999),718(7000-7999)						UE UQ UR UV
479/718(8000-8999),718(9000-9999),856(0000-0999)						VG VL VQ ZY
479/973(0000-0999),973(1000-1999),973(2000-2999)						
479/973(4000-4999),973(5000-5999),973(6000-6999)						
479/973(7000-7999),973(8000-8999),973(9000-9999)						
FAYETTEVILLE	FYVLARHIDS1	07599	03872	7656	526	DA
479/695						
FAYETTEVILLE	FYVLARHIRS2	07599	03872	5211	526	AA BA DA PB
479/419(1000-1999),419(6000-6999),419(7000-7999)						PR PS TJ
FERNDALE	LTRKARVARS1	07739	03482	5211	528	AA BA DA GC
501/821						GE IA IC ID
						IF IH II PC
						PR PS QF SJ
						SV
FERNDALE	LTRKARVARS2	07739	03482	7656	528	DA
501/448(0000-0999),448(1000-1999),448(3000-3999)						
501/448(4000-4999)						
FIFTY SIX	FFSXARXARS0	07478	03549	1712	528	AA BA DA GM
870/757						HD IC ID OR
						RC RD SP SQ
						T3 T8 TJ UG
						UP WE

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
FISHER	FSHRARXARS1	07476	03308	1721	528	DA G3 GE GJ
870/328						GL GN GP GQ
						GR HA HJ IA
						IC ID IE IF
						II SJ SP SQ
						T3 T8 T9 TJ
						UG UU VE WE
FORDYCE	FRDYARXA01T	07915	03388	1691	530	DA GB GR HB
/						HD TJ
FORDYCE	FRDYARXADS0	07915	03388	1691	530	AA DA DD GN
870/220(0000-0999),220(3000-3999),220(4000-4999)						GR II RP RQ
870/220(5000-5999),220(6000-6999),220(7000-7999)						TJ ZZ
870/220(8000-8999),220(9000-9999),313(0000-0999)						
870/313(3000-3999),313(5000-5999),313(6000-6999)						
870/313(7000-7999),313(8000-8999),352(0000-0999)						
870/352(2000-2999),352(3000-3999),352(4000-4999)						
870/352(5000-5999),352(6000-6999),352(7000-7999)						
870/352(8000-8999),352(9000-9999)						
FORDYCE	FRDYARXAPS0	07915	03388	1691	530	AA DA DD GN
870/893(9000-9999)						GR II RP RQ
						TJ ZZ
FOREMAN	FRMNARXADS0	08076	03708	1729	528	AA BA DA GN
870/542						GQ GR HB IA
						IC OE SP T3
						TJ UG UR UW
						VE WE WF WG
FORREST CITY	FRCYARMADS0	07555	03232	5211	528	AA BA DA GC
870/261(0000-0999),261(1000-1999),261(2000-2999)						II PC QB QF
870/261(3000-3999),261(4000-4999),261(5000-5999)						RN RO SK SR
870/261(6000-6999),261(7000-7999),261(8000-8999)						UV VF VP ZX
870/494(3000-3999),494(4000-4999),630(0000-0999)						
870/630(1000-1999),630(2000-2999),630(3000-3999)						
870/630(4000-4999),630(5000-5999),630(6000-6999)						
870/630(7000-7999),630(9000-9999),633						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
FORREST CITY	FRCYARPARS1	07573	03250	5211	528	AA BA DA GD
870/581(1000-1999),581(2000-2999)						PC QF SV
FORT SMITH	FTSMARGLDS0	07753	03840	5211	526	BA DA GC GE
479/452,478,484						HB IA IC ID
						II PC PR PU
						QB QF RN RO
						SJ SR UV VF
						ZX
FORT SMITH	FTSMARHOGT0	07758	03856	7192	526	DA
918/436(6000-6999),626(8000-8999),875(6000-6999)						
FORT SMITH	FTSMARMI626	07762	03848	5211	526	AA BA DA GE
918/626(2000-2999),626(3000-3999),626(4000-4999)						PC PR PU RN
918/626(9000-9999)						RO SR UV VF
						ZX
FORT SMITH	FTSMARMIDS0	07762	03848	5211	526	AA BA DA GE
479/646,648,649						HB IA IC ID
						II PC PR PU
						QB QF RN RO
						SJ SR TJ UV
						VF ZX
FORT SMITH	FTSMARSU03T	07752	03855	5211	526	GB PR PU
/						
FORT SMITH	FTSMARSU87A	07752	03855	5211	526	AA BA DA GC
918/875(1000-1999),875(2000-2999),875(3000-3999)						GE PB PR PU
918/875(8000-8999),875(9000-9999)						RP RQ SS TJ
						UE UV VG VL
						VQ ZY

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
FORT SMITH                  FTSMARSUDS0 07752 03855 5211  526 AA BA DA GC
   479/201,226(4000-4999),226(5000-5999),288,314            GE HB HG IA
   479/401(4000-4999),441,494,573(0000-2999),573(5000-5999) IC ID IE IF
   479/573(7000-7999),709(0000-0999),709(1000-1999)         IG IH II OH
   479/709(4000-4999),709(5000-5999),709(6000-6999)         PB PR PU QB
   479/709(7000-7999),709(8000-8999),709(9000-9999)         QF RP RQ SL
   479/755(0000-0999),782,783,784,785,788                   SS TJ UE UV
                                                            VG VL VQ ZY
.......................................................................
FORT SMITH                  FTSMARSUDS1 07752 03855 7656  526 DA
   479/259(0000-0999),424
.......................................................................
FORT SMITH                  FTSMARSUX2X 07752 03855 7656  526 DA
   479/343(7000-7999)
.......................................................................
FORT SMITH                  FTSMARSUXYX 07720 03832 7576  526 GR
   417/341(7000-7999)
   479/217(7000-7999),224(5000-5999),227(7000-7999)
   479/233(7000-7999),239(7000-7999),240(7000-7999)
   479/252(7000-7999),255(7000-7999),256(7000-7999)
   479/262(7000-7999),269(7000-7999),275(7000-7999)
   479/291(7000-7999),294(7000-7999),298(6000-6999)
   479/309(7000-7999),312(5000-5999),320(5000-5999)
   479/321(7000-7999),323(5000-5999),333(6000-6999)
   479/345(7000-7999),359(8000-8999),373(7000-7999)
   479/456(9000-9999),488(7000-7999),577(0000-0999)
   479/656(0000-0999),662(7000-7999),677(1000-1999)
   479/765(7000-7999),789(8000-8999)
   918/262(7000-7999),326(5000-5999),436(3000-3999)
   918/498(7009-7999),529(6000-6999),626(7000-7999)
   918/875(5000-5999)
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
FORTH SMITH                 FTSMARSUJMD 07752 03855 7277  526 BA DA       (C)
   479/221(9000-9999),235(3000-3999),259(9000-9999)                        (C)
   479/268(2000-2999),268(7000-7999),319(5000-5999)                        (C)
   479/321(3000-3999),347(3000-3999),367(3000-3999)                        (C)
   479/431(3000-3999),439(6000-6999),573(3000-3999)                        (C)
   479/717(5000-5999),717(7000-7999),718(6000-6999)                        (C)
   479/769(3000-3999),802(5000-5999),877(2000-2999)                        (C)
   479/877(3000-3999),877(7000-7999)                                       (C)
.......................................................................
FOUKE                       FOUKARXA01T 08133 03583 1724  554 BC D1 DA DD
      /                                                     GB GG GI GL
                                                            GN GP GQ GR
                                                            HB HK IA IB
                                                            IC IG II SK
                                                            SR SU SW SY
                                                            T8 TJ UG UX
                                                            WD WE XA XD
.......................................................................
FOUKE                       FOUKARXADS0 08133 03583 1724  554 AA AB BA BC
   870/653                                                  DA DD GC GI
                                                            GL GN GP GQ
                                                            GR HB HK IA
                                                            IB IC IG II
                                                            JA OE SJ SP
                                                            SQ SU T8 TJ
                                                            TZ UG UP UX
                                                            WD WE XA
.......................................................................
FOX                         FOX ARXARS0 07519 03546 1712  528 AA BA DA IC
   870/363                                                  ID RC RD SP
                                                            SQ T3 T8 TJ
                                                            UG UP WE
.......................................................................
FRANKLIN                    FKLNARXARS1 07405 03499 1706  528 DA GR RC RD (C)
   870/322(1000-1999),322(2000-2999),322(3000-3999)         TJ          (C)
   870/322(4000-4999),322(5000-5999),322(7000-7999)                     (C)
   870/322(8000-8999),322(9000-9999)                                    (C)
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
FT SMITH                    FTSMARHOGT0 07758 03856 756D  526 DA
   479/226(3000-3999),252(6000-6999),262(2000-2999)
   479/262(5000-5999),262(6000-6999),274(2000-2999)
   479/274(3000-3999),274(4000-4999),274(5000-5999)
   479/274(6000-6999),297(6000-6999),357(1000-1999)
   479/430(7000-7999),434(2000-2999),434(3000-3999)
   479/434(4000-4999),434(5000-5999),434(6000-6999)
   479/755(6000-6999)
.......................................................................
FT SMITH                    FTSMARHOGT1 07758 03856 756D  526 DA
   479/222(6000-6999),269(6000-6999),309(6000-6999)
.......................................................................
FULTON                      FLTNARXADS0 08057 03601 1724  528 AA AB BA BC
   870/896                                                  DA DD GC GI
                                                            GL GN GP GQ
                                                            GR HB HK IA
                                                            IB IC IG II
                                                            JA SJ SP SQ
                                                            SU T8 TJ UG
                                                            UP UX WD WE
                                                            XA
.......................................................................
GAMALIEL                    GMLLARXARS1 07396 03598 1711  528 AA DA GR HA (C)
   870/467(0000-0999),467(1000-1999),467(2000-2999)         HD RA TJ TY (C)
   870/467(3000-3999),467(5000-5999),467(6000-6999)         WF          (C)
   870/467(7000-7999),467(9000-9999)                                    (C)
.......................................................................
GARFIELD                    GRFDARXADS0 07512 03869 1142  526 DA GC GD GN
   479/359(0000-0999),359(1000-1999),359(2000-2999)         GR II TJ
   479/359(3000-3999),359(4000-4999),359(5000-5999)
   479/359(6000-6999),359(7000-7999),359(9000-9999)
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
GARLAND	GRLDARXADS0	08098	03563	1724	554	AA AB BA BC
870/683						DA DD GC GI
						GL GN GP GQ
						GR HB HK IA
						IB IC IG II
						JA SJ SP SQ
						SU T8 TJ UG
						UP UX WD WE
						XA
GASSVILLE	GSVLARXARS0	07433	03623	1733	528	AA DA GQ HB
870/435						HD HJ IC ID
						II OE OH SP
						SQ T8 TJ TZ
						UG UP WE
GATEWAY	GTWYARXARS0	07501	03874	1142	526	DA GN GR II
479/656(1000-1999),656(2000-2999),656(3000-3999)						
479/656(4000-4999),656(5000-5999),656(6000-6999)						
479/656(7000-7999),656(8000-8999),656(9000-9999)						
GENTRY	GNTRARXBDS0	07582	03942	1142	526	DA GC GD GN
479/736						GR II TJ XG
GILLETT	GLLTARXARS0	07776	03246	1144	528	BA DA GD GG
870/548(0000-0999),548(1000-1999),548(2000-2999)						GM GN GQ GR
870/548(3000-3999),548(4000-4999),548(6000-6999)						HB HD II RC
870/548(7000-7999),548(8000-8999),548(9000-9999)						RD TJ TY
GILLHAM	GLHMARXARP0	07985	03733	1691	528	AA DA GM GR
870/386(9000-9999)						II RC RD TJ
						ZZ
GILLHAM	GLHMARXARS0	07985	03733	1691	528	AA DA GM GR
870/386(0000-0999),386(1000-1999),386(2000-2999)						II RC RD TJ
870/386(3000-3999),386(4000-4999),386(5000-5999)						ZZ
870/386(6000-6999),386(7000-7999),386(8000-8999)						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
GLENWOOD /	GLWDARXA01T	07898	03621	1691	528	GB GR HB HD TJ
GLENWOOD 870/223,356	GLWDARXADS0	07898	03621	1691	528	AA DA GC GN GR II RC RD TJ ZZ
GLENWOOD 870/669(9000-9999)	GLWDARXAPS0	07898	03621	1691	528	AA DA GC GN GR II RC RD TJ ZZ
GOULD 870/263(1000-1999),263(2000-2999),263(3000-3999) 870/263(4000-4999),263(5000-5999),263(6000-6999) 870/263(7000-7999),263(8000-8999),263(9000-9999)	GOLDARXARS0	07815	03263	1142	530	AA BA DA GE GL GM GN GR HB HD HJ II TJ VM XG
GRADY 870/479(1000-1999),479(3000-3999)	GRDYARMARS1	07807	03295	5211	530	AA BA DA GD PC QF SV
GRAVETTE 479/787(1000-1999),787(5000-5999),787(6000-6999) 479/787(7000-7999),787(9000-9999)	GRVTARMARS1	07549	03951	5211	526	AA BA DA GC GD IA IC ID IE IF IG IH PC PR PS QF RN RO SV
GREEN FOREST 870/438,726(0000-0999),726(9000-9999)	GRFRARXADS0	07494	03779	1691	528	AA DA DD GM GN GR TJ ZZ
GREEN FOREST 870/712(9000-9999)	GRFRARXAPS0	07494	03779	1691	528	AA DA DD GM GN GR TJ ZZ
GREENBRIER 501/581(0000-0999),581(4000-4999),679	GNBRARXADS0	07634	03512	1691	528	AA DA GB GN GR II RP RQ SQ TJ ZZ
GREENBRIER 501/402(4000-4999)	GNBRARXAPS0	07634	03512	1691	528	AA DA GB GN GR II RP RQ SQ TJ ZZ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
GREENWOOD 479/996	GNWDARXADS1	07774	03814	1142	526	AA DA GC GD GN GR II TJ
GREERS FERRY 501/825(1000-1999),825(6000-6999),825(7000-7999) 501/825(8000-8999)	GRFYARMARS1	07553	03509	5211	528	AA BA DA GD GE IA IC ID PC QF SV
GRIFFITHVILLE 501/323(0000-0999),323(1000-1999),323(2000-2999) 501/323(3000-3999),323(4000-4999),323(5000-5999) 501/323(6000-6999),323(7000-7999),323(8000-8999)	GFVLARXARS0	07600	03381	1144	528	BA DA GD GG GM GN GQ GR HB HD II RC RD SQ TJ
GRUBBS 870/252(1000-1999),252(3000-3999),252(9000-9999)	GRBSARMARS2	07453	03339	5211	528	AA BA DA GD PC QF SV
GURDON 870/353(1000-1999),353(2000-2999),353(4000-4999) 870/353(5000-5999),353(6000-6999)	GRDNARMARS1	07949	03518	5211	528	AA BA DA GC GD HB IA IC ID IE IF IG IH PC QF SV
HACKETT 479/638	HCKTARXARS1	07791	03838	1142	526	GC GD GM GN GR TJ
HAMBURG 870/853(1000-2999),853(4000-5999),853(8000-9999)	HMBGARMARS1	07982	03232	5211	530	AA BA DA GC GD IE IG PC QF SV
HAMPTON /	HMPNARXA01T	07973	03371	1702	530	D1 DA GB HA HD
HAMPTON 870/463,465,689,798	HMPNARXADS0	07973	03371	1702	530	DA GG GL GN GP GQ GR HD IB OE TJ TZ UG UN UP VA WE XF
HARDY 870/856	HRDYARXADS0	07354	03466	1706	528	DA GR RA RP RQ RX TD TJ TY VA WE ZX

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
HARRISBURG	HRBGARMARS1	07442	03274	5211	528	AA DA GC PC
870/578(1000-1999),578(2000-2999),578(4000-4999)						QF SV
870/578(5000-5999),578(9000-9999)						
HARRISON	HRSNARAZAMD	07491	03718	756D	528	DA
870/204(5000-5999),204(6000-6999),726(6000-6999)						
870/929(6000-6999)						
HARRISON	HRSNARXA08T	07490	03712	1691	528	D1 DA GB GR
/						HB HD TJ XG
HARRISON	HRSNARXADS0	07490	03712	1691	528	AA DA GC GN
870/704,715(0000-0999),715(1000-1999),715(2000-2999)						GR II RP RQ
870/715(3000-3999),715(4000-4999),715(6000-6999),743						TJ XG ZZ
HARRISON	HRSNARXAPS0	07490	03712	1691	528	AA DA GC GN
870/280(1000-1999)						GR II RP RQ
						TJ XG ZZ
HARRISON	HRSNARXBRS0	07490	03718	1691	528	AA DA DD GC
870/365(0000-0999),365(1000-1999),365(2000-2999)						GM GN GR RC
870/365(3000-3999),365(4000-4999),365(5000-5999)						RD TJ XG ZZ
870/365(7000-7999),365(8000-8999),365(9000-9999)						
870/391(0000-0999),391(1000-1999),391(2000-2999)						
870/391(3000-3999),391(4000-4999),391(5000-5999)						
870/391(6000-6999),391(7000-7999),391(8000-8999)						
870/414(0000-0999),414(4000-4999),414(5000-5999)						
870/414(6000-6999),414(7000-7999),414(8000-8999)						
870/414(9000-9999),741						
HARTMAN	HTMNARXARS1	07685	03731	1142	528	GN GR II TJ
479/497(0000-0999),497(1000-1999),497(2000-2999)						TY VM
479/497(3000-3999),497(4000-4999),497(5000-5999)						
479/497(7000-7999),497(8000-8999),497(9000-9999)						
HATFIELD	HTFDARXARP0	07926	03771	1691	528	AA DA GM GR
870/389(4000-4999)						II RC RD TJ
						ZZ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
HATFIELD                    HTFDARXARS0 07926 03771 1691  528 AA DA GM GR
   870/389(0000-0999),389(1000-1999),389(2000-2999)          II RC RD TJ
   870/389(3000-3999),389(5000-5999),389(6000-6999)          ZZ
   870/389(7000-7999),389(8000-8999),389(9000-9999)
.......................................................................
HAVANA                      HAVNARXADS0 07741 03688 1734  528 AA BA DA TJ
   479/476                                                   TK
.......................................................................
HAZEN                       HAZNARXADS0 07661 03339 1144  528 AA BA DA GC
   870/255(0000-4999),255(6000-9999)                         GD GG GR HB
                                                             HD II RC RD
                                                             RF RM SQ TJ
                                                             TY
.......................................................................
HEBER SPRINGS               HBSPARMADS0 07557 03478 5211  528 AA BA DA GE
   501/206(0000-0999),206(3000-3999),250(0000-0999)          IA IC ID II
   501/250(3000-3999),250(4000-4999),250(5000-5999)          PC QB QF RN
   501/250(6000-6999),250(7000-7999),250(8000-8999)          RO SV
   501/250(9000-9999),362,365(0000-0999),887(3000-3999)
   501/887(4000-4999)
.......................................................................
HECTOR                      HCTRARXARS1 07637 03632 1142  528 BA DA GC GD
   479/284(0000-0999),284(2000-2999),284(3000-3999)          GE GG GJ GM
   479/284(4000-4999),284(5000-5999),284(6000-6999)          GN GQ GR HB
   479/284(7000-7999),284(8000-8999),284(9000-9999)          HD II TJ TY
                                                             VM
.......................................................................
HELENA                      HLNAARHIRS1 07634 03155 5211  528 BA DA HG IA
   870/338,753(0000-1999),753(9000-9999),816(1000-3999)      IC ID PC QB
   870/817(0000-1999),817(9000-9999)                         QF RN RO SJ
                                                             SR UV ZX
.......................................................................
HELENA                      HLNAARJURS1 07635 03165 5211  528 AA BA DA GC
   870/572(0000-0999),572(1000-1999),572(2000-2999)          HG IA IC ID
   870/572(3000-3999),572(4000-4999),572(5000-5999)          IF IH II PC
   870/572(6000-6999),572(7000-7999),572(9000-9999)          QB QF RN RO
                                                             SR UV ZX
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
HENDERSON                   HNSNARXARS1 07398 03591 1711  528 AA DA GR HA (C)
   870/488(0000-0999),488(1000-1999),488(2000-2999)          HD RA TJ TY (C)
   870/488(3000-3999),488(5000-5999),488(6000-6999)          WF          (C)
   870/488(8000-8999),488(9000-9999)                                     (C)
.......................................................................
HICKORY PLAINS              HCPLARXARS0 07633 03383 1144  528 BA DA GG GM
   870/854(1000-1999),854(2000-2999),854(3000-3999)          GR HB HD II
   870/854(4000-4999),854(5000-5999),854(6000-6999)          RC RD TJ TY
   870/854(7000-7999),854(8000-8999),854(9000-9999)
.......................................................................
HICKORY RIDGE               HCRGARMARS2 07496 03302 5211  528 AA BA DA GD
   870/697(1000-1999),697(2000-2999)                         PC QF SV
.......................................................................
HINDSVILLE                  HNDVARMARS1 07559 03834 5211  526 AA BA DA HA
   479/789(1000-1999),789(2000-2999),789(5000-5999)          IA IC ID IE
                                                             IF IG IH PC
                                                             QF RN RO SV
.......................................................................
HOLLY GROVE                 HLGVARXBRS0 07668 03261 1143  528 BA DA GM GN
   870/462(0000-0999),462(1000-1999),462(2000-2999)          GR II TJ VM
   870/462(3000-3999),462(4000-4999),462(5000-5999)          XG
   870/462(6000-6999),462(8000-8999),462(9000-9999)
.......................................................................
HOPE                        HOPEARMARS1 08031 03570 5211  528 AA BA DA GC
   870/722(1000-1999),722(2000-2999),722(3000-3999)          HG IA IC ID
   870/722(4000-4999),722(5000-5999),722(6000-6999)          IF IH II PC
   870/722(7000-7999),722(8000-8999),777                     QF RN RO SJ
                                                             SR UV ZX
.......................................................................
HORATIO                     HORTARXARP0 08034 03721 1691  528 AA CA GM GN
   870/832(9000-9999)                                        GR TJ
.......................................................................
HORATIO                     HORTARXARS0 08034 03721 1691  528 AA CA GM GN
   870/832(0000-0999),832(1000-1999),832(2000-2999)          GR TJ
   870/832(3000-3999),832(4000-4999),832(5000-5999)
   870/832(6000-6999)
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
HORSESHOE BEND 870/670	HRBNARXARS1	07392	03501	1706	528	AA DA GR HA HD RA RC RD TJ WE
HOT SPRINGS 501/262(0000-6999),262(9000-9999)	HTSPARCORS1	07827	03541	5211	528	AA BA DA GC GD HB IA IC ID IE IF IG IH PC QF RN RO SV
HOT SPRINGS 501/520(0000-0999),520(2000-2999),520(3000-3999) 501/520(4000-4999),520(5000-5999),525	HTSPARLADS0	07841	03556	5211	528	AA BA DA GC GR HB IA IC ID IE IF IG IH PC QB QF SV
HOT SPRINGS 501/318(0000-0999),318(1000-1999),318(2000-2999) 501/318(5000-5999),318(6000-6999),318(9000-9999),321 501/520(6000-6999),609,620(1000-2999),620(4000-8999),622 501/623,624,625(3000-3999),625(4000-4999),625(5000-5999) 501/625(6000-6999),625(7000-7999),625(8000-8999),627 501/651(6000-6999),701(1000-1999),701(5000-5999) 501/701(6000-6999)	HTSPARNADS0	07825	03556	5211	528	AA BA DA GC HB IA IC ID IE IF IG IH OH PC QB QF RN RO SK SR UV VF VP ZX
HOT SPRINGS 501/760(1000-1999),760(2000-2999),760(3000-3999) 501/760(4000-4999),760(5000-5999),760(6000-6999) 501/760(7000-7999),767	HTSPARRORS1	07832	03567	5211	528	AA BA DA GC HG IA IC ID IF IH II PC QF SJ SV
HUGHES 870/339(1000-1999),339(2000-2999),339(3000-3999) 870/339(4000-4999)	HGHSARMARS1	07543	03176	5211	528	AA BA DA HB IA IC ID PC QF SV
HUMPHREY 870/873(0000-0999),873(1000-1999),873(2000-2999) 870/873(4000-4999),873(5000-5999),873(6000-6999) 870/873(7000-7999),873(8000-8999),873(9000-9999)	HMPHARXARS0	07741	03327	1144	528	BA DA GD GG GM GN GQ GR HB HD II RC RD TJ TY

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
HUNTSVILLE /	HNVIARXA01T	07565	03805	1709	526	GB TJ
HUNTSVILLE 479/232,559,665,737,738	HNVIARXADS0	07565	03805	1709	526	D1 DA DD GB GL HA IB IC SP SQ TJ TK VA XE
HUTTIG 870/943(1000-1999),943(2000-2999)	HTTGARMARS2	08049	03280	5211	530	AA BA DA GC GD PC QF SV
IMBODEN 870/869(0000-0999),869(1000-1999),869(2000-2999) 870/869(3000-3999),869(4000-4999),869(6000-6999) 870/869(7000-7999),869(8000-8999),869(9000-9999)	IMBDARXBDS0	07352	03406	1144	528	BA DA GC GD GN GR HB II RF SH TJ
JACKSONVILLE /	JCVLARXABB1	07685	03435	1144	528	T3 T7 TU
JACKSONVILLE 501/241(0000-3999),241(5000-6999),241(8000-9999) 501/533(1000-2999),533(6000-6999),982,985	JCVLARXADS0	07685	03435	1144	528	AA BA DA GC GD GE GG GN GQ GR HB HD II RC RD SQ T3 T7 TD TJ TU TY
JACKSONVILLE 501/457(0000-0999),457(5000-5999),457(8000-8999)	JCVLARXARS0	07685	03435	7656	528	DA
JACKSONVILLE 501/983(0000-1999),983(8000-9999),987,988(0000-0999) 501/988(1000-1999),988(2000-2999),988(4000-4999) 501/988(5000-5999),988(8000-8999),988(9000-9999)	JCVLARXBRS0	07682	03442	1144	528	AA BA DA GC GD GE GG GN GQ GR HB HD II RC RD SQ TJ TY
JASPER 870/446	JSPRARXADS0	07540	03710	1726	528	AA DA GM GN HD HE TJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
JESSIEVILLE                 JSVLARDERS1 07769 03562 5211  528 AA BA DA GC
   501/915(0000-0999),915(2000-2999),915(3000-3999)          HG IA IC ID
   501/915(8000-8999),915(9000-9999),922                     IF IH II PC
                                                             PR PS QF SV
.......................................................................
JESSIEVILLE                 JSVLARMARS1 07791 03574 5211  528 AA BA DA GC
   501/984(4000-4999),984(5000-5999),984(6000-6999)          PC QF SV
.......................................................................
JESUP                       JESPARXAL01 07401 03414 1144  528 BA DA GC GD
   870/528(0000-0999),528(1000-1999),528(2000-2999)          GM GN GR RF
   870/528(3000-3999),528(4000-4999),528(6000-6999)          SH TJ
   870/528(7000-7999),528(8000-8999),528(9000-9999)
.......................................................................
JOHNSON                     JHSNARABGT0 07585 03882 756D  526 DA
   479/202(5000-5999),203(7000-7999),224(6000-6999)
   479/250(9000-9999),255(6000-6999),268(3000-3999)
   479/268(4000-4999),268(6000-6999),287(4000-4999)
   479/294(6000-6999),296(6000-6999),301(2000-2999)
   479/344(6000-6999),361(8000-8999),363(6000-6999)
   479/365(2000-2999),365(6000-6999),372(4000-4999)
   479/373(1000-1999),373(6000-6999),419(5000-5999)
   479/419(9000-9999),445(6000-6999),488(6000-6999)
   479/525(6000-6999),633(8000-8999),657(2000-2999)
   479/657(6000-6999),662(6000-6999),715(6000-6999)
   479/717(2000-2999),765(6000-6999),856(6000-6999)
   479/876(8000-8999),899(6000-6999),935(4000-4999)
   479/966(4000-4999)
   918/262(6000-6999)
.......................................................................
JOHNSON                     JHSNARABGT1 07585 03882 756D  526 DA
   479/249(6000-6999),249(8000-8999),249(9000-9999)
   479/268(5000-5999),308(2000-2999),308(3000-3999)
   479/316(7000-7999),319(6000-6999),404(1000-1999)
   479/404(2000-2999),404(3000-3999),404(4000-4999)
   479/404(5000-5999),404(6000-6999),404(7000-7999)
   479/404(8000-8999),419(4000-4999),435(6000-6999)
   479/717(6000-6999),802(6000-6999),903(7000-7999)
   479/927(6000-6999)
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
JOHNSON                     JHSNARABIMD 07585 03882 756D  526 DA
   479/300(6000-6999),400(6000-6999),500(6000-6999)
.......................................................................
JOINER                      JONRARMARS2 07409 03177 5211  528 AA BA DA GC
   870/537(1000-1999),537(4000-4999),537(5000-5999)          GD PC QF SV
.......................................................................
JONES MILL                  JNMLARMARS1 07828 03523 5211  528 AA BA DA GC
   501/566(0000-0999),815(0000-0999),815(1000-1999)          GD HB IA IC
   501/815(2000-2999),815(3000-3999),815(4000-4999)          ID IE IF IG
   501/844(0000-0999),844(1000-1999),844(2000-2999)          IH PC QF SV
   501/844(4000-4999),844(5000-5999),844(6000-6999)
   501/844(7000-7999),844(9000-9999)
.......................................................................
JONESBORO                   JNBOARMA02T 07388 03297 5211  528 GB
      /
.......................................................................
JONESBORO                   JNBOARMADS0 07388 03297 5211  528 AA BA DA GC
   870/253(0000-0999),253(5000-5999),268,333(4000-4999)      GD HG IA IC
   870/680(1000-1999),680(4000-6999),680(8000-8999)          ID IE IF IG
   870/802(0000-0999),802(1000-1999),802(2000-2999)          IH II PB RP
   870/802(3000-3999),802(4000-4999),802(5000-5999)          RQ SK SR UE
   870/802(6000-6999),802(7000-7999),802(8000-8999)          UV VF VP ZX
   870/819(0000-0999),910,930,931,932,933,934,935,972,974
   870/974
.......................................................................
JUDSONIA                    JDSNARXADS0 07569 03395 1144  528 AA BA DA GC
   501/729(0000-0999),729(1000-1999),729(2000-2999)          GD GG GN GQ
   501/729(3000-3999),729(4000-4999),729(5000-5999)          GR HB HD II
   501/729(6000-6999),729(7000-7999),729(9000-9999)          RC RD RF RM
                                                             SQ TJ
.......................................................................
JUNCTION CITY               JNCYARXADS0 08094 03368 1727  530 AA DA GR SV
   870/924(0000-0999),924(2000-2999),924(3000-3999)          UM WE
   870/924(4000-4999),924(5000-5999),924(6000-6999)
   870/924(7000-7999),924(8000-8999),924(9000-9999)
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
JUNCTION CITY	JNCYARXADSL	08094	03368	1727	530	AA DA GR SV
318/986(0000-0999),986(1000-1999),986(2000-2999)						UM WE
318/986(3000-3999),986(4000-4999),986(5000-5999)						
318/986(6000-6999),986(7000-7999),986(9000-9999)						
KEISER	KESRARXARS1	07372	03185	1722	528	DA GN HD TJ
870/526						
KENSETT	KNSTARXARS0	07580	03395	1144	528	BA DA GD GG
501/742						GM GN GQ GR
						HB HD II RC
						RD SQ TJ
KINGSLAND	KGLDARXARS1	07897	03373	1698	530	AA BA DA GC
870/348						GD GR TJ
KNOBEL	KNBLARXARS0	07265	03319	1144	528	BA DA GD GM
870/259(1000-1999),259(2000-2999),259(3000-3999)						GN GR II TJ
870/259(4000-4999),259(5000-5999),259(6000-6999)						
870/259(7000-7999),259(8000-8999),259(9000-9999)						
LAKE CITY	LKCYARXARS0	07371	03251	1143	528	BA DA GC GD
870/237(1000-1999),237(2000-2999),237(3000-3999)						GN GR II TJ
870/237(4000-4999),237(5000-5999),237(6000-6999)						
870/237(7000-7999),237(8000-8999),237(9000-9999)						
LAKE HINKLE	LKHNARXADS0	07848	03790	3031	526	DA T3 TJ
479/923						
LAKE VILLAGE	LKVGARMARS1	07921	03157	5211	530	AA BA DA GC
870/265(2000-2999),265(3000-3999),265(4000-4999)						PC QF RN RO
870/265(5000-5999),265(6000-6999),265(7000-7999)						SV
870/265(9000-9999)						
LAKEVIEW	LKVWARXADS0	07425	03644	1711	528	AA DA GR HA
870/431(0000-0999),431(1000-1999),431(2000-2999)						HD RA TJ WF
870/431(3000-3999),431(4000-4999),431(5000-5999)						
870/431(7000-7999),431(8000-8999),431(9000-9999)						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
LAMAR	LAMRARXADS0	07667	03692	1142	528	BA GC GD GN
479/885(0000-0999),885(1000-1999),885(2000-2999)						GR II RC RD
479/885(3000-3999),885(4000-4999),885(5000-5999)						RF RM SQ TJ
479/885(6000-6999),885(8000-8999),885(9000-9999)						TY VM
LAVACA	LAVCARXADS0	07745	03811	4445	526	AA BA DA IC
479/674						OE SP T3 TJ
						TZ XF
LEACHVILLE	LCVLARXARS0	07334	03235	1143	528	AA BA DA GM
870/539(1000-1999),539(2000-2999),539(3000-3999)						GN GR HB IC
870/539(4000-4999),539(5000-5999),539(6000-6999)						II SH ST TJ
870/539(7000-7999),539(8000-8999),539(9000-9999)						UG UP VA VM
						WE WF WG
LEAD HILL	LDHLARXADS0	07441	03700	1713	528	AA BA DA GE
870/422,426,427,436,445,453						GJ HB IB ID
						IE IF II OE
						SH SP ST TJ
						TZ UG UP UR
						VC XE
LEOLA	LEOLARXARS1	07858	03449	1691	530	AA DA DD GM
870/765(0000-8999)						GR TJ ZZ
LEONARD	LNRDARXARS0	07279	03261	1144	528	BA DA GC GD
870/522(1000-1999),522(2000-2999),522(3000-3999)						GM GN GR II
870/522(4000-4999),522(5000-5999),522(6000-6999)						
870/522(7000-7999),522(8000-8999),522(9000-9999)						
LEPANTO	LPNTARXARS1	07404	03216	1722	528	DA GN HD TJ
870/475						
LESLIE	LESLARXARP0	07530	03593	1691	528	AA DA DD GM
870/447(7000-7999)						GN GR TJ ZZ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

LOCALITY ---------NPA/NXX----------	CLLI ----------	WCV ---	WCH ---	CC ---	LATA ---	OFFICE TYPE -- -- -- --
LESLIE 870/447(0000-0999),447(1000-1999),447(2000-2999) 870/447(3000-3999),447(4000-4999),447(5000-5999) 870/447(6000-6999),447(8000-8999)	LESLARXARS0	07530	03593	1691	528	AA DA DD GM GN GR TJ ZZ
LEWISVILLE 870/921	LWVLARXADS0	08088	03541	1729	530	AA BA DA GN GQ GR HB IA IC OE SP T3 T9 TJ TZ UG UR UW VE WE WF WG
LITTLE ITALY - WYE 501/330(3000-3999)	LTITARXARP0	07712	03527	1691	528	AA DA GM GN GR II TJ
LITTLE ITALY - WYE 501/330(0000-2999),330(9000-9999)	LTITARXARS0	07712	03527	1691	528	AA DA GM GN GR II TJ
LITTLE ROCK 501/202,217,218(0000-0999),218(1000-1999),218(2000-2999) 501/218(7000-7999),219,221,223(0000-0999),223(1000-1999) 501/223(2000-2999),223(3000-3999),223(4000-4999) 501/223(5000-5999),223(6000-6999),223(8000-8999) 501/223(9000-9999),224,225,227(0000-1999),227(3000-9999) 501/228,251(0000-0999),251(2000-2999),312,716(1000-6999) 501/716(9000-9999),747(5000-5999),954(1000-1999) 501/954(2000-2999),954(3000-3999),954(4000-4999) 501/954(5000-5999),954(7000-7999),954(8000-8999) 501/954(9000-9999)	LTRKARCADS0	07728	03470	5211	528	AA BA DA GC GE HB IA IC ID IE IF IG IH PB PR PS QB QF RN RO SK SR TJ UR UV VF VP WD WE WG WH ZX
LITTLE ROCK /	LTRKARCAHB1	07731	03468	7656	528	QB QF
LITTLE ROCK 501/490(0000-8999)	LTRKAREARS1	07723	03435	5211	528	AA BA DA GC GE HG IA IC ID IF IH II PC PR PS QF SV

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
LITTLE ROCK                 LTRKARFR02T 07722 03448 5211  528 GB PR PS
      /
.......................................................................
LITTLE ROCK                 LTRKARFRDS0 07722 03448 5211  528 AA BA DA GB
   501/210(0000-0999),210(1000-1999),210(2000-2999)          GC GE GJ HB
   501/210(3000-3999),210(4000-4999),210(6000-6999)          IA IC ID IH
   501/210(7000-7999),210(9000-9999),212,244(0000-0999)      II PA PR PS
   501/244(1000-1999),244(2000-2999),244(4000-4999)          QB QF RP RQ
   501/244(5000-5999),244(6000-6999),244(7000-7999)          SI SL SS TJ
   501/244(9000-9999),257(1000-1999),257(2000-2999)          UE UR UV VB
   501/257(3000-3999),257(4000-4999),257(5000-5999)          VL VQ WD WE
   501/257(6000-6999),257(8000-8999),257(9000-9999)          WG WH ZY
   501/301(1000-1999),301(2000-2999),301(3000-3999)
   501/301(5000-5999),301(6000-6999),301(7000-7999)
   501/301(8000-8999),324,340(1000-1999),340(2000-2999)
   501/340(3000-3999),340(4000-4999),340(5000-5999)
   501/340(6000-6999),340(7000-7999),340(8000-8999)
   501/340(9000-9999),370,371,372,373,374,375,376
   501/377(0000-0999),377(1000-1999),377(2000-2999)
   501/377(3000-3999),377(4000-4999),377(5000-5999)
   501/377(6000-6999),377(7000-7999),377(8000-8999),378
   501/379(1000-1999),379(2000-2999),379(3000-3999)
   501/379(4000-4999),379(5000-5999),379(7000-7999)
   501/396(0000-0999),396(1000-1999),396(2000-2999)
   501/396(3000-3999),396(4000-4999),396(5000-5999)
   501/396(7000-7999),396(8000-8999),399(0000-0999)
   501/399(1000-1999),399(2000-2999),399(3000-3999)
   501/399(4000-4999),399(5000-5999),399(6000-6999)
   501/399(7000-7999),399(8000-8999),433,683(0000-7999),688
   501/862,918(1000-7999)
.......................................................................
LITTLE ROCK                 LTRKARFRHD1 07722 03448 7656  528 QB QF
      /
.......................................................................
LITTLE ROCK                 LTRKARFRRS2 07722 03448 5211  528 AA BA DA PA
   501/319(0000-0999),319(1000-1999),319(6000-6999)          PR PS TJ
   501/319(8000-8999),319(9000-9999)
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
LITTLE ROCK                 LTRKARFRWAA 07722 03448 7656  528 QB QF
     /
.......................................................................
LITTLE ROCK                 LTRKARIYDS0 07722 03473 7656  528 DA SK
   501/220,234(1000-6999),320,364,407(4000-5999)
   501/410(1000-1999),447,526,537,552,682,748(0000-0999)
   501/748(1000-1999),748(2000-2999),748(3000-3999)
   501/748(4000-4999),748(5000-7999),748(8000-8999)
   501/748(9000-9999),850(0000-0999),897(3000-3999),905,906
   501/907,916(3000-3999),916(5000-6999),916(8000-8999)
   501/932(9000-9999),975,978
   870/206(6000-6999)
.......................................................................
LITTLE ROCK                 LTRKARIYPS0 07722 03473 7656  528 DA SK
   501/252,254(5000-5999),438(6000-6999),463(5000-5999)
.......................................................................
LITTLE ROCK                 LTRKARLODS0 07737 03455 5211  528 AA BA DA GC
   501/515(6000-6999),562,565,568,569,570(0000-0999)         GE HB HG IA
   501/570(1000-1999),570(2000-2999),570(3000-3999)          IC ID IE IF
   501/570(4000-4999),570(5000-5999),570(7000-7999)          IG IH II PC
   501/570(8000-8999),570(9000-9999),618(2000-2999)          PR PS QB QF
   501/618(3000-3999),618(4000-4999),618(8000-8999)          RN RO SJ SR
                                                             TJ UR UV WD
                                                             WE WG WH ZX
.......................................................................
LITTLE ROCK                 LTRKARMODS0 07722 03457 5211  528 AA BA DA GC
   501/265(0000-8999),280,296,502(1000-1999),558(0000-0999)  GE HB HG IA
   501/558(1000-1999),558(2000-2999),558(3000-3999)          IC ID IE IF
   501/558(4000-4999),558(5000-5999),558(6000-6999)          IG IH II PB
   501/558(8000-8999),558(9000-9999),603(0000-0999)          PR PS RN RO
   501/603(1000-1999),603(2000-2999),603(3000-3999)          SJ SR TJ UR
   501/603(5000-5999),603(6000-6999),603(7000-7999)          UV WD WE WG
   501/603(8000-8999),603(9000-9999),614(1000-1999)          WH ZX
   501/614(2000-2999),614(3000-3999),614(4000-4999)
   501/614(5000-5999),614(7000-7999),614(9000-9999)
   501/615(1000-1999),660,661(0000-0999),661(1000-1999)
   501/661(2000-2999),661(3000-3999),661(4000-4999)
   501/661(6000-6999),661(7000-7999),661(8000-8999)
   501/661(9000-9999),663,664,666,671,686

=======================================================================
```

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
LITTLE ROCK	LTRKARMOHB1	07722	03457	7656	528	QB QF
/						
LITTLE ROCK	LTRKARSKDS0	07711	03451	5211	528	BA DA GC GE
501/753,758,771(0000-0999),771(1000-1999),771(2000-2999)						HB IA IC ID
501/771(4000-4999),771(5000-5999),771(6000-6999)						II PC PR PS
501/771(7000-7999),771(8000-8999),771(9000-9999)						QB QF RN RO
501/791(0000-0999),791(2000-2999),791(3000-3999)						SJ SR TJ UR
501/791(7000-7999),791(8000-8999),812(0000-0999)						UV WD WE WG
501/812(1000-1999),812(2000-2999),812(4000-4999)						WH ZX
501/812(5000-5999),812(6000-6999),812(7000-7999)						
LITTLE ROCK	LTRKARSKRS1	07711	03451	5211	528	AA BA DA PC
501/813(1000-1999),813(3000-3999),813(8000-8999)						PR PS TJ
LITTLE ROCK	LTRKARSWRS1	07749	03466	5211	528	AA BA DA GC
501/407(0000-0999),407(2000-2999),407(3000-3999)						GE HG IA IC
501/407(8000-8999),407(9000-9999),455						ID IF IH II
						PC PR PS QF
						SJ SV TJ
LITTLE ROCK	LTRKARTEDS0	07697	03451	5211	528	AA BA DA GE
501/833(0000-0999),833(1000-1999),833(2000-2999)						HB IA IC ID
501/833(3000-3999),833(7000-7999),833(8000-8999)						II PC PR PS
501/833(9000-9999),834,835						QB QF RN RO
						SJ SV TJ UR
						WD WE WG WH
LITTLE ROCK	LTRKARTERS1	07697	03451	5211	528	AA BA DA PC
501/819(1000-1999),819(7000-7999)						PR PS TJ
LITTLE ROCK	LTRKARTERS2	07697	03451	7656	528	DA
501/992(0000-0999),992(1000-1999),992(2000-2999)						
501/992(3000-3999),992(4000-4999),992(5000-5999)						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
LITTLE ROCK	LTRKARTUDS0	07754	03444	5211	528	AA BA DA GC
501/261(1000-1999),261(7000-7999),888(0000-0999)						GE HB IA IC
501/888(1000-1999),888(2000-2999),888(3000-3999)						ID II PC PR
501/888(4000-4999),888(5000-5999),888(6000-6999)						PS QB QF RN
501/888(7000-7999),888(8000-8999)						RO SV
LITTLE ROCK	LTRKARTWRS1	07743	03431	5211	528	AA BA DA GD
501/897(0000-0999),897(1000-1999),897(2000-2999)						GE HB IA IC
501/897(4000-4999),897(5000-5999),897(9000-9999)						ID PC PR PS
						QF SV
LITTLE ROCK	LTRKARULDS0	07699	03478	5211	528	BA DA GE HB
501/803(0000-0999),803(1000-1999),803(3000-3999)						IA IC ID II
501/803(4000-4999),803(9000-9999),851						PC PR PS QB
						QF RN RO SJ
						SV TJ UR WD
						WE WG WH
LITTLE ROCK	LTRKARUSWO1	07722	03448	7656	528	QB QF
/						
LITTLE ROCK	LTRKARVIRS1	07762	03473	5211	528	AA BA DA GC
501/653(0000-0999),653(1000-1999),653(2000-2999)						GE HG IA IC
501/653(5000-5999),847						ID IF IH II
						PC PR PS QF
						RN RO SJ SV
						TJ
LITTLE ROCK	LTRKARWIRS1	07713	03440	5211	528	AA BA DA GC
501/615(6000-6999),945,955						GE HG IA IC
						ID IF IH II
						PC PR PS QF
						RN RO SV TJ
LITTLE ROCK	LTRKARWIRS2	07713	03440	5211	528	AA BA DA PC
501/916(1000-1999),916(4000-4999),916(7000-7999)						PR PS TJ

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
LITTLE ROCK                 LTRKARYORS1 07724 03416 5211  528 AA BA DA GD
   501/961(1000-1999),961(9000-9999)                          GE HB IA IC
                                                              ID PC PR PS
                                                              QF SV
.......................................................................
LITTLE ROCK                 LTRKARZODS0 07721 03451 7277  528 DA DD
   479/437(6000-6999)
   501/203(3000-3999),204(3000-3999),237(3000-3999)
   501/241(4000-4999),261(3000-3999),267(4000-4999)
   501/302(3000-3999),392(3000-3999),478(2000-2999)
   501/482(3000-3999),483(4000-4999),485(3000-3999)
   501/505(4000-4999),545(2000-2999),545(4000-4999)
   501/574(3000-3999),575(3000-3999),585(4000-4999)
   501/628(9000-9999),651(2000-2999),707(0000-0999)
   501/707(1000-1999),707(2000-2999),707(3000-3999)
   501/707(6000-6999),707(9000-9999),708(0000-0999)
   501/725(3000-3999),725(7000-7999),727(3000-3999)
   501/764(3000-3999),777(3000-3999),825(3000-3999)
   501/904(3000-3999),943(4000-4999),954(6000-6999)
   870/345(3000-3999),455(3000-3999),474(3000-3999)
   870/667(3000-3999),724(3000-3999)
.......................................................................
LITTLE ROCK                 LTRLAR042MD 07734 03470 2790  528 DA GR
   501/400(1000-1999),547(5000-5999),830(2000-2999)
.......................................................................
LITTLE ROCK                 LTRLAR04DS0 07734 03470 2790  528 DA GN GR HA
   501/222(0000-0999),222(2000-2999),326(6000-6999)           HK IA IC ID
   501/392(0000-1999),475(0000-0999),492(2000-2999)
   501/492(3000-3999),492(4000-4999),492(5000-5999)
   501/492(7000-7999),492(8000-8999),513(8000-8999)
   501/523(2000-2999),523(9000-9999),673(0000-1999)
   501/687(0000-2999),687(5000-6999),687(8000-9999)
   501/734(0000-7999),830(0000-0999),850(7000-8999)
   501/943(0000-0999),943(3000-3999)
.......................................................................
LITTLE ROCK PINNACLE        LTRKARTORS1 07724 03491 5211  528 AA BA DA GC
   501/868(1000-1999),868(2000-2999),868(3000-3999)           GD GE HB IA
   501/868(4000-4999),868(5000-5999),868(6000-6999)           IC ID PC PR
   501/868(7000-7999),868(8000-8999),868(9000-9999)           PS QF SJ SV

=======================================================================
```

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
LITTLE ROCK PINNACLE	LTRKARTORS2	07724	03491	7656	528	DA
501/367(0000-0999),367(1000-1999),367(2000-2999)						
501/367(5000-5999)						
LOCKESBURG	LCBGARXARP0	08014	03692	1691	528	AA CA GM GN
870/289(1000-1999)						GR TJ
LOCKESBURG	LCBGARXARS0	08014	03692	1691	528	AA CA GM GN
870/289(0000-0999),289(2000-2999),289(3000-3999)						GR TJ
870/289(4000-4999),289(5000-5999),289(6000-6999)						
870/289(7000-7999),289(8000-8999),289(9000-9999)						
LONDON	LONDARXARS1	07678	03661	1142	528	BA DA GC GD
479/293(0000-0999),293(1000-1999),293(2000-2999)						GE GG GJ GM
479/293(3000-3999),293(4000-4999),293(5000-5999)						GN GQ GR HB
479/293(6000-6999),293(8000-8999),293(9000-9999)						HD II TJ TY
						VM
LONOKE	LONKARNBRS1	07686	03392	5211	528	AA BA DA GD
501/676(0000-0999),676(2000-7999),676(9000-9999)						GE HB IA IC
						ID PC PR PS
						QF SV
LONSDALE	LNDLARMARS2	07800	03518	5211	528	AA BA DA GC
501/939(1000-1999),939(2000-2999),939(9000-9999)						GD PC QF
LURTON	LRTNARXARS0	07580	03671	1726	528	AA DA GM GN
870/294						HD HE TJ
LUXORA	LUXRARMARS2	07345	03166	5211	528	AA BA DA GD
870/658(1000-1999),658(2000-2999),658(7000-7999)						PC QF SV
MACEDONIA	MCDNARMARS1	08106	03478	5211	530	AA BA DA GC
870/696(1000-1999),696(3000-3999)						GD IA IC ID
						IE IF IG IH
						PC QF SV
MAGAZINE	MGZNARXADS0	07754	03734	1710	528	DA HB T3 TJ
479/969						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MAGNOLIA	MGNLARMADS0	08084	03476	5211	530	BA DA GC HB
870/234,235(0000-7999),235(9000-9999),901(1000-1999)						IA IC ID IE
870/901(2000-2999),901(5000-5999),901(6000-6999)						IF IG IH PC
870/901(7000-7999)						QB QF RN RO
						SK
MALLARD POINT	MLPNARXADS0	07401	03596	1711	528	AA DA GR HA
870/492(0000-0999),492(1000-1999),492(2000-2999)						HD RA TJ WF
870/492(3000-3999),492(4000-4999),492(5000-5999)						WJ
870/492(6000-6999),492(7000-7999),492(9000-9999)						
MALVERN	MLVRARMARS1	07837	03502	5211	528	AA BA DA GC
501/332,337(0000-1999),337(3000-5999),337(7000-9999)						HG IA IC ID
501/467(3000-3999),467(8000-8999)						IF IH II PC
						QF RN RO SJ
						SV
MAMMOTH SPRINGS	MMSPARXARS0	07323	03492	1144	528	BA DA GM GR
870/625(0000-0999),625(1000-1999),625(2000-2999)						TJ TY XG
870/625(3000-3999),625(4000-4999),625(5000-5999)						
870/625(6000-6999),625(7000-7999),625(9000-9999)						
MANILA	MANLARXARS0	07338	03215	1143	528	AA BA DA GM
870/561(1000-1999),561(2000-2999),561(3000-3999)						GN GR HB IC
870/561(4000-4999),561(5000-5999),561(6000-6999)						II SH ST TJ
870/561(7000-7999),561(8000-8999),561(9000-9999)						UG UP VA VM
						WE WF WG
MANSFIELD	MNFDARXADS0	07804	03800	1142	526	AA BA DA GC
479/928						GD GN GR II
						RC RD RF SQ
						TJ
MARIANNA	MRNNARMARS1	07599	03206	5211	528	BA GC HG IA
870/295,298(2000-2999)						IC ID IF IH
						II PC QF RN
						RO SV

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
MARION                      MARNARMARS1 07470 03158 5211  528 AA BA DA HB
   870/739(1000-1999),739(2000-2999),739(3000-3999)          IA IC ID PC
   870/739(4000-4999),739(5000-5999),739(6000-6999)          PR PU QF SV
   870/739(7000-7999),739(8000-8999)
.......................................................................
MARKED TREE                 MRTRARXA07T 07425 03223 1722  528 GB
      /
.......................................................................
MARKED TREE                 MRTRARXADS0 07425 03223 1722  528 AA BA DA GB
   870/358                                                   GN GR HB HD
                                                             RD T3 TJ
.......................................................................
MARMADUKE                   MRMDARXARS0 07294 03279 1144  528 BA DA GC GD
   870/597(0000-0999),597(1000-1999),597(2000-2999)          GM GR II RC
   870/597(3000-3999),597(4000-4999),597(6000-6999)          RD SQ TJ
   870/597(8000-8999),597(9000-9999)
.......................................................................
MARSHALL                    MRSHARXADS0 07520 03611 1691  528 AA DA DD GM
   870/221(0000-0999),221(2000-2999),221(4000-4999)          GN GR TJ ZZ
   870/221(5000-5999),221(6000-6999),221(7000-7999)
   870/221(8000-8999),221(9000-9999),448(0000-0999)
   870/448(1000-1999),448(2000-2999),448(3000-3999)
   870/448(4000-4999),448(5000-5999),448(6000-6999)
   870/448(8000-8999),448(9000-9999)
.......................................................................
MARSHALL                    MRSHARXAPS0 07520 03611 1691  528 AA DA DD GM
   870/801(9000-9999)                                        GN GR TJ ZZ
.......................................................................
MARVELL                     MRVLARXADS0 07654 03210 1144  528 BA DA GD GG
   870/829(0000-0999),829(1000-1999),829(2000-2999)          GM GN GR HB
   870/829(3000-3999),829(5000-5999),829(6000-6999)          HD II RC RD
   870/829(7000-7999),829(8000-8999),829(9000-9999)          SQ TJ
.......................................................................
MAUMELLE                    MMLLARXARP0 07731 03540 1691  528 AA DA GM GN
   501/333(3000-3999)                                        GR II RC RD
                                                             TJ
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MAUMELLE	MMLLARXARS0	07731	03540	1691	528	AA DA GM GN
501/333(0000-0999),333(1000-1999),333(2000-2999)						GR II RC RD
						TJ
MAYNARD	MYNRARXARL0	07290	03383	1144	528	BA DA GC GD
870/647(0000-0999),647(1000-1999),647(2000-2999)						GM GN GR RF
870/647(3000-3999),647(5000-5999),647(6000-6999)						SH TJ TY
870/647(7000-7999),647(8000-8999),647(9000-9999)						
MAYSVILLE	MYVLARXARS0	07562	03973	1142	526	DA GN GR II
479/291(0000-0999),291(1000-1999),291(2000-2999)						TJ
479/291(3000-3999),291(4000-4999),291(5000-5999)						
479/291(6000-6999),291(8000-8999),291(9000-9999)						
918/529(0000-0999),529(1000-1999),529(2000-2999)						
918/529(3000-3999),529(4000-4999),529(5000-5999)						
918/529(7000-7999),529(8000-8999),529(9000-9999)						
MCCRORY	MCCRARXADS0	07539	03322	1144	528	AA BA DA GC
870/731(0000-0999),731(2000-2999),731(5000-6999)						GD GG GN GR
						HB HD II RC
						RD RF RM TJ
MCGEHEE	MCGHARMADS0	07872	03204	5211	530	AA BA DA PC
870/222(1000-6999),222(9000-9999),877(2000-2999)						QB QF RN RO
870/877(3000-3999)						SR ZX
MCNEIL	MCNLARMARS1	08067	03478	5211	530	AA BA DA GC
870/695(1000-1999),695(3000-3999)						GD IA IC ID
						IE IF IG IH
						PC QF SV
MCRAE	MCRAARXARL0	07615	03410	1144	528	BA DA GC GD
501/726						GG GM GN GQ
						GR HB HD II
						RC RD SQ TJ
MELBOURNE	MLBRARXADS0	07436	03510	1706	528	DA GR RA RC
870/368						RD TJ VA WE

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MENA	MENAARMARS1	07897	03757	5211	528	AA BA DA GC
479/243,394(0000-0999),394(1000-1999),394(2000-2999)						HB PC QF RN
479/394(3000-3999),394(4000-4999),394(5000-5999)						RO SV
479/394(6000-6999),394(7000-7999),394(8000-8999)						
479/437(1000-1999),437(3000-3999)						
918/383(1000-1999)						
MIDLAND	MDLDARXARS0	07805	03820	1142	526	BA DA GM GN
479/639						GR
MIDWAY	MDWYARXARS1	07414	03628	1711	528	AA DA GR HA
870/481						HD RA TJ TY
						WF
MINERAL SPRINGS	MNSPARXADS0	08014	03642	1729	528	AA BA DA GN
870/287						GQ GR HB IA
						IC OE SP T3
						TJ TZ UG UR
						UW VE WE WF
						WG
MONETTE	MNTTARXADS0	07350	03244	1143	528	AA BA DA GM
870/486(0000-0999),486(1000-1999),486(2000-2999)						GN GR HB IC
870/486(3000-3999),486(4000-4999),486(5000-5999)						II SH ST TJ
870/486(6000-6999),486(8000-8999),486(9000-9999)						UG UP VA VM
						WE WF WG XG
MONTICELLO	MNTIARMADS0	07903	03268	5211	530	AA BA DA HA
870/367,460(0000-0999),460(1000-1999),460(2000-2999)						HG IA IC ID
870/460(3000-3999),460(4000-4999),460(6000-6999)						IE IF IG IH
870/460(8000-8999),460(9000-9999)						PC QB QF RN
						RO SK SR ZX
MORGANTON	MGTNARXARS0	07585	03527	1691	528	AA DA GM GR
501/654(0000-0999),654(1000-1999),654(2000-2999)						TJ ZZ
501/654(3000-3999),654(5000-5999),654(6000-6999)						
501/654(7000-7999),654(8000-8999),654(9000-9999)						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MORO	MOROARMARS2	07613	03245	5211	528	AA BA DA GC
870/768(1000-1999),768(4000-4999)						GD PC QF SV
MORRILTON	MLTNARFLRS1	07675	03562	5211	528	AA BA DA GC
501/208(5000-5999),354,477(2000-2999),477(5000-5999)						HG IA IC ID
501/477(6000-6999),477(7000-7999),477(8000-8999)						IF IH II PC
501/977(0000-0999),977(1000-1999),977(2000-2999)						QF RN RO SV
501/977(3000-3999),977(4000-4999),977(5000-5999)						
501/977(6000-6999),977(7000-7999),977(8000-8999)						
MORRILTON	MLTNARPARS2	07693	03590	5211	528	AA BA DA GD
501/727(1000-1999),727(5000-5999),727(6000-6999)						PC QF SV
MOUNT HOLLY	MTHLARMARS2	08056	03431	5211	530	AA BA DA GC
870/554(1000-1999),554(2000-2999)						GD PC QF SV
MOUNT IDA	MTIDARXADS0	07859	03655	1691	528	AA DA GN GR
870/867						II TJ ZZ
MOUNT IDA	MTIDARXAPS0	07859	03655	1691	528	AA DA GN GR
870/985(9000-9999)						II TJ ZZ
MOUNT JUDEA	MTJDARXARS0	07548	03680	1726	528	AA DA GM GN
870/434						HD HE TJ
MOUNT PLEASANT	MNPLARXARS1	07444	03477	1706	528	DA GR RC RD
870/346(0000-0999),346(1000-1999),346(2000-2999)						TJ
870/346(3000-3999),346(4000-4999),346(5000-5999)						
870/346(7000-7999),346(8000-8999),346(9000-9999)						
MOUNTAIN HOME	MTHOARXA02T	07417	03611	1711	528	GB
/						
MOUNTAIN HOME	MTHOARXABB1	07417	03611	1711	528	T3 T7 TU
/						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MOUNTAIN HOME	MTHOARXADS1	07417	03611	1711	528	AA DA DD GC
870/424,425,508						GE GJ GL GN
						GR HB HD HJ
						IA IB IC ID
						IG IH II RA
						RL RM RS RT
						SA T1 T3 T8
						TD TJ TY UA
						UG UM UP UR
						US UT UW UX
						UY UZ VA VB
						VC VN VP WD
						WE WF WG WH
						WI WJ XG
MOUNTAIN VIEW	MTVWARXA01T	07489	03526	1712	528	DA GB
/						
MOUNTAIN VIEW	MTVWARXADS0	07489	03526	1712	528	AA BA DA GN
870/269						GQ HB HD IC
						ID II OE RC
						RD SJ SP T3
						TJ TZ UG UP
						WE
MOUNTAINBURG	MTBGARXADS0	07686	03836	1142	526	AA DA GC GD
479/369						GG GN GR IA
						IC JC RC SJ
						SQ ST TJ UG
						UP US VA VC
						VM
MULBERRY	MLBYARXADS0	07703	03806	1691	526	AA DA GN GR
479/997(0000-0999),997(1000-1999),997(2000-2999)						II TJ ZZ
479/997(3000-3999),997(4000-4999),997(6000-6999)						
479/997(7000-7999),997(8000-8999),997(9000-9999)						
MULBERRY	MLBYARXAPS0	07703	03806	1691	526	AA DA GN GR
479/406(9000-9999)						II TJ ZZ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MURFREESBORO	MRBOARXARP0	07961	03621	1691	528	AA DA GM GN
870/285(7000-7999)						GR II SQ TJ
						ZZ
MURFREESBORO	MRBOARXARS1	07961	03621	1691	528	AA DA GM GN
870/285(0000-0999),285(1000-1999),285(2000-2999)						GR II SQ TJ
870/285(3000-3999),285(4000-4999),285(5000-5999)						ZZ
870/285(6000-6999),285(8000-8999),285(9000-9999)						
NASHVILLE	NSVLARMARS1	07996	03637	5211	528	AA BA DA GC
870/451(1000-1999),451(2000-2999),451(3000-3999)						GD HB IA IC
870/451(4000-4999),451(6000-6999),451(7000-7999)						ID IE IF IG
870/451(9000-9999),845						IH PC QF RN
						RO SK SV
NATURAL DAM	NTRDARMARS1	07699	03873	5211	526	AA BA DA GE
479/929(1000-1999),929(5000-5999)						IA IC ID PC
						PR PU QF RN
						RO SV
NEWARK	NWRKARMARS2	07471	03402	5211	528	AA BA DA GD
870/799(1000-1999),799(2000-2999),799(3000-3999)						PC QF SV
870/799(8000-8999)						
NEWPORT	NWPTARMARS1	07476	03365	5211	528	AA BA DA GC
870/217(0000-0999),512(1000-1999),512(2000-2999)						HG IA IC ID
870/512(3000-3999),512(4000-4999),512(7000-7999),523						IF IH II PC
						QB QF RN RO
						SJ SV
NIMROD	NMRDARXARP0	07736	03598	1691	528	AA DA GM GN
501/432(6000-6999)						GR II RC RD
						TJ
NIMROD	NMRDARXARS0	07736	03598	1691	528	AA DA GM GN
501/432(0000-1999),432(5000-5999),432(8000-8999)						GR II RC RD
						TJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
NORFORK                     NRFRARXADS0 07435 03583 1711  528 AA DA GR HA (C)
   870/499(0000-0999),499(1000-1999),499(3000-3999)          HD RA TJ WF (C)
   870/499(4000-4999),499(5000-5999),499(6000-6999)                      (C)
   870/499(7000-7999),499(8000-8999)                                     (C)
.......................................................................
NORMAN                      NRMNARXARP0 07882 03653 1691  528 AA DA GM GN
   870/334(4000-4999)                                            GR RD RN TJ
                                                                 ZZ
.......................................................................
NORMAN                      NRMNARXARS0 07882 03653 1691  528 AA DA GM GN
   870/334(0000-0999),334(1000-1999),334(2000-2999)              GR RD RN TJ
   870/334(3000-3999),334(5000-5999),334(6000-6999)              ZZ
   870/334(7000-7999),334(8000-8999)
.......................................................................
NORPHLET                    NRPHARMARS2 08031 03385 5211  530 AA BA DA GC
   870/546(1000-1999),546(2000-2999),546(3000-3999)              GD PC QF SV
.......................................................................
OAK ACRES                   OKACARXARS1 07440 03213 1722  528 DA GN HD TJ
   870/852
.......................................................................
OAK GROVE                   OKGVARXARS1 07470 03791 1691  528 AA DA DD GM
   870/749(0000-0999),749(2000-2999),749(3000-3999)              GN GR ZZ
   870/749(4000-4999),749(5000-5999),749(6000-6999)
   870/749(7000-7999),749(8000-8999),749(9000-9999)
.......................................................................
ODEN                        ODENARXARP0 07856 03685 1691  528 AA DA GM GN
   870/326(2000-2999)                                            GR RD RN ZZ
.......................................................................
ODEN                        ODENARXARS0 07856 03685 1691  528 AA DA GM GN
   870/326(0000-0999),326(1000-1999),326(3000-3999)              GR RD RN ZZ
   870/326(4000-4999),326(5000-5999),326(6000-6999)
   870/326(7000-7999),326(8000-8999),326(9000-9999)
.......................................................................
OIL TROUGH                  OLTRARMARL0 07485 03399 5211  528 DA PC PL
   870/264(1000-1999),264(3000-3999),264(9000-9999)
.......................................................................
OKOLONA                     OKLNARXARP0 07947 03557 1691  528 AA DA GM GN
   870/274(2000-2999)                                            GR RD RN TJ
                                                                 ZZ

=======================================================================
```

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
OKOLONA                     OKLNARXARS0 07947 03557 1691  528 AA DA GM GN
   870/274(0000-0999),274(1000-1999),274(3000-3999)          GR RD RN TJ
   870/274(4000-4999),274(5000-5999),274(6000-6999)          ZZ
   870/274(7000-7999),274(8000-8999)
.......................................................................
OLA                         OLA ARXADS0 07735 03630 1734  528 AA BA DA TJ
   479/489                                                   TK
.......................................................................
OSAGE                       OSAGARXARS0 07519 03759 1726  528 AA DA GM GN
   870/553                                                   HD HE TJ
.......................................................................
OSCEOLA                     OSCLARMARS1 07357 03168 5211  528 AA BA DA GC
   870/563(1000-8999),622                                    HG IA IC ID
                                                             IF IH II PC
                                                             QF RN RO SV
.......................................................................
OXFORD                      OXFRARXARS1 07406 03527 1706  528 DA GR RC RD (C)
   870/258(0000-0999),258(1000-1999),258(2000-2999)          TJ          (C)
   870/258(3000-3999),258(4000-4999),258(5000-5999)                      (C)
   870/258(7000-7999),258(9000-9999)                                     (C)
.......................................................................
OZARK                       OZRKARXADS0 07689 03768 1142  528 DA GN GR II
   479/508(0000-5999),508(8000-9999),667(0000-5999)          TJ TY UG VM
   479/667(7000-9999)
.......................................................................
OZARK ACRES                 OZACARXARS1 07353 03447 1706  528 DA GR RC RD (C)
   870/966(0000-0999),966(1000-1999),966(2000-2999)          TJ          (C)
   870/966(3000-3999),966(4000-4999),966(7000-7999)                      (C)
   870/966(8000-8999),966(9000-9999)                                     (C)
.......................................................................
PALARM                      NLRKARAURS1 07708 03480 7656  528 DA
      /
.......................................................................
PANGBURN                    PNGBARXARS0 07554 03440 1691  528 AA DA DD GM
   501/728(0000-0999),728(2000-2999),728(3000-3999)          GN GR II TJ
   501/728(4000-4999),728(5000-5999),728(6000-6999)          ZZ
   501/728(7000-7999),728(8000-8999),728(9000-9999)
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
PARAGOULD	PRGLARCEDS0	07328	03283	5211	528	AA BA DA GC
870/215(0000-0999),215(4000-6999),215(8000-8999),236,239						GE IA IC ID
870/240,335(9000-9999)						II PC QB QF
						RN RO SK SR
						VF ZX
PARAGOULD LIGHT	PRGLARLIRS1	07339	03314	5211	528	AA BA DA GC
870/573(1000-1999),573(6000-6999)						GD GE IA IC
						ID PC QF SV
PARAGOULD LIGHT NORTH	PRGLARNORS1	07309	03298	5211	528	AA BA DA GC
870/586(0000-0999),586(1000-1999),586(9000-9999)						GD GE IA IC
						ID PC QF SV
PARIS	PARSARXADS0	07721	03735	1142	528	GN GR II TJ
479/963						TY UG VM
PARKIN	PRKNARMARS1	07487	03220	5211	528	AA BA DA HB
870/755(1000-1999),755(2000-2999),755(5000-5999)						IA IC ID PC
870/755(7000-7999)						QF SV
PARON	PARNARMARS2	07751	03531	5211	528	AA BA DA GC
501/594(1000-1999),594(5000-5999),594(8000-8999)						GD HB PC PR
						PS QF SV
PAYNEWAY	PYNWARXARS1	07428	03237	1722	528	DA GN HD TJ
870/593						
PEA RIDGE	PERGARXADS0	07520	03899	1142	526	DA GC GD GN
417/341(1000-1999)						GR II TJ
479/451						
PERRY	PRRYARXARS0	07700	03562	1691	528	AA DA GM GN
501/662(0000-0999),662(1000-1999),662(2000-2999)						GR II RC RD
501/662(4000-4999),662(9000-9999)						TJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
PERRYVILLE	PRVLARXADS0	07709	03559	1691	528	AA DA GN GR
501/391(0000-0999),889(0000-0999),889(1000-1999)						II RC RD TJ
501/889(2000-2999),889(3000-3999),889(5000-5999)						ZZ
501/889(6000-6999),889(7000-7999)						
PERRYVILLE	PRVLARXAPS0	07709	03559	1691	528	AA DA GN GR
501/331(4000-4999)						II RC RD TJ
						ZZ
PIGGOTT	PGGTARXADS0	07242	03268	1144	528	BA DA GC GD
870/598(0000-3999),598(5000-9999),634(0000-5999)						GN GR HB II
870/634(9000-9999)						TJ
PINE BLUFF	PNBLARCHRS1	07803	03377	5211	530	AA BA DA GC
870/247,267(1000-1999),267(6000-6999)						HG IA IC ID
						IF IH II PC
						QF SJ SV
PINE BLUFF	PNBLARJE02T	07803	03358	5211	530	GB
/						
PINE BLUFF	PNBLARJEDS0	07803	03358	5211	530	AA BA DA GC
870/502(0000-0999),534,535,536,540(0000-4999)						HB HG IA IC
870/540(8000-8999),541,543(1000-7999),575(0000-1999)						ID IE IF IG
870/575(4000-4999),575(5000-5999),575(6000-6999)						IH II PC QB
870/575(7000-7999),575(8000-8999),730(0000-2999)						QF RP RQ SL
870/730(5000-5999),794(0000-0999),850(0000-0999)						SS UE UV VG
870/850(1000-1999),850(2000-2999),850(3000-3999)						VL VQ ZY
870/850(4000-4999),850(5000-5999),850(6000-6999)						
870/850(7000-7999),850(8000-8999)						
PINE BLUFF	PNBLARJEQMD	07803	03358	7277	530	BA DA
870/224(7000-7999),390(3000-3999),417(3000-3999)						
870/444(3000-3999),466(3000-3999),501(7000-7999)						
870/626(3000-3999),677(3000-3999),727(6000-6999)						
870/727(9000-9999),831(3000-3999)						
PINE BLUFF	PNBLARJEX0Y	07803	03358	7656	530	GL
870/401(5000-5999)						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
PINE BLUFF                  PNBLARJEX7Y 07803 03358 7576  530 GR
   870/229(7000-7999),250(7000-7999),299(7000-7999)
   870/300(7000-7999),382(9000-9999),392(0000-0999)
   870/412(7000-7999),417(7000-7999),444(7000-7999)
   870/469(7000-7999),479(6000-6999),484(7000-7999)
   870/498(7000-7999),546(7000-7999),554(7000-7999)
   870/590(7000-7999),596(7000-7999),599(1000-1999)
   870/628(0000-0999),644(7000-7999),661(7000-7999)
   870/685(7000-7999),690(6000-6999),693(7000-7999)
   870/694(8000-8999),695(7000-7999),696(7000-7999)
   870/699(7000-7999),737(7000-7999),748(7000-7999)
   870/765(9000-9999),766(7000-7999),877(8000-8999)
   870/885(7000-7999),920(7000-7999),940(7000-7999)
   870/943(7000-7999),947(7000-7999),951(7000-7999)
   870/953(7000-7999),962(7000-7999),991(7000-7999)
   870/993(7000-7999),996(7000-7999),997(6000-6999)
.......................................................................
PINE BLUFF                  PNBLARWCDS0 07814 03364 5211  530 AA BA DA HA
   870/879(0000-0999),879(1000-1999),879(2000-2999)          IA IC ID IE
   870/879(3000-3999),879(4000-4999),879(5000-5999)          IF IG IH PC
   870/879(6000-6999),879(9000-9999)                         QB QF RN RO
                                                             SJ SV
.......................................................................
PLAINVIEW                   PLVWARXADS0 07749 03639 1734  528 AA BA DA TJ
   479/272                                                   TK
.......................................................................
PLEASANT GROVE              PLGVARXARS0 07483 03488 1712  528 AA BA DA HB
   870/652                                                   IC ID OR RC
                                                             RD T3 T8 TJ
                                                             UG WE
.......................................................................
PLEASANT PLAINS             PLPLARXARS0 07514 03418 1142  528 AA BA DA GM
   501/345(0000-0999),345(1000-1999),345(2000-2999)          GN GR TJ VM
   501/345(3000-3999),345(4000-4999),345(5000-5999)
   501/345(6000-6999),345(8000-8999),345(9000-9999)
.......................................................................
POCAHONTAS                  PCHNARXABB1 07325 03379 1144  528 T3 T7 TU
      /
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
POCAHONTAS	PCHNARXADS0	07325	03379	1144	528	BA DA GD GN
870/248,892						GR HB II T3
						TD TJ TY
POLLARD	PLRDARXARS0	07238	03284	1144	528	BA DA GC GD
870/544(1000-1999),544(2000-2999),544(3000-3999)						GM GN GR II
870/544(4000-4999),544(6000-6999),544(7000-7999)						TJ
870/544(8000-8999),544(9000-9999)						
PONCA	PONCARXARS0	07550	03740	1726	528	AA DA GM GN
870/861						HD HE TJ
PORTLAND	PTLDARMARS1	07957	03186	5211	530	AA BA DA GC
870/737(2000-2999),737(4000-4999)						PC QF SV
PRAIRIE GROVE	PRGVARXA01T	07629	03889	1718	526	GB
/						
PRAIRIE GROVE	PRGVARXADS0	07629	03889	1718	526	AA BA DA DD
479/266,267,761,824,846,848						GC GH GL GR
						HB IB IC II
						OE RA SH TJ
						UG UP UR UX
						VA WE WF WG
						XE
PRATTSVILLE	PRVIARXARP0	07826	03455	1691	530	AA DA DD GM
870/699(1000-1999)						GN GR TJ ZZ
PRATTSVILLE	PRVIARXARS1	07826	03455	1691	530	AA DA DD GM
870/699(0000-0999),699(4000-5999)						GN GR TJ ZZ
PRESCOTT	PRSCARXADS0	07989	03546	1144	528	AA BA DA GD
870/887						GG GN GQ GR
						HB HD II RC
						RD SQ TJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
PRIM	PRIMARXARS0	07521	03509	1712	528	AA BA DA IC
870/948						ID OR RC RD
						T3 T8 TJ UG
						WE
QUITMAN	QTMNARXARP0	07591	03498	1691	528	AA DA DD GM
501/306(1000-1999)						GN GR II TJ
						ZZ
QUITMAN	QTMNARXARS0	07591	03498	1691	528	AA DA DD GM
501/589(0000-0999),589(1000-1999),589(2000-2999)						GN GR II TJ
501/589(3000-3999),589(4000-4999),589(6000-6999)						ZZ
501/589(8000-9999)						
RATCLIFF	RTCLARXARS1	07729	03762	1142	528	GM GN II TJ
479/635(0000-0999),635(1000-1999),635(2000-2999)						TY VM
479/635(3000-3999),635(4000-4999),635(5000-5999)						
479/635(7000-7999),635(8000-8999),635(9000-9999)						
RECTOR	RCTRARXARS0	07274	03272	1144	528	BA DA GC GD
870/595(0000-3999),595(5000-9999)						GM GN GR II
						TJ
REDFIELD	RDFDARXBDS1	07773	03407	1720	528	AA DA GR RA
501/397(2000-2999),397(5000-7999)						RC RD TJ WE
						XG
RISON	RISNARXADS0	07868	03363	1698	530	AA BA DA GC
870/325						GD GR OE TJ
						TU TZ
ROE	ROE ARXARS0	07675	03294	1144	528	BA DA GD GG
870/241(0000-0999),241(1000-1999),241(2000-2999)						GM GR HB HD
870/241(3000-3999),241(4000-4999),241(5000-5999)						II RC RD TJ
870/241(6000-6999),241(7000-7999),241(9000-9999)						TY

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
ROGERS                      RGRSAREARS1 07536 03873 5211  526 AA BA DA GC
   479/925(1000-1999),925(2000-2999),925(3000-3999)          IA IC ID IE
   479/925(4000-4999),925(7000-7999)                         IF IG IH PC
                                                             PR PS QF RN
                                                             RO SV
.......................................................................
ROGERS                      RGRSARMADS0 07543 03890 5211  526 AA BA DA GC
   479/246(0000-0999),246(1000-1999),246(2000-2999)          HA IA IC ID
   479/246(3000-3999),246(4000-4999),246(5000-5999)          IE IF IG IH
   479/246(6000-6999),246(7000-7999),246(9000-9999),338      PC PR PS QB
   479/616(5000-5999),619(0000-4999),621(0000-2999)          QF RN RO SK
   479/621(4000-9999),631,633(0000-0999),633(1000-1999)      SR TJ UQ UR
   479/633(2000-2999),633(3000-3999),633(4000-4999)          UV VF ZX
   479/633(5000-5999),633(6000-6999),633(9000-9999),636
   479/659(0000-0999),659(3000-3999),659(5000-5999)
   479/659(6000-6999),659(7000-7999),659(8000-8999)
   479/936(2000-3999),936(5000-5999),936(7000-9999),986
.......................................................................
ROGERS                      RGRSARMARS2 07543 03890 7656  526 DA
   479/256(6000-6999),878
.......................................................................
ROSE BUD                    RSBDARXARS0 07591 03472 1691  528 AA DA GM GN
   501/556(0000-0999),556(1000-1999),556(3000-3999)          GR II TJ ZZ
   501/556(4000-4999),556(5000-5999),556(6000-6999)
   501/556(8000-8999),556(9000-9999)
.......................................................................
ROSSTON-WATERLOO            RSTNARXARS0 08031 03508 1144  528 BA DA GD GG
   870/871(0000-0999),871(1000-1999),871(2000-2999)          GM GN GQ GR
   870/871(3000-3999),871(4000-4999),871(5000-5999)          HB HD II RC
   870/871(8000-8999),871(9000-9999)                         RD TJ
.......................................................................
ROWELL                      ROWLARXBRS0 07870 03328 1698  530 AA BA DA GC
   870/357                                                   GD GR TJ
.......................................................................
RUDD                        RUDDARXARS1 07521 03777 1691  528 AA DA DD GM
   870/545(0000-0999),545(2000-2999),545(3000-3999)          GN GR TJ ZZ
   870/545(4000-4999),545(5000-5999),545(6000-6999)
   870/545(7000-7999),545(8000-8999),545(9000-9999)
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
RUSSELLVILLE	RLVLARF12MD	07677	03633	7576	528	GR
254/533(6000-6999),546(6000-6999),576(6000-6999)						
254/578(6000-6999),584(6000-6999),623(0000-0999)						
254/642(6000-6999),786(0000-0999),896(8000-8999)						
254/993(0000-0999)						
479/206(7000-7999),213(5000-5999),284(1000-1999)						
479/292(6000-6999),293(7000-7999),307(7000-7999)						
479/315(7000-7999),317(7000-7999),385(8000-8999)						
479/438(7000-7999),468(7000-7999),477(7000-7999)						
479/497(6000-6999),576(7000-7999),601(8000-8999)						
479/635(6000-6999),774(7000-7999),885(7000-7999)						
479/934(7000-7999),938(5000-5999)						
501/200(6000-6999),207(9000-9999),238(7000-7999)						
501/239(7000-7999),285(7000-7999),289(7000-7999)						
501/294(7000-7999),299(7000-7999),302(7000-7999)						
501/306(7000-7999),314(7000-7999),323(9000-9999)						
501/330(7000-7999),331(7000-7999),333(7000-7999)						
501/335(5000-5999),344(6000-6999),345(7000-7999)						
501/386(7000-7999),419(7000-7999),422(7000-7999)						
501/432(7000-7999),434(7000-7999),440(7000-7999)						
501/467(7000-7999),481(7000-7999),482(7000-7999)						
501/485(7000-7999),486(7000-7999),504(8000-8999)						
501/507(6000-6999),508(7000-7999),509(7000-7999)						
501/523(7000-7999),530(7000-7999),542(7000-7999)						
501/594(7000-7999),602(4000-4999),669(7000-7999)						
501/703(2000-2999),728(1000-1999),729(8000-8999)						
501/759(7000-7999),796(9000-9999),803(5000-5999)						
501/815(7000-7999),849(7000-7999),881(6000-6999)						
501/897(7000-7999),915(7000-7999),939(7000-7999)						
501/983(7000-7999),991(7000-7999)						
573/720(7000-7999)						
870/201(7000-7999),202(7000-7999),227(7000-7999)						
870/232(7000-7999),237(0000-0999),241(8000-8999)						
870/249(7000-7999),258(8000-8999),259(0000-0999)						
870/264(7000-7999),266(0000-0999),271(7000-7999)						
870/274(9000-9999),276(0000-0999),280(7000-7999)						
870/281(3000-3999),282(0000-0999),291(6000-6999)						
870/293(7000-7999),297(9000-9999),298(7000-7999)						
870/301(7000-7999),303(7000-7999),319(7000-7999)						

-------- Continued on next page --------

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

LOCALITY CLLI WCV WCH CC LATA OFFICE TYPE
---------NPA/NXX---------- ---------- ----- ----- ---- ---- -- -- -- --

-------- Continued from previous page --------

870/322(0000-0999),324(7000-7999),333(7000-7999)
870/334(9000-9999),339(7000-7999),343(7000-7999)
870/344(7000-7999),346(6000-6999),362(7000-7999)
870/379(9000-9999),384(7000-7999),385(9000-9999)
870/387(9000-9999),398(9000-9999),410(7000-7999)
870/419(7000-7999),430(6000-6999),431(6000-6999)
870/447(9000-9999),455(7000-7999),456(6000-6999)
870/457(0000-0999),458(8000-8999),459(7000-7999)
870/462(7000-7999),467(4000-4999),474(7000-7999)
870/477(7000-7999),478(7000-7999),482(2000-2999)
870/486(7000-7999),488(4000-4999),490(7000-7999)
870/491(2000-2999),496(3000-3999),499(9000-9999)
870/505(7000-7999),513(7000-7999),518(7000-7999)
870/522(0000-0999),525(7000-7999),528(5000-5999)
870/529(8000-8999),537(6000-6999),539(0000-0999)
870/544(0000-0999),545(1000-1999),548(5000-5999)
870/551(7000-7999),552(6000-6999),559(7000-7999)
870/564(7000-7999),566(0000-0999),573(5000-5999)
870/576(7000-7999),583(9000-9999),597(7000-7999)
870/610(7000-7999),614(7000-7999),631(7000-7999)
870/637(7000-7999),647(4000-4999),657(7000-7999)
870/667(8000-8999),668(7000-7999),676(7000-7999)
870/682(7000-7999),697(7000-7999),710(6000-6999)
870/731(3000-3999),744(7000-7999),747(8000-8999)
870/749(1000-1999),750(7000-7999),751(6000-6999)
870/753(7000-7999),755(6000-6999),760(7000-7999)
870/767(7000-7999),768(7000-7999),769(0000-0999)
870/781(2000-2999),783(7000-7999),792(6000-6999)
870/796(7000-7999),799(6000-6999),805(7000-7999)
870/823(7000-7999),825(7000-7999),828(7000-7999)
870/829(4000-4999),832(8000-8999),841(7000-7999)
870/854(0000-0999),869(5000-5999),871(7000-7999)
870/873(3000-3999),874(8000-8999),878(7000-7999)
870/895(8000-8999),899(6000-6999),913(7000-7999)
870/925(7000-7999),955(7000-7999),966(6000-6999)
870/978(7000-7999),992(6000-6999),998(8000-8999)
903/290(7000-7999)

-------- Continued on next page --------

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

-------- Continued from previous page --------

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
918/383(7000-7999)						
RUSSELLVILLE	RLVLARXA08T	07680	03637	1142	528	G2 GB
/						
RUSSELLVILLE	RLVLARXABB1	07680	03637	1142	528	T3 T7 TU
/						
RUSSELLVILLE	RLVLARXADS0	07680	03637	1142	528	AA BA DA GC
479/498,858(0000-0999),858(3000-7999),858(9000-9999)						GD GE GG GJ
479/880(0000-2999),880(4000-5999),880(7000-9999)						GN GQ GR HB
479/890(0000-0999),890(2000-9999),964,967,968						HC HD II RC
						RD RM SQ T3
						T7 TD TH TJ
						TU TY UG VM
						ZZ
RUSSELLVILLE	RLVLARXARS0	07680	03636	7656	528	DA
479/356						
SAINT CHARLES	STCHARXARS0	07709	03232	1144	528	BA DA GD GG
870/282(1000-1999),282(2000-2999),282(3000-3999)						GM GN GQ GR
870/282(4000-4999),282(5000-5999),282(6000-6999)						HB HD II RC
870/282(7000-7999),282(8000-8999),282(9000-9999)						RD TJ TY
SAINT JOE	STJOARXARS0	07508	03652	1726	528	AA DA GM GN
870/439						HD HE TJ
SAINT PAUL	STPLARXARP0	07619	03787	1691	526	AA DA GM GR
479/677(4000-4999)						II RC RD TJ
						ZZ
SAINT PAUL	STPLARXARS0	07619	03787	1691	526	AA DA GM GR
479/677(0000-0999),677(2000-2999),677(3000-3999)						II RC RD TJ
479/677(5000-5999),677(6000-6999),677(7000-7999)						ZZ
479/677(8000-8999),677(9000-9999)						

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
SALEM                       SLFTARXARS1 07369 03527 1706  528 DA GR RC RD
   870/895(0000-0999),895(1000-1999),895(2000-2999)          TJ VA
   870/895(3000-3999),895(4000-4999),895(5000-5999)
   870/895(6000-6999),895(7000-7999),895(9000-9999)
.......................................................................
SALUS                       SALSARXARS1 07614 03722 1142  528 GM GN GR II
   479/292(0000-0999),292(1000-1999),292(2000-2999)          TJ TY VM
   479/292(3000-3999),292(4000-4999),292(5000-5999)
   479/292(7000-7999),292(8000-8999),292(9000-9999)
.......................................................................
SARATOGA                    SRTGARXBRS0 08038 03628 1729  528 AA BA DA GN
   870/388                                                   GQ GR HB IA
                                                             IC SP TJ UG
                                                             UR UW VE WE
                                                             WF WG
.......................................................................
SCOTLAND                    SCLDARXADS0 07592 03574 1692  528 AA BA DA GC
   501/592                                                   HD TJ TK
.......................................................................
SCRANTON                    SCTNARXADS0 07694 03711 1142  528 GC GD GM GN
   479/938(0000-0999),938(1000-1999),938(2000-2999)          GR II SQ TJ
   479/938(3000-3999),938(4000-4999),938(6000-6999)          TY VM
   479/938(7000-7999),938(8000-8999),938(9000-9999)
.......................................................................
SEARCY                      SRCYARMADS0 07581 03407 5211  528 AA BA DA GC
   501/207(4000-8999),268,278(1000-1999),278(2000-2999)      HG IA IC ID
   501/278(3000-3999),278(5000-5999),278(8000-9999),279,281  IF IH II PC
   501/305(2000-2999),305(3000-3999),305(4000-4999)          QB QF RN RO
   501/305(5000-5999),305(6000-6999),305(7000-7999)          SK SR UV VF
   501/305(8000-8999),368(0000-0999),368(1000-1999)          ZX
   501/368(2000-2999),368(3000-3999),368(4000-4999)
   501/368(6000-6999),368(7000-7999),380(1000-4999)
.......................................................................
SHERIDAN                    SHRDARXADS0 07816 03430 1691  530 AA DA DD GM
   870/917(0000-0999),917(1000-1999),917(2000-2999)          GN GR RN RO
   870/917(3000-3999),917(6000-6999),941(2000-2999)          TJ ZZ
   870/941(4000-4999),941(5000-5999),941(7000-7999),942
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
SHERIDAN 870/320(9000-9999)	SHRDARXAPS0	07816	03430	1691	530	AA DA DD GM GN GR RN RO TJ ZZ
SHIRLEY 501/723	SHRYARXADS0	07548	03538	1692	528	AA BA DA GC HD OE TJ TK
SILOAM SPRINGS /	SMSPARXABB1	07602	03945	1143	526	T3 T7 TU
SILOAM SPRINGS 479/215(0000-5999),238(0000-1999),238(7000-9999),524 479/549(0000-4999),549(6000-6999),549(9000-9999) 479/861(0000-0999),861(9000-9999) 918/422	SMSPARXADS0	07602	03945	1143	526	AA BA DA GC GD GE GG GJ GN GQ GR HB HD II RC RD SQ T3 TJ VM
SMACKOVER 870/725(1000-1999),725(2000-2999),725(3000-3999)	SMCKARMARS1	08026	03399	5211	530	AA BA DA GC PC QF SV
SOUTH FOURCHE 501/440(0000-0999),440(1000-1999),440(2000-2999) 501/440(3000-3999),440(9000-9999)	SFRCARXARS0	07771	03627	1691	528	AA DA GM GN GR II RC RD
SPARKMAN 870/678(4000-4999)	SPRKARXARP0	07927	03469	1691	530	AA DA DD GM GN GR TJ ZZ
SPARKMAN 870/678(0000-0999),678(1000-1999),678(2000-2999) 870/678(5000-5999),678(6000-6999),678(7000-7999) 870/678(8000-8999),678(9000-9999)	SPRKARXARS1	07927	03469	1691	530	AA DA DD GM GN GR TJ ZZ
SPRINGDALE 479/306(4000-4999),361(1000-1999),361(2000-2999) 479/361(4000-4999),361(5000-5999),361(6000-6999) 479/361(9000-9999)	SPDLARFORS1	07582	03894	5211	526	AA BA DA HA IA IC ID IE IF IG IH PC PR PS QF RN RO

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
SPRINGDALE                  SPDLARPLDS0 07574 03879 5211  526 AA BA DA HB
   479/261,290,320(3000-3999),361(7000-7999),419(2000-3999)  IA IC ID IE
   479/717(0000-0999),717(1000-1999),717(3000-3999)          IF IG IH PB
   479/717(8000-8999),750,751,756,757(1000-1999)             PR PS QB QF
   479/757(2000-2999),757(3000-3999),757(4000-4999)          RN RO SK SR
   479/757(5000-5999),757(6000-6999),757(7000-7999)          TJ UQ UR UV
   479/757(8000-8999),770(0000-0999),770(1000-1999)          VF VP ZX
   479/770(2000-2999),770(4000-4999),770(5000-5999)
   479/770(6000-6999),770(7000-7999),770(8000-8999),820,872
   479/927(0000-0999),927(1000-1999),927(2000-2999)
   479/927(3000-3999),927(4000-4999),927(5000-5999)
   479/927(7000-7999),927(8000-8999),927(9000-9999)
.......................................................................
SPRINGDALE                  SPDLARPLRS1 07574 03879 7656  526 DA
   479/725
.......................................................................
STAMPS                      STMPARMARS1 08084 03527 5211  530 AA BA DA IA
   870/533(1000-1999),533(2000-2999),533(3000-3999)          IC ID IE IF
   870/533(4000-4999)                                        IG IH PC QF
                                                             SV
.......................................................................
STAR CITY                   STCYARXADS0 07848 03304 1142  530 AA BA DA GE
   870/628(1000-1999),628(2000-2999),628(3000-3999)          GL GM GN GR
   870/628(4000-4999),628(5000-5999),628(6000-6999)          HB HD HJ II
   870/628(7000-7999),628(8000-8999),628(9000-9999)          TJ VM
.......................................................................
STEPHENS                    STPHARMARS1 08043 03461 5211  530 AA BA DA GC
   870/786(1000-1999),786(5000-5999),786(9000-9999)          PC QF
.......................................................................
STRONG                      STRNARMARS2 08048 03315 5211  530 AA BA DA GC
   870/797(1000-1999),797(2000-2999),797(7000-7999)          GD PC QF SV
.......................................................................
STUTTGART                   STTGARXB02T 07714 03309 1144  528 G2 GB HB
      /
.......................................................................
STUTTGART                   STTGARXBBB1 07714 03309 1144  528 T3 TU
      /
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
STUTTGART	STTGARXBDS0	07714	03309	1144	528	AA BA DA GC
870/672(0000-0999),672(4000-4999),672(6000-9999),673						GD GE GG GN
870/674(0000-3999),674(6000-6999)						GQ GR HB HD
						II RC RD RF
						RM SQ T3 TD
						TJ TY
SUBIACO	SUBCARXARS1	07714	03720	1142	528	GM GN GR II
479/934(0000-0999),934(1000-1999),934(2000-2999)						TJ TY VM
479/934(3000-3999),934(4000-4999),934(5000-5999)						
479/934(6000-6999),934(8000-8999),934(9000-9999)						
SUCCESS	SCCSARXARS0	07270	03358	1144	528	BA DA GD GM
870/276(1000-1999),276(2000-2999),276(3000-3999)						GN GR II TJ
870/276(4000-4999),276(5000-5999),276(6000-6999)						
870/276(7000-7999),276(8000-8999),276(9000-9999)						
SULPHUR SPRINGS	SLSPARXARS0	07537	03957	1142	526	DA GN GR II
479/298(0000-0999),298(1000-1999),298(2000-2999)						TJ
479/298(3000-3999),298(4000-4999),298(5000-5999)						
479/298(7000-7999),298(8000-8999),298(9000-9999)						
SUNNYLAND	SNLDARXARS0	07508	03535	1712	528	AA BA DA GM
870/591						HD IC ID RC
						RD T3 T8 TJ
						UG WE
SWIFTON	SWTNARXARS1	07423	03363	1691	528	AA DA GM GN
870/485						GR II TJ
TAYLOR	TAYLARXADS0	08133	03499	1144	530	AA BA DA GD
870/694(1000-1999),694(2000-2999),694(3000-3999)						GG GN GR II
870/694(4000-4999),694(5000-5999),694(6000-6999)						RC RD SQ TJ
870/694(7000-7999),694(9000-9999)						
TILLAR	TLLRARXARS0	07860	03220	1142	530	AA BA DC GE
870/392(1000-1999),392(2000-2999),392(3000-3999)						GG GL GM GN
870/392(4000-4999),392(5000-5999),392(6000-6999)						GR HB HD HJ
870/392(7000-7999),392(8000-8999),392(9000-9999)						II TJ VM

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE				
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--	
TIMBO	TMBOARXARS0	07504	03558	1712	528	AA	BA	DA	IC	
870/746						ID	OR	RC	RD	
						SP	SQ	T3	T8	
						TJ	UG	UP	WE	
TRACY FERRY	TRFRARXARS1	07417	03593	1711	528	AA	DA	GR	HA	(C)
870/491(0000-0999),491(1000-1999),491(3000-3999)						HD	RA	TJ	TY	(C)
870/491(4000-4999),491(5000-5999),491(6000-6999)						WF				(C)
870/491(7000-7999),491(9000-9999)										(C)
TRIGG	TRGGARXADS0	08089	03599	1724	554	AA	AB	BA	BC	
870/645						DA	DD	GC	GI	
						GL	GN	GP	GQ	
						GR	HB	HK	IA	
						IB	IC	IG	II	
						JA	SJ	SP	SQ	
						SU	T8	TJ	UG	
						UP	UX	WD	WE	
						XA				
TRUMANN	TRMNARXADS0	07405	03250	1143	528	BA	DA	GC	GD	
870/483						GN	GR	HB	II	
						TJ				
TUCKERMAN	TCMNARXADS0	07447	03366	1691	528	AA	DA	GN	GR	
870/349						II	TJ	ZZ		
TURRELL	TRRLARMARS1	07443	03181	5211	528	AA	BA	DA	HB	
870/343(1000-1999),343(2000-2999),343(8000-8999)						IA	IC	ID	PC	
						PR	PU	QF	SV	
TYRONZA	TYRNARXARS1	07428	03209	1722	528	DA	GN	HD	TJ	
870/487										
UMPIRE	UMPRARXARS0	07944	03701	1691	528	AA	DA	GM	GR	
870/583(0000-0999),583(1000-1999),583(2000-2999)						II	RC	RD	ZZ	
870/583(3000-3999),583(4000-4999),583(5000-5999)										
870/583(6000-6999),583(7000-7999),583(8000-8999)										

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
URBANA	URBNARMARS2	08045	03334	5211	530	AA BA DA GC
870/962(1000-1999),962(3000-3999)						GD PC QF SV
VAN BUREN	VNBRARMA498	07736	03849	5211	526	AA BA DA GC
918/498(1000-1999),498(2000-2999),498(3000-3999)						GE PC PR PU
						RN RO SV
VAN BUREN	VNBRARMADS0	07736	03849	5211	526	AA BA DA GC
479/410(1000-1999),410(2000-2999),410(3000-3999)						GD GE HB IA
479/410(5000-5999),410(6000-6999),410(8000-8999),474						IC ID II PC
						PR PU QB QF
						RN RO SJ SV
VAN BUREN	VNBRARNORS1	07716	03863	5211	526	AA BA DA GC
479/471						GD GE HB PC
VILLAGE	VLLGARMARS1	08071	03443	5211	530	AA BA DA GC
870/596(1000-1999),596(2000-2999)						GD IA IC ID
						IE IF IG IH
						PC QF SV
VILONIA	VILNARXARS1	07650	03470	1691	528	AA DA GM GN
501/796(0000-0999),796(2000-2999),796(3000-3999)						GR II TJ ZZ
501/796(4000-4999),796(5000-5999),796(6000-6999)						
501/796(7000-7999),796(8000-8999)						
VIOLA	VIOLARXARS0	07375	03553	1706	528	DA RC RD TJ
870/458(0000-0999),458(1000-1999),458(2000-2999)						TY XG
870/458(3000-3999),458(4000-4999),458(5000-5999)						
870/458(6000-6999),458(7000-7999),458(9000-9999)						
WALDENBURG	WLBGARXARS1	07458	03308	1721	528	DA G3 GE GJ
870/579						GL GN GP GQ
						GR HA HJ IA
						IC ID IE IF
						II SJ SP SQ
						T3 T8 T9 TJ
						UG UU VE WE

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
WALDO	WALDARXADS0	08072	03493	1144	530	BA DA GD GG
870/693(0000-0999),693(1000-1999),693(2000-2999)						GM GN GR HB
870/693(3000-3999),693(4000-4999),693(5000-5999)						HD II RC RD
870/693(6000-6999),693(8000-8999),693(9000-9999)						SQ TJ
WALDRON	WDRNARXADS0	07826	03761	1142	526	AA DA GN GR
479/637(0000-5999),637(7000-9999)						II TJ
WALNUT RIDGE	WLRGARMARS1	07363	03359	5211	528	AA BA DA GC
870/759(4000-4999),886(1000-1999),886(2000-2999)						GD HG IA IC
870/886(3000-3999),886(4000-4999),886(5000-5999)						ID IF IH II
870/886(6000-6999),886(7000-7999),886(8000-8999)						PC QB QF RN
870/886(9000-9999)						RO SV
WARREN	WRRNARMARS1	07927	03312	5211	530	AA BA DA PC
870/226(1000-1999),226(2000-2999),226(3000-3999)						QF RN RO SV
870/226(4000-4999),226(5000-5999),226(6000-6999)						
870/226(7000-7999),226(8000-8999),226(9000-9999)						
WASHINGTON	WASHARXADS0	08017	03594	1724	528	AA AB BA BC
870/983						DA DD GC GI
						GL GN GP GQ
						GR HB HK IA
						IB IC IG II
						JA SJ SP SQ
						SU T8 TJ UG
						UP UX WD WE
						XA
WATSON	WTSNARMARS1	07809	03204	5211	530	AA BA DA GC
870/644(1000-1999),644(3000-3999)						PC QF SV
WEINER	WENRARXADS0	07446	03307	1721	528	DA G3 GE GJ
870/684						GL GN GP GQ
						GR HA HJ IA
						IC ID IE IF
						II SJ SP SQ
						T3 T8 T9 TJ
						UG UU VE WE

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
WEST FORK                   WFRKARXADS0 07628 03869 1691  526 AA DA GM GN
   479/839                                                     GR II RC RD
                                                               SQ TJ ZZ
.......................................................................
WEST MEMPHIS                WMMPARMADS0 07481 03149 5211  528 AA BA DA GC
   870/394(0000-0999),400(0000-0999),400(2000-2999)            GE HB IA IC
   870/400(3000-3999),400(4000-4999),657(1000-2999)            ID II PC PR
   870/702(1000-1999),702(2000-2999),702(3000-3999)            PU QB QF RN
   870/702(5000-5999),702(6000-6999),702(7000-7999),732,733    RO SK SR UV
   870/735                                                     VF VP ZX
.......................................................................
WESTERN GROVE               WSGVARXADS0 07506 03682 1726  528 AA DA GN HD
   870/429                                                     HE OE T3 TJ
                                                               TZ
.......................................................................
WHEATLEY                    WHTLARXARS0 07599 03275 1144  528 AA DA GC GD
   870/457(1000-1999),457(2000-2999),457(3000-3999)            GE GG GN GR
   870/457(4000-4999),457(5000-5999),457(6000-6999)            HB HD RC RD
   870/457(7000-7999),457(8000-8999),457(9000-9999)            SQ TJ
.......................................................................
WHITEVILLE                  WHVLARXARS1 07428 03624 1711  528 AA DA GR HA (C)
   870/430(0000-0999),430(1000-1999),430(2000-2999)            HD RA RM TJ (C)
   870/430(3000-3999),430(4000-4999),430(5000-5999)            WF          (C)
   870/430(7000-7999),430(9000-9999)                                       (C)
.......................................................................
WICKES                      WCKSARXARP0 07960 03749 1691  528 AA DA GM GR
   870/385(4000-4999)                                          II RC RD TJ
                                                               ZZ
.......................................................................
WICKES                      WCKSARXARS0 07960 03749 1691  528 AA DA GM GR
   870/385(0000-0999),385(1000-1999),385(2000-2999)            II RC RD TJ
   870/385(3000-3999),385(5000-5999),385(6000-6999)            ZZ
   870/385(7000-7999),385(8000-8999)
.......................................................................
WILMAR                      WLMRARMARS1 07913 03291 5211  530 AA BA DA PC
   870/469(1000-1999),469(5000-5999)                           QF SV
.......................................................................
WILMOT                      WLMTARXADS0 07994 03180 1691  530 AA DA GN GR
   870/473                                                     II ZZ

=======================================================================
```

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ARKANSAS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
WILSON	WLSNARMARS2	07389	03166	5211	528	AA BA DA GC
870/655(1000-1999),655(8000-8999)						GD PC QF SV
WINSLOW	WNSLARXARS1	07648	03845	1142	526	AA DA GD GG
479/634						GN GR IA IC
						II JC SJ SQ
						ST TJ UG UP
						US VA VC VM
WINTHROP	WNTHARXARS0	08054	03710	1729	528	AA BA DA GN
870/381						GQ GR HB IA
						IC SP TJ UG
						UR UW VE WE
						WF WG
WITTS SPRINGS	WTSPARXARS1	07564	03637	1691	528	AA DA DD GM
870/496(0000-0999),496(1000-1999),496(2000-2999)						GN GR ZZ
870/496(4000-4999),496(5000-5999),496(6000-6999)						
870/496(7000-7999),496(8000-8999),496(9000-9999)						
WYNNE	WYNNARMARS1	07513	03252	5211	528	AA BA DA GC
870/208(1000-1999),208(8000-8999),208(9000-9999),238						HG IA IC ID
						IF IH II PC
						QB QF RN RO
						SV
YELLVILLE	YLVLARXA01T	07461	03649	1733	528	GB
___/___						
YELLVILLE	YLVLARXADS0	07461	03649	1733	528	AA DA GQ HB
870/449						HD HJ IC ID
						II OR SK SP
						SQ T3 T8 TJ
						UG UP WE

END OF SECTION

WIRE CENTER INFORMATION
PENDING CHANGES
SECTION 16
CALIFORNIA

EFFECTIVE: JANUARY 01, 2018

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE				
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--	
HAYWARD	HYWRCA115MD	08520	08663	7283	722	BA	DA	GJ	GQ	(N)
510/768(9000-9999)						HA	IB	II	IP	(N)
						UG				(N)
INDIO	INDICAXGDS0	09225	07500	2319	973	AA	BA	DA	GC	(C)
760/342,347,775,863(0000-5999),863(7000-8999)						GD	GE	GG	GJ	(C)
						GN	GR	HB	HD	(C)
						II	PB	PK	RC	(C)
						RD	SH	SN	SQ	(C)
						TB	TI	TU	UG	(C)
						VM				(C)
"	"	"	"	"	"	AA	BA	DA	GC	
" / "						GD	GE	GG	GJ	
						GN	GR	HB	HC	
						HD	II	PB	PK	
						RC	RD	SH	SN	
						SQ	TB	TI	TU	
						UG	VM			
LONG BEACH	LNBHCAXP01T	09257	07849	2319	730	GB	HB	TD	TH	(C)
/						TU				(C)
"	"	"	"	"	"	GB	HB	HC	TD	
" / "						TH	TU			
LOS GATOS	LSGTCAXA35E	08605	08629	2319	722	AA	BA	DA	GC	(C)
408/356,358,402(0000-0999),402(9000-9999)						GD	GE	GG	GJ	(C)
						GN	HB	HD	II	(C)
						PC	PL	RC	RD	(C)
						SN	SQ	TH	TI	(C)
						UG	VM	ZZ		(C)
"	"	"	"	"	"	AA	BA	DA	GC	
" / "						GD	GE	GG	GJ	
						GN	HB	HC	HD	
						II	PC	PL	RC	
						RD	SN	SQ	TH	
						TI	UG	VM	ZZ	

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MANTECA	MNTCCAXG82A	08469	08515	4420	738	AA DA GC GD (C)
209/239,823,824,825						GE GN GR II (C)
						RC RD SQ TH (C)
						UB UG (C)
"	"	"	"	"	"	AA DA GC GD
" / "						GE GN GR HC
						II RC RD SQ
						TH UB UG
ONTARIO	ONTRCAXP01T	09193	07771	2319	730	GB HB QB TD (C)
/						TH TU (C)
"	"	"	"	"	"	GB HB HC QB
" / "						TD TH TU
ONTARIO	ONTRCAXP75T	09193	07771	2319	730	G2 G3 GB GG (C)
/						HB TU (C)
"	"	"	"	"	"	G2 G3 GB GG
" / "						HB HC TU
ONTARIO	ONTRCAXP80T	09193	07771	2319	730	GB TU (C)
/						(C)
"	"	"	"	"	"	GB HC TU
" / "						
PALM SPRINGS	PLSPCAXG32G	09211	07561	2319	973	AA BA DA GC (C)
760/322,325,327,778,833,864,866,883(1000-1499)						GD GE GR HA (C)
760/883(1700-5999)						PA RC RD SH (C)
						SN SQ TD TH (C)
						TU ZZ (C)
"	"	"	"	"	"	AA BA DA GC
" / "						GD GE GR HA
						HC PA RC RD
						SH SN SQ TD
						TH TU ZZ
PALM SPRINGS	PLSPCAXG76T	09211	07561	2319	973	G2 PA TU (C)
/						(C)
"	"	"	"	"	"	G2 HC PA TU
" / "						

==========

WIRE CENTER INFORMATION
PENDING CHANGES
SECTION 16
CALIFORNIA

EFFECTIVE: JANUARY 01, 2018

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE				
PALM SPRINGS	PLSPCAXG88T	09211	07561	2319	973	GB	HB	PA	SH	(C)
/						SN	SQ	TU	UD	(C)
"	"	"	"	"	"	GB	HB	HC	PA	
" / "						SH	SN	SQ	TU	
						UD				
PALM SPRINGS	PLSPCAXGDS0	09211	07561	2319	973	AA	BA	DA	GC	(C)
760/318(0000-4999),318(6000-9999),320,323,416						GD	GG	GJ	GN	(C)
760/699(6000-6999),819(0000-0999),820(0000-0999)						GR	HB	HD	II	(C)
760/834(0000-0999)						PA	PJ	RC	RD	(C)
						SH	SN	SQ	TB	(C)
						TD	TI	TJ	TU	(C)
						UG	VM	ZZ		(C)
"	"	"	"	"	"	AA	BA	DA	GC	
" / "						GD	GG	GJ	GN	
" / "						GR	HB	HC	HD	
						II	PA	PJ	RC	
						RD	SH	SN	SQ	
						TB	TD	TI	TJ	
						TU	UG	VM	ZZ	
RANCHO CORDOVA	RCRDCAUUDS0	XXXXX	XXXXX	XXXX	XXX	XX	XX	XX	XX	(D)
/										(D)
RANCHO CORDOVA	RCRDCAUUPS0	XXXXX	XXXXX	XXXX	XXX	XX	XX	XX	XX	(D)
/										(D)

==========

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE	TYPE			
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--	
SAN FRANCISCO	SNFCCAMKDS0	08493	08716	7283	722	BA	DA	GI	GJ	(C)
408/340(6000-6999),340(9000-9999),533(4000-4999)						GL	GN	GQ	HA	(C)
408/533(6000-6999),533(7000-7999),533(9000-9999)						HD	IA	IB	II	(C)
415/228,275(9000-9999),360(9000-9999),448(0000-0999)						SH	SI	UA	UG	(C)
415/448(1000-1999),448(2000-2999),448(3000-3999)						UR	UU			(C)
415/448(4000-4999),448(8000-8999),448(9000-9999)										(C)
415/466(0000-0999),466(2000-2999),466(4000-4999)										(C)
415/466(9000-9999),630(9000-9999),633(0000-0999)										(C)
415/633(1000-1999),633(2000-2999),633(3000-3999)										(C)
415/633(5000-5999),633(7000-7999),633(9000-9999)										(C)
415/645(0000-1999),645(4000-4999),645(5000-5999)										(C)
415/645(7000-9999),667,683(4000-4999),783,796(1000-1999)										(C)
415/796(4000-5999),844(1000-9999),862(9000-9999)										(C)
415/881(9000-9999),886(6000-6999),886(9000-9999)										(C)
415/890(1000-1999),895(3000-3999),913(1000-6999)										(C)
510/322(9000-9999),474(9000-9999),488(9000-9999)										(C)
510/493(9000-9999),497(2000-2999),497(3000-3999)										(C)
510/497(5000-5999),497(6000-6999),497(7000-7999)										(C)
510/497(8000-8999),497(9000-9999),542(5000-5999)										(C)
510/564(0000-0999),564(1000-1999),584(0000-0999)										(C)
510/584(2000-2999),584(3000-3999),584(4000-4999)										(C)
510/584(5000-5999),621(0000-0999),621(1000-1999)										(C)
510/621(2000-2999),662(8000-9999),768(0000-0999)										(C)
510/768(1000-1999),768(2000-2999),768(3000-3999)										(C)
510/768(4000-4999),768(6000-6999),863(5000-5999)										(C)
510/863(6000-6999),863(9000-9999)										(C)
650/388(1000-1999),388(7000-7999),389(0000-0999)										(C)
650/389(8000-8999),425(2000-2999),425(4000-5999)										(C)
650/425(8000-8999),426(2000-5999),426(7000-7999)										(C)
650/549(0000-0999),549(2000-2999),549(3000-3999)										(C)
650/628(0000-0999),628(1000-1999),628(2000-2999)										(C)
650/628(3000-3999),628(4000-4999),628(5000-5999)										(C)
650/628(7000-7999),628(9000-9999),686(3000-3999)										(C)
650/720(9000-9999),795(0000-0999),825(2000-2999)										(C)
650/825(3000-3999),825(7000-7999),847(2000-3999)										(C)
650/935(9000-9999)										(C)
707/225(3000-3999),225(9000-9999),759(1000-1999)										(C)
707/759(9000-9999),796(9000-9999),879(9000-9999)										(C)
925/223(0000-0999),223(1000-1999),223(2000-2999)										(C)

-------- Continued on next page --------

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE	TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- --	-- --

-------- Continued from previous page --------

925/223(3000-3999),223(4000-4999),223(5000-5999) (C)
925/241(1000-2999),241(9000-9999),257(9000-9999) (C)
925/282(6000-6999),359(2000-2999),453(3000-3999) (C)
925/453(4000-4999),626(9000-9999),690(9000-9999) (C)
925/694(3000-7999),738(0000-0999),738(1000-1999) (C)
925/738(3000-3999),738(4000-4999),738(5000-5999) (C)
925/738(7000-7999),738(9000-9999),750(1000-1999) (C)
925/750(2000-2999),750(6000-6999),750(9000-9999) (C)
925/752(9000-9999),822(0000-0999),822(1000-1999) (C)
925/822(9000-9999),856(9000-9999),951(1000-1999) (C)
925/951(2000-2999),951(4000-4999),951(9000-9999) (C)
925/960(7000-7999) (C)
" " " " " "
408/340(6000-6999),340(9000-9999),533(4000-4999) "
408/533(6000-6999),533(7000-7999),533(9000-9999) "
415/228,275(9000-9999),360(9000-9999),448(0000-0999) "
415/448(1000-1999),448(2000-2999),448(3000-3999) "
415/448(4000-4999),448(8000-8999),448(9000-9999) "
415/466(0000-0999),466(2000-2999),466(4000-4999) "
415/466(9000-9999),630(9000-9999),633(0000-0999) "
415/633(1000-1999),633(2000-2999),633(3000-3999) "
415/633(5000-5999),633(7000-7999),633(9000-9999) "
415/645(0000-1999),645(4000-4999),645(5000-5999) "
415/645(7000-9999),667,683(4000-4999),783,796(1000-1999) "
415/796(4000-5999),844(1000-9999),862(9000-9999) "
415/881(9000-9999),886(6000-6999),886(9000-9999) "
415/890(1000-1999),895(3000-3999),913(1000-6999) "
510/322(9000-9999),474(9000-9999),488(9000-9999) "
510/493(9000-9999),497(2000-2999),497(3000-3999) "
510/497(5000-5999),497(6000-6999),497(7000-7999) "
510/497(8000-8999),497(9000-9999),542(5000-5999) "
510/564(0000-0999),564(1000-1999),584(0000-0999) "
510/584(2000-2999),584(3000-3999),584(4000-4999) "
510/584(5000-5999),621(0000-0999),621(1000-1999) "
510/621(2000-2999),662(8000-9999),768(0000-0999) "
510/768(1000-1999),768(2000-2999),768(3000-3999) "
510/768(4000-4999),768(5000-5999),768(6000-6999) "

-------- Continued on next page --------

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE	TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- --	-- --

-------- Continued from previous page --------

510/768(9000-9999),863(5000-5999),863(6000-6999) "
510/863(9000-9999) "
650/388(1000-1999),388(7000-7999),389(0000-0999) "
650/389(8000-8999),425(2000-2999),425(4000-5999) "
650/425(8000-8999),426(2000-5999),426(7000-7999) "
650/549(0000-0999),549(2000-2999),549(3000-3999) "
650/628(0000-0999),628(1000-1999),628(2000-2999) "
650/628(3000-3999),628(4000-4999),628(5000-5999) "
650/628(7000-7999),628(9000-9999),686(3000-3999) "
650/720(9000-9999),795(0000-0999),825(2000-2999) "
650/825(3000-3999),825(7000-7999),847(2000-3999) "
650/935(9000-9999) "
707/225(3000-3999),225(9000-9999),759(1000-1999) "
707/759(9000-9999),796(9000-9999),879(9000-9999) "
925/223(0000-0999),223(1000-1999),223(2000-2999) "
925/223(3000-3999),223(4000-4999),223(5000-5999) "
925/241(1000-2999),241(9000-9999),257(9000-9999) "
925/282(6000-6999),359(2000-2999),453(3000-3999) "
925/453(4000-4999),626(9000-9999),690(9000-9999) "
925/694(3000-7999),738(0000-0999),738(1000-1999) "
925/738(3000-3999),738(4000-4999),738(5000-5999) "
925/738(7000-7999),738(9000-9999),750(1000-1999) "
925/750(2000-2999),750(6000-6999),750(9000-9999) "
925/752(9000-9999),822(0000-0999),822(1000-1999) "
925/822(9000-9999),856(9000-9999),951(1000-1999) "
925/951(2000-2999),951(4000-4999),951(9000-9999) "
925/960(7000-7999)

SANTA BARBARA	SNBBCAXF76T	09171	08150	2319	740	G2	PA	TU		(C)
/										(C)
"	"	"	"	"	"	G2	HC	PA	TU	
" / "										
SANTA BARBARA	SNBBCAXF83T	09171	08150	2319	740	GB	HB	PA	SH	(C)
/						SN	SQ	TU		(C)
"	"	"	"	"	"	GB	HB	HC	PA	
" / "						SH	SN	SQ	TU	

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE				
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--	
SANTA BARBARA	SNBBCAXF96K	09171	08150	2319	740	AA	BA	DA	GC	(C)
805/560,564,568(0000-0999),568(1000-1999),568(2000-2999)						GD	GE	GR	HB	(C)
805/568(3000-3999),568(5000-5999),730(1000-1999)						PA	RC	RD	SH	(C)
805/730(2000-2999),730(3000-3999),730(4000-4999)						SN	SQ	TD	TU	(C)
805/730(5000-5999),730(6000-6999),730(7000-7999)						ZZ				(C)
805/730(8000-8999),730(9000-9999),882,883(1000-1999)										(C)
805/883(4000-4999),884,892(2000-2999),892(3000-3999)										(C)
805/892(4000-4999),892(5000-5999),897,899,957(0000-0999)										(C)
805/957(1000-1999),957(2000-2999),957(3000-3999)										(C)
805/957(4000-4999),957(5000-5999),957(8000-8999)										(C)
805/957(9000-9999),962,963,965,966										(C)
"	"	"	"	"	"	AA	BA	DA	GC	
" / "						GD	GE	GR	HB	
" / "						HC	PA	RC	RD	
" / "						SH	SN	SQ	TD	
" / "						TU	ZZ			
" / "										
" / "										
" / "										
" / "										
" / "										

==========

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
SANTA MARIA                 SNTMCAXF92K 09072 08298 2319  740 AA BA DA GC (C)
   805/287(1000-1999),287(2000-2999),287(3000-3999)          GD GE GG GJ (C)
   805/287(4000-4999),287(5000-5999),287(6000-6999)          GN GR HB HD (C)
   805/287(7000-7999),332(8000-8999),345(3000-3999),346,347  II PB PK RC (C)
   805/348(0000-0999),348(1000-1999),348(2000-2999)          RD SH SN SQ (C)
   805/348(3000-3999),348(5000-5999),348(6000-6999)          TD TH TI TU (C)
   805/348(7000-7999),348(8000-8999),348(9000-9999),349,352  UA UG UR VM (C)
   805/614(0000-0999),614(1000-1999),614(2000-2999)          WD WE WF WG (C)
   805/614(3000-3999),614(4000-4999),614(5000-5999)          WH WI WJ ZZ (C)
   805/614(6000-6999),614(8000-8999),614(9000-9999),739,922              (C)
   805/925,928                                                           (C)
 "                          "           "     "     "     "  AA BA DA GC
   "  /   "                                                 GD GE GG GJ
   "  /   "                                                 GN GR HB HC
   "  /   "                                                 HD II PB PK
   "  /   "                                                 RC RD SH SN
   "  /   "                                                 SQ TD TH TI
   "  /   "                                                 TU UA UG UR
   "  /   "                                                 VM WD WE WF
   "  /   "                                                 WG WH WI WJ
   "  /   "                                                 ZZ

.......................................................................
SANTA MONICA                SNMNCAXP01T 09224 07918 2319  730 GB GG HB PA (C)
      /                                                        PJ QB TD TH (C)
                                                               TU          (C)
 "                          "           "     "     "     "  GB GG HB HC
   "   /   "                                                  PA PJ QB TD
                                                              TH TU
.......................................................................
SANTA MONICA                SNMNCAXP43T 09224 07918 2319  730 GB GG HB PA (C)
      /                                                        PJ QB TD TH (C)
                                                               TU          (C)
 "                          "           "     "     "     "  GB GG HB HC
   "   /   "                                                  PA PJ QB TD
                                                              TH TU
.......................................................................
SANTA ROSA                  SNTDCABLPS0 XXXXX XXXXX XXXX XXX  XX XX XX XX (D)
      /                                                                    (D)

=======================================================================
```

WIRE CENTER INFORMATION
PENDING CHANGES
SECTION 16
CALIFORNIA

EFFECTIVE: JANUARY 01, 2018

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE				
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--	
WEST SACRAMENTO	WSCRCAAHPS0	08298	08576	7283	726	BA	DA	GJ	GL	(N)
/						GQ	HA	IB	II	(N)
						IP	UG			(N)

END OF REPORT

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ACTON	ACTNCA11RS1	09116	07885	5170	730	AA BA DA G4
661/269(0000-0999),269(1000-1999),269(2000-2999)						G5 G7 GC GD
661/269(4000-4999),269(5000-5999),269(8000-8999)						GE HB II OR
661/269(9000-9999)						PC PL PR PS
						RA RC RD RE
						RF RG RH SJ
						SN SQ ST UP
						UR UT UW UZ
						ZW
ADELANTO	ADLNCAXFDS0	09077	07745	4420	730	AA DA GC GD
760/246,530(0000-2999),530(5000-5999),530(9000-9999)						GE GN GR II
760/561(6000-6999)						RC RD SV TU
						UB UG
ADIN	ADINCAXFRS0	07722	08554	2308	724	AA BA DA GC
530/299(0000-0999),299(3000-3999),299(9000-9999)						GD GN GR HJ
						RC RD SQ
AGOURA	AGORCA11DS0	09206	07973	5170	730	AA BA DA GC
818/575(1000-1999),575(2000-2999),575(3000-3999)						GD GQ HB IC
818/575(4000-4999),575(5000-5999),575(8000-8999)						ID IE IF IG
818/575(9000-9999),584(0000-0999),597,706,707(0000-0999)						OR PC PL PR
818/707(1000-1999),707(2000-2999),707(3000-3999)						PS RA RF RG
818/707(4000-4999),707(6000-6999),707(7000-7999)						RH SJ SN SQ
818/707(8000-8999),707(9000-9999),735,865,874(0000-0999)						ST TJ UG UP
818/874(1000-1999),874(2000-2999),874(4000-4999)						UR UT UW UZ
818/874(6000-6999),874(7000-7999),874(8000-8999)						WG WH ZW
818/874(9000-9999),879(0000-2999),879(4000-9999),889,991						
818/991						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
AGUA DULCE	AGDLCA11RS0	09120	07907	5170	730	AA BA DA G4
661/268(0000-0999),268(1000-1999),268(7000-7999)						G5 G7 GC GD
661/268(8000-8999)						GE HB II OR
						PC PL PR PS
						RA RC RD RE
						RF RG RH SJ
						SN SQ ST UP
						UR UT UW UZ
						ZW
ALAMEDA	ALMDCA11DS0	08494	08691	5170	722	AA BA BC DA
510/263(0000-0999),263(1000-1999),263(2000-2999)						G4 G5 G7 GC
510/263(4000-4999),337(0000-3999),337(5000-9999),521,522						GD GQ HB II
510/523,747(0000-7999),748,749,769,814,864,865						OE OR PB PK
						PS RA RE RF
						RG RH SK ST
						TJ UG UR WG
						WH ZW
ALBANY	ALBYCA11DS0	08468	08700	5170	722	AA BA BC DA
510/292(2000-2999),524,525,526,527,528,558						G4 G5 G7 GC
510/559(1000-1999),559(2000-2999),559(3000-3999)						GD GQ HB II
510/559(4000-4999),559(5000-5999),559(6000-6999)						OR PC PL PS
510/559(7000-7999),559(8000-8999),559(9000-9999)						RA RE RF RG
						RH SK ST TJ
						UG UR WG WH
						ZW
ALDERPOINT	ALPNCAXFRS2	07987	08972	4420	722	DA GM GN GR
707/926(5000-5999)						II
ALHAMBRA	ALHBCA0165T	09200	07857	5170	730	GB PR PS SL
/						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE			
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--
ALHAMBRA	ALHBCA01DS0	09200	07857	5170	730	AA	BA	BC	DA
323/283(0000-0999)						G4	G5	G7	GC
626/281,282,284,289,293(0000-5999),293(7000-9999),299						GD	GQ	IC	ID
626/300,308,382(0000-0999),457,458,570,576						IE	IF	IG	II
626/588(0000-0999),588(1000-1999),588(2000-2999)						OH	OR	PC	PL
626/588(3000-3999),588(4000-4999),588(5000-5999)						PR	PS	RA	RC
626/588(6000-6999),588(9000-9999),943,979(0000-3999)						RD	RE	RF	RG
626/979(5000-9999)						RH	SN	SR	ST
						SU	TJ	UE	UR
						UT	UW	UZ	VF
						VP	WG	WH	ZX
ALISO VIEJO	ALVJCABBDS0	09302	07765	7661	730	AA	BA	DA	
310/750(6000-6999),846(6000-6999),935(7000-7999)									
310/997(9000-9999)									
424/206(2000-2999),206(9000-9999),224(7000-7999)									
424/327(2000-2999),772(1000-1999),772(6000-6999)									
562/264(6000-6999),264(7000-7999),264(8000-8999)									
562/284(4000-4999),294(2000-2999)									
657/200(7000-7999),363(1000-1999)									
714/204(4000-4999),249(2000-2999),489(6000-6999)									
714/698(6000-6999),820(5000-5999),831(6000-6999)									
714/882(2000-2999)									
949/218(0000-3999),218(4000-4999),218(5000-5999)									
949/218(6000-6999),218(7000-7999),218(8000-8999)									
949/218(9000-9999),276(2000-2999),276(4000-4999)									
949/276(5000-5999),276(6000-6999),276(7000-7999)									
949/276(8000-8999),284(3000-3999),388,429(1000-1999)									
949/429(3000-3999),429(5000-5999),429(6000-6999)									
949/429(7000-7999),429(8000-8999),481,542(3000-3999)									
949/542(4000-4999),542(7000-7999),542(8000-8999)									
949/545(6000-6999),600(5000-5999),715(0000-0999)									
949/715(1000-1999),715(2000-2999),715(3000-3999)									
949/715(4000-4999),715(5000-5999),715(6000-6999)									
949/715(7000-7999),715(8000-8999),715(9000-9999)									

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ALLEGHANY	ALGHCA11RS0	08093	08497	5170	726	BA DA G4 G5
530/287(1000-1999),287(3000-3999)						G7 GC GD GE
						II PC PL PT
						RA SQ UG UP
						UT UU UW UZ
						ZW
ALPAUGH	ALPGCAXFRS1	08847	08159	4420	728	DA GE GM GN
559/949(8000-8999)						II
ALPINE	ALPICA12DS0	09430	07565	5170	732	AA BA DA GC
619/445,659(0000-0999),659(1000-1999),659(2000-2999)						GD GQ II OR
619/659(3000-3999),659(5000-5999),659(8000-8999)						PC PL PR PU
619/659(9000-9999)						RA SJ SN SQ
						UP WG WH ZW
ALPINE	WDFRCAXFRS1	08228	08304	863F	720	DA GC GD GM
530/694(1000-1999),694(2000-2999),694(9000-9999)						RC RD UB
ALTURAS	ALTRCAXFDS0	07651	08496	2308	724	AA BA DA GC
530/233						GD GN GR HJ
						RC RD RH RM
						SH SM SR ZZ
ANAHEIM	ANHMCA0100W	09250	07810	5170	730	GG HC PR PS
/						SU TJ UE
ANAHEIM	ANHMCA0101W	09250	07810	5170	730	HC PR PS
/						
ANAHEIM	ANHMCA0152T	09250	07810	5170	730	G1 PA PR PS
714/977						SL TJ WG WH
949/977						

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
ANAHEIM                     ANHMCA01DS0 09250 07810 5170  730 AA BA DA GC
   714/239,254(0000-4999),254(6000-9999),284,300(0000-0999)  GD GE HB II
   714/300(1000-1999),300(2000-2999),300(6000-6999)          OH PA PJ PR
   714/300(7000-7999),517(0000-0999),517(2000-9999),518,533  PS QA QE RA
   714/635,687(0000-0999),687(1000-1999),687(2000-2999)      RC RD RE RF
   714/687(3000-3999),687(4000-4999),687(5000-5999)          RG RH RM SD
   714/687(6000-6999),687(7000-7999),687(9000-9999)          SF SL SN SQ
   714/780(0000-1999),780(4000-9999),781(0000-8999)          ST SU TG TJ
   714/808(0000-0999),808(1000-1999),808(4000-4999)          UE UG UP UR
   714/808(5000-5999),808(6000-6999),808(8000-8999)          WG WH ZZ
   714/808(9000-9999),817,956,991
.......................................................................
ANAHEIM                     ANHMCA01DS1 09250 07810 5170  730 AA BA BC DA
   714/490,491(0000-4999),491(6000-9999),502(0000-0999)      G4 G5 G7 GC
   714/502(1000-1999),502(2000-2999),502(3000-3999)          GD HB IC ID
   714/502(5000-5999),502(6000-6999),502(7000-7999)          IE IF IG II
   714/502(8000-8999),502(9000-9999),520(0000-0999)          PA PJ PR PS
   714/520(2000-2999),520(3000-3999),520(4000-4999)          QA QE RA RC
   714/520(5000-5999),520(6000-6999),520(7000-7999)          RD RE RF RG
   714/520(8000-8999),520(9000-9999),535,563(0000-0999)      RH RM SN SR
   714/563(1000-1999),563(2000-2999),563(3000-3999)          ST SU TG TJ
   714/563(5000-5999),563(6000-6999),563(7000-7999)          UE UG UR UT
   714/563(8000-8999),563(9000-9999),758(0000-4999)          UU UW UZ VF
   714/758(6000-9999),765(0000-0999),765(1000-1999)          VP WG WH ZX
   714/765(2000-2999),765(3000-3999),765(4000-4999)
   714/765(5000-5999),765(6000-6999),765(7000-7999)
   714/765(8000-8999),772,774,776,778,999
.......................................................................
ANAHEIM                     ANHMCA0252T 09250 07810 5170  730 G1 PR PS
      /
.......................................................................
ANAHEIM                     ANHMCA0295T 09250 07810 5170  730 G1 GB HB PC
      /                                                       PL PR PS
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
ANAHEIM                     ANHMCA11DS0 09255 07827 5170  730 AA BA DA GC
   714/220(0000-6999),220(9000-9999),226(0000-0999)          GD GE GQ HB
   714/226(2000-9999),229,236(0000-0999),236(1000-1999)      II OR PB PK
   714/236(2000-2999),236(3000-3999),236(4000-4999)          PR PS RA RC
   714/236(6000-6999),236(7000-7999),236(8000-8999)          RD RE RF RG
   714/236(9000-9999),252(0000-2999),252(9000-9999),484      RH SJ SN SQ
   714/503(1000-1999),503(2000-2999),503(3000-3999)          TJ UG UP UR
   714/503(4000-4999),503(5000-5999),503(7000-7999),527,761  WG WH ZW
   714/816(0000-0999),816(1000-1999),816(2000-2999)
   714/816(3000-3999),816(6000-6999),816(7000-7999)
   714/816(8000-8999),816(9000-9999),821(0000-0999)
   714/821(1000-1999),821(3000-3999),821(4000-4999)
   714/821(5000-5999),821(6000-6999),821(7000-7999)
   714/821(8000-8999),821(9000-9999),826,827,828,952,995
   714/995
.......................................................................
ANAHEIM                     ANHMCA12DS0 09245 07800 5170  730 BA DA G4 G5
   714/237,238,414(0000-0999),414(1000-1999),414(4000-4999)  G7 GC GD GE
   714/575,630,632,644(2000-7999),666,688(0000-0999)         GQ HB II OR
   714/688(1000-1999),688(2000-2999),688(3000-3999)          PC PL PR PS
   714/688(4000-4999),688(5000-5999),688(7000-7999)          RA RC RD RE
   714/688(8000-8999),688(9000-9999),762,764                 RF RG RH SF
                                                             SJ SN SQ TJ
                                                             UP UT UW UZ
                                                             WG WH ZW
.......................................................................
ANAHEIM                     ANHMCA17RS3 09244 07779 5170  730 AA BA DA G4
   714/280(0000-1999),280(8000-8999),280(9000-9999),281      G5 G7 GC GD
                                                             GE HB II OR
                                                             PC PL PR PS
                                                             RA RC RD RE
                                                             RF RG RH SJ
                                                             SN SQ UP UT
                                                             UW UZ WG WH
                                                             ZW
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE			TYPE	
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--	
ANAHEIM	ANHMCAHLDS1	09245	07810	7283	730	BA	DA	GI	GJ	
310/595(1000-1999),595(2000-2999),595(3000-3999)						GL	GN	GQ	HA	
310/595(9000-9999),602(7000-7999),907(0000-0999)						HD	IA	IB	II	
310/907(9000-9999)						SH	SI	UA	UG	
424/347(3000-3999)						UR	UU			
442/295(4000-4999)										
562/215(0000-0999),274(0000-0999),274(4000-4999)										
562/274(9000-9999),275(4000-4999),276(1000-1999)										
562/276(4000-4999),276(7000-7999),276(9000-9999)										
562/298(1000-1999),370(1000-1999),370(2000-2999)										
562/370(9000-9999),371(9000-9999),372(9000-9999)										
562/373(9000-9999),894(0000-0999)										
626/257(2000-2999),257(9000-9999),708(9000-9999)										
626/709(1000-1999),709(9000-9999),710(1000-1999)										
626/710(9000-9999),758(9000-9999),759(9000-9999)										
626/802(6000-6999),802(9000-9999),803(5000-5999)										
626/803(9000-9999),804(2000-2999),804(6000-6999)										
661/202(3000-3999),206(3000-3999),483(3000-3999)										
760/254(6000-6999),269(4000-4999),307(3000-3999)										
760/493(3000-3999),718(3000-3999),973(3000-3999)										
805/200(2000-2999),200(5000-5999),222(3000-3999)										
805/233(3000-3999),256(3000-3999),262(3000-3999)										
805/288(3000-3999),288(8000-8999),367(3000-3999)										
805/418(5000-5999),422(3000-3999),426(6000-6999)										
805/454(5000-5999),590(3000-3999),626(3000-3999)										
805/633(3000-3999),713,716(2000-2999),764(4000-4999)										
805/774(3000-3999),857(7000-7999),858(3000-3999)										
805/954(3000-3999)										
909/218(3000-3999),257(3000-3999),269(8000-8999)										
909/270(4000-4999),283(7000-7999),285(3000-3999)										
909/296(3000-3999),313(3000-3999),320(5000-5999)										
909/321(3000-3999),325(4000-4999),360(5000-5999)										
909/363(4000-4999),438(2000-2999),443(6000-6999)										
909/458(6000-6999),467(6000-6999),467(8000-8999)										
909/475(3000-3999),491(6000-6999),498(2000-2999)										
909/501(3000-3999),521(3000-3999),522(3000-3999)										
909/546(7000-7999),579(3000-3999),696(8000-8999)										
909/708(8000-8999),727(5000-5999),770(7000-7999)										
909/863(3000-3999)										

==========

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE	TYPE		
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--
ANAHEIM	ANHMCANGDS0	09246	07820	4733	730	DA	DD	GJ	GL
213/416(0000-0999),416(1000-1999),416(2000-2999)						GN	GQ	GR	HB
213/416(3000-3999),416(4000-4999),416(5000-5999)						HJ	IA	IB	IC
213/416(6000-6999),416(8000-8999),416(9000-9999)						ID	IE	IG	II
310/272(8000-8999),295(5000-5999),400(1000-1999)						SH	SP	SQ	UG
310/400(8000-8999),424(1000-3999),482(2000-2999)						UP	UR	UU	WE
310/496(5000-5999),601(1000-3999),695(3000-3999)						WF	WG	WH	WJ
310/696(4000-4999),703(1000-1999),728(1000-1999)									
310/741(4000-4999),744(8000-8999),747(3000-3999)									
310/752(5000-5999),760(7000-8999),775(6000-6999)									
310/775(8000-8999),776(7000-7999),776(8000-8999)									
310/802(2000-2999),881(6000-6999),895(7000-7999)									
310/974(6000-6999),986(6000-6999)									
323/370(6000-6999),381(7000-7999),480(9000-9999)									
323/498(6000-6999),534(4000-4999),606(7000-7999)									
323/798(1000-1999),837(5000-5999),895(7000-7999)									
323/973(7000-7999)									
424/202(3000-3999),202(5000-6999),203(1000-1999)									
424/204(7000-7999),206(7000-7999),208(5000-5999)									
424/217(6000-6999),217(8000-8999),218(8000-8999)									
424/220(3000-3999),229(6000-6999),229(7000-7999)									
424/229(8000-8999),231(1000-1999),236(7000-7999)									
424/241(1000-1999),246(3000-3999),246(4000-4999)									
424/249(6000-6999),249(7000-7999),251(0000-0999)									
424/252(0000-0999),258(1000-1999),258(2000-2999)									
424/259(4000-4999),259(5000-5999),259(6000-6999)									
424/259(7000-7999),259(8000-8999),259(9000-9999)									
424/270(2000-2999),276(5000-5999),278(6000-6999)									
424/278(7000-7999),280(7000-7999),281(1000-1999)									
424/290(2000-2999),293(4000-4999),293(5000-5999)									
424/321(3000-3999),346(5000-5999),442(3000-3999)									
424/442(4000-4999),442(5000-5999),442(6000-6999)									
424/442(7000-7999),442(8000-8999),456(8000-8999),568									
424/571(7000-7999),645(3000-3999),702(1000-1999)									
424/744(5000-5999),835(3000-3999)									
442/242(9000-9999)									
562/246(3000-3999),326(5000-5999),383(4000-4999)									
562/391(2000-2999),456(9000-9999),481(3000-3999)									
562/546(8000-8999),551(5000-5999),661(4000-4999)									

-------- Continued on next page --------

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE	TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	--	-- -- --

-------- Continued from previous page --------

562/741(6000-6999),742(2000-2999),967(2000-2999)
562/968(5000-5999)
626/225(4000-4999),269(5000-5999),316(1000-1999)
626/316(5000-5999),371(0000-0999),371(1000-1999)
626/371(2000-2999),371(7000-7999),371(8000-8999)
626/371(9000-9999),387(5000-5999),389(6000-6999)
626/463(7000-7999),598(5000-5999),638(1000-1999)
626/768(4000-4999),768(6000-6999),773(5000-5999)
626/817(7000-7999),857(2000-2999),993(2000-2999)
657/216(5000-5999),269(4000-4999),271(0000-0999)
657/400(1000-1999),464(8000-8999),800(4000-4999)
657/859(3000-3999),859(4000-4999),900(3000-3999)
661/200(6000-6999),382(5000-5999),382(6000-6999)
661/414(9000-9999),434(6000-6999),476(3000-3999)
661/621(6000-6999),670(2000-2999),702(4000-4999)
661/802(5000-5999),902(5000-5999),902(6000-6999)
661/949(4000-4999)
714/204(3000-3999),316(2000-2999),333(9000-9999)
714/360(1000-1999),380(5000-5999),386(3000-3999)
714/422(3000-3999),450(3000-3999),452(3000-3999)
714/475(6000-6999),477(2000-2999),477(5000-5999)
714/477(6000-6999),477(9000-9999),489(2000-2999)
714/495(4000-4999),509(3000-3999),509(4000-4999)
714/509(7000-7999),509(8000-8999),509(9000-9999)
714/512(3000-3999),559(4000-4999),581(4000-4999)
714/581(5000-5999),581(6000-6999),599(5000-5999)
714/656(1000-1999),705(0000-0999),729(5000-5999)
714/759(3000-3999),763(4000-4999),766(8000-8999)
714/768(6000-6999),784(7000-7999),795(5000-6999)
714/798(8000-8999),820(4000-4999),845(3000-3999)
714/868(3000-3999),872(5000-5999),880(3000-3999)
714/882(7000-7999),905(8000-8999),922(9000-9999)
714/923(3000-3999),929(2000-2999),933(4000-4999)
714/938(5000-5999),941(5000-5999),975(2000-2999)
714/975(7000-7999),986(5000-5999),988(8000-8999)
747/224(5000-5999),233(6000-6999),242(5000-5999)
747/529(8000-8999)

-------- Continued on next page --------

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY CLLI WCV WCH CC LATA OFFICE TYPE
---------NPA/NXX---------- ---------- ----- ----- ---- ---- -- -- -- --

-------- Continued from previous page --------

760/680(4000-4999),690(5000-5999),991(1000-1999)
805/380(1000-1999),410(7000-7999),421(5000-5999)
805/426(3000-3999),437(4000-4999),601(1000-1999)
805/620(3000-3999),633(2000-2999),675(2000-2999)
805/715(6000-6999),764(6000-6999),764(7000-7999)
805/842(4000-4999),917(0000-0999),917(1000-1999)
805/953(2000-2999)
818/217(2000-2999),217(3000-3999),257(7000-7999)
818/296(3000-3999),301(6000-6999),305(2000-2999)
818/356(9000-9999),380(5000-5999),401(4000-4999)
818/431(9000-9999),436(1000-1999),446(7000-7999)
818/453(9000-9999),478(4000-4999),480(3000-3999)
818/480(4000-4999),480(5000-7999),483(1000-1999)
818/493(6000-6999),524(1000-1999),532(3000-3999)
818/574(0000-0999),630(4000-4999),638(5000-6999)
818/650(5000-5999),658(5000-5999),660(4000-4999)
818/661(4000-4999),670(7000-7999),770(3000-3999)
818/812(7000-7999),814(5000-5999),824(9000-9999)
818/851(5000-5999),851(6000-6999),853(0000-0999)
818/863(8000-8999),914(2000-2999),937(7000-7999)
818/937(8000-8999)
909/222(1000-1999),247(2000-2999),248(9000-9999)
909/281(6000-6999),302(5000-5999),303(7000-7999)
909/348(8000-8999),354(8000-8999),537,551(7000-7999)
909/570(3000-3999),643(2000-2999),652(9000-9999)
909/660(4000-4999),723(5000-5999),744(5000-5999)
909/758(4000-4999),764(5000-5999),786(3000-3999)
909/879(6000-6999),894(5000-5999),922(6000-6999)
909/963(5000-5999)
947/535(7000-7999),535(8000-8999),535(9000-9999)
947/557(0000-0999),557(8000-8999),751(4000-4999)
947/767(9000-9999),769(5000-5999),791(3000-3999)
947/797(7000-7999),812(7000-7999),825(0000-0999)
947/825(1000-1999),825(2000-2999),825(3000-3999)
947/825(4000-4999),825(8000-8999),954(9000-9999)
949/208(8000-8999),214(2000-2999),214(3000-3999)
949/220(5000-5999),220(8000-8999),236(5000-5999)

-------- Continued on next page --------

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --

-------- Continued from previous page --------

949/238(4000-4999),242(1000-1999),385(7000-7999)
949/385(8000-8999),385(9000-9999),390(1000-1999)
949/396(7000-7999),398(1000-1999),445(8000-8999)
949/467(8000-8999),517(3000-3999),527(7000-7999)
949/748(4000-5999),973(9000-9999)
951/215(4000-4999),238(6000-6999),252(9000-9999)
951/253(9000-9999),271(8000-8999),338(1000-1999)
951/363(6000-6999),374(5000-5999),493(3000-3999)
951/537(6000-6999),553(2000-2999),572(6000-6999)
951/616(2000-2999),643(5000-5999),666(4000-4999)
951/727(1000-1999),749(4000-4999),801(6000-6999)
951/801(7000-7999),808(6000-6999),837(4000-4999)
951/842(7000-7999),847(3000-3999),968(8000-8999)
951/968(9000-9999)

.....

ANAHEIM ANHMCANGDS1 09246 07820 4733 730 GL
323/746(7000-7999)
424/345(9000-9999),365(3000-3999),522(7000-7999)
562/247(7000-7999)
626/246(7000-7999)
657/231(5000-5999),238(0000-0999),242(9000-9999)
657/282(6000-6999)
747/225(4000-4999)
805/864(7000-7999)
818/852(0000-0999)
949/527(9000-9999),562(7000-7999)

.....

ANDERSON ARSNCA11DS1 07907 08760 5170 724 AA BA DA G4
530/365,378(0000-0999),378(1000-1999),378(2000-2999) GC GD GQ IC
530/378(6000-6999),378(7000-7999),378(8000-8999) ID IE IG PC
PL RA UT UU
UW UZ WG WH

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ANGELS CAMP	ANCMCA01RS0	08395	08407	5170	738	BA DA G4 GC
209/736(0000-0999),736(1000-1999),736(2000-2999)						GD IC ID IE
209/736(3000-3999),736(4000-4999),736(6000-6999)						IG PC PL PT
209/736(8000-8999),736(9000-9999)						RA SJ SV UT
						UU UW UZ WG
						WH ZW
ANGWIN	ANGWCA11DS3	08321	08743	5170	722	SJ
/						
ANGWIN	ANGWCA11RS1	08321	08743	5170	722	AA BA DA G4
707/965(0000-0999),965(1000-1999),965(2000-2999)						G5 G7 GC GD
707/965(3000-3999),965(6000-6999),965(7000-7999)						IC ID IF PC
707/965(9000-9999)						PL RA RF RG
						RH SJ SN UT
						UU UW UZ ZW
ANNAPOLIS	ANNPCA11RS1	08304	08900	5170	722	BA DA G4 GC
707/886(0000-0999),886(1000-1999),886(5000-5999)						GD PC PL PR
						PU RA SN UG
						ZW
ANTIOCH	ANTCCA11DS0	08435	08621	5170	722	AA BA DA G4
925/522(0000-0999),522(7000-7999),522(8000-8999),706,753						G5 G7 GC GD
925/754,755(0000-0999),755(1000-1999),755(2000-2999)						GQ II OR PC
925/755(3000-3999),755(5000-5999),755(7000-7999)						PL PS RA RE
925/755(8000-8999),755(9000-9999),756,757,776,777,778						RF RG RH SK
925/779,813(3000-3999),813(6000-7999),978(0000-0999)						SN ST SV TJ
925/978(1000-1999),978(2000-2999)						UG UR WG WH
						ZW
ANZA	ANZACAXFRS0	09274	07576	2319	730	AA BA DA GC
951/763(0000-2999),763(4000-4999),763(5000-5999)						GD GE GG GJ
951/763(9000-9999)						GM GN GR HB
						HD II PC PL
						SH SN SQ TG
						TU VM ZZ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
APPLE VALLEY 760/240,247,961(0000-2999),961(6000-9999)	APVYCAXF24J	09086	07705	4420	730	AA DA GC GD GE GN GR II RC RD SV TJ TU UB UG
APTOS 831/661(0000-0999),661(1000-1999),661(2000-2999) 831/661(3000-3999),661(4000-4999),661(7000-7999),662 831/684(0000-6999),684(8000-9999),685,687(0000-0999) 831/687(1000-1999),687(3000-3999),687(5000-5999) 831/687(6000-6999),688,689(0000-0999),689(1000-1999) 831/689(2000-2999),689(3000-3999),689(4000-4999) 831/689(5000-5999),689(6000-6999),689(8000-8999) 831/689(9000-9999)	APTSCA12DS0	08661	08611	5170	722	AA BA DA G4 G5 G7 GC GD GQ IC ID IF PC PL RA RF RG RH SN ST TJ UG UR UT UU UW UZ WG WH ZW
APTOS /	APTSCA12DS3	08661	08611	5170	722	SJ
ARBUCKLE 530/476(0000-0999),476(2000-3999)	ARBCCAXFDS0	08217	08688	3402	726	AA BA DA G5 GC GD GE GN GR HJ IC IH II RA RC RD RE RF RG RH RM RS SP SV UB UL UM UT UW UX UZ
ARCADIA 626/254(0000-0999),254(1000-1999),254(2000-2999) 626/254(5000-5999),254(8000-8999),254(9000-9999),294 626/348(0000-0999),445,446,447,462(0000-0999) 626/462(1000-1999),462(2000-2999),462(3000-3999) 626/462(5000-5999),462(6000-6999),462(7000-7999) 626/462(8000-8999),462(9000-9999),574,821,898(8000-8999) 626/898(8000-8999)	ARCDCA11DS0	09190	07842	5170	730	AA BA BC DA G4 G5 G7 GC GD GQ HB IC ID IE IF IG II OR PC PL PR PS RA RF RG RH SJ SQ TJ UP UR UT UW UZ WG WH ZW

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ARCATA	ARCTCA11DS0	07839	09063	5170	722	AA BA DA G4
707/822,825(0000-0999),825(1000-1999),825(2000-2999)						G5 G7 GC GD
707/825(4000-4999),825(5000-5999),825(6000-6999)						GE GQ II PC
707/825(7000-7999),825(8000-8999),825(9000-9999),826						PL PT RA SJ
						SN ST TJ UR
						UT UU UW UZ
						WG WH ZW
ARLINGTON	ARTNCA11DS0	09217	07728	5170	730	AA BA DA GC
951/343,351,352,353,354(0000-2999),354(4000-9999)						GD GQ HB IC
951/358(0000-0999),358(1000-1999),358(2000-2999)						ID IE IF IG
951/358(3000-3999),358(4000-4999),358(5000-5999)						OR PC PL PR
951/358(6000-6999),358(7000-7999),358(8000-8999),359,509						PS RA RC RD
951/602(4000-4999),637,687,688,689,710(5000-5999),785						RE RF RG RH
951/785						SJ SN SQ ST
						TJ UG UP UR
						UT UU UW UZ
						WD WG WH ZW
ARNOLD	ARNLCA11RS0	08352	08379	5170	738	BA DA G4 GC
209/795						GD IC ID IF
						PC PL PT RA
						SJ SV UG UR
						UT UU UW UZ
						WG WH ZW
AROMAS	ARMSCA11DS3	08677	08563	5170	722	SJ
___/___						
AROMAS	ARMSCA11RS0	08677	08563	5170	722	AA BA DA G4
831/726(1000-1999),726(2000-2999),726(3000-3999)						GC GD HB PC
831/726(7000-7999),726(9000-9999)						PL RA RC RD
						RE RF RG RH
						SJ SN SV UT
						UU UW UZ WG
						ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ARROWHEAD	ARHDCAXF33H	09141	07698	2319	730	AA BA DA GC
909/336(0000-0999),336(1000-1999),336(2000-2999)						GD GE GG GJ
909/336(3000-3999),336(4000-4999),336(5000-5999)						GN GR HB HD
909/336(6000-6999),336(7000-7999),336(9000-9999),337						II PC PL RC
909/436(3000-3999)						RD SH SQ TG
						TI TU UG VM
						ZZ
ARROYO GRANDE	ARGRCA12DS1	09039	08331	5170	740	AA BA DA G4
805/202(0000-0999),473,474,481,489						G5 G7 GD GQ
						II PC PL PT
						RA RF RG RH
						SJ ST SV TJ
						UR UT UU UW
						UZ WG WH ZW
ARTESIA	ARTSCAXF86S	09248	07841	2319	730	AA BA DA GC
562/402,403,467(0000-2999),467(4000-9999),468						GD GE GG GJ
562/653(0000-0999),653(1000-1999),653(2000-2999)						GN GR HB HD
562/653(3000-3999),653(5000-5999),653(8000-8999)						II PA PJ RC
562/653(9000-9999),809,860,865,916(0000-0999)						RD SN SQ TB
562/916(1000-1999),916(2000-2999),916(7000-7999)						TG TI TJ TU
562/916(8000-8999),916(9000-9999),924						UA UG UR VM
						WD WE WF WG
						WH WI WJ ZZ
ARVIN	ARVNCA11RS0	08978	08021	5170	734	AA BA DA G4
661/854,855(2000-2999)						G5 G7 GC GD
						IC ID IE IF
						IG OR PC PL
						PT PU RA RC
						RD RE RF RG
						RH SJ SN ST
						SU SV TB TE
						TF TM TN TP
						TQ TS TT UE
						UG UP UR UT
						UU UW UZ WG
						WH ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
ASH MOUNTAIN                ASMTCA11RS0 08700 08063 5170  728 AA BA DA G4
   559/565(0000-0999),565(1000-1999),565(3000-3999)          G5 G7 GC GD
   559/565(4000-4999)                                        II PC PL RA
                                                             RC RD RE RF
                                                             RG RH SH SN
                                                             SQ UP ZW
.......................................................................
ATASCADERO                  ATSCCA11DS0 08961 08355 5170  740 AA BA DA G4
   805/460(0000-0999),460(1000-1999),460(2000-2999)          G5 G7 GC GD
   805/460(9000-9999),461(0000-0999),461(1000-1999)          GQ II PC PL
   805/461(3000-3999),461(4000-4999),461(5000-5999)          PT RA SJ ST
   805/461(6000-6999),461(7000-7999),461(8000-8999)          SV TJ UR UT
   805/461(9000-9999),462(0000-0999),462(1000-1999)          UU UW UZ WG
   805/462(2000-2999),462(3000-3999),462(4000-4999)          WH ZW
   805/462(5000-5999),462(6000-6999),462(8000-8999)
   805/462(9000-9999),464(0000-0999),466
.......................................................................
ATASCADERO                  ATSCCAABRS0 08966 08350 5170  740 DA PC PL
   805/468(1000-1999),468(2000-2999),468(3000-3999)
.......................................................................
ATWATER                     ATWRCA12DS0 08555 08398 5170  738 AA BA DA G4
   209/356(0000-2999),356(6000-6999),357,358                 G5 G7 GC GD
                                                             GQ IC ID IF
                                                             OR PC PL PT
                                                             RA SK SR TJ
                                                             UG UR UT UU
                                                             UW UZ ZX
.......................................................................
AUBURN                      AUBNCA01DS0 08226 08519 5170  726 AA BA BC DA
   530/745(0000-0999),745(1000-1999),745(2000-2999)          G4 G5 G7 GC
   530/745(3000-3999),745(5000-5999),745(7000-7999)          GD GQ IC ID
   530/745(8000-8999),745(9000-9999),823,885,886(0000-0999)  IE IF IG II
   530/886(1000-1999),886(2000-2999),886(3000-3999)          OH OR PC PL
   530/886(4000-4999),886(5000-5999),886(6000-6999)          PR PU RA RC
   530/886(8000-8999),886(9000-9999),887,888,889             RD RE RF RG
                                                             RH SK SN SQ
                                                             TJ UG UP UT
                                                             UU UW UZ WG
                                                             WH ZW
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
AUBURN	AUBNCA11RS0	08204	08513	5170	726	AA BA DA G4
530/878(0000-0999),878(1000-1999),878(2000-2999)						G5 G7 GC GD
530/878(3000-3999),878(4000-4999),878(6000-6999)						IC ID IE IF
530/878(7000-7999),878(8000-8999),878(9000-9999)						IG PC PL PR
						PU RA SK SN
						UP UT UU UW
						UZ WG ZX
AVALON	AVLNCA11RS0	09367	07866	5170	730	AA BA DA GC
310/510(0000-0999),510(1000-1999),510(2000-2999)						GD HB PC PL
310/510(3000-3999),510(4000-4999),510(7000-7999)						PR PS RA RF
310/510(8000-8999),510(9000-9999)						RG RH SJ SN
						SQ UP ZW
AVENAL	AVNLCA12RS0	08836	08276	5170	728	AA BA DA G4
559/386(0000-0999),386(1000-1999),386(2000-2999)						GC GD IC ID
559/386(4000-4999),386(5000-5999),386(6000-6999)						IF OR PC PL
559/386(9000-9999)						PT RA RF RG
						RH SJ SQ UG
						UP UT UU UW
						UZ ZW
AVILA BEACH	AVBHCA11RS0	09028	08357	5170	740	AA BA DA GC
805/595(2000-2999),595(7000-7999),595(9000-9999)						GD PB PK PT
805/627(1000-1999)						RA RC RE RF
						RG RH RM SJ
						ST SU SV TB
						TE TF TM TN
						TP TQ TS TT
						UE UG UP UR
						UT UU UW UZ
						ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
AZUSA	AZUSCAXFRP0	09186	07819	2319	730	AA BA DA GC
626/334,633(0000-0999),633(1000-1999),633(3000-3999)						GD GE GG GJ
626/633(4000-4999),633(8000-8999),633(9000-9999),812						GN GR HB HD
626/815(0000-2999),815(3000-3999),815(4000-4999)						II PA PJ RC
626/815(5000-5999),815(6000-6999),815(7000-7999)						RD SH SN SQ
626/815(8000-8999),815(9000-9999),969						TB TG TI TJ
						TU UA UG UR
						VM WD WE WF
						WG WH WI WJ
						ZZ
BADGER	BDGRCAXFRS1	08673	08100	2319	728	AA BA DA GC
559/337(0000-0999),337(2000-2999)						GD GE GG GM
						GN HB HD II
						PC PL SN SQ
						VM ZZ
BAKER	BAKRCA11RS0	08887	07536	5170	730	BA DA GC GD
760/733(1000-1999),733(4000-4999)						HB II PC PL
						PR PS RA SH
						SQ UU UZ
BAKERSFIELD	BKFDCA1176T	08948	08041	5170	734	G1 GB PC PT
661/842						PU WH
BAKERSFIELD	BKFDCA11DS0	08948	08041	5170	734	AA BA DA G4
661/363(0000-2999),363(4000-8999),364(0000-0999),366						G5 G7 GC GD
661/808(2000-2999),817(1000-1999)						GE GQ II OR
						PC PL PT PU
						RA RC RD RE
						RF RG RH SL
						ST SV UG UR
						UT UU UW UZ
						WG WH ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE			
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--
BAKERSFIELD	BKFDCA12DS0	08946	08059	5170	734	AA	BA	DA	G4
661/321(0000-5999),321(7000-9999),322,323,324,325,326						G5	G7	GC	GD
661/327,328,334(1000-1999),334(2000-2999),334(3000-3999)						GQ	IC	ID	IE
661/334(4000-4999),334(5000-5999),334(6000-6999)						IF	IG	OH	PA
661/334(7000-7999),334(8000-8999),334(9000-9999)						PJ	PT	PU	QA
661/335(0000-0999),335(3000-3999),335(4000-4999)						QE	RA	RC	RD
661/335(5000-5999),335(6000-6999),335(7000-7999)						RE	RF	RG	RH
661/335(8000-8999),335(9000-9999),336(0000-7999)						SL	SS	ST	SU
661/336(9000-9999),337(1000-1999),337(2000-2999)						TB	TE	TF	TJ
661/337(3000-3999),337(4000-4999),337(5000-5999)						TM	TN	TP	TQ
661/337(6000-6999),337(7000-7999),394(1000-1999)						TS	TT	UE	UG
661/394(2000-2999),394(3000-3999),394(4000-4999)						UR	UT	UU	UW
661/394(5000-5999),394(6000-6999),394(7000-7999)						UZ	VL	VQ	WG
661/394(8000-8999),394(9000-9999),395,631,632(0000-0999)						WH	ZY		
661/632(1000-1999),632(2000-2999),632(3000-3999)									
661/632(4000-4999),632(5000-5999),632(7000-7999)									
661/632(8000-8999),632(9000-9999),633(0000-3999)									
661/633(5000-9999),634(0000-0999),634(1000-1999)									
661/634(2000-2999),634(3000-3999),634(4000-4999)									
661/634(6000-6999),634(7000-7999),634(8000-8999)									
661/634(9000-9999),635,636(0000-5999),636(8000-9999)									
661/637(0000-8999),638,852(0000-0999),852(2000-2999)									
661/852(3000-3999),852(4000-4999),852(5000-5999)									
661/852(6000-6999),852(7000-7999),852(9000-9999)									
661/859(0000-0999),859(1000-1999),859(2000-2999)									
661/859(5000-5999),861(0000-2999),861(4000-9999)									
661/862(1000-1999),862(2000-2999),862(3000-3999)									
661/862(4000-4999),862(5000-5999),862(6000-6999)									
661/862(7000-7999),862(8000-8999),863(0000-0999)									
661/863(1000-1999),863(2000-2999),863(3000-3999)									
661/863(4000-4999),863(5000-5999),863(6000-6999)									
661/863(9000-9999),864(0000-0999),864(1000-1999)									
661/864(2000-2999),864(3000-3999),864(4000-4999)									
661/868(0000-8999),869(0000-0999),869(1000-1999)									
661/869(2000-2999),869(3000-3999),869(6000-6999)									
661/869(8000-8999),869(9000-9999)									

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
BAKERSFIELD	BKFDCA13DS0	08940	08049	5170	734	AA BA DA G4
661/871,872,873(0000-0999),873(1000-1999),873(2000-2999)						G5 G7 GC GD
661/873(6000-6999),873(7000-7999),873(8000-8999)						GQ II OR PC
661/873(9000-9999)						PL PT PU RC
						RD RE RF RG
						RH SJ SV TJ
						UT UU UW UZ
						WG WH ZW
BAKERSFIELD	BKFDCA14DS0	08958	08059	5170	734	AA BA BC DA
661/396(0000-0999),396(1000-1999),396(2000-2999)						G4 G5 G7 GC
661/396(3000-3999),396(4000-4999),396(6000-6999)						GD GQ IC ID
661/396(7000-7999),396(8000-8999),396(9000-9999),397,398						IE IF IG II
661/827(0000-0999),827(1000-1999),827(3000-3999)						OH PC PL PT
661/827(4000-4999),827(5000-5999),827(8000-8999)						PU RA RC RD
661/827(9000-9999),831,832,833,834,835(0000-5999)						RE RF RG RH
661/835(7000-9999),836(0000-0999),836(1000-1999)						SL SS ST TJ
661/836(2000-2999),836(3000-3999),836(4000-4999)						UG UR UT UU
661/836(6000-6999),836(8000-8999),836(9000-9999),837						UW UZ VL VQ
						WG WH ZY
BAKERSFIELD	BKFDCA15RS0	09017	08039	5170	734	AA BA DA G4
661/858(1000-1999),858(2000-2999),858(5000-5999)						G5 G7 GC GD
						IC ID IE IF
						IG OR PC PL
						PT PU RA RC
						RD RE RF RG
						RH SJ SV UT
						UU UW UZ WG
						WH ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
BAKERSFIELD                 BKFDCA17DS0 08947 08076 5170  734 AA BA DA G4
   661/213(3000-4999),387(6000-6999),587,588,589             G5 G7 GC GD
   661/829(1000-2999)                                        GQ IC ID IE
                                                             IF IG OR PC
                                                             PL PT PU RA
                                                             RC RD RE RF
                                                             RG RH SJ ST
                                                             SU SV TB TE
                                                             TF TJ TM TN
                                                             TP TQ TS TT
                                                             UE UG UR UT
                                                             UU UW UZ WG
                                                             WH ZW
.......................................................................
BAKERSFIELD                 BKFDCA19DS0 08961 08078 5170  734 AA BA DA G4
   661/412(5000-5999),412(6000-6999),473(5000-6999)          G5 G7 GC GD
   661/473(8000-8999),529(4000-4999),654(0000-0999)          GQ IC ID IE
   661/654(2000-2999),654(3000-3999),654(4000-4999)          IF IG OR PC
   661/654(5000-5999),654(6000-6999),654(7000-7999)          PL PT PU RA
   661/654(8000-8999),663,664,665(0000-5999),665(7000-9999)  RC RD RE RF
   661/858(0000-0999)                                        RG RH SL SV
                                                             UT UU UW UZ
                                                             VE VM WG WH
                                                             ZW
.......................................................................
BAKERSFIELD                 BKFDCAJADS0 08947 08060 7128  734 DA DD
   661/230(3000-3999),281(0000-0999),281(1000-1999)
   661/281(2000-2999),281(3000-3999),281(6000-6999)
   661/282(2000-2999),282(3000-3999),282(4000-4999)
   661/282(9000-9999),283(0000-4999),283(6000-9999)
   661/316(0000-0999),316(1000-1999),316(3000-3999)
   661/316(4000-4999),316(6000-6999),320(3000-3999)
   661/370(4000-4999),438(4000-4999),469(2000-2999)
   661/564(5000-7999),606(3000-3999),630(3000-3999)
   661/695(3000-3999),695(4000-4999),745(3000-3999)
   661/750(3000-3999),927(3000-3999)
.......................................................................
BAKERSFIELD                 BKFDCAKT1KD 08948 08041 864C  734 DA QC
      /
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
BALBOA                      BALBCA01DS0 09300 07799 5170  730 BA DA G4 G5
   949/566(0000-0999),566(6000-6999),566(9000-9999),673,675  G7 GC GD GQ
   949/723                                                   HB OR PC PL
                                                             PR PS RA RF
                                                             RG RH SJ SQ
                                                             ST TJ UP UR
                                                             WG WH ZW
.......................................................................
BALDWIN PARK                BLPKCAXFPSA 09197 07827 2319  730 AA DA GC GD
   626/239(0000-0999),239(2000-2999),337,338,472(0000-0999)  GE GG GJ GM
   626/472(5000-5999),472(6000-6999),472(7000-7999)          GN GR HB HD
   626/472(9000-9999),480,543(6000-6999),543(7000-7999)      II PA PJ RC
   626/543(8000-8999),813,814(0000-0999),814(1000-1999)      RD SH SN SQ
   626/814(2000-2999),814(3000-3999),814(4000-4999)          TB TG TI TU
   626/814(6000-6999),814(8000-8999),814(9000-9999)          UA UG UR VM
   626/848(0000-0999),851,856(0000-0999),856(1000-1999)      WD WE WF WG
   626/856(2000-2999),856(3000-3999),856(4000-4999)          WH WI WJ ZZ
   626/856(5000-5999),856(6000-6999),856(7000-7999)
   626/856(8000-8999),939,960,962(0000-0999)
.......................................................................
BANGOR                      BNGRCA11DS1 08125 08587 5170  724 ZW
     /
.......................................................................
BANGOR                      BNGRCA11DS3 08125 08587 5170  724 SJ
     /
.......................................................................
BANGOR                      BNGRCA11RS0 08125 08587 5170  724 BA DA G4 GC
   530/679(0000-0999),679(1000-1999),679(2000-2999)          GD IC ID IE
                                                             IG PC PL RA
                                                             UT UU UW UZ
.......................................................................
BANNING                     BNNGCAXF84L 09200 07627 2319  730 AA BA DA GC
   951/769(4000-4999),769(5000-5999),849,922(0000-0999)      GD GE GG GJ
   951/922(1000-1999),922(2000-2999),922(3000-3999)          GN GR HB HD
   951/922(4000-4999),922(7000-7999),922(8000-8999)          II PC PL RC
   951/922(9000-9999)                                        RD SH SQ TG
                                                             TI TU UG VM
                                                             ZZ
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
BARSTOW	BRSWCAXHDS0	08995	07691	4420	730	AA DA GC GD
760/255,256,957(1000-3999)						GE GN GR II
						RC RD SK SQ
						TU UB UG
BASS LAKE	BSLKCAXFRS0	08538	08216	2338	728	AA BA DA G2
559/641(0000-2999),642(0000-2999),658(0000-2999)						G3 GC GD GM
559/683(0000-2999),692(0000-2999)						GN HB HD IC
						ID IE IF IG
						OE RA RC RD
						SQ T9 TJ TK
						UR UT UW WE
						WG WH
BAYWOOD PARK	BYPKCA11RS1	09002	08379	5170	740	AA BA DA GC
805/528,534(0000-0999),534(1000-1999),534(9000-9999)						GD PC PL PT
						RA RC RD RE
						RF RG RH RM
						ST SU SV TB
						TE TF TM TN
						TP TQ TS TT
						UE UG UR UT
						UU UW UZ
BEALE	BEALCA11RS0	08187	08568	5170	726	AA BA DA G4
530/788(0000-0999),788(1000-1999),788(7000-7999)						G5 G7 GC GD
530/788(9000-9999)						II PC PL RA
						RB RC RD RE
						RF RG RH RM
						SJ SN SQ UP
						UT UU UW UZ
						ZW
BEAR VALLEY	BVLYCA11RS0	08300	08333	5170	738	BA DA G4 GC
209/753(1000-1999),753(2000-2999),753(6000-6999)						GD IC ID IE
						IG PC PL PT
						RA RF RG RH
						SJ SV UT UU
						UW UZ ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
BEAR VALLEY SPRINGS	BVSPCA11RS5	08983	07987	5170	734	AA BA DA G4
661/821(0000-0999),821(1000-1999),821(2000-2999)						G5 G7 GC GD
661/821(3000-3999),821(4000-4999),821(5000-5999)						IC ID IE IF
661/821(6000-6999),821(7000-7999)						IG PC PL PT
						PU RA SJ SV
						UT UU UW UZ
						WG ZW
BEAUMONT	BUMTCAXF84L	09202	07645	2319	730	AA BA DA GC
951/769(0000-3999),769(6000-9999),845,922(6000-6999)						GD GE GG GJ
						GN GR HB HD
						II PC PL RC
						RD SH SN SQ
						TG TI TU UA
						UG UR VM WD
						WE WF WG WH
						WI WJ ZZ
BEL AIR	BELRCAXF47K	09213	07918	2319	730	AA BA DA GC
310/440,471,472,476,889(1000-1999),889(2000-2999)						GD GE GG GJ
310/889(3000-3999),889(7000-7999),889(9000-9999)						GN GR HB HD
						II PA PJ RC
						RD SH SN SQ
						TG TI TJ TU
						UA UG UR VM
						WD WE WF WG
						WH WI WJ ZZ
BELL	BELLCA11DS0	09228	07864	5170	730	BA DA G4 G5
323/326(1000-1999),560,562,771,773						G7 GC GD GQ
						HB II OR PC
						PL PR PS RA
						RF RG RH SJ
						SN SQ ST TJ
						UP UR UT UW
						UZ WG WH ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
BELL GARDENS	BLGRCAXF92K	09229	07856	2319	730	AA BA DA GC
562/776(0000-0999),776(1000-1999),776(2000-2999)						GD GE GG GJ
562/776(3000-3999),776(4000-4999),776(5000-5999)						GN GR HB HD
562/776(6000-6999),776(8000-8999),776(9000-9999),806,927						II PC PL RC
562/928						RD SN SQ TG
						TI TU UA UG
						UR VM WD WE
						WF WG WH WI
						WJ ZZ
BELLA VISTA	BLVSCAXFDS0	07866	08755	2308	724	AA BA DA GC
530/549(0000-0999),549(3000-5999),549(9000-9999)						GD GN GR HJ
						RC RD SQ
BELLFLOWER	BLFLCAXF86K	09245	07849	2319	730	AA BA DA GC
562/461,804,866,867,920,925						GD GE GG GJ
						GN GR HB HD
						II PA PJ RC
						RD SH SN SQ
						TG TI TJ TU
						UA UG UR VM
						WD WE WF WG
						WH WI WJ ZZ
BEN LOMOND	BNLMCA11RS2	08639	08647	5170	722	AA BA DA G4
831/336(0000-0999),336(1000-1999),336(2000-2999)						G5 G7 GC GD
831/336(3000-3999),336(4000-4999),336(5000-5999)						HB IC ID IE
831/336(8000-8999),336(9000-9999)						IF IG PC PL
						RA RF RG RH
						SJ SN ST UG
						UR UT UU UW
						UZ WG WH ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
BENICIA                     BNCICA11DS1 08431 08682 5170  722 AA BA DA G4
   707/745,746,747,748(0000-0999),748(1000-1999)             G5 G7 GC GD
   707/748(2000-2999),748(3000-3999),748(4000-4999)          GQ HB IC ID
   707/748(5000-5999),748(7000-7999),748(8000-8999)          IE IF IG OR
   707/751(0000-0999),751(1000-1999),751(2000-2999)          PC PL RA RF
   707/751(3000-3999),751(5000-5999),751(8000-8999)          RG RH SH SN
   707/751(9000-9999)                                        SQ ST TJ UG
                                                             UP UR UT UU
                                                             UW UZ WG WH
.......................................................................
BENTON                      BNTNCAXFRS1 08404 08044 4420  730 DA GE GM GN
   760/933(2000-2999)                                        II UG
.......................................................................
BERKELEY                    BKLYCA01DS0 08473 08697 5170  722 BA DA GC GD
   510/495(2000-2999),495(3000-3999),495(8000-8999),642,643  GE GQ HB II
   510/647(0000-0999),647(1000-1999),647(2000-2999)          OH PB PK PS
   510/647(3000-3999),647(4000-4999),647(5000-5999),649,664  RA RE RF RG
   510/665,666(0000-0999),666(1000-1999),666(2000-2999)      RH RM SK ST
   510/666(3000-3999),666(8000-8999),666(9000-9999)          TB TE TJ TM
   510/704(0000-2999),704(4000-9999),705(4000-4999)          TN TP TQ TS
   510/705(5000-5999),705(6000-6999),705(7000-7999)          TT UG UR ZW
   510/705(8000-8999),705(9000-9999),845,848,981(0000-0999)
   510/981(1000-1999),981(2000-2999),981(3000-3999)
   510/981(4000-4999),981(5000-5999),981(6000-6999)
   510/981(7000-7999),981(8000-8999)
.......................................................................
BERKELEY                    BKLYCA01DS1 08473 08697 5170  722 AA BA BC DA
   510/204,229(1000-1999),356(1000-1999),356(9000-9999),486  G4 G5 G7 GC
   510/540,548,549(0000-5999),549(7000-9999),644,841,843     GD GQ HB II
   510/849(0000-0999),849(1000-1999),849(2000-2999)          OE PB PK PS
   510/849(3000-3999),849(4000-4999),849(5000-5999)          RA RC RD RE
   510/849(8000-8999),849(9000-9999),883(0000-2999)          RF RG RH RM
   510/883(5000-7999),883(9000-9999)                         SJ SQ ST TB
                                                             TE TJ TM TN
                                                             TP TQ TS TT
                                                             UG UP UR WG
                                                             WH ZW
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
BERMUDA DUNES	BRDNCAXF34G	09222	07517	2319	973	AA BA DA GC
760/200(0000-5999),200(8000-9999),343(7900-7999),345,360						GD GE GG GJ
760/772,834(2000-2999)						GN GR HB HD
						II PB PK RC
						RD SH SN SQ
						TI TU UG VM
BERRENDA MESA	BRMSCAXFRL1	08913	08246	4420	734	DA GE GM GN
661/465(5000-5999)						II
BETHEL ISLAND	BTISCA11RS0	08429	08593	5170	722	AA BA DA G4
925/684(0000-0999),684(1000-1999),684(2000-2999)						G5 G7 GC GD
925/684(3000-3999),684(9000-9999)						GE HB II OR
						PC PL PS RA
						RE RF RG RH
						SJ SN ST UG
						UR ZW
BEVERLY HILLS	BVHLCA01DS0	09211	07905	5170	730	AA BA DA G4
310/246,247,248(1000-5999),270(4000-4999),275,385,550						G5 G7 GC GD
310/724,777,786,858,860(0000-0999),860(1000-1999)						GQ HB II OH
310/860(2000-2999),860(3000-3999),860(4000-4999)						OR PB PK PR
310/860(5000-5999),860(7000-7999),860(8000-8999)						PS QA QE RA
310/860(9000-9999)						RC RD RE RF
323/272(0000-0999)						RG RH SJ SN
						SQ ST TJ UG
						UP UR UT UW
						UZ WG WH
BEVERLY HILLS	BVHLCA01DS1	09211	07905	5170	730	AA BA BC DA
310/205,271,273,274,276,278,279(1000-1999),281,285,288						GC GD HB II
310/859,887,888						PB PK PR PS
						QA QE RA RC
						RD RE RF RG
						RH SN SQ ST
						TJ UG UP UR
						UT UW UZ ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
BIEBER	BIBRCAXFDS0	07742	08585	2308	724	AA BA DA GC
530/294(0000-1999),294(5000-5999),294(9000-9999)						GD GN GR HJ
						RC RD SQ
BIG BEAR CITY	BBCYCAXFRS3	09127	07634	4420	730	AA DA GC GD
909/584(0000-0999),584(1000-1999),584(2000-2999)						GE GM GN GR
909/584(4000-4999),584(7000-7999),584(8000-8999)						II RC RD SV
909/584(9000-9999),585						TU UB UG
BIG BEAR LAKE	BBLKCAXFDS0	09133	07646	4420	730	AA DA GC GD
909/866,878(1000-5999),878(8000-8999)						GE GN GR II
						RC RD SV TU
						UB UG
BIG PINE	BGPICAXFRS2	08541	07993	4420	730	DA GE GM GN
760/938(2000-3999)						II UG
BIG RIVER	BGRVCAXFRS2	09074	07188	863F	730	DA
760/665(1000-2999),665(5000-6999),665(8000-8999)						
BIG SUR	BGSRCA11DS1	08820	08570	5170	736	ZW
/						
BIG SUR	BGSRCA11RS0	08820	08570	5170	736	BA DA G4 GC
831/667(0000-0999),667(1000-1999),667(2000-2999)						GD IC ID IF
831/667(3000-3999)						PC PL RA UP
						UT UU UW UZ
BIGGS	BGGSCA11DS1	08125	08639	5170	724	ZW
/						
BIGGS	BGGSCA11DS3	08125	08639	5170	724	SJ
/						
BIGGS	BGGSCA11RS0	08125	08639	5170	724	AA BA DA G4
530/868(1000-1999),868(5000-5999)						GC GD IC ID
						IF PC PL RA
						UT UU UW UZ
						WG

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
BISHOP                      BSHPCAXG86T 08502 08017 4420  730 BA DA GB GN
     /                                                       II SR UG
.......................................................................
BISHOP                      BSHPCAXG87X 08502 08017 4420  730 AA BA DA GB
   760/872,873(0000-0999),873(2000-9999)                     GC GD GE GN
                                                             II RD SQ UG
.......................................................................
BISHOP RANCH                BSRNCA70DS0 08489 08642 5170  722 AA BA DA G4
   925/242(0000-0999),242(1000-1999),242(2000-2999)          G5 G7 GC GD
   925/242(3000-3999),242(4000-4999),242(5000-5999)          GE GQ HB II
   925/242(6000-6999),242(7000-7999),242(8000-8999),244      OR PB PK PS
   925/275(0000-0999),275(1000-1999),275(2000-2999)          RA RE RF RG
   925/275(3000-3999),275(4000-4999),275(6000-6999)          RH SK ST TB
   925/275(7000-7999),275(8000-8999),275(9000-9999),277      TE TJ TM TN
   925/327(0000-0999),327(1000-1999),327(2000-2999)          TP TQ TS TT
   925/327(3000-3999),327(4000-4999),327(5000-5999)          UG UR UT UU
   925/327(6000-6999),327(7000-7999),327(8000-8999),328      UW UZ WG WH
   925/355(0000-4999),355(6000-9999),358,543(0000-3999)      ZW
   925/543(5000-9999),790(0000-0999),790(2000-2999)
   925/790(3000-3999),790(4000-4999),790(5000-5999)
   925/790(6000-6999),790(7000-7999),806(0000-1999)
   925/806(3000-9999),823,824,830(0000-6999),830(8000-9999)
   925/842,866,867,901,904,973(0000-0999),973(2000-2999)
   925/973(3000-3999),973(4000-4999),973(5000-5999)
   925/973(6000-6999),973(7000-7999)
.......................................................................
BKFD MAIN                   BKFDCA11XMD 08947 08060 7957  734 GR
   661/232(7000-7999),279(7000-7999),289(7000-7999)
   661/300(7000-7999),443(7000-7999),457(6000-6999)
   661/459(7000-7999),465(7000-7999),469(7000-7999)
   661/491(6000-6999),525(7000-7999),534(7000-7999)
   661/536(7000-7999),546(7000-7999),548(7000-7999)
   661/552(7000-7999),745(7000-7999),761(5000-5999)
   661/766(7000-7999),772(0000-0999),779(7000-7999)
   661/927(9000-9999)
.......................................................................
BLAIRSDEN                   BLRSCA12RS1 08024 08465 5170  724 BA DA G4 GC
   530/836(0000-0999),836(1000-1999),836(2000-2999)          GD PC PL PT
   530/836(4000-4999),836(7000-7999)                         RA UR ZW

=======================================================================
```

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
BLUE LAKE	BLLKCA11RS1	07836	09047	5170	722	AA BA DA G4
707/668(0000-0999),668(1000-1999),668(4000-4999)						G5 G7 GC GD
707/668(5000-5999)						GE II PC PL
						PT RA SJ ST
						UR UT UU UW
						UZ ZW
BLYTHE	BLYTCAXF92K	09194	07205	863F	730	BA DA GB GC
760/921(1000-1999),921(2000-2999),921(3000-3999)						GD GE GN GR
760/921(4000-4999),921(5000-5999),921(6000-6999)						II SQ UG
760/921(7000-7999),921(8000-8999),921(9000-9999),922						
BODEGA BAY	BDBACA11RS0	08383	08841	5170	722	AA BA DA G4
707/875(1000-1999),875(2000-2999),875(3000-3999)						G5 G7 GC GD
707/875(8000-8999),875(9000-9999)						HB IC ID IE
						IF IG II OR
						PC PL PR PU
						RA RB SJ SN
						ST UG UR UT
						UW UZ ZW
BOONVILLE	BNVLCA11RS0	08232	08918	5170	722	AA BA BC DA
707/895(1000-1999),895(2000-2999),895(3000-3999)						G4 G5 G7 GC
707/895(9000-9999)						GD IC ID IE
						IF IG II PC
						PL PT RA RC
						RD RE RF RG
						RH RM SJ SN
						UG UR UT UU
						UW UZ ZW
BORON	BORNCAXFRS3	08991	07805	4420	730	AA DA GC GD
760/762(1000-1999),762(5000-7999)						GE GM GN II
						RC RD SQ TU
						UB UG

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
BORREGO SPRINGS	BRSPCA11RS2	09328	07508	5170	732	AA BA DA G4
760/767(0000-0999),767(1000-1999),767(2000-2999)						G5 G7 GC GD
760/767(3000-3999),767(4000-4999),767(5000-5999)						IC ID IE IF
760/767(7000-7999)						IG PC PL PR
						PU RA SJ SQ
						UP UT UU UW
						UZ ZW
BOULDER CREEK	BLCKCA11DS3	08633	08655	5170	722	SJ
/						
BOULDER CREEK	BLCKCA11RS3	08633	08655	5170	722	AA BA DA G4
831/338(0000-4999),338(6000-9999)						G5 G7 GC GD
						HB IC ID IE
						IF IG PC PL
						RA RF RG RH
						SH SN ST SV
						TJ UG UR UT
						UU UW UZ VE
						VM WG WH ZW
BRADLEY	BRDLCA90DS1	08904	08419	5170	740	ZW
/						
BRADLEY	BRDLCA90DS3	08904	08419	5170	740	SJ
/						
BRADLEY	BRDLCA90RS0	08904	08419	5170	740	AA BA DA GC
805/472(0000-0999),472(1000-1999),472(2000-2999)						GD IC ID IF
805/472(9000-9999)						PC PL RA SV
						UT UU UW UZ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
BRAWLEY	BRWLCA11RS1	09360	07347	5170	732	AA BA DA G4
760/344,351(0000-5999),351(7000-9999)						G5 G7 GC GD
						IC ID IE IF
						IG PC PL PT
						RA RC RD RE
						RF RG RH SJ
						SQ UP UR UT
						UU UW UZ WG
						ZW
BREA	BREACA12DS0	09232	07810	5170	730	AA BA DA GC
714/255,256,257(0000-4999),257(6000-9999),529						GD GQ HB IC
714/671(0000-0999),671(1000-1999),671(2000-2999)						ID IE IF IG
714/671(3000-3999),671(4000-4999),671(5000-5999)						OR PB PK PR
714/671(6000-6999),671(7000-7999),671(9000-9999),672						PS RA RC RD
714/674(0000-0999),674(1000-1999),674(3000-3999)						RE RF RG RH
714/674(4000-4999),674(5000-5999),674(6000-6999)						SJ SN SQ TJ
714/674(7000-7999),674(8000-8999),674(9000-9999)						UP UT UW UZ
714/987(5000-5999),990						WG WH ZW
BRENTWOOD	BRWDCA12DS0	08448	08600	5170	722	AA BA DA GC
925/240(0000-0999),240(1000-1999),240(2000-2999)						GD GQ II OR
925/240(5000-5999),240(6000-6999),240(7000-7999)						PC PL PS RA
925/240(8000-8999),240(9000-9999),308(7000-8999)						RE RF RG RH
925/513(0000-0999),513(1000-1999),513(2000-2999)						SJ SN TJ WG
925/513(3000-3999),513(4000-4999),513(6000-6999)						WH ZW
925/513(7000-7999),513(8000-8999),513(9000-9999),516						
925/626(3000-3999),634,809(7000-7999)						
BRIDGEPORT	BRPTCAXFRS4	08327	08188	4420	730	DA GE GM GN
760/932(1000-1999),932(5000-5999),932(7000-7999)						II UG
760/932(9000-9999)						
BRIDGEVILLE	BGVLCA11RS1	07925	09009	5170	722	BA DA G4 GC
707/777(1000-1999),777(3000-3999)						GD PC PL PT
						RA SH ST UG
						UR ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
BROCKWAY	BCWYCA11RS0	08132	08351	5170	726	BA DA G4 G5
530/546						G7 GC GD IC
						ID IE IF IG
						PC PL PR PU
						RA RC RD RE
						RF RG RH SJ
						UP UT UU UW
						UZ ZW
BUENA PARK	BNPKCA11DS0	09244	07826	5170	730	AA BA DA GD
714/228,232(7000-7999),521,522,523,562,670,690,736,739						GQ HB IC ID
714/994						IE IF IG OR
						PB PK PR PS
						RA RC RD RE
						RF RG RH SJ
						SN SQ TJ UP
						UT UU UW UZ
						WG WH ZW
BURBANK	BRBNCA11DS0	09186	07893	5170	730	AA BA DA GC
323/849(1000-1999)						GD GE GQ HB
818/238(0000-6999),238(8000-9999),260,295,460						IC ID IE IF
818/524(2000-2999),525,526,556,557,558,559,560						IG OH OR PB
818/562(1000-6999),562(8000-9999),563,566,567						PK PR PS QA
818/569(0000-8999),729,748(0000-0999),748(4000-4999),840						QE RA RC RD
818/841,842,843,845,846,848,953,954,955,972,973						RE RF RG RH
						SJ SQ ST TJ
						UP UR UT UW
						UZ WG WH ZW
BURBANK	BRBNCA13RS0	09184	07900	5170	730	AA BA DA GC
818/565(0000-5999),847(0000-0999),847(1000-1999)						GD GQ HB IC
818/847(2000-2999),847(3000-3999),847(4000-4999)						ID IE IF IG
818/847(5000-5999),847(6000-6999),847(8000-8999)						OR PC PL PR
818/847(9000-9999)						PS RA RC RD
						RE RF RG RH
						SJ SQ ST UP
						UR UT UW UZ
						WG WH ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
BURLINGAME                  BRLNCA01DS0 08538 08704 5170  722 BA DA G4 G5
   650/340,342,343,344,347,348,373,375(0000-1999)            G7 GC GQ HB
   650/375(3000-9999),401,548,558,579,612,685                IC ID IE IF
   650/696(1000-1999),696(2000-2999),696(3000-3999)          IG II OR PC
   650/696(4000-4999),696(5000-5999),696(6000-6999)          PL PS RA RE
   650/696(7000-7999),696(8000-8999),696(9000-9999)          RF RG RH SK
   650/762(0000-0999),762(1000-1999),762(2000-2999)          TJ UT UU UW
   650/762(3000-3999),762(7000-7999)                         UZ WG WH ZW
.......................................................................
BURNEY                      BRNYCAXF33T 07803 08664 2308  724 GB
     /
.......................................................................
BURNEY                      BRNYCAXFDS0 07803 08664 2308  724 AA BA DA GC
   530/335(0000-0999),335(2000-7999),335(9000-9999)          GD GN GR HJ
                                                             RC RD RH SH
                                                             SM SR ZZ
.......................................................................
BURREL                      BURLCA11RS0 08728 08261 5170  728 AA BA DA G4
   559/866(1000-1999),866(5000-5999)                         GC GD II OR
                                                             PC PL PR PS
                                                             RA RC RD RE
                                                             RF RG RH SJ
                                                             SQ UG UP UR
                                                             WG WH ZW
.......................................................................
BUTTE CITY                  BTCYCA11RS1 08119 08687 5170  724 BA DA G4 GC
   530/982(1000-1999),982(2000-2999)                         GD IC ID IE
                                                             IG PC PL PT
                                                             RA SJ UT UU
                                                             UW UZ WG WH
                                                             ZW
.......................................................................
BUTTONWILLOW                BTNWCAXFRS3 08952 08141 4420  734 DA GE GM
   661/764(5000-6999),764(9000-9999)
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
CALABASAS	CLBSCA11DS0	09201	07951	5170	730	AA BA DA GC
818/222,223(0000-0999),223(2000-2999),223(3000-3999)						GD GQ HB OR
818/223(4000-4999),223(5000-5999),223(6000-6999)						PC PL PR PS
818/223(8000-8999),223(9000-9999),224(1000-1999)						RA SJ SQ ST
818/224(2000-2999),224(3000-3999),224(4000-4999)						TJ UR WG WH
818/224(5000-5999),225,591,876(0000-0999),876(1000-1999)						ZW
818/876(3000-3999),876(4000-4999),876(6000-6999)						
818/876(7000-7999),876(8000-8999),876(9000-9999)						
CALABASAS	CLBSCA50RS3	09203	07961	5170	730	AA BA DA GC
818/871,878(0000-7999),878(9000-9999),880(0000-6999)						GD GE HB IC
818/880(8000-9999)						ID IE IF IG
						OR PC PL PR
						PS RA RB RC
						RD RE RF RG
						RH SJ SN SQ
						ST UG UP UR
						UT UW UZ WG
						WH ZW
CALEXICO	CLXCCA12DS0	09424	07328	5170	732	AA BA DA G4
760/357,768						G5 G7 GC GD
						IC ID IE IF
						IG PC PL PT
						RA RC RD RE
						RF RG RH SJ
						SQ UP UR UT
						UU UW UZ WG
						ZW
CALIFORNIA CITY	CFCYCAXFRS5	08974	07868	4420	730	AA DA GC GD
760/373(1000-5999),373(7000-9999)						GE GM GN II
						RC RD TU UB
CALIFORNIA HOT SPRINGS	CHSPCAXFRS1	08829	08012	4420	734	DA GE GM
661/548(6000-6999)						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
CALIMESA	CLMSCAXF79G	09190	07663	2319	730	AA BA DA GD
909/446(0000-0999),446(1000-1999),446(8000-8999),795						GE GG GJ GN
						GR HB HD II
						PC PL RC RD
						SH SN SQ TG
						TI TU UG VM
						ZZ
CALIPATRIA	CLPTCA11RS1	09328	07349	5170	732	AA BA DA G4
760/348(1000-1999),348(2000-2999),348(4000-4999)						G5 G7 GC GD
760/348(5000-5999),348(6000-6999),348(7000-7999)						IC ID IE IF
760/348(9000-9999)						IG PC PL PT
						RA RC RD RE
						RF RG RH SJ
						SQ UP UR UT
						UU UW UZ WG
						ZW
CALISTOGA	CLSTCA11DS3	08322	08766	5170	722	OR SJ ZW
/						
CALISTOGA	CLSTCA11RS0	08322	08766	5170	722	AA BA DA G4
707/942						G5 G7 GC GD
						HB IC ID IE
						IF IG PC PL
						RA RC RD RE
						RF RG RH RM
						SJ SN ST UG
						UR UT UU UW
						UZ WG ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
CAMARILLO	CMRLCAXF48K	09197	08025	2319	730	AA BA DA GC
805/383,384,386(0000-0999),386(2000-2999),386(3000-3999)						GD GE GG GJ
805/386(4000-4999),386(8000-8999),388,389,419(7000-7999)						GN GR HB HD
805/437(0000-0999),445,482,484,987						II PA PJ RC
						RD SH SN SQ
						TG TI TJ TU
						UA UG UR VM
						WD WE WF WG
						WH WI WJ ZZ
CAMBRIA	CMBACA11RS0	08953	08430	5170	740	AA BA DA GC
805/924(1000-1999),924(2000-2999),927						GD IC ID IF
						PC PL PT RA
						SJ SN SV UP
						UT UU UW UZ
						ZW
CAMP NELSON	CMNLCA11RS0	08771	08013	5170	728	AA BA DA G4
559/542(0000-0999),542(1000-1999),542(2000-2999)						G5 G7 GC GD
						II PC PL RA
						RC RD RE RF
						RG RH SN UP
						UT UU UW UZ
						ZW
CAMP PENDLETON	CMPDCA01RS0	09348	07681	5170	732	AA BA DA GC
760/385(0000-0999),385(1000-1999),385(4000-4999)						GD II OR PC
760/385(9000-9999)						PL PR PU RA
						RC RD RE RF
						RG RH SJ SN
						SQ ST UP UR
						UT UU UW UZ
						WG ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
CAMPO	CAMPCA11RS0	09466	07502	5170	732	AA BA DA G4
619/478(1000-1999),478(2000-2999),478(5000-5999)						G5 G7 GC GD
619/478(9000-9999)						II OR PC PL
						PR PU RA SJ
						SN SQ UP UT
						UU UW UZ WG
						WH ZW
CAMPTONVILLE	CMPVCA11RS0	08105	08529	5170	726	BA DA G4 G5
530/288(0000-0999),288(1000-1999),288(3000-3999)						G7 GC GD GE
						PC PL RA SQ
						UG UP UT UU
						UW UZ ZW
CANOGA PARK	CNPKCA01DS0	09192	07947	5170	730	AA BA DA GC
818/226,227,228,251(1000-5999),251(7000-9999)						GD GE GQ HB
818/274(0000-0999),313,316,340,346,347,348						IC ID IE IF
818/436(7000-8999),587(0000-0999),587(1000-1999)						IG OH OR PA
818/587(2000-2999),587(3000-3999),587(4000-4999)						PJ PR PS QA
818/587(5000-5999),587(7000-7999),587(8000-8999)						QE RA RB RC
818/587(9000-9999),592,594,595,596,598,615,673						RD RE RF RG
818/676(0000-0999),676(1000-1999),676(2000-2999)						RH SK SN SQ
818/676(3000-3999),676(4000-4999),676(5000-5999)						ST TJ UG UP
818/676(6000-6999),676(7000-7999),676(8000-8999),702,713						UR UT UW UZ
818/883,999						WG WH
CANOGA PARK	CNPKCA01DS1	09192	07947	5170	730	AA BA BC DA
818/234,593(1000-1999),593(2000-2999),593(3000-3999)						G4 G5 G7 GC
818/593(4000-4999),593(5000-5999),593(6000-6999)						GD HB IC ID
818/593(7000-7999),593(8000-8999),610(0000-0999)						IE IF IG II
818/610(1000-1999),610(2000-2999),610(3000-3999)						PA PJ PR PS
818/610(4000-4999),610(5000-5999),610(6000-6999)						QA QE RA RB
818/610(7000-7999),610(8000-8999),703(0000-1999)						RC RD RE RF
818/703(4000-9999),704,710,712(0000-4999),712(6000-7999)						RG RH SN SQ
818/712(9000-9999),715,716,719,884,887,888						ST TJ UG UP
818/932(0000-3999),932(6000-7999),932(9000-9999),992						UR UT UW UZ
CANTUA CREEK	CNCKCAXFRS1	08733	08323	4420	728	DA GE GM GN
559/829(9000-9999)						II SV

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
CARLSBAD	CRLSCA11DS0	09379	07681	5170	732	AA BA DA G4
760/434,720,729,730(0000-0999),730(1000-1999)						G5 G7 GC GD
760/730(3000-3999),730(4000-4999),730(7000-7999)						GQ II OR PC
760/730(9000-9999)						PL PR PU RA
						RB RC RD RE
						RF RG RH SJ
						SN SQ ST TJ
						UP UR UT UU
						UW UZ WG WH
						ZW
CARLSBAD	CRLSCA12DS0	09386	07668	5170	732	AA BA DA G4
760/268(0000-0999),268(1000-1999),268(4000-4999)						G5 G7 GC GD
760/268(5000-5999),268(6000-6999),268(7000-7999)						GQ IC ID IE
760/268(8000-8999),331(5000-6999),431,438,476						IF IG OR PB
760/496(2000-2999),579(0000-0999),602,603,804						PK PR PU QA
760/893(1000-5999),893(7000-7999),918,929,930,931						QE RA RF RG
						RH SK SN SQ
						ST TJ UG UP
						UR UT UU UW
						UZ WG WH ZW
CARMEL	CRMLCA11DS0	08754	08604	5170	736	AA BA DA G4
831/620(0000-0999),620(1000-1999),620(4000-4999)						GC GD GQ IC
831/620(6000-6999),620(8000-8999),622,624,625,626						ID II PC PL
						RA ST TJ UG
						UP UR UT UU
						UW UZ
CARMEL	CRMLCA11DS1	08754	08604	5170	736	ZW
/						
CARMEL	CRMLCA11DS3	08754	08604	5170	736	SJ
/						
CARMEL VALLEY	CRVYCA11DS1	08762	08574	5170	736	ZW
/						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
CARMEL VALLEY /	CRVYCA11DS3	08762	08574	5170	736	SJ
CARMEL VALLEY 831/659	CRVYCA11RS0	08762	08574	5170	736	AA BA DA G4 GC GD IC ID IF PC PL RA RF RG RH SH ST UP UR UT UU UW UZ WG
CARPINTERIA 805/566,684,745(1000-1999),745(2000-2999),745(5000-5999) 805/745(7000-7999),745(8000-8999),881(0000-0999)	CRPRCAXF68K	09170	08116	2319	740	AA BA DA GC GD GE GG GJ GN GR HB HD II PB PK RC RD SN SQ TI TJ TU UA UG UR VM WD WE WF WG WH WI WJ ZZ
CARUTHERS 559/864(1000-1999),864(3000-3999),864(6000-6999) 559/864(8000-8999),864(9000-9999)	CRTHCA11RS1	08713	08240	5170	728	AA BA DA GC GD OR PC PL PR PS QA QE RA RC RD RE RF RG RH RM SJ ST SU TB TE TF TG TM TN TP TQ TS TT UE UG UR WG WH ZW
CASTAIC 661/257,294,295,383(4000-5999),607(0000-0999) 661/702(0000-0999),702(1000-1999),702(2000-2999) 661/702(3000-3999),702(5000-5999),702(6000-6999) 661/702(7000-7999),702(8000-8999),702(9000-9999),775	CSTCCA11DS0	09138	07956	5170	730	AA BA DA GC GD GQ HB OR PC PL PR PS RA SJ SQ ST TJ UG UP UR UT UW UZ WG ZW

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
CASTROVILLE /	CSVLCA11DS1	08704	08582	5170	736	ZW
CASTROVILLE /	CSVLCA11DS3	08704	08582	5170	736	SJ
CASTROVILLE 831/632(0000-0999),632(1000-1999),632(2000-2999) 831/632(4000-4999),633(0000-0999),633(1000-1999) 831/633(2000-2999),633(3000-3999),633(4000-4999) 831/633(5000-5999),633(6000-6999),633(7000-7999) 831/633(8000-8999)	CSVLCA11RS0	08704	08582	5170	736	AA BA DA G4 GC GD IC ID IF PC PL RA UP UR UT UU UW UZ WG WH
CATHEYS VALLEY 209/374	CYVYCAXF374	08527	08310	2322	738	TJ
CAYUCOS 805/995(0000-0999),995(1000-1999),995(2000-2999) 805/995(3000-3999)	CYCSCA11RS0	08976	08393	5170	740	AA BA DA GC GD IC ID IF PC PL PT RA SJ SN SV UT UU UW UZ WG ZW
CAZADERO /	CZDRCAXG64T	08346	08848	4420	722	BA GB SV
CAZADERO 707/632(5000-6999)	CZDRCAXGDS0	08346	08848	4420	722	AA BA DA GB GC GD GN GR II
CEDARVILLE 530/279(0000-2999),279(6000-6999),279(9000-9999)	CDVLCAXFDS0	07635	08437	2308	724	AA BA DA GC GD GN GR HJ RC RD SQ
CENTRAL VALLEY /	CNVYCA11DS1	07858	08776	5170	724	ZW
CENTRAL VALLEY /	CNVYCA11DS3	07858	08776	5170	724	SJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
CENTRAL VALLEY	CNVYCA11RS0	07858	08776	5170	724	AA BA DA G4
530/275,276(2000-2999),276(9000-9999)						GQ IC ID IE
						IG PC PL RA
						UT UU UW UZ
CHALLENGE	CHLNCA11DS1	08101	08558	5170	724	ZW
/						
CHALLENGE	CHLNCA11DS3	08101	08558	5170	724	SJ
/						
CHALLENGE	CHLNCA11RS0	08101	08558	5170	724	AA BA DA G4
530/675(0000-0999),675(1000-1999),675(2000-2999)						G5 G7 GC GD
530/675(3000-3999),675(9000-9999)						IC ID IF PC
						PL RA RC RD
						RE RF RG RH
						SN UU UW UZ
CHESTER	CHTRCAXFDS0	07922	08579	2308	724	AA BA DA GC
530/258(0000-5999),258(9000-9999)						GD GN GR HJ
						RC RD SQ
CHICO	CHICCA0103T	08059	08668	5170	724	G1 GB TJ WG
/						WH
CHICO	CHICCA0188T	08059	08668	5170	724	G1 GB TJ
/						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
CHICO                       CHICCA01DS1 08059 08668 5170  724 AA BA DA GC
   530/332(1000-7999),332(9000-9999),342,343,345             GD GE IC ID
   530/566(0000-0999),566(1000-1999),566(9000-9999),879,891  IE IF IG PB
   530/892,893,894(0000-8999),895,896,897(0000-0999)         PK RA RC RD
   530/897(3000-3999),897(4000-4999),897(5000-5999)          RE RF RG RH
   530/897(6000-6999),897(7000-7999),897(8000-8999)          RM SL SR ST
   530/897(9000-9999),898,899                                SU TB TE TF
                                                             TG TJ TM TN
                                                             TP TQ TS TT
                                                             UE UG UR UT
                                                             UU UW UZ VF
                                                             VP WG WH ZX
.......................................................................
CHICO                       CHICCA01KMD 08059 08668 7128  724 BA DA
      /
.......................................................................
CHICO                       CHICCA01X5X 08059 08668 7957  724 GR
   530/234(7000-7999),248(7000-7999),253(7000-7999)
   530/256(7000-7999),261(7000-7999),281(7000-7999)
   530/284(5000-5999),294(7000-7999),299(7000-7999)
   530/316(7000-7999),335(1000-1999),336(4000-4999)
   530/337(7000-7999),359(5000-5999),385(5000-5999)
   530/449(7000-7999),471(7000-7999),475(7000-7999)
   530/500(7000-7999),569(7000-7999),572(7000-7999)
   530/576(6000-6999),595(1000-1999),596(7000-7999)
   530/597(7000-7999),602(7000-7999),616(7000-7999)
   530/618(6000-6999),627(7000-7999),629(7000-7999)
   530/675(7000-7999),679(7000-7999),684(2000-2999)
   530/706(7000-7999),708(6000-6999),731(6000-6999)
   530/733(7000-7999),739(7000-7999),744(3000-3999)
   530/762(5000-5999),778(7000-7999),779(6000-6999)
   530/793(7000-7999),803(7000-7999),804(7000-7999)
   530/805(7000-7999),816(7000-7999),825(7000-7999)
   530/827(7000-7999),832(7000-7999),849(7000-7999)
   530/853(7000-7999),854(7000-7999),861(7000-7999)
   530/868(2000-2999),882(6000-6999),884(7000-7999)
   530/900(6000-6999),924(7000-7999),931(7000-7999)
   530/962(7000-7999),963(7000-7999),968(7000-7999)
   530/993(7000-7999),994(7000-7999)
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
CHICO	CHICCA101KD	07880	08778	864C	724	DA QC
/						
CHICO	CHICCA102KD	07880	08778	864C	724	DA QC
/						
CHINA LAKE	CHLKCAXFRS3	08851	07830	4420	730	DA GC GD GE
760/428(3000-5999),446(0000-0999),446(1000-1999)						GM GN GR SK
760/446(2000-2999),446(3000-3999),446(4000-4999)						UG
760/446(5000-5999),446(6000-6999),446(7000-7999)						
760/446(8000-8999),499(1000-1999),499(3000-3999)						
760/499(5000-5999),499(6000-6999),499(7000-7999),939						
CHINO	CHNOCAXF62J	09203	07779	2319	730	AA BA DA GC
909/364,464,465(0000-0999),465(1000-1999),465(2000-2999)						GD GE GG GJ
909/465(5000-5999),465(6000-6999),465(7000-7999)						GN GR HB HD
909/465(8000-8999),465(9000-9999),517,548(0000-0999)						II PA PJ RC
909/548(2000-4999),548(6000-7999),590,591,613,627,628						RD SH SN SQ
909/703(6000-6999),902						TG TI TJ TU
						UA UG UR VM
						WD WE WF WG
						WH WI WJ ZZ
CHOWCHILLA	CHWCCA11RS0	08597	08332	5170	738	AA BA DA G4
559/665						G5 G7 GC GD
						IC ID IE IF
						IG OR PC PL
						PT RA RC RD
						RE RF RG RH
						RM SJ SV UG
						UR UT UU UW
						UZ WG WH ZW
CHUALAR	CHLRCA11DS1	08742	08535	5170	736	ZW
/						
CHUALAR	CHLRCA11DS3	08742	08535	5170	736	SJ
/						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
CHUALAR	CHLRCA11RS0	08742	08535	5170	736	BA DA GC GD
831/679(0000-0999),679(1000-1999),679(2000-2999)						PC PL RA RC
						RD RE RF RG
						RH RM SD ST
						SU TB TE TF
						TM TN TP TQ
						TS TT UE UG
						UP UR UT UU
						UW UZ WG
CHULA VISTA	CHVSCA11DS0	09483	07613	5170	732	AA BA DA G4
619/407(1000-6999),409(0000-1999),409(3000-9999),420,422						G5 G7 GC GQ
619/425,426,427,476,498(0000-8999),585,691						IC ID IE IF
						IG OH OR PC
						PL PR PU RA
						RC RD RE RF
						RG RH SK SN
						SQ ST TJ UP
						UR UT UU UW
						UZ WG WH ZW
CHULA VISTA	CHVSCA12DS0	09481	07598	5170	732	AA BA DA G4
619/216,397(0000-0999),397(2000-6999),397(7000-7999),421						G5 G7 GC GQ
619/482,502(3000-6999),502(8000-8999),591(4000-5999)						IC ID IE IF
619/591(7000-7999),656						IG II OH OR
						PC PL PR PU
						RA SJ SQ TJ
						UP UT UU UW
						UZ WG WH ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
CIMA	CIMACAXFDS0	08876	07433	2332	730	BA DA GN GQ
760/928						GR HB HD IC
						II SU SV SW
						T9 TK UB UF
						UG UL UM UN
						UQ UR UU UV
						UW UX UY UZ
						VA VF VM VP
						WA WB WC WD
						WE ZZ
CITRUS HEIGHTS	CTHTCAXF72G	08274	08549	2334	726	AA AB DA DD
916/721(0000-1999),721(3000-9999),722,723,725,726						G2 GI GJ GL
916/727(0000-5999),727(7000-7999),728(1000-7999)						GN GQ GR HA
916/728(9000-9999),729(0000-8999),745(0000-1999)						HL IA IB IC
916/745(7000-7999),969(1000-1999)						ID IE IF IG
						II OE RA RD
						RF RG RH RM
						SA SH SP SQ
						SU SW T4 T5
						T7 T8 TI TJ
						TS TU TW TY
						UB UE UF UG
						UM UP UR US
						UU UX UY VA
						VC VJ WD WE
						WG WH WJ WL
CLAREMONT	CLMTCAXF62G	09188	07784	2319	730	AA BA DA GC
909/398,399,445(0000-7999),445(9000-9999),447(1000-6999)						GD GE GG GJ
909/448,482,603,621,624,625,626						GN GR HB HD
						II PA PJ RC
						RD RM SH SN
						SQ TG TI TJ
						TU UA UG UR
						VM WD WE WF
						WG WH WI WJ
						ZZ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
CLARKSBURG	CLBGCAXFRS3	08339	08583	2308	726	AA BA DA GC
916/744(1000-1999),744(9000-9999)						GD GM GR HJ
						SQ
CLAYTON	CYTNCA11DS0	08451	08641	5170	722	AA BA DA G4
925/524(0000-0999),524(9000-9999),672,673(0000-0999)						G5 G7 GC GD
925/673(1000-1999),673(2000-2999),673(3000-3999)						GQ OR PC PL
925/673(5000-5999),673(7000-7999),673(8000-8999)						PS RA RE RF
925/673(9000-9999)						RG RH SJ SN
						TJ WG WH ZW
CLEAR LAKE OAKS	CLOKCA11RS0	08226	08792	5170	722	AA BA DA G4
707/998(0000-0999),998(1000-1999),998(2000-2999)						G5 G7 GC GD
707/998(3000-3999),998(4000-4999),998(9000-9999)						IC ID IF PC
						PL PT RA RF
						RG RH SH SN
						UG UR UT UU
						UW UZ ZW
CLEMENTS	CLEMCAXFRS9	08380	08503	4420	738	DA GE GM GN
209/759(3000-3999)						II UG
CLOVERDALE	CODLCA11RS0	08279	08846	5170	722	BA DA G4 G5
707/894(0000-0999),894(1000-1999),894(2000-2999)						G7 GC GD IC
707/894(3000-3999),894(4000-4999),894(5000-5999)						ID IF OR PC
707/894(7000-7999),894(8000-8999),894(9000-9999)						PL PR PU RA
						SJ SN SV UT
						UU UW UZ WG
						WH ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
CLOVIS	CLVSCA11DS0	08652	08225	5170	728	AA BA BC DA
559/278,291,292,294,297,298,299,322,323,324						G4 G5 G7 GC
559/325(0000-3999),325(5000-9999),327,346(0000-6999)						GD GQ IC ID
559/347(0000-0999),347(2000-3999),347(5000-6999)						IE IF IG II
559/347(9000-9999),348(0000-0999),348(1000-1999)						OR PC PL PR
559/348(2000-2999),348(4000-4999),348(6000-6999)						PS RA RC RD
559/348(9000-9999),387(1000-3999)						RE RF RG RH
						SJ ST TJ UG
						UR UT UW UZ
						WG WH ZW
COACHELLA	CCHLCAXF39L	09231	07491	2319	973	AA BA DA GC
760/391(5000-5999),391(9000-9999),392(4000-4999),398						GD GE GG GN
760/848(1000-1999),848(2000-2999)						GR HB HD II
						PC PL RC RD
						SH SN SQ TI
						TU UG VM
COALINGA	CLNGCA01DS0	08812	08320	5170	728	AA BA DA G4
559/388,934(0000-0999),934(1000-1999),934(2000-2999)						GC GD GQ II
559/934(3000-3999),934(8000-8999),935						OR PC PL PR
						PS RA RC RD
						RE RF RG RH
						SJ UG UP UR
						WG WH ZW
COBB MOUNTAIN	CBMTCA11RS0	08271	08796	5170	722	AA BA DA G4
707/928(0000-0999),928(1000-1999),928(4000-4999)						G5 G7 GC GD
707/928(5000-5999),928(6000-6999),928(9000-9999)						IC ID IF PC
						PL PT RA RF
						RG RH SN UG
						UR UT UU UW
						UZ ZW
COLEVILLE	CEVLCAXFRS6	08266	08244	863F	720	DA GC GD GM
530/495(1000-1999),495(2000-2999)						RC RD UB

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
COLFAX                      CLFXCAXF34E 08180 08503 4420  726 AA BA DA GB
   530/346(1000-1999),346(2000-2999),346(6000-9999)          GC GD GN GR
                                                             II
.......................................................................
COLMA                       COLACA01DS0 08515 08728 5170  722 BA DA GC GD
   650/301,466(1000-5999),550(7000-7999),746(0000-2999)      GQ OR PC PL
   650/746(7000-7999),754(0000-0999),754(1000-1999)          PS RA RE RF
   650/754(9000-9999),755,756,757,758(1000-1999)             RG RH SJ SN
   650/758(2000-2999),758(3000-3999),758(4000-4999)          ST TJ UG UR
   650/758(5000-5999),758(6000-6999),878(0000-0999)          UT UU UW UZ
   650/878(1000-1999),878(2000-2999),878(3000-3999)          WG WH ZW
   650/878(4000-4999),878(5000-5999),878(8000-8999)
   650/878(9000-9999),985,991,992,994,997
.......................................................................
COLTON                      COTNCA11DS0 09182 07712 5170  730 BA DA G4 G5
   909/370,420(0000-4999),420(6000-9999),422,423,424,426     G7 GC GD GQ
   909/430(0000-0999),430(2000-9999),433(0000-0999)          HB OR PC PL
   909/433(3000-9999),439,512(0000-0999),512(1000-1999)      PR PS QA QE
   909/512(3000-3999),512(4000-4999),512(5000-5999)          RA RC RD RE
   909/512(7000-7999),512(8000-8999),512(9000-9999),514      RF RG RH SK
   909/554(1000-1999),554(5000-8999),580(1000-1999)          SN ST TJ UG
   909/580(2000-2999),580(3000-3999),580(4000-4999)          UR UT UW UZ
   909/580(5000-5999),580(6000-6999),777,783,824(0000-0999)  WG WH
   909/824(1000-1999),824(2000-2999),824(3000-3999)
   909/824(5000-5999),824(6000-6999),824(7000-7999)
   909/824(8000-8999),824(9000-9999),825,872,876
.......................................................................
COLUSA                      COLSCAXF00T 08174 08684 3402  726 D1 DA GB GD
      /                                                      HB IA IB
.......................................................................
COLUSA                      COLSCAXFDS0 08174 08684 3402  726 AA BA DA G5
   530/458(0000-0999),458(2000-8999)                         GC GD GN GR
                                                             HJ IC IH II
                                                             RA RE RF RG
                                                             RH RM RP RQ
                                                             RS RX SN SP
                                                             SR SU SW UB
                                                             UL UM UT UW
                                                             UX UZ
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
COMPTON	CMTNCA01DS0	09245	07866	5170	730	AA BA DA GC
310/223,603,604,608,609,637,661(2000-7999)						GD GQ HB II
310/661(9000-9999),668(0000-0999),668(2000-9999),669,687						OH OR PA PJ
310/762,763,764,884,885,886(0000-8999),894(4000-4999)						PR PS QA QE
310/898						RA RC RD RE
323/774(0000-0999),979(0000-0999)						RF RG RH SJ
424/338(1000-2999)						SN SQ ST TJ
						UG UP UR UT
						UW UZ WG WH
COMPTON	CMTNCA01DS1	09245	07866	5170	730	AA BA BC DA
310/537,605,631,632,635,638,639,761,900(0000-0999)						GC GQ HB IC
310/900(1000-1999),900(2000-2999),900(3000-3999)						ID IE IF IG
310/900(4000-4999),900(5000-5999),900(6000-6999)						II PA PJ PR
310/900(7000-7999),900(8000-8999)						PS QA QE RA
323/636(0000-0999)						RC RD RE RF
						RG RH SN SQ
						ST TJ UG UP
						UR UT UW UZ
						ZW
CONCORD	CNCRCA01DS0	08445	08659	5170	722	BA DA GC GD
925/246(0000-1999),246(4000-4999),246(6000-9999),363						GE GQ HB II
925/521(0000-0999),521(1000-1999),521(2000-2999)						OH PA PJ PS
925/521(3000-3999),521(5000-5999),521(7000-7999)						QA QE RA RE
925/521(9000-9999),602,609(0000-0999),609(1000-1999)						RF RG RH RM
925/609(2000-2999),609(3000-3999),609(5000-5999)						SK SN ST TB
925/609(6000-6999),609(7000-7999),609(8000-8999)						TE TJ TM TN
925/609(9000-9999),677(0000-0999),677(2000-2999)						TP TQ TS TT
925/677(3000-3999),677(4000-4999),677(5000-5999)						UG UR WG WH
925/677(6000-6999),677(7000-7999),677(8000-8999)						ZW
925/677(9000-9999),687,688,689,691,692,798						
925/808(2000-2999),808(4000-4999),808(6000-6999),825,969						
925/969						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
CONCORD	CNCRCA01DS1	08445	08659	5170	722	AA BA DA G4
925/288,356(0000-0999),356(2000-9999),603(0000-2999)						G5 G7 GC GD
925/603(4000-9999),671,674,675,676,680,681(0000-0999)						GQ HB II PA
925/681(1000-1999),681(2000-2999),681(3000-3999)						PJ PS QA QE
925/681(4000-4999),681(5000-5999),681(6000-6999)						RA RC RD RE
925/681(7000-7999),682,685,686,827						RF RG RH RM
						SD SK SN SQ
						ST TB TE TJ
						TM TN TP TQ
						TS TT UG UP
						UR
CONCORD	CNCRCA01RS1	08445	08659	5170	722	AA BA DA G4
925/646						G5 G7 GC GD
						GE HB II PA
						PJ PS RA RC
						RD RE RF RG
						RH SH SN SQ
						ST UG UP UR
COPPEROPOLIS	CPRPCAXFDS0	08418	08421	2301	738	BA DA G2 G4
209/785						GI GN GQ GR
						HB HD HJ IA
						IB IC II OE
						SH SP SQ ST
						SW TJ TZ UA
						UG WE XF XG
CORCORAN	CRCRCAXFDS0	08803	08179	4420	728	DA GC GD GN
559/992(1000-5999),992(7000-9999)						II
CORDELIA	CORDCA12DS0	08395	08683	5170	722	BA DA GC GD
707/207(0000-0999),646(0000-0999),646(2000-3999)						GQ HB OR PC
707/646(6000-8999),863(0000-0999),863(3000-9999),864						PL SJ WG WH
						ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
CORNING 530/824,838(7000-7999)	CRNGCA12RS0	08020	08730	5170	724	BA DA G4 G5 G7 IC ID IE IF IG PC PL PT RA RC RD RE RF RG RH UT UU UW UZ WG
CORONA 951/270,271(5000-5999),272,273,277(0000-1999) 951/277(2000-4999),277(5000-5999),277(7000-9999),278,279 951/280,340,371,372,493(6000-6999),520(0000-0999) 951/520(1000-1999),520(2000-2999),520(4000-4999) 951/520(8000-8999),520(9000-9999),549,582(0000-0999) 951/582(9000-9999),603(0000-0999),734,735,736,737,738 951/739,808(0000-0999),808(1000-1999),808(4000-4999) 951/808(8000-8999),808(9000-9999),817(0000-0999) 951/817(1000-1999),817(2000-2999),817(3000-3999) 951/817(5000-5999),817(8000-8999),817(9000-9999),898	CORNCA11DS0	09231	07748	5170	730	AA BA DA G4 G5 G7 GC GD GQ HB IC ID IE IF IG OH OR PB PK PR PS RA RC RD RE RF RG RH SJ SN SQ ST TJ UG UP UR UT UW UZ WD WG WH ZW
CORONA DEL MAR 949/219,287(0000-0999),467(2000-2999),467(3000-3999) 949/467(5000-5999),467(6000-6999),467(7000-7999),509,640 949/644,717,718,719,720,721,725,729,737,759(0000-0999) 949/759(1000-1999),759(3000-3999),759(4000-4999) 949/759(5000-5999),759(6000-6999),759(7000-7999) 949/759(8000-8999),759(9000-9999),760,823,824,854,856 949/926	CRDMCA11DS0	09293	07792	5170	730	AA BA BC DA G4 G5 G7 GC GD GQ HB IC ID IE IF IG II OR PB PK PR PS RA RC RD RE RF RG RH SJ SN SQ ST TJ UG UP UR UT UW UZ WG WH ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
CORONADO	CRNDCA11RP0	09475	07633	5170	732	BA DA G4 G5
619/435,437,522(0000-0999),522(2000-2999),522(3000-3999)						G7 GC GD GQ
619/522(5000-5999),522(6000-6999),522(7000-7999)						II OR PC PL
619/522(8000-8999),522(9000-9999),537(1000-5999),545						PR PU RA SD
						SJ SQ ST TJ
						UP UR UT UU
						UW UZ WG WH
						ZW
COSTA MESA	CSMSCA11DS1	09293	07803	5170	730	AA BA DA G4
949/515,548,574,630(4000-4999),631,642,645,646,650,722						G5 G7 GC GD
949/764						GE GQ HB II
						OR PC PL PR
						PS RA RC RD
						RE RF RG RH
						SJ SN SQ ST
						TJ UP UR UT
						UW UZ WG WH
						ZW
COTATI	CTTICA12DS0	08382	08780	5170	722	BA DA G4 G5
707/285(5000-5999),664(0000-0999),664(1000-1999)						G7 GC GD GQ
707/664(2000-2999),664(3000-3999),664(4000-4999)						IC ID IF OR
707/664(6000-6999),664(8000-8999),664(9000-9999)						PC PL PR PU
707/665(0000-0999),665(2000-2999),665(3000-3999)						RA SK SN ST
707/665(4000-4999),665(7000-7999),665(8000-8999)						TJ UG UR UT
707/665(9000-9999),792,793(0000-0999),793(1000-1999)						UU UW UZ VE
707/793(2000-2999),793(3000-3999),793(5000-5999)						VM ZW
707/793(7000-9999),794(0000-1999),794(7000-9999),795						
COTTONWOOD	CTWDCA11DS1	07921	08756	5170	724	ZW
/						
COTTONWOOD	CTWDCA11DS3	07921	08756	5170	724	SJ
/						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
COTTONWOOD	CTWDCA11RS0	07921	08756	5170	724	AA BA DA G4
530/347(0000-0999),347(1000-1999),347(2000-2999)						GC GD IE IF
530/347(3000-3999),347(4000-4999),347(5000-5999)						IG PC PL RA
530/347(6000-6999),347(7000-7999),347(9000-9999)						UT UU UW UZ
						WG WH
COULTERVILLE	CTVLCA11RS0	08467	08337	5170	738	BA DA GC GD
209/878(0000-0999),878(1000-1999),878(3000-3999)						PC PL PT RA
						RC RD RE RF
						RG RH SJ SV
						UT UU UW UZ
						ZW
COURTLAND	CRLDCAXGRS1	08359	08589	2308	726	AA BA DA GC
916/775(1000-1999),775(2000-2999),775(4000-4999)						GD GM GR HJ
						SQ
COVELO	CVELCAXFDS0	08066	08905	4420	722	DA GC GD GN
707/983(6000-6999),983(8000-8999)						GR II
COVINA	COVNCAXF01T	09195	07814	2319	730	GB HB TU
/						
COVINA	COVNCAXF33M	09195	07814	2319	730	AA BA DA GC
626/331,332,339,732,858,859,910(1000-1999)						GD GE GG GJ
626/910(3000-3999),910(6000-8999),915,938,966,967,974						GN GR HB HD
626/974						II PA PJ RC
						RD SH SN SQ
						TD TG TH TI
						TJ TU UA UG
						UR VM WD WE
						WF WG WH WI
						WJ ZZ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
COYOTE WELLS	CYWLCA11RS2	09426	07416	5170	732	AA BA DA G4
760/358(1000-1999),358(3000-3999),358(7000-7999)						G5 G7 GC GD
						IC ID IE IF
						IG PC PL PT
						RA RC RD RE
						RF RG RH SJ
						SQ UP UR UT
						UU UW UZ WG
						WH ZW
CRESCENT CITY	CRCYCAXF03T	07647	09096	2344	722	BA CA GB GC
/						GD SQ
CRESCENT CITY	CRCYCAXFDS1	07647	09096	2344	722	AA BA DA GC
707/464,465						GD GE GN GR
						II PC SQ TI
						UG
CRESTLINE	CRLNCAXF33X	09146	07712	2319	730	AA BA DA GC
909/338						GD GE GG GJ
						GN GR HB HD
						II PC PL RC
						RD SH SN SQ
						TG TI TU UG
						VM ZZ
CROCKETT	CRCTCA02RS1	08432	08692	5170	722	AA BA DA G4
510/787(0000-0999),787(1000-1999),787(2000-2999)						G5 G7 GC GD
510/787(3000-3999),787(4000-4999),787(6000-6999)						HB OR PC PL
510/787(7000-7999),787(9000-9999)						PS RA RC RD
						RE RF RG RH
						SJ SN ST UG
						UR WG WH ZW
CROWLEY LAKE	CRLKCAXFRS1	08466	08084	4420	730	DA GE GM GN
760/935(4000-4999)						II UG

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
CROWS LANDING	CWLDCA12RS0	08555	08479	5170	738	AA BA DA G4
209/837(1000-1999),837(4000-4999)						G5 G7 GC GD
						PC PL PT PU
						RA SK SR UG
						WG WH ZX
CUCAMONGA	CCMNCAXF98K	09182	07759	2319	730	AA BA DA GC
909/466,477(2000-2999),477(3000-3999),477(4000-4999)						GD GE GR HB
909/477(5000-5999),477(6000-6999),477(8000-8999),483						PA PJ RC RD
909/652(6000-6999),652(7000-7999),652(8000-8999),941						SH SN SQ TG
909/942(8000-8999),944,945(0000-0999),945(1000-1999)						TU UR WD WE
909/945(2000-2999),945(3000-3999),945(4000-4999)						WF WG WH WI
909/945(5000-5999),945(6000-6999),945(9000-9999),948,989						WJ ZZ
909/989						
CUCAMONGA	CCMNCAXFDS1	09182	07759	2319	730	AA BA DA GC
909/476,481,484,581(0000-1999),581(3000-3999)						GD GG GJ GN
909/758(9000-9999),980,987						GR HB HD II
						PA PJ RC RD
						SH SN SQ TB
						TG TI TJ TU
						UA UG VM ZZ
CULVER CITY	CLCYCA11DS0	09223	07903	5170	730	BA DA GC GD
310/202,204,244,253,280(0000-0999),280(1000-1999)						GQ HB II OR
310/280(2000-2999),280(3000-3999),280(4000-4999)						PB PK PR PS
310/280(5000-5999),280(9000-9999),287,558(0000-0999)						RA RC RD RE
310/558(1000-1999),558(3000-3999),558(4000-4999)						RF RG RH SJ
310/558(5000-5999),558(6000-6999),558(7000-7999)						SN SQ ST TJ
310/558(8000-8999),558(9000-9999),559,815,836,837,838						UP UR UT UW
310/839,840,841,842,845(0000-4999),845(7000-9999)						UZ WG WH ZW
323/870(0000-0999)						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
CULVER CITY	CLCYCAXG39K	09229	07907	2319	730	AA BA DA GC
310/313,390,391,397,398,439(6000-6999),572,636						GD GE GG GJ
310/737(0000-1999),737(3000-7999),737(9000-9999),915						GN GR HB HD
						II PA PJ RC
						RD SH SN SQ
						TG TI TJ TU
						UA UG UR VM
						WD WE WF WG
						WH WI WJ ZZ
CUYAMA	CUYMCAXFRS1	09057	08164	4420	734	DA GE GM TU
661/766(2000-2999)						
DANVILLE	DAVLCA12DS0	08479	08649	5170	722	AA BA BC DA
925/314(0000-0999),314(1000-1999),314(2000-2999)						G4 G5 G7 GC
925/314(3000-3999),314(4000-4999),314(7000-7999)						GD GQ HB II
925/314(8000-8999),314(9000-9999),362(0000-0999)						OR PC PL PS
925/362(1000-1999),362(2000-2999),362(4000-4999)						RA RE RF RG
925/362(5000-5999),362(6000-6999),362(7000-7999)						RH SK SN ST
925/362(8000-8999),362(9000-9999),552,743,820,831,837						TJ UG UR WG
925/838,855						WH ZW
DANVILLE	DAVLCA13DS0	08481	08635	5170	722	AA BA DA G4
925/248(0000-0999),248(1000-1999),248(5000-5999)						G5 G7 GC GD
925/648(0000-5999),648(7000-9999),735,736,815(0000-0999)						GE GQ HB OR
925/815(2000-2999),815(3000-3999),815(4000-4999)						PC PL PS RA
925/815(5000-5999),815(6000-6999),815(9000-9999)						SJ ST TJ UG
925/964(0000-0999),964(1000-1999),964(2000-2999)						UR WG WH ZW
925/964(4000-4999),964(9000-9999),967(0000-0999)						
925/968(0000-0999),968(1000-1999),968(9000-9999)						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
DAVIS                       DAVSCA11DS0 08316 08623 5170  726 BA DA G4 G5
   530/297(0000-7999),297(9000-9999),747(0000-0999)          G7 GC GD GQ
   530/747(3000-3999),747(5000-5999),747(6000-6999)          II OH PC PL
   530/747(8000-8999),747(9000-9999),750(0000-8999),752,753  PR PU RA RC
   530/754,756,757,758,759(0000-4999),759(7000-9999)         RD RE RF RG
   530/792(0000-0999),792(1000-1999),792(2000-2999)          RH SK ST TJ
   530/792(3000-3999),792(4000-4999),792(5000-5999)          UG UP UR UT
   530/792(6000-6999),792(7000-7999),792(8000-8999)          UU UW UZ WG
                                                             WH
.......................................................................
DEL MAR                     DLMRCA12DS0 09420 07660 5170  732 AA BA BC DA
   858/259,350,369(8000-8999),481,509,523(0000-0999)         G4 G5 G7 GC
   858/523(1000-1999),523(2000-2999),523(3000-3999)          GD GQ IC ID
   858/523(4000-4999),523(5000-5999),523(6000-6999)          IE IF IG II
   858/523(7000-7999),523(9000-9999),617(7000-7999),720,755  OH OR PB PK
   858/792,793,794,847(0000-0999),847(3000-3999)             PR PU RA RC
   858/847(4000-4999),847(6000-6999),847(7000-7999)          RD RE RF RG
   858/847(9000-9999)                                        RH SK SN SQ
                                                             ST TJ UP UR
                                                             UT UU UW UZ
                                                             WG WH ZW
.......................................................................
DEL REY                     DLRYCA11RS2 08683 08202 5170  728 AA BA DA G4
   559/888(1000-1999),888(2000-2999),888(8000-8999)          G5 G7 GC GD
                                                             II OR PC PL
                                                             PR PS RA RC
                                                             RD RE RF RG
                                                             RH SK SN SQ
                                                             UP UT UU UW
                                                             UZ WG WH ZW
.......................................................................
DELANO                      DELNCA11DS0 08867 08113 5170  734 AA BA DA G4
   661/720(0000-0999),720(2000-2999),720(4000-4999)          G5 G7 GC GD
   661/720(5000-5999),720(7000-7999),720(8000-8999)          GQ II OR PC
   661/720(9000-9999),721,725                                PL PT PU RA
                                                             RF RG RH SK
                                                             SV TJ UT UU
                                                             UW UZ WG WH
                                                             ZW
=======================================================================
```

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
DESERT CENTER	DSCTCAXGRS1	09193	07354	2319	973	AA BA DA GC
760/227(3000-3999)						GD GE GG GM
						GN GR HB HD
						II PC PL SH
						SM SQ VM
DESERT HEIGHTS	DSHGCAXFRS2	09122	07507	2319	973	AA BA DA GC
760/362(0000-1999),362(4000-5999)						GD GE GG GM
						GN GR HB HD
						II PC PL SH
						SN SQ TU VM
DESERT HOT SPRINGS	DHSPCAXF32X	09181	07561	2319	973	AA BA DA GC
760/251,288(0000-0999),288(2000-4999),288(7000-7999),329						GD GE GG GJ
760/329						GN GR HB HD
						II PC PL RC
						RD SH SN SQ
						TI TU UG VM
DESERT HOT SPRINGS	DHSPCAXFGT1	09181	07561	2319	973	DA
/___						
DESERT HOT SPRINGS	DHSPCAXFPS0	09181	07561	2319	973	DA
760/993(9000-9999)						
DESERT KNOLLS	DSKNCAXFRS1	09079	07716	4420	730	AA DA GC GD
760/242,946(0000-5999),946(8000-8999)						GE GM GN GR
						II RC RD SV
						TU UB UG
DESERT SHORES	DSSHCAXFRS9	09286	07456	2319	973	AA BA DA GC
760/395(0000-0999)						GD GE GG GM
						GN GR HB HD
						II PC PL SN
						SQ TU VM

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
DIAMOND BAR	DMBRCAXF86M	09211	07798	2319	730	AA BA DA GC
909/396,612(0000-6999),860,861						GD GE GG GJ
						GN GR HB HD
						II PC PL RC
						RD SH SN SQ
						TG TI TJ TU
						UA UG UR VM
						WD WE WF WG
						WH WI WJ ZZ
DINUBA	DINBCA01DS0	08703	08163	5170	728	AA BA DA G4
559/591,595(0000-0999),595(1000-1999),595(2000-2999)						G5 G7 GC GD
559/595(6000-6999),595(7000-7999),595(8000-8999)						GQ II OR PC
559/595(9000-9999),596(0000-0999),596(2000-2999)						PL RA RC RD
						RE RF RG RH
						SJ SN UT UU
						UW UZ WG WH
						ZW
DIXON	DIXNCA11RS0	08339	08634	5170	726	AA BA DA G4
707/678,693(0000-0999),693(1000-1999),693(2000-2999)						GC GD IC ID
707/693(6000-6999),693(8000-8999),693(9000-9999)						IF PC PL RA
						RF RG RH SJ
						SN SQ UP UT
						UU UW UZ WG
						WH ZW
DORRIS	DRRSCAABDS0	07570	08731	2311	724	AA DA G1 GC
530/397,398,664,667						GR HB HD IA
						IC II OE SH
						SP SR T3 T9
						TJ TK TZ UR
						UY WE XE
DOS PALOS	DSPLCAXFDS0	08633	08391	4420	728	AA DA GC GD
209/392(0000-0999),392(1000-1999),392(2000-2999)						GN II SQ
209/392(3000-3999),392(6000-6999),392(8000-8999)						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
DOS PALOS WYE	DSPLCAXGRL0	08621	08395	4420	728	AA DA GC GD
209/387(4000-4999)						GM GN II SQ
DOWNEY	DWNYCAXF86K	09233	07853	2319	730	AA BA DA GC
562/622,861,862,869,904,923						GD GE GG GJ
						GN GR HB HD
						II PA PJ RC
						RD SH SN SQ
						TG TI TJ TU
						UA UG UR VM
						WD WE WF WG
						WH WI WJ ZZ
DOWNEY	DWNYCAXG80G	09238	07850	2319	730	AA BA DA GC
562/401(0000-0999),401(1000-1999),401(2000-2999)						GD GE GG GJ
562/401(4000-4999),401(5000-5999),401(6000-6999)						GN GR HB HD
562/401(7000-7999),401(8000-8999),401(9000-9999),803						II PA PJ RC
562/922(6000-6999),922(7000-7999),922(8000-8999)						RD SN SQ TG
562/940(0000-0999),940(1000-1999),940(2000-2999)						TI TJ TU UA
562/940(3000-3999),940(4000-4999),940(6000-6999)						UG UR VM WD
562/940(8000-8999),940(9000-9999)						WE WF WG WH
						WI WJ ZZ
DOWNIEVILLE	DWNVCA11RS1	08076	08494	5170	726	BA DA G4 G5
530/289(1000-1999),289(2000-2999),289(3000-3999)						G7 GC GD GE
						II PC PL PT
						RA UG UP UT
						UU UW UZ ZW
DUCOR	DUCRCAXF534	08835	08081	2313	728	BA DA GC GD
559/534						GL GN GR TJ
						XE

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
DULZURA	DLZRCA11RS0	09475	07556	5170	732	AA BA DA G4
619/468(0000-0999),468(1000-1999),468(3000-3999)						G5 G7 GC GD
619/468(6000-6999),468(9000-9999)						II OR PC PL
						PR PU RA SJ
						SN SQ UP UT
						UU UW UZ WG
						WH ZW
DUNLAP	DNLPCAXFRS3	08654	08121	2319	728	AA BA DA GC
559/338(0000-0999),338(2000-3999)						GD GE GG GM
						GN HB HD II
						PC PL SD SE
						SQ VM
DUNNIGAN	DNGNCA12RS0	08245	08670	5170	726	AA BA DA G4
530/724(0000-0999),724(1000-1999),724(3000-3999)						G5 G7 GC GD
530/724(4000-4999)						IC ID IE IF
						IG PC PL PR
						PU RA RC RD
						RE RF RG RH
						SK SN SQ UP
						UT UU UW UZ
						ZX
DUNSMUIR	DNSMCA11RS0	07741	08772	5170	724	AA BA DA G4
530/235(0000-0999),235(1000-1999),235(2000-2999)						IC ID IF PC
530/235(4000-4999),235(9000-9999)						PL PT RA RM
						SJ UR UT UU
						UW UZ WG WH
						ZW
DURHAM	CHICCAEYIMD	08072	08661	7128	724	BA DA
530/327(6000-6999),361(3000-3999),378(3000-3999)						
530/500(3000-3999),510(4000-4999),568(5000-5999)						
530/572(3000-3999),646(3000-3999),657(3000-3999)						
530/691(5000-5999),693(3000-3999),737(5000-5999)						
530/784(2000-2999),832(3000-3999),900(3000-3999)						
530/961(4000-4999),961(5000-5999),961(9000-9999)						
530/988(0000-0999)						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
DUTCH FLAT	DTFLCA11RS0	08155	08487	5170	726	AA BA DA G4
530/389(1000-1999),389(2000-2999),389(8000-8999)						G5 G7 GC GD
530/389(9000-9999)						IC ID IE IF
						IG PC PL PR
						PU RA SN UP
						UT UU UW UZ
						ZW
EAGLE LAKE	EGLKCAXFRL0	07825	08508	2308	724	AA BA DA GC
530/825(0000-0999),825(3000-3999),825(9000-9999)						GD GN GR HJ
						RC RD SQ
EARLIMART	ERLMCA11RS0	08842	08122	5170	734	AA BA DA G4
661/849(1000-1999),849(2000-2999),849(3000-3999)						G5 G7 GC GD
661/849(4000-4999),849(8000-8999)						IC IE IF IG
						OR PC PL PT
						RA RF RG RH
						SJ SV UT UU
						UW UZ ZW
EDGEMONT	EDMTCAXF65H	09214	07697	2319	730	AA BA DA GC
951/413(1000-1999),413(2000-2999),413(3000-3999)						GD GE GG GJ
951/413(5000-5999),413(6000-6999),413(7000-7999)						GN GR HB HD
951/413(8000-8999),653,656(0000-8999),656(9000-9924)						II PC PL RC
951/656(9999-9999),697(0000-6909),697(6950-8199)						RD SN SQ TG
951/697(8260-8299),697(9000-9999),867(3000-3999)						TI TU UG UR
						VM WD WE WF
						WG WH WI WJ
						ZZ
EDWARDS	EDWRCA01RS1	09016	07855	5170	734	AA BA DA G4
661/258(0000-1999),258(4000-4999),258(7000-7999),275						G5 G7 GC GD
661/276(2000-3999),276(5000-7999),277						IC ID IE IF
						IG OR PC PL
						PT PU RA SJ
						SV UT UU UW
						UZ WG WH ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
EL CAJON	ELCJCA11DS0	09446	07597	5170	732	DA GC GD GQ
619/401,440,441,442,444,447,579,588,590,593						IC ID IE IF
619/768(4000-4999)						IG OH OR PC
						PL PR PU RA
						RF RG RH SK
						SN SQ ST TB
						TE TJ TM TN
						TP TQ TS TT
						UP UR UT UU
						UW UZ WG WH
						ZW
EL CENTRO	ELCNCA01DS0	09401	07344	5170	732	AA BA DA G4
760/312,335(0000-5999),335(7000-7999),335(9000-9999)						G5 G7 GC GD
760/336(0000-0999),336(2000-8999),337,339,352,353,370						GQ IC ID IE
760/482(0000-0999),482(2000-2999),482(3000-3999)						IF IG PC PL
760/482(4000-4999),482(5000-5999),482(9000-9999)						PT RA RC RD
						RE RF RG RH
						SK SQ UP UR
						UT UU UW UZ
						WG WH ZW
EL MIRAGE	ELMGCAXFRS1	09077	07789	4420	730	AA DA GC GD
760/388(4000-4999),388(8000-8999)						GE GM GN GR
						II RC RD TU
						UB UG

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
EL MONTE	ELMNCA01DS0	09202	07840	5170	730	AA BA DA GC
323/686(0000-0999)						GD GQ HB IC
626/258(0000-6999),258(8000-8999),279,329(0000-0999),350						ID IE IF IG
626/401,402,433(0000-0999),433(1000-1999),433(2000-2999)						OR PB PK PR
626/433(4000-4999),433(6000-6999),433(9000-9999)						PS RA RC RD
626/436(0000-2999),436(5000-9999),442,443,444,448						RE RF RG RH
626/450(0000-4999),450(6000-9999),452(0000-6999)						SJ SN SQ TB
626/452(8000-8999),452(9000-9999),453(0000-5999)						TE TJ TM TN
626/453(8000-9999),454(1000-8999),455(0000-7999)						TP TQ TS TT
626/455(9000-9999),456(5000-5999),456(6000-6999)						UP UT UW UZ
626/456(7000-7999),456(8000-8999),456(9000-9999),459						WG WH ZW
626/518(0000-1999),518(3000-9999),527,575,579,580,582						
626/652(0000-0999),652(3000-3999),652(4000-4999)						
626/652(6000-6999)						
EL RIO	ELRICAXFDS0	09199	08046	2319	730	AA BA DA GC
805/278,485,604(0000-0999),604(1000-1999),604(2000-2999)						GD GE GG GJ
805/604(3000-3999),604(4000-4999),604(6000-6999)						GN GR HB HD
805/604(7000-7999),604(9000-9999),981,983,988						II PB PK RC
						RD SH SN SQ
						TG TI TJ TU
						UA UG UR VM
						WD WE WF WG
						WH WI WJ ZZ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
EL SEGUNDO	ELSGCA12DS0	09246	07897	5170	730	BA DA G4 G5
310/252,297(1000-1999),297(2000-2999),297(3000-3999)						G7 GC GD GE
310/297(4000-4999),297(5000-5999),297(6000-6999)						GQ HB OR PA
310/297(7000-7999),297(8000-8999),297(9000-9999),322,333						PJ PR PS QA
310/334(0000-8999),335,336,364,414(0000-0999)						QE RA RC RD
310/414(1000-1999),414(2000-2999),414(3000-3999)						RE RF RG RH
310/414(4000-4999),414(5000-5999),414(6000-6999)						SJ SN SQ ST
310/414(8000-8999),414(9000-9999),416,426(1000-1999)						TB TE TF TJ
310/426(2000-2999),426(3000-3999),426(5000-5999)						TM TN TP TQ
310/426(6000-6999),426(7000-7999),426(9000-9999),524,535						TS TT UG UP
310/536(0000-0999),536(1000-1999),536(2000-2999)						UR ZW
310/536(3000-3999),536(4000-4999),536(5000-5999)						
310/536(7000-7999),536(8000-8999),536(9000-9999),563						
310/606(4000-4999),606(5000-5999),606(6000-6999),607,615						
310/616(1000-2999),616(7000-9999),640,643,647(0000-0999)						
310/647(1000-1999),647(2000-2999),647(3000-3999)						
310/647(4000-4999),647(5000-5999),647(6000-6999)						
310/647(8000-8999),647(9000-9999),648(5000-5999)						
310/648(6000-6999),648(7000-7999),653,662(0000-0999)						
310/662(2000-2999),662(4000-4999),662(5000-5999)						
310/662(6000-6999),662(7000-7999),662(8000-8999)						
310/662(9000-9999),725(0000-7999),725(9000-9999),726,727						
310/812,813,814,964						
EL SOBRANTE	ELSBCA11DS0	08450	08705	5170	722	AA BA DA G4
510/222,223,243(0000-4999),243(6000-9999),262						G5 G7 GC GD
510/669(0000-0999),669(1000-1999),669(2000-2999)						GQ HB OR PC
510/669(3000-3999),669(4000-4999),669(6000-6999)						PL PS RA RE
510/669(7000-7999),669(8000-8999),669(9000-9999),758,765						RF RG RH SK
510/765						SN ST TJ UG
						UR WG WH ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
EL TORO                     ELTRCA11DS0 09288 07762 5170  730 AA BA DA GC
   949/206,243(3000-3999),282(5000-6999),380(0000-5999)      GD GE GQ HB
   949/380(7000-9999),452,454,455,457,458,460(0000-2999)     IC ID IE IF
   949/460(4000-9999),461(0000-0999),461(3000-9999)          IG OH OR PA
   949/462(0000-3999),462(5000-9999),465,470,472,580,581     PJ PR PS QA
   949/583,586,587,588,595,597,598,609(0000-8999)            QE RA RC RD
   949/639(0000-0999),639(1000-1999),639(2000-2999)          RE RF RG RH
   949/639(3000-3999),639(4000-4999),639(5000-5999)          SK SN SR ST
   949/639(6000-6999),639(7000-7999),639(8000-8999)          TJ UG UR UT
   949/672(0000-7999),672(9000-9999),699,707,768,770         UW UZ VF VP
   949/829(0000-0999),829(5000-6999),829(8000-9999),830,837  WG WH ZX
   949/855,859,951
.......................................................................
ELK                         ELK CA11RS1 08217 08971 5170  722 BA DA G4 GC
   707/877(1000-1999),877(3000-3999)                         GD PC PL PT
                                                             RA SJ SN UG
                                                             ZW
.......................................................................
ELK CREEK                   EKCKCA11RS1 08096 08782 5170  724 AA BA DA G4
   530/968(1000-1999),968(5000-5999)                         GC GD IC ID
                                                             IE IG PC PL
                                                             PT RA RC RD
                                                             RE RF RG RH
                                                             UT UU UW UZ
                                                             ZW
.......................................................................
ELK GROVE                   EKGVCAXG01W 08328 08558 2308  726 HC
      /
.......................................................................
ELK GROVE                   EKGVCAXG42T 08328 08558 2308  726 GB
      /
.......................................................................
ELK GROVE                   EKGVCAXGDS0 08328 08558 2308  726 AA BA DA GC
   916/405(6000-6999),423,525(0000-0999),525(1000-4999)      GD GN GR HJ
   916/525(6000-6999),525(9000-9999),544(6000-6999)          RC RD RH RM
   916/627(7000-7999),667(0000-0999),681,682,688,689         SH SM SR ZZ
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
ELK GROVE /	EKGVCAXGDS3	08328	08558	006E	726	DA GJ GR HA HD HJ IB IC ID IE IF IG QA QB SQ UG UP UU UX
ELK GROVE 916/509(4000-4999)	EKGVCAXGDS4	08328	08558	2308	726	DA IP
ELK GROVE /	EKGVCAXGPS1	08328	08558	006E	726	DA IP
ELK GROVE 916/512(4000-4999)	EKGVCAXGPS2	08328	08558	2308	726	DA IP
ELK GROVE 916/895(7000-7999)	EKGVCAXGPS3	08328	08558	006E	726	DA
ELK GROVE 916/687(0000-0999),687(3000-4999),687(6000-9999)	EKGVCAXHDS0	08340	08541	2308	726	AA BA DA GC GD GN GR HJ RC RD SQ
ELK GROVE 916/478(0000-0999),478(2000-3999),478(5000-8999) 916/478(9000-9999),627(3000-4999),683,684,691	EKGVCAXIRS0	08336	08568	2308	726	AA BA DA GC GD GN GR HJ RC RD RM SH SM SQ ZZ
ELK GROVE 916/478(4000-4999),685,686,690(8000-8999),714	EKGVCAXJDS0	08338	08557	2308	726	AA BA DA GC GD GN GR HJ RC RD SQ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ELLWOOD	ELWDCAXFDS0	09172	08184	2319	740	AA BA DA GC
805/562(0000-5999),562(7000-9999),567(1000-1999)						GD GE GG GJ
805/571(0000-0999),571(1000-1999),571(2000-2999)						GN GR HB HD
805/571(3000-3999),571(4000-4999),571(5000-5999)						II PA PJ RC
805/571(6000-6999),571(7000-7999),571(8000-8999),685,893						RD SN SQ TB
805/961,968,971(4000-4999),971(5000-5999),971(6000-6999)						TI TJ TU UA
805/971(8000-8999)						UG UR VM WD
						WE WF WG WH
						WI WJ ZZ
ELSINORE	ELSNCAXF67N	09269	07699	2319	730	AA BA DA GC
951/245,471(0000-0999),471(1000-5999),471(8000-8999),674						GD GE GG GJ
951/674						GN GR HB HD
						II PC PL RC
						RD SH SN SQ
						TG TI TU UG
						UR VM WD WE
						WF WG WH WI
						WJ ZZ
ELSINORE	ELSNCAXG67K	09276	07700	2319	730	GC GD GE GG
/						GJ GN GR HB
						HD II PC PL
						RC RD SH SN
						SQ TG TI TU
						UG UR VM WD
						WE WF WG WH
						WI WJ ZZ
ELSINORE	ELSNCAXGRP0	09276	07700	2319	730	AA BA DA GC
951/609(0000-0999),609(1000-1999),609(3000-3999)						GD GE GG GJ
951/609(9000-9999),678						GN GR HB HD
						II PC PL RC
						RD SH SN SQ
						TG TI TU UG
						UR VM WD WE
						WF WG WH WI
						WJ ZZ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
ENCINITAS                   ENCTCA12DS0 09400 07664 5170  732 BA DA GC GD
   760/436,479(0000-0999),479(1000-1999),479(2000-2999)      GQ II OR PC
   760/479(3000-3999),479(4000-4999),479(9000-9999),632,633  PL PR PU RA
   760/634,635,642(0000-0999),753,942,943(0000-0999)         RF RG RH SJ
   760/943(1000-1999),943(2000-2999),943(3000-3999)          SN SQ ST TJ
   760/943(5000-5999),943(6000-6999),943(7000-7999)          UP UR UT UU
   760/943(8000-8999),943(9000-9999),944                     UW UZ WG WH
                                                             ZW
.......................................................................
ESCALON                     ESCLCA11RS0 08465 08476 5170  738 AA BA DA G4
   209/838(0000-3999),838(6000-9999)                         GC GD IC ID
                                                             IF OR PC PL
                                                             PR PU RA ST
                                                             SV UG UT UU
                                                             UW UZ WG WH
.......................................................................
ESCONDIDO                   ESCNCA01DS0 09379 07632 5170  732 AA BA DA GC
   442/281(1000-5999)                                        GD GQ IC ID
   760/233,291(0000-0999),291(1000-1999),291(2000-2999)      IE IF IG OH
   760/291(3000-3999),291(5000-5999),291(6000-6999)          PB PK PR PU
   760/291(9000-9999),432,480,489,504(0000-0999),735,737     QA QE RA RC
   760/738,739,740,741,743,745,746,747,781,796,839           RD RE RF RG
   760/975(0000-0999)                                        RH SK SN SR
                                                             ST SU TJ UE
                                                             UR UT UU UW
                                                             UZ VF VP WG
                                                             WH ZX
.......................................................................
ESPARTO                     ESPRCA11RS0 08287 08673 5170  726 AA BA DA G4
   530/787(1000-1999),787(3000-3999),787(4000-4999)          G5 G7 GC GD
                                                             IC ID IE IF
                                                             IG PC PL PR
                                                             PU RA RC RD
                                                             RE RF RG RH
                                                             SK UP UT UU
                                                             UW UZ ZX
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ETIWANDA	ETWNCAXF89L	09173	07749	2319	730	AA BA DA GC
909/463(0000-0999),463(1000-1999),463(2000-2999)						GD GE GG GJ
909/463(3000-3999),463(4000-4999),463(5000-5999)						GN HB HD II
909/463(6000-6999),463(7000-7999),463(9000-9999)						PC PL RC RD
909/646(7000-7999),646(8000-8999),646(9000-9999)						SH SN SQ TG
909/803(2000-2999),803(5000-5999),899,922(5000-5999)						TI TU UA UG
						UR VM WD WE
						WF WG WH WI
						WJ ZZ
ETNA	ETNACAXF467	07695	08878	2339	724	AA BA DA GC
530/467						GD GI GN GR
						HB HD IC OE
						SP SQ TJ TK
						TW
EUREKA	EURKCA0141T	07858	09075	5170	722	G1 GB TJ
/						
EUREKA	EURKCA01DS0	07858	09075	5170	722	AA BA DA G4
707/268,269,441,442,443,444,445,476(0000-0999)						G5 G7 GC GD
707/476(1000-1999),476(2000-2999),476(4000-4999)						GQ PB PK PT
707/476(5000-5999),476(6000-6999),476(7000-7999)						RA RC RD RE
707/476(8000-8999),476(9000-9999)						RF RG RH RM
						SK SN SR ST
						TJ UG UR UT
						UU UW UZ VF
						VP WG ZX
EXETER	EXTRCAXFDS0	08750	08112	4420	728	BA DA GB GC
559/592						GD GE GN II
						SV UG

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
FAIR OAKS	FROKCA11DS0	08286	08545	5170	726	BA DA GC GD
916/463,535,536,537,589(1000-5999),589(8000-9999),631						GQ OH PB PK
916/635,636,638,851,852,853,858,859,861,863(0000-0999)						PR PU QA QE
916/863(1000-1999),863(2000-2999),863(3000-3999)						RA RC RD RE
916/863(5000-5999),863(6000-6999),863(7000-7999)						RF RG RH SL
916/863(8000-8999),863(9000-9999),864(0000-0999)						SN SR ST TB
916/864(4000-4999),864(5000-5999),864(6000-6999)						TE TJ TM TN
916/864(7000-7999),864(8000-8999),864(9000-9999),876						TP TQ TS TT
916/904(1000-1999),904(3000-3999),904(5000-5999)						UG UR VF VP
916/904(7000-7999),944,961,962,965,966,967						WG WH ZX
FAIR OAKS	FROKCA11RS0	08286	08545	5170	726	BA DA GC GD
916/464						GE II PB PK
						PR PU RA RC
						RD RE RF RG
						RH RM SH SN
						SQ ST SU TB
						TE TF TG TJ
						TM TN TP TQ
						TS TT UE UG
						UP UR UT UU
						UW UZ WG WH
FAIR OAKS	FROKCA11RS1	08286	08545	5170	726	AA BA DA G4
916/867,942(0000-8999)						G5 G7 GC GD
						GE IC ID IE
						IF IG PB PK
						PR PU RA RC
						RD RE RF RG
						RH SH SN SQ
						ST TJ UG UP
						UR UT UU UW
						UZ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
FAIRFIELD	FRFDCA01DS1	08385	08667	5170	722	AA BA BC DA
707/399,420(0000-6999),420(8000-9999),421,422,423,424						G4 G5 G7 GC
707/425,426,427,428,429,432,434,435(0000-0999)						GD GQ HB IC
707/435(1000-1999),435(2000-2999),435(4000-4999)						ID IE IF IG
707/435(5000-5999),435(6000-6999),435(7000-7999)						II OH PB PK
707/435(8000-8999),435(9000-9999),436,438(0000-0999)						RA RC RD RE
707/438(1000-1999),438(2000-2999),438(3000-3999)						RF RG RH SK
707/438(4000-4999),438(6000-6999),438(7000-7999)						SN ST SV TJ
707/646(4000-5999),784						UG UR UT UW
						UZ VE VM WG
						WH ZW
FALL RIVER MILLS	FRMLCAXFDS0	07773	08632	2308	724	AA BA DA GC
530/336(0000-0999),336(3000-3999),336(5000-5999)						GD GN GR HJ
530/336(6000-7999),336(9000-9999)						RC RD SQ
FALLBROOK	FLBKCA12DS0	09330	07669	5170	732	AA BA DA G4
760/451(0000-3999),451(8000-8999),451(9000-9999),723,728						G5 G7 GC GD
760/731						GQ IC ID IE
						IF IG OH OR
						PC PL PR PU
						RA SJ SQ TJ
						UP UT UU UW
						UZ WG ZW
FARMERSVILLE	FRVLCA11RS0	08752	08124	5170	728	AA BA DA G4
559/747(0000-0999),747(1000-1999),747(3000-3999)						G5 G7 GC GD
559/747(5000-5999)						II OR PC PL
						RA RC RD RE
						RF RG RH SJ
						SN UP WG WH
						ZX
FARMERSVILLE	FRVLCAXFRL1	08751	08123	4420	728	DA GE GM GN
559/594(1000-1999),594(4000-6999),594(9000-9999)						II UG
FARMINGTON	FRTNCAXFRS8	08436	08481	4420	738	DA GC GE GM
209/886(1000-1999),886(5000-5999)						GN II UG

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
FELLOWS 661/768(3000-5999)	FLWSCAXFRS2	09002	08147	4420	734	DA GC GD GE GM
FELTON /	FETNCA11DS1	08648	08643	5170	722	OH ZW
FELTON /	FETNCA11DS3	08648	08643	5170	722	SJ
FELTON 831/335	FETNCA11RS1	08648	08643	5170	722	AA BA DA G4 G5 G7 GC GD HB IC ID IE IF IG PC PL RA RF RG RH SJ SN ST UG UR UT UU UW UZ WG WH ZW
FERNDALE 707/786(0000-0999),786(4000-4999),786(5000-5999) 707/786(9000-9999)	FNDLCAXFDS0	07909	09086	2308	722	AA BA DA GC GD GN GR HJ RC RD SQ
FILLMORE 805/524	FLMRCA11DS1	09156	08009	5170	730	AA BA DA G4 GC GD GQ IC ID IF OR PC PL PR PU RA RF RG RH SJ SQ ST UP UR UT UW UZ ZW
FIREBAUGH 559/659(0000-0999),659(1000-1999),659(2000-2999) 559/659(3000-3999),659(4000-4999),659(5000-5999)	FRBHCA11RS0	08658	08358	5170	728	AA BA DA G4 G5 G7 GC GD IC ID IE IF IG OR PC PL PR PS RA RC RD RE RF RG RH SJ SQ UG UP UT UU UW UZ ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
FIVE POINTS	FVPNCA11RS0	08744	08284	5170	728	AA BA DA G4
559/884(1000-1999),884(2000-2999)						GC GD II OR
						PC PL PR PS
						RA RC RD RE
						RF RG RH SJ
						UG UP UR WG
						WH ZW
FOLSOM	FLSMCA12DS0	08286	08534	5170	726	AA BA BC DA
916/294(0000-0999),294(1000-1999),294(2000-2999)						G4 G5 G7 GC
916/294(3000-3999),294(4000-4999),294(6000-6999)						GD GQ IC ID
916/294(8000-8999),294(9000-9999),351,353,355						IE IF IG II
916/357(0000-0999),357(1000-1999),357(2000-2999)						OR PC PL PR
916/357(3000-3999),357(4000-4999),357(5000-5999)						PU RA RC RD
916/357(6000-6999),608,935,985						RE RF RG RH
						SK SN ST TB
						TE TJ TM TN
						TP TQ TS TT
						UG UP UR UT
						UU UW UZ WG
						WH ZW
FOLSOM	FLSMCA12RS0	08286	08534	5170	726	AA BA BC DA
916/358(1000-2999),358(4000-4999)						G4 G5 G6 GC
						GD IC ID IE
						IF IG II PC
						PL PR PU RA
						RC RD RE RF
						RG RH SN SQ
						ST TB TE TJ
						TM TN TP TQ
						TS TT UG UP
						UR UT UU UW
						UZ WG WH

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
FOLSOM	FLSMCA13DS0	08272	08514	5170	726	AA BA DA G4
916/358(3000-3999),358(5000-5999),933,934(0000-0999)						G5 G7 GC GD
916/934(7000-7999),939,941(0000-0999),941(1000-1999)						GE IC ID IE
916/941(2000-2999),941(3000-3999),941(4000-4999)						IF IG OR PC
916/941(6000-6999),941(7000-7999),941(8000-8999)						PL PT RA RC
916/941(9000-9999)						RD RE RF RG
						RH SJ SN ST
						TJ UG UP UR
						UT UU UW UZ
						WG WH ZW
FOLSOM	FLSMCA14DS0	08278	08528	5170	726	AA BA DA G4
916/817(2000-2999),817(3000-3999),817(4000-4999)						G5 G7 GC GD
916/817(5000-5999),817(6000-6999),817(8000-8999),983,984						GE IC ID IE
916/986(4000-5999),986(9000-9999)						IF IG PC PL
						PR PU RA RC
						RD RE RF RG
						RH SJ SN ST
						TJ UG UP UR
						UT UU UW UZ
						WG WH ZW
FONTANA	FNTACA11DS0	09179	07734	5170	730	BA DA GC GD
909/302(4000-4999),302(6000-9999),347(1000-1999)						GE GQ HB II
909/349(0000-3999),349(6000-6999),349(8000-8999),350,355						OH OR PC PL
909/356,357,427,428,429,574(0000-4999),574(6000-9999)						PR PS RA RF
909/609(2000-3999),822,823,829(0000-4999),829(6000-9999)						RG RH SJ SQ
909/854						TJ UP WG WH
						ZW
FORESTHILL	FRHLCAXFDS0	08194	08479	2318	726	AA DA OE RC
530/367						RD T9 TJ TZ
						XE

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
FORESTVILLE	FSVLCA11RS0	08350	08817	5170	722	BA DA G4 G5
707/887(0000-0999),887(1000-1999),887(2000-2999)						G7 GC GD IC
707/887(7000-7999),887(8000-8999),887(9000-9999)						ID IF PC PL
						PR PU RA SJ
						SN UT UU UW
						UZ ZW
FORT BRAGG	FTBRCA02DS0	08150	08991	5170	722	AA BA DA G4
707/961(0000-0999),961(1000-1999),961(2000-2999)						G5 G7 GC GD
707/961(3000-3999),961(4000-4999),961(6000-6999)						GQ II PC PL
707/961(9000-9999),962(0000-0999),962(1000-1999)						PT RA RC RD
707/962(2000-2999),962(9000-9999),964						RE RF RG RH
						RM SJ SN UR
						UT UU UW UZ
						ZW
FORT IRWIN	FTIRCAXFRS7	08908	07645	4420	730	AA DA GC GD
760/383(4000-4999),386(0000-4999),386(8000-8999)						GE GM GN GR
760/386(9000-9999)						II RC RD UB
						UG
FORT JONES	FTJNCAXF468	07662	08873	2339	724	AA BA D1 DA
530/468						GB GC GD GI
						GN GR HB HD
						IC OE RC RD
						SP SQ T3 T7
						T8 TD TJ TK
						TU TZ UR UY
						WG
FORTUNA	FTUNCA11DS1	07901	09071	5170	722	BA DA G4 GC
707/725,726(0000-0999),726(7000-7999),726(9000-9999)						GD GQ PC PL
						PT RA ST SV
						UG UR VE VM
						ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
FOWLER	FWLRCAXF83K	08690	08216	2319	728	AA BA DA GC
559/834(0000-6999),834(9000-9999)						GD GE GG GN
						HB HD II PC
						PL RC RD SQ
						UG VM
FRAZIER PARK	FZPKCA11RS0	09064	08028	5170	734	AA BA DA G4
661/245(0000-0999),245(1000-1999),245(2000-2999)						G5 G7 GC GD
661/245(3000-3999),245(4000-4999),245(5000-5999)						IC ID IE IF
						IG OR PC PL
						PT PU RA RC
						RD RE RF RG
						RH SJ SR UT
						UU UW UZ ZX
FREMONT	FRMTCA11DS0	08535	08646	5170	722	BA DA GC GD
510/248(1000-3999),248(5000-7999),248(8000-8999)						GQ HB OE OR
510/284(0000-1999),284(4000-4999),284(6000-6999)						PB PK PS QE
510/284(8000-8999),494,505(0000-3999),505(5000-9999)						RA RE RF RG
510/574(0000-4999),608,713,739(0000-6999),739(8000-9999)						RH RM SJ SN
510/742,744(0000-7999),744(9000-9999),745,790,791,792						ST TJ UG UR
510/793,794,795,796,797,818,936(5000-5999)						WG WH ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
FREMONT	FRMTCA12DS0	08541	08636	5170	722	AA BA DA GC
510/226,249,252,353(0000-0999),353(1000-1999)						GD GE GQ HB
510/353(2000-2999),353(4000-4999),353(5000-5999)						OE OH PB PK
510/353(6000-6999),353(7000-7999),353(8000-8999)						PS QA QE RA
510/353(9000-9999),354,360,413(0000-1999),413(4000-5999)						RE RF RG RH
510/413(9000-9999),438,440,445,490,492(0000-2999)						SK SN ST TJ
510/492(4000-9999),498,623(0000-0999),623(1000-1999)						UG UR WG WH
510/623(2000-2999),623(3000-3999),623(5000-5999)						ZW
510/623(6000-6999),623(7000-7999),623(8000-8999)						
510/623(9000-9999),624(0000-0999),624(1000-1999)						
510/624(2000-2999),624(3000-3999),624(4000-4999)						
510/624(5000-5999),624(6000-6999),624(7000-7999)						
510/624(8000-8999),651,656,657,659,661(0000-0999)						
510/661(1000-1999),661(2000-2999),661(4000-4999)						
510/661(5000-5999),661(6000-6999),661(7000-7999)						
510/661(8000-8999),661(9000-9999),668,683(0000-0999)						
510/683(2000-2999),683(3000-3999),683(4000-4999)						
510/683(6000-6999),683(7000-7999),683(8000-8999)						
510/683(9000-9999),687,770(0000-3999),770(5000-5999)						
510/770(7000-9999),979						
FREMONT	FRMTCAED0MD	08549	08630	7262	722	BA CA CC GE
510/227(6000-6999)						GJ GR HB IB
						RC RD SH SQ
						T1 T2 UG UP
						UR US
FREMONT	FRMTCAED1MD	08549	08630	7262	722	BA CA CC GE
/						GJ GR HB IB
						RC RD SH SQ
						T1 T2 UG UP
						UR US

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE	TYPE		
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--
FREMONT	FRMTCAEDDS0	08549	08630	7262	722	BA	DA	GE	GJ
408/212(8000-9999),228(0000-1999),228(3000-3999)						GR	HB	IB	RC
408/228(5000-6999),228(8000-9999),312,317(6000-6999)						RD	SH	SQ	T1
408/318(6000-6999),331,332(5000-5999),349,350						T2	UG	UP	UR
408/359(0000-0999),359(2000-2999),359(9000-9999)						US			
408/387(5000-5999),387(8000-8999),409(2000-2999)									
408/414(0000-1999),414(3000-6999),414(8000-9999)									
408/438(4000-4999),438(9000-9999),465(3000-3999)									
408/470(5000-7999),493(4000-4999),519,521(4000-7999)									
408/540(0000-1999),540(5000-5999),542(7000-7999)									
408/625(1000-6999),677(5000-5999),716(4000-4999)									
408/763(2000-2999),790(2000-5999),790(9000-9999)									
408/796(5000-6999),825(2000-2999),825(6000-7999)									
408/825(8000-8999),844(2000-2999),869(2000-4999)									
408/869(7000-9999),915(2000-2999),927(4000-4999)									
415/226(0000-0999),295(0000-0999),295(1000-1999)									
415/295(3000-3999),295(4000-4999),322(6000-6999)									
415/367(2000-2999),367(7000-7999),367(8000-8999)									
415/367(9000-9999),368(0000-0999),375(7000-7999)									
415/390(1000-1999),390(3000-3999),400(2000-3999)									
415/480(6000-6999),494(0000-0999),494(2000-2999)									
415/494(6000-6999),544(5000-5999),592(1000-1999)									
415/592(3000-3999),683(5000-5999),746(2000-3999)									
415/814(4000-6999),873(5000-5999),901,932(0000-0999)									
415/946(0000-0999),946(1000-1999),946(2000-2999)									
415/946(3000-3999),946(4000-4999),946(5000-6999)									
415/946(7000-7999),946(8000-8999),962(0000-0999)									
415/962(2000-6999),962(8000-8999)									
510/257(7000-8999),263(3000-3999),263(5000-6999)									
510/280(0000-0999),280(1000-1999),280(2000-2999)									
510/280(3000-3999),280(6000-6999),280(7000-9999)									
510/283(6000-6999),323(0000-1999),336(5000-6999)									
510/336(8000-8999),400(0000-2999),404(4000-4999)									
510/404(5000-5999),404(7000-7999),500(0000-1999)									
510/545(0000-1999),545(5000-5999),576(0000-2999)									
510/576(3000-3999),576(6000-7999),576(8000-8999)									
510/578(0000-3999),578(5000-5999),578(6000-7999)									
510/578(9000-9999),580,662(4000-4999),662(7000-7999)									
510/725(6000-6999),740(0000-1999),740(3000-3999)									

-------- Continued on next page --------

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY CLLI WCV WCH CC LATA OFFICE TYPE
---------NPA/NXX---------- ---------- ----- ----- ---- ---- -- -- -- --

-------- Continued from previous page --------

510/740(4000-4999),740(5000-5999),740(6000-6999)
510/740(7000-7999),743(0000-4999),743(5000-5999)
510/743(6000-9999),803(0000-1999),803(4000-5999)
510/875(1000-2999),875(6000-7999),877(7000-8999)
510/900(2000-2999)
650/204(6000-7999),210(4000-4999),227(0000-2999)
650/227(5000-8999),228(0000-2999),228(5000-5999)
650/228(7000-7999),229(0000-1999),230,231(0000-1999)
650/232(0000-6999),232(8000-8999),235(8000-8999)
650/264(2000-2999),264(4000-5999),267(5000-6999)
650/268(1000-1999),275(1000-1999),293(2000-4999)
650/384(7000-8999),388(3000-4999),392(6000-8999)
650/393(7000-7999),399(8000-8999),453(2000-2999)
650/454(1000-3999),475(0000-5999),475(7000-9999)
650/623(4000-6999),676(4000-4999),716(0000-2999)
650/716(4000-5999),980(0000-3999),980(5000-6999)
707/227(1000-1999),228(1000-1999),234(3000-3999)
707/241(7000-7999),244(4000-4999),277(3000-5999)
707/294(6000-6999),327(4000-4999),345(0000-0999)
707/345(5000-5999),384(6000-6999),534(6000-6999)
707/553(0000-0999),553(4000-4999),559(1000-1999)
707/570(8000-8999),587(1000-1999),587(7000-8999)
707/589(0000-0999),589(1000-1999),589(2000-2999)
707/589(4000-4999),671(0000-0999),671(1000-1999)
707/672(0000-0999),672(1000-1999),672(7000-8999)
707/673(0000-0999),673(1000-1999),691(1000-1999)
707/691(2000-2999),691(4000-5999),692(1000-1999)
707/692(4000-5999),734(1000-1999),734(2000-2999)
707/734(4000-5999),735(1000-1999),735(4000-4999)
707/735(7000-9999),736(0000-0999),736(2000-2999)
707/736(3000-3999),736(4000-4999),927(7000-7999)
707/962(3000-3999)
831/219(6000-7999),222(3000-3999),531(0000-1999)
831/532(1000-1999),532(2000-2999),532(4000-4999)
831/532(7000-9999),533(1000-1999),533(2000-2999)
831/533(4000-5999),534(1000-1999),534(2000-2999)
831/534(4000-5999),535(0000-1999),535(4000-5999)

-------- Continued on next page --------

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE	TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- --	-- --

-------- Continued from previous page --------

831/535(6000-6999),536(0000-0999),536(1000-1999)
831/536(2000-2999)
925/203(4000-4999),226(0000-4999),232(5000-5999)
925/232(6000-6999),235(6000-6999),237(2000-2999)
925/237(3000-3999),237(4000-5999),259(0000-0999)
925/259(2000-2999),259(4000-5999),259(7000-9999)
925/263(3000-3999),263(7000-8999),267(5000-5999)
925/268(1000-1999),268(5000-5999),269(2000-2999)
925/269(6000-6999),269(8000-8999),273(0000-2999)
925/276(1000-1999),276(4000-4999),276(6000-6999)
925/276(7000-7999),282(1000-1999),282(3000-3999)
925/290(0000-0999),290(2000-3999),291(1000-1999)
925/297(0000-0999),297(2000-2999),300(9000-9999)
925/310(3000-3999),317(7000-8999),470(1000-2999)
925/520(2000-2999),520(4000-4999),553(0000-1999)
925/553(3000-3999),553(5000-5999),553(8000-8999)
925/558(0000-0999),558(1000-1999),558(2000-2999)
925/558(7000-7999),566(0000-0999),566(5000-5999)
925/807(0000-1999),807(4000-4999),807(5000-5999)
925/852(0000-0999),852(2000-2999),860(2000-2999)
925/860(6000-6999),956(0000-1999),956(5000-5999)
925/956(7000-7999)

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE	TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- --	-- --
FREMONT	FRMTCAEDDS2	08549	08630	7262	722	BA DA	GE GJ
408/300(5000-5999),323(3000-3999),353(7000-7999)						GR HB	IB RC
408/384(5000-7999),402(8000-8999),418(4000-4999)						RD SH	SQ T1
408/418(7000-7999),427(9000-9999),457(6000-6999)						T2 UG	UP UR
408/457(7000-7999),457(9000-9999),465(5000-5999)						US	
408/484(6000-6999),484(8000-8999),490(1000-1999)							
408/498(4000-4999),498(8000-8999),503(0000-0999)							
408/520(3000-4999),594(7000-7999),604(1000-8999)							
408/606(4000-4999),614(2000-2999),618(2000-2999)							
408/618(3000-3999),627(6000-6999),638(0000-0999)							
408/638(3000-3999),664(5000-5999),668(6000-7999)							
408/673(2000-4999),693(3000-3999),702(6000-6999)							
408/702(9000-9999),703(2000-4999),706(5000-5999)							
408/716(9000-9999),724(5000-6999),731(9000-9999)							
408/738(7000-7999),753(1000-4999),786(0000-3999)							
408/840(8000-8999),843(1000-1999),872(4000-4999)							
408/900(2000-7999),969(1000-1999)							
415/230(4000-5999),296(6000-6999),300(3000-3999)							
415/324(8000-8999),325(4000-4999),325(5000-5999)							
415/325(7000-9999),347(3000-3999),360(5000-5999)							
415/375(5000-5999),390(7000-9999),418(3000-3999)							
415/418(6000-6999),450(2000-4999),463(2000-2999)							
415/475(7000-7999),493(0000-0999),493(7000-7999)							
415/500(2000-4999),500(7000-9999),524(2000-2999)							
415/524(4000-4999),574(2000-4999),590(2000-8999)							
415/603(2000-6999),614(4000-4999),614(6000-8999)							
415/660(4000-4999),663(4000-4999),690(4000-4999)							
415/692(8000-8999),729(7000-7999),744(1000-1999)							
415/766(4000-5999),795(1000-1999),795(3000-6999)							
415/800(5000-6999),815(0000-1999),815(2000-6999)							
415/839(4000-4999),840(7000-7999),871(2000-2999)							
415/872(4000-4999),887(5000-7999),889(6000-6999)							
415/963(0000-0999),963(3000-3999),970(5000-5999)							
415/970(6000-6999)							
510/221(4000-4999),257(5000-6999),259(9000-9999)							
510/284(3000-3999),323(7000-9999),338(6000-6999)							
510/373(6000-8999),446(8000-8999),447(2000-2999)							
510/473(3000-3999),474(3000-3999),474(4000-4999)							
510/496(3000-4999),509(3000-3999),576(5000-5999)							

-------- Continued on next page --------

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY CLLI WCV WCH CC LATA OFFICE TYPE
---------NPA/NXX---------- ---------- ----- ----- ---- ---- -- -- -- --

-------- Continued from previous page --------

510/590(3000-3999),590(4000-5999),590(9000-9999)
510/593(2000-2999),619(7000-7999),686(5000-8999)
510/689(2000-2999),722(2000-2999),722(4000-4999)
510/780(2000-2999),788(5000-6999),852(7000-7999)
510/858(3000-3999),858(5000-5999),858(7000-7999)
510/894(7000-8999),897(6000-6999),900(1000-1999)
510/900(6000-6999),943(0000-0999),943(3000-3999)
510/948(3000-5999),952(2000-2999),952(3000-5999)
510/952(8000-8999)
628/444(5000-6999)
650/229(7000-7999),231(2000-2999),242(7000-7999)
650/249(5000-5999),268(8000-8999),268(9000-9999)
650/272(5000-5999),275(7000-9999),282(6000-7999)
650/300(7000-8999),305(2000-2999),350(4000-4999)
650/383(6000-6999),390(2000-2999),390(6000-6999)
650/396(4000-6999),396(8000-8999),433(5000-5999)
650/433(8000-8999),434(5000-5999),440(4000-4999)
650/451(6000-6999),487(6000-6999),518(5000-5999)
650/520(2000-2999),535(4000-4999),539(3000-3999)
650/544(2000-2999),561(7000-8999),618(4000-6999)
650/642(2000-2999),826(8000-8999),827(5000-5999)
650/834(8000-9999),835(3000-3999),835(5000-6999)
650/837(3000-3999),837(6000-6999),878(6000-6999)
650/918(1000-1999),919(8000-8999)
669/444(5000-9999),999(3000-4999)
707/204(1000-1999),205(1000-1999),205(8000-8999)
707/242(2000-2999),242(6000-6999),243(1000-1999)
707/243(2000-2999),260(6000-8999),262(6000-6999)
707/271(5000-5999),271(6000-6999),275(6000-6999)
707/275(7000-7999),282(6000-6999),282(8000-8999)
707/300(5000-5999),300(6000-6999),312(5000-5999)
707/341(1000-1999),341(5000-5999),343(2000-2999)
707/345(7000-9999),355(8000-8999),356(6000-6999)
707/375(5000-5999),385(3000-3999),395(4000-4999)
707/397(1000-1999),397(2000-2999),401(5000-5999)
707/401(6000-6999),404(6000-6999),406(5000-5999)
707/409(6000-6999),412(5000-5999),412(7000-7999)

-------- Continued on next page --------

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY CLLI WCV WCH CC LATA OFFICE TYPE
---------NPA/NXX---------- ---------- ----- ----- ---- ---- -- -- -- --

-------- Continued from previous page --------

707/413(5000-5999),418(6000-6999),418(7000-7999)
707/455(6000-6999),456(8000-8999),461(6000-6999)
707/469(5000-5999),497(2000-3999),507(5000-5999)
707/509(5000-5999),518(5000-5999),520(3000-3999)
707/521(0000-0999),540(6000-8999),561(3000-5999)
707/561(6000-6999),583(7000-7999),589(7000-9999)
707/593(8000-8999),595(4000-5999),604(5000-5999)
707/620(7000-7999),622(7000-7999),634(6000-6999)
707/637(8000-8999),657(7000-7999),669(2000-2999)
707/670(2000-2999),671(7000-7999),671(8000-8999)
707/673(5000-5999),673(8000-9999),691(7000-9999)
707/692(7000-9999),734(7000-8999),735(5000-5999)
707/736(5000-5999),736(7000-9999),739(2000-2999)
707/739(3000-3999),743(0000-0999),743(5000-5999)
707/744(5000-5999),772(3000-4999),772(5000-5999)
707/773(5000-5999),773(7000-7999),785(5000-5999)
707/809(4000-4999),814(2000-2999),820(3000-3999)
707/820(8000-8999),847(2000-2999),847(7000-7999)
707/861(3000-3999),861(5000-5999),865(7000-7999)
707/875(7000-7999),876(2000-2999),876(5000-5999)
707/878(0000-0999),878(6000-6999),881(5000-5999)
707/921(7000-7999),928(2000-2999),931(5000-5999)
707/978(3000-4999),998(6000-6999),998(7000-7999)
831/218(1000-1999),218(4000-4999),295(6000-6999)
831/316(5000-5999),316(6000-6999),337(5000-5999)
831/427(7000-7999),515(3000-3999),515(5000-5999)
831/533(7000-9999),534(7000-8999),536(7000-9999)
831/607(5000-7999),612(2000-2999),661(6000-6999)
831/740(6000-6999)
925/203(5000-7999),222(3000-3999),237(8000-8999)
925/238(2000-2999),241(7000-7999),252(8000-8999)
925/261(3000-3999),261(5000-5999),264(5000-5999)
925/265(6000-6999),271(6000-6999),271(8000-8999)
925/290(1000-1999),302(8000-8999),304(7000-9999)
925/320(4000-6999),320(7000-7999),357(2000-2999)
925/368(2000-2999),475(5000-5999),522(3000-5999)
925/524(2000-2999),553(2000-2999),558(4000-4999)

-------- Continued on next page --------

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

-------- Continued from previous page --------

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
925/566(6000-7999),587(5000-5999),626(1000-1999) 925/626(4000-4999),659(3000-3999),835(4000-6999) 925/835(7000-7999),884(5000-7999),913(4000-4999) 925/913(6000-6999),913(7000-7999),952(7000-7999) 925/954(6000-6999)						
FREMONT /	FRMTCAEDDSA	08549	08630	7262	722	BA CA CC GE GJ GR HB IB RC RD SH SQ T1 T2 UG UP UR US
FRENCH GULCH /	FRGLCA11DS1	07858	08821	5170	724	ZW
FRENCH GULCH 530/359(1000-1999),359(2000-2999)	FRGLCA11RS1	07858	08821	5170	724	AA BA DA G4 GC GD IC ID IE IG PC PL RA SN UT UU UW UZ
FRESNO /	FRSNCA011KD	08669	08239	864C	728	DA QC
FRESNO 559/247	FRSNCA0124T	08669	08239	5170	728	G1 GB PA PR PS

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
FRESNO                      FRSNCA01DS0 08669 08239 5170  728 AA BA DA GC
   559/233,237,262,263,264,265(0000-0999),265(1000-1999)     GD GQ OH PA
   559/265(3000-3999),265(4000-4999),265(5000-5999)          PJ PR PS QA
   559/265(6000-6999),265(7000-7999),265(8000-8999)          QE RA RC RD
   559/265(9000-9999),266,268,441(0000-0999),441(1000-1999)  RE RF RG RH
   559/441(2000-2999),441(4000-4999),441(5000-5999)          RM SL SN SR
   559/441(6000-6999),441(7000-7999),441(8000-8999)          ST SU TB TE
   559/441(9000-9999),442(0000-8999),443(0000-0999)          TF TG TJ TM
   559/443(1000-1999),443(2000-2999),443(3000-3999)          TN TP TQ TS
   559/443(4000-4999),443(5000-5999),443(6000-6999)          TT UE UG UR
   559/443(7000-7999),443(8000-8999),444(0000-2999)          VF VP WG WH
   559/444(4000-9999),445,457(0000-0999),457(1000-1999)      ZX
   559/457(2000-2999),457(3000-3999),457(4000-4999)
   559/457(5000-5999),457(6000-6999),457(7000-7999),459,485
   559/486(0000-8999),487,488,489(0000-0999),489(2000-9999)
   559/493(2000-2999),493(3000-3999),493(4000-4999)
   559/493(6000-6999),493(7000-7999),494(0000-3999)
   559/494(5000-9999),495(0000-0999),495(1000-1999)
   559/495(2000-2999),495(3000-3999),495(4000-4999)
   559/495(6000-6999),495(7000-7999),496(0000-8999),497
   559/498(0000-8999),499(0000-2999),499(4000-9999),621
.......................................................................
FRESNO                      FRSNCA01RS0 08669 08239 5170  728 AA DA PA PR
   559/477(1000-1999)                                        PS
.......................................................................
FRESNO                      FRSNCA01X6Y 08669 08239 7262  728 BA DA GE GJ
   559/367(0000-0999),472(5000-5999),476(5000-5999)          GR HB IB RC
                                                             RD SH SQ T1
                                                             T2 UG UP UR
                                                             US
.......................................................................
FRESNO                      FRSNCA01X7Z 08669 08239 668G  728 DA DD
      /
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
FRESNO                      FRSNCA01XFZ 08669 08239 7957  728 GR
   209/387(7000-7999)
   559/258(7000-7999),282(7000-7999),308(7000-7999)
   559/335(6000-6999),336(7000-7999),337(7000-7999)
   559/340(7000-7999),402(7000-7999),404(7000-7999)
   559/407(6000-6999),418(7000-7999),419(7000-7999)
   559/424(6000-6999),465(7000-7999),483(7000-7999)
   559/484(7000-7999),522(7000-7999),523(7000-7999)
   559/526(7000-7999),527(3000-3999),536(3000-3999)
   559/546(7000-7999),556(7000-7999),575(7000-7999)
   559/586(7000-7999),588(7000-7999),630(7000-7999)
   559/648(7000-7999),654(7000-7999),670(6000-6999)
   559/671(7000-7999),678(6000-6999),682(6000-6999)
   559/702(7000-7999),726(7000-7999),742(6000-6999)
   559/753(7000-7999),780(7000-7999),787(5000-5999)
   559/792(4000-4999),813(7000-7999),823(1000-1999)
   559/847(1000-1999),856(5000-5999),964(5000-5999)
   559/997(2000-2999)
.......................................................................
FRESNO                      FRSNCA01XGZ 08669 08239 7262  728 BA DA GE GJ
   559/521(3000-3999),785(5000-6999),942(4000-5999)          GR HB IB RC
   559/943(2000-2999)                                        RD SH SQ T1
                                                             T2 UG UP UR
                                                             US
.......................................................................
FRESNO                      FRSNCA11DS0 08658 08241 5170  728 AA BA BC DA
   559/221,222,224,225,226,227,228(0000-8999),229            G4 G5 G7 GC
   559/230(0000-6999),230(8000-8999),241(0000-3999)          GD IC ID IE
   559/241(5000-7999),243(0000-5999),243(7000-9999)          IF IG II OR
   559/244(0000-0999),244(2000-8999),248(0000-0999)          PB PK PR PS
   559/248(2000-5999),248(7000-9999)                         RA RC RD RE
                                                             RF RG RH SK
                                                             SN ST SV TJ
                                                             UG UR UT UU
                                                             UW UZ VE WG
                                                             WH
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
FRESNO	FRSNCA12DS0	08667	08229	5170	728	AA BA BC DA
559/251,252,253(0000-0999),253(1000-1999),253(2000-2999)						G4 G5 G7 GC
559/253(4000-4999),253(5000-5999),253(6000-6999)						GD GQ IC ID
559/253(7000-7999),253(8000-8999),253(9000-9999),255,452						IE IF IG II
559/453,454,455(0000-2999),455(4000-6999),455(9000-9999)						OR PC PL PR
559/456,458(0000-0999),458(2000-2999),458(4000-4999)						PS RA RC RD
559/458(7000-7999),600						RE RF RG RH
						SJ SV TJ UG
						UR UT UU UW
						UZ VE VM WG
						WH
FRESNO	FRSNCA13DS0	08650	08243	5170	728	AA BA DA G4
559/261(0000-4999),261(6000-9999),353(3000-3999)						G5 G7 GC GD
559/353(5000-5999),353(6000-6999),353(7000-7999)						GE GQ IC ID
559/353(8000-8999),353(9000-9999),430(0000-3999)						IE IF IG OH
559/430(8000-8999),431,432,435,436(0000-8999),437,438						PC PL PR PS
559/439,440(0000-5999),440(7000-9999),446,447						RA RC RD RE
559/448(0000-0999),448(1000-1999),448(2000-2999)						RF RG RH SK
559/448(3000-3999),448(4000-4999),448(5000-5999)						SN SV TJ UT
559/448(8000-8999),448(9000-9999),449(0000-2999)						UU UW UZ VE
559/449(4000-9999),450,451(0000-0999),451(2000-2999)						WG WH
559/451(3000-3999),451(4000-4999),451(8000-8999)						
559/451(9000-9999)						
FRESNO	FRSNCA14DS0	08658	08258	5170	728	AA BA DA G4
559/271,274(0000-0999),274(1000-1999),274(4000-4999)						G5 G7 GC GD
559/274(9000-9999),275,276,277						GQ IC ID IE
						IF IG OR PC
						PL PR PS RA
						RC RD RE RF
						RG RH SJ SV
						TJ UG UT UU
						UW UZ VE WG
						WH

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
FRESNO                      FRSNCA15DS0 08637 08241 5170  728 AA BA DA G4
   559/433(0000-0999),433(1000-1999),433(2000-2999)          G5 G7 GC GD
   559/433(3000-3999),433(4000-4999),433(6000-6999)          GE IC ID IE
   559/433(8000-8999),433(9000-9999),434                     IF IG OR PC
                                                             PL PR PS RA
                                                             RC RD RE RF
                                                             RG RH SJ UP
                                                             UT UU UW UZ
                                                             WG WH ZW
.......................................................................
FRESNO                      FRSNCAQRDS0 08670 08239 7128  728 DA DD
   559/295(3000-3999),306(3000-3999),318(3000-3999)
   559/321(0000-0999),321(2000-2999),321(9000-9999)
   559/358(3000-3999),363(4000-4999),399(5000-5999)
   559/480(3000-3999),490,596(3000-3999),650,717(3000-3999)
   559/754(3000-3999),762(5000-5999),772(3000-3999)
   559/802(4000-4999),813(3000-3999),817(3000-3999)
.......................................................................
FRIANT                      FRNTCAXFDS0 08615 08233 2332  728 BA DA GE GN
   559/822(0000-0999),822(1000-9999),841,855,865,868,877     GQ GR HB HD
   559/893                                                   IC II OE RA
                                                             SQ SX T9 TJ
                                                             TK TL UB UW
                                                             UX XF
.......................................................................
FULLERTON                   FUTNCA01DS0 09242 07813 5170  730 AA BA DA GC
   657/278                                                   GD GQ HB IC
   714/213(7000-7999),278(0000-0999),278(1000-1999)          ID IE IF IG
   714/278(6000-6999),278(8000-8999),278(9000-9999)          OH OR PB PK
   714/441(0000-4999),446,447,449,519(0000-0999),525,526     PR PS RA RC
   714/578,626(0000-0999),626(1000-1999),626(2000-2999)      RD RE RF RG
   714/626(3000-3999),626(4000-4999),626(5000-5999)          RH SK SN SR
   714/626(6000-6999),626(7000-7999),626(8000-8999),680      SU TB TE TF
   714/732(5000-5999),738,773(0000-0999),773(1000-1999)      TJ TM TN TP
   714/773(3000-3999),773(4000-4999),773(5000-5999)          TQ TS TT UE
   714/773(6000-6999),773(7000-7999),773(8000-8999)          UT UW UZ VF
   714/773(9000-9999),870,871,879,992                        VP WG WH ZX
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
FURNACE CREEK	FRCKCA11RS0	08653	07721	5170	730	BA DA G4 G5
760/786(1000-1999),786(2000-2999),786(3000-3999)						G7 GC GD HB
760/786(9000-9999)						II PC PL PT
						RA SQ
GALT	GALTCA11RS1	08540	08637	5170	738	AA BA DA G4
209/744(0000-2999),744(4000-5999),744(7000-9999),745						G5 G7 GC GD
						IC ID IE IF
						IG PC PL PR
						PU RA RC RD
						RE RF RG RH
						SJ ST SV UG
						UR UT UU UW
						UZ WG WH ZW
GARBERVILLE	GRVLCAXF92E	08005	09001	4420	722	AA BA DA GB
707/923(1000-4999),923(7000-7999),923(9000-9999)						GC GD GN GR
						II SQ
GARBERVILLE	GRVLCAXF92T	08005	09001	4420	722	BA CA GB SR
/						
GARDEN GROVE	GRGVCA01DS0	09264	07812	5170	730	AA BA DA G4
714/265(0000-6999),265(8000-9999),530,534,537,539,554						G5 G7 GC GD
714/590,636,638,741						GQ HB II OR
						PC PL PR PS
						RA RC RD RE
						RF RG RH SJ
						SN SQ ST TJ
						UG UP UR UT
						UW UZ WG WH
						ZW
GARDENA	GRDNCA013TD	09250	07879	5170	730	G1 GB PR PS
/						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
GARDENA                     GRDNCA01DS0 09250 07879 5170  730 AA BA DA G4
   310/225,243(0000-5999),243(7000-9999),323,352             G5 G7 GC GD
   310/353(0000-0999),353(1000-1999),353(2000-2999)          GE GQ HB IC
   310/353(3000-3999),353(4000-4999),353(5000-5999)          ID IE IF IG
   310/353(7000-7999),353(8000-8999),353(9000-9999),354,366  OR PA PJ PR
   310/380,523,630(0000-6999),630(8000-8999),660(0000-6999)  PS QA QE RA
   310/660(8000-9999),719(0000-4999),719(6000-9999)          RC RD RE RF
   310/767(0000-5999),767(7000-9999),768,769,771             RG RH SJ SN
   310/808(0000-0999),808(1000-1999),808(2000-2999)          SQ ST TJ UG
   310/808(9000-9999),817(7000-7999),817(8000-8999),851      UP UR UT UW
   323/321(0000-0999)                                        UZ WG WH
.......................................................................
GARDENA                     GRDNCA01DS1 09250 07879 5170  730 AA BA BC DA
   310/217,324,327,329,512,515,516,527(0000-0999)            G4 G5 G7 GC
   310/527(2000-9999),532,538,715(0000-7999),965(0000-0999)  GD GQ HB IC
   310/965(1000-1999),965(2000-2999),965(3000-3999)          ID IE IF IG
   310/965(4000-4999),965(5000-5999),965(7000-7999)          II PA PJ PR
   310/965(8000-8999),965(9000-9999)                         PS QA QE RA
   323/770(0000-0999)                                        RC RD RE RF
                                                             RG RH SN SQ
                                                             ST TJ UG UP
                                                             UR UT UW UZ
                                                             ZW
.......................................................................
GARDENA                     GRDNCA0200W 09252 07879 5170  730 GG HC OR PB
      /                                                      PK PR PS SR
                                                             SU UE VF VP
                                                             WG WH ZX
.......................................................................
GARDENA                     GRDNCA0250T 09252 07879 5170  730 G1 OH PR PS
      /                                                      SL
.......................................................................
GARDENA                     GRDNCA0254T 09252 07879 5170  730 G1 GB PR PS
      /
.......................................................................
GARDENA                     GRDNCA0386T 09252 07879 5170  730 GB HB PC PL
      /                                                      PR PS
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
GASQUET	GSQTCAXFRS2	07610	09030	2344	722	AA BA DA GM
707/457(3000-3999)						GR PC RC RD
						RF RM SQ
GAZELLE	GZLLCA11RS1	07692	08836	5170	724	AA BA DA G4
530/435(0000-0999),435(1000-1999),435(2000-2999)						GC GD IC ID
						IF PC PL PT
						RA SK UT UU
						UW UZ ZX
GEORGETOWN	GRTWCA11RS0	08220	08479	5170	726	AA BA DA G4
530/333(0000-0999),333(1000-1999),333(2000-2999)						GC GD IC ID
530/333(4000-4999),333(8000-8999),333(9000-9999)						IF PC PL PT
						RA SK SQ UP
						ZX
GERBER	GRBRCA11RS1	07992	08727	5170	724	AA BA DA G4
530/385(1000-1999),385(2000-2999),385(7000-7999)						GC GD IE IF
						IG PC PL PT
						RA SJ SN UT
						UU UW UZ ZW
GEYSERVILLE	GYVLCA11RS0	08299	08824	5170	722	BA DA G4 GC
707/857(1000-1999),857(2000-2999),857(3000-3999)						GD OR PC PL
707/857(4000-4999),857(9000-9999)						PR PU RA SH
						SN WG ZW
GILROY	GLRYCAXFDS0	08648	08555	4420	722	AA BA DA GB
408/842,846,847,848,852(2000-2999)						GC GD GE GN
						GR II RC RD
						SH SQ TI UB
						UG

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
GLENDALE	GLDLCA11DS0	09193	07882	5170	730	AA BA DA GC
818/240,246,247,265,291(0000-0999),291(1000-1999)						GQ HB II OH
818/291(2000-2999),291(4000-4999),291(5000-5999)						OR PB PK PR
818/291(6000-6999),291(7000-7999),291(9000-9999),543,544						PS QA QE RA
818/547,548,549,550,551,552,553,637,662,695						RC RD RE RF
818/863(7000-7999)						RG RH SK SN
						SQ ST TJ UG
						UP UR
GLENDALE	GLDLCA11DS1	09193	07882	5170	730	AA BA BC DA
323/245(0000-0999)						G4 G5 G7 GC
818/241,242,243,244,409,500,502,507,545,546,956						GD HB IC ID
						IE IF IG II
						PB PK PR PS
						QA QE RA RC
						RD RE RF RG
						RH SN SQ ST
						TJ UG UP UR
						UT UW UZ WG
						WH
GLENDORA	GLNDCAXF33M	09184	07812	2319	730	AA BA DA GC
626/335,852,857(0000-1999),857(3000-5999),857(7000-7999)						GD GE GG GJ
626/857(9000-9999),914,963						GN GR HB HD
						II PB PK RC
						RD SH SN SQ
						TG TI TJ TU
						UA UG UR VM
						WD WE WF WG
						WH WI WJ ZZ
GLENNVILLE	GLVLCAXFRS9	08863	08019	4420	734	DA GM
661/536(8000-8999)						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
GOLETA	GOLTCAXF96K	09169	08168	2319	740	AA BA DA GC
805/681,683,692,696(1000-1999),696(6000-6999)						GD GE GG GJ
805/696(7000-7999),696(9000-9999),964,967						GN HB HD II
						PA PJ RC RD
						SN SQ TI TJ
						TU UA UG UR
						VM WD WE WF
						WG WH WI WJ
						ZZ
GONZALES	GNZLCA11DS1	08754	08521	5170	736	ZW
/						
GONZALES	GNZLCA11DS3	08754	08521	5170	736	SJ
/						
GONZALES	GNZLCA11RS0	08754	08521	5170	736	AA BA DA G4
831/675(0000-0999),675(1000-1999),675(2000-2999)						GC GD IC ID
831/675(3000-3999),675(8000-8999),675(9000-9999)						IF PC PL RA
						UG UP UT UU
						UW UZ WG WH
GOSHEN	GSHNCA11RS0	08751	08152	5170	728	BA DA G4 GC
559/651(0000-0999),651(1000-1999),651(2000-2999)						GD GQ IC ID
559/651(3000-3999),651(4000-4999),651(5000-5999)						IF OR PC PL
559/651(7000-7999),651(8000-8999),651(9000-9999)						RA RF RG RH
						SJ ST UG UP
						UR UT UU UW
						UZ WG WH ZW
GRANADA HILLS	GRHLCAXF36J	09174	07933	2319	730	AA BA DA GC
818/360,363,366,368,831,832						GD GE GG GJ
						GN GR HB HD
						II PB PK RC
						RD SH SN SQ
						TG TI TJ TU
						UA UG UR VM
						WD WE WF WG
						WH WI WJ ZZ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
GRANT GROVE 559/335(2000-2999)	GGVGCAXFRS2	08650	08095	2319	728	AA BA DA GC GD GE GG GM GN HB HD II PC PL SD SE VM
GRASS VALLEY 530/271,272,273,274,477	GRVYCA01DS0	08156	08524	5170	726	AA BA BC DA G4 G5 G7 GC GD GQ IC ID IE IF IG II PC PL PT RA RC RD RE RF RG RH SK SN SQ ST TJ UG UP UR UT UU UW UZ WG WH
GRASS VALLEY 530/268(0000-0999),268(1000-1999),268(2000-2999) 530/268(3000-3999),268(4000-4999),268(6000-6999) 530/268(7000-7999),268(8000-8999),268(9000-9999) 530/269(0000-0999),269(1000-1999),269(2000-2999) 530/269(4000-4999),269(6000-6999)	GRVYCA11RS0	08197	08526	5170	726	AA BA DA G4 G5 G7 GC GD IC ID IF PC PL PT RA SJ UT UU UW UZ ZW
GRASS VALLEY 530/432(0000-5999),432(7000-9999)	GRVYCA12DS0	08162	08550	5170	726	AA BA DA G4 G5 G7 GC GD GQ II PC PL PT RA SJ WG ZW
GREENFIELD 831/674(0000-3999),674(5000-6999),674(8000-9999)	GNFDCA11RS0	08791	08480	5170	736	AA BA DA G4 GC GD IC ID IF PC PL RA RF RG RH SK UG UP UT UU UW UZ ZX

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
GREENVILLE	GNVLCAXFDS0	07953	08528	2308	724	AA BA DA GC
530/284(0000-1999),284(6000-7999),284(9000-9999)						GD GN GR HJ
						RC RD SQ
GRENADA	GRNDCA13RS1	07649	08823	5170	724	AA BA DA G4
530/436(0000-0999),436(1000-1999),436(2000-2999)						GC GD IC ID
530/436(9000-9999)						IF PC PL PT
						RA SJ UT UU
						UW UZ ZW
GRIDLEY	GRDLCA11DS1	08136	08635	5170	726	AA BA DA G4
530/846						GC GD GQ IC
						ID IF PC PL
						RA SJ SN UP
						WG WH ZW
GRIMES	GRMSCAXFRS0	08202	08662	3402	726	AA BA DA G5
530/437(0000-0999),437(2000-2999)						GC GD GE GN
						GR HJ IC IH
						II RA RE RF
						RG RH RM RS
						SP SV UB UL
						UM UT UW UX
						UZ
GROVELAND	GVLDCA11RS0	08440	08346	5170	738	BA DA G4 GC
209/962(0000-0999),962(1000-1999),962(4000-4999)						GD IC ID IE
209/962(5000-5999),962(6000-6999),962(7000-7999)						IG PC PL PT
209/962(8000-8999)						RA RF RG RH
						SJ SV UT UU
						UW UZ ZW
GUADALUPE	GDLPCAXGRS2	09074	08323	2319	740	AA BA DA GC
805/343(0000-0999),343(1000-1999),343(2000-2999)						GD GE GG GM
805/343(3000-3999),343(4000-4999),343(5000-5999)						GN HB HD II
805/343(6000-6999),343(7000-7999),343(9000-9999)						PC PL SQ TU
						VM ZZ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
GUALALA	GULLCA11RS0	08291	08936	5170	722	BA DA G4 GC
707/884(1000-1999),884(3000-3999),884(4000-4999)						GD PC PL PT
707/884(9000-9999)						RA UG ZX
GUERNEVILLE	GUVLCA11RS0	08346	08836	5170	722	BA DA G4 G5
707/869(0000-0999),869(1000-1999),869(2000-2999)						G7 GC GD IC
707/869(3000-3999),869(4000-4999),869(5000-5999)						ID IF PC PL
707/869(8000-8999),869(9000-9999)						PR PU RA SN
						UT UU UW UZ
						ZW
GUINDA	GUNDCAXGDS0	08261	08707	2315	726	BA DA GI HD
530/796(0000-0999),796(2000-2999),796(3000-3999)						TJ
530/796(4000-4999),796(5000-5999),796(9000-9999)						
GUSTINE	GUSTCA11RS0	08582	08463	5170	738	AA BA DA G4
209/854(1000-1999),854(2000-2999),854(3000-3999)						G5 G7 GC GD
209/854(5000-5999),854(6000-6999),854(9000-9999)						PC PL PT RA
						SJ SV UG WG
						WH ZW
HALF MOON BAY	HMBACA12DS0	08564	08716	5170	722	AA BA DA G4
650/560(0000-0999),560(9000-9999),712,726						G5 G7 GC GD
						GQ IC ID IF
						OR PC PL PS
						RA RE RF RG
						RH SJ TJ UR
						UT UU UW UZ
						WG WH ZW
HAMBURG	HMBGCAXF496	07626	08911	2339	724	AA BA DA GC
530/496						GD GI GN GR
						HD IC SP SQ
						TJ TK TW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
HAMILTON CITY	HMCYCA11RS0	08059	08697	5170	724	AA BA DA GC
530/826(0000-0999),826(1000-1999),826(3000-3999)						GD GE IC ID
						IE IF IG PC
						PL PT RA RC
						RD RE RF RG
						RH RM SH ST
						SU TB TE TF
						TG TM TN TP
						TQ TS TT UE
						UG UR UT UU
						UW UZ ZW
HANFORD	HNFRCA01DS0	08755	08201	5170	728	AA BA BC DA
559/582,583,584,585,587(0000-0999),587(1000-1999)						G4 G5 G7 GC
559/587(2000-2999),587(3000-3999),587(4000-4999)						GD GQ IC ID
559/587(6000-6999),587(7000-7999),587(8000-8999)						IE IF IG II
559/587(9000-9999),589(0000-0999),589(1000-1999)						OR PC PL PT
559/589(2000-2999),589(6000-6999),589(8000-8999)						RA RC RD RE
559/589(9000-9999),852(2000-2999),852(4000-4999)						RF RG RH SJ
						SN SQ ST TJ
						UP UR UT UU
						UW UZ WG WH
						ZX
HAPPY CAMP	HCMPCAXF493	07628	08963	2339	724	AA BA DA GC
530/493						GD GI GN GR
						HD IC OE SP
						SQ TJ TK TW
HAVASU LANDING	HVSUCAXFRS1	09001	07212	863F	730	DA GM GR
760/858(4000-4999),858(5000-5999)						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
HAWTHORNE                   HWTHCA01DS0 09244 07891 5170  730 AA BA BC DA
   310/219(0000-5999),219(7000-9999),263(0000-0999)          G4 G5 G7 GC
   310/263(1000-1999),263(2000-2999),263(3000-3999)          GD GQ HB IC
   310/263(4000-4999),263(5000-5999),263(6000-6999)          ID IE IF IG
   310/263(7000-7999),263(9000-9999),331(0000-7999)          II OR PC PL
   310/331(9000-9999),332,349(0000-2999),349(4000-5999)      PR PS RA RC
   310/355(0000-4999),355(6000-7999),355(9000-9999)          RD RE RF RG
   310/363(6000-6999),644,675,676,679,970(0000-1999)         RH SJ SN SQ
   310/970(3000-3999),970(5000-9999),973,978(0000-4999)      TJ UP UT UW
   310/978(6000-6999),978(8000-9999)                         UZ WH ZW
   323/772(1000-1999)
.......................................................................
HAYFORK                     HYFKCAXFRS1 07898 08909 4420  724 DA GE GM GN
   530/628(1000-1999),628(4000-5999)                         GR II
.......................................................................
HAYWARD                     HYWRCA01DS0 08512 08660 5170  722 AA BA BC DA
   510/247,537,538,581,582,583,690(0000-0999)                G4 G5 G7 GC
   510/690(1000-1999),690(2000-2999),690(6000-6999)          GD GQ HB II
   510/690(9000-9999),727(0000-0999),727(1000-1999)          OE OH PC PL
   510/727(2000-2999),727(3000-3999),727(4000-4999)          PS QA RA RE
   510/727(6000-6999),727(7000-7999),727(8000-8999)          RF RG RH SL
   510/727(9000-9999),728,733,881(0000-0999),881(1000-1999)  SN SS ST SU
   510/881(2000-2999),881(4000-4999),881(5000-5999)          TJ UE UG UR
   510/881(7000-7999),881(8000-8999),881(9000-9999),884,885  VL VQ WG WH
   510/886,888,889                                           ZY
.......................................................................
HAYWARD                     HYWRCA115MD 08520 08663 7283  722 BA DA GJ GQ (N)
   510/768(9000-9999)                                        HA IB II IP (N)
                                                             UG          (N)
.......................................................................
HAYWARD                     HYWRCA11DS0 08520 08663 5170  722 AA BA DA GC
   510/259(0000-7999),264,265(0000-3999),265(5000-9999)      GQ HB II OE
   510/266(0000-1999),266(3000-9999),293,670,723(0000-3999)  OR PA PJ PR
   510/723(5000-9999),732,780(0000-1999),780(4000-5999)      PS PU QA QE
   510/780(7000-9999),781,782,783,784,785,786(0000-0999)     RA RE RF RG
   510/786(1000-1999),786(2000-2999),786(3000-3999)          RH SJ SN ST
   510/786(4000-4999),786(5000-5999),786(6000-6999)          TJ UG UR WG
   510/786(9000-9999),887                                    WH ZW
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
HAYWARD	HYWRCAMCDS0	08518	08669	7240	722	DA
323/476(4000-4999)						
408/216(2000-2999),220(6000-6999),220(9000-9999)						
408/273(3000-3999),273(7000-7999),343(4000-4999)						
408/490(2000-3999),490(9000-9999),501(6000-6999)						
408/606(3000-3999),606(5000-5999),645(3000-3999)						
408/755(7000-8999),758(3000-4999),796(3000-3999)						
408/876(6000-6999),933(3000-3999),933(6000-6999)						
408/990(0000-0999),990(2000-2999)						
415/299(6000-6999),343(0000-4999),343(6000-6999)						
415/343(7000-9999),365,366(5000-5999),450(9000-9999)						
415/589(2000-3999),589(4000-6999),633(4000-4999)						
415/633(8000-8999),645(6000-6999),653(3000-3999)						
415/659(0000-7999),671(4000-4999),671(7000-7999)						
415/680(1000-1999),680(2000-2999),680(9000-9999)						
415/779(3000-3999),796(6000-6999),796(8000-9999)						
415/805(3000-3999),840(0000-1999),840(2000-2999)						
415/840(9000-9999),842(3000-3999),878(7000-7999)						
415/886(3000-3999),944(5000-5999),963(9000-9999)						
415/968(3000-3999),997(4000-4999)						
510/214(0000-1999),256(6000-6999),269(9000-9999)						
510/285(0000-5999),285(9000-9999),404(0000-0999)						
510/404(1000-1999),404(9000-9999),572,694(3000-3999)						
510/731(0000-3999),731(5000-5999),771(0000-0999)						
510/771(1000-1999),771(2000-2999),771(3000-3999)						
510/771(6000-6999),778(7000-7999),789(0000-2999)						
510/789(4000-4999),803(3000-3999),877(4000-4999)						
510/877(9000-9999),964(3000-3999),982(0000-0999)						
510/982(3000-4999)						
626/603(3000-3999)						
628/202(3000-3999),202(5000-5999),218(2000-4999)						
628/228(4000-5999),895(3000-4999)						
650/206(4000-4999),214,226(0000-2999),226(4000-4999)						
650/235(1000-1999),238(0000-3999),238(5000-5999),253						
650/262(2000-2999),263(3000-3999),290(5000-5999)						
650/316(6000-6999),379(3000-3999),419(5000-5999)						
650/425(6000-6999),427(1000-8999),429(0000-7999)						
650/429(9000-9999),480(5000-5999),481(0000-4999)						
650/484(3000-3999),534(1000-1999),651(0000-2999)						

-------- Continued on next page --------

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY CLLI WCV WCH CC LATA OFFICE TYPE
---------NPA/NXX---------- ---------- ----- ----- ---- ---- -- -- -- --

-------- Continued from previous page --------

650/651(3000-3999),651(9000-9999),653(0000-0999)
650/653(2000-7999),653(9000-9999),687(0000-6999)
650/687(9000-9999),713(3000-3999),731(3000-3999)
650/815(4000-4999),815(7000-7999),847(4000-4999)
650/930(9000-9999),946(3000-3999)
669/212(2000-2999),223(2000-6999),230(8000-9999)
669/282(3000-3999),287(3000-3999),342(3000-3999)
669/544(4000-8999)
707/244(3000-3999),262(7000-7999),301(4000-4999)
707/371(5000-5999),409(3000-3999),430(0000-0999)
707/460(4000-4999),485(3000-3999),501(5000-5999)
707/536(0000-0999),561(9000-9999),596(5000-5999)
707/604(2000-2999),617(3000-3999),687(3000-3999)
707/690(3000-3999),692(3000-3999),741(3000-3999)
707/757(2000-2999),764(7000-7999),775(6000-6999)
707/794(3000-3999),832(5000-5999),840(3000-3999)
707/861(4000-4999),879(3000-3999),890(3000-3999)
707/934(3000-3999),943(6000-6999),947(3000-3999)
714/689(4000-8999),849(6000-6999)
818/330(8000-8999),351(3000-3999),446(5000-5999)
818/485(6000-6999),488(2000-2999),665(3000-3999)
818/672(0000-0999),746(9000-9999),812(3000-3999)
818/942(3000-3999),949(3000-3999)
831/902(2000-2999)
925/201(5000-5999),203(3000-3999),206(3000-3999)
925/226(5000-5999),226(9000-9999),231(2000-2999)
925/232(2000-2999),232(7000-7999),235(2000-2999)
925/255(2000-2999),255(8000-8999),273(3000-3999)
925/273(6000-6999),278(5000-5999),293(3000-3999)
925/293(5000-5999),298(6000-6999),298(8000-8999)
925/298(9000-9999),316(4000-4999),326(3000-3999)
925/331(6000-6999),334(3000-3999),350(5000-5999)
925/357(4000-4999),364(6000-6999),364(8000-8999)
925/364(9000-9999),377(6000-6999),418(3000-3999)
925/436(5000-5999),446(3000-3999),524(3000-3999)
925/524(6000-6999),529(6000-6999),529(8000-8999)
925/557(2000-2999),557(3000-3999),557(4000-4999)

-------- Continued on next page --------

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

-------- Continued from previous page --------

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
925/627(8000-8999),690(4000-4999),690(6000-6999) 925/732(4000-4999),738(2000-2999),808(7000-7999) 925/826(0000-0999),826(1000-1999),854(0000-0999) 925/854(1000-1999),854(6000-6999),948(0000-0999) 925/948(1000-1999),948(2000-2999),948(3000-3999) 925/948(4000-4999),948(9000-9999),965(2000-2999) 925/965(5000-5999),965(8000-8999),983(2000-2999) 925/983(3000-3999),983(4000-4999),983(5000-5999) 925/983(6000-6999),983(8000-8999)						
HEALDSBURG	HLBGCA11DS0	08320	08816	5170	722	BA DA G4 G5
707/431,433,473(0000-0999),473(2000-2999),473(3000-3999) 707/473(4000-4999),473(9000-9999)						G7 GC GD GQ IC ID IF OR PC PL PR PU RA SJ SN UT UU UW UZ WG ZW
HELENDALE	HNDLCAXFRS2	09038	07740	4420	730	AA DA GC GD
760/952						GE GN GR II RC RD TJ TU UB
HEMET	HEMTCAXF65C	09241	07636	2319	730	AA BA DA GC
951/652,658,765(0000-0999),765(1000-1999),765(2000-2999) 951/765(3000-3999),765(4000-4999),765(5000-5999) 951/765(6000-6999),765(8000-8999),765(9000-9999),766 951/767(0000-4999),767(7000-7999),767(9000-9999) 951/791(0000-0999),791(1000-1999),791(2000-2999) 951/791(3000-3999),791(4000-4999),791(5000-5999) 951/791(6000-6999),791(7000-7999),791(8000-8999),925,929 951/929						GD GE GG GJ GN GR HB HD II PB PK RC RD SH SN SQ TG TI TJ TU UG UR VM WD WE WF WG WH WI WJ ZZ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
HERALD	HERLCA11RS0	08361	08532	5170	738	AA BA DA G4
209/748(1000-1999),748(2000-2999),748(5000-5999)						G5 G7 GC GD
						IC ID IE IF
						IG PC PL PR
						PU RA RC RD
						RE RF RG RH
						SJ ST SV UG
						UR UT UU UW
						UZ ZW
HERCULES	HRCLCA11DS0	08441	08701	5170	722	AA BA DA G4
510/245,408(0000-5999),724,741,799,964(0000-0999)						G5 G7 GC GD
510/964(1000-1999),964(9000-9999)						GQ HB II OR
						PC PL PS RA
						SJ SN TJ UG
						WG WH ZW
HERLONG	HRLNCAXFRS0	07936	08395	2308	724	AA BA DA GC
530/827(0000-0999),827(2000-5999),827(8000-9999)						GD GN GR HJ
						RC RD SH SM
						SQ
HERMOSA BEACH	HRBHCAXA37K	09259	07896	2319	730	AA BA DA GC
310/318(0000-0999),318(1000-1999),318(2000-2999)						GD GE GG GJ
310/318(3000-3999),318(5000-5999),318(6000-6999)						GN GR HB HD
310/318(7000-7999),318(8000-8999),318(9000-9999),372,374						II PA PJ RC
310/376,379,406(0000-0999),406(1000-1999),406(2000-2999)						RD SH SN SQ
310/406(8000-8999),798,937						TD TG TH TI
						TJ TU UA UG
						UR VM WD WE
						WF WG WH WI
						WJ ZZ
HESPERIA	HSPRCAXFDS0	09103	07723	4420	730	AA DA GC GD
760/244,662(5000-5999),947,948,949,956(1000-9999)						GE GN GR II
760/995(8000-8999)						RC RD SV TU
						UB UG

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
HIGHLAND	HGLDCA11DS0	09168	07696	5170	730	AA BA DA G4
909/425,649(0000-0999),862,863(0000-0999),863(1000-1999)						G5 G7 GC GD
909/863(2000-2999),863(5000-5999),863(7000-7999)						GQ HB II OR
909/863(9000-9999),864						PC PL PR PS
						RA SQ TJ UR
						UT UW UZ ZW
HIOUCHI	HICHCAXFRS2	07632	09077	2344	722	AA BA DA GM
707/458(3000-3999)						GR PC RC RD
						RF RM SQ
HOLLISTER	HLSTCA11DS0	08679	08521	5170	736	AA BA DA G4
831/630(0000-0999),630(1000-1999),630(2000-2999)						G5 G7 GC GD
831/630(3000-3999),630(5000-5999),630(6000-6999)						GQ IC IE IF
831/630(8000-8999),630(9000-9999),634(0000-0999)						IG PC PL PT
831/634(1000-1999),634(2000-2999),634(3000-3999)						RA RC RD RE
831/634(4000-4999),634(5000-5999),634(6000-6999)						RF RG RH SJ
831/634(7000-7999),634(8000-8999),635(0000-0999)						TJ UP UT UU
831/635(1000-1999),635(2000-2999),635(3000-3999)						UW UZ WG ZW
831/635(4000-4999),635(5000-5999),635(6000-6999)						
831/635(7000-7999),635(9000-9999),636,637,638						
HOLLYWOOD	HLWDCA01DS0	09205	07892	5170	730	AA BA DA GC
323/462,464,467,468,817(0000-0999),817(1000-1999)						GD GQ HB II
323/817(2000-2999),817(3000-3999),817(4000-4999)						OH OR PB PK
323/817(6000-6999),817(7000-7999),836(0000-0999),860,862						PR PS QA QE
323/956,957,962,993						RA RC RD RE
						RF RG RH RM
						SK SN SR ST
						TJ UC UR UT
						UW UZ VF VP
						WG WH ZX

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
HOLLYWOOD	HLWDCA01DS1	09205	07892	5170	730	AA BA DA GC
323/308(1000-4999),308(6000-6999),382(0000-0999),460,461						GD GQ HB IC
323/463,465,466,469,769(0000-8999),856(0000-0999)						ID IE IF IG
323/856(2000-9999),871,960						II PB PK PR
						PS QA QE RA
						RC RD RE RF
						RG RH RM SN
						SQ ST TJ UC
						UR UT UW UZ
HOLLYWOOD	HLWDCA01RS3	09205	07892	8707	730	DA DD G2 GD
/						GE GJ GN GQ
						HB HC IA IB
						IC IF IG IH
						II QA
HOLTVILLE	HLVLCA11RS3	09391	07312	5170	732	AA BA DA G4
760/356(1000-1999),356(2000-2999),356(3000-3999)						G5 G7 GC GD
760/356(4000-4999),356(5000-5999),356(9000-9999)						IC ID IE IF
						IG PC PL PT
						RA RC RD RE
						RF RG RH SJ
						SQ UP UR UT
						UU UW UZ WG
						ZW
HOMELAND	HMLDCAXF92H	09247	07655	2319	730	BA DA GC GD
/						GE GG GJ GN
						GR HB HD II
						PC PL RC RD
						SH SN SQ TG
						TI TU UG VM
						ZZ
HOMELAND	HMLDCAXFRP0	09247	07655	2319	730	DC DD GQ GR
951/223(2000-2999),325(2000-2999),325(5000-5999)						HB HI JD
951/325(7000-7999),325(8000-8999),490(0000-0999)						
951/491(0000-0999),492(0000-0999),926						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
HOMESTEAD VALLEY	HMVYCAXFRS4	09113	07558	2319	973	AA BA DA GC
760/364(1000-4999)						GD GE GG GM
						GN GR HB HD
						II PC PL SH
						SQ TU VM
HOMEWOOD	HMWDCA11RS0	08168	08369	5170	726	BA DA G4 G5
530/525(0000-0999),525(1000-1999),525(4000-4999)						G7 GC GD IC
530/525(5000-5999),525(6000-6999),525(7000-7999)						ID IE IF IG
530/525(9000-9999)						PC PL PR PU
						RA RC RD RE
						RF RG RH SJ
						SQ UP UT UU
						UW UZ ZW
HOOPA	HOPACAXFRS3	07795	09000	4420	724	DA GE GM GN
530/625(1000-1999),625(4000-5999)						GR II
HOPLAND	HPLDCA12RS0	08244	08866	5170	722	AA BA BC DA
707/744(1000-1999),744(7000-7999),744(8000-8999)						G4 G5 G7 GC
						GD IC ID IE
						IF IG II OR
						PC PL PT RA
						RC RD RE RF
						RG RH RM SJ
						SN SV UG UR
						UT UU UW UZ
						VE VM WG ZW
HORNBROOK	HRBKCA11RS0	07591	08832	5170	724	BA DA GC GD
530/475(0000-0999),475(1000-1999),475(3000-3999)						IC ID IF PC
						PL PT RA UU
						UZ ZW
HORNITOS	HRNTCAXGDS0	08514	08338	2322	738	AA BA DA GN
209/376,378						OE TJ TZ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
HUGHSON	HGSNCA11RS0	08505	08449	5170	738	AA BA DA G4
209/883(0000-0999),883(1000-1999),883(2000-2999)						G5 G7 GC GD
209/883(3000-3999),883(4000-4999),883(8000-8999)						IC ID IE IF
209/883(9000-9999)						IG OR PC PL
						PT PU RA SJ
						SN SV UT UU
						UW UZ WG WH
						ZW
HUNTINGTON BEACH	HNBHCAXF84C	09280	07820	2319	730	AA BA DA GC
714/375,596,841,842,843,847,848						GD GE GG GJ
						GN GR HB HD
						II PA PJ RC
						RD SH SN SQ
						TG TI TJ TU
						UA UG UR VM
						WD WE WF WG
						WH WI WJ ZZ
HUNTINGTON BEACH	HNBHCAXG96L	09290	07819	2319	730	AA BA DA GC
714/374,536,960,969						GD GE GG GJ
						GN GR HB HD
						II PB PK RC
						RD SN SQ TG
						TI TJ TU UA
						UG UR VM WD
						WE WF WG WH
						WI WJ ZZ
HUNTINGTON BEACH	HNBHCAXH96A	09284	07813	2319	730	AA BA DA GC
714/378,593,962,963,964,965,968						GD GE GG GJ
						GN GR HB HD
						II PB PK RC
						RD SN SQ TG
						TI TJ TU UA
						UG UR VM WD
						WE WF WG WH
						WI WJ ZZ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
HUNTINGTON BEACH	HNBHCAXL84S	09280	07828	2319	730	AA BA DA GC
562/592(0000-0999),592(1000-1999),592(2000-2999)						GD GE GG GJ
562/592(3000-3999),592(4000-4999),592(5000-5999)						GN GR HB HD
562/592(6000-6999),592(7000-7999),592(9000-9999)						II PC PL RC
714/377,625(4000-4999),840,846						RD SN SQ TG
						TI TJ TU UG
						UR VM WD WE
						WF WG WH WI
						WJ ZZ
HUNTINGTON PARK	HNPKCA01DS0	09229	07871	5170	730	AA BA BC DA
323/214(4000-4999),277,581,582,583,584,585,586,587,588						G4 G5 G7 GC
323/589,605(0000-0999),775(5000-5999),826(1000-1999)						GD GQ HB IC
323/826(2000-2999),826(3000-3999),826(6000-6999)						ID IE IF IG
323/826(9000-9999)						II OR PB PK
						PR PS RA RC
						RD RE RF RG
						RH SJ SN SQ
						ST TJ UP UR
						UT UW UZ WG
						WH ZW
HURON	HURNCA11RS0	08793	08276	5170	728	AA BA DA G4
559/945(0000-0999),945(1000-1999),945(2000-2999)						GC GD II OR
559/945(7000-7999),945(9000-9999)						PC PL PR PS
						RA RC RD RE
						RF RG RH SJ
						UG UP UR WG
						WH ZW
HYDESVILLE	HYVLCA11RS1	07911	09060	5170	722	BA DA G4 GC
707/768(1000-1999),768(2000-2999),768(3000-3999)						GD PC PL PT
707/768(9000-9999)						RA SJ ST UG
						UR ZW

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
IDYLLWILD	IDYLCAXFRS3	09234	07591	2319	730	AA BA DA GC
951/659(0000-6999),659(8000-9999)						GD GE GG GJ
						GM GN GR HB
						HD II PC PL
						SD SE SH SQ
						TG TU VM ZZ
IGNACIO	IGNCCA12DS0	08435	08747	5170	722	AA BA DA G4
415/382,506(0000-0999),506(3000-3999),506(6000-6999),883						G5 G7 GC GD
415/884						GQ IC ID IE
						IF IG II OR
						PC PL PS RA
						RC RD RE RF
						RG RH SK ST
						TJ UG UR UT
						UU UW UZ WG
						WH ZW
IMPERIAL	IMPRCA11RS4	09389	07348	5170	732	AA BA DA G4
760/355(0000-0999),355(1000-1999),355(2000-2999)						G5 G7 GC GD
760/355(3000-3999),355(4000-4999),355(5000-5999)						IC ID IE IF
760/355(6000-6999),355(7000-7999),355(8000-8999)						IG PC PL PT
						RA RC RD RE
						RF RG RH SJ
						SQ UP UR UT
						UU UW UZ WG
						ZW
IMPERIAL BEACH	IMBHCA11DS0	09496	07616	5170	732	AA BA DA G4
619/423,424,429,575,628(0000-5999),628(8000-8999)						G5 G7 GC GD
						GE GQ II OR
						PC PL PR PU
						RA SJ SN SQ
						TJ UP UT UU
						UW UZ WG WH
						ZW
INDEPENDENCE	INDPCAXFRS4	08617	07965	4420	730	DA GE GM GN
760/878(0000-0999),878(2000-3999)						II UG

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE				
INDIO /	INDICAXG00W	09225	07500	2319	973	HC	TU			
INDIO 760/342,347,775,863(0000-5999),863(7000-8999)	INDICAXGDS0	09225	07500	2319	973	AA	BA	DA	GC	(C)
						GD	GE	GG	GJ	(C)
						GN	GR	HB	HD	(C)
						II	PB	PK	RC	(C)
						RD	SH	SN	SQ	(C)
						TB	TI	TU	UG	(C)
						VM				(C)
INGLEWOOD 310/330(0000-5999),330(7000-9999),412,419,671,672,673 310/674,677,680,695(4000-4999),695(9000-9999) 323/678(0000-0999)	IGWDCA01DS0	09236	07893	5170	730	AA	BA	BC	DA	
						G4	G5	G7	GC	
						GD	GQ	HB	IC	
						ID	IE	IF	IG	
						II	OR	PC	PL	
						PR	PS	RA	RC	
						RD	RE	RF	RG	
						RH	SJ	SN	SQ	
						TJ	UP	UR	UT	
						UW	UZ	WG	WH	
						ZW				
INVERNESS 415/669(1000-1999),669(2000-2999),669(7000-7999) 415/669(9000-9999)	INVRCA11RS0	08432	08805	5170	722	AA	BA	DA	G4	
						G5	G7	GC	GD	
						GE	HB	II	OE	
						OR	PC	PL	PS	
						RA	RC	RD	RE	
						RF	RG	RH	SJ	
						SN	ST	UG	UR	
						UT	UU	UW	UZ	
						WG	ZW			
INYOKERN 760/377(3000-5999)	INYKCAXFRS2	08856	07856	4420	730	DA	GC	GD	GE	
						GM	GN	II	UG	

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE			
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--
IONE	IONECA11RS0	08342	08481	5170	738	BA	DA	G4	GC
209/274(0000-0999),274(1000-1999),274(2000-2999)						GD	IC	ID	IE
209/274(4000-4999),274(5000-5999),274(6000-6999)						IG	PC	PL	PT
209/274(8000-8999),274(9000-9999)						RA	SJ	SV	UG
						UT	UU	UW	UZ
						WG	WH	ZW	

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE	TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	--	-- -- --
IRVINE	IRVECAEIDS0	09279	07792	7240	730	BA	DA
213/218(2000-3999),218(6000-6999),271(1000-1999)							
213/271(2000-2999),271(9000-9999),275(3000-3999)							
213/279(3000-3999),296(3000-3999),310(4000-5999)							
213/330(0000-0999),330(1000-1999),330(2000-2999)							
213/330(3000-3999),330(4000-4999),330(7000-7999)							
213/330(8000-8999),334(3000-3999),337(0000-6999)							
213/337(9000-9999),410(3000-3999),428,457(0000-2999)							
213/457(4000-6999),457(8000-9999),477(1000-1999)							
213/477(2000-2999),477(7000-7999),531(0000-0999)							
213/640(3000-3999)							
323/331(9000-9999),336(9000-9999),404(9000-9999)							
323/405(0000-0999),405(6000-6999),406(5000-5999)							
323/446(6000-6999),474(0000-0999),474(3000-3999)							
323/475(3000-3999),476(3000-3999),490(1000-1999)							
323/513(0000-1999),513(9000-9999),524(0000-0999)							
323/527(1000-1999),601(1000-1999),602(0000-1999)							
323/602(5000-5999),603(0000-0999),603(2000-5999)							
323/641(9000-9999),642(5000-5999),652(3000-3999)							
323/652(5000-5999),705(6000-6999),741(3000-3999)							
323/801(0000-2999),801(4000-4999),801(7000-7999)							
323/802(0000-2999),802(6000-7999),803(1000-2999)							
626/250(2000-2999),250(3000-3999),250(6000-6999)							
626/251(1000-1999),251(2000-2999),251(4000-4999)							
626/263(9000-9999),264(9000-9999),349(3000-3999)							
626/532(1000-1999),532(9000-9999),534(0000-0999)							
626/537(2000-2999),537(3000-3999),538(9000-9999)							
626/639(0000-2999),660(0000-3999),923(1000-3999)							
626/923(5000-5999),923(6000-6999)							
657/205(3000-5999),208(5000-5999),235(3000-3999)							
657/255(3000-3999),262(3000-3999),267(3000-3999)							
657/273(5000-5999),276(3000-3999),529(4000-4999)							
707/955(3000-3999)							
714/230(0000-1999),230(6000-6999),274(4000-4999)							
714/274(6000-6999),361(2000-3999),465(1000-1999),481							
714/548(3000-3999),591(1000-1999),591(2000-2999)							
714/591(4000-4999),591(9000-9999),660(0000-0999)							
714/676(0000-0999),676(2000-2999),676(9000-9999)							
714/756(2000-2999),763(0000-0999),763(1000-1999)							

-------- Continued on next page --------

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY CLLI WCV WCH CC LATA OFFICE TYPE
---------NPA/NXX---------- ---------- ----- ----- ---- ---- -- -- -- --

-------- Continued from previous page --------

714/763(2000-2999),763(3000-3999),763(9000-9999)
714/782(0000-0999),782(1000-1999),782(9000-9999)
714/783(0000-1999),783(4000-4999),820(1000-2999)
714/824(4000-5999),831(3000-3999),845(6000-6999)
714/849(0000-0999),849(1000-1999),849(2000-2999)
714/849(3000-3999),849(9000-9999),852(4000-4999)
714/868(4000-4999),869(0000-0999),869(2000-2999)
714/869(9000-9999),872(4000-4999),913(6000-6999)
714/923(0000-0999),923(1000-1999),923(2000-2999)
714/923(4000-4999),923(9000-9999),929(3000-5000)
714/933(1000-3999),933(9000-9999),941(1000-4999)
714/941(7000-7999),982(1000-1999),983(0000-0999)
714/983(9000-9999),988(0000-0999),988(1000-1999)
714/988(9000-9999)
747/205(5000-5999),224(3000-3999),234(3000-3999)
747/241(5000-5999)
760/549(4000-4999),582(8000-8999),640(3000-3999)
760/977(3000-3999)
805/874(3000-3999)
818/286(4000-8999),436(3000-3999),491(0000-0999)
818/491(5000-5999),491(9000-9999),492(3000-3999)
818/492(5000-5999),493(2000-5999),531(0000-0999)
818/531(3000-3999),531(9000-9999),539(1000-3999)
818/539(8000-9999),638(0000-0999),638(2000-2999)
818/638(4000-4999),661(1000-3999),661(6000-6999)
818/668(9000-9999),736(0000-0999),736(3000-4999),737
818/738(1000-1999),738(7000-7999),739(0000-1999)
818/739(3000-4999),739(6000-6999),741(1000-1999)
818/741(9000-9999),742(0000-4999),742(9000-9999)
818/745(1000-1999),854(3000-3999),921(8000-9999)
818/922(0000-1999),922(3000-3999),922(6000-6999)
818/924(9000-9999),939(0000-0999)
909/918(3000-3999)
949/610(0000-0999),610(1000-1999),610(8000-8999)
949/885(0000-0999),885(1000-1999),885(2000-2999)
949/885(3000-3999),885(4000-4999),885(5000-5999)
949/885(7000-7999),885(8000-8999),885(9000-9999)

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE	TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- --	-- --
IRVINE	IRVECAEIDS1	09279	07792	7240	730	BA	DA
/							

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE	TYPE
IRVINE	IRVECAEIDS2	09279	07792	7240	730	BA	DA

NPA/NXX

310/254(1000-2999),254(9000-9999),359(6000-6999)
310/507(0000-1999),507(8000-8999),526(0000-0999)
310/526(2000-2999),526(4000-4999),526(5000-5999)
310/526(9000-9999),579(9000-9999),728(2000-4999)
310/734(0000-3999),734(5000-5999),735(0000-0999)
310/735(9000-9999),736(3000-3999),736(9000-9999)
310/750(0000-4999),750(9000-9999),751(1000-3999)
310/751(5000-5999),751(9000-9999),752(1000-2999)
310/752(4000-4999),752(8000-8999),752(9000-9999)
310/765(1000-3999),765(5000-5999),765(9000-9999)
310/800(9000-9999),819(1000-1999),819(3000-4999)
310/819(9000-9999),844(0000-1999),844(9000-9999)
310/846(0000-3999),846(9000-9999),881(3000-3999)
310/893(1000-1999),893(2000-2999),893(5000-5999)
310/893(7000-7999),895(2000-2999),896(3000-3999)
310/953(0000-0999),953(9000-9999),954(0000-5999)
310/955(1000-3999),955(5000-5999),955(9000-9999)
310/957(3000-3999),957(6000-6999),971(4000-4999)
310/974(1000-1999),974(3000-3999),974(5000-5999)
310/975(0000-0999),975(2000-3999),975(7000-8999)
424/225(5000-5999),229(3000-3999),294(3000-3999)
424/296(6000-6999),301(3000-3999),301(4000-4999)
424/301(9000-9999),303(6000-6999),307(3000-3999)
424/310(3000-3999),313(3000-3999),318(3000-3999)
424/332(4000-4999),334(3000-3999),354(5000-5999)
424/359(3000-3999),360(3000-3999),361(3000-3999)
424/388(3000-3999),393(3000-3999),410(4000-4999)
424/526(7000-7999),531(6000-6999),535(2000-2999)
424/610(3000-3999),750(7000-8999)
562/263(2000-2999),263(5000-5999),340(0000-0999)
562/340(4000-4999),343(9000-9999),382(1000-1999)
562/382(6000-6999),383(9000-9999),384(4000-4999)
562/384(5000-5999),506(0000-2999),506(9000-9999)
562/528(3000-3999),528(5000-5999),528(7000-7999)
562/565(1000-1999),565(2000-2999),565(6000-6999)
562/565(8000-8999),566(1000-1999),566(4000-4999)
562/567(2000-2999),567(6000-6999),567(9000-9999)
562/582(1000-1999),791,912(6000-6999)

-------- Continued on next page --------

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY CLLI WCV WCH CC LATA OFFICE TYPE
---------NPA/NXX---------- ---------- ----- ----- ---- ---- -- -- -- --

-------- Continued from previous page --------

661/219(0000-0999),219(2000-2999),219(6000-6999)
661/219(9000-9999),309(1000-1999),309(9000-9999)
661/964(6000-6999),977(5000-5999)
760/561(7000-7999),563(7000-7999),669(3000-3999)
760/810(4000-4999)
805/921(7000-7999)
818/977
909/351(2000-2999),366(4000-4999),378(4000-4999)
909/407(3000-3999),451(0000-0999),451(2000-2999)
909/451(4000-4999),487(3000-3999),582(3000-3999)
909/610(2000-2999),618(0000-0999),634(3000-3999)
909/655(3000-3999),689(4000-4999),939(7000-7999)
909/962(6000-6999),978(6000-6999),992(5000-5999)
949/204(5000-5999),207(5000-5999),214(0000-1999)
949/238(3000-3999),238(5000-5999),238(8000-8999)
949/238(9000-9999),245(0000-0999),299(4000-4999)
949/333(4000-4999),356(4000-4999),372(4000-4999)
949/427(4000-4999),431(7000-7999),432(3000-3999)
949/456(8000-8999),485(3000-3999),505(6000-7999)
949/538(3000-3999),538(4000-4999),541(3000-3999)
949/576(3000-3999),614(0000-2999),614(4000-4999)
949/614(7000-7999),656(2000-2999),705(4000-4999)
949/793(8000-8999),864(2000-2999),864(7000-7999),930
949/988(5000-6999)
951/241(8000-8999),246(6000-6999),256(5000-5999)
951/268(3000-3999),292(6000-6999),294(5000-5999)
951/306(3000-3999),324(5000-5999),331(7000-7999)
951/332(3000-3999),332(5000-5999),335(3000-3999)
951/373(4000-4999),374(3000-3999),384(7000-7999)
951/387(3000-3999),388(3000-3999),393(3000-5999)
951/435(6000-6999),436(7000-7999),466(3000-3999)
951/471(7000-7999),475(6000-6999),484(4000-4999)
951/494(3000-3999),571(8000-8999),572(5000-5999)
951/603(5000-5999),704(7000-7999),708(4000-4999)
951/777(3000-3999),789(3000-3999),797(5000-5999)
951/892(7000-7999),893(4000-4999),902(6000-6999)
951/916(8000-8999)

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
IRVINE	IRVNCA01DS0	09279	07781	5170	730	BA DA GC GD
949/262,286,451,551,552,559,651,653,654,726(0000-0999)						GQ HB OH OR
949/726(1000-1999),726(3000-3999),726(5000-5999)						PC PL PR PS
949/726(6000-6999),726(8000-8999),726(9000-9999),733						RA RC RD RE
949/784(2000-2999),784(3000-3999),784(4000-4999)						RF RG RH SJ
949/784(5000-5999),784(6000-6999),784(7000-7999)						SN SQ ST TJ
949/784(8000-8999),786,857,936(1000-1999),936(3000-3999)						UP UR UT UW
949/936(5000-5999),936(6000-6999),936(7000-7999)						UZ WG WH ZW
949/936(8000-8999),936(9000-9999)						
IRVINE	IRVNCA1100W	09281	07792	5170	730	HC PR PS SU
/						UE
IRVINE	IRVNCA11DS0	09281	07792	5170	730	AA BA DA G4
949/222,223,224,225,250,251,253,399,437,440(0000-0999)						G5 G7 GC GD
949/440(2000-9999),474(0000-3999),474(4000-4999)						GE GQ HB II
949/474(5000-9999),553,660,724,752,756,757						OH PA PJ PR
949/798(0000-8999),809,862,863,955						PS QA QE RA
						RC RD RE RF
						RG RH SF SP
						SQ ST SU TJ
						UE UG UP UR
						UT UU UW UZ
						WG WH
IRVINE	IRVNCA11DS1	09281	07792	5170	730	AA BA DA G4
949/221,252,260,261,263,442,475,476,477,567,622,794						G5 G7 GC GD
949/797(0000-0999),797(1000-1999),797(2000-2999)						GE GQ HB II
949/797(3000-3999),797(4000-4999),797(5000-5999)						PA PJ PR PS
949/797(8000-8999),797(9000-9999),833,838(0000-0999)						QA QE RA RC
949/838(1000-1999),838(2000-2999),838(3000-3999)						RD RE RF RG
949/838(8000-8999),838(9000-9999),851,852,975(0000-2999)						RH SK SR ST
949/975(7000-8999)						SU TJ UE UG
						UR UT UU UW
						UZ VF VP WG
						WH ZX

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
IRVINE /	IRVNCA11RS3	09281	07792	8707	730	DA DD G2 GD GE GJ GN GQ HB HC IA IB IC IF IG IH II QA
IRVINE 949/341,450,453,585,726(4000-4999),727,753,754 949/783(1000-1999),784(1000-1999),788(0000-0999) 949/788(2000-2999),788(3000-3999),788(4000-4999) 949/788(5000-5999),788(6000-6999),788(7000-7999) 949/788(8000-8999),788(9000-9999),789,790,923(2000-2999) 949/923(3000-3999),923(4000-4999),923(6000-6999) 949/932(1000-9999),975(3000-6999)	IRVNCA12DS0	09286	07771	5170	730	AA BA DA G4 G5 G7 GC GD GE GQ HB OR PB PK PR PS RA SJ SQ TJ WG WH ZW
ISLETON 916/777(4000-4999),777(5000-5999),777(6000-6999) 916/777(7000-7999),777(9000-9999)	ISTNCAXFRS2	08397	08591	2308	726	AA BA DA GC GD GM GR HJ RC RD SN SQ
IVANHOE 559/798(0000-0999),798(1000-1999),798(2000-2999) 559/798(3000-3999)	IVNHCA11RS0	08733	08128	5170	728	AA BA DA G4 G5 G7 GC GD II OR PC PL RA RC RD RE RF RG RH SJ UP WG ZW
JACKSON 209/223,257(0000-0999),257(1000-1999),257(5000-5999) 209/257(7000-7999)	JCSNCA01DS1	08339	08454	5170	738	AA BA DA G4 GC GD GQ IC ID IE IG PC PL PT RA RC RD RE RF RG RH SK SR UG UR UT UU UW UZ WG WH ZX
JACUMBA /	JCMBCA11DS1	09460	07451	5170	732	ZW

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
JACUMBA	JCMBCA11DS3	09460	07451	5170	732	SJ
/						
JACUMBA	JCMBCA11RS0	09460	07451	5170	732	AA BA DA G4
619/766(0000-0999),766(1000-1999),766(3000-3999)						G5 G7 GC GD
619/766(4000-4999),766(9000-9999)						II PC PL PR
						PU RA SJ SN
						SQ UP UT UU
						UW UZ WG WH
						ZW
.....						
JAMESTOWN	JMTWCA11RS0	08420	08382	5170	738	BA DA G4 GC
209/984(0000-5999),984(8000-8999)						GD IC ID IF
						PC PL PT RA
						SJ SV UR UT
						UU UW UZ ZW
.....						
JAMUL	JAMLCA60RS0	09459	07579	5170	732	AA BA DA G4
619/669(0000-0999),669(1000-1999),669(2000-2999)						G5 G7 GC GD
619/669(3000-3999),669(4000-4999),669(6000-6999)						HA IC ID IE
619/669(7000-7999),669(9000-9999)						IF IG OR PC
						PL PR PU RA
						SJ SQ UP UT
						UU UW UZ WG
						ZW
.....						
JANESVILLE	JNVLCAXFRS0	07910	08463	2308	724	AA BA DA GC
530/253(0000-3999),253(9000-9999)						GD GN GR HJ
						RC RD SQ
.....						
JENNY LIND	JNLNCAXFRS0	08398	08463	2301	738	BA DA G2 G4
209/786						GI GN GR HB
						HD HJ IA IB
						IC II SH SP
						SQ ST SW TJ
						UA UG WE

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
JOSHUA TREE	JSTRCAXFRS2	09138	07535	2319	973	AA BA DA GC
760/366						GD GE GG GM
						GN GR HB HD
						II PC PL RC
						RD SH SN SQ
						TU VM
JULIAN	JULNCA12RS1	09374	07544	5170	732	AA BA DA G4
760/765(0000-0999),765(1000-1999),765(2000-2999)						G5 G7 GC GD
760/765(3000-3999),765(4000-4999),765(9000-9999)						IC ID IE IF
						IG OR PC PL
						PR PU RA SJ
						SQ UP UT UU
						UW UZ WG ZW
JUNE LAKE	JNLKCAXFRS1	08427	08147	4420	730	DA GC GD GE
760/648(1000-1999),648(7000-7999)						GM GN II UG
KEDDIE	KEDDCAXFRS0	07983	08527	2308	724	AA BA DA GC
530/281(0000-0999),281(6000-6999),281(9000-9999)						GD GN GR HJ
						RC RD SQ
KELSEYVILLE	KLVLCA12RS0	08239	08819	5170	722	AA BA DA G4
707/278(0000-0999),279(0000-0999),279(1000-1999)						GC GD IC ID
707/279(2000-2999),279(3000-3999),279(4000-4999)						IF PC PL PT
707/279(6000-6999),279(7000-7999),279(8000-8999)						RA SN UT UU
707/279(9000-9999)						UW UZ ZW
KENNEDY MEADOWS	KDMNCAXF850	08790	07919	2313	728	BA DA GC GD
559/850						GL GN GR TJ
KENWOOD	KNWDCAXFDS0	08357	08758	2319	722	AA BA DA GC
707/833(1000-1999),833(2000-2999),833(4000-4999)						GD PC RC RD
707/833(5000-5999),833(6000-6999)						SN SQ
KERMAN	KRMNCAXF84E	08677	08285	2324	728	BA DA GC GD
559/842,843,846						HD OE RC RD
						T9 TJ TZ XE

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
KERNVILLE	KRVLCAXFRS1	08851	07968	4420	730	DA GE GM GN
760/376(1000-1999),376(2000-2999),376(3000-3999)						II UG
760/376(4000-4999),376(6000-6999),376(8000-8999)						
KING CITY	KGCYCA11DS1	08813	08457	5170	736	BA DA G4 GC
831/385,386(0000-0999),386(2000-5999),386(7000-9999)						GD GQ IC ID
						IF OH PC PL
						RA RC RD RE
						RF RG RH ST
						UP UR UT UU
						UW UZ ZW
KING CITY	KGCYCA11DS3	08813	08457	5170	736	SJ
/						
KINGSBURG	KGBGCA11RS0	08713	08190	5170	728	AA BA DA G4
559/897						G5 G7 GC GD
						IC ID IE IF
						IG OR PC PL
						PR PS RA RF
						RG RH SJ SN
						SQ UP UT UU
						UW UZ WG ZW
KLAMATH	KLMTCAXFRS1	07688	09070	2344	722	AA BA DA GM
707/482(0000-0999),482(1000-1999)						GR PC RC RD
						RF RM SQ
KNIGHTS FERRY	KNFYCA11RS0	08452	08423	5170	738	AA BA DA G4
209/881(0000-1999),881(3000-3999)						G5 G7 GC GD
						IC ID IE IF
						IG PC PL PT
						PU RA RB SH
						SV UG UT UU
						UW UZ ZW
KNIGHTS LANDING	KNLDCAXFDS0	08259	08625	4420	726	DA GG GJ GN
530/735(6000-6999)						GR HB HD II
						UG VM

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
KYBURZ	KYBRCA11RS1	08233	08370	5170	726	AA BA DA G4
530/293(0000-0999),293(1000-1999),293(3000-3999)						G5 G7 GC GD
						II PC PL PT
						RA RC RD RE
						RF RG RH SJ
						SN SQ ST UG
						UP UR UT UU
						UW UZ WG WH
						ZW
LA CANADA	LACNCA11DS0	09179	07870	5170	730	AA BA DA GC
818/354,393						GD GE GQ HB
						II OR PC PL
						PR PS RA RC
						RD RE SJ SQ
						TB TE TM TN
						TP TQ TS TT
						UG UP UR UT
						UW UZ WG WH
						ZW
LA CRESCENTA	LACRCA11DS0	09176	07881	5170	730	AA BA BC DA
818/236,248,249,541,542,790,949(0000-0999)						G4 G5 G7 GC
818/949(4000-4999),949(5000-5999),949(7000-7999)						GD GQ HB IC
818/949(9000-9999),952,957						ID IE IF IG
						II OR PC PL
						PR PS RA RC
						RD RE RF RG
						RH SJ SN SQ
						TJ UP UT UW
						UZ WG WH ZW
LA GRANGE	LGRNCA12RS0	08478	08365	5170	738	AA BA DA G4
209/852(0000-0999),852(1000-1999),852(2000-2999)						G5 G7 GC GD
209/852(9000-9999),853(2000-2999)						IC ID IE IF
						IG PC PL PT
						RA SJ SN SV
						UT UU UW UZ
						WG WH ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
LA HABRA	LAHBCAXFDS0	09229	07822	2319	730	AA BA DA GC
562/266(0000-0999),266(1000-1999),266(2000-2999)						GD GE GG GJ
562/266(3000-3999),266(5000-5999),321(2000-2999),690,691						GN GR HB HD
562/694,697,905(0000-0999),905(2000-2999),905(3000-3999)						II PB PK RC
562/905(5000-5999),905(8000-8999),905(9000-9999)						RD SH SN SQ
						TB TG TI TJ
						TU UA UG UR
						VM WD WE WF
						WG WH WI WJ
						ZZ
LA HONDA	LAHNCA11RS0	08593	08685	5170	722	AA BA DA G4
650/747(0000-0999),747(1000-1999),747(9000-9999)						G5 G7 GC GD
						HB IC ID IE
						IF IG OR PC
						PL PS RA RC
						RD RE RF RG
						RH SJ ST UG
						UR UT UU UW
						UZ ZW
LA JOLLA	LAJLCA11DS0	09445	07656	5170	732	AA BA DA GC
858/454,456,459,551,729(0000-2999),729(5000-7999)						GD GE II OR
858/729(9000-9999)						PC PL PR PU
						QA QE RA RC
						RD RE RF RG
						RH SK SN SQ
						ST TJ UP UR
						UT UU UW UZ
						WG WH ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
LA MESA	LAMSCA01DS0	09454	07607	5170	732	AA BA BC DA
619/337(0000-3999),337(6000-9999),460,461,462,463,464						G4 G5 G7 GC
619/465,466,469,589,644,667,668,697,698,740(0000-0999)						GD GE GQ IC
619/740(2000-2999),740(3000-3999),740(4000-4999)						ID IE IF IG
619/740(5000-5999),740(6000-6999),740(7000-7999)						II OH OR PB
619/740(8000-8999)						PK PR PU QA
						QE RA RB RC
						RD RE RF RG
						RH SK SN SQ
						ST TJ UP UR
						UT UU UW UZ
						WG WH ZW
LA PUENTE	LAPNCAXF91K	09213	07815	2319	730	AA BA DA GC
626/854,912,913,935(0000-4999),935(6000-8999)						GD GE GR HB
						PA PJ RC RD
						SH SN SQ TG
						TU UR WD WE
						WF WG WH WI
						WJ ZZ
LA PUENTE	LAPNCAXFDS1	09213	07815	2319	730	AA BA DA GC
626/581(0000-4999),581(7000-9999),810,839,964,965						GD GG GJ GN
						GR HB HD II
						PA PJ RC RD
						SH SN SQ TB
						TI TJ TU UA
						UG UR VM WD
						WE WF WG WH
						WI WJ ZZ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
LA PUENTE	LAPNCAXGDS0	09211	07823	2319	730	AA BA DA GC
626/330,333,336,369,855,933,934,937,961,968						GD GG GN GR
						HB HD II PA
						PJ RC RD SH
						SN SQ TB TG
						TI TJ TU UA
						UG UR VM WD
						WE WF WG WH
						WI WJ ZZ
LA PUENTE	LAPNCAXLDS0	09205	07824	2319	730	AA BA DA GC
626/822(2000-2999),822(4000-4999),850,916,917,918,919						GD GE GG GJ
626/931(1000-3999),931(5000-5999),931(7000-7999)						GN GR HB HD
626/931(8000-8999)						II PC PL RC
						RD SH SN SQ
						TB TG TI TJ
						TU UA UG UR
						VM WD WE WF
						WG WH WI WJ
						ZZ
LA QUINTA	LAQNCAXG56L	09236	07514	2319	973	AA BA DA GC
760/396(4620-4699),399(9300-9699),564,771(0000-6999)						GD GE GG GJ
760/771(8000-9999),777(1000-1999),777(4000-4999)						GN GR HB HD
760/777(6000-6999),777(7000-7999),777(8000-8999)						II PC PL RC
760/777(9000-9999)						RD SH SQ TI
						TU UG VM
LA VERNE	LVRNCAXF59H	09189	07793	2319	730	AA BA DA GC
909/392,593,596						GD GE GR HB
						PC PL RC RD
						SH SN SQ TG
						TJ TU UA UR
						WD WE WF WG
						WH WI WJ ZZ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
LAFAYETTE	LFYTCA11DS0	08464	08673	5170	722	AA BA DA G4
925/283,284,299,962(0000-0999),962(1000-1999)						G5 G7 GC GQ
925/962(6000-6999),962(9000-9999)						HB II OR PC
						PL PS RA RE
						RF RG RH SJ
						ST TJ UR WG
						WH ZW
LAGUNA BEACH	LGBHCAXF49K	09309	07775	2319	730	AA BA DA GC
949/371(0000-0999),376,464(0000-0999),464(1000-1999)						GD GE GG GJ
949/464(2000-2999),464(3000-3999),464(6000-6999)						GN GR HB HD
949/464(9000-9999),494,497						II PC PL RC
						RD SN SQ TG
						TI TJ TU UG
						VM ZZ
LAGUNA NIGUEL	LGNGCA12DS0	09305	07762	5170	730	AA BA DA G4
949/249,349,360,362,363(0000-2999),363(4000-9999),389						G5 G7 GC GD
949/425,448,495,643,831						GQ HB IC ID
						IE IF IG OR
						PB PK PR PS
						RA SJ SN SQ
						TJ UP UT UW
						UZ WG WH ZW
LAKE ALMANOR	LKARCAABRS0	07931	08566	2308	724	AA BA DA GC
530/259(0000-0999),259(2000-5999)						GD GN GR HJ
						RC RD SQ
LAKE ALMANOR	LKARCAXFRS1	07926	08556	3402	724	BA DA GC GN
530/596(0000-0999),596(3000-3999),596(4000-4999)						GR HJ II RA
530/596(6000-6999)						RC RD RE RF
						RG RH

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
LAKE BERRYESSA	LKBRCA11RS1	08326	08706	5170	722	AA BA DA G4
707/966(0000-0999),966(1000-1999),966(9000-9999)						G5 G7 GC GD
						IC ID IF PC
						PL RA RF RG
						RH SN UT UU
						UW UZ ZW
LAKE HUGHES	LKHGCAXFRS1	09083	07934	2319	730	AA BA DA GC
661/724(0000-2999),724(9000-9999)						GD GE GM GR
						PC PL SH SQ
						TG TU ZZ
LAKE ISABELLA	LKISCAXFRS1	08879	07973	4420	730	AA DA GE GM
760/379,549(2000-2999)						GN II UG
LAKE LOS ANGELES	LKLACA11DS1	09079	07822	5170	730	AA BA DA G4
661/261(1000-1999),261(3000-3999),264(0000-0999)						GC GD GQ IC
661/264(1000-1999),264(2000-2999),264(3000-3999)						ID IF OR PC
661/264(4000-4999),264(9000-9999)						PL PR PS RA
						SJ SQ UP UT
						UW UZ ZW
LAKEPORT	LKPTCA02DS1	08228	08835	5170	722	AA BA DA G4
707/262(0000-0999),262(1000-1999),262(3000-3999)						GC GD GQ PC
707/262(4000-4999),262(5000-5999),263						PL PT RA RC
						RD RE RF RG
						RH SJ SN UR
						WG WH ZW
LAKESIDE	LKSDCA12DS0	09431	07590	5170	732	AA BA DA G4
619/390,443,561,938(0000-0999),938(1000-1999)						G5 G7 GC GD
619/938(6000-6999),938(7000-7999),938(8000-8999)						GQ II OH PC
619/938(9000-9999)						PL PR PU RA
						SK SN SQ TJ
						UP UT UU UW
						UZ ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
LAMONT	LAMTCA11RS0	08970	08037	5170	734	AA BA DA G4
661/845						G5 G7 GC GD
						IC ID IE IF
						IG OR PC PL
						PT PU RA RC
						RD RE RF RG
						RH SJ ST SU
						SV TB TE TF
						TM TN TP TQ
						TS TT UE UG
						UR UT UU UW
						UZ WG WH ZW
LANCASTER	LNCSCAXFDS0	09066	07861	2319	730	AA BA DA GC
661/423,727(1000-1999),946						GD GE GG GJ
						GN GR HB HD
						II PC PL SH
						SN SQ TG TI
						TU UG VM ZZ
LANCASTER	LNCSCAXG94K	09070	07882	2319	730	AA BA DA GC
661/723,726,728(0000-0999),728(2000-4999),728(9000-9999)						GD GE GR HB
661/729,940,942,945,948,949(0000-3999),949(5000-9999)						PB PK RC RD
661/951						SH SN SQ TD
						TG TH TJ TU
						UR WD WE WF
						WG WH WI WJ
						ZZ
LARKSPUR	LRKSCA11DS0	08463	08744	5170	722	AA BA DA G4
415/461,464(0000-0999),464(1000-1999),464(2000-2999)						G5 G7 GC GD
415/464(3000-3999),464(4000-4999),464(5000-5999)						GE GQ HB II
415/464(8000-8999),464(9000-9999),924,925,927,945						OE OR PC PL
						PS RA RC RD
						RE RF RG RH
						SJ SN ST TJ
						UG UR UT UU
						UW UZ WG WH
						ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
LATHROP	LTHPCAXFRS3	08465	08525	4420	738	DA GC GD GE
209/858(0000-7999),858(9000-9999)						GM GN II UG
LATON	LATNCA11RS0	08733	08211	5170	728	AA BA DA G4
559/922(0000-0999),922(4000-4999),923(1000-1999)						G5 G7 GC GD
559/923(4000-4999),923(5000-5999)						IC ID IE IF
						IG OR PC PL
						PR PS RA RF
						RG RH SJ SQ
						UP UT UU UW
						UZ ZW
LAYTONVILLE	LYVLCAXFDS0	08092	08942	4420	722	DA GC GD GN
707/984(6000-6999),984(7000-7999),984(8000-8999)						GR II
LE GRAND	LGRDCA11RS0	08573	08334	5170	738	AA BA DA G4
209/389(0000-0999),389(1000-1999),389(4000-4999)						G5 G7 GC GD
						IC ID IE IF
						IG OR PC PL
						PT RA RC RD
						RE RF RG RH
						RM SJ SV UG
						UR UT UU UW
						UZ WG WH ZW
LEBEC	LEBCCA11RS0	09059	08015	5170	734	AA BA DA G4
661/248(0000-0999),248(1000-1999),248(2000-2999)						G5 G7 GC GD
661/248(5000-5999),248(6000-6999)						ID IE IF IG
						OR PC PL PT
						PU RA RC RD
						RE RF RG RH
						SK SV UT UU
						UW UZ ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
LEBEC	LEBCCA12RS0	09064	08068	5170	734	AA BA DA G4
661/242(0000-0999),242(1000-1999),242(2000-2999)						G5 G7 GC GD
661/242(6000-6999)						IC ID IE IF
						IG PC PL PT
						PU RA RC RD
						RE RF RG RH
						SJ SV UT UU
						UW UZ ZW
LEE VINING	LVNGCAXFRS5	08390	08160	4420	730	DA GE GG GJ
760/647(6000-6999)						GM GN HD II
						TI UG VM
LEGGETT	LGGTCAXFRS4	08055	08984	4420	722	DA GC GD GM
707/925(6000-6999)						GN GR II
LEMON COVE	LMCVCAXFRS1	08728	08094	4420	728	DA GE GM GN
559/597(2000-2999)						II
LEMOORE	LEMRCA11DS0	08764	08224	5170	728	AA BA DA G4
559/924,925(0000-0999),925(1000-1999),925(2000-2999)						G5 G7 GC GD
559/925(3000-3999),925(5000-5999),925(6000-6999)						GQ II OR PC
559/925(7000-7999),925(8000-8999),925(9000-9999)						PL PT RA RF
						RG RH SJ SN
						SQ ST UG UP
						UR UT UU UW
						UZ WG WH ZW
LEMOORE	LEMRCA12RS0	08777	08240	5170	728	AA BA DA G4
559/997(0000-0999),997(7000-7999),997(8000-8999)						G5 G7 GC GD
559/998(0000-5999),998(8000-8999)						II OR PC PL
						PT RA RF RG
						RH SJ SN SQ
						ST UG UP UR
						UT UU UW UZ
						WG WH ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
LENWOOD	LNWDCAXFRS2	09003	07704	4420	730	AA DA GC GD
760/253(2000-2999),253(3000-3999),253(4000-4999)						GE GM GN GR
760/253(5000-5999),253(7000-7999)						II RC RD SV
						TU UB UG
LEONA VALLEY	LNVYCA11RS0	09092	07907	5170	730	AA BA DA G4
661/270(0000-0999),270(1000-1999),270(9000-9999)						G5 G7 GC GD
						GE HB II OR
						PC PL PR PS
						RA RC RD RE
						RF RG RH SJ
						SN SQ ST UR
						UT UW UZ ZW
LEWISTON	LSTNCA11RS1	07861	08852	5170	724	AA BA DA G4
530/778(0000-0999),778(1000-1999),778(3000-3999)						GC GD IC ID
530/778(9000-9999)						IE IG PC PL
						PT RA SN SQ
						UP UT UU UW
						UZ ZW
LINCOLN	LNCLCA11RS1	08231	08555	5170	726	AA BA DA G4
916/434(0000-4999),434(8000-9999),645						G5 G7 GC GD
						IC ID IE IF
						IG OR PC PL
						PR PU RA SJ
						SN UT UU UW
						UZ WG WH ZW
LINDEN	LNDNCAXFRSA	08419	08497	4420	738	DA GE GM GN
209/887(1000-1999),887(2000-2999),887(3000-3999)						II UG
209/887(9000-9999)						
LINDSAY	LNDSCAXF56K	08769	08100	2319	728	AA BA DA GC
559/562						GD GE GG GN
						HB HD II PC
						PL RC RD SN
						SQ VM

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
LITTLE ROCK	LTRKCA11DS1	09103	07843	5170	730	AA BA DA G4
661/944(0000-6999),944(8000-9999)						GC GD GQ IC
						ID IF OR PC
						PL PR PS RA
						RF RG RH SJ
						SN SQ UP UT
						UW UZ ZW
LIVE OAK	LVOKCA11RS0	08154	08627	5170	726	AA BA DA G4
530/695(0000-0999),695(1000-1999),695(2000-2999)						G5 G7 GC GD
530/695(3000-3999),695(5000-5999),695(8000-8999)						II PC PL RA
530/695(9000-9999)						RB RC RD RE
						RF RG RH RM
						SJ SN SQ UP
						UT UU UW UZ
						WG WH ZW
LIVERMORE	LVMRCA11DS0	08504	08606	5170	722	BA DA GQ HB
925/243(0000-0999),243(1000-1999),243(2000-2999)						IC ID IF II
925/243(3000-3999),243(4000-4999),243(6000-6999)						OH PB PK PS
925/243(8000-8999),243(9000-9999),456(0000-0999)						RA RE RF RG
925/456(1000-1999),456(2000-2999),456(3000-3999)						RH SK SN ST
925/456(5000-5999),456(6000-6999),456(7000-7999)						TJ UG UR UU
925/456(8000-8999),456(9000-9999),961(0000-0999)						UW UZ WG WH
925/961(1000-1999),961(9000-9999)						ZW
LIVERMORE	LVMRCA11DS1	08504	08606	5170	722	AA BA DA G4
925/245,294(1000-1999),294(2000-2999),294(3000-3999)						G5 G7 GC GD
925/294(4000-4999),294(5000-5999),294(6000-6999)						GQ HB II PB
925/294(7000-7999),294(8000-8999),294(9000-9999)						PK PS RA RC
925/371(0000-0999),371(1000-1999),371(2000-2999)						RD RE RF RG
925/371(3000-3999),371(4000-4999),371(5000-5999)						RH SD SK SN
925/371(6000-6999),371(7000-7999),371(8000-8999),373,422						SQ ST TJ UG
925/423,424,443,447,449,454,455(0000-2999)						UP UR UU UW
925/455(4000-9999),606,960(0000-0999),960(1000-1999)						UZ
925/960(2000-2999),960(4000-4999),960(6000-6999)						
925/960(8000-8999),960(9000-9999)						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
LIVINGSTON	LVTNCAXFDS0	08548	08419	2315	738	BA DA GI HD
209/394,398(6000-6999)						TJ TK
LOCKEFORD	LCFRCA11RS0	08388	08513	5170	738	AA BA DA G4
209/727(0000-0999),727(1000-1999),727(3000-3999)						G5 G7 GC GD
209/727(5000-5999)						IC ID IE IF
						IG PC PL PR
						PU RA RC RD
						RE RF RG RH
						SJ ST SV UG
						UR UT UU UW
						UZ WG WH ZW
LODI	LODICA01DS0	08396	08533	5170	738	AA BA DA G4
209/333,334,339,365(0000-0999),365(1000-1999)						G5 G7 GC GD
209/365(2000-2999),365(5000-5999),365(6000-6999)						GQ IC ID IE
209/365(7000-7999),365(8000-8999),365(9000-9999)						IF IG PC PL
209/366(0000-0999),366(1000-1999),366(2000-2999)						PR PU RA RC
209/366(5000-5999),366(6000-6999),366(7000-7999)						RD RE RF RG
209/366(8000-8999),366(9000-9999),367,368,369						RH ST TJ UG
						UR UT UU UW
						UZ WG WH
LODI	LODICA01RS3	08396	08533	5170	738	BA DA GC GD
209/331(1000-2999),331(7000-8999)						GE II PC PL
						PR PU RA RC
						RD RE RF RG
						RH RM SK SQ
						ST SU TB TE
						TF TJ TM TN
						TP TQ TS TT
						UE UG UP UR
						UT UU UW UZ
						WG WH
LOLETA	LOLTCA11RS1	07892	09082	5170	722	BA DA G4 GC
707/733(1000-1999),733(5000-5999),733(9000-9999)						GD PC PL PT
						RA SJ ST UG
						UR ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
LOMA LINDA	LMLNCAXF79L	09184	07700	2319	730	AA BA DA GC
909/478(0000-0999),478(1000-1999),478(3000-3999)						GD GE GG GJ
909/478(5000-5999),478(6000-6999),478(7000-7999)						GN GR HB HD
909/478(9000-9999),796,799						II PC PL RC
						RD SH SN SQ
						TG TI TJ TU
						UA UG UR VM
						WD WE WF WG
						WH WI WJ ZZ
LOMITA	LOMTCA11DS0	09271	07880	5170	730	BA DA GC GD
310/257,325,326,517,530,534,539,784,891						GQ HB II OR
424/251(7000-7999),328(2000-2999)						PC PL PR PS
						RA RF RG RH
						SD SJ SN SQ
						TJ UP WG WH
						ZW
LOMPOC	LMPCCAXF73K	09138	08293	2319	740	AA BA DA GC
805/735,736,737,740,742(0000-0999),742(2000-2999)						GD GE GG GJ
805/742(3000-3999),865(1000-1999),866(0000-0999)						GN HB HD II
805/944(5000-5999)						PB PK RC RD
						SH SN SQ TI
						TU UA UG UR
						VM WD WE WF
						WG WH WI WJ
						ZZ
LOMPOC	LMPCCAXGRS1	09128	08296	2319	740	AA BA DA GC
805/733(0000-0999),733(1000-1999),733(2000-2999)						GD GE GG GM
805/733(3000-3999),733(4000-4999),733(5000-5999)						GN HB HD II
805/733(6000-6999),733(7000-7999),733(9000-9999)						PC PL SH SQ
						TU UA VM ZZ
LONE PINE	LNPNCAXFRS5	08657	07934	4420	730	DA GE GM
760/876(1000-2999),876(4000-6999),876(8000-8999)						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE	TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- --	-- --
LONG BEACH	LNBHCATVDS0	09272	07857	7262	730	BA DA	GE GJ
310/218(0000-0999),218(1000-1999),218(5000-5999),300						GR HB	IB RC
310/437(1000-1999),460(0000-1999),460(6000-6999)						RD SH	SQ T1
310/494(3000-3999),496(4000-4999),500(2000-2999)						T2 UG	UP UR
310/570(1000-1999),571(9000-9999),575(2000-2999)						US	
310/579(0000-0999),579(8000-8999),591(2000-2999)							
310/602(0000-1999),633(8000-8999),697(0000-0999)							
310/697(1000-1999),697(4000-5999),862(7000-8999)							
310/867(6000-8999),909(0000-1999),909(2000-2999)							
310/909(5000-5999),975(1000-1999),975(6000-6999)							
310/997(3000-3999)							
323/209(6000-6999),214(0000-1999),214(3000-3999)							
323/214(7000-8999),215(0000-0999),215(3000-3999)							
323/215(4000-4999),272(6000-6999),274(7000-7999)							
323/284(0000-1999),284(9000-9999),286(0000-0999)							
323/286(4000-4999),287(0000-0999),287(1000-1999)							
323/287(2000-3999),302(0000-0999),315(6000-6999)							
323/342(2000-2999),351(2000-2999),488(7000-9999)							
323/517(2000-2999),571(4000-4999),602(2000-2999)							
323/606(0000-0999),606(4000-4999),606(5000-5999)							
323/606(6000-6999),645(3000-4999),648(8000-8999)							
323/698(1000-1999),837(4000-4999),866(4000-5999)							
323/867(9000-9999),904(0000-0999),904(1000-1999)							
323/904(4000-6999),904(8000-8999),948(0000-0999)							
323/948(4000-4999),988(8000-8999)							
415/962(1000-1999),962(7000-7999),962(9000-9999)							
424/203(2000-2999),203(3000-3999),204(8000-8999)							
424/247(1000-1999),333(7000-7999),653(1000-1999)							
424/901(6000-7999),901(8000-8999),903(3000-3999)							
562/245(0000-0999),245(1000-1999),245(3000-3999)							
562/245(4000-4999),271(0000-0999),271(4000-4999)							
562/271(6000-6999),286(7000-9999),309(0000-0999)							
562/309(2000-2999),309(6000-6999),309(8000-9999)							
562/319(0000-2999),319(4000-4999),319(6000-6999)							
562/328(2000-2999),388(6000-6999),457(5000-5999)							
562/484(5000-6999),536(0000-0999),536(4000-4999)							
562/733(0000-7999),740(0000-1999),740(3000-3999)							
562/740(4000-4999),741(0000-2999),741(4000-4999)							
562/742(0000-1999),742(7000-8999),753(8000-8999)							

-------- Continued on next page --------

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE	TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	--	-- -- --

-------- Continued from previous page --------

562/977(5000-5999)
626/202(0000-0999),202(1000-1999),203(0000-0999)
626/203(4000-4999),204(4000-5999),240(0000-0999)
626/240(2000-2999),240(4000-4999),275(0000-0999)
626/275(3000-3999),275(6000-7999),382(4000-5999)
626/537(4000-4999),581(5000-5999),600(5000-5999)
626/623(4000-5999),638(0000-0999),638(4000-4999)
626/638(6000-7999),638(9000-9999),736(1000-2999)
626/736(4000-4999),784(0000-0999),784(1000-2999)
626/784(3000-3999)
661/200(5000-5999),225(8000-8999),360(4000-4999)
661/361(7000-7999),362(9000-9999),430(7000-7999)
661/964(5000-5999)
714/274(0000-1999),274(2000-2999),594(4000-4999)
714/677(0000-1999),677(3000-5999),677(6000-6999)
714/793(5000-6999),845(0000-0999),845(9000-9999)
714/849(4000-4999)
805/204(2000-2999),265(5000-5999),273(6000-6999)
805/285(5000-5999),322(2000-2999),322(6000-6999)
805/330(2000-2999),381(5000-5999),418(4000-4999)
805/426(1000-1999),426(7000-8999),512(7000-9999)
805/626(2000-2999),728(6000-6999),768(0000-2999)
805/768(6000-6999),822(6000-6999),823(9000-9999)
805/917(5000-5999),921(2000-2999),978(4000-4999)
818/221(0000-0999),224(6000-6999),245(1000-1999)
818/245(3000-3999),245(4000-4999),245(7000-7999)
818/245(9000-9999),253(8000-8999),256(3000-3999)
818/274(3000-3999),274(5000-5999),282(1000-1999)
818/282(7000-7999),301(7000-7999),338(4000-4999)
818/356(0000-0999),356(2000-2999),356(4000-4999)
818/358(0000-1999),358(6000-7999),369(6000-6999)
818/369(8000-8999),441(0000-0999),441(5000-5999)
818/441(7000-7999),446(3000-3999),446(4000-4999)
818/456(5000-5999),477(0000-0999),478(2000-3999)
818/491(1000-2999),492(2000-2999),492(7000-7999)
818/576(7000-7999),584(3000-3999),672(3000-3999)
818/739(2000-2999),739(5000-5999),936(5000-6999)

-------- Continued on next page --------

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE	TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- --	-- --

-------- Continued from previous page --------

818/937(6000-6999),961(3000-3999)
909/202(4000-4999),382(8000-9999),419(7000-7999)
909/435(2000-2999),461(4000-4999),474(3000-3999)
909/474(5000-5999),565(1000-1999),583(0000-0999)
909/583(8000-8999),646(5000-5999),663(3000-3999)
909/663(5000-5999),677(4000-4999),697(1000-1999)
909/706(6000-6999),747(3000-3999),748(9000-9999)
909/863(6000-6999),900(4000-4999),907(0000-0999)
909/922(0000-0999)
949/315(2000-3999),315(4000-4999)
951/220(6000-6999),489(4000-4999),493(7000-7999)
951/493(8000-8999),552(6000-6999),571(1000-1999)
951/710(8000-9999)

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE	TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- --	-- --
LONG BEACH	LNBHCATVDS1	09272	07857	7262	730	BA DA	GE GJ
310/382(2000-2999),773(9000-9999),929(3000-3999)						GR HB	IB RC
310/961(5000-5999)						RD SH	SQ T1
323/274(0000-0999),287(8000-8999),301(4000-4999)						T2 UG	UP UR
323/318(5000-6999),318(7000-7999),332(3000-5999)						US	
323/335(1000-3999),337(8000-8999),338(7000-7999)							
323/345(5000-5999),345(6000-6999),488(6000-6999)							
323/739(3000-3999),832(3000-3999),832(6000-6999)							
323/832(8000-8999)							
424/201(4000-5999),204(0000-1999),206(4000-4999)							
424/214(1000-1999),214(2000-2999),214(3000-3999)							
424/226(1000-1999),245(1000-2999),247(0000-0999)							
424/442(1000-1999),644(3000-3999),644(8000-8999)							
424/832(1000-1999)							
562/206(7000-7999),222(7000-7999),249(6000-6999)							
562/249(7000-7999),249(8000-8999),264(0000-1999)							
562/265(1000-1999),265(5000-7999),296(6000-6999)							
562/324(6000-6999),368(5000-7999),372(3000-3999)							
562/372(5000-5999),375(6000-6999),376(9000-9999)							
562/381(7000-9999),478(4000-4999),489(7000-7999)							
562/490(8000-8999),637(8000-9999),645(7000-9999)							
562/786(8000-8999)							
626/239(3000-3999),249(6000-8999),316(7000-7999)							
626/325(5000-5999),325(6000-6999),384(2000-5999)							
626/387(6000-8999),404(2000-2999),410(4000-4999)							
626/410(6000-7999),657(3000-5999),701(3000-3999)							
626/701(5000-5999),768(7000-7999),802(1000-3999)							
626/898(4000-4999),898(7000-7999),898(9000-9999)							
661/206(4000-4999),209(3000-3999),209(5000-5999)							
661/249(5000-5999),249(6000-6999),262(5000-5999)							
661/262(7000-7999),270(2000-2999),367(5000-5999)							
661/414(8000-8999),424(3000-5999),449(4000-6999)							
661/463(5000-5999),480(1000-2999),670(5000-5999)							
661/678(6000-8999),727(2000-2999),753(8000-8999)							
661/857(8000-8999)							
714/487(5000-6999),793(2000-2999),793(4000-4999)							
714/849(5000-5999),849(7000-8999),861(3000-3999)							
760/266(3000-3999),266(5000-5999),308(5000-5999)							
760/308(6000-6999),308(8000-8999),608(8000-8999)							

-------- Continued on next page --------

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY CLLI WCV WCH CC LATA OFFICE TYPE
---------NPA/NXX---------- ---------- ----- ----- ---- ---- -- -- -- --

-------- Continued from previous page --------

760/628(3000-3999),677(3000-3999),733(2000-2999)
760/733(3000-3999),733(6000-6999),849(2000-2999)
760/856(5000-5999),856(7000-7999),903(1000-1999)
760/903(2000-2999),927(3000-3999)
805/233(6000-9999),244(4000-4999),246(1000-1999)
805/246(4000-4999),256(6000-6999),258(4000-5999)
805/258(7000-7999),262(6000-6999),272(6000-6999)
805/272(9000-9999),293(5000-5999),293(6000-6999)
805/334(6000-6999),334(7000-7999),334(9000-9999)
805/351(6000-6999),351(7000-7999),367(4000-4999)
805/367(7000-7999),380(2000-2999),386(7000-7999)
805/392(4000-4999),392(5000-5999),392(7000-7999)
805/516(2000-2999),516(4000-4999),516(6000-6999)
805/516(8000-8999),521(2000-2999),521(3000-3999)
805/613(6000-6999),715(5000-5999),728(2000-4999)
805/765(9000-9999),768(7000-9999),823(4000-4999)
805/823(6000-7999),830(2000-2999),920(6000-6999)
818/297(1000-1999),302(1000-4999),322(1000-3999)
818/394(6000-6999),396(3000-3999),436(4000-5999)
818/473(4000-4999),473(6000-8999),483(5000-5999)
818/484(2000-4999),492(1000-1999),533(3000-5999)
818/565(6000-8999),579(7000-9999),638(7000-7999)
818/659(3000-3999),659(7000-7999),671(2000-3999)
818/671(5000-5999),714(2000-2999),806(3000-3999)
818/859(1000-1999),924(0000-1999),924(6000-6999)
818/936(0000-0999),936(4000-4999),936(9000-9999)
909/206(1000-1999),236(5000-5999),245(1000-1999)
909/273(2000-2999),436(4000-4999),524(4000-4999)
909/525(1000-1999),565(4000-4999),570(5000-5999)
909/589(3000-3999),647(9000-9999),658(6000-8999)
909/697(2000-4999),705(3000-3999),726(9000-9999)
909/801(2000-2999),801(6000-7999),803(9000-9999)
909/804(5000-7999),918(5000-5999),992(3000-4999)
909/992(7000-7999)
949/281(3000-3999),281(5000-5999),415(2000-2999)
951/200(4000-4999),215(2000-3999),226(1000-2999)
951/240(3000-3999),254(9000-9999),260(1000-1999)

-------- Continued on next page --------

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
    -------- Continued from previous page --------

   951/325(1000-1999),327(4000-4999),327(9000-9999)
   951/389(3000-3999),468(1000-2999),489(0000-0999)
   951/527(3000-3999),565(9000-9999),566(8000-8999)
   951/572(7000-7999),575(3000-3999),579(5000-5999)
   951/582(4000-5999),599(7000-7999),602(6000-8999)
   951/692(3000-3999),708(2000-2999),708(3000-3999)
   951/722(3000-3999),727(5000-5999),744(2000-2999)
   951/746(1000-1999),797(6000-6999),840(2000-3999)
   951/878(3000-3999),916(6000-6999),934(6000-6999)
   951/972(1000-1999),973(5000-5999),992(4000-5999)
.......................................................................
LONG BEACH                  LNBHCAXFDS0 09271 07857 2319  730 AA BA DA GC
   562/283(7000-7999),432,435,436,437,491,495                GD GG GN GR
   562/499(0000-8999),570,590,624,628,901,951                HB HD II PA
   562/980(1000-1999),980(3000-3999),980(4000-4999)          PJ RC RD SH
   562/980(7000-9999),983                                    SN SQ TB TG
                                                             TJ TU UA UG
                                                             UR VM WD WE
                                                             WF WG WH WI
                                                             WJ ZZ
.......................................................................
LONG BEACH                  LNBHCAXFRS3 09271 07857 8707  730 DA DD G2 GD
      /                                                      GE GJ GN GQ
                                                             HB HC IA IB
                                                             IC IF IG IH
                                                             II QA
.......................................................................
LONG BEACH                  LNBHCAXGDS0 09261 07857 2319  730 AA BA DA GC
   562/290(0000-0999),290(1000-1999),290(4000-4999)          GD GG GN GR
   562/290(5000-5999),290(6000-6999),290(8000-8999),424,426  HB HD II PA
   562/427,490(0000-7999),490(9000-9999),492,595(0000-0999)  PJ RC RD SH
   562/595(1000-1999),595(4000-4999),595(5000-5999)          SN SQ TB TG
   562/595(6000-6999),595(7000-7999),595(8000-8999)          TJ TU UA UG
   562/595(9000-9999),933,981(0000-0999),981(1000-1999)      VM ZZ
   562/981(2000-2999),981(3000-3999),981(5000-5999)
   562/981(6000-6999),981(7000-7999),981(8000-8999)
   562/981(9000-9999),988,989,997

=======================================================================
```

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE				
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--	
LONG BEACH	LNBHCAXH42P	09254	07859	2319	730	AA	BA	DA	GC	
562/422,423,428,728(0000-0999),728(1000-1999)						GD	GE	GG	GJ	
562/728(2000-2999),728(4000-4999),728(5000-5999)						GN	GR	HB	HD	
562/728(6000-6999),728(8000-8999),728(9000-9999),984						II	PC	PL	RC	
						RD	SH	SN	SQ	
						TG	TI	TJ	TU	
						UA	UG	UR	VM	
						WD	WE	WF	WG	
						WH	WI	WJ	ZZ	
LONG BEACH	LNBHCAXLDS0	09268	07856	2319	730	AA	BA	DA	GC	
562/218,489(0000-2999),591,599(0000-0999),599(1000-1999)						GD	GE	GG	GN	
562/599(2000-2999),599(3000-3999),599(4000-4999)						GR	HB	HD	II	
562/599(5000-5999),599(6000-6999),599(7000-7999)						PC	PL	RC	RD	
562/599(8000-8999)						SH	SN	SQ	TB	
						TG	TI	TU	UA	
						UG	UR	VM	WD	
						WE	WF	WG	WH	
						WI	WJ	ZZ		
LONG BEACH	LNBHCAXMDS0	09267	07847	2319	730	AA	BA	DA	GC	
562/494,498,597,961(1000-1999),961(3000-3999)						GD	GE	GG	GJ	
562/961(4000-4999),961(5000-5999),961(6000-6999)						GN	GR	HB	HD	
562/961(7000-7999),961(8000-8999),961(9000-9999),985						II	PA	PJ	RC	
562/986(1000-1999),986(2000-2999),986(4000-4999)						RD	SH	SN	SQ	
562/986(5000-5999),986(6000-6999),986(7000-7999)						TG	TI	TJ	TU	
562/986(9000-9999)						UA	UG	UR	VM	
						WD	WE	WF	WG	
						WH	WI	WJ	ZZ	
LONG BEACH	LNBHCAXP00W	09257	07849	2319	730	HC				
/										
LONG BEACH	LNBHCAXP01T	09257	07849	2319	730	GB	HB	TD	TH	(C)
/						TU				(C)
LONG BEACH	LNBHCAXP01W	09257	07849	2319	730	HC				
/										

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
LONG BEACH                  LNBHCAXP22W 09257 07849 2319  730 HC
     /
.......................................................................
LONG BEACH                  LNBHCAXSDS0 09257 07849 2319  730 AA BA DA GC
   562/377(0000-0999),377(1000-1999),377(3000-3999)          GD GE GG GJ
   562/377(5000-5999),420,421,425,429,496,497,627,938        GN GR HB HD
   562/982(0000-0999),982(1000-1999),982(2000-2999)          II PA PJ RC
   562/982(5000-5999),982(6000-6999),982(7000-7999)          RD SH SN SQ
   562/982(8000-8999),982(9000-9999)                         TG TI TU UA
                                                             UG UR VM WD
                                                             WE WF WG WH
                                                             WI WJ ZZ
.......................................................................
LONG BEACH                  LNBHCAXT43K 09269 07849 2319  730 AA BA DA GC
   562/433,434,438,439,621,856(0000-0999),856(1000-1999)     GD GE GG GJ
   562/856(2000-2999),856(3000-3999),856(4000-4999)          GN GR HB HD
   562/856(5000-5999),856(7000-7999),856(8000-8999)          II PA PJ RC
   562/856(9000-9999),930,987                                RD SH SN SQ
                                                             TB TG TI TJ
                                                             TU UA UG UR
                                                             VM WD WE WF
                                                             WG WH WI WJ
                                                             ZZ
.......................................................................
LONG BEACH                  WLMGNCAAOMD 06556 01134 7625  428 BA DA
   910/208(3000-3999),210(3000-3999),269(4000-4999)
   910/300(3000-3999),319(3000-3999),461(2000-2999)
   910/461(3000-3999),535(3000-3999),557(3000-3999)
   910/632(5000-5999),632(6000-6999),632(7000-7999)
   910/632(8000-8999),632(9000-9999),775(6000-6999)
   910/816(5000-5999),816(6000-6999),933(9000-9999)
.......................................................................
LOOMIS                      LOMSCA11RS0 08246 08537 5170  726 AA BA DA G4
   916/652,660(0000-0999),660(1000-1999),660(7000-8999)      G5 G7 GC GD
   916/660(9000-9999)                                        IC ID IE IF
                                                             IG OR PC PL
                                                             PR PU RA SJ
                                                             UP UT UU UW
                                                             UZ WG WH ZW

=======================================================================
```

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
LOS ALAMOS	LSALCAXFRS1	09114	08264	2319	740	AA BA DA GC
805/344(1000-1999),344(2000-2999),344(3000-3999)						GD GE GG GM
805/344(4000-4999)						GN HB HD II
						PC PL SQ TU
						VM ZZ
LOS ALTOS	LSATCA11DS0	08577	08660	5170	722	BA DA G4 G5
650/559(0000-0999),559(1000-1999),559(2000-2999)						G7 GC GD GQ
650/559(3000-3999),559(5000-5999),559(7000-7999)						HB IC ID IE
650/559(8000-8999),559(9000-9999),917,941,947(0000-0999)						IF IG OR PC
650/947(1000-1999),947(2000-2999),947(3000-3999)						PL PR PS RA
650/947(4000-4999),947(5000-5999),947(6000-6999)						RE RF RG RH
650/947(8000-8999),947(9000-9999),948,949						SJ SN ST TJ
						UG UR UT UU
						UW UZ WG WH
						ZW
LOS ANGELES	LSAGCAXADS0	09214	07879	7283	730	BA DA GI GJ
/						GL GN GQ HA
						HD IA IB II
						SH SI UA UG
						UR UU
LOS ANGELES	LSAGCAXADSA	09214	07879	7283	730	BA DA GI GJ
/						GL GN GQ HA
						HD IA IB II
						SH SI UA UG
						UR UU
LOS ANGELES	LSAGCAXADSG	09214	07879	7283	730	BA DA GI GJ
/						GL GN GQ HA
						HD IA IB II
						SH SI UA UG
						UR UU

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE			
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--
LOS ANGELES	LSAGCAXADSH	09214	07879	7283	730	BA	DA	GI	GJ
/						GL	GN	GQ	HA
						HD	IA	IB	II
						SH	SI	UA	UG
						UR	UU		
LOS ANGELES	LSAJCAWZ6MD	09213	07878	668G	730	DA			
/									

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE			
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--
LOS ANGELES	LSAJCAWZDS1	09213	07879	4733	730	DA	DD	GJ	GL
213/226,233,234(0000-7999),234(9000-9999),235(0000-4999)						GN	GQ	GR	HB
213/235(9000-9999),402,403,404,405,406(0000-0999)						HJ	IA	IB	IC
213/406(1000-1999),406(2000-2999),406(3000-3999)						ID	IE	IG	II
213/406(4000-4999),406(5000-5999),406(6000-6999)						SH	SP	SQ	UG
213/406(8000-8999),406(9000-9999),412,415,417						UP	UR	UU	WE
213/534(0000-0999),534(1000-1999),534(2000-2999)						WF	WG	WH	WJ
213/534(3000-3999),534(4000-4999),534(5000-5999)									
213/534(9000-9999)									
310/220(6000-6999),237(7000-7143),237(7145-7999)									
310/242(8000-8999),254(3000-3999),270(9000-9999)									
310/279(4000-5999),356(2000-2999),356(4000-4999)									
310/427(3000-3999),430(7000-7999),439(3000-3999)									
310/460(7000-7999),525(3000-3999),531(2000-2999)									
310/590(4000-4999),622(7000-7999),622(8000-8999)									
310/626(9000-9999),651(9000-9999),667(9000-9999)									
310/689(7000-7999),691(7000-7999),698(1000-1999)									
310/706(6000-6999),707(4000-4999),733(2000-2999)									
310/745(5000-5999),752(0000-0999),774(3000-3999)									
310/802(4000-4999),803(5000-5999),808(6000-6999)									
310/862(1000-1999),862(3000-3999),878(8000-8999)									
310/883(7000-7999),894(7000-7999),903(4000-4999)									
310/903(5000-5999)									
323/275(5000-5999),315(1000-1999),315(3000-5999)									
323/315(7000-7999),315(9000-9999),316(9000-9999)									
323/317(9000-9999),318(1000-1999),318(8000-9999)									
323/319(0000-1999),319(9000-9999),325(9000-9999)									
323/327(9000-9999),328(1000-1999),328(9000-9999)									
323/329(9000-9999),330(0000-0999),330(1000-2999)									
323/330(6000-6999),330(8000-9999),337(0000-1999)									
323/337(9000-9999),517(9000-9999)									
424/702(3000-4999)									
562/293(0000-4999),293(9000-9999),296(1000-1999)									
562/296(9000-9999),299(0000-1999),299(5000-5999)									
562/299(6000-6999),299(9000-9999),303(1000-1999)									
562/303(9000-9999),304(1000-2999),304(7000-7999)									
562/361(1000-1999),361(4000-5999),361(9000-9999)									
562/415(1000-2999),447(1000-2999),448(1000-1999)									
562/448(9000-9999),576(0000-1999)									

-------- Continued on next page --------

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY CLLI WCV WCH CC LATA OFFICE TYPE
---------NPA/NXX---------- ---------- ----- ----- ---- ---- -- -- -- --

-------- Continued from previous page --------

626/208(3000-3999),236(1000-1999),236(4000-5999)
626/236(9000-9999),241(1000-1999),241(9000-9999)
626/242(1000-1999),242(9000-9999),243(1000-1999)
626/243(4000-5999),243(9000-9999),270,271(1000-1999)
626/271(9000-9999),388(1000-2999),388(9000-9999)
626/408(1000-1999),408(3000-3999),408(6000-7999)
626/408(9000-9999),410(1000-1999),410(9000-9999)
626/486(3000-3999),486(4000-4999),510(1000-1999)
626/510(9000-9999),593(3000-3999)
661/206(0000-0999),206(6000-6999),361(1000-1999)
661/362(0000-7999),367(2000-2999),367(9000-9999)
714/210(6000-7999),226(1000-1999),230(4000-4999)
714/230(7000-7999),244(3000-3999),249(7000-7999)
714/263(7000-9999),312(5000-5999),364(6000-6999)
714/388(3000-3999),415(3000-3999),415(5000-7999)
714/451(8000-8999),460(1000-1999),460(2000-2999)
714/460(4000-4999),475(5000-5999),780(3000-3999)
714/784(1000-1999),784(3000-4999),876(2000-2999)
760/269(3000-3999),946(7000-7999)
805/204(0000-0999),214(7000-7999),244(9000-9999)
805/246(6000-6999),267(0000-5999),267(7000-8999)
805/275(5000-5999),299(0000-4999),299(7000-9999)
805/322(9000-9999),351(1000-1999),351(8000-8999)
805/426(0000-0999),601(3000-3999),601(4000-4999)
805/856(9000-9999)
818/205(0000-0999),255(7000-7999),255(9000-9999)
818/256(8000-8999),336(9000-9999),338(9000-9999)
818/435(0000-0999),435(1000-1999),435(5000-5999),449
818/450(2000-2999),459(1000-1999),462(0000-0999)
818/476(1000-1999),476(3000-3999),488(5000-5999)
818/530(0000-0999),583(1000-1999),672(7000-7999)
818/686(7000-7999),827(0000-5999),827(7000-7999)
818/827(9000-9999),863(1000-1999)
909/303(8000-8999),348(9000-9999),433(2000-2999)
909/450(0000-0999),474(6000-6999),474(8000-8999)
909/510(4000-5999),510(6000-6999),510(8000-8999)
909/568(2000-2999),583(9000-9999),610(4000-4999)

-------- Continued on next page --------

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --

-------- Continued from previous page --------

909/752(2000-2999),802(7000-7999),912(0000-0999)
909/937(4000-4999)
949/265,267(0000-2999),267(4000-4999),267(9000-9999)
949/268(0000-5999),268(7000-9999),269(0000-1999)
949/269(4000-5999),269(9000-9999),270(0000-3999)
949/270(4000-4999),270(7000-9999),271,272(1000-4999)
949/272(7000-7999),313(0000-3999),313(5000-5999)
949/313(9000-9999)
951/231(1000-1999),246(5000-5999),253(4000-4999)
951/256(3000-3999),271(4000-4999),294(6000-6999)
951/300(4000-4999),300(5000-5999),436(3000-3999)
951/491(8000-8999),492(4000-4999),552(8000-8999)
951/572(3000-3999),602(9000-9999),727(4000-4999)
951/894(8000-8999)

LOS ANGELES /	LSANCA013TD	09213	07878	5170	730	G1 GB PR PS
LOS ANGELES /	LSANCA01F03	09213	07878	5170	730	OR PA PJ PR PS QA QE SP TJ UD WG WH
LOS ANGELES /	LSANCA01F06	09213	07878	5170	730	PA PJ PR PS QA QE SP TJ UD

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE			
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--
LOS ANGELES	LSANCA02DS3	09213	07878	5170	730	BA	DA	EA	GC
213/237(0000-0999),237(2000-2999),237(3000-3999)						GD	GQ	HB	OR
213/237(4000-4999),237(5000-5999),237(6000-6999)						PA	PJ	PR	PS
213/237(7000-7999),237(8000-8999),237(9000-9999)						QA	QE	RA	RC
213/253(0000-7999),253(9000-9999),473,485,628(0000-0999)						RD	RE	RF	RG
213/628(1000-1999),628(2000-2999),628(7000-7999)						RH	SC	SD	SE
213/628(8000-8999),628(9000-9999),680,808(1000-1999)						SF	SJ	SQ	ST
213/808(8000-8999),847,893(0000-0999),893(1000-1999)						TB	TE	TJ	TM
213/893(2000-2999),893(3000-3999),893(5000-5999)						TN	TP	TQ	TS
213/893(6000-6999),893(7000-7999),893(9000-9999)						TT	UP	UR	UT
213/922(1000-9999),928(0000-0999),928(4000-4999)						UW	UZ	WG	WH
213/928(8000-8999),928(9000-9999),972(0000-0999)						ZW			
213/972(1000-1999),972(2000-2999),972(3000-3999)									
213/972(4000-4999),972(5000-5999),972(7000-7999)									
213/972(8000-8999),972(9000-9999),974,978									
LOS ANGELES	LSANCA02DS4	09213	07878	5170	730	BA	DA	G4	G5
213/236,244,430,439,452,486(0000-0999),486(1000-1999)						G7	GC	GD	GQ
213/486(2000-2999),486(4000-4999),486(5000-5999)						HB	IC	ID	IE
213/486(6000-6999),486(7000-7999),486(8000-8999)						IF	IG	II	PA
213/486(9000-9999),533(1000-1999),533(3000-3999)						PJ	PR	PS	QA
213/533(4000-4999),533(5000-5999),533(7000-7999)						QE	RA	RC	RD
213/533(8000-8999),553,593,614,615(0000-0999)						RE	RF	RG	RH
213/615(1000-1999),615(2000-2999),615(3000-3999)						SC	SD	SE	SF
213/615(4000-4999),615(5000-5999),615(6000-6999)						SQ	ST	TB	TE
213/615(7000-7999),615(8000-8999),624,629,630(1000-1999)						TJ	TM	TN	TP
213/630(2000-2999),630(3000-3999),630(4000-4999)						TQ	TS	TT	UP
213/630(5000-5999),630(6000-6999),630(7000-7999)						UR	UT	UW	UZ
213/630(8000-8999),683,688,689,817(1000-1999)						ZZ			
213/817(3000-3999),817(6000-6999),891,892,895(0000-3999)									
213/895(5000-9999),955,988(0000-0999),988(1000-1999)									
213/988(2000-2999),988(3000-3999),988(4000-4999)									
213/988(5000-5999),988(8000-8999),988(9000-9999)									
213/996(1000-1999),996(2000-2999),996(3000-3999)									
213/996(4000-4999),996(5000-5999),996(6000-6999)									
213/996(7000-7999),996(8000-8999)									

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
LOS ANGELES	LSANCA02DS5	09213	07878	5170	730	BA DA GC GD
213/437(0000-0999),437(1000-1999),437(2000-2999)						IC ID IE IF
213/437(4000-4999),437(5000-5999),437(7000-7999)						IG II PA PJ
213/437(8000-8999),438(0000-0999),438(1000-1999)						PR PS QA QE
213/438(2000-2999),438(3000-3999),438(4000-4999)						RA RC RD RE
213/438(5000-5999),438(6000-6999),438(7000-7999)						RF RG RH SC
213/438(8000-8999)						SD SE SF SQ
						ST TB TE TJ
						TM TN TP TQ
						TS TT UP UR
						UT UW UZ ZZ
LOS ANGELES	LSANCA0300W	09213	07878	5170	730	HC PR PS SU
/						
LOS ANGELES	LSANCA0398T	09213	07878	5170	730	G1 GB GQ HB
213/520						PA PJ PR PS
310/520						
323/520						
626/520						
805/629						
818/520						
LOS ANGELES	LSANCA03DS1	09213	07878	5170	730	AA BA DA GC
213/217(0000-8999),229,257(2000-3999),346,356						GD GE GQ II
213/576(1000-1999),576(2000-2999),576(3000-3999)						OH PA PJ PR
213/576(4000-4999),576(5000-5999),576(6000-6999)						PS QA QE RA
213/576(7000-7999),576(8000-8999),613,617,620,621,625						RF RG RH SN
213/626(0000-8999),633(0000-6999),633(8000-9999),687,830						SR ST SU TB
213/894(0000-0999),894(1000-1999),894(2000-2999)						TE TG TJ TM
213/894(3000-3999),894(4000-4999),894(5000-5999)						TN TP TQ TS
213/894(6000-6999),894(7000-7999),894(8000-8999),897						TT UE UG UR
						VF VP WG WH
						ZX

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE			
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--
LOS ANGELES	LSANCA03DS2	09213	07878	5170	730	BA	DA	GC	GD
213/228(0000-2999),228(4000-4999),228(6000-9999)						GE	GQ	HB	II
213/239(0000-2999),239(5000-9999),243,312(0000-0999)						PA	PJ	PR	PS
213/312(1000-1999),312(2000-2999),312(3000-3999)						QA	QE	RA	RF
213/312(4000-4999),312(5000-5999),312(6000-6999)						RG	RH	SL	SN
213/312(8000-8999),312(9000-9999),327(0000-3999)						SP	SQ	ST	SU
213/347(0000-0999),347(2000-2999),347(3000-3999)						TB	TE	TG	TJ
213/347(6000-6999),347(7000-7999),347(8000-8999)						TM	TN	TP	TQ
213/362(0000-0999),362(1000-1999),362(2000-2999)						TS	TT	UE	UG
213/362(3000-3999),362(4000-4999),362(5000-5999)						UP	UR		
213/362(6000-6999),362(7000-7999),362(9000-9999)									
213/426(2000-2999),426(3000-3999),426(4000-4999)									
213/426(5000-5999),426(6000-6999),426(7000-7999)									
213/426(9000-9999),488,489,532(0000-3999),532(5000-5999)									
213/532(6000-6999),532(7000-7999),532(9000-9999)									
213/538(0000-0999),538(1000-1999),538(3000-3999)									
213/538(4000-4999),538(5000-5999),538(6000-6999)									
213/538(7000-7999),538(9000-9999),599(0000-0999)									
213/599(1000-1999),599(4000-4999),599(5000-5999)									
213/599(9000-9999),612,622,623,627,670(0000-0999)									
213/670(1000-1999),670(2000-2999),670(4000-4999)									
213/670(6000-6999),670(8000-8999),670(9000-9999)									
213/673(0000-0999),673(2000-2999),673(3000-3999)									
213/673(4000-4999),673(6000-6999),673(7000-7999)									
213/673(8000-8999),673(9000-9999),694(0000-0999)									
213/694(1000-1999),694(2000-2999),694(5000-5999)									
213/694(7000-7999),694(8000-8999),694(9000-9999)									
213/833(0000-0999),833(1000-1999),833(2000-2999)									
213/833(3000-3999),833(4000-4999),833(5000-5999)									
213/833(6000-6999),833(7000-7999),861(5000-5999)									
213/861(6000-6999),861(7000-7999),861(8000-8999)									
213/896(0000-6999),896(8000-9999)									
LOS ANGELES	LSANCA0470T	09213	07878	5170	730	G1	GB	GQ	HB
/						PC	PL	PR	PS
LOS ANGELES	LSANCA0527T	09230	07883	5170	730	PC	PL	PR	PS
/									

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
LOS ANGELES	LSANCA05DS0	09230	07883	5170	730	AA BA DA G4
323/541(0000-0999),541(1000-1999),541(9000-9999),565,750						G5 G7 GC GD
323/751,752,753,758,759,778,786(5000-5999)						GQ HB IC ID
323/789(0000-8999),971						IE IG OH OR
						PC PL PR PS
						RA SK SN SQ
						ST TJ UP UR
						UT UW UZ WG
						WH
LOS ANGELES	LSANCA06DS0	09210	07881	5170	730	AA BA BC DA
213/202,207(0000-5999),207(7000-9999),240,241(0000-2999)						G4 G5 G7 GC
213/241(3000-3999),241(4000-8999),250(0000-0999)						GD GQ HB IC
213/250(1000-1999),250(2000-2999),250(3000-3999)						ID IE IF IG
213/250(4000-4999),250(5000-5999),250(7000-7999)						II OR PB PK
213/250(8000-8999),250(9000-9999),273(0000-0999)						PR PS RA RF
213/273(1000-1999),273(2000-2999),273(7000-7999)						RG RH SJ SN
213/273(8000-8999),273(9000-9999),345,353,367,413						SQ TJ UP UR
213/481(0000-0999),481(1000-1999),481(2000-2999)						UT UW UZ WG
213/481(3000-3999),481(4000-4999),481(7000-7999)						WH ZW
213/481(8000-8999),481(9000-9999),482,483,484,580,975						
213/977,989						
LOS ANGELES	LSANCA07DS0	09236	07899	5170	730	AA BA DA GC
310/215,216(0000-7999),216(9000-9999),258,337,338,342						GD GE GQ HB
310/348,410,417(0000-0999),417(2000-9999),431(2000-2999)						II OR PA PJ
310/431(3000-3999),568,641,642,645,646,649,665,670						PR PS QA QE
323/776(8000-8999)						RA RC RD RE
424/646(5000-9999)						RF RG RH SK
						SN SR ST TB
						TE TF TJ TM
						TN TP TQ TS
						TT UG UR UT
						UW UZ VF VP
						WG WH ZX

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
LOS ANGELES                 LSANCA08DS0 09209 07900 5170  730 AA BA DA GC
   310/248(6000-9999),289,358,423,652,657,854(0000-0999)     GD GE GQ HB
   310/854(1000-1999),854(3000-3999),854(4000-4999)          IC ID IE IF
   310/854(5000-5999),854(6000-6999),854(7000-7999)          IG OR PB PK
   310/854(8000-8999),855(0000-0999),855(1000-1999)          PR PS RA RF
   310/855(6000-6999),855(7000-7999),855(8000-8999)          RG RH SJ SN
   310/855(9000-9999),967(0000-0999),967(1000-1999)          SQ TJ UP UT
   310/967(2000-2999),967(3000-3999),967(4000-4999)          UW UZ WG WH
   310/967(5000-5999),967(6000-6999),967(7000-7999)
   310/967(8000-8999)
   323/654,656,698(9000-9999),782,848(0000-3999)
   323/848(5000-9999),944(0000-0999),951
   424/314,315
.......................................................................
LOS ANGELES                 LSANCA08DS1 09209 07900 5170  730 AA BA BC DA
   310/360,601(9000-9999),659                                G4 G5 G7 GC
   323/370(1000-1999),370(2000-2999),370(8000-8999),575,619  GD GQ HB IC
   323/650,651,653,655,658,822(0000-0999),822(1000-1999)     ID IE IF IG
   323/822(2000-2999),822(3000-3999),822(4000-4999)          II PB PK PR
   323/822(7000-7999),822(9000-9999),852(0000-0999)          PS RA RF RG
   323/852(1000-1999),852(5000-5999),852(6000-6999)          RH SN SQ TJ
   323/852(7000-7999),852(8000-8999),852(9000-9999)          UP UT UW UZ
   323/866(1000-1999),866(2000-2999),866(3000-3999)          ZW
   323/866(6000-6999),866(7000-7999),866(8000-8999),966
.......................................................................
LOS ANGELES                 LSANCA09DS0 09217 07880 5170  730 AA BA BC DA
   213/741,742,743,744,745,746,747,748,749,763,765           GC GD GQ HB
                                                             IC ID IE IF
                                                             IG II OR PB
                                                             PK PR PS RA
                                                             RC RD RE RF
                                                             RG RH SJ SQ
                                                             TJ UP UT UW
                                                             UZ WG WH ZW
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
LOS ANGELES	LSANCA10DS0	09213	07895	5170	730	BA DA GC GD
323/525,549(0000-7999),549(9000-9999),634,692,954,965						GQ HB II OH
323/965						OR PB PK PR
						PS RA RC RD
						RE RF RG RH
						SJ SN SQ ST
						TJ UG UP UR
						UT UW UZ WG
						WH
LOS ANGELES	LSANCA10DS1	09213	07895	5170	730	BA BC DA G4
323/648(1000-1999),857,900(1000-4999),900(6000-8999),930						G5 G7 GC GD
323/931,932,933,934,935,936,937,938,939,964						GQ HB IC ID
						IE IF IG II
						PB PK PR PS
						RA RC RD RE
						RF RG RH SN
						SQ ST TJ UG
						UP UR UT UW
						UZ ZW
LOS ANGELES	LSANCA11DS0	09212	07884	5170	730	BA DA GC GD
213/339,467						HB II OR PB
						PK PR PS RA
						RC RD RE SD
						SJ SQ TB TE
						TJ TM TN TP
						TQ TS TT UP
						UT UW UZ WH
LOS ANGELES	LSANCA11DS1	09212	07884	5170	730	BA DA GC GD
213/249(9000-9999),351,368,381,382,384,387,388,389,427						GQ HB II PB
213/637,639(0000-0999),639(1000-1999),639(2000-2999)						PK PR PS RA
213/639(3000-3999),639(4000-4999),639(5000-5999)						RC RD RE SD
213/639(6000-6999),639(7000-7999),639(8000-8999),738,739						SQ TB TE TF
213/739						TJ TM TN TP
						TQ TS TT UP
						UT UW UZ WG
						WH ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
LOS ANGELES	LSANCA11DS2	09212	07884	5170	730	AA BA BC DA
213/251,252,365,380,383,385,386,480,487,736						G4 G5 G7 GC
213/908(0000-0999)						GD GQ HB IC
						ID IE IF IG
						II PB PK PR
						PS RA RC RD
						RE SD SQ TB
						TE TF TJ TM
						TN TP TQ TS
						TT UP UT UW
						UZ
LOS ANGELES	LSANCA12DS0	09204	07887	5170	730	AA BA DA GC
323/361,644,660,661,662,663,664,665,666,667(0000-0999)						GD GQ HB II
323/667(1000-1999),667(2000-2999),667(3000-3999)						OR PC PL PR
323/667(9000-9999),668,669,671(1000-1999),671(2000-2999)						PS RA RF RG
323/671(3000-3999),671(4000-4999),671(5000-5999)						RH SJ SQ TJ
323/671(7000-7999),674(0000-0999),783,906(0000-0999)						UP ZW
323/906(1000-1999),906(2000-2999),906(3000-3999)						
323/906(8000-8999),906(9000-9999),912,913,953						
LOS ANGELES	LSANCA13DS0	09238	07881	5170	730	BA DA GC GD
323/241(0000-1999),241(4000-4999),241(5000-6999),242						GQ HB II OR
323/418(0000-1999),418(3000-9999),420(0000-0999)						PC PL PR PS
323/420(2000-2999),600(0000-2999),600(6000-6999)						RA RF RG RH
323/600(8000-9999),754,755,756,757,777,779						SJ SQ TJ UP
323/820(0000-6999),820(9000-9999)						UT UW UZ WG
						WH ZW
LOS ANGELES	LSANCA14DS0	09223	07879	5170	730	BA BC DA G4
323/231,232,233,234,235,238(0000-0999),238(1000-1999)						G5 G7 GC GD
323/521(1000-1999),846,898(0000-0999)						HB IC ID IE
						IF IG II OR
						PC PL PR PS
						RA RC RD RE
						RF RG RH SJ
						SQ TJ UP UT
						UW UZ WG WH
						ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
LOS ANGELES	LSANCA15DS0	09225	07890	5170	730	AA BA BC DA
323/290,291,292,293,294,295,296(0000-0999)						G4 G5 G7 GC
323/296(1000-1999),296(2000-2999),296(3000-3999)						GD GQ HB IC
323/296(4000-4999),296(5000-5999),296(6000-6999)						ID IE IF IG
323/296(7000-7999),296(8000-8999),298,299,421(1000-1999)						II OR PC PL
323/421(2000-2999),545(9000-9999)						PR PS RA RC
						RD RE RF RG
						RH SJ SN SQ
						TJ UP UT UW
						UZ WG WH ZW
LOS ANGELES	LSANCA23DS0	09207	07873	5170	730	BA DA GC GD
323/221,222,223,224,225,226,227,276,342(0000-0999)						GQ HB II OR
323/342(1000-1999),342(4000-4999),342(6000-6999)						PC PL PR PS
323/342(8000-8999),342(9000-9999),343,352(1000-1999)						RA RF RG RH
323/409(1000-8999),441(0000-0999),441(1000-1999)						SJ SQ TJ UP
323/441(2000-2999),441(4000-4999),441(7000-7999)						UT UW UZ WG
323/441(8000-8999),441(9000-9999),539(2000-2999)						WH ZW
LOS ANGELES	LSANCA29DS0	09205	07897	5170	730	AA BA BC DA
323/436,512(0000-0999),512(2000-2999),512(3000-3999)						G4 G5 G7 GC
323/512(4000-4999),512(5000-5999),512(6000-6999)						GD GQ HB IC
323/512(7000-7999),512(8000-8999),512(9000-9999)						ID IE IF IG
323/845(0000-0999),845(1000-1999),845(3000-3999)						II OR PC PL
323/845(4000-4999),845(6000-6999),845(7000-7999)						PR PS RA RF
323/845(8000-8999),845(9000-9999),850,851,874,876,878						RG RH SJ SN
323/882,883,969						SQ TJ UP UT
						UW UZ ZW
LOS ANGELES	LSANCA34DS0	09215	07867	5170	730	AA BA DA GC
323/264,266(0000-8999),526(0000-7999),526(9000-9999)						GD GQ HB II
323/604(0000-0999),780,980(0000-5999),980(7000-9999),981						OR PB PK PR
323/981						PS RA RC RD
						RE RF RG RH
						SJ SQ ST TJ
						UG UP UR UT
						UW UZ WG WH

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
LOS ANGELES	LSANCA34DS1	09215	07867	5170	730	AA BA BC DA
323/260,261,262,263,265,267,268,269,307(0000-0999)						G4 G5 G7 GC
323/307(3000-3999),307(4000-4999),307(5000-5999)						GD GQ IC ID
323/307(8000-8999),307(9000-9999),415,729(0000-2999)						IE IF IG II
323/729(4000-9999),881						PB PK PR PS
						RA RC RD RE
						RF RG RH SQ
						ST TJ UG UP
						UR UT UW UZ
						ZW
LOS ANGELES	LSANCA35DS0	09217	07856	5170	730	AA BA DA GC
323/248(2000-6999),271(3000-3999),685(1000-1999),722,724						GD GQ HB II
323/832(0000-0999),832(1000-1999),832(2000-2999)						OH OR PB PK
323/832(4000-4999),832(5000-5999),832(7000-7999)						PR PS RA RC
323/832(9000-9999),838,869,887,890,947(0000-0999)						RD RE RF RG
						RH SK SN SQ
						TJ UG UP UR
						UT UW UZ WG
						WH
LOS ANGELES	LSANCA35DS1	09217	07856	5170	730	AA BA BC DA
323/278,720,721,723(0000-0999),725,726,727,728						G4 G5 G7 GC
323/837(0000-0999),837(1000-1999),837(2000-2999)						GD GQ HB IC
323/837(3000-3999),837(6000-6999),837(7000-7999)						ID IE IF IG
323/837(9000-9999),888,889(0000-8999)						II PB PK PR
						PS RA RC RD
						RE RF RG RH
						SN SQ TJ UG
						UP UR UT UW
						UZ ZX

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE			
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--
LOS ANGELES	LSANCA38DS0	09218	07887	5170	730	AA	BA	BC	DA
323/373(0000-0999),373(1000-1999),373(2000-2999)						G4	G5	G7	GC
323/373(9000-9999),643(0000-0999),730,731,732,733,734						GD	GQ	HB	IC
323/735,737,766						ID	IE	IF	IG
						OR	PC	PL	PR
						PS	RA	RC	RD
						RE	RF	RG	RH
						SJ	SN	SQ	TJ
						UP	UT	UW	UZ
						WG	WH	ZW	

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE	TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	--	-- -- --
LOS ANGELES	LSANCA54DS0	09282	07875	8782	730	AA	CA

213/478(0000-0999),867(0000-2999),867(5000-5999)
213/867(6000-6999),867(8000-9999),927(0000-4999)
213/927(8000-9999),929(5000-5999),986(3000-4999)
213/995(0000-5999),995(6000-6999),995(8000-9999)
310/227(8000-8999),280(7000-7999),464(8000-8999)
310/492(0000-0999),492(2000-2999),492(4000-4999)
310/492(6000-6999),492(7000-8999),492(9000-9999)
310/531(8000-8999),547(8000-8999),593(0000-0999)
310/593(2000-2999),593(6000-6999),593(8000-8999)
310/593(9000-9999),626(8000-8999),667(8000-8999)
310/684(2000-2999),693(0000-0999),693(2000-2999)
310/693(6000-7999),693(8000-9999),755(3000-3999)
310/803(8000-8999),954(8000-8999),957(2000-2999)
323/212(6000-6999),297(0000-2999),297(4000-9999)
323/383(0000-0999),383(9000-9999),386(0000-0999)
323/386(2000-2999),386(4000-4999),386(6000-9999)
323/389(0000-0999),389(1000-1999),389(2000-2999)
323/389(3000-3999),389(4000-4999),389(6000-6999)
323/389(9000-9999),446(0000-0999),446(3000-4999)
323/446(7000-8999),544(0000-2999),544(4000-4999)
323/544(6000-9999),622(0000-0999),622(2000-3999)
323/805(0000-0999),805(2000-2999),805(4000-4999)
323/805(5000-5999),805(6000-6999),805(8000-8999)
323/916(0000-0999),916(5000-5999),916(8000-8999)
323/940(0000-0999),940(2000-2999),940(4000-4999)
323/967(0000-0999),967(2000-2999),967(3000-3999)
323/967(4000-4999),967(5000-5999),967(6000-6999)
323/967(7000-7999),967(9000-9999),978(0000-2999)
323/978(4000-8999),983(0000-0999),983(2000-2999)
323/983(4000-9999)
424/205(1000-1999),218(5000-5999),232(8000-8999)
424/248(2000-2999),253(1000-1999),298(2000-2999)
424/298(6000-6999),603(2000-2999),646(4000-4999)
424/652(7000-7999),652(9000-9999),672(9000-9999)
424/675(2000-2999)
562/279(0000-2999),279(7000-9999),616(0000-1999)
562/616(6000-8999)
626/227(0000-2999),227(7000-9999),228(0000-0999)

-------- Continued on next page --------

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --

-------- Continued from previous page --------

626/228(1000-1999),228(2000-2999),228(3000-3999)
626/529(0000-2999),529(7000-9999),701(1000-1999)
626/956(0000-2999),956(4000-4999),956(8000-9999)
657/200(2000-2999),207(2000-2999),269(5000-5999)
657/622(2000-3999),888(6000-6999)
714/202(1000-2999),316(1000-1999),363(5000-5999)
714/380(3000-3999),380(6000-6999),383(9000-9999)
714/495(3000-3999),582(6000-6999),599(9000-9999)
714/617(1000-2999),643(7000-7999),740(5000-5999)
714/787(0000-0999),787(4000-4999),829(1000-2999)
805/433(0000-0999),433(7000-8999)
818/271(4000-4999),279(0000-0999),279(2000-2999)
818/279(6000-7999),279(9000-9999),286(0000-1999)
818/286(9000-9999),303(0000-0999),303(2000-2999)
818/303(7000-9999),304(0000-0999),304(7000-8999)
818/350(0000-0999),350(6000-7999),401(0000-0999)
818/401(9000-9999),459(0000-0999),459(6000-9999)
818/495(2000-2999),582(2000-2999),683(0000-0999)
818/683(9000-9999),855(2000-2999),863(3000-3999)
818/864(3000-3999),961(0000-2999),961(8000-8999)
818/979(0000-0999),979(2000-2999),979(6000-9999)
909/235(4000-4999),243(8000-8999),270(5000-5999)
909/503(9000-9999),638(0000-0999)
949/423(0000-2999),596(9000-9999),783(4000-4999)
951/823(5000-5999),870(4000-4999),888(2000-2999)

.....

LOS ANGELES	LSANCA54DS4	09282	07875	8782	730	US

/

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE			
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--
LOS ANGELES	LSANCA56DS0	09196	07871	5170	730	AA	BA	BC	DA
323/254,255,256,257,258,259,340,341,344(0000-1999)						G4	G5	G7	GC
323/344(3000-5999),344(7000-9999),349,384(0000-0999),478						GD	GQ	HB	IC
323/550,551(0000-0999),551(1000-1999),551(2000-2999)						ID	IE	IF	IG
323/551(3000-3999),551(4000-4999),551(5000-5999)						II	OR	PC	PL
323/551(6000-6999),982(0000-0999),982(1000-1999)						PR	PS	RA	RF
323/982(2000-2999),982(3000-3999),982(4000-4999)						RG	RH	SJ	SQ
323/982(6000-6999),982(9000-9999)						TJ	UP	UT	UW
						UZ	WG	WH	ZW
LOS ANGELES	LSANCAIKRS1	09209	07870	7534	730	DA	GN	II	
323/442,865									
LOS ANGELES	LSANCAIODS0	09220	07884	7534	730	DA	GN		
213/740,764,821									

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
LOS ANGELES	LSANCAJW2MD	09214	07879	7957	730	GR
213/204(7000-7999),246(5000-5999),634(6000-6999)						
213/927(7000-7999)						
310/307(7000-7999),627(3000-3999),730(7000-7999)						
323/454(5000-5999),483(7000-7999),487(6000-6999)						
323/498(7000-7999),524(6000-6999),531(3000-3000)						
323/591(7000-7999),601(2000-2999),643(7000-7999)						
323/673(6000-6999),796(7000-7999),909(7000-7999)						
424/282(7000-7999),285(7000-7999),287(6000-6999)						
424/289(7000-7999),290(7000-7999),291(7000-7999)						
424/292(7000-7999),297(7000-7999),328(7000-7999)						
424/334(7000-7999),337(7000-7999),346(7000-7999)						
424/433(7000-7999),732(4000-4999)						
442/220(6000-6999),221(7000-7999),228(7000-7999)						
442/229(7000-7999),233(7000-7999),235(7000-7999)						
442/239(7000-7999),259(7000-7999),261(7000-7999)						
442/272(7000-7999),296(7000-7999),326(7000-7999)						
442/800(7000-7999)						
562/202(7000-7999),248(5000-5999),273(7000-7999)						
562/287(6000-6999),448(7000-7999),473(7000-7999)						
562/541(7000-7999),551(7000-7999)						
626/225(7000-7999),328(2000-2999),452(7000-7999)						
626/460(7000-7999),509(7000-7999),566(6000-6999)						
626/603(7000-7999),629(7000-7999),653(7000-7999)						
626/921(7000-7999)						
657/216(8000-8999),224(8000-8999),247(7000-7999)						
657/356(7000-7999),400(7000-7999),667(5000-5999)						
661/306(6000-6999),339(6000-6999),430(2000-2999)						
661/441(7000-7999),471(7000-7999),486(7000-7999)						
661/532(7000-7999),705(6000-6999),780(6000-6999)						
714/266(7000-7999),294(7000-7999),340(1000-1999)						
714/461(7000-7999),559(7000-7999),587(6000-6999)						
714/613(7000-7999),820(7000-7999),987(4000-4999)						
747/201(6000-6999),202(7000-7999),225(7000-7999)						
747/232(7000-7999),233(7000-7999),500(3000-3999)						
747/900(7000-7999)						
760/203(7000-7999),206(5000-5999),257(7000-7999)						
760/279(5000-5999),303(6000-6999),306(6000-6999)						
760/338(6000-6999),372(1000-1999),378(6000-6999)						

-------- Continued on next page --------

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY CLLI WCV WCH CC LATA OFFICE TYPE
---------NPA/NXX---------- ---------- ----- ----- ---- ---- -- -- -- --

-------- Continued from previous page --------

760/387(6000-6999),388(3000-3999),441(8000-8999)
760/463(7000-7999),478(7000-7999),523(7000-7999)
760/581(7000-7999),614(7000-7999),640(8000-8999)
760/648(2000-2999),706(6000-6999),733(5000-5999)
760/812(2000-2999),824(8000-8999),938(8000-8999)
760/965(2000-2999),973(7000-7999)
805/301(3000-3999),387(1000-1999),394(7000-7999)
805/398(4000-4999),420(6000-6999),491(7000-7999)
805/625(5000-5999),664(7000-7999),666(4000-4999)
805/678(7000-7999),719(5000-5999),768(3000-3999)
805/836(7000-7999),876(8000-8999),914(6000-6999)
805/919(3000-3999),954(6000-6999)
818/423(7000-7999),452(7000-7999),659(1000-1999)
818/696(7000-7999),697(7000-7999),722(7000-7999)
818/797(6000-6999),875(6000-6999),877(1000-1999)
909/219(7000-7999),280(6000-6999),301(6000-6999)
909/315(7000-7999),321(7000-7999),324(7000-7999)
909/326(5000-5999),328(7000-7999),330(7000-7999)
909/340(7000-7999),344(1000-1999),347(4000-4999)
909/351(7000-7999),352(7000-7999),360(7000-7999)
909/372(7000-7999),375(7000-7999),487(6000-6999)
909/582(7000-7999),806(7000-7999),839(9000-9999)
949/259(7000-7999),288(7000-7999),344(7000-7999)
949/383(1000-1999),392(7000-7999),416(7000-7999)
949/445(7000-7999),877(5000-5999),936(0000-0999)
951/257(6000-6999),339(7000-7999),348(3000-3999)
951/350(7000-7999),357(5000-5999),363(7000-7999)
951/364(7000-7999),366(7000-7999),370(6000-6999)
951/381(7000-7999),382(7000-7999),383(7000-7999)
951/386(4000-4999),388(5000-5999),399(7000-7999)
951/423(7000-7999),449(7000-7999),643(6000-6999)
951/744(6000-6999),749(7000-7999),900(2000-2999)

.....

LOS ANGELES LSANCAKVDS2 09214 07879 7240 730 DA
/

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
LOS ANGELES	LSANCARCD2S	09214	07879	649C	730	DA DD GE GL
/						GN GP GR IA
						IB
COMPANY: 649C HAS A PRESENCE ON THIS SWITCH						
LOS ANGELES	LSANCARCD3S	09214	07879	649C	730	DA DD GE GL
/						GN GP GR IA
						IB
COMPANY: 649C HAS A PRESENCE ON THIS SWITCH						
LOS ANGELES	LSANCARCDS5	09213	07878	7262	730	BA DA GE GJ
/						GR HB IB RC
						RD SH SQ T1
						T2 UG UP UR
						US
LOS ANGELES	LSANCARCDSP	09213	07878	7262	730	BA DA GE GJ
/						GR HB IB RC
						RD SH SQ T1
						T2 UG UP UR
						US
LOS ANGELES	LSANCARCDSR	09213	07878	8707	730	DA DD G2 GD
/						GE GJ GN GQ
						HB HC IA IB
						IC IF IG IH
						II QA
LOS ANGELES	LSANCATHDS1	09216	07879	7240	730	BA DA
/						
LOS ANGELES - PAC WEST	LSANCARC5KD	09214	07879	864C	730	DA QC
/						
LOS ANGELES - PAC WEST	LSANCARC6KD	09214	07879	864C	730	DA QC
/						
LOS ANGELES - PAC WEST	LSANCARC7KD	09214	07879	864C	730	DA QC
/						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
LOS ANGELES - PAC WEST	LSANCARC8KD	09214	07879	864C	730	DA QC
/						
LOS ANGELES - PAC WEST	LSANCARCX8Z	09214	07879	864C	730	DA QC
/						
LOS BANOS	LSBNCA12DS0	08622	08433	5170	738	AA BA DA G4
209/710(6000-6999),826,827,829(0000-0999),829(1000-1999)						G5 G7 GC GD
209/829(1000-1999)						GQ PC PL PT
						RA SJ SV UG
						ZW
LOS GATOS	LSGTCAXA01W	08605	08629	2319	722	HC
/						
LOS GATOS	LSGTCAXA35E	08605	08629	2319	722	AA BA DA GC (C)
408/356,358,402(0000-0999),402(9000-9999)						GD GE GG GJ (C)
						GN HB HD II (C)
						PC PL RC RD (C)
						SN SQ TH TI (C)
						UG VM ZZ (C)
LOS GATOS	LSGTCAXF35K	08609	08632	2319	722	AA BA DA GC
408/335(1000-1999),335(2000-2999),354,395,399						GD GE HB PC
						PL RC RD SQ
LOS GATOS	LSGTCAXFDS0	08609	08632	2319	722	AA BA DA GC
408/357(1000-1999),357(5000-6999)						GD GG GJ GN
						GR HA HD II
						PL RC RD SN
						SQ TI UG VM
						ZZ
LOS GATOS	LSGTCAXGRS1	08624	08629	2319	722	AA BA DA GC
408/353(1000-1999),353(2000-2999),353(3000-3999)						GD GE GG GM
408/353(4000-4999),353(5000-5999),353(6000-6999)						GN HB HD II
408/353(8000-8999),353(9000-9999)						PC PL SQ TI
						UG VM

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
LOS MOLINOS	LSMLCA11RS0	07999	08717	5170	724	AA BA DA G4
530/384(0000-0999),384(1000-1999),384(2000-2999)						GQ IC ID IE
530/384(7000-7999),384(9000-9999)						IG PC PL PT
						RA SJ SN SQ
						UP UT UU UW
						UZ WG WH ZW
LOS SERRANOS	LSSRCAXF59J	09215	07775	2319	730	AA BA DA GC
909/393,597,606						GD GE GG GJ
						GN GR HB HD
						II PC PL RC
						RD SH SN SQ
						TG TI TU UA
						UG UR VM WD
						WE WF WG WH
						WI WJ ZZ
LOST HILLS	LSHLCAXFRS5	08911	08189	4420	734	DA GE GM
661/797(2000-2999),797(6000-7999),797(9000-9999)						
LOWER LAKE	LWLKCA11DS0	08241	08784	5170	722	AA BA DA G4
707/277(0000-0999),277(7000-7999),277(9000-9999),994,995						G5 G7 GC GD
707/995						IC ID IF PC
						PL PT RA RF
						RG RH SJ SN
						UG UR UT UU
						UW UZ ZW
LOYALTON	LLTNCA11RS0	08040	08400	5170	724	BA DA GC GD
530/993(0000-0999),993(1000-1999),993(4000-4999)						PC PL PT RA
530/993(6000-6999)						
LUCERNE VALLEY	LCVYCAXFRS4	09091	07660	4420	730	AA DA GC GD
760/248(1000-2999),248(5000-7999),248(9000-9999)						GE GM GN GR
						II RC RD SV
						TU UB
MAD RIVER	MDRVCAXFRS3	07926	08958	4420	722	DA GM GN GR
707/574(6000-6999)						II

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MADERA	MADRCA11DS0	08628	08291	5170	728	AA BA DA G4
559/661,662(0000-4999),662(6000-9999),664(0000-0999)						G5 G7 GC GD
559/664(1000-1999),664(4000-4999),664(8000-8999)						GQ IC ID IE
559/664(9000-9999),673,674,675						IF IG II OH
						PC PL PT RA
						RB RC RD RE
						RF RG RH SJ
						TJ UG UP UT
						UU UW UZ WG
						WH ZW
MADERA	MADRCA12RS3	08628	08263	5170	728	AA BA DA G4
559/645(0000-0999),645(1000-1999),645(3000-3999)						G5 G7 GC GD
559/645(4000-4999),645(5000-5999),645(6000-6999)						GE IC ID IE
559/645(7000-7999)						IF IG OR PC
						PL PT RA RC
						RD RE RF RG
						RH SJ UP UT
						UU UW UZ
MALIBU	MALBCAXF45K	09235	07977	2319	730	AA BA DA GC
310/457,589(0000-2999),589(5000-5999),589(7000-9999)						GD GE GG GJ
						GN GR HB HD
						II PC PL RC
						RD SH SN SQ
						TG TI TJ TU
						UG UR VM WD
						WE WF WG WH
						WI WJ ZZ
MALIBU	MALBCAXG45A	09226	07951	2319	730	AA BA DA GC
310/317(0000-6999),317(8000-9999),456(0000-3999)						GD GE GG GJ
310/456(5000-9999),506						GN GR HB HD
						II PC PL RC
						RD SN SQ TG
						TI TJ TU UG
						UR VM WD WE
						WF WG WH WI
						WJ ZZ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MAMMOTH LAKES	MMLKCAXF93F	08453	08125	4420	730	AA DA GC GD
760/924(0000-5999),924(7000-8999),934						GE GN II UG
MANHATTAN BEACH	MNBHCAXF54K	09252	07898	2319	730	AA BA DA GC
310/545,546,796(0000-5999),802(0000-1999),802(5000-5999)						GD GE GG GJ
310/802(8000-8999),939						GN GR HB HD
						II PC PL RC
						RD SN SQ TB
						TG TI TJ TU
						UA UG UR VM
						WD WE WF WG
						WH WI WJ ZZ
MANTECA	MNTCCAXG01W	08469	08515	4420	738	HC
/						
MANTECA	MNTCCAXG82A	08469	08515	4420	738	AA DA GC GD (C)
209/239,823,824,825						GE GN GR II (C)
						RC RD SQ TH (C)
						UB UG (C)
MANTECA	MNTCCAXG82T	08469	08515	4420	738	BA GB SH SQ
/						
MANTECA	MNTCCAXGNMD	08469	08515	668G	738	DA
/						
MARICOPA	MRCPCAXFRS1	09025	08117	4420	734	DA GC GD GE
661/769(2000-2999),769(8000-9999)						GM TU
MARINA	MARNCA11DS0	08723	08587	5170	736	AA BA DA G4
831/384,582(2000-2999),582(3000-3999),582(4000-4999)						G5 G7 GC GD
831/582(5000-5999),582(9000-9999),883(0000-0999)						GQ IC IE IF
831/883(1000-1999),883(2000-2999),883(3000-3999)						IG PC PL RA
831/883(4000-4999),883(5000-5999),883(8000-8999)						RF RG RH UP
831/883(9000-9999),884(0000-0999),884(1000-1999)						UT UU UW UZ
831/884(9000-9999)						WG

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MARINA	MARNCA11DS1	08723	08587	5170	736	ZW
/						
MARINA	MARNCA11DS3	08723	08587	5170	736	SJ
/						
MARIPOSA	MRPSCAXFRS0	08514	08276	2338	728	AA BA DA G2
209/742(0000-2999),966(0000-2999)						G3 GC GD GM
						GN HB HD IC
						ID IE IF IG
						OE RA RC RD
						SK SQ T3 T7
						T9 TD TH TJ
						TK TU TZ UR
						UT UW WE WG
						WH
MARIPOSA	MRPSCAXGRS0	08517	08291	2338	728	AA BA DA G2
209/742(3000-9999),966(3000-9999)						G3 GC GD GM
						GN HB HD IC
						ID IE IF IG
						OE RA RC RD
						SQ T9 TJ TK
						UR UT UW WE
						WG WH
MARTINEZ	MRTZCA11DS0	08441	08677	5170	722	BA DA GC GD
925/228,229,313,335(0000-0999),335(1000-1999)						GQ HB II OR
925/335(2000-2999),335(3000-3999),335(4000-4999)						PC PL PS RA
925/335(5000-5999),335(7000-7999),335(8000-8999)						RB RE RF RG
925/335(9000-9999),370,372,957(0000-0999),957(1000-1999)						RH SK SN ST
925/957(2000-2999),957(5000-5999),957(7000-7999)						TJ UG UR WG
925/957(8000-8999),957(9000-9999)						WH ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MARYSVILLE	MYVICA01DS0	08183	08612	5170	726	AA BA BC DA
530/634,740(0000-0999),740(1000-1999),740(4000-4999)						G4 G5 G7 GC
530/740(6000-6999),740(7000-7999),740(8000-8999)						GD GQ IC ID
530/740(9000-9999),741,742,743,749						IE IF IG II
						OH PC PL RA
						RB RC RD RE
						RF RG RH SK
						SN SQ ST TJ
						UG UP UR UT
						UU UW UZ WG
						WH ZW
MAXWELL	MXWLCAXFRS0	08165	08717	3402	726	AA BA DA G5
530/438(0000-0999),438(2000-2999)						GC GD GE GN
						GR HJ IC IH
						II RA RC RD
						RE RF RG RH
						RM RS SP SV
						UB UL UM UT
						UW UX UZ
MC CLOUD	MCLDCAXFDS0	07728	08750	2308	724	AA BA DA GC
530/964(0000-0999),964(2000-3999),964(9000-9999)						GD GN HJ RC
						RD SQ
MCCLELLAN AFB	MCLNCABCDS0	08295	08575	5170	726	BA DA GC GD
/						GQ PC PL PR
						PU RA SH SQ
						UP UR
MCFARLAND	MCFACAXFRS8	08886	08107	4420	734	DA GC GD GE
661/792(0000-3999),792(5000-6999),792(9000-9999)						GM

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MCKINLEYVILLE	MKVLCA11DS1	07823	09067	5170	722	AA BA DA G4
707/839,840(0000-0999),840(9000-9999)						GC GD GQ HB
						IC ID IE IG
						PC PL PT RA
						SJ SN UT UU
						UW UZ WG WH
						ZW
MCKITTRICK	MCKTCAXFRS1	08977	08165	4420	734	DA GE GM
661/762(6000-6999),762(7000-7999),762(8000-8999)						
MEADOWVIEW	MDVWCAXFRS0	08326	08580	2308	726	AA BA DA GC
916/665(1000-1999),665(2000-2999),665(3000-3999)						GD GE GR HJ
916/665(9000-9999)						RC RD SQ ZZ
MECCA	MECCCAXFRS6	09251	07469	2319	973	AA BA DA GC
760/396(0000-4619),396(4700-5999),396(9000-9999)						GD GE GG GM
						GN GR HB HD
						II PC PL SQ
						TU VM
MENDOCINO	MNDCCA11RS0	08180	08988	5170	722	BA DA G4 GC
707/937(0000-0999),937(1000-1999),937(2000-2999)						GD IC ID IF
707/937(3000-3999),937(4000-4999),937(5000-5999)						PC PL PT RA
707/937(6000-6999),937(9000-9999)						SN UT UU UW
						UZ ZW
MENDOTA	MNDTCA11RS0	08679	08342	5170	728	AA BA DA G4
559/655(1000-1999),655(2000-2999),655(3000-3999)						G5 G7 GC GD
559/655(4000-4999),655(5000-5999),655(7000-7999)						IC ID IE IF
559/655(8000-8999),655(9000-9999)						IG OR PC PL
						PR PS RA RC
						RD RE RF RG
						RH SJ SN SQ
						UG UP UT UU
						UW UZ ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MENLO PARK	MNPKCA11DS0	08569	08678	5170	722	AA BA DA G4
650/233,234,529(0000-3999),529(8000-8999),529(9000-9999)						G5 G7 GC GD
650/561(0000-0999),561(1000-1999),561(9000-9999),851,854						GQ HB IC ID
650/926						IE IF IG OR
						PC PL PS RA
						RE RF RG RH
						SJ ST TJ UG
						UR UT UU UW
						UZ WG WH ZW
MENTONE	MENTCAXF79X	09177	07677	2319	730	AA BA DA GC
909/389(0000-0999),389(1000-1999),389(2000-2999)						GD GE GG GJ
909/389(3000-3999),389(4000-4999),389(7000-7999)						GN GR HB HD
909/389(9000-9999),794						II PC PL RC
						RD SH SN SQ
						TG TI TU UA
						UG UR VM WD
						WE WF WG WH
						WI WJ ZZ
MERCED	MRCDCA01DS0	08562	08375	5170	738	AA BA DA G4
209/228,325(1000-2999),354(2000-2999),359,381(0000-0999)						G5 G7 GC GD
209/381(1000-1999),381(2000-2999),381(3000-3999)						GQ IC ID IE
209/381(4000-4999),381(5000-5999),381(6000-6999)						IF IG OH PC
209/381(7000-7999),383,384,385,386(0000-0999)						PL PT RA RC
209/386(4000-4999),386(6000-6999),388,455(8000-8999)						RD RE RF RG
209/564(3000-5999),722,723,724(0000-0999),724(1000-1999)						RH RM SK SR
209/724(2000-2999),724(4000-4999),724(5000-5999)						TJ UG UR UT
209/724(6000-6999),724(7000-7999),724(8000-8999)						UU UW UZ WG
209/724(9000-9999),725,726						WH ZX
MERIDIAN	MRDNCA11RS0	08188	08667	5170	726	AA BA DA G4
530/696(0000-0999),696(1000-1999),696(2000-2999)						G5 G7 GC GD
						II PC PL PT
						RA RB RC RD
						RE RF RG RH
						RM SJ SN SQ
						UP UT UU UW
						UZ ZX

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MIDDLETOWN	MDTWCA11RS0	08274	08793	5170	722	AA BA DA G4
707/987(0000-0999),987(1000-1999),987(2000-2999)						GC GD IC ID
707/987(3000-3999),987(4000-4999),987(8000-8999)						IF PC PL PT
707/987(9000-9999)						RA RB SJ UT
						UU UW UZ ZW
MILL VALLEY	MLVYCA01DS0	08469	08744	5170	722	BA DA GC GD
415/380,381,383,384(0000-0999),384(2000-2999),388,389						GQ HB OE OH
415/389						OR PC PL PS
						RA RC RD RE
						RF RG RH SJ
						SN ST TJ UG
						UR UT UU UW
						UZ WG WH ZW
MILLBRAE	MLBRCA11DS0	08534	08711	5170	722	AA BA DA G4
650/259(0000-0999),259(1000-1999),259(2000-2999)						G5 G7 GC GD
650/259(3000-3999),259(5000-5999),259(6000-6999)						GQ HB IC ID
650/259(7000-7999),259(8000-8999),259(9000-9999)						IE IF IG OR
650/552(0000-0999),552(1000-1999),552(2000-2999)						PB PK PS RA
650/552(5000-5999),552(9000-9999),652,692,697						RB RE RF RG
650/777(0000-0999),777(4000-4999),777(9000-9999)						RH SJ SN ST
						TJ UG UR UT
						UU UW UZ WG
						WH ZW
MILPITAS	MLPSCA11DS0	08562	08624	5170	722	AA BA BC DA
408/262,263,503(1000-2999),503(4000-5999),503(8000-9999)						G4 G5 G7 GC
408/586,635,719,934(0000-5999),934(7000-9999)						GD GQ HB IC
408/935(0000-1999),935(3000-9999),941,942,945,946						ID IE IF IG
408/956(0000-5999),956(7000-9999),957						II OR PB PK
						PR PS QA QE
						RA RE RF RG
						RH SK SN ST
						TJ UG UR UT
						UU UW UZ WG
						WH ZX

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MINERAL	MNRLCAXFRS0	07919	08642	2308	724	AA BA DA GC
530/595(0000-0999),595(3000-3999),595(6000-6999)						GD GN GR HJ
530/595(9000-9999)						RC RD SQ
MIRAMONTE	MRMNCAXFRS4	08663	08106	2319	728	AA DA GD GE
559/336(2000-2999),336(9000-9999)						GG GM GN HB
						HD II PC PL
						RC RD SD SE
						SQ VM
MIRANDA	MRNDCA11RS1	07975	09009	5170	722	BA DA G4 GC
707/943(1000-1999),943(3000-3999),943(9000-9999)						GD PC PL PT
						RA SJ SV UG
						UR VE VM ZW
MISSION VIEJO	MSVJCAATDS0	09302	07754	5170	730	AA BA DA G4
949/282(0000-0999),282(1000-1999),282(2000-2999)						G5 G7 GC GD
949/347(0000-0999),347(1000-1999),347(2000-2999)						GQ HB IC ID
949/347(3000-3999),347(4000-4999),347(6000-6999)						IE IF IG OH
949/347(7000-7999),347(8000-8999),347(9000-9999),348,364						OR PC PL PR
949/365(0000-0999),365(1000-1999),365(2000-2999)						PS RA SJ SN
949/365(3000-3999),365(5000-5999),365(7000-7999)						SV TJ UT UW
949/365(8000-8999),365(9000-9999),367,582						UZ VE VM WG
						WH ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE			
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--
MODESTO	MDSTCA02DS0	08498	08473	5170	738	AA	BA	DA	GC
209/236,238(0000-0999),238(1000-1999),238(2000-2999)						GD	GQ	IC	ID
209/238(3000-3999),238(4000-4999),238(5000-5999)						IE	IF	IG	OH
209/238(6000-6999),238(8000-8999),238(9000-9999)						PB	PK	PT	PU
209/341(0000-0999),341(1000-1999),341(2000-2999)						RA	RC	RD	RE
209/341(3000-3999),341(4000-4999),341(5000-5999)						RF	RG	RH	RM
209/341(6000-6999),341(7000-7999),341(8000-8999)						SD	SL	SR	ST
209/342(0000-0999),342(1000-1999),342(2000-2999)						SU	TG	TJ	UE
209/342(3000-3999),342(4000-4999),342(5000-5999)						UG	UR	UT	UU
209/342(6000-6999),342(9000-9999),491,492,521,522,523						UW	UZ	VF	VP
209/524,525,526,527,529,530,544,548,549(0000-0999)						WG	WH	ZX	
209/549(1000-1999),549(2000-2999),549(3000-3999)									
209/549(4000-4999),549(5000-5999),549(7000-7999)									
209/549(8000-8999),549(9000-9999),550(0000-0999)									
209/550(2000-2999),550(3000-3999),550(4000-4999)									
209/550(5000-5999),550(6000-6999),550(7000-7999)									
209/550(8000-8999),550(9000-9999),557,567(0000-1999)									
209/567(3000-9999),569(0000-4999),569(6000-9999),571,572									
209/573(2000-2999),573(4000-9999),574,575,576(0000-0999)									
209/576(1000-1999),576(2000-2999),576(3000-3999)									
209/576(4000-4999),576(6000-6999),576(7000-7999)									
209/576(8000-8999),576(9000-9999),577,578,579(0000-0999)									
209/579(1000-1999),579(2000-2999),579(5000-5999)									
209/579(6000-6999),579(7000-7999),579(9000-9999)									
MODESTO	MDSTCA03DS0	08508	08464	5170	738	AA	BA	DA	G4
209/531(0000-2999),531(9000-9999),537,538,541(0000-3999)						G5	G7	GC	GD
209/556(0000-0999),556(1000-1999),556(4000-4999)						GQ	IC	ID	IE
209/556(5000-5999),556(6000-6999),556(9000-9999)						IF	IG	OR	PC
209/581(0000-0999),581(9000-9999)						PL	PT	PU	RA
						SJ	SN	SV	TJ
						UT	UU	UW	UZ
						WG	WH	ZW	

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MODESTO	MDSTCA04RS0	08486	08490	5170	738	AA BA DA GC
209/543(0000-0999),543(1000-1999),543(3000-3999)						GD IC ID IE
209/543(6000-6999),543(7000-7999),543(8000-8999)						IF IG OR PC
209/543(9000-9999),545,579(8000-8999),735(3000-7999)						PL PT PU RA
						RC RD RE RF
						RG RH RM SD
						SK SR ST SU
						TG UE UG UR
						UT UU UW UZ
						WG WH ZX
MODESTO	MDSTCA05DS0	08487	08465	5170	738	AA BA DA G4
209/551,552(0000-0999),552(2000-2999),552(3000-3999)						G5 G7 GC GD
209/552(8000-8999)						GQ IC ID IE
						IF IG OR PC
						PL PT PU RA
						SJ ST SV TJ
						UG UR UT UU
						UW UZ WG WH
						ZW
MODESTO	MDSTCA52RS0	08510	08471	5170	738	AA BA DA G4
209/558						G5 G7 GC GD
						IC ID IE IF
						IG PC PL PT
						PU RA SN SQ
						UP UT UU UW
						UZ
MOJAVE	MOJVCA01RS4	08994	07899	5170	734	AA BA DA G4
661/824						G5 G7 GC GD
						IC ID IE IF
						IG OR PC PL
						PT PU RA SJ
						SV UT UU UW
						UZ WG WH ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MOKELUMNE HILL	MKHLCA12RS0	08349	08440	5170	738	BA DA G4 GC
209/286(1000-1999)						GD IC ID IE
						IG PC PL PT
						RA RF RG RH
						SH SV UT UU
						UW UZ ZW
MONROVIA	MNRVCAXG35K	09185	07837	2319	730	AA BA DA GC
626/256,301,303(0000-8999),305,357,358,359						GD GE GG GJ
626/599(1000-3999),599(5000-5999),599(7000-9999),930,932						GN GR HB HD
626/932						II PA PJ RC
						RD SH SN SQ
						TG TI TJ TU
						UA UG UR VM
						WD WE WF WG
						WH WI WJ ZZ
MONTAGUE	MTAGCA11RS0	07630	08824	5170	724	AA BA DA G4
530/459(0000-0999),459(1000-1999),459(3000-3999)						GC GD IC ID
530/459(5000-5999)						IF PC PL PT
						RA SJ UT UU
						UW UZ ZW
MONTE RIO	MNRICA11RS0	08353	08838	5170	722	BA DA G4 G5
707/865(0000-2999),865(9000-9999)						G7 GC GD IC
						ID IF PC PL
						PR PU RA SK
						SN SV UT UU
						UW UZ VE VM
						WG ZX
MONTECITO	MNTTCAXF96K	09165	08139	2319	740	AA BA DA GC
805/565,695(0000-0999),695(7000-7999),695(8000-8999),969						GD GE GG GJ
805/969						GN HB HD II
						PC PL RC RD
						SN SQ TI TU
						UA UG UR VM
						WD WE WF WG
						WH WI WJ ZZ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
MONTEREY                    MTRYCA0100W 08743 08600 5170  736 HC WG WH
     /
.......................................................................
MONTEREY                    MTRYCA01DS0 08743 08600 5170  736 BA DA G4 G5
   831/242(2000-3999),242(4000-4999),242(5000-5999)          G7 GC GD GQ
   831/242(6000-6999),242(7000-7999),242(8000-8999)          IC IE IF IG
   831/333(0000-0999),333(1000-1999),333(2000-2999)          OH PB PK RA
   831/333(3000-3999),333(4000-4999),333(5000-5999)          RF RG RH SL
   831/333(7000-7999),333(8000-8999),333(9000-9999),372,373  SN SR TJ UT
   831/375,641(0000-0999),641(3000-3999),641(4000-4999)      UU UW UZ VF
   831/641(5000-5999),641(6000-6999),641(9000-9999),642      VP WG WH ZX
   831/643(0000-0999),643(1000-1999),643(2000-2999)
   831/643(3000-3999),643(7000-7999),643(8000-8999)
   831/643(9000-9999),644,645,646,647,648,649(0000-0999)
   831/649(1000-1999),649(2000-2999),649(3000-3999)
   831/649(4000-4999),649(5000-5999),649(6000-6999)
   831/649(7000-7999),649(8000-8999),655,656(0000-7999)
   831/656(9000-9999),657(0000-0999),657(1000-1999)
   831/657(2000-2999),657(3000-3999),657(4000-4999)
   831/657(6000-6999),657(9000-9999),658
.......................................................................
MONTGOMERY CREEK            MNCKCAXFDS0 07824 08709 2308  724 AA BA DA GC
   530/337(0000-0999),337(5000-6999),337(9000-9999)          GD GN HJ RC
                                                             RD SQ
.......................................................................
MOORPARK                    MRPKCA12DS0 09179 07997 5170  730 AA BA DA G4
   805/378,517(1000-3999),517(5000-7999),517(9000-9999)      G5 G7 GC GD
   805/518(0000-0999),518(4000-6999),518(8000-8999),523,529  GE GQ HB II
   805/530(0000-0999),530(1000-1999),530(3000-3999)          OH OR PC PL
   805/530(4000-4999),530(9000-9999),531,532,552(0000-0999)  PR PU RA RF
   805/552(1000-1999),552(2000-2999),552(3000-3999)          RG RH SJ SN
   805/552(8000-8999),552(9000-9999),553(0000-0999)          SQ ST TJ UP
   805/553(1000-1999),553(2000-2999),553(4000-4999)          UR UT UW UZ
   805/553(5000-5999),553(7000-7999),553(9000-9999)          WG WH ZW
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
MORAGA                      MORGCA12DS0 08477 08673 5170  722 AA BA DA G4
   925/247(0000-0999),247(2000-2999),376,377(0000-1999)      G5 G7 GC GD
   925/377(3000-3999),377(4000-4999),377(5000-5999)          GQ OR PC PL
   925/377(7000-7999),377(8000-8999),631(0000-0999)          PS RA RE RF
   925/631(1000-1999),631(4000-4999),631(5000-5999)          RG RH SJ SN
   925/631(6000-6999),631(7000-7999),631(8000-8999)          TJ UG UR UT
   925/631(9000-9999)                                        UU UW UZ WG
                                                             WH ZW
.......................................................................
MORGAN HILL                 MRHLCAXFDS0 08623 08573 2319  722 AA BA DA GC
   408/201(1000-1999),465(2000-2999),776,778,779             GD GE GG GJ
   408/782(0000-3999),782(5000-9999)                         GN GR HB HD
                                                             II PB PK RC
                                                             RD SN SQ TI
                                                             UG VM ZZ
.......................................................................
MORONGO VALLEY              MRVYCAXFRS5 09161 07576 2319  973 AA BA DA GC
   760/363(1000-1999),363(6000-7999)                         GD GE GG GJ
                                                             GM GN GR HB
                                                             HD II PC PL
                                                             SH SQ TU VM
.......................................................................
MORRO BAY                   MRBACA11DS1 08991 08384 5170  740 AA BA DA GC
   805/225(0000-0999),771(0000-0999),771(1000-1999)          GD GQ IC ID
   805/771(8000-8999),771(9000-9999),772                     IF PC PL PT
                                                             RA SV UG UP
                                                             UT UU UW UZ
                                                             WG ZW
.......................................................................
MOSS BEACH                  MSBHCA11RS2 08551 08731 5170  722 BA DA G4 G5
   650/563(9000-9999),728(0000-0999),728(1000-1999)          G7 GC GD HB
   650/728(2000-2999),728(3000-3999),728(5000-5999)          IC ID IE IF
   650/728(7000-7999),728(8000-8999),728(9000-9999)          IG OR PC PL
                                                             PS RA RE RF
                                                             RG RH SJ SN
                                                             ST UG UR UT
                                                             UU UW UZ ZW
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MOUNT BULLION 209/377	MTBNCAXF377	08509	08304	2322	738	TJ
MOUNT SHASTA 530/918(0000-0999),918(1000-1999),918(7000-7999) 530/918(9000-9999),926	MTSHCA12DS1	07719	08780	5170	724	AA BA DA G4 GC GD IC ID IF PC PL PT RA SK UT UU UW UZ WG WH ZX
MOUNTAIN PASS 760/856(1000-1999),856(2000-2999)	MTPSCA11RS1	08826	07450	5170	730	BA DA GC GD HB II PC PL PR PS RA SH SQ UU UZ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE			
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--
MOUNTAIN VIEW	MTVWCA11DS0	08574	08653	5170	722	BA	DA	GC	GD
650/237(0000-0999),237(1000-1999),237(2000-2999)						GE	HB	II	OH
650/237(3000-3999),237(4000-4999),237(5000-5999)						PA	PJ	PR	PS
650/237(6000-6999),237(7000-7999),237(8000-8999)						QA	QE	RA	RE
650/254(0000-7999),254(9000-9999),314(0000-0999)						RF	RG	RH	RM
650/314(1000-1999),314(2000-2999),314(4000-4999)						SD	SE	SK	SN
650/314(6000-6999),318(0000-0999),318(2000-2999)						ST	TB	TE	TF
650/318(4000-4999),335(0000-0999),335(1000-1999)						TJ	TM	TN	TP
650/335(2000-2999),335(3000-3999),335(4000-4999)						TQ	TS	TT	UG
650/335(6000-6999),335(7000-7999),335(9000-9999)						UR	UT	UU	UW
650/336(9000-9999),390(0000-1999),390(5000-5999)						UZ	WG	WH	ZX
650/390(8000-9999),428,526(0000-1999),526(3000-3999)									
650/526(5000-7999),526(9000-9999),527,528(0000-0999)									
650/528(1000-1999),528(3000-3999),528(4000-4999)									
650/528(5000-5999),528(6000-6999),528(7000-7999)									
650/528(8000-8999),528(9000-9999),567(1000-1999)									
650/567(7000-9999),903(0000-0999),903(1000-1999)									
650/903(2000-2999),903(3000-3999),903(4000-4999)									
650/903(5000-5999),903(6000-6999),903(8000-8999)									
650/903(9000-9999),919(0000-0999),919(1000-1999)									
650/919(2000-2999),919(5000-5999),919(6000-6999)									
650/919(7000-7999),919(9000-9999),932,933(1000-1999)									
650/937(0000-0999),937(1000-1999),937(2000-2999)									
650/937(3000-3999),937(4000-4999),937(5000-5999)									
650/937(6000-6999),937(7000-7999),937(8000-8999),938									
650/943(0000-0999),943(1000-1999),943(2000-2999)									
650/943(4000-4999),943(5000-5999),943(7000-7999)									
650/943(8000-8999),943(9000-9999),944(0000-0999)									
650/944(1000-1999),944(2000-2999),944(3000-3999)									
650/944(4000-4999),944(5000-5999),944(6000-6999)									
650/944(7000-7999),944(8000-8999),988									

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
MOUNTAIN VIEW               MTVWCA11DS1 08574 08653 5170  722 AA BA BC DA
   650/210(0000-0999),210(1000-1999),210(2000-2999)          G4 G5 G7 GC
   650/210(3000-3999),210(5000-5999),210(8000-8999)          GD GQ HB IC
   650/210(9000-9999),404(0000-6999),404(8000-9999)          ID IE IF IG
   650/564(0000-1999),564(6000-6999),564(8000-9999)          II PA PJ PR
   650/584(1000-1999),584(2000-2999),584(4000-4999)          PS QA QE RA
   650/584(5000-5999),584(6000-6999),584(7000-7999)          RC RD RE RF
   650/584(8000-8999),584(9000-9999),603(2000-4999)          RG RH RM SD
   650/603(7000-9999),604,623(0000-3999),623(9000-9999)      SE SH SN SQ
   650/625(0000-0999),625(1000-1999),625(2000-2999)          ST TB TE TF
   650/625(3000-3999),625(4000-4999),625(5000-5999)          TJ TM TN TP
   650/625(6000-6999),625(8000-8999),625(9000-9999)          TQ TS TT UG
   650/691(0000-2999),691(4000-4999),691(6000-7999)          UP UR ZZ
   650/691(9000-9999),694(0000-7999),864(1000-1999)
   650/864(3000-3999),864(5000-5999),864(7000-7999)
   650/864(9000-9999),934(0000-0999),934(3000-9999)
   650/940(0000-1999),940(3000-9999),960(0000-4999)
   650/960(7000-9999),961,962(0000-0999),962(1000-1999)
   650/962(2000-2999),962(4000-4999),962(5000-5999)
   650/962(6000-6999),962(7000-7999),962(8000-8999)
   650/962(9000-9999),964,965(0000-4999),965(6000-9999)
   650/966(0000-3999),966(8000-9999),967,968,969
.......................................................................
MUGU                        MUGUCAXF48G 09216 08041 2319  730 AA BA DA GC
   805/271(0000-0999),271(1000-1999),271(2000-2999)          GD GE GG GJ
   805/271(3000-3999),271(4000-4999),271(5000-5999)          GN HB HD II
   805/271(7000-7999),271(8000-8999),271(9000-9999),488,986  PC PL RC RD
   805/989                                                   SN SQ TG TI
                                                             TJ TU UA UG
                                                             UR VM WD WE
                                                             WF WG WH WI
                                                             WJ ZZ
.......................................................................
MURPHYS                     MRPHCA11RS0 08380 08394 5170  738 AA BA DA G4
   209/728(0000-3999),728(8000-8999),728(9000-9999)          GC GD IC ID
                                                             IE IG PC PL
                                                             PT RA SJ SV
                                                             UT UU UW UZ
                                                             WG WH ZW
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MURRIETA	MURTCAXF67J	09291	07673	2319	730	AA BA DA GC
951/249(8000-8999),304(0000-3999),304(5000-5999)						GD GE GG GJ
951/304(7000-7999),304(8000-8999),304(9000-9999)						GN GR HB HD
951/445(4000-4999),461(0000-0999),461(1000-1999)						II PC PL RC
951/461(2000-2999),461(3000-3999),461(4000-4999)						RD SH SN SQ
951/461(6000-6999),461(7000-7999),461(8000-8999)						TG TI UG UR
951/461(9000-9999),600,677,691(5000-5999),696,698						VM WD WE WF
951/813(3000-3999),816(3000-3999),894(1000-1999)						WG WH WI WJ
951/894(2000-2999),894(4000-4999),894(5000-5999)						
951/894(6000-6999),894(7000-7999)						
MUSCOY	MSCYCAXF88K	09165	07717	2319	730	AA BA DA GC
909/473(0000-0999),473(1000-1999),473(2000-2999)						GD GE GG GJ
909/473(3000-3999),473(6000-6999),473(7000-7999)						GN GR HB HD
909/473(8000-8999),473(9000-9999),880,887						II PC PL RC
						RD SH SN SQ
						TG TI TU UA
						UG UR VM WD
						WE WF WG WH
						WI WJ ZZ
NAPA	NAPACA01DS0	08379	08710	5170	722	AA BA DA G4
707/224,226,251,252,253,254(0000-4999),254(6000-9999)						G5 G7 GC GD
707/255,256(0000-0999),256(1000-1999),256(2000-2999)						GQ HB IC ID
707/256(3000-3999),256(4000-4999),256(5000-5999)						IE IF IG OH
707/256(6000-6999),256(7000-7999),257,258,259,265						PC PL RA RC
707/299(1000-1999),299(2000-2999),299(3000-3999)						RD RE RF RG
707/299(4000-4999)						RH RM SK SN
						ST TJ UG UR
						UT UU UW UZ
						WG WH ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
NATIONAL CITY	NTCYCA11DS0	09475	07618	5170	732	AA BA DA G4
619/292(7000-7999),336,470(5000-5999),474,477						G5 G7 GC GD
619/731(3000-3999)						GQ II OR PC
						PL PR PU RA
						RF RG RH SJ
						SN SQ TJ UP
						UT UU UW UZ
						WG WH ZW
NEEDLES	NDLSCAXGDS0	08932	07262	3402	730	BA DA GC GD
760/326						GE GN GR HJ
						II RA RC RD
						RE RF RG RH
						UL UM
NEVADA CITY	NVCYCA11DS0	08146	08519	5170	726	BA DA G4 G5
530/265,470(0000-0999),470(1000-1999),470(2000-2999)						G7 GC GD GE
530/470(5000-5999),470(7000-7999),470(8000-8999)						GQ II PC PL
530/470(9000-9999),478(0000-0999),478(1000-1999)						PT RA SJ UG
530/478(3000-3999),478(4000-4999),478(5000-5999)						UP UT UU UW
530/478(6000-6999),478(7000-7999),478(8000-8999)						UZ WG ZW
530/478(9000-9999)						
NEW PINE CREEK	PNCKCAXNRS0	07536	08469	2360	670	AA DA GR HD
530/946						
NEWBERRY	NWBRCAXFRS5	09001	07623	4420	730	AA DA GC GD
760/257(3000-4999)						GE GG GI GJ
						GM GN GR HD
						II RC RD SV
						TI TU UB UG
						VM

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
NEWBURY PARK	NWPKCAXF49K	09201	08004	2319	730	AA BA DA GC
805/375,376,447,480,498,499						GD GE GR HB
						PA PJ RC RD
						SH SN SQ TG
						TJ TU UA UR
						WD WE WF WG
						WH WI WJ ZZ
NEWCASTLE	NWCSCA11RS2	08232	08529	5170	726	AA BA DA G4
916/663(0000-0999),663(1000-1999),663(2000-2999)						G5 G7 GC GD
916/663(3000-3999),663(4000-4999),663(9000-9999)						IC ID IE IF
						IG PC PL PR
						PU RA SJ UP
						UT UU UW UZ
						WG WH ZW
NEWHALL	NHLLCA01DS0	09149	07941	5170	730	AA BA DA G4
661/200(1000-1999),200(2000-2999),222,253,254,255,259						G5 G7 GC GD
661/260,284,286,287,288,290,291,753(0000-0999)						GQ HB IC ID
661/753(1000-1999),753(2000-2999),753(5000-5999)						IE IF IG OH
661/753(9000-9999),799						OR PC PL PR
						PS RA RC RD
						RE RF RG RH
						SK SN SQ ST
						TJ UG UP UR
						UT UW UZ WG
						WH
NEWMAN	NWMNCA12RS0	08569	08469	5170	738	AA BA DA G4
209/862(0000-0999),862(1000-1999),862(2000-2999)						G5 G7 GC GD
209/862(3000-3999),862(4000-4999),862(9000-9999)						OH PC PL PT
						PU RA SJ SV
						UG ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
NICASIO	NICSCA11RS0	08437	08777	5170	722	AA BA DA G4
415/662(1000-1999),662(2000-2999),662(5000-5999)						G5 G7 GC GD
415/662(6000-6999),662(7000-7999),662(9000-9999)						GE HB II OE
						OR PC PL PS
						RA RC RD RE
						RF RG RH SJ
						SN ST UG UR
						UT UU UW UZ
						WG WH ZW
NICE	NICECA11RS0	08207	08823	5170	722	AA BA DA G4
707/274(0000-2999),274(5000-9999)						GC GD PC PL
						PT RA RC RD
						RE RF RG RH
						SH SN UR ZW
NICOLAUS	NCLSCA12RS0	08232	08599	5170	726	AA BA DA G4
530/656(1000-1999),656(2000-2999)						G5 G7 GC GD
						GE IC ID IE
						IF IG PC PL
						RA RC RD RE
						RF RG RH SQ
						ST UG UP UR
						UT UU UW UZ
						WG WH ZW
NILAND	NILDCA11RS5	09304	07354	5170	732	AA BA DA G4
760/359(0000-0999),359(1000-1999)						G5 G7 GC GD
						IC ID IE IF
						IG PC PL PT
						RA RC RD RE
						RF RG RH SJ
						SQ UP UR UT
						UU UW UZ WG
						ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
NILAND	NILDCA12RS6	09270	07392	5170	732	AA BA DA G4
760/354(1000-1999),354(4000-4999)						G5 G7 GC GD
						IC ID IE IF
						IG PC PL PT
						RA RC RD RE
						RF RG RH SJ
						SQ UP UR UT
						UU UW UZ WG
						ZW
NIPOMO	NIPMCA11RS0	09054	08308	5170	740	AA BA DA GC
805/929(0000-0999),929(1000-1999),929(2000-2999)						GD IC ID IF
805/929(3000-3999),929(4000-4999),929(5000-5999)						PC PL PT RA
805/929(6000-6999),929(7000-7999),929(8000-8999)						SK SV UP UT
805/931(0000-0999),931(2000-2999)						UU UW UZ WG
						WH ZW
NORTH EDWARDS	NEDWCAXFRS4	08993	07837	4420	730	AA DA GC GD
760/769(4000-4999),769(6000-6999)						GE GM GN II
						RC RD TU UB
NORTH HIGHLANDS	NHLDCA07DS0	08284	08566	3964	726	AA DA DD G2
916/254(0000-0999),283(4000-4999),283(6000-6999)						GL GQ GR HA
916/359(0000-0999),359(3000-8999),897(2000-2999)						IA IB IC ID
						IE IF IG II
						T8 TI TS VC
						WE
NORTH HIGHLANDS	NHLDCA07DS3	08284	08566	3964	726	D1 DC
916/242(3000-3999),253(5000-5999),287(9000-9999)						
916/359(2000-2999),462(8000-8999),569(8000-8999)						
916/757(6000-6999),824(8000-8999),896(3000-3999)						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE			
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--
NORTH HIGHLANDS	NHLDCA11DS0	08278	08563	5170	726	BA	DA	GC	GD
916/331,332,334,338,339(0000-0999),339(1000-1999)						GQ	IC	ID	IE
916/339(2000-2999),339(3000-3999),339(4000-4999)						IF	IG	OE	OH
916/339(5000-5999),339(8000-8999),339(9000-9999),344,348						PC	PL	PR	PU
916/349(0000-0999),349(1000-1999),349(2000-2999)						RA	RC	RD	RE
916/349(3000-3999),349(7000-7999),349(8000-8999)						RF	RG	RH	SK
916/349(9000-9999)						SQ	TJ	UG	UP
						UR	UT	UU	UW
						UZ	WG	WH	ZW
NORTH HOLLYWOOD	NHWDCA01DS0	09182	07908	5170	730	AA	BA	BC	DA
323/875(1000-1999)						G4	G5	G7	GC
818/252(0000-0999),252(1000-1999),252(2000-2999)						GD	HB	IC	ID
818/252(3000-3999),252(4000-4999),252(5000-5999)						IE	IF	IG	II
818/252(6000-6999),252(7000-7999),255(0000-0999)						OR	PC	PL	PR
818/255(1000-1999),255(2000-2999),255(3000-3999)						PS	RA	RF	RG
818/255(4000-4999),255(5000-5999),392(1000-1999)						RH	SJ	SQ	ST
818/392(2000-2999),392(7000-7999),394(2000-2999)						TJ	UP	UR	UT
818/394(3000-3999),394(4000-4999),503,504(0000-0999)						UW	UZ	WG	WH
818/504(1000-1999),504(2000-2999),504(3000-3999)						ZW			
818/504(4000-4999),504(5000-5999),504(6000-6999)									
818/504(7000-7999),504(9000-9999),759,764,765,767,768									
818/771,815(5000-6999),982,983(0000-0999)									
NORTH HOLLYWOOD	NHWDCA02DS0	09192	07904	5170	730	AA	BA	DA	G4
818/487,622,623,684,732(3000-3999),733,752,753,755,766						G5	G7	GC	GD
818/769,777,866,980,985						GQ	HB	II	OH
						OR	PB	PK	PR
						PS	RA	RC	RD
						RE	RF	RG	RH
						SJ	SN	SQ	ST
						TB	TE	TJ	TM
						TN	TP	TQ	TS
						TT	UP	UR	UT
						UW	UZ		

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
NORTH HOLLYWOOD             NHWDCA02DS1 09192 07904 5170  730 AA BA BC DA
   323/877(0000-0999)                                          G4 G5 G7 GC
   818/505(0000-2999),505(5000-9999),506,508,509(0000-3999)    GD GQ HB IC
   818/509(5000-9999),655(1000-1999),655(2000-2999)            ID IE IF IG
   818/655(3000-3999),655(4000-4999),655(5000-5999)            II PB PK PR
   818/655(6000-6999),655(7000-7999),655(8000-8999)            PS RA RC RD
   818/655(9000-9999),754(0000-0999),754(1000-1999)            RE RF RG RH
   818/754(2000-2999),754(3000-3999),754(4000-4999)            SN SQ ST TB
   818/754(5000-5999),754(6000-6999),754(8000-8999)            TE TJ TM TN
   818/760(0000-0999),760(1000-1999),760(2000-2999)            TP TQ TS TT
   818/760(3000-3999),760(4000-4999),760(6000-6999)            UP UR UT UW
   818/760(7000-7999),760(8000-8999),760(9000-9999),761,762    UZ WG WH ZW
   818/763,984(0000-0999)
.......................................................................
NORTH SACRAMENTO            NSCRCA11DS0 08296 08575 5170  726 AA BA DA G4
   916/285(2000-2999),285(4000-4999),286(0000-0999)            G5 G7 GC GD
   916/286(1000-1999),286(2000-2999),286(3000-3999)            GE GQ IC ID
   916/286(4000-4999),286(5000-5999),286(6000-6999)            IE IF IG OH
   916/286(7000-7999),286(8000-8999),561(0000-8999)            PA PJ PR PU
   916/563(0000-0999),563(1000-1999),563(2000-2999)            RA RC RD RE
   916/563(3000-3999),563(4000-4999),563(5000-5999)            RF RG RH SK
   916/563(6000-6999),563(7000-7999),564,565,566(0000-0999)    SN SQ ST TJ
   916/566(1000-1999),566(2000-2999),566(3000-3999)            UG UP UR UT
   916/566(4000-4999),566(6000-6999),566(7000-7999)            UU UW UZ WG
   916/566(8000-8999),566(9000-9999),567,568(0000-0999)        WH ZW
   916/568(1000-1999),568(2000-2999),568(3000-3999)
   916/568(4000-4999),568(5000-5999),568(6000-6999)
   916/568(7000-7999),568(8000-8999),569(0000-7999)
   916/569(9000-9999),570(0000-0999),570(4000-4999)
   916/570(5000-5999),614,641,643(0000-0999),643(1000-1999)
   916/643(2000-2999),643(4000-4999),643(6000-6999)
   916/643(7000-7999),643(8000-8999),643(9000-9999),646,648
   916/649,877(2000-3999),920,921,922,923(0000-7999)
   916/923(9000-9999),924,925,927,929
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
NORTH SACRAMENTO	NSCRCA11RS0	08296	08575	5170	726	BA DA GC GD
916/263(0000-8999),274(0000-0999),274(2000-2999)						GE II PA PJ
916/274(5000-6999)						PR PU RA RC
						RD RE RF RG
						RH RM SJ SN
						ST SU TB TE
						TF TG TJ TM
						TN TP TQ TS
						TT UE UG UP
						UR UT UU UW
						UZ WG WH
NORTH SACRAMENTO	NSCRCA12DS0	08289	08585	5170	726	AA BA DA G4
916/263(9000-9999),274(3000-3999),274(7000-8999)						G5 G7 GD GE
916/285(0000-0999),285(3000-3999),285(6000-9999),419						IC ID IE IF
916/515(0000-5999),574(7000-9999),575(7000-9999),928						IG OH OR PC
						PL PR PU RA
						RC RD RE RF
						RG RH SJ ST
						UG UP UR UT
						UU UW UZ ZW
NORTH SAN JUAN	NSJNCA11RS0	08118	08533	5170	726	BA DA G4 G5
530/292(0000-0999),292(1000-1999),292(3000-3999)						G7 GC GD GE
530/292(4000-4999),292(9000-9999)						II PC PL PT
						RA UG UP UT
						UU UW UZ ZW
NORTH SHORES	NSHRCAXFRS6	09257	07442	2319	973	AA BA DA GC
760/393(0000-0999),393(3000-3999),393(9000-9999)						GD GE GG GM
						GN GR HB HD
						II PA PL SQ
						TU VM

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
NORTH YUBA	NYUBCA11RS0	08129	08564	5170	726	AA BA DA G4
530/692(0000-0999),692(1000-1999),692(2000-2999)						G5 G7 GC GD
530/692(3000-3999),692(8000-8999),692(9000-9999)						II PC PL RA
						RB RC RD RE
						RF RG RH RM
						SN UP UT UU
						UW UZ ZW
NORTHRIDGE	NORGCA11DS0	09183	07939	5170	730	AA BA DA GC
818/576(0000-6999),576(8000-9999),677,678(0000-8999),718						GD GE GQ HB
818/725(0000-0999),725(2000-2999),725(3000-3999)						II OR PB PK
818/725(4000-4999),725(5000-5999),725(6000-6999)						PR PS RA RC
818/725(7000-7999),725(8000-8999),725(9000-9999),727,734						RD RE RF RG
818/772,773,775						RH SJ SN SQ
						ST TJ UE UP
						UR UT UW UZ
						WG WH ZW
NORTHRIDGE	NORGCA11DS1	09183	07939	5170	730	AA BA BC DA
818/341,349,407,700,701,709,717(0000-6999)						G4 G5 G7 GC
818/717(8000-9999),882,885,886,993(0000-0999)						GD GQ HB IC
818/993(1000-1999),993(3000-3999),993(4000-4999)						ID IE IF IG
818/993(5000-5999),993(6000-6999),993(7000-7999)						II PB PK PR
818/993(8000-8999),993(9000-9999),998						PS RA RC RD
						RE RF RG RH
						SN SP SQ ST
						TJ UE UP UR
						UT UW UZ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
NORWALK                     NRWLCAXF92S 09239 07842 2319  730 AA BA DA GC
   562/406(0000-0999),406(1000-1999),406(2000-2999)          GD GE GG GJ
   562/406(3000-3999),406(5000-5999),406(6000-6999)          GN GR HB HD
   562/406(7000-7999),406(8000-8999),406(9000-9999)          II PA PJ RC
   562/409(0000-0999),409(1000-1999),409(2000-2999)          RD SN SQ TG
   562/409(3000-3999),409(6000-6999),409(7000-7999)          TI TJ TU UA
   562/409(8000-8999),409(9000-9999),462,465(0000-0999)      UG UR VM WD
   562/465(1000-1999),465(2000-2999),465(3000-3999)          WE WF WG WH
   562/465(4000-4999),465(5000-5999),465(6000-6999)          WI WJ ZZ
   562/465(7000-7999),465(8000-8999),465(9000-9999),466
   562/484(0000-0999),484(2000-2999),484(3000-3999)
   562/484(7000-7999),484(9000-9999),651,807,863,864,868
   562/929
.......................................................................
NORWALK                     NRWLCAXGDS0 09242 07836 2319  730 AA BA DA GC
   562/229(0000-0999),229(1000-1999),229(3000-3999)          GD GE GG GJ
   562/229(5000-5999),229(7000-7999),229(9000-9999),404      GN GR HB HD
   562/407(0000-0999),407(1000-1999),407(2000-2999)          II PA PJ RC
   562/407(3000-3999),407(5000-5999),407(6000-6999)          RD SN SQ TB
   562/407(7000-7999),407(8000-8999),407(9000-9999)          TG TI TJ TU
   562/469(4000-4999),469(6000-6999),469(7000-7999)          UA UG UR VM
   562/483(0000-0999),483(1000-1999),483(4000-4999)          WD WE WF WG
   562/483(5000-5999),483(6000-6999),483(7000-7999)          WH WI WJ ZZ
   562/483(8000-8999),623(0000-0999),623(1000-1999)
   562/623(2000-2999),623(3000-3999),623(4000-4999)
   562/623(6000-6999),623(9000-9999),802(0000-0999)
   562/802(1000-1999),802(2000-2999),802(3000-3999)
   562/802(5000-5999),802(6000-6999),802(7000-7999)
   562/802(8000-8999),802(9000-9999),921,926
.......................................................................
NOVATO                      NOVTCAXFDS0 08426 08755 2319  722 AA BA DA GC
   415/209(0000-0999),209(1000-1999),209(2000-2999)          GD GE GG GN
   415/209(6000-6999),209(7000-7999),209(9000-9999),892,893  GR HB HD II
   415/897,898,899                                           PB PK RC RD
                                                             SN SQ UG VM
                                                             ZZ
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
OAK KNOLL	OKNLCAXF465	07610	08876	2339	724	AA BA DA GC
530/465						GD GI GN GR
						HD IC SP SQ
						TJ TK TW
OAK RUN	OKRNCAXFDS0	07849	08703	2342	724	BA DA GC GE
530/472						GN HJ IC IH
						II RA RC RD
						RE RF RG RH
						UL UM
OAKDALE	OKDLCA11DS0	08469	08451	5170	738	AA BA DA G4
209/845(0000-0999),845(1000-1999),845(2000-2999)						G5 G7 GC GD
209/845(3000-3999),845(8000-8999),845(9000-9999),847,848						GQ IC ID IE
209/848						IF IG OH PC
						PL PT PU RA
						RB SJ SV UG
						UT UU UW UZ
						WG WH ZW
OAKHURST	OKHRCAXADS0	08538	08232	2338	728	AA BA DA G2
559/641(5000-9999),642(5000-9999),658(5000-9999)						G3 GC GD GN
559/683(5000-9999),689,692(5000-9999)						HB HD IC ID
						IE IF IG OE
						RA RC RD SK
						SQ T9 TJ TK
						UR UT UW WE
						WG WH
OAKLAND	OKLDCA0300W	08486	08696	5170	722	HC PR PU SU
/						UE
OAKLAND	OKLDCA0301T	08486	08696	5170	722	G1 PR PU
/						
OAKLAND	OKLDCA0302T	08486	08696	5170	722	GB PA PJ PS
510/762						
925/762						

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
OAKLAND	OKLDCA0349T	08486	08696	5170	722	GB HB PR PU
/_____						
OAKLAND	OKLDCA03DS2	08486	08696	5170	722	BA DA GC GD
510/238,251,273,286,287(0000-5999),287(7000-9999)						GQ HB II OE
510/302(0000-0999),302(1000-1999),302(2000-2999)						OH PA PJ PS
510/302(3000-3999),302(4000-4999),302(6000-6999),419						QA QE RA RE
510/433(0000-7999),433(9000-9999),444,446(0000-7999)						RF RG RH RM
510/446(9000-9999),451,452(0000-6999),452(8000-9999)						SL SN SS SU
510/464(1000-1999),464(2000-2999),464(3000-3999)						TB TE TF TJ
510/464(4000-4999),464(5000-5999),464(6000-6999)						TM TN TP TQ
510/464(7000-7999),464(8000-8999),464(9000-9999)						TS TT UE UG
510/466(0000-0999),466(2000-2999),466(3000-3999)						UR VL VQ ZY
510/466(4000-4999),466(5000-5999),466(6000-6999)						
510/466(7000-7999),466(8000-8999),466(9000-9999)						
510/587(0000-8999),622,627,628(0000-5999),628(7000-9999)						
510/637(0000-6999),808(0000-0999),808(1000-1999)						
510/808(2000-2999),808(8000-8999),808(9000-9999)						
510/817(1000-1999),817(3000-3999),817(5000-5999)						
510/817(7000-9999),832,834,835,836(0000-0999)						
510/836(1000-1999),836(2000-2999),836(3000-3999)						
510/836(4000-4999),836(5000-5999),836(6000-6999)						
510/836(7000-7999),836(8000-8999),869,873,874(0000-4999)						
510/874(6000-9999),893,986(0000-3999),986(5000-9999)						
510/987(0000-5999),987(7000-7999),987(9000-9999)						
OAKLAND	OKLDCA03DS4	08486	08696	5170	722	BA DA GC GD
510/208,267,268(0000-5999),268(7000-9999),271,272,465						GQ HB II PA
510/625,645,663,763,839,891(0000-0999),891(2000-9999)						PJ PS QA QE
510/891(2000-9999)						RA RC RD RE
						RF RG RH RM
						SH SN SQ ST
						SU TB TE TF
						TJ TM TN TP
						TQ TS TT UE
						UG UP UR ZZ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
OAKLAND                     OKLDCA04DS0 08490 08687 5170  722 AA BA DA G4
   510/261,434(0000-0999),434(1000-1999),434(2000-2999)      G5 G7 GC GD
   510/434(3000-3999),434(5000-5999),434(7000-7999)          GQ HB II OE
   510/434(8000-8999),434(9000-9999),436,437(1000-1999)      OR PC PL PS
   510/437(2000-2999),437(3000-3999),437(4000-4999)          RA RE RF RG
   510/437(5000-5999),437(6000-6999),437(7000-7999)          RH SJ TJ UG
   510/437(8000-8999),437(9000-9999),532,533,534,535,536     WG WH ZW
   510/536
.......................................................................
OAKLAND                     OKLDCA11DS0 08480 08695 5170  722 AA BA BC DA
   510/420,428,450,547,594,595,596,597(0000-1999)            G4 G5 G7 GC
   510/597(3000-9999),601(0000-0999),601(1000-1999)          GD GQ HB II
   510/601(3000-3999),601(4000-4999),601(5000-5999)          OE OH OR PB
   510/601(6000-6999),601(7000-7999),601(8000-8999)          PK PS RA RE
   510/601(9000-9999),652,653,654,655,658,735(2000-2999)     RF RG RH SK
   510/752,922(2000-7999),923,985(0000-0999),985(1000-1999)  TJ WG WH ZW
   510/985(2000-2999),985(3000-3999),985(5000-5999)
   510/985(6000-6999),985(7000-7999),985(8000-8999)
.......................................................................
OAKLAND                     OKLDCA12DS0 08497 08678 5170  722 BA DA GC GD
   510/382(0000-3999),382(5000-9999),383(1000-1999)          GQ HB OR PB
   510/383(2000-2999),383(3000-3999),383(4000-4999)          PK PS QA QE
   510/383(5000-5999),383(8000-8999),383(9000-9999),553      RA RE RF RG
   510/563(1000-6999),563(8000-8999),577,613(0000-2999)      RH SJ SV TJ
   510/613(4000-4999),613(6000-9999),615,777(0000-0999)      UG UR ZW
   510/777(1000-1999),777(2000-2999),777(3000-3999)
   510/777(4000-4999),777(5000-5999),777(7000-7999)
   510/777(8000-8999),777(9000-9999)
.......................................................................
OAKLAND                     OKLDCA12DS1 08497 08678 5170  722 BA BC DA G4
   510/425,430,562,567(0000-0999),567(1000-1999)             G5 G7 GC GD
   510/567(2000-2999),567(5000-5999),567(6000-6999)          GQ HB II PB
   510/567(8000-8999),567(9000-9999),568,569,632,633,635     PK PS QA QE
   510/636,638,639,729                                       RA RC RD RE
                                                             RF RG RH SH
                                                             SQ TJ UG UP
                                                             UR WG WH
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
OAKLAND	OKLDCA13DS0	08484	08684	5170	722	BA DA G4 G5
510/336(0000-0999),336(1000-1999),336(2000-2999)						G7 GC GD GQ
510/336(3000-3999),336(7000-7999),336(9000-9999)						HB II OR PC
510/338(0000-0999),338(1000-1999),339,482,530,531						PL PR PU RA
						RE RF RG RH
						SK TJ WG WH
						ZW
OAKLAND	OKLDCAAN1KD	08486	08695	864C	722	DA QC
/						
OAKLAND	OKLDCAAN2KD	08486	08695	864C	722	DA QC
/						
OAKLAND	OKLDCAAN3KD	08486	08695	864C	722	DA QC
/						
OAKLAND	OKLDCAAN4KD	08486	08695	864C	722	DA QC
/						
OAKLAND	OKLDCAAN5MD	08486	08695	864C	722	GB QC
/						
OAKLAND	OKLDCAAN7MD	08486	08695	864C	722	GB QC
/						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
OAKLAND	OKLDCAMPDS0	08486	08696	4733	722	GL
408/352(6000-6999),418(1000-1999),477(3000-3999)						
408/508(7000-7999),599(5000-5999),610(5000-5999)						
408/650(0000-0999),650(1000-1999),664(2000-2999)						
408/709(8000-8999),770(8000-8999),789(6000-6999)						
408/791(3000-3999)						
415/275(5000-5999),291(2000-2999),294(8000-8999)						
415/306(5000-5999),400(0000-0999),416(3000-3999)						
415/426(5000-5999),432(6000-6999),464(6000-6999)						
415/528(4000-4999),544(7000-7999),548(6000-6999)						
415/549(5000-5999),580(6000-6999),638(4000-4999)						
415/638(8000-8999),678(1000-1999),745(3000-3999)						
415/761(6000-6999),766(3000-3999),800(0000-0999)						
415/852(6000-6999),855(8000-8999),915(1000-1999)						
415/926(7000-7999),934(9000-9999)						
510/227(1000-1999),361(2000-2999),371(6000-6999)						
510/398(7000-7999),423(9000-9999),431(6000-6999)						
510/460(3000-3999),488(0000-0999),597(2000-2999)						
510/730(7000-7999),771(5000-5999),788(3000-3999)						
510/874(5000-5999),897(5000-5999),924(3000-3999)						
628/242(0000-0999),242(1000-1999)						
650/257(6000-6999),282(8000-8999),372(8000-8999)						
650/443(5000-5999),453(5000-5999),485(4000-4999)						
650/528(2000-2999),597(4000-4999),600(5000-5999)						
650/656(4000-4999),665(2000-2999),741(7000-7999)						
650/752(1000-1999),784(7000-7999),822(5000-5999)						
650/850(7000-7999),954(2000-2999),993(7000-7999)						
669/224(1000-1999),242(8000-8999),292(2000-2999)						
669/327(0000-0999),666(5000-5999),666(7000-7999)						
707/205(2000-2999),241(8000-8999),260(1000-1999)						
707/474(6000-6999),596(4000-4999)						
831/824(2000-2999)						
925/222(6000-6999),230(6000-6999),249(7000-7999)						
925/357(6000-6999),378(6000-6999),438(4000-4999)						
925/474(5000-5999),474(6000-6999),480(6000-6999)						
925/493(6000-6999),526(1000-1999),594(5000-5999)						
925/626(2000-2999),695(2000-2999),956(4000-4999)						
925/962(8000-8999)						

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
OAKLEY	OKLYCA11DS0	08435	08605	5170	722	AA BA DA G4
925/625,679(0000-0999),679(1000-1999),679(2000-2999)						G5 G7 GC GD
925/679(3000-3999),679(8000-8999),679(9000-9999)						GQ HB OH PC
						PL PR PU RA
						RE RF RG RH
						SJ WG WH ZW
OAKVIEW	OKVWCA11DS1	09166	08077	5170	730	BA DA G4 GC
805/649(1000-1999),649(2000-2999),649(3000-3999)						GD GQ IC ID
805/649(4000-4999),649(5000-5999),649(6000-6999)						IF OR PC PL
805/649(8000-8999),649(9000-9999)						PR PU RA RF
						RG RH SJ SQ
						UP UT UW UZ
						WG ZW
OASIS	OASSCAXFRS0	09265	07477	2319	973	AA BA DA GC
760/397(0000-2999),397(4000-4999),397(8000-8999)						GD GE GG GM
						GN GR HB HD
						II PC PL SQ
						TU VM
OCCIDENTAL	OCDNCA11RS0	08373	08819	5170	722	BA DA G4 G5
707/874(0000-0999),874(1000-1999),874(2000-2999)						G7 GC GD IC
707/874(3000-3999),874(9000-9999)						ID IF PC PL
						PR PU RA SN
						UT UU UW UZ
						ZW
OCEANSIDE	OCSDCA11DS0	09369	07686	5170	732	AA BA DA GC
760/430(0000-2999),430(4000-8999),433,435,439						GD GQ II OR
760/529(0000-0999),719,721,722,725,754,757,763,901,966						PB PK PR PU
760/967						RA RC RD RE
						RF RG RH SK
						SN SQ ST TJ
						UP UR UT UU
						UW UZ WG WH
						ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
OILDALE	OLDLCA11DS0	08938	08062	5170	734	AA BA DA G4
661/387(0000-0999),387(1000-1999),387(7000-7999)						G5 G7 GC GD
661/387(9000-9999),391,392,393,399						GQ IC ID IE
						IF IG OR PC
						PL PT PU RA
						RC RD RE RF
						RG RH SJ SV
						TJ UG UT UU
						UW UZ WG WH
						ZW
OJAI	OJAICA11DS0	09153	08070	5170	730	AA BA DA G4
805/640(0000-0999),640(1000-1999),640(2000-2999)						G5 G7 GC GD
805/640(3000-3999),640(4000-4999),640(6000-6999)						GQ HB II OR
805/640(7000-7999),640(8000-8999),640(9000-9999),646						PC PL PR PU
						RA RB RF RG
						RH SJ SQ UP
						UT UW UZ WG
						ZW
OLANCHA	OLNCCAXFRS6	08725	07914	4420	730	DA GE GM GN
760/764(1000-2999)						II UG
OLINDA	OLNDCAXEDS0	07910	08781	2321	724	AA BA DA GN
530/357,396						GR OE TJ TU
						TZ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
ONTARIO                     ONTRCAXF98K 09193 07771 2319  730 AA BA DA GC
   909/391(0000-6999),391(8000-9999),395(0000-0999)          GD GE GG GJ
   909/395(1000-5999),395(8000-8999),395(9000-9999)          GN GR HB HD
   909/458(1000-5999),458(7000-9999),459(0000-0999)          II PA PJ RC
   909/459(1000-1999),459(2000-2999),459(3000-3999)          RD SH SN SQ
   909/459(4000-4999),459(5000-5999),459(6000-6999)          TB TG TI TJ
   909/459(7000-7999),459(8000-8999),460(0000-0999)          TU UA UG UR
   909/460(1000-1999),460(2000-2999),460(3000-3999)          VM WD WE WF
   909/460(4000-4999),460(5000-5999),460(6000-6999)          WG WH WI WJ
   909/460(7000-7999),460(9000-9999),467(0000-5999)          ZZ
   909/467(7000-7999),921(0000-0999),933(1000-1999)
   909/933(2000-2999),933(3000-3999),933(4000-4999)
   909/933(5000-5999),933(6000-6999),933(7000-7999)
   909/933(8000-8999),933(9000-9999),983,984,986,988
.......................................................................
ONTARIO                     ONTRCAXG94L 09201 07759 2319  730 AA BA DA GC
   909/673,724(2000-3999),724(5000-7999),773(0000-0999)      GD GE GG GJ
   909/773(1000-1999),773(3000-3999),773(4000-4999)          GN GR HB HD
   909/773(5000-5999),773(6000-6999),773(7000-7999)          II PC PL RC
   909/773(9000-9999),923,930,947                            RD SN SQ TG
                                                             TI TJ TU UA
                                                             UG UR VM WD
                                                             WE WF WG WH
                                                             WI WJ ZZ
.......................................................................
ONTARIO                     ONTRCAXP01T 09193 07771 2319  730 GB HB QB TD (C)
     /                                                       TH TU       (C)
.......................................................................
ONTARIO                     ONTRCAXP01W 09193 07771 2319  730 HC
     /
.......................................................................
ONTARIO                     ONTRCAXP75T 09193 07771 2319  730 G2 G3 GB GG (C)
     /                                                       HB TU       (C)
.......................................................................
ONTARIO                     ONTRCAXP80T 09193 07771 2319  730 GB TU       (C)
     /                                                                    (C)
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ONTARIO AIRPORT	ONTRCAXMDS0	09191	07759	2319	730	AA BA DA GC
909/390,605(0000-0999),605(1000-1999),605(2000-2999)						GD GE GG GJ
909/605(4000-4999),605(5000-5999),605(6000-6999)						GN GR HB HD
909/605(7000-7999),605(8000-8999),605(9000-9999)						II PC PL TB
909/937(0000-3999),937(5000-9999),974(0000-0999)						TI TU UG UR
909/974(1000-1999),974(2000-2999),974(3000-3999)						VM WD WE WF
909/974(4000-4999),974(5000-5999),974(6000-6999)						WG WH WI WJ
909/974(7000-7999),975(3000-3999),975(4000-4999)						
909/975(5000-5999),975(6000-6999),975(7000-7999)						
ORA LOMA	ORMACAXFRL0	08652	08394	4420	728	DA GC GM GN
209/364(6000-6999)						GR II
ORANGE	ORNGCA11DS0	09258	07795	5170	730	AA BA BC DA
714/288,289(0000-4999),289(6000-9999),516(0000-7999)						G4 G5 G7 GC
714/516(9000-9999),532,538,628(0000-0999),628(1000-1999)						GD GQ HB IC
714/628(2000-2999),628(3000-3999),628(4000-4999)						ID IE IF IG
714/628(5000-5999),628(7000-7999),628(8000-8999)						II OR PC PL
714/628(9000-9999),633,639,744,769(1000-1999)						PR PS QA QE
714/769(2000-2999),769(3000-3999),769(4000-4999)						RA RC RD RE
714/769(7000-7999),771,997						RF RG RH SJ
						SN SQ TJ UP
						UT UW UZ WG
						WH ZW
ORANGE	ORNGCA13DS0	09249	07798	5170	730	AA BA DA G4
714/279,282,283,637,685,921,974,998						G5 G7 GC GD
						GE GQ HB II
						OR PC PL PR
						PS RA RC RD
						RE RF RG RH
						SJ SN SQ TJ
						UP UT UW UZ
						WG WH ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE			
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--
ORANGE	ORNGCA14DS0	09260	07805	5170	730	BA	DA	GC	GD
714/251(5000-5999),385(0000-6999),385(8000-9999),456						GE	GQ	HB	II
714/621(0000-4999),621(6000-9999),634,663(0000-0999)						OR	PB	PK	PR
714/663(1000-1999),663(2000-2999),663(3000-3999)						PS	QA	QE	RA
714/663(4000-4999),663(5000-5999),663(6000-6999)						RC	RD	RE	RF
714/663(7000-7999),663(8000-8999),703(0000-0999)						RG	RH	SJ	SQ
714/703(1000-1999),703(2000-2999),703(3000-3999)						TJ	UP	UT	UW
714/703(4000-4999),703(5000-5999),703(7000-7999)						UZ	WG	WH	ZW
714/703(8000-8999),703(9000-9999),704,705(1000-1999)									
714/705(2000-2999),705(7000-8999),712(1000-1999)									
714/712(2000-2999),712(3000-3999),712(4000-4999)									
714/712(5000-5999),712(6000-6999),712(7000-7999)									
714/712(8000-8999),712(9000-9999),740(0000-4999)									
714/740(6000-6999),740(8000-9999),748,750(0000-8999),935									
714/937,938(0000-0999),938(1000-1999),938(2000-2999)									
714/938(3000-3999),938(4000-4999),938(6000-6999)									
714/938(7000-7999),938(8000-8999),938(9000-9999),939,940									
714/971,978(0000-0999),978(1000-1999),978(2000-2999)									
714/978(3000-3999),978(5000-5999),978(6000-6999)									
714/978(7000-7999),978(8000-8999),978(9000-9999)									
714/980(8000-8999),980(9000-9999)									

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ORANGE CO.	RSMGCAHADS0	09286	07747	7661	730	AA BA DA
657/859(6000-6999)						
714/352(5000-5999),352(6000-6999),389(0000-4999)						
714/389(5000-5999),389(6000-6999),389(7000-7999)						
714/389(9000-9999),417(9000-9999),602(2000-2999)						
714/673(6000-6999),710(9000-9999)						
949/216(9000-9999),296(6000-6999),333(1000-1999)						
949/333(2000-2999),333(3000-3999),333(5000-5999)						
949/336(4000-4999),336(5000-5999),336(6000-6999)						
949/336(7000-7999),336(8000-8999),379(3000-3999)						
949/379(6000-6999),379(7000-7999),381(3000-3999)						
949/381(7000-7999),387,396(6000-6999),398(5000-5999)						
949/398(6000-6999),398(7000-7999),398(8000-8999)						
949/430(4000-4999),501(4000-4999),502(3000-3999)						
949/502(4000-4999),502(5000-5999),502(6000-6999)						
949/502(7000-7999),502(8000-8999),524(8000-8999)						
949/537(3000-3999),546(0000-0999),546(1000-1999)						
949/546(2000-2999),546(3000-3999),546(4000-4999)						
949/546(5000-5999),546(8000-8999),656(8000-8999),679						
949/701(4000-4999),706(0000-3000),706(5000-5999)						
949/706(6000-7000),706(8000-8999),706(9000-9999)						
949/709(0000-0999),709(1000-1999),709(2000-2999)						
949/709(3000-3999),709(4000-4999),709(5000-5999)						
949/709(7000-7999),709(8000-8999),713,748(1000-1999)						
949/748(3000-3999),748(6000-6999),748(7000-7999)						
949/748(8000-8999),769(3000-3999),769(6000-6999)						
949/783(3000-3999),783(5000-5999),788(1000-1999)						
949/825(5000-5999),825(6000-6999),825(7000-7999)						
949/835(8000-8999),861(2000-2999),861(3000-3999)						
949/861(4000-4999),861(8000-8999),872(2000-2999)						
949/988(3000-3999),988(7000-7999)						

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
ORANGE CO.                  RSMGCAHADS2 09286 07747 7661  730 DA
   949/215,273(5000-5999),273(6000-6999),273(8000-8999)
   949/297(3000-3999),297(4000-4999),297(7000-7999)
   949/297(8000-8999),305,356(1000-1999),380(6000-6999)
   949/382(2000-2999),382(6000-6999),382(7000-7999)
   949/420(6000-6999),420(7000-7999),420(8000-8999)
   949/421(3000-3999),421(5000-5999),446(0000-0999)
   949/521(6000-6999),521(7000-7999),563(8000-8999)
   949/600(6000-6999),600(7000-7999),600(8000-8999)
   949/600(9000-9999),614(8000-8999),680(2000-2999)
   949/680(3000-3999),680(4000-4999),716,900(6000-6999)
   949/900(7000-7999),916(0000-0999),916(1000-1999)
   949/916(2000-2999),916(3000-3999),916(4000-4999)
   949/916(5000-5999),916(6000-6999),916(7000-7999)
   949/916(8000-8999),916(9000-9999)
.......................................................................
ORANGE COVE                 ORCVCA11RS0 08683 08152 5170  728 AA BA DA G4
   559/626(0000-0999),626(1000-1999),626(4000-4999)          G5 G7 GC GD
   559/626(5000-5999),626(7000-7999)                         II OR PC PL
                                                             PR PS RA RC
                                                             RD RE RF RG
                                                             RH SJ UP UT
                                                             UU UW UZ ZW
.......................................................................
ORANGEVALE                  ORVACA11DS0 08277 08535 5170  726 AA BA DA G4
   916/987,988,989,990(0000-0999),990(9000-9999)             G5 G7 GC GD
                                                             GQ OR PC PL
                                                             PR PU RA RC
                                                             RD RE RF RG
                                                             RH SQ TJ UP
                                                             WG WH ZX
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ORANGEVALE	ORVACA11RS0	08277	08535	5170	726	AA BA DA G4
916/986(0000-3999),986(6000-8999)						G5 G7 GC GD
						GE IC ID IE
						IF IG PC PL
						PR PU RA RC
						RD RE RF RG
						RH ST TJ UG
						UP UR UT UU
						UW UZ
ORCUTT	ORCTCAXG93K	09086	08293	2319	740	AA BA DA GC
805/934,937,938(0000-0999),938(1000-1999),938(2000-2999)						GD GE GG GJ
805/938(3000-3999),938(4000-4999),938(5000-5999)						GN HB HD II
805/938(7000-7999),938(8000-8999),938(9000-9999)						PC PL RC RD
						SH SQ TI TJ
						TU UA UG UR
						VM WD WE WF
						WG WH WI WJ
						ZZ
ORICK	ORICCAXFRS1	07748	09066	2344	722	AA BA DA GM
707/488(2000-2999)						GR PC RC RD
						RF RM SQ
ORINDA	ORNDCA11DS0	08468	08683	5170	722	AA BA DA G4
925/253,254,258(0000-0999),258(1000-1999),258(3000-3999)						G5 G7 GC GD
925/258(4000-4999),258(5000-5999),258(6000-6999)						GQ HB OR PC
925/258(9000-9999)						PL PS RA RE
						RF RG RH SK
						ST TJ UG UR
						WG WH ZW
ORLAND	ORLDCA11RS0	08060	08727	5170	724	AA BA DA G4
530/865						GC GD IC ID
						IE IH OH PC
						PL PT RA SJ
						UR UT UU UW
						UZ ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY ---------NPA/NXX----------	CLLI ----------	WCV ---	WCH ---	CC ---	LATA ---	OFFICE TYPE -- -- -- --
ORLEANS 530/627(3000-3999)	ORLNCAXFRS4	07738	08981	4420	724	DA GE GM GN GR II
OROSI 559/528(0000-0999),528(1000-1999),528(2000-2999) 559/528(3000-3999),528(4000-4999),528(6000-6999) 559/528(9000-9999)	ORSICA11RS3	08700	08145	5170	728	AA BA DA G4 G5 G7 GC GD II OR PC PL RA RC RD RE RF RG RH SJ UT UU UW UZ ZW
OROVILLE 530/532(0000-1999),532(3000-9999),533,534,538(0000-0999) 530/538(2000-2999),538(3000-3999),538(4000-4999) 530/538(5000-5999),538(6000-6999),538(7000-7999) 530/538(8000-8999),538(9000-9999)	ORVLCA11DS0	08101	08614	5170	724	AA BA DA G4 G5 G7 GC GD GQ IC ID IF PC PL RA RC RD RE RF RG RH UU UW UZ WG WH
OROVILLE /	ORVLCA11DS1	08101	08614	5170	724	ZW
OROVILLE /	ORVLCA11DS3	08101	08614	5170	724	SJ
OROVILLE /	ORVLCA12DS1	08100	08599	5170	724	ZW
OROVILLE /	ORVLCA12DS3	08100	08599	5170	724	SJ
OROVILLE 530/589(0000-0999),589(1000-1999),589(2000-2999) 530/589(3000-3999),589(4000-4999),589(5000-5999) 530/589(6000-6999),589(7000-7999),589(9000-9999)	ORVLCA12RS0	08100	08599	5170	724	AA BA DA G4 GC GD IC ID IF PC PL UT UU UW UZ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
OTIMESA	OTMSCA11DS0	09499	07593	5170	732	AA BA DA GC
619/661,671,690(7000-7999),710(0000-2999),710(4000-4999)						GD GQ IC ID
619/710(8000-8999)						IE IF IG OR
						PC PL PR PU
						RA RC RD RE
						RF RG RH SJ
						SQ UP UT UU
						UW UZ WG WH
						ZW
OXNARD	OXNRCAXF48K	09207	08050	2319	730	AA BA DA GC
805/240(0000-0999),240(1000-1999),240(2000-2999)						GD GE GG GJ
805/240(3000-3999),240(4000-4999),240(5000-5999)						GN GR HB HD
805/240(7000-7999),240(8000-8999),240(9000-9999),247,385						II PB PK RC
805/483,486,487,982(1000-1999),982(2000-2999)						RD SH SN SQ
805/982(3000-3999),982(4000-4999),982(5000-5999)						TG TH TI TJ
805/982(6000-6999),982(7000-7999),982(8000-8999)						TU UA UG UR
805/982(9000-9999)						VM WD WE WF
						WG WH WI WJ
						ZZ
OXNARD	OXNRCAXG98M	09208	08054	2319	730	AA BA DA GC
805/382,815(0000-0999),815(3000-3999),815(4000-4999),984						GD GE GG GJ
805/985						GN GR HB HD
						II PC PL RC
						RD SN SQ TG
						TI TJ TU UA
						UG UR VM WD
						WE WF WG WH
						WI WJ ZZ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
PACIFIC BEACH	PCBHCA01DS0	09451	07645	5170	732	BA DA G4 G5
619/275,276						G7 GC GD GQ
858/270,272,273,274,483,490,581						II OR PC PL
						PR PU QA QE
						RA RF RG RH
						SK SN SQ ST
						TJ UP UR UT
						UU UW UZ WG
						WH ZW
PACIFIC BEACH	PCBHCA11RS0	09454	07651	5170	732	AA BA DA G4
858/488,539(0000-0999),539(2000-2999),539(4000-4999)						G5 G7 GC GD
858/539(7000-7999),539(8000-8999)						IC ID IE IF
						IG OR PC PL
						PR PU RA RC
						RD RE RF RG
						RH SJ SN SQ
						ST TB TE TM
						TN TP TQ TS
						TT UG UP UR
						UT UU UW UZ
						WG WH ZW
PACIFIC PALISADES	PCPLCAXF45K	09221	07927	2319	730	AA BA DA GC
310/230(0000-4999),230(6000-9999),454,459,573(0000-0999)						GD GE GG GJ
310/573(1000-1999),573(2000-2999),573(3000-3999)						GN GR HB HD
310/573(4000-4999),573(5000-5999),573(6000-6999)						II PC PL RC
310/573(7000-7999),573(9000-9999)						RD SH SN SQ
						TG TI TJ TU
						UA UG VM ZZ
PACIFICA	PCFCCA11DS0	08532	08728	5170	722	AA BA DA G4
650/355,359,557(0000-0999),557(1000-1999),557(9000-9999)						G5 G7 GC GD
650/738,993(5000-5999)						GQ HB OR PC
						PL PS RA RE
						RF RG RH SJ
						TJ UG ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
PACOIMA                     PACMCAXF89A 09172 07917 2319  730 AA BA DA GC
   818/686(0000-0999),686(1000-1999),686(3000-3999)          GD GE GG GJ
   818/686(4000-4999),686(6000-6999),686(8000-8999)          GN GR HB HD
   818/686(9000-9999),834,890,896,897,899                    II PB PK RC
                                                             RD SN SQ TG
                                                             TI TJ TU UA
                                                             UG UR VM WD
                                                             WE WF WG WH
                                                             WI WJ ZZ
.......................................................................
PALA                        PALACA11RS0 09330 07627 5170  732 AA BA DA G4
   760/742(0000-4999),742(8000-8999)                         G5 G7 GC GD
                                                             GE II OR PC
                                                             PL PR PU RA
                                                             SJ SN SQ UP
                                                             UT UU UW UZ
                                                             WG ZW
.......................................................................
PALM DESERT                 PLDSCAXF34A 09229 07530 2319  973 AA BA DA GC
   760/340,341,346,568,636(7000-7999),674(0000-5999)         GD GE GG GJ
   760/674(8000-9999),773,776,779,836,837(0000-1999)         GN GR HB HD
   760/837(2100-2999),837(3000-9999),862                     II PA PJ RC
                                                             RD SH SN SQ
                                                             TI TJ TU UG
                                                             VM
.......................................................................
PALM SPG                    PLSPCAXGXPX 09211 07561 7240  973 BA DA
   442/246(3000-3999),321(3000-3999)
   760/238(4000-4999),262(8000-8999),392(5000-5999)
   760/393(2000-2999),393(8000-8999),394(7000-7999)
   760/469(2000-2999),469(3000-3999),469(5000-5999)
   760/469(8000-8999),702(3000-3999),800(3000-3999),830
   760/834(9000-9999),853(3000-3999),894(4000-4999)
   760/904(5000-5999),904(6000-6999),972(3000-3999)
   760/974(3000-3999),992(3000-3999),992(7000-7999)
   760/992(8000-8999),992(9000-9999)
.......................................................................
PALM SPRINGS                PLSPCAXG00W 09211 07561 2319  973 HC
      /
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
PALM SPRINGS                PLSPCAXG1KD 09211 07561 864C  973 DA QC
     /
.......................................................................
PALM SPRINGS                PLSPCAXG32G 09211 07561 2319  973 AA BA DA GC (C)
   760/322,325,327,778,833,864,866,883(1000-1499)            GD GE GR HA (C)
   760/883(1700-5999)                                        PA RC RD SH (C)
                                                             SN SQ TD TH (C)
                                                             TU ZZ       (C)
.......................................................................
PALM SPRINGS                PLSPCAXG76T 09211 07561 2319  973 G2 PA TU    (C)
     /                                                                    (C)
.......................................................................
PALM SPRINGS                PLSPCAXG88T 09211 07561 2319  973 GB HB PA SH (C)
     /                                                       SN SQ TU UD (C)
.......................................................................
PALM SPRINGS                PLSPCAXGDS0 09211 07561 2319  973 AA BA DA GC (C)
   760/318(0000-4999),318(6000-9999),320,323,416             GD GG GJ GN (C)
   760/699(6000-6999),819(0000-0999),820(0000-0999)          GR HB HD II (C)
   760/834(0000-0999)                                        PA PJ RC RD (C)
                                                             SH SN SQ TB (C)
                                                             TD TI TJ TU (C)
                                                             UG VM ZZ    (C)
.......................................................................
PALM SPRINGS                PLSPCAXGXHZ 09211 07561 668G  973 DA
     /
.......................................................................
PALM SPRINGS                PLSPCAXGXOZ 09211 07561 7957  973 GR
   442/246(7000-7999),256(7000-7999),268(7000-7999)
   442/269(7000-7999),274(3000-3999),321(6000-6999)
   760/313(8000-8999),437(7000-7999),538(6000-6999)
   760/800(7000-7999),820(6000-6999),894(7000-7999)
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
PALMDALE	PLDLCA01DS0	09095	07872	5170	730	AA BA DA G4
661/223,224,225(0000-6999),225(9000-9999),233(0000-0999)						G5 G7 GC GD
661/265(0000-0999),265(1000-1999),265(2000-2999)						GE GQ HB II
661/265(3000-3999),265(4000-4999),265(6000-6999)						OR PC PL PR
661/265(7000-7999),265(8000-8999),265(9000-9999),266,267						PS RA RC RD
661/272,273,274,537(0000-0999),537(1000-1999)						RE RF RG RH
661/537(2000-2999),537(6000-6999),537(7000-7999)						SK SN SQ ST
661/537(8000-8999),537(9000-9999),538,540(0000-2999)						TJ UP UR UT
661/540(4000-9999),572,574(0000-4999),574(6000-9999)						UW UZ WG WH
661/575(0000-0999),575(1000-1999),575(2000-2999)						ZX
661/575(8000-8999),575(9000-9999),789(0000-0999)						
661/789(1000-1999),789(2000-2999),789(3000-3999)						
661/789(4000-4999),789(5000-5999),789(6000-6999)						
661/789(9000-9999),947						
PALMDALE	PLDLCA11DS0	09098	07859	5170	730	AA BA DA GC
661/236(0000-0999),285,533(0000-3999),533(5000-9999)						GD GQ OR PC
						PL PR PS SJ
						ZW
PALO ALTO	PLALCA02DS0	08563	08668	5170	722	BA DA GC GD
650/289(0000-7999),289(9000-9999),321,322,323,324,325						GQ OE OH PA
650/326,327,328,329,330,462,463(0000-5999)						PJ PR PS QA
650/463(7000-9999),470,473,566,614(0000-0999)						QE RA RE RF
650/614(2000-4999),614(6000-9999),617,688,752(0000-0999)						RG RH RM SC
650/752(2000-2999),752(3000-3999),752(5000-5999)						SD SL SN SS
650/752(7000-7999),833(0000-7999),838,853						ST SU TB TE
						TF TJ TM TN
						TP TQ TS TT
						UE UG UR UT
						UU UW UZ VL
						VQ WG WH ZY

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
PALO ALTO                   PLALCA12DS0 08568 08663 5170  722 BA DA GC GD
   650/213(0000-0999),213(1000-1999),213(3000-3999)          GE GQ HB OR
   650/213(4000-4999),213(5000-5999),213(8000-8999)          PA PJ PR PS
   650/213(9000-9999),236,251(0000-3999),251(5000-9999)      QA QE RA RE
   650/308(0000-3999),320,354,424,461(1000-1999)             RF RG RH SK
   650/461(2000-2999),461(5000-5999),461(6000-6999)          SN TJ UG UT
   650/461(7000-7999),485(5000-5999),493,494(0000-3999)      UU UW UZ WG
   650/494(5000-9999),496,565,621(1000-1999),621(2000-2999)  WH ZW
   650/621(3000-3999),621(4000-4999),621(5000-5999)
   650/621(6000-6999),621(7000-7999),621(8000-8999)
   650/621(9000-9999),739(0000-0999),739(1000-1999)
   650/739(2000-2999),739(7000-7999),812,813(0000-1999)
   650/813(3000-9999),842(1000-9999),843(0000-0999)
   650/843(1000-1999),843(2000-2999),843(3000-3999)
   650/843(4000-4999),843(5000-5999),843(6000-6999)
   650/843(7000-7999),843(8000-8999),845,846,849
   650/852(0000-0999),852(2000-2999),852(3000-3999)
   650/852(4000-4999),852(5000-5999),852(6000-6999)
   650/852(7000-7999),852(8000-8999),852(9000-9999)
   650/855(0000-0999),855(1000-1999),855(2000-2999)
   650/855(3000-3999),855(5000-5999),855(6000-6999)
   650/855(7000-7999),855(8000-8999),855(9000-9999),856,857
   650/858,859
.......................................................................
PALO CEDRO                  PLCDCAXFDS0 07866 08587 2308  724 AA BA DA GC
   530/547(0000-5999),547(7000-7999),547(9000-9999)          GD GN GR HJ
                                                             RC RD RH RM
                                                             SQ
.......................................................................
PALO VERDE                  PLVRCAXFRS1 09236 07222 863F  730 DA GC GE GM
   760/854(1000-1999),854(3000-3999)                         GN II
.......................................................................
PARADISE                    PRDSCA11DS0 08048 08632 5170  724 AA BA DA G4
   530/872,876(0000-0999),876(1000-1999),876(2000-2999)      G5 G7 GC GD
   530/876(3000-3999),876(7000-7999),876(8000-8999)          GQ PC PL RA
   530/876(9000-9999),877                                    TJ
.......................................................................
PARADISE                    PRDSCA11DS1 08048 08632 5170  724 ZW
      /
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
PARADISE /	PRDSCA11DS3	08048	08632	5170	724	SJ
PARADISE /	PRDSCA12DS1	08029	08630	5170	724	ZW
PARADISE /	PRDSCA12DS3	08029	08630	5170	724	SJ
PARADISE 530/873	PRDSCA12RS0	08029	08630	5170	724	AA BA DA G4 GC GD IC ID IF PC PL RA UT UU UW UZ
PARAMOUNT 562/220(0000-7999),220(9000-9999),259(0000-0999) 562/259(1000-1999),259(2000-2999),259(9000-9999),272,408 562/529,531,601,602,630,633,634,663(0000-3999) 562/663(6000-9999),790(0000-3999),790(5000-8999) 562/808(2000-2999),808(8000-8999),817(5000-5999)	PRMTCA01DS0	09245	07856	5170	730	AA BA BC DA G4 G5 G7 GC GD GQ HB II OR PC PL PR PS RA RF RG RH SJ SN SQ TJ UP WG WH ZW
PARKFIELD 805/463(2000-2999)	PRFDCAXFDS0	08867	08346	4420	740	DA GN II
PARLIER 559/646(0000-3999),646(6000-6999),646(9000-9999)	PRLRCA11RS0	08691	08188	5170	728	AA BA DA G4 G5 G7 GC GD II OR PC PL PR PS RA RC RD RE RF RG RH SK UP UT UU UW UZ WG WH ZW

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
PASADENA	PSDNCA11DS0	09190	07861	5170	730	AA BA DA GC
626/229,397,431,432,440,449,535(0000-0999)						GD GE GQ HB
626/535(1000-1999),535(2000-2999),535(4000-4999)						II OH OR PB
626/535(5000-5999),535(6000-6999),535(7000-7999)						PK PR PS QA
626/535(8000-8999),535(9000-9999),564,568,577,583,585						QE RA RC RD
626/666,685						RE RF RG RH
						SJ SN SQ TB
						TE TF TJ TM
						TN TP TQ TS
						TT UP UT UW
						UZ WG WH
PASADENA	PSDNCA11DS1	09190	07861	5170	730	AA BA BC DA
323/681(0000-0999)						G4 G5 G7 GC
626/304,356,395,396,405,578(0000-4999),578(6000-9999)						GD GQ HB IC
626/584,683,744,792,793,795,796,817(0000-0999)						ID IE IF IG
626/817(4000-4999),817(5000-5999),817(8000-8999),844						II PB PK PR
						PS QA QE RA
						RC RD RE RF
						RG RH SN SQ
						TB TE TF TJ
						TM TN TP TQ
						TS TT UP UT
						UW UZ ZW
PASADENA	PSDNCA11RS3	09190	07861	8707	730	DA DD G2 GD
/						GE GJ GN GQ
						HB HC IA IB
						IC IF IG IH
						II QA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
PASADENA                    PSDNCA12DS0 09183 07861 5170  730 AA BA BC DA
   323/684(0000-0999)                                         G4 G5 G7 GC
   626/296,345(0000-0999),345(1000-1999),345(2000-2999)       GD GQ HB IC
   626/345(3000-3999),345(9000-9999),381(0000-0999)           ID IE IF IG
   626/381(1000-1999),381(2000-2999),381(3000-3999)           II OR PC PL
   626/381(4000-4999),381(5000-5999),381(6000-6999)           PR PS RA RF
   626/381(7000-7999),398,791,794,797,798,808(0000-0999)      RG RH SJ SQ
   626/808(9000-9999)                                         TJ UP UT UW
                                                              UZ WG WH ZW
.......................................................................
PASADENA                    PSDNCAXFRS0 09186 07850 2319  730 AA BA DA GC
   626/351                                                    GD GE GM GN
                                                              II PC PL RC
                                                              RD SH SN SQ
                                                              TU UA UG ZZ
.......................................................................
PASADENA                    PSDNCAXFRS1 09186 07850 2319  730 AA BA DA GC
   626/306                                                    GD GE GM PC
                                                              RC RD SH SN
                                                              SQ TU ZZ
.......................................................................
PASKENTA                    PSKNCA11RS0 08035 08789 5170  724 AA BA DA G4
   530/833(0000-0999),833(1000-1999),833(5000-5999)           GC GD IC ID
                                                              IE IG PC PL
                                                              PT RA RC RD
                                                              RE RF RG RH
                                                              SJ UT UU UW
                                                              UZ WG ZW
.......................................................................
PASO ROBLES                 PSRBCA01DS0 08930 08363 5170  740 AA BA DA G4
   805/226(0000-0999),226(1000-1999),226(2000-2999)           G5 G7 GC GD
   805/226(3000-3999),226(7000-7999),226(8000-8999)           GQ II OE OH
   805/226(9000-9999),227,237,238,239,355,769(1000-1999)      PC PL PT RA
   805/835(0000-0999)                                         RC RD RE RF
                                                              RG RH SK ST
                                                              SV TJ UG UP
                                                              UR UT UU UW
                                                              UZ WG WH ZW
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
PASOROBLES                  SNLOCA01X5X 09005 08348 7283  740 BA DA
   805/202(5000-5999),395(3000-3999),460(4000-4999)
   805/536(3000-3999),536(4000-8999),723(7000-7999)
   805/769(9000-9999),779(4000-4999),858(9000-9999),942,943
   805/943
.......................................................................
PATTERSON                   PASNCAXFDS0 08538 08492 2315  738 BA DA GI HD
   209/892(0000-0999),892(3000-3999),894(0000-0999)          RC T7 TJ TK
   209/894(3000-3999),895(3000-4999),895(6000-8999)          TU
.......................................................................
PAYNES CREEK                PYCKCAXFRS0 07928 08697 2308  724 AA BA DA GC
   530/597(0000-0999),597(2000-2999),597(9000-9999)          GD GN GR HJ
                                                             RB RC RD SQ
.......................................................................
PEDLEY                      PDLYCA11DS0 09202 07737 5170  730 AA BA DA GC
   951/360,361(0000-7999),361(9000-9999),681,685             GD GQ HB IC
   951/727(0000-0999),727(2000-2999),727(3000-3999)          ID IF II OR
   951/727(8000-8999)                                        PC PL PR PS
                                                             RA SJ SQ ST
                                                             TJ UG UP UR
                                                             WD WG WH ZW
.......................................................................
PEPPERWOOD                  PPWDCA11RS1 07933 09041 5170  722 BA DA G4 GC
   707/722(1000-1999),722(4000-4999)                         GD PC PL PT
                                                             RA SH ST UG
                                                             UR ZW
.......................................................................
PERRIS                      PERSCAXF65X 09241 07684 2319  730 AA BA DA GC
   951/210(1000-1999),238(3000-3999),443(0000-4999)          GD GE GG GJ
   951/490(4000-4999),657,928(0000-6999),928(8000-9999),940  GN GR HB HD
   951/943                                                   II PC PL RC
                                                             RD SH SN SQ
                                                             TD TG TH TI
                                                             TU UG VM WD
                                                             WK
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
PESCADERO	PSCDCA11RS1	08562	08707	5170	722	BA DA G4 G5
650/879(0000-0999),879(1000-1999),879(2000-2999)						G7 GC GD HB
650/879(9000-9999)						IC ID IE IF
						IG OR PC PL
						PS RA RE RF
						RG RH SJ SN
						ST UG UR UT
						UU UW UZ ZW
PETALUMA	PTLMCA01DS0	08399	08770	5170	722	AA BA BC DA
707/762,763,765,766(1000-1999),766(2000-2999)						G4 G5 G7 GC
707/766(3000-3999),766(5000-5999),766(6000-6999)						GD GQ IC ID
707/766(7000-7999),766(8000-8999),766(9000-9999),769						IE IF IG II
707/772(0000-0999),773(0000-0999),773(1000-1999)						OE OH PC PL
707/773(2000-2999),773(3000-3999),773(4000-4999)						PR PU RA RC
707/774(0000-0999),775(2000-2999),775(3000-3999)						RD RE RF RG
707/775(4000-4999),776(0000-0999),776(2000-2999)						RH SL SN TJ
707/776(3000-3999),776(4000-4999),776(8000-8999),778						UG UT UU UW
707/779(0000-0999),781(0000-0999),781(1000-1999)						UZ WG WH ZW
707/781(2000-2999),781(3000-3999),781(6000-6999)						
707/781(7000-7999),781(9000-9999),782(0000-0999)						
707/782(1000-1999),782(9000-9999),789(0000-0999)						
707/789(3000-3999),789(8000-8999),789(9000-9999)						
PETROLIA	PTRLCAXFRS0	07963	09087	2308	722	AA BA DA GC
707/629(0000-0999),629(3000-3999),629(9000-9999)						GD GN GR HJ
						RC RD SQ
PHELAN	PHLNCAXFRS6	09113	07770	4420	730	AA DA GC GD
760/868(0000-6999),868(8000-9999)						GE GM GN GR
						II RC RD SV
						TU UB UG

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
PICO RIVERA                 PCRVCAXFDS0 09224 07847 2319  730 AA BA DA GC
   562/222(1000-2999),654(0000-0999),654(1000-1999)          GD GE GG GJ
   562/654(2000-2999),654(3000-3999),654(4000-4999)          GN GR HB HD
   562/654(6000-6999),654(7000-7999),654(8000-8999)          II PA PJ RC
   562/654(9000-9999),801(0000-0999),801(1000-1999)          RD SN SQ TG
   562/801(2000-2999),801(4000-4999),801(5000-5999)          TI TU UA UG
   562/801(6000-6999),801(7000-7999),801(8000-8999)          UR VM WD WE
   562/801(9000-9999),942,948,949                            WF WG WH WI
                                                             WJ ZZ
.......................................................................
PIERCY                      PIRCCAXFRS5 08034 09000 4420  722 DA GM GN GR
   707/247(3000-3999)                                        II
.......................................................................
PINE CREEK                  PNCKCAXFRS1 08495 08055 4420  730 DA GE GM GN
   760/387(2000-2999)                                        II UG
.......................................................................
PINE VALLEY                 PNVYCA11RS0 09426 07521 5170  732 AA BA DA G4
   619/473(0000-0999),473(1000-1999),473(8000-8999)          G5 G7 GC GD
   619/473(9000-9999)                                        II OR PC PL
                                                             PR PU RA SJ
                                                             SN SQ UP UT
                                                             UU UW UZ WG
                                                             WH ZW
.......................................................................
PINECREST                   PNCRCA11RS0 08358 08317 5170  738 BA DA GC GD
   209/965(0000-0999),965(1000-1999),965(3000-3999)          PC PL PT RA
   209/965(4000-4999)                                        RC RD RE RF
                                                             RG RH SN SV
                                                             UT UU UW UZ
                                                             ZW
.......................................................................
PINNACLES                   PNCLCAXFDS0 08718 08490 2346  736 AA BA DA GN
   831/389,693                                               TJ XE
.......................................................................
PINYON                      PNYNCAXFRS7 09255 07537 2319  973 AA BA DA GC
   760/349(3000-3999),349(9000-9999)                         GD GE GG GM
                                                             GN GR HB HD
                                                             II PC PL SH
                                                             SQ TU VM
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
PIRU	PIRUCA11RS0	09149	07988	5170	730	AA BA DA G4
805/521(0000-0999),521(1000-1999)						GC GD IC ID
						IF OR PC PL
						PR PU RA RF
						RG RH SJ SQ
						ST UP UR UT
						UW UZ ZW
PISMO BEACH	PSBHCA11RS0	09035	08340	5170	740	AA BA DA G4
805/556(0000-0999),556(1000-1999),773						GC GD IC ID
						IF PC PL PT
						RA RF RG RH
						SJ ST SV UG
						UP UR UT UU
						UW UZ WG WH
						ZW
PITTSBURG	PSBGCA01DS0	08432	08635	5170	722	AA BA DA G4
925/252(0000-0999),252(1000-1999),252(2000-2999)						G5 G7 GC GD
925/252(4000-4999),252(9000-9999),427,431(0000-0999)						GE GQ HB II
925/431(1000-1999),431(2000-2999),431(3000-3999)						OR PC PL PR
925/431(4000-4999),431(7000-7999),431(8000-8999),432,439						PU RA RE RF
925/473						RG RH SK SN
						ST TJ UG UR
						WG WH ZW
PITTSBURG	PSBGCA11DS0	08432	08647	5170	722	AA BA DA G4
925/261(0000-0999),261(1000-1999),261(9000-9999),458						G5 G7 GC GD
925/709(0000-0999),709(1000-1999),709(2000-2999)						GQ HB II OR
925/709(3000-3999),709(8000-8999),709(9000-9999)						PC PL PS RA
						SJ SN UG WH
						ZW
PIXLEY	PXLYCA11RS0	08825	08128	5170	728	AA BA DA G4
559/757(0000-0999),757(1000-1999),757(3000-3999)						G5 G7 GC GD
						II OR PC PL
						RA RF RG RH
						SJ UP UT UU
						UW UZ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
PLACENTIA                   PLCNCA11DS0 09237 07799 5170  730 BA DA GC GD
   714/223,524,528,572,577(0000-1999),577(3000-9999)         GQ HB IC ID
   714/579(0000-0999),579(1000-1999),579(2000-2999)          IE IF IG OR
   714/579(3000-3999),579(4000-4999),579(6000-6999)          PB PK PR PS
   714/579(7000-7999),579(8000-8999),792,854(0000-0999)      RA RC RD RE
   714/854(1000-1999),854(7000-7999),854(9000-9999)          RF RG RH SJ
   714/927(2000-2999),961,985(0000-5999),985(7000-9999)      SN SQ TJ UP
   714/986(1000-1999),986(2000-2999),986(3000-3999)          UT UW UZ WG
   714/986(7000-7999),986(8000-8999),986(9000-9999),993,996  WH ZW
   714/996
.......................................................................
PLACERVILLE                 PLVLCA11DS0 08257 08468 5170  726 AA BA DA G4
   530/295(0000-6999),295(8000-9999),344(0000-0999)          G5 G7 GC GD
   530/344(1000-1999),344(5000-5999),344(8000-8999)          GQ II OH PC
   530/344(9000-9999),621,622,626,642                        PL PT RA RC
                                                             RD RE RF RG
                                                             RH SK SN ST
                                                             TJ UG UP UR
                                                             UT UU UW UZ
                                                             WG WH ZW
.......................................................................
PLACERVILLE                 PLVLCA12DS0 08251 08440 5170  726 BA DA GC GD
   530/644,647(0000-2999),647(5000-5999),647(7000-7999)      GQ II PC PL
   530/647(8000-8999),647(9000-9999)                         PT RA SJ UP
                                                             UT UU UW UZ
                                                             WG WH ZW
.......................................................................
PLANADA                     PLNDCA11RS0 08561 08346 5170  738 AA BA DA G4
   209/382(0000-2999)                                        G5 G7 GC GD
                                                             IC ID IE IF
                                                             IG OR PC PL
                                                             PT RA RC RD
                                                             RE RF RG RH
                                                             RM SJ SV UG
                                                             UR UT UU UW
                                                             UZ ZW
.......................................................................
PLATINA                     PLTICAXFRS0 07935 08857 2321  724 GM GR
   530/352
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
PLAYA DEL REY	PDRYCAXF82A	09233	07908	2319	730	AA BA DA GC
310/301,302(0000-6999),302(8000-9999),305,306						GD GE GG GJ
310/448(0000-0999),448(4000-4999),448(5000-5999)						GN GR HB HD
310/448(6000-6999),448(7000-7999),448(8000-8999)						II PA PJ RC
310/448(9000-9999),574(0000-1999),574(3000-4999)						RD SH SN SQ
310/574(6000-6999),574(8000-9999),577,578,821,822,823						TB TG TI TJ
310/827						TU UA UG UR
						VM WD WE WF
						WG WH WI WJ
						ZZ
PLEASANT GROVE	PLGVCA12RS0	08250	08586	5170	726	AA BA DA G4
916/655(1000-1999),655(3000-3999)						G5 G7 GC GD
						GE IC ID IE
						IF IG PC PL
						RA RC RD RE
						RF RG RH SJ
						ST UG UP UR
						UT UU UW UZ
						ZW
PLEASANTON	PLTNCA12DS0	08510	08624	5170	722	AA BA DA G4
925/249(0000-0999),249(1000-1999),249(2000-2999)						G5 G7 GC GD
925/249(3000-3999),249(4000-4999),249(6000-6999)						GE GQ HB II
925/249(9000-9999),417,426,461,462,484,485,600,846						OR PC PL PS
925/931(0000-1999),931(4000-6999),931(9000-9999)						RA RE RF RG
						RH SK SN ST
						TJ UG UR WG
						WH ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
PLEASANTON	PLTNCA13DS0	08504	08629	5170	722	BA DA G4 G5
925/224,225,227,251,416(0000-8999),460(0000-0999)						G7 GC GD GQ
925/460(1000-1999),460(2000-2999),460(3000-3999)						HB II OE OH
925/460(4000-4999),460(5000-5999),460(6000-6999)						PB PK PS QA
925/460(8000-8999),460(9000-9999),463,467,468(0000-1999)						QE RA RE RF
925/468(3000-4999),468(6000-9999),469(0000-0999)						RG RH SD SK
925/469(1000-1999),469(3000-3999),469(4000-4999)						SN ST TB TE
925/469(5000-5999),469(7000-9999),520(0000-0999)						TJ TM TN TP
925/520(1000-1999),520(6000-6999),520(7000-7999)						TQ TS TT UG
925/520(8000-8999),523(5000-5999),598,730,734						UR WG WH ZW
925/737(0000-0999),737(1000-1999),737(2000-2999)						
925/737(3000-3999),737(4000-4999),737(5000-5999)						
925/737(6000-6999),737(7000-7999),737(8000-8999),847						
925/924(0000-0999),924(1000-1999),924(2000-2999)						
925/924(3000-3999),924(4000-4999),924(5000-5999)						
925/924(6000-6999),924(7000-7999),924(8000-8999)						
PLYMOUTH	PLMOCA11RS0	08313	08469	5170	726	BA DA G4 GC
209/245(1000-1999),245(3000-3999),245(4000-4999)						GD IC ID IE
209/245(5000-5999),245(6000-6999)						IG PC PL PT
						RA SJ SN SQ
						UP UT UU UW
						UZ ZW
PLYMOUTH	PLMOCA11RS1	08313	08469	5170	726	AA BA DA G4
530/620(0000-0999),620(1000-1999),620(2000-2999)						G5 G7 GC GD
530/620(3000-3999),620(4000-4999),620(5000-5999)						IC ID IF PC
530/620(6000-6999),620(7000-7999)						PL PT RA SN
						SV UT UU UW
						UZ
POINT ARENA	PNARCA11DS1	08266	08962	5170	722	BA DA G4 GC
707/882(1000-1999),882(2000-2999),882(3000-3999)						GD GQ PC PL
707/882(4000-4999)						PT RA SN UG
						ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
POINT REYES	PRSNCA11RS0	08438	08794	5170	722	AA BA DA G4
415/663(0000-0999),663(1000-1999),663(8000-8999)						G5 G7 GC GD
415/663(9000-9999)						GE HB II OE
						OR PC PL PS
						RA RC RD RE
						RF RG RH SJ
						SN ST UG UR
						UT UU UW UZ
						WG ZW
POMONA	POMNCAXF62E	09197	07788	2319	730	AA BA DA GC
909/397,469,620,622,623,629,865,868(0000-0999)						GD GE GG GJ
909/868(1000-1999),868(2000-2999),868(3000-3999)						GN GR HB HD
909/868(4000-4999),868(5000-5999),868(6000-6999)						II PB PK RC
909/868(7000-7999),868(9000-9999)						RD SH SN SQ
						TG TI TJ TU
						UA UG UR VM
						WD WE WF WG
						WH WI WJ ZZ
PORTERVILLE	PTVLCA11DS0	08797	08083	5170	728	AA BA DA G4
559/781,782,783(0000-2999),783(4000-9999),784						G5 G7 GC GD
559/788(0000-6999),789(0000-0999),789(9000-9999)						GQ II OR PC
559/791(0000-0999),791(1000-1999),791(2000-2999)						PL RA RC RD
559/791(3000-3999),791(4000-4999),791(6000-6999)						RE RF RG RH
559/791(7000-7999),791(9000-9999),793(0000-0999)						SJ SN SQ TJ
559/793(1000-1999),793(2000-2999),793(3000-3999)						UP UT UU UW
559/793(9000-9999)						UZ WG WH ZX
PORTOLA	PTOLCA01RS0	08015	08441	5170	724	BA DA G4 GC
530/832(0000-0999),832(1000-1999),832(4000-4999)						GD PC PL PT
530/832(5000-5999),832(6000-6999),832(9000-9999)						RA UR ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
POTTER VALLEY	PTVYCA11RS0	08168	08874	5170	722	AA BA BC DA
707/743(1000-1999),743(2000-2999)						G4 G5 G7 GC
						GD IC ID IE
						IF IG II PC
						PL PT RA RC
						RD RE RF RG
						RH RM SJ SN
						UG UR UT UU
						UW UZ ZW
POWAY	POWYCA11DS0	09411	07618	5170	732	AA BA DA G4
858/391(0000-3999),391(5000-5999),391(7000-7999)						G5 G7 GC GD
858/391(9000-9999),486,513,668(0000-0999),668(1000-1999)						GQ II OH OR
858/668(2000-2999),668(3000-3999),668(4000-4999),679,748						PC PL PR PU
858/748						RA RF RG RH
						SK SQ ST TJ
						UP UR UT UU
						UW UZ WG WH
						ZW
PRINCETON	PRTNCAXFRS0	08132	08689	3402	726	AA BA DA G5
530/439(0000-0999),439(2000-2999)						GC GD GE GN
						GR HJ IC IH
						II RA RC RD
						RE RF RG RH
						RM RS SP SV
						UB UL UM UT
						UW UX UZ
QUAIL VALLEY	QUVYCAXF24K	09262	07683	2319	730	AA BA DA GC
951/244,246(1000-1999),246(2000-2999),246(9000-9999)						GD GE GG GJ
						GN GR HB HD
						II PC PL RC
						RD SH SN SQ
						TG TI TU UG
						VM

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
QUARTZ HILL	QZHLCAXF94K	09081	07894	2319	730	AA BA DA GC
661/718(0000-3999),718(8000-8999),722,943						GD GE GR HB
						PC PL RC RD
						SH SN SQ TG
						TU ZZ
QUINCY	QNCYCA12RS0	07996	08522	5170	724	AA BA DA G4
530/283(0000-0999),283(1000-1999),283(2000-2999)						IC ID IE IG
530/283(3000-3999),283(4000-4999),283(5000-5999)						PC PL PT RA
530/283(6000-6999),283(7000-7999),283(9000-9999)						RC RD RE RF
						RG RH UT UU
						UW UZ ZX
RAMONA	RAMNCA11DS0	09390	07591	5170	732	AA BA DA G4
760/787(0000-0999),787(1000-1999),787(2000-2999)						G5 G7 GC GD
760/787(3000-3999),787(4000-4999),787(5000-5999)						GQ IC ID IE
760/787(7000-7999),787(8000-8999),787(9000-9999),788,789						IF IG OR PC
760/789						PL PR PU RA
						SK SQ TJ UP
						UT UU UW UZ
						WG ZW
RANCHO BERNARDO	RBRNCA11DS0	09400	07628	5170	732	AA BA DA G4
858/385,451(0000-3999),451(5000-9999),485,487						G5 G7 GC GD
858/521(0000-0999),521(1000-1999),521(2000-2999)						GQ II OH OR
858/521(3000-3999),521(4000-4999),521(5000-5999)						PB PK PR PU
858/521(6000-6999),521(7000-7999),524(0000-0999)						QA QE RA RF
858/524(2000-2999),592,613,618,655,672(0000-0999)						RG RH SK SN
858/672(1000-1999),672(2000-2999),672(3000-3999)						SQ ST TJ UG
858/672(4000-4999),672(7000-7999),672(8000-8999)						UP UR UT UU
858/672(9000-9999),673,674,675,676,924(9000-9999)						UW UZ WG WH
						ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
RANCHO CALIFORNIA           RNCACAXF67X 09301 07660 2319  730 AA BA DA GC
   951/308(0000-2139),308(2200-9999),506,587(0000-0999)      GD GE GG GJ
   951/587(2000-2039),587(2060-2079),587(2100-2999)          GN GR HB HD
   951/587(3000-3999),587(4000-4999),587(6000-6999)          II PA PJ RC
   951/587(8000-8999),587(9000-9198),587(9290-9558)          RD SH SN SQ
   951/587(9568-9999),676,693,694(0000-0999),694(1000-1999)  TG TI TJ TU
   951/694(3000-3999),694(4000-4999),694(5000-5999)          UG VM
   951/694(6000-6999),694(7000-7999),694(8000-8999)
   951/694(9000-9396),694(9400-9410),694(9414-9437)
   951/694(9441-9446),694(9450-9465),694(9469-9479)
   951/694(9483-9488),694(9492-9534),694(9538-9620)
   951/694(9624-9631),694(9635-9685),694(9690-9715)
   951/694(9719-9725),694(9732-9843),694(9847-9849)
   951/694(9853-9881),694(9886-9927),695,699,914
.......................................................................
RANCHO CORDOVA              RCRDCAGJRS0 08296 08544 7128  726 DA DD
      /
.......................................................................
RANCHO CORDOVA              RCRDCAUUDS0 XXXXX XXXXX XXXX XXX  XX XX XX XX (D)
      /                                                                  (D)
.......................................................................
RANCHO CORDOVA              RCRDCAUUPS0 XXXXX XXXXX XXXX XXX  XX XX XX XX (D)
      /                                                                  (D)
.......................................................................
RANCHO CUCAMONGA            RNCCCAXARS0 09186 07755 2319  730 DA GN II TU
      /
.......................................................................
RANCHO MIRAGE               RNMGCAXFDS0 09216 07543 2319  973 AA BA DA GC
   760/202,321,324,328,770,883(1500-1699)                       GD GE GG GJ
                                                                GN GR HB HD
                                                                II PA PJ RC
                                                                RD SH SN SQ
                                                                TI TJ TU UG
                                                                VM
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
RANCHO MURIETA	RNMRCA11RS0	08310	08514	5170	726	AA BA DA G4
916/354(0000-0999),354(1000-1999),354(2000-2999)						G5 G7 GC GD
916/354(3000-3999),354(4000-4999),354(8000-8999)						GE IC ID IE
916/354(9000-9999)						IF IG PC PL
						PR PU RA RC
						RD RE RF RG
						RH SJ SN SQ
						ST UG UP UR
						UT UU UW UZ
						ZW
RANCHO PENASQUITOS	RNPSCA11DS0	09415	07634	5170	732	AA BA DA G4
858/215(7000-9999),360(9000-9999),484,538,780(0000-0999)						G5 G7 GC GD
858/780(1000-1999),780(2000-2999),780(3000-3999)						GQ IC ID IE
858/780(8000-8999),780(9000-9999)						IF IG OR PC
						PL PR PU RA
						SJ SQ ST TJ
						UP UR UT UU
						UW UZ ZW
RANCHO SAN DIEGO	RNSDCA11DS0	09457	07592	5170	732	AA BA DA G4
619/660,670						G5 G7 GC GD
						GQ IC ID IE
						IF IG OR PC
						PL PR PU RA
						SJ SQ TJ UP
						UT UU UW UZ
						WG WH ZW
RANCHO SANTA FE	RSFECA12DS0	09405	07651	5170	732	AA BA DA G4
858/756,759						G5 G7 GC GD
						GQ II OR PC
						PL PR PU RA
						RF RG RH SJ
						SQ TJ UP UT
						UU UW UZ WG
						WH ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
RANCHO SANTA MARGARITA	RSMGCA11DS0	09284	07747	5170	730	AA BA DA G4
949/459(0000-0999),459(1000-1999),459(2000-2999)						G5 G7 GC GD
949/459(5000-5999),459(6000-6999),459(7000-7999)						GQ HB IC ID
949/459(8000-8999),459(9000-9999),589,635(0000-0999)						IE IF IG OR
949/635(1000-1999),635(2000-2999),635(3000-3999)						PC PL PR PS
949/635(5000-5999),635(6000-6999),635(9000-9999),766,858						RA SJ SQ TJ
949/888						UG UP UT UW
						WG WH ZW
RANCHO TEHAMA	RNTHCAXFDS0	08004	08771	2313	724	BA CA GC GD
530/585						GN GR TJ XE
RANDSBURG	RNBGCAXFRS4	08912	07819	4420	730	DA GC GD GE
760/374(2000-2999)						GM GN II
RAVENDALE	RADLCAXFRS0	07797	08449	2308	724	AA BA DA GC
530/234(0000-2999),234(9000-9999)						GD GN GR HJ
RED BLUFF	RDBLCA01DS0	07966	08744	5170	724	BA DA G4 G5
530/527,528(0000-0999),528(1000-1999),528(2000-2999)						G7 GQ IC ID
530/528(3000-3999),528(4000-4999),528(6000-6999)						IE IF IG PC
530/528(7000-7999),528(8000-8999),528(9000-9999),529						PL PT RA RC
						RD RE RF RG
						RH SJ TJ UT
						UU UW UZ WG
						WH ZW
REDDING	RDNGCA0225T	07880	08778	5170	724	G1 GB WG WH
/						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
REDDING	RDNGCA02DS1	07880	08778	5170	724	AA BA DA G4
530/225,229(0000-0999),229(1000-1999),229(2000-2999)						G5 G7 GC GD
530/229(3000-3999),229(5000-5999),229(6000-6999)						GQ II OH PB
530/229(7000-7999),229(8000-8999),229(9000-9999),241,242						PK RA RC RD
530/243,244,245,246,247,339(3000-3999),339(4000-4999)						RE RF RG RH
530/339(7000-7999),339(9000-9999)						RM SL SR ST
						SU TJ UE UG
						UR UT UU UW
						UZ VF VP WG
						WH ZX
REDDING	RDNGCA11DS0	07883	08767	5170	724	AA BA BC DA
530/221,222,223,224,226,722(0000-0999),722(1000-1999)						G4 G5 G7 GC
530/722(2000-2999),722(3000-3999),722(9000-9999)						GD GQ IC ID
						IE IF IG II
						PC PL RA TJ
						UT UU UW UZ
						WG WH
REDDING	RDNGCA11DS1	07883	08767	5170	724	ZX
/___						
REDDING	RDNGCA11DS3	07883	08767	5170	724	SK
/___						
REDLANDS	RDLDCAXF79K	09182	07687	2319	730	AA BA DA GC
909/307(0000-0999),307(1000-1999),307(2000-2999)						GD GE GG GJ
909/307(3000-3999),307(5000-5999),307(6000-6999)						GN GR HB HD
909/307(7000-7999),307(8000-8999),307(9000-9999),335						II PA PJ RC
909/380(0000-0999),474(0000-0399),474(0700-0999),558						RD SH SN SQ
909/748(0000-0999),748(2000-2999),748(3000-3999)						TB TG TI TJ
909/748(4000-4999),748(6000-6999),748(7000-7999)						TU UA UG UR
909/748(8000-8999),792,793,798,809(3000-3999)						VM WD WE WF
						WG WH WI WJ
						ZZ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
REDONDO BEACH	RDBHCAXF37K	09257	07890	2319	730	AA BA DA GC
310/214,370,371,542,793(0000-5999),793(7000-9999)						GD GE GG GJ
310/921(1000-1999),921(2000-2999),921(3000-3999)						GN GR HB HD
310/921(4000-4999),921(6000-6999),921(9000-9999)						II PA PJ RC
						RD SN SQ TG
						TI TJ TU UA
						UG UR VM WD
						WE WF WG WH
						WI WJ ZZ
REDWOOD CITY	RDCYCA01DS0	08557	08682	5170	722	AA BA DA GC
650/216(0000-0999),216(1000-1999),216(2000-2999)						GD GQ HB IC
650/216(3000-3999),216(4000-4999),216(5000-5999)						ID IE IF IG
650/216(6000-6999),216(7000-7999),216(9000-9999),261,298						OH PA PJ PS
650/299,306,361,363,364,365,366,367,368,369						RA RE RF RG
650/381(2000-2999),381(3000-3999),381(5000-5999)						RH SK ST TJ
650/381(6000-6999),381(7000-7999),381(8000-8999)						UG UR UT UW
650/474(0000-0999),474(2000-2999),474(3000-3999)						UZ WG WH ZW
650/474(4000-4999),474(6000-6999),474(7000-7999)						
650/474(8000-8999),482(0000-0999),482(1000-1999)						
650/482(2000-2999),482(3000-3999),482(4000-4999)						
650/482(5000-5999),482(6000-6999),482(9000-9999)						
650/542(4000-5999),556(0000-2999),556(7000-9999)						
650/562(0000-5999),562(9000-9999),568,569(2000-2999)						
650/569(3000-3999),569(4000-4999),569(5000-5999)						
650/569(6000-6999),569(7000-7999),569(8000-8999)						
650/569(9000-9999),599,701(0000-0999),701(1000-1999)						
650/701(2000-2999),701(8000-8999),780,786,817(0000-4999)						
650/817(6000-6999),817(9000-9999),839(0000-0999)						
650/839(1000-1999),839(5000-5999),839(8000-8999)						
650/995(8000-8999)						
REDWOOD CITY	RDCYCAGDDS0	08556	08677	7240	722	BA DA
/						
REDWOOD CITY	RDCYCAGDRS0	08556	08677	7128	722	DA DD
/						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
REEDLEY /	RDLYCAXF31T	08693	08174	2319	728	GB GC GD PC PL SH SN SQ
REEDLEY 559/305(7000-7999),637,638,643(0000-0999),643(8000-8999) 559/643(8000-8999)	RDLYCAXF63K	08693	08174	2319	728	AA BA DA GC GD GE GG GN HB HD II RC RD SH SN SQ UG VM
RESEDA 818/300(0000-0999),342,343,344,345,609,654(0000-0999) 818/654(1000-1999),654(2000-2999),654(3000-3999) 818/654(5000-5999),654(9000-9999),705,708,757,758,774 818/776,798(6000-7999),881,987(0000-0999),996	RESDCA01DS0	09190	07934	5170	730	BA DA GC GD GQ HB II OR PC PL PR PS RA RC RD RE RF RG RH SJ SQ ST TJ UP UR UT UU UW UZ WG WH ZW
RIALTO 909/421,562(0000-0999),685(2000-2999),820,873,874,875 909/877,879(0000-5999),879(7000-9999)	RILTCA11DS0	09179	07722	5170	730	AA BA DA GC GD GQ HB IC ID IE IF IG OR PA PJ PR PS QA QE RA SJ SN SQ TJ UP UT UW UZ WG WH ZW
RICHMOND 510/215,231,232,233,234,235,236,237,242,307(0000-0999) 510/307(1000-1999),307(2000-2999),307(3000-3999) 510/307(4000-4999),307(7000-7999),307(8000-8999) 510/307(9000-9999),412,529(0000-0999),529(7000-7999) 510/620(0000-3999),620(5000-9999),965(0000-0999) 510/965(1000-1999),965(4000-4999),965(9000-9999),970	RCMDCA11DS0	08459	08712	5170	722	BA DA GC GD GE GQ HB OH PB PK PS RA RE RF RG RH SK SN SQ ST TJ UG UP UR WG WH

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
RICHMOND	RCMDCA11RS2	08459	08712	5170	722	AA BA DA G4
510/374(1000-1999),374(3000-3999),374(7000-7999)						G5 G7 GC GD
						GE HB II PB
						PK PS RA RC
						RD RE RF RG
						RH SN ST TJ
						UG UR ZW
RICHVALE	RCVACA11DS1	08107	08646	5170	724	ZW
/						
RICHVALE	RCVACA11DS3	08107	08646	5170	724	SJ
/						
RICHVALE	RCVACA11RS1	08107	08646	5170	724	BA DA G4 GC
530/882(1000-1999),882(4000-4999)						GD IC ID IE
						IG PC PL RA
						UT UU UW UZ
						WG WH
RIDGECREST	RDGCCAXGDS0	08859	07831	4420	730	AA DA GC GD
760/371(0000-0999),371(1000-1999),371(2000-2999)						GE GN II UG
760/371(3000-3999),371(4000-4999),371(6000-6999)						
760/371(7000-7999),371(9000-9999),375,384(0000-0999)						
760/384(1000-1999),384(2000-2999),384(3000-3999)						
760/384(4000-4999),384(5000-5999),384(6000-6999)						
760/384(7000-7999),384(9000-9999)						
RIO DELL	RIDECA11RS1	07924	09060	5170	722	AA BA DA G4
707/764(1000-1999),764(2000-2999),764(3000-3999)						G5 G7 GC GD
707/764(4000-4999),764(5000-5999)						GE II PC PL
						PT RA SJ ST
						UR UT UU UW
						UZ ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
RIO LINDA	RILNCA12DS0	08279	08577	5170	726	BA DA G4 G5
916/991,992(0000-0999),992(1000-1999),992(5000-5999)						G7 GC GD GQ
916/992(6000-6999),992(8000-8999),992(9000-9999)						II PC PL PR
						PU RA RC RD
						RE RF RG RH
						SJ UG UP UT
						UU UW UZ WG
						WH ZW
RIO VISTA	RIVSCAXFDS0	08399	08605	2308	722	AA BA DA GC
707/374(0000-7999),374(9000-9999)						GD GN GR HJ
						RC RD SQ
RIO VISTA	RIVSCAXFPS0	08399	08605	2308	722	DA IP
707/378(4000-4999)						
RIPON	RIPNCAXFRS5	08480	08497	4420	738	DA GC GD GE
209/599						GM GN II UG
RIVERBANK	RVRBCA11RS0	08477	08465	5170	738	AA BA DA G4
209/863(0000-0999),863(1000-1999),863(3000-3999)						G5 G7 GC GD
209/863(8000-8999),863(9000-9999),869						IC ID IE IF
						IG OR PC PL
						PT PU RA SJ
						ST SV UG UR
						UT UU UW UZ
						WG WH ZW
RIVERDALE	RVDLCA11RS0	08738	08242	5170	728	AA BA DA G4
559/867(0000-0999),867(1000-1999),867(3000-3999)						G5 G7 GC GD
559/867(4000-4999)						IC ID IE IF
						IG OR PC PL
						PR PS RA RF
						RG RH SN UP
						UT UU UW UZ
						ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
RIVERSIDE	RVSDCA0125T	09202	07719	5170	730	GB PB PR PS
909/431						TJ
951/431						
RIVERSIDE	RVSDCA01DS0	09202	07719	5170	730	AA BA DA G4
951/248,320,321(1000-8999),680,682,683,684,686,774						G5 G7 GC GD
951/782(0000-0999),782(2000-9999),784,826(2000-8999)						GE GQ HB II
						OH PB PK PR
						PS QA QE RA
						RC RD RE RF
						RG RH SN SP
						SQ ST SU TJ
						UE UG UP UR
						UT UW UZ WD
						WG WH
RIVERSIDE	RVSDCA01DS1	09202	07719	5170	730	AA BA DA GC
951/222,274(0000-5999),274(6000-9999),275(0000-0999)						GD GQ HB II
951/275(5000-5999),275(8000-9999),276,328,341,342,369						PB PK PR PS
951/715,778,779,781,786(0000-7999),786(9000-9999),787						QA QE RA RC
951/788,827,955						RD RE RF RG
						RH SK SN SR
						ST SU TJ UE
						UG UR UT UW
						UZ VF VP WD
						WG WH ZX
RIVERSIDE	RVSDCA11DS0	09224	07713	5170	730	AA BA DA G4
951/776(0000-4999),776(9000-9999),780,789(0000-2999)						G5 G7 GC GD
951/789(4000-9999)						GQ HB II OR
						PC PL PR PS
						RA SJ SQ TJ
						UP UT UW UZ
						WD WG WH ZW
RIVERSIDE	RVSDCA50RS0	09215	07707	5170	730	PC PL UD
/						

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
ROBBINS                     RBNSCAXGRS1 08243 08625 4420  726 DA GN GR II
   530/738(4000-4999)
.......................................................................
ROCKLIN                     RCKLCA01DS0 08246 08556 5170  726 AA BA DA G4
   916/253(3000-3999),295(5000-5999),408(0000-0999)          G5 G7 GC GD
   916/408(1000-1999),408(2000-2999),408(3000-3999)          GQ IC ID IE
   916/408(4000-4999),408(5000-5999),408(7000-7999)          IF IG OH PC
   916/408(8000-8999),408(9000-9999),409(0000-1999)          PL RA SK SN
   916/409(8000-9999),434(5000-7999),435(0000-0999)          SQ TJ UP UT
   916/435(1000-1999),435(2000-2999),435(3000-3999)          UU UW UZ WG
   916/435(4000-4999),435(5000-5999),435(8000-8999)          WH ZW
   916/435(9000-9999),543(0000-0999),543(2000-9999)
   916/625(1000-1999),625(4000-4999),660(4000-4999)
   916/663(5000-6999)
.......................................................................
ROCKLIN                     RCKLCA11DS0 08252 08543 5170  726 AA BA DA G4
   916/315,415(0000-0999),415(1000-1999),415(9000-9999),624  G5 G7 GC GD
   916/625(0000-0999),625(5000-5999),625(7000-7999)          GQ IC ID IE
   916/625(8000-8999),625(9000-9999),630,632                 IF IG OR PC
                                                             PL PR PU RA
                                                             TJ UP UT UU
                                                             UW UZ WG WH
.......................................................................
ROHNERT PARK                RTPKCA11DS0 08372 08784 5170  722 AA BA DA G4
   707/206(0000-0999),206(3000-3999),206(9000-9999)          G5 G7 GC GD
   707/584(0000-5999),584(7000-9999),585,586,588             GQ HB IC ID
                                                             IE IF IG II
                                                             OR PC PL PR
                                                             PU RA RB SL
                                                             SN ST TJ UG
                                                             UR UT UW UZ
                                                             WG WH ZW
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ROLLING HILLS	RLHLCAXF79L	09279	07890	2319	730	AA BA DA GC
310/265(0000-2999),265(4000-9999),377,541,544						GD GE GG GJ
						GN GR HB HD
						II PB PK RC
						RD SH SN SQ
						TG TI TJ TU
						UA UG UR VM
						WD WE WF WG
						WH WI WJ ZZ
ROSAMOND	RSMDCA11RS3	09035	07892	5170	734	AA BA DA G4
661/256						G5 G7 GC GD
						IC ID IE IF
						IG OR PC PL
						PT PU RA SJ
						SV UT UU UW
						UZ WG WH ZW
ROSEMEAD	ROSMCA11DS0	09206	07851	5170	730	AA BA BC DA
626/280,288,302,307,312,569(0000-0999),569(1000-1999)						G4 G5 G7 GC
626/569(2000-2999),569(3000-3999),569(4000-4999)						GD GQ HB IC
626/569(6000-6999),569(9000-9999),571(0000-0999)						ID IE IF IG
626/571(1000-1999),571(2000-2999),571(4000-4999)						II OR PB PK
626/571(5000-5999),571(6000-6999),571(7000-7999)						PR PS RA RF
626/571(8000-8999),571(9000-9999),572,573,692(0000-0999)						RG RH SJ SQ
626/927(0000-0999),927(1000-1999),927(2000-2999)						TJ UP UT UW
626/927(3000-3999),927(4000-4999),927(5000-5999)						UZ WG WH ZW
626/927(9000-9999)						
ROSEVILLE	RSVLCAXF04T	08262	08550	2334	726	BA BC D1 DA
916/748(0000-0000)						GB GD GQ HA
						IA JA SH SQ
						UE UG UW UX
						VF

COMPANY: 2334 HAS A PRESENCE ON THIS SWITCH

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
ROSEVILLE                   RSVLCAXF78G 08262 08550 2334  726 AA DA DD G2
   916/297(8000-8999),297(9000-9999),298(2000-2999)          GI GJ GL GN
   916/474(2000-3999),474(6000-8999),746(0000-8999)          GQ GR HA HL
   916/748(0001-9999),770(2000-3999),770(8000-8999),771,772  IA IB IC ID
   916/773,774,780,781,782,783,784,785,786,787,788           IE IF IG II
   916/789(0000-2999),789(4000-9999),791,797,865(1000-1999)  OE RA RD RF
   916/872(6000-6999),878(2000-4999)                         RG RH RM SA
                                                             SG SH SP SQ
                                                             SU SW T4 T5
                                                             T7 T8 TD TI
                                                             TJ TL TS TU
                                                             TY UC UE UF
                                                             UG UM UP UR
                                                             US UU UW UX
                                                             UY VA VC VJ
                                                             WD WE WG WH
                                                             WJ WL
.......................................................................
ROSEVILLE                   RSVLCAXFDS0 08262 08550 3964  726 AA DA DD G2
   530/368(8000-8999),665(7000-7999),747(2000-2999)          GL GQ HA IA
   916/226(2000-2999),333(5000-5999),389(7000-7999)          IB IC ID IE
   916/408(6000-6999),409(4000-4999),426(1000-1999)          IF IG T8 TI
   916/468(5000-5999),475(1000-1999),544(5000-5999)          TS VC WE
   916/550(5000-5999),625(3000-3999),626(3000-3999)
   916/626(5000-5999),640(0000-1999),640(8000-8999)
   916/737(5000-5999),738(7000-7999),822(8000-8999)
   916/864(2000-2999),934(5000-5999),993(4000-4999)
.......................................................................
ROSEVILLE                   RSVLCAXFDS1 08262 08550 3964  726 D1 DC
   530/302(8000-8999)
   916/265(3000-3999),283(5000-5999),292(3000-3999)
   916/440(6000-6999),462(6000-6999),560(4000-4999)
   916/570(3000-3999),585(9000-9999),640(2000-2999)
   916/644(1000-1999),647(6000-6999),670(7000-7999)
   916/672(3000-3999),735(7000-9999),740(2000-4999)
   916/742(1000-1999),749(7000-7999),757(1000-1999)
   916/789(3000-3999),842(3000-3999),872(4000-4999)
   916/872(8000-8999)
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ROSEVILLE	RSVLCAXFPS0	08262	08550	3964	726	D1 DC
916/238(2000-2999),359(1000-1999),570(2000-2999)						
916/626(6000-6999),644(3000-3999),670(6000-6999)						
916/727(9000-9999),732(3000-3999),846(7000-7999)						
RSVL MAIN	RSVLCAXF4MD	08262	08550	4733	726	GL
916/462(9000-9999)						
RUNNING SPRINGS	RNSPCAXFRS2	09146	07679	4420	730	AA DA GC GD
909/867(1000-1999),867(2000-2999),867(3000-3999)						GE GM GN GR
909/867(4000-4999),867(5000-5999),867(6000-6999)						II RC RD SV
909/867(7000-7999),867(9000-9999)						TU UB UG
SACRAMENTO	RCRDCANYDS0	08297	08546	8782	726	D1 DA DD GB
/						GE GJ GL GN
						HB HJ IA IB
						IC ID IG II
						UG
SACRAMENTO	RCRDCANYDS1	08297	08546	8782	726	D1 DA DD GB
/						GE GJ GL GN
						HB HJ IA IB
						IC ID IG II
						UG
SACRAMENTO	RSVLCANL0MD	08262	08546	8782	726	BA DA GE GJ
530/341(0000-0999),341(1000-1999),402(4000-4999)						GR HB IB RC
530/419(0000-0999),419(2000-2999),419(7000-7999)						RD SH SQ T1
916/200(0000-0999),200(4000-4999),266(0000-0999)						T2 UG UP UR
916/266(2000-2999),266(4000-6999),266(7000-7999)						US
916/266(8000-9999),293(0000-0999),293(3000-3999)						
916/333(6000-6999),400(2000-2999),467(1000-1999)						
916/473(0000-0999),473(4000-9999),604(5000-5999)						
916/637(2000-2999),779(4000-4999),903(5000-5999)						
916/904(8000-8999),905(8000-8999),993(7000-7999)						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE	TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- --	-- --
SACRAMENTO	RSVLCANLDS0	08262	08545	7262	726	BA DA	GE GJ
530/313(5000-7999),350(1000-1999),350(2000-2999)						GR HB	IB RC
530/350(3000-3999),647(3000-3999),725(0000-0999)						RD SH	SQ T1
530/725(1000-1999),725(4000-5999),725(7000-8999)						T2 UG	UP UR
530/748(0000-0999),852(0000-0999),852(3000-3999)						US	
530/852(4000-4999),852(5000-5999),852(6000-6999)							
530/852(7000-9999)							
916/200(1000-3999),209(6000-9999),218(6000-7999)							
916/226(6000-6999),236(5000-5999),239(6000-6999)							
916/242(7000-9999),256(1000-1999),258(0000-0999)							
916/273(5000-7999),285(1000-1999),290(5000-5999)							
916/290(6000-6999),290(7000-7999),290(8000-9999)							
916/303(7000-8999),339(7000-7999),349(4000-4999)							
916/349(5000-5999),367(5000-7999),380(5000-5999)							
916/380(6000-6999),458(6000-9999),471(3000-3999)							
916/471(5000-6999),479(7000-9999),517(1000-1999)							
916/543(1000-1999),566(5000-5999),577(1000-1999)							
916/577(2000-2999),577(5000-5999),577(7000-9999)							
916/580(3000-3999),627(2000-2999),644(2000-2999)							
916/669(0000-3999),669(4000-4999),669(5000-5999)							
916/669(7000-9999),670(1000-1999),671(1000-1999)							
916/671(5000-5999),671(7000-8999),673(0000-0999)							
916/673(1000-1999),673(2000-2999),673(3000-3999)							
916/673(4000-4999),673(5000-6999),674(1000-1999)							
916/674(4000-5999),675(1000-1999),675(4000-5999)							
916/676(0000-0999),676(1000-2999),676(4000-4999)							
916/676(7000-9999),677(0000-5999),677(8000-8999)							
916/679(0000-3999),679(4000-5999),679(6000-6999)							
916/679(7000-7999),679(8000-9999),724(1000-1999)							
916/746(9000-9999),760(7000-8999),779(8000-8999)							
916/868(6000-6999),878(5000-5999),880(3000-3999)							
916/979(6000-6999)							

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SACRAMENTO	RSVLCANLDS4	08262	08545	7262	726	BA DA GE GJ
530/231(3000-3999),231(6000-6999),231(7000-7999)						GR HB IB RC
530/302(3000-3999),387(2000-3999),387(5000-5999)						RD SH SQ T1
530/387(6000-6999),488(2000-3999),578(6000-8999)						T2 UG UP UR
530/745(6000-6999),748(1000-1999),820(6000-8999)						US
707/676(2000-2999),679(4000-4999)						
916/245(4000-5999),258(6000-6999),283(9000-9999)						
916/295(1000-1999),307(4000-5999),352(6000-6999)						
916/357(7000-9999),358(7000-8999),384(2000-4999)						
916/403(7000-7999),414(3000-3999),415(2000-4999)						
916/415(5000-6999),436(9000-9999),458(3000-3999)						
916/459(3000-3999),469(2000-3999),496(8000-9999)						
916/560(5000-7999),563(8000-8999),570(8000-9999)						
916/583(6000-6999),596(4000-4999),596(6000-6999)						
916/605(4000-4999),637(0000-1999),637(3000-7999)						
916/642(8000-8999),644(6000-8999),647(0000-0999)						
916/647(5000-5999),668(1000-3999),668(7000-8999)						
916/672(4000-4999),674(7000-9999),675(7000-9999)						
916/678(4000-4999),678(6000-6999),692(1000-2999)						
916/692(3000-3999),696(5000-5999),724(6000-8999)						
916/749(1000-1999),751(7000-7999),850(4000-4999)						
916/850(7000-7999),864(1000-1999),865(0000-0999)						
916/865(5000-5999),868(0000-0999),888(0000-7999)						
916/888(9000-9999),918(0000-1999),943(0000-2999)						
916/993(1000-2999)						
SACRAMENTO	SCRLCAIP2MD	08303	08582	668G	726	DA
/						
SACRAMENTO	SCRMCA0103T	08303	08581	5170	726	GB PA PR PU
530/766						
916/766						
SACRAMENTO	SCRMCA0179T	08303	08581	5170	726	G1 PR PU
/						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE			
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--
SACRAMENTO	SCRMCA01DS0	08303	08581	5170	726	AA	BA	BC	DA
916/325,329(0000-0999),329(3000-3999),329(4000-4999)						G4	G5	G7	GC
916/329(6000-6999),329(7000-7999),329(9000-9999),441,442						GD	GQ	IC	ID
916/443,444,446,448,491(1000-8999),492,497						IE	IF	IG	II
916/498(0000-3999),498(5000-9999),551,553(0000-0999)						OH	PA	PJ	PR
916/553(1000-1999),553(3000-3999),553(4000-4999)						PU	QA	QE	RA
916/553(5000-5999),553(6000-6999),553(7000-7999)						RC	RD	RE	RF
916/553(8000-8999),553(9000-9999),554(0000-7999)						RG	RH	RM	SD
916/554(9000-9999),808,843(3000-4999),930(0000-0999)						SN	ST	SU	TB
916/930(1000-1999),930(2000-2999),930(3000-3999)						TE	TF	TG	TJ
916/930(4000-4999),930(5000-5999),930(7000-7999)						TM	TN	TP	TQ
916/930(8000-8999),930(9000-9999)						TS	TT	UC	UE
						UG	UR	UT	UU
						UW	UZ	WG	WH
SACRAMENTO	SCRMCA01DS2	08303	08581	5170	726	BA	DA	EA	GC
916/319,321,322,323,324,326,327,341(0000-0999)						GD	GE	GQ	II
916/341(1000-1999),341(2000-2999),341(3000-3999)						PA	PJ	PR	PU
916/341(4000-4999),341(5000-5999),341(6000-6999)						QA	QE	RA	RC
916/341(7000-7999),341(8000-8999),440(0000-0999)						RD	RE	RF	RG
916/440(1000-1999),440(2000-2999),440(3000-3999)						RH	RM	SN	SQ
916/440(4000-4999),440(5000-5999),440(7000-7999)						ST	SU	TB	TE
916/440(8000-8999),440(9000-9999),445,447,449,552,556						TF	TG	TJ	TM
916/557,558,650,658(0000-2999),658(4000-9999),795,874						TN	TP	TQ	TS
916/874						TT	UC	UE	UG
						UP	UR	UT	UU
						UW	UZ	WG	WH
						ZZ			

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
SACRAMENTO 916/593	SCRMCA01DS4	08303	08581	5170	726	BA DA GC GD IC IE IF IG PA PJ PR PU QA QE RA RC RD RE RF RG RH RM SD SH SN SQ ST SU TB TE TF TG TJ TM TN TP TQ TS TT UC UE UG UP UR UT UU UW UZ ZZ
SACRAMENTO 916/264(0000-0999),264(1000-1999),264(2000-2999) 916/264(3000-3999),264(4000-4999),264(5000-5999) 916/264(6000-6999),264(7000-7999),264(8000-8999)	SCRMCA01RS0	08303	08581	5170	726	AA BA DA G4 G5 G7 GC GD GE IC ID IE IF IG PA PJ PR PU RA RC RD RE RF RG RH SL SN SR ST TJ UG UR UT UU UW UZ VF VP ZX
SACRAMENTO 916/480(0000-0999),480(1000-1999),480(2000-2999) 916/480(3000-3999),480(4000-4999),480(5000-5999) 916/480(6000-6999),480(7000-7999),480(9000-9999),481,482 916/483,484,485,486,487,488,489,971,972,973 916/974(0000-3999),974(5000-8999),977(0000-0999) 916/977(1000-1999),977(2000-2999),977(3000-3999) 916/977(4000-4999),977(5000-5999),977(6000-6999) 916/977(7000-7999),977(8000-8999),978(0000-0999) 916/978(2000-9999),979(0000-0999),979(1000-1999) 916/979(2000-2999),979(3000-3999),979(4000-4999) 916/979(7000-7999),979(8000-8999),979(9000-9999)	SCRMCA02DS0	08293	08564	5170	726	BA DA GC GD GE GQ IC ID IE IF IG OR PB PK PR PU QA QE RA RC RD RE RF RG RH SK SN TJ UR UT UU UW UZ WG WH ZW

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SACRAMENTO	SCRMCA02RS0	08293	08564	5170	726	BA DA GC GD
916/574(0000-6999)						GE II PB PK
						PR PU RA RC
						RD RE RF RG
						RH RM SN ST
						SU SV TB TE
						TF TG TJ TM
						TN TP TQ TS
						TT UE UG UR
						UT UU UW UZ
						VE WG WH ZW
SACRAMENTO	SCRMCA02RS1	08293	08564	5170	726	AA BA DA G4
916/575(0000-6999)						G5 G7 GC GD
						GE IC ID IE
						IF IG PB PK
						PR PU RA RC
						RD RE RF RG
						RH SH SN SQ
						ST TJ UG UP
						UR UT UU UW
						UZ
SACRAMENTO	SCRMCA03DS0	08321	08574	5170	726	AA BA DA GC
916/391,392,393,394(0000-4999),394(6000-7999)						GD GQ II OH
916/394(9000-9999),395,399(0000-0999),399(1000-1999)						OR PC PL PR
916/399(2000-2999),399(4000-4999),399(5000-5999)						PU QA QE RA
916/399(6000-6999),399(7000-7999),399(8000-8999)						RC RD RE RF
916/399(9000-9999),421,422,424,427,428,429(0000-0999)						RG RH SK SN
916/429(1000-1999),429(2000-2999),429(3000-3999)						SQ TJ UG UP
916/429(4000-4999),429(6000-6999),429(7000-7999)						WG WH ZX
916/429(8000-8999),429(9000-9999)						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SACRAMENTO	SCRMCA03RS0	08321	08574	5170	726	BA DA GC GD
916/262(0000-3999),262(9000-9999)						GE II PC PL
						PR PU RA RC
						RD RE RF RG
						RH RM SH SN
						SQ ST SU TB
						TE TF TG TJ
						TM TN TP TQ
						TS TT UE UG
						UP UR UT UU
						UW UZ
SACRAMENTO	SCRMCA03RS2	08321	08574	5170	726	AA BA DA G4
916/433						G5 G7 GC GD
						GE IC ID IE
						IF IG PC PL
						PR PU RA RC
						RD RE RF RG
						RH SJ ST UG
						UP UR UT UU
						UW UZ WG WH
SACRAMENTO	SCRMCA11DS0	08308	08575	5170	726	AA BA BC DA
916/450(2000-2999),450(3000-3999),450(4000-4999)						G4 G5 G7 GC
916/450(5000-5999),450(6000-6999),450(7000-7999)						GD GQ IC ID
916/450(8000-8999),451,452,453,454,455,456,457,703,731						IE IF IG II
916/732(0000-0999),732(1000-1999),732(2000-2999)						OE PC PL PR
916/732(4000-4999),732(5000-5999),732(6000-6999)						PU QA QE RA
916/732(7000-7999),732(8000-8999),732(9000-9999),733,734						RC RD RE RF
916/736,739(0000-0999),739(1000-1999),739(3000-3999)						RG RH SD SK
916/739(4000-4999),739(5000-5999),739(6000-6999)						SN SQ TJ UP
916/739(7000-7999),739(8000-8999),887						WG WH ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SACRAMENTO	SCRMCA11RS0	08308	08575	5170	726	BA DA GC GD
916/227						GE II PC PL
						PR PU RA RC
						RD RE RF RG
						RH RM SH SN
						SQ ST SU TB
						TE TF TG TJ
						TM TN TP TQ
						TS TT UE UG
						UP UR UT UU
						UW UZ
SACRAMENTO	SCRMCA11RS2	08308	08575	5170	726	AA BA DA G4
916/277(1000-2999),277(6000-7999),278,494(0000-0999)						G5 G7 GC GD
916/494(5000-5999),494(6000-6999),494(7000-7999)						GE IC ID IE
916/737(0000-0999),737(1000-1999),737(2000-2999)						IF IG PC PL
916/737(3000-3999),737(7000-7999)						PR PU RA RC
						RD RE RF RG
						RH SJ SN ST
						TJ UG UR UT
						UU UW UZ WG
						WH
SACRAMENTO	SCRMCA12DS0	08304	08555	5170	726	BA BC DA G4
916/328,360,361,362,363,364,366,369,843(0000-2999)						G5 G7 GC GD
916/843(5000-9999),845,854,855,857,875						GQ IC ID IE
						IF IG II OE
						OR PB PK PR
						PU RA RC RD
						RE RF RG RH
						SK SN SQ TJ
						UP WG WH ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SACRAMENTO	SCRMCA12RS0	08304	08555	5170	726	BA DA GC GD
916/255(0000-6999),255(8000-9999)						GE II PB PK
						PR PU RA RC
						RD RE RF RG
						RH RM SH SN
						SQ ST SU TB
						TE TF TG TJ
						TM TN TP TQ
						TS TT UE UG
						UP UR UT UU
						UW UZ WG WH
SACRAMENTO	SCRMCA12RS6	08304	08555	5170	726	AA BA DA G4
916/228(2000-3999),228(5000-5999),368,856(1000-1999)						G5 G7 GC GD
916/856(3000-3999),856(5000-5999)						GE IC ID IE
						IF IG PB PK
						PR PU RA RC
						RD RE RF RG
						RH SN ST TJ
						UG UT UU UW
						UZ
SACRAMENTO	SCRMCA13DS0	08314	08565	5170	726	AA BA DA G4
916/379(0000-0999),379(1000-1999),379(2000-2999)						G5 G7 GC GD
916/379(3000-3999),379(4000-4999),379(6000-6999)						GQ IC ID IE
916/379(9000-9999),381,383,386,388(0000-0999)						IF IG II OR
916/388(1000-1999),388(2000-2999),388(5000-5999)						PC PL PR PU
916/388(6000-6999),388(7000-7999),388(8000-8999)						RA RC RD RE
916/388(9000-9999)						RF RG RH SJ
						SQ TJ UP UT
						UU UW UZ WG
						WH ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SACRAMENTO	SCRMCA13RS0	08314	08565	5170	726	AA BA DA G4
916/229(0000-1999),229(3000-5999)						G5 G7 GC GD
						IC ID IE IF
						IG PC PL PR
						PU RA RC RD
						RE RF RG RH
						SH SQ ST TJ
						UG UP UR UT
						UU UW UZ WG
						WH
SACRAMENTO	SCRMCA13RS9	08314	08565	5170	726	AA BA DA G4
916/382(1000-1999),382(3000-3999),382(5000-5999)						G5 G7 GC GD
916/387(0000-0999),387(1000-1999),387(2000-2999)						GE IC ID IE
916/387(3000-3999),387(4000-4999),387(6000-6999)						IF IG PC PL
916/387(7000-7999),387(8000-8999),387(9000-9999)						PR PU RA RC
						RD RE RF RG
						RH SJ ST TJ
						UG UR UT UU
						UW UZ
SACRAMENTO	SCRMCACRDS0	08304	08583	7128	726	DA DD
/						
SACRAMENTO	SCRMCAMZDS0	08305	08582	5170	726	AA DA PC PL
916/651,653,654						
SACRAMENTO	SCRMCATERS0	08308	08579	5170	726	AA DA PC PL
916/657						
SACRAMENTO	SCRMCATERS1	08308	08579	5170	726	DA
/						
SACRAMENTO	SCRMCATERS2	08308	08579	5170	726	DA
/						
SACRAMENTO	SCRMCAWC2KD	08303	08580	864C	726	DA QC
/						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SAINT HELENA	STHNCA11DS0	08337	08746	5170	722	AA BA DA G4
707/963,967,968(0000-0999),968(2000-2999),968(3000-3999)						G5 G7 GC GD
707/968(8000-8999),968(9000-9999)						GQ IC ID IF
						OR PC PL RA
						RF RG RH SJ
						SN UT UU UW
						UZ WG ZW
SALINAS	SLNSCA0100W	08723	08561	5170	736	HC SU UE WG
/						WH
SALINAS	SLNSCA0102T	08723	08561	5170	736	G1 GB PA
831/766						
SALINAS	SLNSCA011KD	08723	08561	864C	736	DA QC
/						
SALINAS	SLNSCA01DS0	08723	08561	5170	736	BA DA GC GD
831/422,424,751,753,754,755,757,758,759,769(0000-5999)						GQ OH PA PJ
831/769(7000-9999),770(0000-8999),771,772,775(0000-8999)						QA QE RA RC
831/783(0000-0999),783(1000-1999),783(2000-2999)						RD RE RF RG
831/783(3000-3999),783(9000-9999),784(0000-0999)						RH RM SD SL
831/784(1000-1999),784(2000-2999),784(3000-3999)						SR ST SU TB
831/784(4000-4999),784(5000-5999),784(6000-6999)						TE TF TJ TM
831/784(7000-7999),784(9000-9999),796(0000-0999)						TN TP TQ TS
831/796(1000-1999),796(2000-2999),796(3000-3999)						TT UE UG UR
831/796(4000-4999),796(6000-6999),796(7000-7999)						UT UU UW UZ
831/796(8000-8999),796(9000-9999)						VF VP WG WH
						ZX
SALINAS	SLNSCA01DSZ	08723	08561	864C	736	DA QC TB
/						
SALINAS	SLNSCA01X6X	08723	08561	7240	736	BA DA
/						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
SALINAS                     SLNSCA01X7Y 08723 08561 7957  736 GR
   831/200(7000-7999),225(7000-7999),237(4000-4999)
   831/244(7000-7999),263(7000-7999),290(7000-7999)
   831/382(7000-7999),574(7000-7999),593(7000-7999)
   831/613(7000-7999),627(7000-7999),652(7000-7999)
   831/664(7000-7999),705(7000-7999),741(7000-7999)
.......................................................................
SALINAS                     SLNSCA01XTX 08723 08561 7240  736 BA DA
   831/237(3000-3999),263(3000-3999),293(5000-5999)
   831/453(4000-4999),705(3000-3999),718(3000-3999)
   831/718(9000-9999),784(8000-8999),975(7000-7999)
   831/998(9000-9999)
.......................................................................
SALINAS                     SLNSCA11DS0 08712 08562 5170  736 AA BA DA G4
   831/442(0000-0999),442(1000-1999),442(2000-2999)          G5 G7 GC GD
   831/442(3000-3999),442(5000-5999),442(6000-6999)          GQ IC ID IF
   831/442(7000-7999),442(8000-8999),442(9000-9999),443      PC PL RA TJ
   831/444(0000-0999),444(3000-3999),444(4000-4999)          UP UT UU UW
   831/444(6000-6999),444(7000-7999),444(8000-8999)          UZ
   831/444(9000-9999),449
.......................................................................
SALINAS                     SLNSCA11DS1 08712 08562 5170  736 ZW
      /
.......................................................................
SALINAS                     SLNSCA11DS3 08712 08562 5170  736 SJ
      /
.......................................................................
SALINAS                     SLNSCA12DS1 08734 08558 5170  736 ZW
      /
.......................................................................
SALINAS                     SLNSCA12DS3 08734 08558 5170  736 SJ
      /
.......................................................................
SALINAS                     SLNSCA12RS0 08734 08558 5170  736 AA BA DA G4
   831/455(0000-0999),455(1000-1999),455(2000-2999)          GC GD IC ID
   831/455(3000-3999),455(4000-4999),455(7000-7999)          IF PC PL RA
   831/455(8000-8999),455(9000-9999)                         UP UT UU UW
                                                             UZ WG
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SALINAS	SLNSCA13DS1	08744	08570	5170	736	ZW
/						
SALINAS	SLNSCA13DS3	08744	08570	5170	736	SJ
/						
SALINAS	SLNSCA13RS0	08744	08570	5170	736	AA BA DA G4
831/484(0000-0999),484(1000-1999),484(2000-2999)						GC GD IC ID
831/484(5000-5999),484(6000-6999),484(7000-7999)						IF PC PL RA
831/484(9000-9999)						UP UT UU UW
						UZ WG
SALINAS	SLNSCA14DS1	08695	08566	5170	736	ZW
/						
SALINAS	SLNSCA14DS3	08695	08566	5170	736	SJ
/						
SALINAS	SLNSCA14RS0	08695	08566	5170	736	AA BA DA G4
831/663(0000-0999),663(1000-1999),663(2000-2999)						G5 G7 GC GD
831/663(3000-3999),663(4000-4999),663(5000-5999)						IC IE IF IG
831/663(6000-6999),663(8000-8999),663(9000-9999)						PC PL RA RF
						RG RH UP UT
						UU UW UZ WG
SALTON CITY	SLCYCAXFRS8	09308	07441	2319	973	AA BA DA GC
760/394(0000-1999),394(4000-4999)						GD GE GG GM
						GN HB HD II
						PC PL SN SQ
						TU VM
SAN ANDREAS	SNADCA11DS1	08371	08434	5170	738	BA DA G4 GC
209/754(0000-0999),754(1000-1999),754(2000-2999)						GD IC ID IE
209/754(3000-3999),754(4000-4999),754(5000-5999)						IG PC PL PT
209/754(6000-6999),754(9000-9999)						RA RF RG RH
						SJ UT UU UW
						UZ WG WH ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SAN ANTONIO	SNATCAXFDS0	08562	08551	2315	722	BA DA GI HD
408/897(0000-0999),897(3000-3999),897(9000-9999)						
SAN ARDO	SNARCA11DS1	08850	08412	5170	736	ZW
/						
SAN ARDO	SNARCA11DS3	08850	08412	5170	736	SJ
/						
SAN ARDO	SNARCA11RS1	08850	08412	5170	736	BA DA G4 GC
831/627(1000-1999),627(2000-2999),627(3000-3999)						GD IC ID IF
						PC PL RA RC
						RD RE RF RG
						RH ST UP UR
						UT UU UW UZ
SAN BERNARDINO	SNBRCAXH88K	09165	07710	2319	730	AA BA DA GC
909/474(0400-0699),475(1000-1999),475(2000-2999)						GD GE GG GJ
909/475(5000-5999),475(8000-8999),475(9000-9999),881,882						GN GR HB HD
909/883,886						II PC PL RC
						RD SH SN SQ
						TG TI TJ TU
						UA UG UR VM
						WD WE WF WG
						WH WI WJ ZZ
SAN BERNARDINO	SNBRCAXK88E	09173	07709	2319	730	AA BA DA GC
909/252(4000-4999),252(5000-5999),381,383,384(0000-0999)						GD GE GG GJ
909/384(1000-1999),384(3000-3999),384(4000-4999)						GN GR HB HD
909/384(5000-5999),384(6000-6999),384(7000-7999)						II PA PJ RC
909/384(8000-8999),384(9000-9999),386,387(0000-1899)						RD SH SN SQ
909/387(2000-9999),388,501(0000-0999),884,885,888,889						TD TG TH TI
909/891(1000-9999)						TJ TU UA UG
						UR VM WD WE
						WF WG WH WI
						WJ ZZ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SAN BERNARDINO	SNBRCAXLDS0	09179	07705	2319	730	AA BA DA GC
909/387(1900-1999),658(0000-0999),658(1000-1999)						GD GE GJ GN
909/658(2000-2999),658(3000-3999),890(0000-5999)						GR II PA PJ
909/890(9000-9999)						RC RD SH SN
						SQ TB TI TU
						UG
SAN BERNARDINO	SNBRCAXNDS0	09176	07701	2319	730	AA BA DA GC
909/382(0000-0999),382(2000-2999),382(3000-3999)						GD GE GN GR
909/382(4000-4999),382(5000-5999),382(6000-6999)						HB II PA PJ
909/382(7000-7999)						RC RD SH SN
						SQ TG TU UA
						UR WD WE WF
						WG WH WI WJ
SAN BRUNO	SNBUCA02DS0	08525	08716	5170	722	AA BA DA G4
650/225,467,553,615,616,624,634(0000-7999)						G5 G7 GC GD
650/634(9000-9999),635,737(0000-1999),737(3000-3999)						GE GQ HB IC
650/737(5000-9999),741(2000-2999),742,761(7000-7999)						ID IE IF IG
650/761(8000-8999),761(9000-9999),794,808(1000-1999)						OH PB PK PS
650/808(2000-2999),808(3000-3999),808(4000-4999)						RA RE RF RG
650/808(6000-6999),808(8000-8999),808(9000-9999),829						RH RM SK SN
650/837(2000-2999),837(4000-4999),837(5000-5999)						ST TB TE TJ
650/837(7000-7999),837(8000-8999),837(9000-9999)						TM TN TP TQ
650/866(2000-2999),866(3000-3999),866(4000-4999)						TS TT UG UR
650/866(6000-6999),866(7000-7999),869(0000-8999),874,875						UT UU UW UZ
650/876,877(0000-1999),877(3000-9999)						ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SAN BRUNO	SNBUCA02DS1	08525	08716	5170	722	BA BC DA G4
650/244,246(1000-1999),246(2000-2999),246(3000-3999)						G5 G7 GC GD
650/246(4000-4999),246(5000-5999),246(6000-6999)						GQ HB IC ID
650/246(7000-7999),246(8000-8999),266,583,588,589						IE IF IG II
650/827(0000-4999),827(6000-9999),871,872(0000-8999),873						PB PK PS RA
650/952						RC RD RE RF
						RG RH RM SH
						SN SQ ST TB
						TE TJ TM TN
						TP TQ TS TT
						UG UP UR UT
						UU UW UZ WG
						WH ZW
SAN CARLOS	SNCRCA11DS0	08551	08687	5170	722	AA BA BC DA
650/413(0000-0999),413(1000-1999),413(2000-2999)						G4 G5 G7 GC
650/413(3000-3999),413(4000-4999),413(5000-5999)						GD GQ HB IC
650/413(6000-6999),413(7000-7999),413(8000-8999)						ID IE IF IG
650/486(2000-2999),486(3000-3999),486(4000-4999)						II OR PB PK
650/486(5000-5999),486(6000-6999),486(7000-7999)						PS QA QE RA
650/486(8000-8999),506,508,551(0000-0999),551(1000-1999)						RE RF RG RH
650/551(2000-2999),551(3000-3999),551(4000-4999)						ST TJ UG UR
650/551(5000-5999),551(6000-6999),551(7000-7999)						UT UU UW UZ
650/551(8000-8999),591,592,593,594(0000-5999)						WG WH ZW
650/594(8000-9999),595(0000-0999),595(1000-1999)						
650/595(2000-2999),595(3000-3999),595(4000-4999)						
650/595(5000-5999),595(7000-7999),595(8000-8999)						
650/595(9000-9999),596,598,607,610(0000-0999)						
650/610(3000-9999),620(0000-0999),620(1000-1999)						
650/620(2000-2999),620(3000-3999),620(4000-4999)						
650/620(5000-5999),620(6000-6999),620(9000-9999)						
650/622(0000-0999),622(1000-1999),622(3000-3999)						
650/622(9000-9999),631,632(0000-0999),632(1000-1999)						
650/632(2000-2999),632(3000-3999),632(4000-4999)						
650/632(6000-6999),633,637,654,802						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SAN CLEMENTE	SNCLCA12DS0	09328	07744	5170	730	BA DA G4 G5
949/361,366,368,369,492,498,940(0000-0999)						G7 GC GD GE
949/940(1000-1999),940(2000-2999),940(4000-4999)						GQ HB II OR
949/940(7000-7999),940(9000-9999)						PC PL PR PS
						RA RF RG RH
						SJ SQ TJ UP
						UT UW UZ WG
						WH ZW
SAN DIEGO	ELCJCABBDS0	09443	07602	7661	732	AA BA DA
619/201(8000-8999),270(7000-7999),303(0000-0999)						
619/303(1000-1999),303(2000-2999),303(3000-3999)						
619/303(4000-4999),303(5000-5999),303(6000-6999)						
619/303(7000-7999),303(8000-8999),303(9000-9999)						
619/312(0000-0999),312(1000-1999),312(2000-2999)						
619/328(1000-1999),328(2000-2999),328(3000-4999)						
619/328(5000-5999),328(6000-6999),328(9000-9999)						
619/334(0000-0999),334(1000-1999),334(2000-2999)						
619/334(3000-3999),334(4000-4999),334(5000-5999)						
619/334(6000-6999),334(7000-7999),334(8000-8999)						
619/334(9000-9999),383(6000-6999),456(2000-2999)						
619/456(4000-4999),456(9000-9999),592(4000-4999)						
619/637(6000-6999),713(1000-1999),713(2000-2999)						
619/713(5000-5999),713(6000-6999),722(6000-6999)						
619/722(7000-7999),741(0000-0999),741(1000-7999)						
619/741(8000-8999),749,781(8000-8999),825(6000-6999)						
619/825(8000-8999),825(9000-9999),869(4000-4999)						
619/938(2000-2999),938(3000-3999),966(9000-9999)						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SAN DIEGO	ELCJCABBDS1	09443	07602	7661	732	AA BA DA
442/232(6000-6999),232(8000-8999)						
619/207(0000-0999),240(3000-3999),240(7000-7999)						
619/271(0000-0999),271(1000-1999),271(2000-2999)						
619/271(3000-3999),271(4000-4999),271(5000-5999)						
619/271(6000-6999),271(7000-7999),271(8000-8999)						
619/271(9000-9999),397(1000-1999),565(2000-2999)						
619/591(9000-9999),600(3000-3999),600(4000-4999)						
619/621(5000-5999),621(6000-6999),623(3000-3999)						
619/651(1000-1999),651(7000-7999),651(8000-8999)						
619/722(1000-1999),737(9000-9999),741(9000-9999)						
619/746(6000-6999),754(6000-6999),779(7000-7999)						
619/796(7000-7999),863(5000-5999),869(7000-7999)						
619/869(8000-8999),934(0000-0999),934(1000-1999)						
619/934(2000-2999),934(3000-3999),934(4000-4999)						
619/934(5000-5999),934(6000-6999),934(7000-7999)						
619/934(8000-8999),934(9000-9999),946(4000-4999)						
760/201(8000-8999),216(6000-6999),230(1000-1999)						
760/230(2000-2999),230(6000-6999),231(1000-1999)						
760/231(5000-5999),231(6000-6999),231(7000-7999)						
760/231(8000-8999),231(9000-9999),237(3000-3999)						
760/237(6000-6999),237(7000-7999),290(3000-3999)						
760/295(0000-0999),295(1000-7999),295(8000-8999)						
760/295(9000-9999),297(1000-1999),305(7000-7999)						
760/305(8000-8999),330(9000-9999),440(0000-0999)						
760/440(3000-3999),440(9000-9999),444(1000-1999)						
760/444(5000-5999),444(6000-6999),444(7000-7999)						
760/444(9000-9999),452(2000-2999),453(2000-2999)						
760/487(1000-1999),509(4000-4999),529(4000-4999)						
760/529(5000-5999),529(9000-9999),547(1000-1999)						
760/547(5000-5999),566(3000-3999),637(2000-2999)						
760/692(3000-3999),695(3000-3999),730(5000-5999)						
760/798(0000-0999),798(1000-1999),798(2000-2999)						
760/798(3000-3999),798(4000-4999),798(7000-7999)						
760/798(8000-8999),798(9000-9999),829(1000-1999)						
760/842(1000-1999),842(5000-5999),842(7000-7999)						
760/842(8000-8999),893(8000-8999)						
858/312(1000-1999),312(5000-5999),312(6000-6999)						
858/312(8000-8999),345(1000-1999),376(6000-6999)						

-------- Continued on next page --------

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

-------- Continued from previous page --------

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
858/376(8000-8999),436(7000-7999),649(2000-2999) 858/704(4000-4999),798(9000-9999),832(1000-1999) 858/832(7000-7999),832(8000-8999),842(1000-1999) 858/842(2000-2999),842(3000-3999),842(4000-4999) 858/842(6000-6999),876(6000-6999),883(2000-2999) 858/924(1000-1999)						
SAN DIEGO	SNDGCA01DS0	09468	07630	5170	732	AA BA DA G4 G5 G7 GC GD GQ II OH PA PJ PR PU QA QE RA RC RD RE RF RG RH SK SN SQ ST TJ UP UR UT UU UW UZ WG WH
619/228(7000-7999),230(0000-4999),230(6000-9999),232,233 619/234,235,239,338,446(0000-0999),446(1000-1999) 619/446(2000-2999),446(3000-3999),446(4000-4999) 619/446(5000-5999),515,525,531,532,533,544,556,557,595 619/645,652,685,687,699(0000-8999),744						
SAN DIEGO	SNDGCA01DS1	09468	07630	5170	732	AA BA DA G4 G5 G7 GC GD GQ II OH PA PJ PR PU QA QE RA RC RD RE RF RG RH SN SQ ST TJ UP UR UT UU UW UZ WG WH ZW
619/231,236,237,238,578(0000-0999),578(5000-7999),615 619/696,702						
SAN DIEGO /	SNDGCA022WD	09462	07632	5170	732	G1 GB PR PU WG WH
SAN DIEGO /	SNDGCA0233Z	09462	07632	668G	732	DA
SAN DIEGO /	SNDGCA023KD	09462	07632	864C	732	DA QC

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
SAN DIEGO /	SNDGCA023TD	09462	07632	5170	732	G1 GB PR PU WG WH
SAN DIEGO /	SNDGCA024KD	09462	07632	864C	732	DA QC
SAN DIEGO /	SNDGCA0253T	09462	07632	5170	732	G1 PR PU WG WH
SAN DIEGO 619/570 760/570 858/570	SNDGCA0290T	09462	07632	5170	732	G1 GB PA PR PU WG WH
SAN DIEGO /	SNDGCA0291T	09462	07632	5170	732	G1 GB PR PU WG WH
SAN DIEGO 619/209(2000-6999),220,260,278(0000-0999),278(2000-7999) 619/291,293,294,295,296,297,298,299,491,497 619/542(0000-8999),543,574,680,681(0000-1999) 619/681(5000-9999),682,683,686,688,692,717(5000-5999) 619/718(3000-9999),725,767(1000-1999),767(2000-2999) 619/767(3000-3999),767(4000-4999),767(5000-5999) 619/767(6000-6999),767(7000-7999),767(9000-9999) 619/785(0000-2999),785(4000-9999),808(0000-0999) 619/817(0000-0999),817(3000-3999),817(4000-4999) 619/906(3000-3999),908(3000-8999)	SNDGCA02DS0	09462	07632	5170	732	AA BA DA GC GD GE GQ IC ID IE IF IG OH PA PJ PR PU QA QE RA RC RD RE RF RG RH RM SK SN SQ ST SU TB TE TF TG TJ TM TN TP TQ TS TT UC UE UP UR UT UU UW UZ WG WH ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SAN DIEGO	SNDGCA02X6X	09462	07632	4733	732	GL
619/209(7000-7999),245(2000-2999),270(0000-0999)						
619/270(1000-1999),270(2000-2999),270(3000-3999)						
619/270(4000-4999),270(5000-5999),270(8000-8999)						
619/270(9000-9999),407(7000-7999),446(6000-6999)						
619/502(7000-7999),564(3000-5999),793(4000-5999),819						
760/231(0000-0999),297(2000-2999),452(7000-7999)						
760/466(7000-7999),477(7000-7999),479(5000-5999)						
760/481(3000-3999),481(7000-7999),494,690(3000-3999)						
858/312(2000-4999),324(1000-1999),427(0000-0999)						
858/427(1000-1999),427(2000-2999),427(3000-3999)						
858/427(4000-4999),427(5000-5999),427(8000-8999)						
858/427(9000-9999),435(0000-2999),435(4000-4999)						
858/435(7000-7999),525(6000-6999),605(0000-0999)						
858/605(1000-1999),605(2000-2999),605(3000-3999)						
858/605(4000-4999),605(5000-5999),605(6000-6999)						
858/605(7000-7999),605(9000-9999),764(0000-0999)						
858/764(1000-1999),764(2000-2999),764(3000-3999)						
858/764(4000-4999),764(5000-5999),764(6000-6999)						
858/764(8000-8999),764(9000-9999),779(9000-9999)						
858/964(0000-0999),964(1000-1999),964(2000-2999)						
858/964(3000-3999),964(4000-4999),964(5000-5999)						
858/964(6000-6999),964(7000-7999),964(9000-9999)						

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
SAN DIEGO	SNDGCA02X9Y	09462	07632	4733	732	GL

619/240(8000-8999),272(5000-5999),376(4000-4999)
619/382(1000-1999),488(8000-8999),488(9000-9999)
619/516(8000-8999),713(7000-7999),797(8000-8999)
619/810(4000-4999),831(4000-4999),841(3000-3999)
619/862(6000-6999)
760/304(6000-6999),509(3000-3999),516(4000-4999)
760/516(5000-5999),516(6000-6999),536(7000-7999)
760/579(5000-5999),618(3000-3999),655(3000-3999)
760/658(5000-5999),679(1000-1999),697(3000-3999)
760/783(4000-4999),825(3000-3999),827(7000-7999)
760/842(6000-6999),919(1000-1999),994(1000-1999)
760/999(1000-1999)
858/200(4000-4999),223(8000-8999),242(3000-3999)
858/249(0000-0999),249(1000-1999),249(2000-2999)
858/249(3000-3999),249(4000-4999),249(5000-5999)
858/249(6000-6999),260(5000-5999),413(3000-3999)
858/433(0000-3999),433(8000-8999),433(9000-9999)
858/465(1000-1999),500(4000-4999),524(8000-8999)
858/568(9000-9999),652(4000-4999),652(5000-5999)
858/652(6000-6999),666(2000-2999),666(3000-3999)
858/666(4000-4999),707(4000-4999),754(2000-2999)
858/754(5000-5999),762(5000-5999),762(6000-6999)
858/762(7000-7999),779(1000-1999),836(9000-9999)
858/879(4000-4999),879(5000-5999),924(7000-7999)
858/926(3000-3999),927(5000-5999),927(6000-6999)
858/927(7000-7999),966(3000-3999)

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
SAN DIEGO                   SNDGCA03DS0 09449 07634 5170  732 AA BA DA GC
   858/266(2000-7999),268,279,467,492(0000-6999)             GD GE GQ II
   858/492(8000-9999),495,496(0000-6999),496(8000-9999)      OH PA PJ PR
   858/499(0000-0999),499(1000-1999),499(2000-2999)          PU QA QE RA
   858/499(3000-3999),499(4000-4999),499(5000-5999)          RC RD RE RF
   858/499(6000-6999),499(7000-7999),499(8000-8999),502      RG RH SK SN
   858/503(0000-0999),503(1000-1999),503(2000-2999)          SQ ST TJ UP
   858/503(3000-3999),503(4000-4999),503(5000-5999)          UR UT UW UZ
   858/503(6000-6999),503(7000-7999),503(9000-9999)          WG WH
   858/541(0000-5999),541(7000-9999),573,576,614(0000-0999)
   858/614(1000-1999),614(2000-2999),614(3000-3999)
   858/614(4000-4999),614(5000-5999),614(7000-7999)
   858/614(8000-8999),614(9000-9999),616(0000-0999)
   858/616(1000-1999),616(2000-2999),616(3000-3999)
   858/616(4000-4999),616(5000-5999),616(6000-6999)
   858/616(8000-8999),616(9000-9999),627,636,637
   858/650(0000-0999),650(1000-1999),650(2000-2999)
   858/650(3000-3999),650(4000-4999),650(5000-5999)
   858/650(6000-6999),650(7000-7999),650(8000-8999)
   858/654(0000-0999),654(1000-1999),654(2000-2999)
   858/654(3000-3999),654(4000-4999),654(6000-6999)
   858/654(7000-7999),654(8000-8999),654(9000-9999)
   858/939(2000-2999),939(3000-3999),939(4000-4999)
   858/939(5000-5999),939(6000-6999),939(7000-7999)
   858/939(8000-8999),966(1000-1999),966(2000-2999)
   858/966(4000-4999),966(5000-5999),966(6000-6999)
   858/966(7000-7999),966(8000-8999),974
.......................................................................
SAN DIEGO                   SNDGCA03DS1 09449 07634 5170  732 AA BA BC DA
   858/277,278,292,505,514,522(1000-1999),522(2000-2999)     G4 G5 G7 GC
   858/522(3000-3999),522(4000-4999),522(5000-5999)          GD GQ IC ID
   858/522(6000-6999),522(7000-7999),522(8000-8999),560,565  IE IF IG II
   858/569,571,694,715,874                                   PA PJ PR PU
                                                             QA QE RA RC
                                                             RD RE RF RG
                                                             RH SN SQ ST
                                                             TJ UP UR UT
                                                             UW UZ WG WH
                                                             ZW
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SAN DIEGO	SNDGCA05DS0	09473	07611	5170	732	AA BA DA G4
619/267,470(0000-4999),470(6000-9999),472(0000-0999)						G5 G7 GC GD
619/472(1000-1999),472(2000-2999),472(3000-3999)						GQ IC ID IE
619/472(4000-4999),472(5000-5999),472(6000-6999)						IF IG OR PC
619/472(8000-8999),472(9000-9999),475,479						PL PR PU RA
						SJ SN SQ TJ
						UP UT UU UW
						UZ WG WH ZW
SAN DIEGO	SNDGCA06DS0	09460	07624	5170	732	AA BA DA GC
619/228(0000-0999),228(2000-2999),228(8000-8999),280,281						GD GQ IC ID
619/282,283,284,285,516(0000-7999),516(9000-9999),521						IE IF IG II
619/528,563,584,624,640,641						OH PB PK PR
						PU RA RC RD
						RE RF RG RH
						SF SL SN SR
						TJ UT UU UW
						UZ VF VP WG
						WH ZX
SAN DIEGO	SNDGCA11DS0	09456	07616	5170	732	BA BC DA G4
619/229,265(0000-5999),265(7000-9999),286,287,582,583						G5 G7 GC GD
619/583						GQ IC ID IE
						IF IG II OR
						PC PL PR PU
						RA RC RD RE
						RF RG RH SJ
						SN SQ TB TE
						TJ TM TN TP
						TQ TS TT UP
						UT UU UW UZ
						WG WH ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SAN DIEGO	SNDGCA12DS0	09468	07618	5170	732	AA BA BC DA
619/262,263,264,266,527						GC GD IC ID
						IE IF IG II
						OR PC PL PR
						PU RA RC RD
						RE RF RG RH
						SJ SN SQ TJ
						UP UT UU UW
						UZ WG WH ZW
SAN DIEGO	SNDGCA14DS0	09466	07645	5170	732	AA BA DA GC
619/221,222,223,224,225(0000-6999),225(8000-9999)						GD GE GQ IC
619/226(0000-8999),523,524,553,758(0000-0999)						ID IE IF IG
619/758(1000-1999),758(6000-6999),758(7000-7999)						OH OR PB PK
619/758(9000-9999)						PR PU QA QE
						RA RC RD RE
						RF RG RH RM
						SK SN SQ ST
						SU TB TE TF
						TG TJ TM TN
						TP TQ TS TT
						UE UP UR UT
						UU UW UZ WG
						WH ZW
SAN DIEGO	SNDGCA15DS0	09436	07648	5170	732	AA BA DA GC
858/334(0000-2999),334(4000-4999),334(6000-7999),404,452						GD GE GQ II
858/453,455,525(0000-0999),525(7000-7999),525(8000-8999)						OH OR PA PJ
858/525(9000-9999),534,535,546,552(0000-4999)						PR PU QA QE
858/552(6000-9999),554,597,623,625(0000-0999)						RA RB RC RD
858/625(2000-9999),626,642,643,646,822(0000-7999),824						RE RF RG RH
858/826						SK SN SQ ST
						TB TE TJ TM
						TN TP TQ TS
						TT UG UP UR
						UT UU UW UZ
						WG WH

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SAN DIEGO	SNDGCA15DS1	09436	07648	5170	732	AA BA DA G4
858/202(0000-4999),202(7000-9999),320,450,457,458						G5 G7 GC GD
858/526(0000-2999),526(4000-9999),550,558,587,622,638						GE GQ IC ID
858/657,658,677,678,784(0000-0999),784(2000-3999)						IE IF IG PA
858/784(5000-9999),909(0000-7999),909(9000-9999)						PJ PR PU QA
						QE RA RC RD
						RE RF RG RH
						SN SQ ST TB
						TE TJ TM TN
						TP TQ TS TT
						UG UP UR UT
						UU UW UZ WG
						WH ZW
SAN DIEGO	SNDGCA16DS0	09425	07633	5170	732	AA BA DA GC
858/271,437(0000-0999),527(0000-0999),527(1000-1999)						GD GE GQ II
858/527(3000-3999),527(4000-4999),527(6000-6999),530						OR PB PK PR
858/536(1000-1999),536(2000-2999),536(3000-3999)						PU QA QE RA
858/536(4000-4999),536(5000-5999),536(6000-6999)						RB RC RD RE
858/536(7000-7999),536(8000-8999),536(9000-9999)						RF RG RH SK
858/537(0000-0999),537(2000-2999),537(3000-3999)						SN SQ TJ UG
858/537(5000-5999),537(8000-9999),547,549,566,577,578						UP UR UT UU
858/586(0000-0999),586(1000-1999),586(2000-2999)						UW UZ WG WH
858/586(4000-4999),586(5000-5999),586(6000-6999)						ZW
858/586(7000-7999),586(8000-8999),586(9000-9999)						
858/621(0000-2999),621(4000-9999),635,653,684,689,693						
858/695(0000-0999),695(1000-1999),695(2000-2999)						
858/695(3000-3999),695(5000-5999),695(6000-6999)						
858/695(7000-7999),695(8000-8999),695(9000-9999)						
858/831(0000-0999),831(1000-1999),831(2000-2999)						
858/831(3000-3999),831(4000-4999),831(5000-5999)						
858/831(6000-6999),831(7000-7999),831(9000-9999)						
SAN DIEGO	SNDGCA64RS0	09432	07638	5170	732	AA BA DA GC
858/886(0000-5999)						GD GE GQ GR
						II OR PA PJ
						PR PU

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SAN DIEGO	SNDGCABIDS0	09469	07631	7283	732	BA DA GI GJ
/						GL GN GQ HA
						HD IA IB II
						SH SI UA UG
						UR UU
SAN DIEGO	SNDGCAJWDS0	09458	07638	649C	732	DA DD GE GL
/						GN GP GR IA
						IB

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SAN DIEGO	SNDICAETDS0	09443	07631	7240	732	BA DA

442/253(4000-4999),270(3000-3999),286(3000-3999)
619/210(0000-2999),210(7000-8999),212(7000-8999)
619/213(1000-1999),215(7000-7999),215(8000-8999)
619/215(9000-9999),402(1000-1999),403(5000-5999)
619/415(0000-0999),419(1000-1999),456(6000-6999)
619/471(0000-3999),471(9000-9999),494(5000-5999)
619/512(0000-0999),566(8000-8999),610(0000-7999)
619/684(6000-6999),684(7000-8999),684(9000-9999)
619/764(6000-6999),824(3000-3999),881(0000-0999)
619/881(1000-1999),881(2000-2999),881(3000-3999)
619/881(4000-4999),881(5000-5999),881(6000-6999)
619/881(8000-8999),881(9000-9999)
760/545(3000-3999),576(3000-3999),623(4000-4999)
760/638(2000-2999),666(6000-6999),679(5000-5999)
760/689(3000-3999),704(0000-1999),704(6000-6999)
760/705(3000-3999),705(9000-9999),710(0000-0999)
760/710(2000-6999),710(8000-8999),742(6000-6999)
760/767(8000-8999),827(0000-0999),827(2000-4999)
760/827(8000-8999),828(4000-4999),828(9000-9999)
760/829(9000-9999),870(9000-9999),890(3000-3999)
760/916(1000-1999),916(9000-9999),936(0000-0999)
760/936(4000-4999)
858/200(7000-7999),202(5000-5999),227(3000-3999)
858/300(5000-6999),300(7000-7999),309(8000-8999)
858/352(0000-3999),352(5000-5999),375(7000-7999),410
858/427(6000-7999),539(1000-1999),609(1000-4999)
858/634(3000-3999),652(3000-3999),703(2000-3999)
858/703(4000-4999),703(9000-9999),712,716(0000-0999)
858/716(1000-1999),716(2000-2999),716(3000-3999)
858/716(9000-9999),731(0000-0999),731(1000-1999)
858/731(2000-2999),731(3000-3999),731(4000-4999)
858/731(5000-5999),731(9000-9999),737(0000-0999)
858/737(2000-2999),737(5000-5999),750(6000-7999)
858/799(1000-9999),859(4000-4999),859(6000-6999)
858/877(2000-2999),877(4000-5999),877(7000-7999)
858/879(2000-2999),880(0000-0999),880(1000-1999)
858/880(2000-2999),880(3000-3999),880(9000-9999)
858/901(3000-3999),901(4000-4999),947(5000-5999)

-------- Continued on next page --------

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE	TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- --	-- --

-------- Continued from previous page --------

858/947(7000-7999)

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SAN DIEGO	SNDICAFYDS0	09466	07617	7661	732	AA BA DA

619/241(2000-2999),255,259(2000-2999),269,292(2000-2999)
619/292(3000-3999),319(3000-3999),328(0000-0999)
619/344(3000-3999),344(4000-4999),344(5000-5999)
619/344(6000-6999),352(3000-3999),358(9000-9999)
619/362(3000-3999),362(4000-4999),399(5000-5999)
619/430(1000-1999),434(1000-5999),434(6000-6999)
619/434(7000-7999),434(8000-8999),434(9000-9999)
619/450(4000-4999),450(5000-5999),450(6000-6999)
619/450(7000-7999),452(7000-7999),487(0000-0999)
619/487(1000-8999),487(9000-9999),501,546(0000-0999)
619/546(4000-4999),546(5000-5999),546(6000-6999)
619/546(7000-7999),546(8000-8999),546(9000-9999)
619/550(1000-1999),550(5000-5999),560(4000-4999)
619/564(6000-6999),564(7000-7999),564(8000-8999)
619/578(2000-2999),610(9000-9999),630(2000-2999)
619/677(2000-2999),677(3000-3999),713(0000-0999)
619/727(4000-4999),756(6000-6999),756(7000-7999)
619/764(5000-5999),770(1000-1999),773(7000-7999)
619/780(0000-0999),794(0000-0999),794(1000-1999)
619/794(2000-2999),795(0000-0999),795(1000-2999)
619/795(3000-3999),795(4000-5999),795(6000-7999)
619/795(8000-8999),795(9000-9999),798(3000-3999)
619/810(1000-1999),825(5000-5999),844(2000-2999)
619/844(5000-5999),876(4000-4999),876(5000-5999)
619/906(2000-2999),906(4000-4999),906(5000-5999)
619/941(1000-2999),946(7000-7999),955(5000-5999)
619/955(8000-8999)
760/294(0000-8999),294(9000-9999),317(1000-1999)
760/317(5000-5999),317(9000-9999),658(6000-6999)
760/690(2000-2999),755(7000-7999)
858/202(6000-6999),224(6000-6999),242(1000-1999)
858/249(7000-7999),255(2000-2999),256(2000-2999)
858/266(1000-1999),295(4000-4999),371(6000-6999)
858/397(1000-1999),397(6000-6999),412(8000-8999)
858/429(7000-7999),500(7000-7999),500(8000-8999)
858/536(0000-0999),609(5000-5999),634(1000-1999)
858/634(4000-4999),634(5000-5999),634(7000-7999)
858/634(8000-8999),751(3000-3999),752(6000-6999)

-------- Continued on next page --------

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE	TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- --	-- --

-------- Continued from previous page --------

858/768(6000-6999),769(7000-7999),769(8000-8999)
858/800(5000-5999),800(6000-6999),810(4000-4999)
858/810(7000-7999),810(8000-8999),836(7000-7999)
858/836(8000-8999),864(1000-1999),888(7000-7999)
858/935(2000-2999),952(7000-7999),966(0000-0999)
858/966(9000-9999),987(5000-5999),987(7000-7999)

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE	TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- --	-- --
SAN DIEGO	SNDJCA05DS0	09442	07637	7262	732	BA DA	GE GJ
619/241(7000-8999),243(0000-3999),243(5000-5999)						GR HB	IB RC
619/243(7000-8999),414(1000-1999),414(5000-5999)						RD SH	SQ T1
619/450(8000-8999),512(4000-5999),599(0000-1999)						T2 UG	UP UR
619/599(7000-9999),618(3000-4999),639(3000-3999)						US	
619/649(0000-0999),649(2000-2999),649(4000-4999)							
619/649(6000-7999),649(9000-9999),651(2000-2999)							
619/655(4000-4999),754(2000-2999),757(1000-2999)							
619/765(3000-3999),828(0000-2999),828(4000-4999)							
619/828(6000-8999),858,872(0000-0999),872(2000-2999)							
619/872(4000-4999),872(6000-7999),872(9000-9999)							
619/878(1000-1999),878(2000-2999),878(5000-5999)							
619/878(6000-6999),931(1000-1999),931(5000-5999)							
619/937(0000-0999),937(4000-4999),937(6000-7999)							
619/937(9000-9999),946(1000-1999),946(2000-2999)							
619/946(5000-5999),946(6000-6999),955(1000-1999)							
619/956(3000-3999),956(9000-9999)							
760/400(0000-0999),400(1000-1999),400(2000-6999)							
760/400(8000-8999),400(9000-9999),444(2000-3999)							
760/450(0000-1999),472(0000-0999),496(0000-1999)							
760/496(3000-3999),496(6000-6999),496(7000-7999)							
760/520(0000-1999),520(6000-7999),536(0000-1999)							
760/542(6000-7999),546(0000-1999),557(1000-1999)							
760/557(2000-3999),560(0000-2999),560(4000-5999)							
760/560(9000-9999),566(0000-1999),593(5000-5999)							
760/682(0000-4999),682(9000-9999),687(2000-2999)							
760/692(0000-2999),692(4000-4999),692(6000-6999)							
760/692(9000-9999),755(5000-5999),783(0000-0999)							
760/783(2000-2999),990(0000-0999),990(2000-2999)							
760/990(5000-6999)							
858/227(0000-0999),227(1000-1999),227(2000-2999)							
858/227(5000-5999),227(8000-9999),228(1000-5999)							
858/228(9000-9999),244(0000-8999),312(7000-7999)							
858/324(2000-2999),348(0000-3999),348(6000-6999),362							
858/366(0000-1999),366(6000-6999),366(7000-7999)							
858/366(9000-9999),368(7000-8999),373(0000-6999)							
858/408(0000-4999),408(7000-9999),430(0000-5999)							
858/430(9000-9999),434(0000-0999),434(2000-2999)							
858/434(4000-4999),434(6000-6999),434(9000-9999)							

-------- Continued on next page --------

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE	TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- --	-- --

-------- Continued from previous page --------

858/630(5000-5999),668(5000-5999),704(0000-1999)
858/704(3000-3999),704(5000-5999),704(7000-7999)
858/704(8000-8999),724(0000-3999),724(6000-6999)
858/724(8000-9999),726(0000-1999),726(2000-2999)
858/726(3000-4999),753(0000-1999),753(2000-2999)
858/836(0000-0999),836(3000-4999),901(1000-1999)
858/901(5000-5999),935(1000-1999),946(0000-2999)
858/946(6000-7999)

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE	TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- --	-- --
SAN DIEGO	SNDJCA05DS3	09442	07637	7262	732	BA DA	GE GJ
619/202(2000-2999),202(7000-7999),268(7000-7999)						GR HB	IB RC
619/324(6000-6999),324(7000-7999),345(4000-4999)						RD SH	SQ T1
619/362(7000-9999),377(2000-2999),377(6000-6999)						T2 UG	UP UR
619/378(2000-2999),378(6000-6999),450(2000-2999)						US	
619/519(7000-7999),569(2000-2999),607(4000-4999)							
619/684(2000-3999),752(2000-2999),752(3000-3999)							
619/761(5000-5999),764(4000-4999),786(9000-9999)							
619/790(0000-0999),793(1000-3999),802(0000-0999)							
619/810(0000-0999),810(2000-3999),810(6000-6999)							
619/810(8000-8999),862(2000-2999),916(0000-0999)							
619/916(2000-3999),956(7000-8999),996(5000-8999)							
760/239(4000-4999),239(6000-6999),260(8000-8999)							
760/268(2000-3999),290(7000-7999),304(8000-8999)							
760/330(8000-8999),354(6000-6999),358(5000-5999)							
760/358(6000-6999),358(9000-9999),359(5000-5999)							
760/385(2000-2999),412(6000-6999),452(4000-5999)							
760/466(4000-6999),477(5000-6999),482(1000-1999)							
760/483(2000-2999),545(9000-9999),557(6000-8999)							
760/587(2000-2999),593(2000-2999),607(3000-3999)							
760/615(1000-1999),615(7000-7999),638(7000-7999)							
760/645(6000-6999),645(7000-9999),659(4000-4999)							
760/691(8000-8999),748(5000-5999),748(6000-6999)							
760/755(2000-2999),756(1000-1999),756(9000-9999)							
760/884(3000-3999),884(8000-8999),890(1000-1999)							
760/890(2000-2999),907(1000-1999),907(2000-2999)							
760/913(3000-3999)							
858/210(6000-6999),223(4000-5999),304(3000-6999)							
858/314(6000-6999),345(3000-3999),345(8000-8999)							
858/368(5000-6999),380(1000-2999),400(5000-7999)							
858/431(4000-4999),461(2000-2999),461(3000-3999)							
858/480(4000-4999),519(9000-9999),524(5000-5999)							
858/524(7000-7999),552(5000-5999),726(6000-8999)							
858/736(2000-2999),737(3000-3999),740(3000-3999)							
858/746(4000-4999),754(1000-1999),761(0000-0999)							
858/761(9000-9999),771(3000-3999),864(9000-9999)							
858/939(1000-1999),999(2000-2999)							

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
SAN DIEGO /	SNDJCA05DS4	09442	07637	7262	732	BA DA GE GJ GR HB IB RC RD SH SQ T1 T2 UG UP UR US
SAN DIEGO /	SNDJCA13DS0	09442	07637	8782	732	DA
SAN DIMAS 909/305(0000-2999),305(4000-9999),394,592,599 909/971(0000-0999),971(1000-1999),971(2000-2999) 909/971(5000-5999),971(8000-8999),971(9000-9999)	SNDMCAXF59C	09188	07801	2319	730	AA BA DA GC GD GE GG GJ GN GR HB HD II PB PK RC RD SH SN SQ TG TI TU UA UG UR VM WD WE WF WG WH WI WJ ZZ
SAN FERNANDO 818/361,365,496(0000-0999),496(1000-1999),496(2000-2999) 818/496(3000-3999),496(4000-4999),496(5000-5999) 818/496(6000-6999),496(7000-7999),496(8000-8999) 818/496(9000-9999),837,838(0000-0999),838(1000-1999) 818/838(2000-2999),838(3000-3999),838(4000-4999) 818/838(6000-6999),838(7000-7999),838(9000-9999),898	SNFNCAXG36K	09168	07921	2319	730	AA BA DA GC GD GE GG GJ GN GR HB HD II PC PL RC RD SH SN SQ TG TI TJ TU UA UG UR VM WD WE WF WG WH WI WJ ZZ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SAN FRANCISCO	SNFCCA01DS0	08492	08719	5170	722	BA DA GC GD
415/248(0000-5999),248(7000-9999),249,262,263(0000-8999)						GE GQ HB II
415/273(1000-1999),273(2000-2999),273(3000-3999)						OH PA PJ PS
415/273(4000-4999),273(5000-5999),273(6000-6999)						QA QB QE QF
415/273(7000-7999),273(8000-8999),274,291(0000-1999)						RA RE RF RG
415/291(3000-9999),296(0000-5999),296(7000-9999)						RH RM SF SK
415/315(1000-1999),315(2000-2999),315(3000-3999)						SN SR ST SU
415/315(4000-4999),315(5000-5999),315(6000-6999)						TB TE TJ TM
415/315(7000-7999),315(8000-8999),318(1000-1999)						TN TP TQ TS
415/318(4000-5999),362,364(0000-7999),364(9000-9999)						TT UE UG UR
415/374(2000-2999),374(8000-8999),393,395(0000-5999)						UT UU UW UZ
415/395(7000-9999),622(0000-2999),622(4000-4999)						VF VP WG WH
415/622(9000-9999),623(1000-1999),623(2000-2999)						ZX
415/623(3000-3999),623(5000-5999),623(7000-7999)						
415/627(0000-6999),627(9000-9999),636(4000-4999)						
415/646(0000-0999),646(7000-7999),646(8000-8999)						
415/646(9000-9999),658(0000-0999),658(2000-2999)						
415/658(3000-3999),658(4000-4999),658(8000-8999)						
415/670(1000-1999),670(2000-2999),670(3000-3999)						
415/670(4000-4999),670(5000-5999),670(6000-6999)						
415/670(7000-7999),670(8000-8999),675(0000-0999)						
415/675(2000-2999),675(3000-3999),675(4000-4999)						
415/675(5000-5999),675(6000-6999),675(7000-7999)						
415/675(9000-9999),676(2000-2999),676(3000-3999)						
415/676(4000-4999),676(5000-5999),676(6000-6999)						
415/678(2000-2999),678(3000-3999),678(4000-4999)						
415/693(0000-7999),693(9000-9999),705(0000-8999),773						
415/834(0000-0999),834(1000-1999),834(2000-2999)						
415/834(3000-3999),834(4000-4999),834(7000-7999)						
415/834(9000-9999),835,837(0000-2999),837(4000-5999)						
415/837(9000-9999),953,954(0000-1999),954(3000-9999)						

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE			
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--
SAN FRANCISCO	SNFCCA01DS1	08492	08719	5170	722	AA	BA	BC	DA
415/217(0000-8999),277,283(0000-4999),288,352,391,398						G4	G5	G7	GC
415/399,402,439(1000-2999),439(4000-8999),445(0000-3999)						GD	GQ	HB	IC
415/445(5000-9999),677,765,772,875(1000-1999)						ID	IE	IF	IG
415/875(2000-2999),875(3000-3999),875(4000-4999)						II	PA	PJ	PS
415/875(5000-5999),875(6000-6999),875(8000-8999),956						QA	QB	QE	QF
415/986(0000-0999),986(1000-1999),986(2000-2999)						RA	RC	RD	RE
415/986(3000-3999),986(4000-4999),986(5000-5999)						RF	RG	RH	RM
415/986(6000-6999),986(7000-7999),986(8000-8999)						SH	SN	SQ	ST
						SU	TB	TE	TJ
						TM	TN	TP	TQ
						TS	TT	UC	UE
						UG	UP	UR	UT
						UU	UW	UZ	ZZ

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE			
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--
SAN FRANCISCO	SNFCCA01DS2	08492	08719	5170	722	AA	BA	BC	DA
415/392,394,397,403(0000-0999),403(1000-1999)						GC	GD	GQ	HB
415/403(3000-3999),403(4000-4999),403(5000-5999)						IC	ID	IE	IF
415/403(6000-6999),403(7000-7999),403(8000-8999)						IG	II	PA	PJ
415/403(9000-9999),421,433,434(0000-0999),434(1000-1999)						PS	QA	QB	QE
415/434(2000-2999),434(3000-3999),434(4000-4999)						QF	RA	RC	RD
415/434(5000-5999),434(6000-6999),434(7000-7999)						RE	RF	RG	RH
415/434(8000-8999),438(1000-8999),477(0000-0999)						RM	SH	SN	SQ
415/477(2000-2999),477(3000-3999),477(4000-4999)						ST	SU	TB	TE
415/477(6000-6999),477(7000-7999),477(8000-8999)						TJ	TM	TN	TP
415/477(9000-9999),501(1000-8999),544(0000-4999)						TQ	TS	TT	UC
415/544(6000-6999),544(8000-9999),576,591,616						UE	UG	UP	UR
415/617(0000-0999),617(1000-1999),617(2000-2999)						UT	UU	UW	UZ
415/617(3000-3999),617(4000-4999),617(6000-6999)						ZZ			
415/617(7000-7999),617(8000-8999),732(0000-8999),733									
415/743(1000-9999),774(0000-0999),774(1000-1999)									
415/774(2000-2999),774(3000-3999),774(4000-4999)									
415/774(5000-5999),774(7000-7999),774(8000-8999)									
415/774(9000-9999),781(0000-8999),782,788,912(2000-2999)									
415/912(3000-3999),912(4000-4999),912(5000-5999)									
415/951(0000-2999),951(4000-9999),955(0000-6999)									
415/955(8000-9999),981,982(0000-0999),982(1000-1999)									
415/982(2000-2999),982(3000-3999),982(4000-4999)									
415/982(5000-5999),982(6000-6999),982(7000-7999)									
415/982(8000-8999),983(0000-1999),983(4000-9999),984,989									
628/228(2000-3999)									
SAN FRANCISCO	SNFCCA04DS0	08496	08721	5170	722	BA	DA	GC	GD
415/241,355(0000-3999),355(5000-9999),431,436,437,487						GE	GQ	HB	II
415/522,551,554,556,557,565(0000-0999),565(2000-8999)						OR	PB	PK	PS
415/581,701,703,832(1000-8999),934(0000-0999)						QA	QE	RA	RE
415/934(1000-1999),934(2000-2999),934(3000-3999)						RF	RG	RH	SD
415/934(4000-4999),934(5000-5999),934(6000-6999)						SK	ST	TB	TE
415/934(7000-7999),934(8000-8999)						TF	TJ	TM	TN
						TP	TQ	TS	TT
						UG	UR	UT	UW
						UZ	WG	WH	ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE			
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--
SAN FRANCISCO	SNFCCA04DS1	08496	08721	5170	722	AA	BA	BC	DA
415/252,255(0000-0999),255(1000-1999),255(2000-2999)						G4	G5	G7	GC
415/255(3000-3999),255(4000-4999),255(6000-6999)						GD	GQ	HB	IC
415/255(7000-7999),255(8000-8999),255(9000-9999)						ID	IE	IF	IG
415/503(0000-0999),503(1000-1999),503(2000-2999)						II	PB	PK	PS
415/503(3000-3999),503(4000-4999),503(5000-5999)						QA	QE	RA	RC
415/503(6000-6999),552,553(1000-9999),558,575						RD	RE	RF	RG
415/621(0000-0999),621(1000-1999),621(2000-2999)						RH	SD	SH	SQ
415/621(3000-3999),621(4000-4999),621(5000-5999)						ST	TB	TE	TF
415/621(6000-6999),621(7000-7999),621(8000-8999),626						TJ	TM	TN	TP
415/734(2000-2999),734(3000-3999),734(4000-4999)						TQ	TS	TT	UG
415/734(5000-5999),734(9000-9999),837(6000-7999)						UP	UR	UT	UW
415/861(0000-8999),863,864(0000-0999),864(1000-1999)						UZ			
415/864(2000-2999),864(3000-3999),864(4000-4999)									
415/864(5000-5999),864(6000-6999),864(7000-7999)									
415/864(8000-8999),865									
628/242(6000-7999)									
SAN FRANCISCO	SNFCCA05DS0	08501	08720	5170	722	BA	DA	GC	GD
415/206,282,285,401(0000-4999),401(6000-9999),550,641						GQ	OH	PC	PL
415/642,643,647,648,695(0000-3999),695(5000-9999)						PS	RA	RE	RF
415/821(0000-7999),821(9000-9999),824,826,920(0000-2999)						RG	RH	SF	ST
415/920(4000-9999),970(0000-0999),970(1000-1999)						TJ	UG	UR	UT
415/970(2000-2999),970(3000-3999),970(4000-4999)						UU	UW	UZ	ZW
415/970(7000-7999),970(8000-8999),970(9000-9999)									
628/206									

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SAN FRANCISCO	SNFCCA06DS0	08508	08723	5170	722	BA DA GC GD
415/239,333,334,337,338(0000-0999),338(1000-1999)						GQ HB IC ID
415/338(2000-2999),338(3000-3999),338(4000-4999)						IE IF IG II
415/338(5000-5999),338(6000-6999),338(7000-7999)						OH OR PC PL
415/338(8000-8999),404(4000-4999),405(0000-0999)						PS RA RE RF
415/405(1000-1999),405(2000-2999),405(3000-3999)						RG RH SJ ST
415/405(4000-4999),405(7000-7999),405(8000-8999)						TJ UG UR UT
415/405(9000-9999),406,452,469(0000-0999),469(2000-2999)						UU UW UZ WG
415/469(3000-3999),469(4000-4999),469(5000-5999)						WH ZW
415/469(6000-6999),469(7000-7999),469(8000-8999)						
415/469(9000-9999),582(2000-2999),582(8000-8999)						
415/582(9000-9999),584,585,586,587,841(0000-1999)						
415/841(4000-9999)						
SAN FRANCISCO	SNFCCA12DS0	08493	08724	5170	722	AA BA BC DA
415/292,345,346,353,359(0000-2999),359(9000-9999)						G4 G5 G7 GC
415/409(0000-4999),409(6000-6999),440,441,447,561,563						GD GQ HB IC
415/567,673,674,746(4000-5999),746(7000-8999)						ID IE IF IG
415/931(0000-2999),931(4000-9999)						II OH PC PL
						PR PU QA QE
						RA RE RF RG
						RH ST TJ UG
						UR UT UU UW
						UZ WG WH ZW
SAN FRANCISCO	SNFCCA12DS1	08493	08724	5170	722	AA BA BC DA
415/202(0000-2999),202(7000-9999),351(0000-7999),474,600						G4 G5 G7 GC
415/614(0000-0999),614(1000-1999),614(2000-2999)						GD GQ HB IC
415/614(3000-3999),614(5000-5999),614(9000-9999)						ID IE IF IG
415/749(0000-8999),771,775,776,833,885(0000-8999)						II PC PL PR
415/921(0000-0999),921(1000-1999),921(2000-2999)						PU QA QE RA
415/921(3000-3999),921(4000-4999),921(5000-5999)						RC RD RE RF
415/921(6000-6999),921(7000-7999),921(8000-8999),922						RG RH SQ ST
415/923(0000-7999),923(9000-9999),928(0000-8999),929						TJ UG UP UR
						UT UU UW UZ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
SAN FRANCISCO               SNFCCA13DS0 08495 08729 5170  722 AA BA BC DA
   415/221,379(1000-1999),379(2000-2999),379(3000-3999)      G4 G5 G7 GC
   415/379(5000-5999),379(6000-6999),379(7000-7999)          GD GQ HB IC
   415/379(8000-8999),379(9000-9999),386,387,422(0000-0999)  ID IE IF IG
   415/422(1000-1999),422(2000-2999),422(3000-3999)          II OR PC PL
   415/422(4000-4999),422(5000-5999),422(6000-6999)          PS RA RE RF
   415/422(7000-7999),422(8000-8999),666(0000-0999)          RG RH SK ST
   415/666(1000-1999),666(3000-3999),666(4000-4999)          TJ UG UR UT
   415/666(7000-7999),666(8000-8999),666(9000-9999),668,750  UU UW UZ WG
   415/751,752,831,876(0000-4999),876(6000-7999)             WH ZW
   415/933(6000-6999),933(8000-8999)
.......................................................................
SAN FRANCISCO               SNFCCA14DS0 08500 08730 5170  722 AA BA BC DA
   415/242,504(6000-6999),504(7000-7999),504(8000-8999)      G4 G5 G7 GC
   415/504(9000-9999),564,566,661,664,665,681                GD GQ HB IC
   415/682(0000-0999),682(1000-1999),682(2000-2999)          ID IE IF IG
   415/682(3000-3999),682(5000-5999),682(7000-7999)          II OH PC PL
   415/682(8000-8999),682(9000-9999),731,753(0000-8999),759  PS RA RE RF
   415/759                                                   RG RH ST TJ
                                                             UG UR UT UU
                                                             UW UZ WG WH
                                                             ZW
.......................................................................
SAN FRANCISCO               SNFCCA17DS0 08506 08715 5170  722 AA BA DA G4
   415/330,467,468,508(0000-0999),508(1000-1999)             G5 G7 GC GD
   415/508(2000-2999),656(0000-0999),656(1000-1999)          GQ HB II OR
   415/656(2000-2999),656(3000-3999),656(4000-4999)          PC PL PS RA
   415/657(0000-0999),657(1000-1999),657(2000-2999)          RE RF RG RH
   415/657(3000-3999),657(4000-4999),657(5000-5999)          SK ST TJ UG
   415/657(9000-9999),671(0000-0999),671(1000-1999)          UR UT UU UW
   415/671(2000-2999),671(3000-3999),715(0000-0999)          UZ WG WH ZW
   415/715(2000-2999),715(3000-3999),715(5000-5999)
   415/715(6000-6999),822
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
SAN FRANCISCO /	SNFCCA19DS1	08493	08724	5170	722	BA BC DA G4 G5 G7 GC GD HB IC ID IE IF IG II PB PK PS QA QE RA RC RD RE RF RG RH UP UT UU UW UZ
SAN FRANCISCO 415/478 650/478	SNFCCA2101T	08493	08717	5170	722	G1 PA PJ PS
SAN FRANCISCO 415/222,227,247,267,278(0000-0999),278(2000-2999) 415/278(4000-9999),344,348,356,357,396,427,495 415/498(2000-2999),498(3000-3999),498(4000-4999) 415/498(5000-5999),498(6000-6999),498(7000-7999) 415/498(8000-8999),498(9000-9999),538,541,543 415/597(0000-5999),597(7000-9999),618(0000-0999) 415/618(1000-1999),618(2000-2999),618(3000-3999) 415/618(4000-4999),618(5000-5999),618(6000-6999) 415/618(7000-7999),618(8000-8999),736,744(0000-0999) 415/744(2000-3999),744(5000-9999),808,817(0000-0999) 415/817(2000-8999),896(0000-3999),896(5000-9999),904 415/905(1000-9999),908(0000-0999),908(2000-2999) 415/908(3000-3999),908(4000-4999),908(5000-5999) 415/908(6000-6999),908(7000-7999),908(8000-8999) 415/908(9000-9999),932(1000-1999),932(2000-2999) 415/932(3000-3999),932(4000-4999),932(5000-5999) 415/932(7000-7999),947(0000-0999),947(1000-1999) 415/947(2000-2999),947(3000-3999),947(4000-4999) 415/947(5000-5999),947(6000-6999),947(8000-8999) 415/972(0000-0999),972(1000-1999),972(2000-2999) 415/972(3000-3999),972(4000-4999),972(5000-5999) 415/972(6000-6999),972(7000-7999),972(8000-8999),973,974 415/975(0000-0999),975(2000-3999),975(5000-9999),977,978 415/979,995	SNFCCA21DS0	08493	08717	5170	722	BA DA GC GD GE GQ HB II OH PA PJ PS QA QE RA RE RF RG RH RM SL SN SS ST SU TB TE TF TG TJ TM TN TP TQ TS TT UC UE UG UR UT UU UW UZ VL VQ ZY

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SAN FRANCISCO	SNFCCA21DS1	08493	08717	5170	722	BA BC DA GC
415/243(0000-5999),243(8000-9999),281,284,369(0000-6999)						GD GQ HB IC
415/369(8000-9999),371(0000-7999),442,512,536						ID IE IF IG
415/537(1000-1999),537(2000-2999),537(3000-3999)						II PA PJ PS
415/537(4000-4999),537(5000-5999),537(6000-6999)						QA QE RA RC
415/537(7000-7999),537(8000-8999),537(9000-9999)						RD RE RF RG
415/542(0000-5999),542(7000-7999),542(9000-9999)						RH SH SN SP
415/545(0000-7999),545(9000-9999),546,547(1000-8999)						SQ ST SU TB
415/615(0000-1999),615(3000-9999),624(0000-0999)						TE TF TG TJ
415/624(1000-1999),624(2000-2999),644(0000-3999)						TM TN TP TQ
415/644(6000-7999),644(9000-9999),764,768,777,778,836						TS TT UC UE
415/856(0000-0999),856(1000-1999),856(2000-2999)						UG UP UR UT
415/856(3000-3999),856(4000-4999),856(5000-5999)						UU UW UZ WG
415/856(6000-6999),856(7000-7999),856(8000-8999),882						WH
415/894(1000-1999),894(3000-4999),894(6000-6999)						
415/894(8000-8999),957,998						
SAN FRANCISCO	SNFCCA21X6Z	08493	08717	668G	722	DA
/						
SAN FRANCISCO	SNFCCA64DS0	08500	08728	5170	722	BA DA GC GD
415/476,502,514						GE GQ II OR
						PC PL PR PU
						RA SH SN SQ
						UP UR UT UU
						UW UZ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE				
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--	
SAN FRANCISCO	SNFCCAMKDS0	08493	08716	7283	722	BA	DA	GI	GJ	(C)
408/340(6000-6999),340(9000-9999),533(4000-4999)						GL	GN	GQ	HA	(C)
408/533(6000-6999),533(7000-7999),533(9000-9999)						HD	IA	IB	II	(C)
415/228,275(9000-9999),360(9000-9999),448(0000-0999)						SH	SI	UA	UG	(C)
415/448(1000-1999),448(2000-2999),448(3000-3999)						UR	UU			(C)
415/448(4000-4999),448(8000-8999),448(9000-9999)										(C)
415/466(0000-0999),466(2000-2999),466(4000-4999)										(C)
415/466(9000-9999),630(9000-9999),633(0000-0999)										(C)
415/633(1000-1999),633(2000-2999),633(3000-3999)										(C)
415/633(5000-5999),633(7000-7999),633(9000-9999)										(C)
415/645(0000-1999),645(4000-4999),645(5000-5999)										(C)
415/645(7000-9999),667,683(4000-4999),783,796(1000-1999)										(C)
415/796(4000-5999),844(1000-9999),862(9000-9999)										(C)
415/881(9000-9999),886(6000-6999),886(9000-9999)										(C)
415/890(1000-1999),895(3000-3999),913(1000-6999)										(C)
510/322(9000-9999),474(9000-9999),488(9000-9999)										(C)
510/493(9000-9999),497(2000-2999),497(3000-3999)										(C)
510/497(5000-5999),497(6000-6999),497(7000-7999)										(C)
510/497(8000-8999),497(9000-9999),542(5000-5999)										(C)
510/564(0000-0999),564(1000-1999),584(0000-0999)										(C)
510/584(2000-2999),584(3000-3999),584(4000-4999)										(C)
510/584(5000-5999),621(0000-0999),621(1000-1999)										(C)
510/621(2000-2999),662(8000-9999),768(0000-0999)										(C)
510/768(1000-1999),768(2000-2999),768(3000-3999)										(C)
510/768(4000-4999),768(6000-6999),863(5000-5999)										(C)
510/863(6000-6999),863(9000-9999)										(C)
650/388(1000-1999),388(7000-7999),389(0000-0999)										(C)
650/389(8000-8999),425(2000-2999),425(4000-5999)										(C)
650/425(8000-8999),426(2000-5999),426(7000-7999)										(C)
650/549(0000-0999),549(2000-2999),549(3000-3999)										(C)
650/628(0000-0999),628(1000-1999),628(2000-2999)										(C)
650/628(3000-3999),628(4000-4999),628(5000-5999)										(C)
650/628(7000-7999),628(9000-9999),686(3000-3999)										(C)
650/720(9000-9999),795(0000-0999),825(2000-2999)										(C)
650/825(3000-3999),825(7000-7999),847(2000-3999)										(C)
650/935(9000-9999)										(C)
707/225(3000-3999),225(9000-9999),759(1000-1999)										(C)
707/759(9000-9999),796(9000-9999),879(9000-9999)										(C)
925/223(0000-0999),223(1000-1999),223(2000-2999)										(C)

-------- Continued on next page --------

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

-------- Continued from previous page --------

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE	
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --	
925/223(3000-3999),223(4000-4999),223(5000-5999)							(C)
925/241(1000-2999),241(9000-9999),257(9000-9999)							(C)
925/282(6000-6999),359(2000-2999),453(3000-3999)							(C)
925/453(4000-4999),626(9000-9999),690(9000-9999)							(C)
925/694(3000-7999),738(0000-0999),738(1000-1999)							(C)
925/738(3000-3999),738(4000-4999),738(5000-5999)							(C)
925/738(7000-7999),738(9000-9999),750(1000-1999)							(C)
925/750(2000-2999),750(6000-6999),750(9000-9999)							(C)
925/752(9000-9999),822(0000-0999),822(1000-1999)							(C)
925/822(9000-9999),856(9000-9999),951(1000-1999)							(C)
925/951(2000-2999),951(4000-4999),951(9000-9999)							(C)
925/960(7000-7999)							(C)
SAN FRANCISCO	SNFCCAMKDS3	08493	08716	649C	722	DA DD GE GL	
/						GN GP GR IA	
						IB	
SAN FRANCISCO	SNFCCAMKDSB	08493	08716	7283	722	BA DA GI GJ	
707/563(2000-2999),742(6000-6999),787(9000-9999)						GL GN GQ HA	
707/934(2000-2999),947(6000-6999)						HD IA IB II	
						SH SI UA UG	
						UR UU	
SAN FRANCISCO	SNFCCASKDS0	08492	08718	7240	722	BA DA	
/							
SAN FRANCISCO	SNFCCASKDS2	08492	08718	7240	722	BA DA	
/							

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE	TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	--	-- -- --
SAN FRANCISCO	SNFECAEJDS0	08495	08717	8782	722	AA	DA

408/213,416(0000-0999),416(2000-2999),416(4000-5999)
408/416(9000-9999),484(0000-2999),484(9000-9999)
408/582(0000-1999),582(5000-5999),582(9000-9999)
408/583(0000-3999),583(5000-6999),583(9000-9999)
408/597(0000-0999),597(1000-1999),597(3000-3999)
408/597(8000-9999),622(2000-2999),636(0000-1999)
408/636(4000-4999),636(5000-5999),636(9000-9999)
408/694(0000-1999),694(4000-6999),694(9000-9999)
408/789(0000-5999),789(9000-9999)
415/306(0000-0999),306(9000-9999),318(8000-8999)
415/592(0000-0999),592(2000-2999),592(9000-9999),593
415/594(0000-0999),594(9000-9999),737(0000-0999)
415/737(1000-1999),737(2000-4999),737(7000-7999)
415/842(0000-0999),843(0000-0999),869(1000-1999)
415/948(2000-2999),983(2000-2999)
510/225(0000-4999),225(6000-7999),225(9000-9999)
510/283(0000-0999),473(0000-1999),473(9000-9999)
510/478(0000-1999),824(0000-2999),824(6000-6999)
510/824(9000-9999),842(0000-2999),842(9000-9999)
510/844(0000-3999),844(9000-9999),856(0000-1999)
510/856(3000-4999),856(9000-9999),857(0000-1999)
510/957(0000-2999)
650/319(0000-2999),319(4000-4999),319(9000-9999)
650/362(0000-2999),362(6000-6999),362(7000-7999)
650/362(9000-9999),403,412(0000-4999),412(9000-9999)
650/433(0000-1999),433(4000-4999),433(7000-7999)
650/449(0000-2999),449(4000-4999),469(0000-1999)
650/469(7000-7999),469(9000-9999),605(0000-2999)
650/605(4000-4999),605(6000-6999),605(8000-8999)
650/605(9000-9999),636(0000-2999),636(8000-9999)
650/648(0000-1999),648(5000-5999),648(8000-9999)
650/713(0000-0999),719(0000-0999),733(0000-0999)
650/749(0000-0999),850(0000-0999),943(6000-6999)
831/316(0000-0999),319(0000-0999)
925/374(0000-1999),374(6000-8999),401(0000-2999)
925/401(4000-4999),401(8000-9999),402(0000-0999)
925/402(5000-6999),402(8000-9999),403(0000-0999)
925/403(5000-5999),403(7000-7999),403(8000-8999)

-------- Continued on next page --------

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --

-------- Continued from previous page --------

925/403(9000-9999),404(0000-2999),404(7000-7999)
925/404(8000-8999),405(0000-1999),405(3000-4999)
925/405(8000-9999),406(0000-0999),406(1000-1999)
925/406(8000-8999),407(0000-4999),407(8000-9999)
925/522(2000-2999),579(0000-0999),579(5000-9999)
925/978(5000-5999)

SAN FRANCISCO	SNFECAEJDS1	08495	08717	8782	722	D1 DA DD GB
/						GE GJ GL GN
						HB HJ IA IB
						IC ID IG II
						UG
SAN FRANCISCO	SNFFCADKDS1	08491	08715	7240	722	DA
/						
SAN FRANCISCO	SNVACA13DSO	08572	08645	8782	722	D1 DA DD GB
/						GE GJ GL GN
						HB HJ IA IB
						IC ID IG II
						UG
SAN GABRIEL	SNGBCA01DS0	09197	07852	5170	730	AA BA BC DA
626/237,285,286,287,291,292,309,451,548(5000-5999)						G4 G5 G7 GC
626/614(0000-0999),614(2000-2999),614(3000-3999)						GD GQ HB IC
626/614(5000-5999),614(8000-8999),614(9000-9999)						ID IE IF IG
						II OR PC PL
						PR PS RA RF
						RG RH SJ SN
						SQ TJ UT UW
						UZ WG WH ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SAN GERONIMO	SNGNCA11RS0	08448	08767	5170	722	AA BA DA G4
415/488(0000-0999),488(1000-1999),488(4000-4999)						G5 G7 GC GD
415/488(9000-9999)						GE HB II OE
						OR PC PL PS
						RA RC RD RE
						RF RG RH SJ
						SN ST UG UR
						UT UU UW UZ
						ZW
SAN JACINTO	SNJCCAXG65F	09231	07639	2319	730	AA BA DA GC
951/487(0000-0999),487(1000-1999),487(2000-2999)						GD GE GG GJ
951/487(3000-3999),487(6000-9999),654						GN GR HB HD
						II PC PL RC
						RD SH SN SQ
						TG TI TU UG
						VM ZZ
SAN JOAQUIN	SNJQCAXFDS0	08707	08304	4420	728	DA GN II
559/693(1000-2999),693(4000-4999),693(9000-9999)						
SAN JOSE	SNJSCA02DS0	08583	08619	5170	722	AA BA DA G4
408/271,275(0000-0999),275(1000-1999),275(3000-3999)						G5 G7 GC GD
408/275(4000-4999),275(5000-5999),275(6000-6999)						GQ HB IC ID
408/275(7000-7999),275(8000-8999),275(9000-9999),278,280						IE IF IG OH
408/289,291,292,293,294,295,297,298,299,491,494,534,535						PA PJ PR PS
408/536,537(0000-2999),537(4000-9999),652(2000-5999),704						QA QE RA RE
408/792(0000-0999),792(1000-1999),792(2000-2999)						RF RG RH RM
408/792(3000-3999),792(4000-4999),792(5000-5999),793						SL SN SS ST
408/794(0000-0999),794(1000-1999),794(2000-2999)						SU TB TE TF
408/794(3000-3999),794(4000-4999),794(6000-6999)						TJ TM TN TP
408/794(7000-7999),795,808,817(1000-1999),817(2000-2999)						TQ TS TT UE
408/817(3000-3999),817(4000-4999),817(5000-5999)						UG UR UT UU
408/817(6000-6999),817(7000-7999),817(8000-8999)						UW UZ VL VQ
408/817(9000-9999),881(0000-1999),881(5000-9999)						WG WH ZY
408/882(0000-0999),882(1000-1999),882(2000-2999)						
408/882(3000-3999),882(4000-4999),882(5000-5999)						
408/882(8000-8999),882(9000-9999),920,924,925						
408/931(7000-9999),975,977,989,993,994,995,999						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SAN JOSE	SNJSCA02DS1	08583	08619	5170	722	AA BA BC DA
408/277,279,282,283,286,287,288,885,918,938,947,971,998						G4 G5 G7 GC
408/998						GD GQ HB IC
						ID IE IF IG
						II OE PA PJ
						PR PS QA QE
						RA RC RD RE
						RF RG RH RM
						SF SN SP SQ
						ST SU TB TE
						TF TJ TM TN
						TP TQ TS TT
						UE UG UP UR
						UT UU UW UZ
SAN JOSE	SNJSCA11DS0	08575	08609	5170	722	AA BA DA GC
408/251,254,258,259,272,347,729,923,926,928,929,937						GD GQ HB OR
						PC PL PR PS
						RA RE RF RG
						RH SJ SN ST
						TJ UG UR WG
						WH ZW
SAN JOSE	SNJSCA12DS0	08593	08639	5170	722	AA BA DA GC
408/252,253,255,257,285,341(0000-4999),341(7000-8999)						GD GQ HB IF
408/342(0000-0999),342(2000-2999),342(3000-3999)						II OH PB PK
408/342(4000-4999),342(5000-5999),342(6000-6999)						PR PS QA QE
408/342(7000-7999),342(8000-8999),342(9000-9999)						RA RE RF RG
408/343(0000-3999),343(5000-6999),343(9000-9999)						RH SD SK SN
408/364(0000-4999),364(7000-9999),366,374,378,379						ST TJ UG UR
408/387(1000-1999),658(1000-1999),777(0000-5999)						ZW
408/777(7000-9999),861,863(0000-0999),863(1000-1999)						
408/863(3000-3999),863(4000-4999),863(5000-5999)						
408/863(6000-6999),863(7000-7999),863(8000-8999)						
408/863(9000-9999),867,868(0000-0999),868(1000-1999)						
408/868(6000-6999),868(9000-9999),874(0000-4999)						
408/874(7000-7999),874(9000-9999)						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SAN JOSE	SNJSCA12DS1	08593	08639	5170	722	AA BA DA GC
408/370(0000-0999),370(1000-1999),370(2000-2999)						GD GQ HB IF
408/370(3000-3999),370(4000-4999),370(5000-5999)						II PB PK PR
408/370(6000-6999),370(7000-7999),370(9000-9999)						PS QA QE RA
408/376(0000-0999),376(2000-2999),376(3000-9999),446,447						RC RE RF RG
408/517,725,741(0000-0999),741(1000-1999),741(2000-2999)						RH SD SN SQ
408/741(3000-3999),741(4000-4999),741(5000-5999)						ST TJ UG UP
408/741(7000-7999),741(8000-8999),796(0000-0999),864						UR
408/865(0000-0999),865(1000-1999),865(2000-2999)						
408/865(3000-3999),865(4000-4999),865(5000-5999)						
408/865(6000-6999),865(8000-8999),865(9000-9999),866,871						
408/872(0000-0999),872(1000-1999),872(3000-3999),873,973						
408/996						
SAN JOSE	SNJSCA13DS0	08598	08603	5170	722	BA DA GC GD
408/224,225,226,227,229(0000-2999),229(4000-9999)						GQ HB IC ID
408/256(5000-5999),281,284(0000-8999),360,361(0000-7999)						IF OH PC PL
408/361(9000-9999),362,363,365(0000-3999),365(5000-9999)						PR PS RA RE
408/574,578,629,972						RF RG RH SD
						SK SN ST TJ
						UG UR UT UU
						UW UZ WG WH
						ZW
SAN JOSE	SNJSCA14DS0	08597	08620	5170	722	BA DA GQ HB
408/264,265,266,267,269,369,371,377,445,448,558,559,626						IC ID IF OR
408/630(2000-2999),630(3000-4999),723,879,978,979						PB PK PR PS
						RA RE RF RG
						RH SK SN TJ
						UG UU UW UZ
						WG WH ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
SAN JOSE                    SNJSCA15DS0 08587 08599 5170  722 BA DA GC GD
   408/223(0000-0999),223(1000-4999),223(6000-9999),238      GQ HB IC ID
   408/239(0000-2999),239(5000-5999),239(8000-8999),270,274  IE IF IG II
   408/528(0000-3999),528(6000-9999),531(0000-0999)          OR PC PL PR
   408/531(1000-1999),531(2000-2999),531(3000-3999)          PS RA RE RF
   408/531(8000-8999),531(9000-9999),532(0000-0999)          RG RH SJ SN
   408/532(1000-1999),532(2000-2999),532(4000-4999)          TJ UT UU UW
   408/532(6000-6999),532(7000-7999),532(8000-8999)          UZ WG WH ZW
   408/532(9000-9999)
.......................................................................
SAN JOSE                    SNJSCA18DS0 08609 08609 5170  722 AA BA DA G4
   408/268,323(0000-2999),323(4000-9999),927(0000-3999)      G5 G7 GC GD
   408/927(5000-9999),997                                    GQ IC ID IE
                                                             IF IG II OR
                                                             PC PL PR PS
                                                             RA RE RF RG
                                                             RH SD SJ TJ
                                                             UG UT UU UW
                                                             UZ WG WH ZW
.......................................................................
SAN JOSE                    SNJSCA21DS1 08572 08624 5170  722 AA BA DA G4
   408/382(0000-0999),382(2000-8999),392,436,437,441,451     G5 G7 GC GD
   408/452,453,467,487,501(0000-5999),501(7000-9999),546     GE GQ HB IC
   408/571(0000-5999),571(7000-7999),573,652(0000-1999)      ID IE IF IG
   408/750(0000-3999),750(5000-5999),750(8000-9999),965,967  OR PA PJ PR
   408/967                                                   PS QA QE RA
                                                             RE RF RG RH
                                                             SK SN ST TJ
                                                             UG UR UT UU
                                                             UW UZ ZW
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
SAN JOSE                    SNJSCA21DS2 08572 08624 5170  722 AA BA DA G4
   408/232,321,324(0000-3999),324(5000-5999),324(8000-9999)  G5 G7 GC GD
   408/325,383,428(0000-1999),428(3000-9999),432,433,434     GE GQ HB IC
   408/435,456,468(0000-5999),468(7000-9999),473             ID IE IF IG
   408/474(1000-9999),493(7000-9999),525,526,527             PA PJ PR PS
   408/544(1000-9999),545(0000-7999),545(9000-9999),570,576  QA QE RA RC
   408/577(0000-0999),577(1000-1999),577(2000-2999)          RD RE RF RG
   408/577(3000-3999),577(4000-4999),577(5000-5999)          RH SN SQ ST
   408/577(6000-6999),577(8000-8999),577(9000-9999)          TJ UG UP UR
   408/714(1000-7999),715(8000-9999),751,818(1000-7999),853  UT UU UW UZ
   408/894,895,901(1000-7999),902,906(1000-7999)             WG WH
   408/908(1000-5999),917(1000-7999),922(0000-8999),943,944
   408/952(0000-8999),953,954,955
.......................................................................
SAN JOSE                    SNJSCA22RS0 08572 08654 5170  722 BA DA GC GD
   408/463(0000-0999),463(1000-1999),463(2000-2999)          HB IC ID IF
   408/463(3000-3999),463(4000-4999),463(5000-5999)          OR PC PL PR
   408/463(7000-7999),463(9000-9999)                         PS RA RC RD
                                                             RE RF RG RH
                                                             SD SJ SN ST
                                                             UG UR UT UU
                                                             UW UZ WG ZW
.......................................................................
SAN JOSE                    SNJSCAAL1KD 08375 08632 864C  722 DA QC
      /
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE			
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--
SAN JOSE	SNJSCARMDS0	08568	08626	7240	722	BA	DA		
408/215(0000-0999),215(6000-6999),216(1000-1999)									
408/216(4000-4999),216(6000-6999),273(0000-2999)									
408/273(4000-6999),273(9000-9999),310(4000-4999)									
408/337(3000-3999),424,461(3000-3999),490(5000-8999)									
408/513(3000-3999),600(3000-3999),620(3000-3999)									
408/827(3000-3999),843(4000-4999),856(1000-1999)									
408/856(3000-3999),856(9000-9999),990(4000-4999)									
408/990(8000-8999),990(9000-9999)									
669/233(4000-4999),234(5000-5999),253(4000-4999)									
669/257(5000-5999),275(4000-4999),500(4000-4999)									
831/219(3000-3999),227(2000-2999),274(3000-3999)									
831/291(4000-4999),337(1000-1999),337(9000-9999)									
831/704(4000-4999)									
SAN JUAN	SNJNCA11RS1	08683	08545	5170	736	AA	BA	DA	G4
831/623(0000-0999),623(1000-1999),623(2000-2999)						G5	G7	GC	GD
831/623(4000-4999),623(7000-7999),623(9000-9999)						IC	ID	IE	IF
						IG	PC	PL	PT
						RA	RC	RD	RE
						RF	RG	RH	SJ
						SN	SQ	UP	UT
						UU	UW	UZ	ZW
SAN JUAN CAPISTRANO	SJCPCA12DS0	09318	07755	5170	730	AA	BA	DA	G4
949/234(0000-0999),234(1000-1999),234(2000-2999)						G5	G7	GC	GD
949/234(3000-3999),234(4000-4999),234(5000-5999)						GE	GQ	HB	IC
949/234(9000-9999),240,248,276(0000-0999),443,487,488						ID	IE	IF	IG
949/489,493,496(0000-2999),496(3000-3999),496(4000-9999)						OR	PC	PL	PR
949/661,728(0000-0999),728(1000-1999),728(2000-2999)						PS	RA	RC	RD
949/728(3000-3999),728(4000-4999),728(7000-7999)						RE	RF	RG	RH
949/728(9000-9999)						SJ	SN	SQ	TJ
						UP	UT	UW	UZ
						ZW			

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SAN LEANDRO	SNLNCA11DS0	08507	08669	5170	722	AA BA DA GC
510/258(0000-0999),276,278,294(1000-7999),297,317						GD GQ HB II
510/346(0000-0999),346(1000-1999),346(2000-2999)						OE OR PB PK
510/346(3000-3999),346(4000-4999),346(6000-6999)						PS QA QE RA
510/346(7000-7999),346(8000-8999),346(9000-9999),347,351						RE RF RG RH
510/352,357,454(1000-7999),481,483,614,618,667,678,895						RJ SK SN TJ
510/895						WG WH ZW
SAN LUCAS	SNLCCA11DS1	08829	08435	5170	736	ZW
/						
SAN LUCAS	SNLCCA11DS3	08829	08435	5170	736	SJ
/						
SAN LUCAS	SNLCCA11RS1	08829	08435	5170	736	BA DA G4 GC
831/382(0000-0999),382(1000-1999)						GD IC ID IF
						PC PL RA RC
						RD RE RF RG
						RH ST UP UR
						UT UU UW UZ
SAN LUIS OBISPO	SNLOCA0102T	09005	08348	5170	740	G1 GB PT TJ
/						WG WH
SAN LUIS OBISPO	SNLOCA011KD	09005	08348	864C	740	DA QC
/						

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
SAN LUIS OBISPO             SNLOCA01DS1 09005 08348 5170  740 AA BA DA GC
   805/475(1000-1999),475(2000-2999),541,542(0000-0999)      GD GQ OH PB
   805/542(1000-1999),542(2000-2999),542(4000-4999)          PK PT RA RC
   805/542(5000-5999),542(6000-6999),542(7000-7999)          RD RE RF RG
   805/542(8000-8999),542(9000-9999),543,544,545,546         RH RM SL SN
   805/547(0000-0999),547(1000-1999),547(3000-3999)          SS ST SU TB
   805/547(5000-5999),547(6000-6999),547(7000-7999)          TE TF TJ TM
   805/547(8000-8999),547(9000-9999),549(0000-0999)          TN TP TQ TS
   805/549(1000-1999),549(2000-2999),549(3000-3999)          TT UE UG UR
   805/549(6000-6999),549(7000-7999),549(8000-8999)          UT UU UW UZ
   805/549(9000-9999),593(0000-0999),593(1000-1999)          VL VQ WG WH
   805/593(3000-3999),594(0000-0999),594(1000-1999)          ZY
   805/594(2000-2999),594(3000-3999),594(4000-4999)
   805/594(5000-5999),594(6000-6999),594(8000-8999)
   805/595(1000-1999),595(4000-6999),596(0000-0999)
   805/596(2000-2999),596(3000-3999),596(4000-4999)
   805/596(5000-5999),596(6000-6999),596(7000-7999)
   805/596(9000-9999),756,781,782,783(0000-0999)
   805/783(1000-1999),783(2000-2999),783(4000-6999)
   805/783(7000-7999),783(8000-8999),783(9000-9999)
   805/784(0000-0999),784(2000-2999),784(3000-3999)
   805/784(4000-4999),784(6000-6999),784(7000-7999)
   805/784(8000-8999),785(0000-0999),785(7000-7999)
   805/785(9000-9999),786(1000-1999),786(2000-2999)
   805/786(4000-4999),786(6000-6999),786(9000-9999)
   805/787(0000-0999),788(0000-0999),788(2000-2999)
   805/788(3000-3999),788(4000-4999),788(6000-6999)
   805/788(7000-7999)
.......................................................................
SAN LUIS OBISPO             SNLOCA01DSZ 09005 08348 864C  740 QC TB
      /
.......................................................................
SAN LUIS OBISPO             SNLOCAQZDS0 00001 00000 9807  740 DA
   805/226(5000-5999),249(2000-2999),310(5000-5999)
   805/464(4000-4999),548(0000-0999),548(8000-8999)
   805/574(1000-1999),614(7000-7999),693(3000-3999)
   805/695(5000-5999),757(5000-5999),771(5000-5999)
   805/779(7000-7999),930(3000-3999)
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SAN MARCOS	SNMCCA11DS0	09377	07653	5170	732	AA BA DA G4
760/471,510,591,593(0000-0999),597,598,599,727,734,736						G5 G7 GC GD
760/744,752,761,891(0000-0999),891(1000-1999)						GE GQ II OH
760/891(3000-3999),891(7000-7999)						OR PC PL PR
						PU RA SK TJ
						UP UT UU UW
						UZ WG WH ZW
SAN MARCOS	SNMCCAAORS1	09377	07653	5170	732	AA DA PC PL
760/750(1000-1999),750(3000-3999),750(4000-4999)						PR PU
760/750(6000-6999),750(7000-7999),750(8000-8999)						
SAN MARTIN	SNMACA11RS0	08630	08565	5170	722	AA BA DA G4
408/681(0000-0999),681(1000-1999),681(2000-2999)						G5 G7 GC GD
408/681(3000-3999),681(4000-4999),681(5000-5999)						HB IC ID IE
408/681(6000-6999),681(7000-7999),682(1000-1999)						IF IG OR PC
408/682(2000-2999),682(3000-3999),682(4000-4999)						PL PR PS RA
408/682(5000-5999),682(6000-6999),682(7000-7999)						RC RD RE RF
408/682(8000-8999),682(9000-9999),683,686(0000-3999)						RG RH RM SK
408/686(5000-8999),695(0000-0999),695(4000-4999)						SN ST SU TB
408/695(5000-5999),695(6000-6999),695(7000-7999)						TE TF TJ TM
408/695(8000-8999),695(9000-9999)						TN TP TQ TS
						TT UE UG UR
						UT UU UW UZ
						WG WH ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
SAN MATEO                   SNMTCA11DS0 08545 08695 5170  722 BA DA GC GD
   650/212(0000-0999),212(1000-1999),212(2000-2999)          GQ HB II OH
   650/212(3000-3999),212(4000-4999),212(7000-7999)          PB PK PS QA
   650/212(8000-8999),212(9000-9999),286,287,293(5000-5999)  QE RA RE RF
   650/293(6000-6999),294(1000-1999),294(2000-2999)          RG RH SK SN
   650/294(5000-5999),294(6000-6999),294(7000-7999)          TJ UG UR WG
   650/295(2000-2999),295(3000-3999),295(4000-4999)          WH ZW
   650/295(5000-5999),295(6000-6999),295(7000-7999)
   650/295(8000-8999),312,350(1000-1999),350(3000-3999)
   650/350(5000-5999),350(6000-6999),350(7000-7999),432
   650/513(3000-5999),513(7000-7999),513(9000-9999)
   650/525(0000-0999),525(1000-1999),525(2000-2999)
   650/525(3000-3999),525(5000-5999),525(6000-6999)
   650/525(7000-7999),525(8000-8999),525(9000-9999)
   650/554(2000-2999),554(3000-3999),554(4000-4999)
   650/554(5000-5999),554(6000-6999),554(7000-7999),638,655
   650/655
.......................................................................
SAN MATEO                   SNMTCA11DS1 08545 08695 5170  722 AA BA BC DA
   650/341,345,349,356(0000-0999),356(1000-1999)             G4 G5 G7 GC
   650/356(2000-2999),356(3000-3999),356(4000-4999)          GD GQ HB IC
   650/356(5000-5999),356(6000-6999),356(7000-7999)          ID IE IF IG
   650/356(9000-9999),357,358,372(0000-0999),372(1000-1999)  II PB PK PS
   650/372(2000-2999),372(3000-3999),372(4000-4999)          QA QE RA RC
   650/372(6000-6999),372(7000-7999),372(9000-9999),377,378  RD RE RF RG
   650/522(1000-1999),522(2000-2999),522(4000-4999)          RH SN SQ TJ
   650/522(5000-5999),522(6000-6999),522(7000-7999)          UG UP UR
   650/522(8000-8999),522(9000-9999),524(0000-0999)
   650/524(1000-1999),524(2000-2999),524(3000-3999)
   650/524(4000-4999),524(6000-6999),524(7000-7999)
   650/524(8000-8999),524(9000-9999),570,571,572,573,574
   650/577(0000-2999),577(4000-9999),578,627(0000-0999)
   650/627(1000-1999),627(2000-2999),627(5000-5999)
   650/627(8000-8999),627(9000-9999)
.......................................................................
SAN MIGUEL                  SNMGCAXFDS0 08904 08368 4420  740 AA DA GC GD
   805/467(2000-2999),467(3000-3999),467(9000-9999)          GN II RC RD
                                                             SQ UB
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SAN PEDRO	SNPDCA01DS0	09281	07873	5170	730	BA DA GC GD
310/221(0000-0999),221(4000-4999),241(0000-1999)						GQ II OR PC
310/241(2000-2999),241(4000-4999),241(5000-5999)						PL PR PS RA
310/241(8000-9999),514(0000-5999),514(8000-9999),519,521						RC RD RE RF
310/547(0000-5999),547(9000-9999),548,732,831,832,833						RG RH SJ SN
310/971(2000-2999)						SQ TJ UP WG
						WH ZW
SAN RAFAEL	SNRFCA01DS0	08454	08745	5170	722	AA BA DA G4
415/256,257,258,259(0000-0999),259(2000-2999)						G5 G7 GC GD
415/259(3000-3999),451,453,454,455,456,457,458,459						GE GQ HB II
415/460(0000-6999),460(8000-9999),482(0000-0999)						OH PB PK PS
415/482(1000-1999),482(2000-2999),482(3000-3999)						RA RC RD RE
415/482(4000-4999),482(6000-6999),482(7000-7999)						RF RG RH SK
415/482(8000-8999),482(9000-9999),485,721						SN SR ST TJ
						UG UR UT UU
						UW UZ VF VP
						WG WH ZX
SAN RAFAEL	SNRFCA11DS0	08446	08747	5170	722	AA BA DA G4
415/444(0000-5999),444(7000-7999),444(8000-8999)						G5 G7 GC GD
415/446(0000-0999),446(2000-2999),446(3000-3999)						GQ HB IC ID
415/446(4000-4999),446(5000-5999),446(6000-6999)						IF II OR PC
415/446(7000-7999),472(0000-0999),472(1000-1999)						PL PS RA RC
415/472(2000-2999),472(3000-3999),472(4000-4999)						RD RE RF RG
415/472(5000-5999),472(6000-6999),472(7000-7999)						RH SL SN TJ
415/472(8000-8999),473,479,491,492,499(0000-0999)						UU UW UZ WG
415/499(1000-1999),499(3000-3999),499(4000-4999)						WH ZW
415/499(5000-5999),499(6000-6999),499(7000-7999)						
415/499(8000-8999),499(9000-9999),507						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
SAN RAMON                   SNRMCA11DS1 08495 08637 5170  722 AA BA BC DA
   925/479(0000-0999),479(1000-1999),479(3000-3999)          G4 G5 G7 GC
   925/479(6000-6999),479(7000-7999),479(8000-8999)          GD GQ HB II
   925/479(9000-9999),551(0000-0999),551(3000-9999),556      OR PC PL PS
   925/560(0000-0999),560(1000-1999),560(2000-2999)          RA RE RF RG
   925/560(3000-3999),560(4000-4999),560(5000-5999)          RH SD SK SN
   925/560(6000-6999),560(7000-7999),560(9000-9999),803,828  ST TJ UG UR
   925/829,833,875(0000-0999),875(1000-1999),875(2000-2999)  WG WH ZW
   925/875(3000-3999),875(4000-4999),875(5000-5999)
   925/875(6000-6999),875(7000-7999),875(9000-9999)
.......................................................................
SAN YSIDRO                  SNYSCA12DS0 09499 07605 5170  732 AA BA DA GC
   619/428(9000-9999),498(9000-9999),662,690(0000-6999)      GD GQ IC ID
   619/690(8000-9999)                                        IE IF IG OR
                                                             PC PL PR PU
                                                             RA RC RD RE
                                                             RF RG RH SJ
                                                             SQ TJ UP UT
                                                             UU UW UZ WG
                                                             WH ZW
.......................................................................
SANBARBARA                  SNBBCAICGT0 09170 08174 7661  740 DA
   805/220(6000-6999),318(1000-1999),324(4000-4999)
   805/770(2000-2999),770(3000-3999),770(5000-5999)
   805/770(8000-8999),845(0000-0999),845(1000-1999)
   805/845(2000-2999),845(3000-3999),845(4000-4999)
   805/845(5000-5999),845(6000-6999),845(7000-7999)
   805/845(8000-8999),845(9000-9999)
.......................................................................
SANBARBARA                  SNBBCAXFX7X 09171 08150 7240  740 BA DA
      /
.......................................................................
SANGER                      SNGRCAXF87A 08671 08197 4420  728 DA GC GD GE
   559/524(3000-3999),524(6000-7999),875,876(1000-1999)      GN GR II RC
   559/876(2000-2999),876(3000-3999),876(6000-6999)          RD UG
   559/876(9000-9999)
.......................................................................
SANGER                      SNGRCAXF87T 08671 08197 4420  728 BA DA GB GR
      /                                                      SQ UB

=======================================================================
```

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SANTA ANA	SNANCA01DS0	09267	07798	5170	730	BA DA GC GD
714/339						GQ IC ID IE
						IF IG OH PA
						PJ PR PS QA
						QE RA RC RD
						RE RF RG RH
						SD SL SN ST
						TB TE TF TJ
						TM TN TP TQ
						TS TT UR UT
						UW UZ WG WH
						ZW
SANTA ANA	SNANCA01DS1	09267	07798	5170	730	BA DA GC GD
657/622(5000-8999)						GQ IC ID IE
714/245,246,285,347,479(0000-1999),479(3000-7999)						IF IG PA PJ
714/479(9000-9999),480,541,542,543,547,550,558						PR PS QA QE
714/560(0000-2999),560(4000-9999),564,565,567(0000-0999)						RA RC RD RE
714/567(2000-9999),568(0000-7999),568(9000-9999),569,571						RF RG RH SD
714/645,647,648,664,667,753,796,834,835,836,953						SN SR ST TB
714/954(0000-1999),954(3000-9999),955(0000-0999),967,972						TE TF TJ TM
714/973						TN TP TQ TS
						TT UR UT UW
						UZ VF VP WG
						WH ZX
SANTA ANA	SNANCA11DS0	09277	07800	5170	730	BA DA GQ HB
714/241(0000-1999),241(3000-9999),424,427(0000-3999)						IC ID IE IF
714/427(5000-9999),428,429(0000-5999),429(7000-9999)						IG OH OR PA
714/430(1000-1999),430(5000-6999),430(9000-9999),431,432						PJ PR PS QA
714/433,434,435,436,437,438(0000-5999),438(7000-8999)						QE RA SJ SN
714/444,445,513,546,556,751,755,825,830(0000-7999)						SQ TB TE TJ
714/885(1000-1999),885(2000-2999),885(3000-3999)						TM TN TP TQ
714/885(4000-4999),885(5000-5999),885(6000-6999)						TS TT UP UT
714/885(7000-7999),885(8000-8999),885(9000-9999),979						UW UZ WG WH

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SANTA ANA	SNANCA11DS1	09277	07800	5170	730	BA BC DA G4
714/250,327,540,545,549,557,641,662,668,708,754						G5 G7 GC GD
714/800(1000-2999),800(5000-8999),850,957,966						GQ HB IC ID
						IE IF IG II
						PA PJ PR PS
						QA QE RA RC
						RD RE RF RG
						RH SF SH SN
						SV TB TE TJ
						TM TN TP TQ
						TS TT UP UT
						UW UZ WG WH
						ZW
SANTA ANA	SNANCA12DS0	09270	07810	5170	730	AA BA DA G4
714/418(0000-2999),418(9000-9999),531,775,839						G5 G7 GC GD
						GQ HB II OR
						PC PL PR PS
						RA RF RG RH
						SJ SN SQ TJ
						UP UT UW UZ
						WG WH ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE			TYPE	
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--	
SANTA ANA	SNANCALWDS0	09277	07793	7262	730	BA	DA	GE	GJ	
213/254(6000-6999),265(3000-3999),283(2000-4999)						GR	HB	IB	RC	
213/408(0000-0999),408(4000-4999),408(8000-8999)						RD	SH	SQ	T1	
213/471(4000-4999),607,608(0000-1999),608(3000-4999)						T2	UG	UP	UR	
213/616(0000-2999),616(4000-4999),616(6000-6999)						US				
213/673(1000-1999),673(5000-5999),769(5000-5999)										
213/909(0000-0999),943(0000-0999),943(1000-1999)										
213/943(4000-7999)										
310/220(3000-3999),356(5000-5999),417(1000-1999)										
310/425(0000-0999),427(6000-6999),436(4000-4999)										
310/507(2000-2999),684(3000-3999),706(4000-4999)										
310/743(0000-0999),743(1000-1999),743(8000-8999)										
310/747(8000-8999),756(0000-1999),760(0000-0999)										
310/760(2000-3999),760(4000-5999),760(9000-9999)										
310/817(2000-2999),848(6000-6999),928(0000-0999)										
310/928(4000-4999),945(0000-1999),984(2000-2999)										
310/984(6000-6999),984(8000-8999)										
323/306(1000-1999),306(9000-9999),347(2000-2999)										
323/421(8000-9999),552(5000-5999),609(0000-0999)										
323/609(1000-1999),609(2000-2999),609(9000-9999)										
323/678(7000-9999),776(5000-5999),902(2000-2999)										
323/902(8000-8999),903(0000-0999),903(4000-4999)										
323/903(9000-9999),998(6000-7999)										
424/205(6000-6999),224(4000-4999),225(6000-6999)										
424/258(3000-3999),266(3000-3999),456(3000-3999)										
424/750(3000-3999)										
562/748(0000-0999),748(4000-4999)										
626/277(0000-0999),277(4000-4999),542(6000-6999)										
714/202(3000-3999),253(0000-1999),253(5000-5999),382										
714/384(0000-6999),384(8000-8999),384(9000-9999)										
714/426(8000-8999),443(0000-0999),443(4000-5999)										
714/443(6000-7999),455(0000-0999),455(5000-5999)										
714/455(6000-7999),455(8000-8999),460(0000-0999)										
714/460(5000-9999),466(6000-7999),466(9000-9999)										
714/482(4000-4999),482(9000-9999),491(5000-5999)										
714/492(7000-8999),494(8000-8999),627(3000-3999)										
714/646(0000-0999),646(5000-5999),649(5000-5999)										
714/649(6000-6999),675(6000-7999),684(3000-3999)										
714/684(7000-7999),706(7000-8999),727(0000-3999)										

-------- Continued on next page --------

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE	TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	--	-- -- --

-------- Continued from previous page --------

714/854(6000-6999),867(0000-0999),867(2000-2999)
714/867(5000-5999),885(0000-0999),886(1000-1999)
714/886(5000-5999),917(0000-4999),917(6000-6999)
714/917(8000-8999),918,919(0000-5999)
818/401(2000-2999),455(0000-0999),455(4000-4999)
818/455(8000-8999),536(0000-0999),536(5000-6999)
818/975(4000-4999),975(7000-7999)
909/218(2000-2999),292(4000-4999),331(3000-3999)
909/354(3000-4999),498(5000-5999),509(8000-8999)
909/548(8000-8999),560(8000-8999),569(6000-6999)
909/612(8000-8999),614(6000-8999),653(1000-1999)
909/753(0000-0999),753(1000-1999),912(6000-6999)
909/912(8000-8999),919(1000-1999)
949/200(4000-4999),231(1000-1999),231(3000-3999)
949/231(4000-4999),231(5000-5999),231(6000-6999)
949/257(0000-1999),257(4000-4999),258(0000-1999)
949/258(4000-5999),259(0000-1999),259(4000-4999)
949/264(1000-1999),264(4000-4999),264(7000-7999)
949/336(9000-9999),417,421(0000-2999),421(4000-4999)
949/435(0000-8999),534(7000-9999),554(6000-6999)
949/579(1000-1999),579(3000-8999),732(9000-9999)
949/769(7000-7999)
951/329(3000-3999),329(4000-4999),329(5000-5999)
951/750(5000-6999),905(6000-6999)

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE	TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- --	-- --
SANTA ANA	SNANCALWDS1	09277	07793	7262	730	BA DA	GE GJ
213/258(3000-4999),269(3000-3999),519(3000-3999)						GR HB	IB RC
213/531(3000-4999),531(8000-8999),536(2000-2999)						RD SH	SQ T1
213/536(6000-6999),536(8000-8999),788(7000-7999)						T2 UG	UP UR
213/797(4000-4999),884(4000-4999)						US	
310/469(7000-7999),879(2000-2999),933(0000-1999)							
323/206(5000-5999),207(7000-7999),248(7000-7999)							
323/300(2000-2999),305(0000-0999),305(7000-7999)							
323/320(4000-9999),398,486(5000-5999),798(3000-3999)							
323/952(5000-5999)							
424/216(3000-3999),217(2000-2999),220(7000-7999)							
424/227(3000-3999),228(3000-3999),252(4000-4999)							
424/253(2000-3999),254(2000-2999),267(0000-0999)							
424/267(4000-4999),298(4000-4999),299(3000-3999)							
424/644(2000-2999),652(4000-4999),675(3000-3999)							
424/675(7000-7999),703(6000-6999),999(3000-4999)							
562/281(6000-6999),284(5000-5999),371(2000-2999)							
562/473(2000-2999),485(2000-2999),719(8000-8999)							
562/805(2000-2999),856(6000-6999),888(6000-7999)							
562/999(5000-5999)							
626/249(5000-5999),639(6000-6999),758(3000-5999)							
626/782(6000-6999),940(3000-3999),988(2000-2999)							
657/203(2000-2999),204(7000-8999),207(1000-1999)							
657/207(6000-9999),549(6000-6999)							
661/347(3000-3999),388(2000-2999),533(4000-4999)							
714/215(3000-3999),249(6000-6999),386(5000-6999)							
714/441(5000-5999),441(7000-9999),443(2000-2999)							
714/452(5000-5999),464(3000-3999),591(8000-8999)							
714/627(6000-6999),627(7000-7999),627(8000-8999)							
714/644(8000-9999),656(0000-0999),707(4000-4999)							
714/707(5000-5999),729(6000-7999),729(8000-8999)							
714/733(5000-7999),752(5000-5999),783(2000-2999)							
714/784(2000-2999),784(8000-9999),829(3000-3999)							
714/853(6000-6999),860(1000-1999),922(8000-8999)							
714/947(7000-7999),980(5000-7999),982(3000-3999)							
747/200(2000-3999),300(4000-4999),888(5000-5999)							
747/998(4000-4999)							
760/606,628(2000-2999)							
805/410(5000-5999),494(2000-2999),852(2000-2999)							

-------- Continued on next page --------

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE	TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- --	-- --

-------- Continued from previous page --------

818/302(0000-0999),462(9000-9999),476(5000-5999)
818/483(2000-2999),514(2000-2999),561(2000-3999)
818/573(9000-9999),643(2000-2999),664(0000-0999)
818/664(1000-4999),664(7000-7999),691(2000-2999)
818/724(3000-3999),804(2000-3999),855(8000-8999)
818/877(2000-2999),962(9000-9999),975(5000-5999)
818/975(9000-9999)
909/288(0000-2999),293(0000-4999),333(7000-7999)
909/358(2000-2999),539(0000-0999),539(9000-9999)
909/546(2000-2999),546(6000-6999),575(3000-4999)
909/575(6000-6999),657(5000-5999),671(3000-3999)
909/680(3000-3999),694(0000-3999),746(2000-2999)
909/781(2000-2999),839(4000-6999),906(4000-4999)
909/962(2000-4999)
949/208(6000-6999),236(2000-2999),236(3000-3999)
949/237(5000-6999),242(2000-5999),245(3000-3999)
949/258(6000-6999),258(8000-8999),269(6000-6999)
949/272(5000-5999),288(6000-6999),313(6000-6999)
949/345(2000-4999),390(7000-8999),398(3000-4999)
949/398(9000-9999),407(0000-4999),485(6000-6999)
949/486(4000-4999),502(9000-9999),596(1000-3999)
949/655(4000-4999),751(2000-2999),751(5000-5999)
949/800(2000-4999)
951/269(2000-2999),298(0000-8999),299(0000-2999)
951/299(4000-5999),307,336(0000-7999),336(9000-9999)
951/444(2000-2999),525(4000-4999),595(4000-4999)
951/813(4000-4999),880(0000-2999)

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
SANTA ANA IRVINE            SNANCACZDS0 09276 07794 8782  730 D1 DA DD GB
   562/546(0000-0999),546(1000-1999),546(4000-4999)          GE GJ GL GN
   562/546(6000-6999),689(0000-0999),967(5000-5999)          HB HJ IA IB
   562/967(6000-6999),967(7000-7999),967(8000-8999)          IC ID IG II
   714/203(8000-8999),230(8000-8999),232(8000-8999)          UG
   714/252(8000-8999),260(0000-0999),260(9000-9999)
   714/362(8000-8999),363(0000-0999),363(9000-9999)
   714/400(0000-0999),400(9000-9999),451(0000-0999)
   714/582(0000-0999),582(7000-7999),689(0000-0999)
   714/689(2000-3999),689(9000-9999)
   909/266(5000-5999),291(8000-8999),331(4000-4999)
   909/503(0000-0999),664(2000-2999)
   949/296(0000-2999),296(7000-9999),325(0000-0999)
   949/325(1000-1999),326(0000-0999),329(0000-1999)
   949/334(0000-1999),334(3000-4999),334(6000-6999)
   949/334(9000-9999),335(0000-1999),335(3000-4999)
   949/335(6000-6999),335(9000-9999),419(0000-3999)
   949/419(8000-9999),420(0000-4999),424(0000-0999)
   949/424(1000-1999)
   951/324(8000-8999),479(0000-0999),479(9000-9999)
   951/667(3000-3999),905(5000-5999)
.......................................................................
SANTA ANA IRVINE            SNANCACZDZ0 09276 07794 8782  730 D1 DA DD GB
      /                                                        GE GJ GL GN
                                                               HB HJ IA IB
                                                               IC ID IG II
                                                               UG
.......................................................................
SANTA BARBARA               SNBBCAXF00W 09171 08150 2319  740 HC
      /
.......................................................................
SANTA BARBARA               SNBBCAXF76T 09171 08150 2319  740 G2 PA TU    (C)
      /                                                                   (C)
.......................................................................
SANTA BARBARA               SNBBCAXF83T 09171 08150 2319  740 GB HB PA SH (C)
      /                                                        SN SQ TU    (C)
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
SANTA BARBARA               SNBBCAXF96K 09171 08150 2319  740 AA BA DA GC (C)
   805/560,564,568(0000-0999),568(1000-1999),568(2000-2999)  GD GE GR HB (C)
   805/568(3000-3999),568(5000-5999),730(1000-1999)          PA RC RD SH (C)
   805/730(2000-2999),730(3000-3999),730(4000-4999)          SN SQ TD TU (C)
   805/730(5000-5999),730(6000-6999),730(7000-7999)          ZZ          (C)
   805/730(8000-8999),730(9000-9999),882,883(1000-1999)                  (C)
   805/883(4000-4999),884,892(2000-2999),892(3000-3999)                  (C)
   805/892(4000-4999),892(5000-5999),897,899,957(0000-0999)              (C)
   805/957(1000-1999),957(2000-2999),957(3000-3999)                      (C)
   805/957(4000-4999),957(5000-5999),957(8000-8999)                      (C)
   805/957(9000-9999),962,963,965,966                                    (C)
.......................................................................
SANTA BARBARA               SNBBCAXFGT1 09171 08150 2319  740 DA
      /
.......................................................................
SANTA BARBARA               SNBBCAXFPS0 09171 08150 2319  740 DA
   805/335(9000-9999)
.......................................................................
SANTA BARBARA               SNBBCAXGDS0 09167 08158 2319  740 AA BA D1 DA
   805/280(0000-0999),563,569,682,687,898                    DD GC GD GE
                                                             GG GJ GN GR
                                                             HB HD II PA
                                                             PJ RC RD SH
                                                             SN SQ TB TI
                                                             TJ TU UA UG
                                                             UR VM WD WE
                                                             WF WG WH WI
                                                             WJ ZZ
.......................................................................
SANTA CLARA                 SNTCCA0100W 08575 08632 5170  722 GG HC PR PS
      /                                                      SU
.......................................................................
SANTA CLARA                 SNTCCA0102T 08575 08632 5170  722 G1 GB PA PR
   408/575                                                   PS
   831/575
.......................................................................
SANTA CLARA                 SNTCCA0148T 08575 08632 5170  722 GB HB PR PS
      /
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SANTA CLARA	SNTCCA01DS0	08575	08632	5170	722	BA DA GC GD
408/339						GQ IC ID IE
						IF IG OH OR
						PA PJ PR PS
						QA QE RA RE
						RF RG RH SL
						SN SS ST SU
						TJ UE UG UR
						UT UU UW UZ
						VL VQ WG WH
						ZY
SANTA CLARA	SNTCCA01DS1	08575	08632	5170	722	AA BA BC DA
408/235,276,326(1000-1999),326(3000-8999),327,330,450						G4 G5 G7 GC
408/486,492,495,496,562,563,565(0000-4999)						GD GQ HB IC
408/565(6000-7999),565(9000-9999),566,567,588(0000-2999)						ID IE IF IG
408/588(4000-9999),653,654,727,748(0000-0999)						II PA PJ PR
408/748(1000-1999),748(2000-2999),748(3000-3999)						PS QA QE RA
408/748(5000-5999),748(6000-6999),748(7000-7999)						RC RD RE RF
408/748(8000-8999),748(9000-9999),764(0000-0999)						RG RH SH SN
408/764(1000-1999),764(2000-2999),764(3000-3999)						SP SQ ST SU
408/764(4000-4999),764(5000-5999),764(7000-7999)						TJ UE UG UP
408/764(8000-8999),764(9000-9999),844(0000-1999)						UR UT UU UW
408/844(5000-9999),845,855(0000-5999),855(7000-9999),919						UZ
408/969(0000-0999),969(2000-9999),970,980,982(0000-2999)						
408/982(4000-4999),982(8000-9999),986,987(0000-0999)						
408/987(2000-7999),987(9000-9999),988						
SANTA CLARA	SNTCCA11DS0	08582	08629	5170	722	BA DA GC GD
408/244,246,247,249,260(0000-4999),260(6000-9999),261						GQ HB OH PB
408/423,556(0000-1999),556(2000-3999),556(5000-6999)						PK PR PS RA
408/556(7000-7999),556(8000-8999),557,615,652(6000-6999)						RE RF RG RH
408/652(6000-6999)						SJ SN TB TE
						TJ TM TN TP
						TQ TS TT UG
						UT UU UW UZ
						WG WH ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SANTA CLARA	SNTCCA11DS1	08582	08629	5170	722	BA DA GC GD
408/236,241,243,248,296(0000-0999),296(1000-1999)						GQ HB PB PK
408/296(2000-2999),296(3000-3999),296(4000-4999)						PR PS RA RC
408/296(5000-5999),296(6000-6999),296(7000-7999)						RD RE RF RG
408/296(8000-8999),345(0000-4999),345(7000-9999)						RH SH SN SQ
408/551(0000-7999),553,554,851,983,984,985(0000-0999)						TB TE TJ TM
408/985(1000-1999),985(2000-2999),985(4000-4999)						TN TP TQ TS
408/985(5000-5999),985(6000-6999),985(7000-7999)						TT UG UP UT
408/985(8000-8999),985(9000-9999)						UU UW UZ
SANTA CRUZ	SNCZCA01DS0	08664	08634	5170	722	AA BA DA GC
831/420(0000-6999),420(9000-9999),421(0000-0999)						GD GQ HB IC
831/421(3000-3999),421(4000-4999),421(5000-5999)						ID IE IF IG
831/421(6000-6999),421(7000-7999),421(8000-8999)						PB PK RA RC
831/421(9000-9999),423,425(0000-0999),425(1000-1999)						RD RE RF RG
831/425(2000-2999),425(3000-3999),425(4000-4999)						RH SK SN SR
831/425(5000-5999),425(6000-6999),425(7000-7999)						ST SU TJ UE
831/425(8000-8999),426,427(0000-6999),427(8000-9999),429						UG UR UT UU
831/435(2000-2999),454(0000-0999),454(1000-1999)						UW UZ VF VP
831/454(2000-2999),454(3000-3999),454(4000-4999)						WG WH ZX
831/454(5000-5999),454(7000-7999),454(9000-9999),457,458						
831/459,460(0000-0999),460(1000-1999),460(2000-2999)						
831/460(3000-3999),460(4000-4999),460(7000-7999)						
831/460(8000-8999),460(9000-9999),466(0000-5999)						
831/466(7000-9999),469(0000-7999),469(9000-9999)						
831/471(0000-0999),471(1000-1999),471(2000-2999)						
831/471(3000-3999),471(4000-4999),471(9000-9999),502						
SANTA CRUZ	SNCZCA11DS0	08663	08624	5170	722	AA BA DA G4
831/462,464,465(0000-0999),465(1000-1999),465(2000-2999)						G5 G7 GC GD
831/465(3000-3999),465(6000-6999),465(7000-7999)						GQ IC ID IE
831/465(8000-8999),465(9000-9999),475,476,477(0000-5999)						IF IG II PC
831/477(7000-9999),479						PL RA RC RD
						RE RF RG RH
						SJ SN SV TJ
						UT UU UW UZ
						VE VM WG WH
						ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE				
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--	
SANTA CRUZ	SNCZCA11DS3	08663	08624	5170	722	SJ				
/										
SANTA MARGARITA	SNMICA11RS0	08980	08342	5170	740	AA	BA	BC	DA	
805/438(1000-1999),438(3000-3999),438(4000-4999)						G4	G5	G7	GC	
805/438(5000-5999)						GD	IC	ID	IE	
						IF	IG	II	PC	
						PL	PT	RA	RC	
						RD	RE	RF	RG	
						RH	RM	SJ	SN	
						ST	SU	SV	TB	
						TE	TF	TM	TN	
						TP	TQ	TS	TT	
						UE	UG	UP	UR	
						UT	UU	UW	UZ	
						ZW				
SANTA MARIA	SNTMCAXF01W	09072	08298	2319	740	HC				
/										
SANTA MARIA	SNTMCAXF92K	09072	08298	2319	740	AA	BA	DA	GC	(C)
805/287(1000-1999),287(2000-2999),287(3000-3999)						GD	GE	GG	GJ	(C)
805/287(4000-4999),287(5000-5999),287(6000-6999)						GN	GR	HB	HD	(C)
805/287(7000-7999),332(8000-8999),345(3000-3999),346,347						II	PB	PK	RC	(C)
805/348(0000-0999),348(1000-1999),348(2000-2999)						RD	SH	SN	SQ	(C)
805/348(3000-3999),348(5000-5999),348(6000-6999)						TD	TH	TI	TU	(C)
805/348(7000-7999),348(8000-8999),348(9000-9999),349,352						UA	UG	UR	VM	(C)
805/614(0000-0999),614(1000-1999),614(2000-2999)						WD	WE	WF	WG	(C)
805/614(3000-3999),614(4000-4999),614(5000-5999)						WH	WI	WJ	ZZ	(C)
805/614(6000-6999),614(8000-8999),614(9000-9999),739,922										(C)
805/925,928										(C)

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SANTA MONICA	SNMNCAXGDS0	09226	07920	2319	730	AA BA DA GC
310/260,319,393,394,395,434,451,458,570(4000-4999),576						GD GE GG GJ
310/587,656,899,917						GN GR HB HD
						II PA PJ QB
						RC RD SH SN
						SQ TB TG TI
						TJ TU UA UG
						UR VM WD WE
						WF WG WH WI
						WJ ZZ
SANTA MONICA	SNMNCAXJ31K	09227	07915	2319	730	AA BA DA GC
310/267,314,392,396,399,450,452,581,664,866(4000-4999)						GD GE GG GJ
310/866(4000-4999)						GN GR HB HD
						II PA PJ RC
						RD SH SN SQ
						TB TG TI TJ
						TU UA UG UR
						VM WD WE WF
						WG WH WI WJ
						ZZ
SANTA MONICA	SNMNCAXP01T	09224	07918	2319	730	GB GG HB PA (C)
/						PJ QB TD TH (C)
						TU (C)
SANTA MONICA	SNMNCAXP01W	09224	07918	2319	730	HC
/						
SANTA MONICA	SNMNCAXP28W	09224	07918	2319	730	HC
/						
SANTA MONICA	SNMNCAXP43T	09224	07918	2319	730	GB GG HB PA (C)
/						PJ QB TD TH (C)
						TU (C)
SANTA MONICA	SNMNCAXPPSA	09224	07918	2319	730	GB GE GR HA
424/238(9000-9999)						HD JC TB

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SANTA PAULA	SNPLCAXF52K	09169	08032	2319	730	AA DA GC GD
805/525,921(0000-1999),933						GE GG GJ GN
						GR HB HD II
						PC PL RC RD
						SH SN SQ TG
						TI TJ TU UA
						UG VM ZZ
SANTA PAULA TOPA HUT /	SNPLCAXBRL0	09174	08036	2319	730	UD
SANTA ROSA	SNRSCA0130T	08355	08786	5170	722	G1 GB HB PB
707/270,915						PR PU TJ
SANTA ROSA	SNRSCA01DS1	08355	08786	5170	722	BA DA G4 G5
707/521(1000-1999),521(2000-2999),521(3000-3999)						G7 GC GD GQ
707/521(4000-4999),521(5000-5999),521(6000-6999)						HB II OH PB
707/521(7000-7999),521(8000-8999),522,523,524,525,526						PK PR PU QA
707/527(0000-0999),527(1000-1999),527(4000-4999)						QE RA RC RD
707/527(5000-5999),527(6000-6999),527(7000-7999)						RE RF RG RH
707/527(8000-8999),527(9000-9999),528,535(0000-0999)						RM SL SN SS
707/535(1000-1999),535(2000-2999),535(3000-3999)						ST TJ UE UG
707/535(4000-4999),535(5000-5999),535(7000-7999)						UR UT UW UZ
707/535(8000-8999),542,544,545,546,547(0000-2999)						VL VQ WG WH
707/547(4000-6999),547(8000-9999),565						ZY
SANTA ROSA	SNRSCA01DS2	08355	08786	5170	722	BA DA G4 G5
707/393(2000-6999),541(0000-5999),541(7000-7999)						G7 GC GD GQ
707/541(9000-9999),543(0000-0999),543(2000-2999)						HB II PB PK
707/543(3000-3999),543(4000-4999),543(5000-5999)						PR PU QA QE
707/543(7000-7999),543(8000-8999),543(9000-9999),566,568						RA RC RD RE
707/569(0000-0999),569(1000-1999),569(2000-2999)						RF RG RH RM
707/569(3000-3999),569(5000-5999),569(7000-7999)						SN SP SQ ST
707/569(8000-8999),569(9000-9999),570(0000-0999)						TJ UE UG UP
707/570(1000-1999),570(2000-2999),570(3000-3999)						UR UT UW UZ
707/570(4000-4999),571(0000-8999),573,575,576,577,578						WG WH
707/579,591(0000-0999),591(2000-2999),591(7000-7999)						
707/591(8000-8999),591(9000-9999),808,817						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE			
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--
SANTA ROSA	SNRSCA11DS0	08349	08773	5170	722	BA	DA	G4	G5
707/537(0000-0999),537(1000-1999),537(2000-2999)						G7	GC	GD	GQ
707/537(3000-3999),537(4000-4999),537(6000-6999)						HB	II	OR	PC
707/537(7000-7999),537(8000-8999),537(9000-9999),538,539						PL	PR	PU	RA
707/539						RF	RG	RH	SK
						SN	SV	TJ	UT
						UU	UW	UZ	VE
						VM	WG	ZX	
SANTA ROSA	SNTDCABLPS0	XXXXX	XXXXX	XXXX	XXX	XX	XX	XX	XX (D)
/									(D)
SANTAMARIA	SNBBCAXFXVX	09171	08150	7283	740	BA	DA		
805/318(3000-3999),691(3000-3999),800(3000-3999)									
805/800(4000-4999),863(9000-9999),979(3000-3999)									
805/979(4000-4999),979(5000-5999),979(9000-9999)									
SANTEE	SANTCA01DS0	09437	07604	5170	732	AA	BA	DA	G4
619/258,448,449,562,596,956(0000-0999),956(2000-2999)						G5	G7	GC	GD
619/956(4000-4999),956(5000-5999)						GE	GQ	II	OR
						PC	PL	PR	PU
						RA	SK	SQ	TJ
						UP	UT	UU	UW
						UZ	WG	WH	ZW
SATICOY	SATCCA12DS0	09185	08050	5170	730	AA	BA	DA	G4
805/647,659(0000-0999),659(1000-1999),659(2000-2999)						G5	G7	GC	GD
805/659(3000-3999),659(4000-4999),659(5000-5999)						GQ	HB	II	OR
805/659(6000-6999),659(7000-7999),659(9000-9999),671,672						PC	PL	PR	PU
805/673(5000-5999),673(7000-7999)						RA	RF	RG	RH
						SJ	SN	SQ	ST
						TJ	UP	UR	UT
						UW	UZ	WG	WH
						ZW			

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SAUGUS	SAGSCA11DS0	09133	07936	5170	730	AA BA DA GC
661/263(0000-3999),263(6000-6999),263(7000-7999)						GD GQ HB OR
661/263(8000-8999),263(9000-9999),296,297,513(0000-0999)						PC PL PR PS
661/513(1000-1999),513(2000-2999),513(9000-9999)						RA SJ SQ TJ
						UP WG WH ZW
SAUSALITO	SSLTCA11DS0	08478	08734	5170	722	BA DA G4 G5
415/289(0000-0999),289(1000-1999),289(2000-2999)						G7 GC GD GQ
415/289(3000-3999),289(4000-4999),289(6000-6999)						IC ID IF OE
415/289(7000-7999),289(8000-8999),289(9000-9999),331,332						OR PC PL PS
415/339(0000-3999),339(7000-9999)						RA RF RG RH
						SL SN TJ UT
						UU UW UZ WG
						WH ZW
SAWYERS BAR	SWBRCAXF462	07733	08914	2339	724	AA BA DA GC
530/462						GD GI GN GR
						HD IC SP SQ
						TJ TK TW
SCOTTS VALLEY	SCVYCA01DS0	08646	08633	5170	722	AA BA DA G4
831/430(0000-0999),430(1000-1999),430(2000-2999)						G5 G7 GC GD
831/430(3000-3999),430(4000-4999),430(5000-5999)						GQ HB IC ID
831/430(7000-7999),430(9000-9999),431(1000-1999)						IE IF IG PC
831/431(2000-2999),431(4000-4999),431(5000-5999),438,439						PL RA RF RG
831/440(0000-0999),440(1000-1999),440(2000-2999)						RH ST TJ UG
831/440(4000-4999),440(5000-5999),440(9000-9999)						UR UT UU UW
831/461(0000-3999),461(6000-7999),461(9000-9999)						UZ WG WH ZW
SCOTTS VALLEY	SCVYCA01DS1	08646	08633	5170	722	SK ZW

/

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SCRM MAIN	SCRMCA01X9Z	08303	08581	7957	726	GR
530/213(9000-9999),285(6000-6999),289(4000-4999)						
530/427(0000-0999),437(7000-7999),438(7000-7999)						
530/439(7000-7999),444(3000-3999),446(7000-7999)						
530/453(8000-8999),455(7000-7999),473(7000-7999)						
530/476(7000-7999),483(6000-6999),489(7000-7999)						
530/491(7000-7999),492(7000-7999),497(6000-6999)						
530/505(6000-6999),536(7000-7999),545(5000-5999)						
530/558(6000-6999),578(1000-1999),578(2000-2999)						
530/580(7000-7999),593(7000-7999),594(7000-7999)						
530/600(7000-7999),619(7000-7999),639(7000-7999)						
530/653(6000-6999),659(5000-6999),681(4000-4999)						
530/696(3000-3999),725(2000-2999),728(7000-7999)						
530/761(7000-7999),847(5000-5999),955(7000-7999)						
707/640(7000-7999)						
916/246(5000-5999),305(3000-3999),347(1000-1999)						
916/389(6000-6999),465(6000-6999),472(7000-7999)						
916/512(2000-2999),581(7000-7999),597(9000-9999)						
916/623(6000-6999),629(6000-6999),656(7000-7999)						
916/744(7000-7999),824(7000-7999)						
SCRM MAIN	SCRMCA01XDX	08303	08581	7957	726	GR
/						
SCRM MAIN	SCRMCA01XUY	08303	08581	4733	726	GL
530/470(4000-4999),497(2000-2999),665(1000-1999)						
530/746(6000-6999)						
916/241(0000-0999),403(3000-3999),571(7000-7999)						
916/586(2000-2999),604(3000-3999),637(8000-8999)						
916/637(9000-9999),664(5000-5999),672(5000-5999)						
916/862(9000-9999),900(3000-3999),999(6000-6999)						
SEA RANCH	SERNCAXGDS0	08309	08912	4420	722	DA GN GR II
707/785(1000-3999),785(9000-9999)						

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
SEAL BEACH                  SLBHCAXF43J 09268 07839 2319  730 AA BA DA GC
   562/342(2000-2999),342(7000-7999),342(9000-9999),430,431  GD GE GG GJ
   562/493,594(0000-0999),594(1000-1999),594(3000-3999)      GN GR HB HD
   562/594(4000-4999),594(5000-5999),594(6000-6999)          II PA PJ RC
   562/594(7000-7999),594(8000-8999),594(9000-9999),596,598  RD SH SN SQ
   562/626,795,797,799,936(0000-0999),936(1000-1999)         TG TI TJ TU
   562/936(2000-2999),936(3000-3999),936(4000-4999)          UA UG UR VM
   562/936(5000-5999),936(6000-6999),936(7000-7999)          WD WE WF WG
   562/936(9000-9999)                                        WH WI WJ ZZ
.......................................................................
SEASIDE                     SESDCA11DS0 08740 08592 5170  736 AA BA DA G4
   831/392(0000-0999),392(1000-1999),392(3000-3999)          G5 G7 GC GD
   831/393(0000-0999),393(1000-1999),393(2000-2999)          IC ID IF PC
   831/393(3000-3999),393(6000-6999),393(7000-7999)          PL RA SN SQ
   831/393(8000-8999),393(9000-9999),394,583(0000-0999)      TJ UP UT UU
   831/583(1000-1999),583(2000-2999),583(4000-4999)          UW UZ WG
   831/583(6000-6999),583(9000-9999),899
.......................................................................
SEASIDE                     SESDCA11DS1 08740 08592 5170  736 ZW
     /
.......................................................................
SEASIDE                     SESDCA11DS3 08740 08592 5170  736 SJ
     /
.......................................................................
SEBASTOPOL                  SBSTCA11DS0 08365 08805 5170  722 BA DA G4 G5
   707/823,824(0000-0999),824(1000-1999),824(2000-2999)      G7 GC GD GQ
   707/824(4000-4999),824(5000-5999),824(6000-6999)          IC ID IF OR
   707/824(7000-7999),824(8000-8999),824(9000-9999)          PC PL PR PU
   707/827(7000-7999),829                                    RA SJ SN SV
                                                             TJ UT UU UW
                                                             UZ VE VM ZW
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SELMA	SELMCA11DS0	08703	08202	5170	728	AA BA DA G4
559/891,896,898(0000-0999),898(5000-5999),898(6000-6999)						G5 G7 GC GD
559/898(6000-6999)						GQ IC ID IE
						IF IG OH OR
						PC PL PR PS
						RA RF RG RH
						SK UP UT UU
						UW UZ WG WH
						ZW
SEPULVEDA	SPLVCAXF89K	09179	07923	2319	730	AA BA DA GC
818/830,891,892,893,894,895						GD GE GR HB
						PB PK RC RD
						SH SN SQ TG
						TH TU UA UR
						WD WE WF WG
						WH WI WJ ZZ
SEPULVEDA	SPLVCAXFDS1	09179	07923	2319	730	AA BA DA GC
818/221(3000-3999),221(6000-6999),270(2000-2999)						GD GE GG GJ
818/271(2000-2999),272(2000-2999),273(2000-2999)						GN GR HA HD
818/920(0000-0999),920(1000-1999),920(2000-2999)						II PB RC RD
818/920(3000-3999),920(4000-4999),920(5000-5999)						SH SN SQ TB
818/920(6000-6999),920(7000-7999),920(9000-9999)						TD TJ TU UA
						UG UR VM WD
						WE WF WG WH
						WI WJ
SHAFTER	SHFTCA11DS0	08926	08109	5170	734	AA BA DA G4
661/746						G5 G7 GC GD
						GQ IC IE IF
						IG PC PL PT
						PU RA RF RG
						RH SJ SV UT
						UU UW UZ ZW
SHASTA LAKE	SHLKCA01DS1	07813	08783	5170	724	ZW

/

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
SHASTA LAKE                 SHLKCA01DS3 07813 08783 5170  724 SJ
     /
.......................................................................
SHASTA LAKE                 SHLKCA01RS1 07813 08783 5170  724 AA BA DA G4
   530/238(1000-1999),238(2000-2999),238(8000-8999)          GC GD IC ID
   530/238(9000-9999)                                        IE IG PC PL
                                                             RA UT UU UW
                                                             UZ
.......................................................................
SHERMAN OAKS                SHOKCA013TD 09197 07918 5170  730 G1 GB PR PS
     /
.......................................................................
SHERMAN OAKS                SHOKCA01DS0 09197 07918 5170  730 BA DA GC GD
   323/872(1000-1999)                                        GE GQ HB II
   818/205(1000-1999),205(2000-2999),205(9000-9999)          OE OR PA PJ
   818/380(0000-4999),380(6000-9999),382,385(0000-4999)      PR PS QA QE
   818/385(6000-6999),385(8000-9999),386(0000-7999)          RA TJ UP UT
   818/386(9000-9999),387(0000-4999),387(7000-7999)          UW UZ
   818/387(9000-9999),461(0000-0999),461(1000-1999)
   818/461(3000-3999),461(5000-5999),461(6000-6999)
   818/461(7000-7999),461(8000-8999),461(9000-9999),501
   818/528(0000-3999),528(7000-7999),528(9000-9999),728,783
   818/788,808(0000-0999),808(1000-1999),808(4000-4999)
   818/817(0000-0999),817(2000-2999),817(3000-3999)
   818/817(4000-4999),817(5000-5999),817(7000-7999)
   818/817(8000-8999),817(9000-9999),907,971(0000-0999)
   818/971(1000-1999),971(2000-2999),971(3000-3999)
   818/971(4000-4999),971(5000-5999),971(6000-6999)
   818/971(7000-7999),971(8000-8999),981,986,990
.......................................................................
SHERMAN OAKS                SHOKCA01DS1 09197 07918 5170  730 GB PA PR PS
   818/325(0000-0999),325(1000-1999),325(2000-2999)
   818/325(3000-3999),325(4000-4999),325(8000-8999)
   818/377(0000-0999),377(2000-9999),379,644(4000-4999)
   818/644(6000-6999),644(8000-8999),784,789,905
   818/906(0000-3999),906(5000-9999),995
.......................................................................
SHERMAN OAKS                SHOKCA0200W 09197 07918 5170  730 HC OE PR PS
     /                                                       QA QE

=======================================================================
```

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
SHERMAN OAKS /	SHOKCA0251T	09197	07918	5170	730	G1 OH PC PL PR PS
SHERMAN OAKS /	SHOKCA04DS1	09197	07918	5170	730	OH PB PK PR PS SL SR SU UD UG UR VF VP ZX
SHERMAN OAKS /	SHOKCA0589T	09197	07918	5170	730	G1 GB HB PC PL PR PS
SHINGLE SPRINGS 530/672,676,677	SGSPCA11DS0	08274	08489	5170	726	AA BA DA G4 G5 G7 GC GD GQ IC ID IF PC PL PT RA SJ UT UU UW UZ WG WH ZW
SHINGLETOWN 530/474	SHTNCAXFDS0	07890	08689	2342	724	BA DA GC GD GE GN HJ IC IH II RA RC RD RE RF RG RH UL UM
SHOSHONE 760/852(1000-1999),852(4000-4999)	SHSHCA11RS0	08758	07597	5170	730	BA DA GC GD HB II PC PL PT RA SH SQ UU UZ
SIERRA CITY 530/862(0000-0999),862(1000-1999)	SRCYCA11RS1	08072	08462	5170	726	BA DA G4 G5 G7 GC GD GE II PC PL PT RA SQ UG UP UT UU UW UZ ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
SIERRA MADRE                SRMDCAXF35K 09183 07846 2319  730 AA BA DA GC
   626/355,836(0000-0999),836(2000-2999),836(3000-3999)      GD GE GG GJ
   626/836(4000-4999),836(5000-5999),836(6000-6999)          GN GR HB HD
   626/836(8000-8999),836(9000-9999)                         II PC PL RC
                                                             RD SH SN SQ
                                                             TG TI TJ TU
                                                             UA UG VM ZZ
.......................................................................
SIERRAVILLE                 SRVLCA11RS1 08061 08420 5170  724 BA DA G4 GC
   530/994(1000-1999),994(3000-3999)                         GD PC PL PT
                                                             RA UR ZW
.......................................................................
SILVERADO                   SLVRCA11RS1 09266 07760 5170  730 AA BA DA G4
   714/649(0000-0999),649(1000-1999),649(2000-2999)          G5 G7 GC GD
   714/649(3000-3999),649(9000-9999)                         GE HB II OR
                                                             PC PL PR PS
                                                             RA RC RD RE
                                                             RF RG RH SH
                                                             SN SQ ST UP
                                                             UR UT UW UZ
.......................................................................
SIMI VALLEY                 SIMICA11DS0 09178 07975 5170  730 AA BA DA GC
   805/306,520,522,526,527,577,578,579,581,582,583           GD GQ HB IC
   805/584(0000-0999),584(1000-1999),584(2000-2999)          ID IE IF IG
   805/584(3000-3999),584(4000-4999),584(5000-5999)          OR PC PL PR
   805/584(6000-6999),584(8000-8999),584(9000-9999),955      PU RA RF RG
                                                             RH SJ SN SQ
                                                             TJ UG UP UR
                                                             UT UW UZ WG
                                                             WH ZW
.......................................................................
SMARTSVILLE                 SMAVCA11RS0 08163 08564 5170  726 AA BA DA G4
   530/432(6000-6999),639(1000-1999),639(2000-2999)          G5 G7 GC GD
   530/639(9000-9999)                                        II PC PL RA
                                                             RB RC RD RE
                                                             RF RG RH RM
                                                             SJ SN SQ UP
                                                             UT UU UW UZ
                                                             ZW
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SMITH RIVER	SMRVCAXFDS1	07607	09090	2344	722	AA BA DA GM
707/487(0000-0999),487(3000-3999),487(5000-6999)						GR PC RC RD
						RF RM SQ
SNDG-SNDG	SNDGCA0239Z	09462	07632	7957	732	GR
442/226(7000-7999),253(7000-7999),900(6000-6999)						
619/245(6000-6999),319(6000-6999),373(7000-7999)						
619/383(7000-7999),413(5000-5999),485(7000-7999)						
619/503(8000-8999),625(7000-7999),821(3000-3999)						
619/842(6000-6999),928(3000-3999)						
760/292(4000-4999),297(9000-9999),527(7000-7999)						
760/528(6000-6999),543(7000-7999),573(7000-7999)						
760/607(4000-4999),618(8000-8999),653(7000-7999)						
760/675(3000-3999),691(7000-7999),697(7000-7999)						
760/708(4000-4999),857(6000-6999),906(5000-5999)						
760/907(6000-6999),919(7000-7999),999(6000-6999)						
858/283(7000-7999),324(7000-7999),356(3000-3999)						
858/602(4000-4999),649(7000-7999),707(9000-9999)						
858/766(7000-7999),766(9000-9999),779(6000-6999)						
SNDG-SNDG	SNDGCA02XTX	09462	07632	7957	732	GR
/						
SNELLING	SNNGCAXGDS0	08514	08373	4420	738	DA GE GN II
209/563(6000-6999)						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SNFC CNTRL	SNVACAHZ0MD	08576	08636	7957	722	GR
408/484(5000-5999),610(7000-7999),652(7000-7999)						
408/713(7000-7999),766(8000-8999),819(5000-5999)						
408/897(7000-7999),908(7000-7999)						
415/237(8000-8999),481(6000-6999),496(7000-7999)						
415/521(7000-7999),630(1000-1999),761(7000-7999)						
415/767(7000-7999),770(6000-6999),842(6000-6999)						
415/855(6000-6999),862(6000-6999),872(8000-8999)						
415/877(2000-2999),887(0000-0999),938(0000-0999)						
415/960(6000-6999)						
510/256(2000-2999),404(6000-6999),469(2000-2999)						
510/480(4000-4999),646(4000-4999),671(3000-3999)						
510/680(7000-7999),803(2000-2999),824(7000-7999)						
510/838(7000-7999),877(6000-6999),935(7000-7999)						
573/963(7000-7999)						
628/221(7000-7999),221(8000-8999),224(6000-6999)						
628/235(1000-1999)						
650/338(5000-5999),389(1000-1999),453(7000-7999)						
650/526(4000-4999),535(7000-7999),552(6000-6999)						
650/557(5000-5999),666(1000-1999),683(7000-7999)						
650/784(4000-4999),825(8000-8999),865(7000-7999)						
650/935(3000-3999)						
669/224(7000-7999),228(7000-7999),233(7000-7999)						
669/248(4000-4999),253(7000-7999),284(7000-7999)						
669/287(7000-7999),721(8000-8999),777(2000-2999)						
707/229(7000-7999),298(6000-6999),306(5000-5999)						
707/312(7000-7999),313(8000-8999),329(7000-7999)						
707/336(7000-7999),346(8000-8999),354(7000-7999)						
707/355(7000-7999),368(7000-7999),377(6000-6999)						
707/378(7000-7999),379(6000-6999),381(7000-7999)						
707/388(5000-5999),389(7000-7999),390(3000-3999)						
707/408(9000-9999),414(7000-7999),458(2000-2999)						
707/461(3000-3999),473(7000-7999),482(7000-7999)						
707/487(9000-9000),488(7000-7999),504(7000-7999)						
707/512(6000-6999),530(7000-7999),560(0000-0999)						
707/587(5000-5999),593(3000-3999),602(9000-9999)						
707/605(3000-3999),607(7000-7999),617(7000-7999)						
707/625(6000-6999),632(7000-7999),652(6000-6999)						
707/659(7000-7999),677(7000-7999),686(7000-7999)						

-------- Continued on next page --------

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY CLLI WCV WCH CC LATA OFFICE TYPE
---------NPA/NXX---------- ---------- ----- ----- ---- ---- -- -- -- --

-------- Continued from previous page --------

707/724(7000-7999),728(6000-6999),737(8000-8999)
707/739(1000-1999),744(0000-0999),752(5000-5999)
707/753(7000-7999),782(7000-7999),797(6000-6999)
707/813(5000-5999),842(7000-7999),844(7000-7999)
707/851(7000-7999),868(9000-9999),877(5000-5999)
707/881(0000-0999),883(7000-7999),884(6000-6999)
707/891(2000-2999),892(6000-6999),901(6000-6999)
707/926(7000-7999),934(6000-6999),949(7000-7999)
707/966(6000-6999),978(7000-7999),983(5000-5999)
831/337(7000-7999),428(7000-7999),508(6000-6999)
831/536(6000-6999),609(7000-7999),612(5000-5999)
925/316(7000-7999),415(7000-7999),438(5000-5999)
925/464(4000-4999),481(7000-7999),490(7000-7999)
925/583(7000-7999),587(7000-7999),635(7000-7999)
925/643(7000-7999),678(7000-7999),679(6000-6999)
925/701(7000-7999),794(7000-7999),844(7000-7999)
925/862(7000-7999)

.....

SNFC CNTRL SNVACAHZAMD 08576 08636 7957 722 GR
/

.....

SNLUSOBSPO SNBBCAXFXAY 09171 08150 7957 740 GR
805/257(6000-6999),321(7000-7999),703(7000-7999)
805/723(6000-6999),725(7000-7999),776(7000-7999)
805/779(6000-6999),821(6000-6999),825(4000-4999)
805/869(7000-7999),912(7000-7999),935(7000-7999)

.....

SNLUSOBSPO SNLOCA01OMD 08297 08584 7240 740 BA DA
/

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SODA SPRINGS	SDSPCA11RS0	08120	08420	5170	726	BA DA G4 G5
530/426(0000-0999),426(1000-1999),426(3000-3999)						G7 GC GD IC
530/426(7000-7999),426(9000-9999)						ID IE IF IG
						PC PL PT RA
						RC RD RE RF
						RG RH SQ UP
						UT UU UW UZ
						ZW
SOLAMINT	SLMNCA11DS0	09139	07927	5170	730	AA BA DA G4
661/250(0000-5999),250(7000-9999),251,252,298						G5 G7 GC GD
661/299(0000-6999),299(9000-9999),424(0000-0999)						GQ HB II OR
661/424(1000-1999),424(9000-9999)						PC PL PR PS
						RA RF RG RH
						SJ SQ TJ UP
						UT UW UZ ZW
SOLEDAD	SLDDCA11RS0	08771	08497	5170	736	AA BA DA G4
831/678						GC GD IC ID
						IF PC PL RA
						SJ UP UT UU
						UW UZ WG WH
						ZW
SOLVANG	SLVNCAXG68K	09142	08233	2319	740	AA BA DA GC
805/686,688,691(1000-1999),693(0000-0999),693(1000-1999)						GD GE GG GJ
805/693(5000-5999),693(8000-8999),693(9000-9999)						GN GR HB HD
						II PC PL RC
						RD SH SQ TI
						TU UA UG VM
						ZZ
SOMES BAR	SMBRCAXF469	07721	08969	2339	724	AA BA DA GC
530/469						GD GI GN GR
						HD IC SP SQ
						TJ TK TW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
SONOMA                      SONMCA12DS0 08376 08745 5170  722 AA BA DA G4
   707/933(0000-0999),933(1000-1999),933(2000-2999)          G5 G7 GC GD
   707/933(3000-3999),933(4000-4999),933(8000-8999)          GQ IC ID IF
   707/933(9000-9999),935,938(0000-6999),938(8000-9999)      OR PC PL PR
   707/939(0000-0999),939(1000-1999),939(2000-2999)          PU RA RF RG
   707/939(3000-3999),939(4000-4999),939(6000-6999)          RH SL SN TJ
   707/939(7000-7999),939(8000-8999),939(9000-9999),996      UT UU UW UZ
                                                             WG ZW
.......................................................................
SONORA                      SNRACA13DS1 08412 08376 5170  738 AA BA DA G4
   209/532,533,536(0000-0999),536(1000-1999),536(2000-2999)  G5 G7 GC GD
   209/536(3000-3999),536(5000-5999),536(6000-6999)          IC ID IF PC
   209/536(9000-9999),588(0000-0999),588(1000-1999)          PL PT RA RC
   209/588(2000-2999),588(4000-4999),588(5000-5999)          RD RE RF RG
   209/588(8000-8999),588(9000-9999),694(0000-0999)          RH SK SR TJ
   209/694(1000-1999),694(2000-2999),694(8000-8999)          UT UU UW UZ
   209/899(2000-2999),989(0000-0999),989(2000-2999)          WG ZX
.......................................................................
SOUTH BARSTOW               BRSWCAXJRS6 09000 07688 4420  730 AA DA GC GD
   760/252,577(6000-7999)                                    GE GM GN GR
                                                             II RC RD SV
                                                             TU UG
.......................................................................
SOUTH GATE                  SGATCA01DS0 09234 07868 5170  730 AA BA BC DA
   323/249,357(0000-0999),357(1000-1999),357(3000-3999)      G4 G5 G7 GC
   323/357(5000-5999),357(6000-6999),357(7000-7999)          GD GQ HB IC
   323/357(8000-8999),357(9000-9999),563,564,566,567         ID IE IF IG
   323/568(2000-2999),568(3000-3999),568(4000-4999)          II OR PC PL
   323/568(5000-5999),568(8000-8999),569                     PR PS RA RF
                                                             RG RH SJ SQ
                                                             TJ UP UT UW
                                                             UZ WG WH ZW
.......................................................................
SOUTH LAGUNA BEACH          SLGBCAXFRS3 09315 07768 2319  730 AA BA DA GC
   949/415(0000-0999),415(1000-1999),499                     GD GE GG GJ
                                                             GM GN GR HB
                                                             HD II PC PL
                                                             SN SQ TG TJ
                                                             TU UG VM ZZ

=======================================================================
```

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SOUTH PASADENA	SPSDCA11DS0	09196	07862	5170	730	AA BA BC DA
323/682(4000-4999),682(5000-5999),682(6000-6999)						G4 G5 G7 GC
323/682(7000-7999)						GD GQ HB IC
626/372(8000-8999),403,441,799						ID IE IF IG
						II OR PC PL
						PR PS RA RF
						RG RH SJ SQ
						TJ UP UT UW
						UZ WG WH ZW
SOUTH TAHOE	STAHCA01DS0	08198	08336	5170	726	BA DA G4 G5
530/541(0000-8999),542,543(0000-0999),543(1000-1999)						G7 GC GD GQ
530/543(2000-2999),543(3000-3999),543(5000-5999)						IC ID IE IF
530/543(6000-6999),543(7000-7999),543(8000-8999),544						IG PC PL PT
						RA RC RD RE
						RF RG RH SK
						SQ TJ UP UT
						UU UW UZ WG
						WH ZW
SOUTH TAHOE	STAHCA12RS0	08227	08352	5170	726	BA DA G4 G5
530/659(0000-0999),659(1000-1999),659(7000-7999)						G7 GC GD IC
						ID IE IF IG
						PC PL PT RA
						RC RD RE RF
						RG RH SJ SQ
						UP UT UU UW
						UZ WG WH ZW
SOUTH TAHOE	STAHCA13RS0	08215	08339	5170	726	BA DA G4 G5
530/573(0000-0999),573(1000-1999),573(2000-2999)						G7 GC GD IC
530/573(3000-3999),573(4000-4999),573(5000-5999)						ID IE IF IG
530/573(6000-6999),573(7000-7999),573(8000-8999),577						PC PL PT RA
530/578(9000-9999)						RC RD RE RF
						RG RH SJ SQ
						UP UT UU UW
						UZ WG WH ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SPRINGVILLE	SPVLCA11RS0	08778	08050	5170	728	AA BA DA G4
559/539(0000-0999),539(1000-1999),539(2000-2999)						G5 G7 GC GD
559/539(3000-3999),539(5000-5999)						II OR PC PL
						RA RC RD RE
						RF RG RH SN
						UP UT UU UW
						UZ ZW
SQUAW VALLEY	SVYFCAXFRS5	08667	08140	2319	728	AA BA DA GD
559/332(1000-2999)						GE GG GM GN
						HB HD II PC
						PL RC RD SD
						SE SH SQ VM
STANDISH	STNDCAAARS0	07894	08448	2308	724	AA BA DA GC
530/254(0000-1999),254(6000-6999),254(8000-8999)						GD GN GR HJ
						RC RD SQ
STINSON BEACH	STBHCA11RS0	08472	08761	5170	722	AA BA DA G4
415/868(0000-0999),868(1000-1999),868(2000-2999)						G5 G7 GC GD
415/868(8000-8999),868(9000-9999)						GE HB II OE
						OR PC PL PS
						RA RC RD RE
						RF RG RH SN
						ST SV UG UR
						UT UU UW UZ
						WG ZW
STOCKTON	SKTNCA0105T	08435	08531	5170	738	G1 PR PU TJ
/						WG WH
STOCKTON	SKTNCA0127T	08435	08531	5170	738	G1 GB PA PR
209/766						PU TJ
559/766						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
STOCKTON	SKTNCA01DS0	08435	08531	5170	738	BA DA GC GD
209/460,461,462,463,464,465,466,467,468,469(0000-0999)						GE GQ II OH
209/469(2000-2999),469(3000-3999),469(4000-4999)						PA PJ PR PU
209/469(5000-5999),469(6000-6999),469(7000-7999)						QA QE RA RC
209/469(8000-8999),469(9000-9999),546(0000-0999)						RD RE RF RG
209/546(1000-1999),546(4000-4999),546(5000-5999)						RH RM SL SR
209/546(7000-7999),546(8000-8999),546(9000-9999),547						ST SU TB TE
209/808(0000-0999),817(0000-0999),932(0000-0999)						TF TJ TM TN
209/932(1000-1999),932(2000-2999),932(3000-3999)						TP TQ TS TT
209/932(4000-4999),932(5000-5999),932(6000-6999)						UE UG UR UT
209/932(7000-7999),933(0000-0999),933(2000-2999)						UU UW UZ VF
209/933(3000-3999),933(4000-4999),933(5000-5999)						VP WG WH ZX
209/933(6000-6999),933(7000-7999),933(8000-8999)						
209/933(9000-9999),937,938(0000-0999),938(2000-2999)						
209/938(3000-3999),938(4000-4999),938(5000-5999)						
209/938(6000-6999),939,941(0000-0999),941(1000-1999)						
209/941(2000-2999),941(4000-4999),941(5000-5999)						
209/941(6000-6999),941(7000-7999),941(8000-8999)						
209/941(9000-9999),942,943,944(0000-6999),944(8000-9999)						
209/946,948,953						
STOCKTON	SKTNCA01X0Z	08436	08531	7262	738	BA DA GE GJ
209/224(3000-3999),661(2000-2999),851(9000-9999)						GR HB IB RC
209/922(0000-0999)						RD SH SQ T1
						T2 UG UP UR
						US

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
STOCKTON                    SKTNCA01X7Z 08435 08531 7957  738 GR
   209/206(7000-7999),252(7000-7999),255(7000-7999)
   209/264(7000-7999),265(4000-4999),276(2000-2999)
   209/283(7000-7999),294(7000-7999),317(2000-2999)
   209/325(7000-7999),398(7000-7999),433(7000-7999)
   209/438(6000-6999),528(3000-3999),563(7000-7999)
   209/584(5000-5999),591(6000-6999),647(5000-5999)
   209/650(7000-7999),651(3000-3999),674(9000-9999)
   209/701(7000-7999),714(6000-6999),732(9000-9999)
   209/733(7000-7999),737(7000-7999),748(7000-7999)
   209/779(9000-9999),784(7000-7999),787(6000-6999)
   209/794(3000-3999),803(4000-4999),806(6000-6999)
   209/822(7000-7999),841(7000-7999),843(7000-7999)
   209/851(7000-7999),853(7000-7999),857(7000-7999)
   209/863(7000-7999),877(6000-6999),881(6000-6999)
   209/886(6000-6999),893(6000-6999),895(2000-2999)
   209/899(7000-7999),916(6000-6999),989(5000-5999)
   559/715(7000-7999)
.......................................................................
STOCKTON                    SKTNCA01X8Z 08436 08531 7262  738 BA DA GE GJ
   209/289(2000-2999),395(2000-2999),426(3000-3999)          GR HB IB RC
                                                             RD SH SQ T1
                                                             T2 UG UP UR
                                                             US
.......................................................................
STOCKTON                    SKTNCA01XYY 08436 08531 668G  738 DA
     /
.......................................................................
STOCKTON                    SKTNCA11DS0 08424 08538 5170  738 BA DA GC GD
   209/472,473,474,475(0000-1999),475(3000-6999)             GE GQ II OR
   209/475(9000-9999),476,477,478,888(2000-3999),951,952     PB PK PR PU
   209/954(0000-0999),954(1000-1999),954(3000-3999)          RA RC RD RE
   209/954(4000-4999),954(5000-5999),954(7000-7999)          RF RG RH SJ
   209/954(9000-9999),955(0000-0999),955(1000-1999)          SV TJ UG UT
   209/955(2000-2999),955(3000-3999),955(4000-4999)          UU UW UZ WG
   209/955(5000-5999),955(6000-6999),955(7000-7999),956,957  WH ZW
   209/957
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
STOCKTON	SKTNCA12RS0	08418	08522	5170	738	AA BA DA G4
209/931						G5 G7 GC GD
						IC ID IE IF
						IG OR PC PL
						PR PU RA RC
						RD RE RF RG
						RH SJ ST SV
						UG UR UT UU
						UW UZ WG WH
						ZW
STOCKTON	SKTNCA14DS0	08451	08527	5170	738	AA BA DA G4
209/234,944(7000-7999),982,983						G5 G7 GC GD
						GE GQ II OH
						OR PC PL PR
						PU RA SJ SV
						UT UU UW UZ
						WG WH ZW
STOCKTON	SKTNCACZDS0	08428	08532	864C	738	DA QC
/						
STOCKTON	SKTNCACZDS1	08428	08532	864C	738	DA QC
/						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
STOCKTON	SKTNCASLDS0	08436	08531	7128	738	DA DD
209/205(4000-4999),216(4000-4999),221(4000-4999)						
209/222(5000-5999),235(0000-5999),235(9000-9999)						
209/237(3000-3999),237(4000-5999),241(5000-5999)						
209/242(0000-0999),242(7000-7999),253(3000-3999)						
209/257(6000-6999),287(3000-3999),302(3000-3999)						
209/314(3000-3999),318(8000-8999),330(5000-5999)						
209/332(3000-3999),362(1000-1999),371(0000-0999)						
209/371(2000-2999),371(6000-6999),416(3000-3999)						
209/427(3000-3999),446(5000-5999),447(2000-2999)						
209/457(4000-4999),591(5000-5999),674(3000-3999)						
209/676(3000-3999),714(8000-8999),752(3000-3999)						
209/838(4000-4999),857(3000-3999),867(3000-3999)						
209/890(4000-4999),896(3000-3999),916(7000-7999)						
209/923(6000-6999)						
559/715(5000-5999)						
STONYFORD	STFRCA11RS1	08147	08778	5170	724	AA BA DA G4
530/963(1000-1999),963(3000-3999)						GC GD IC ID
						IE IG PC PL
						PT RA RC RD
						RE RF RG RH
						UT UU UW UZ
						ZW
STRATFORD	SRFRCA11RS0	08789	08227	5170	728	AA BA BC DA
559/947(1000-1999),947(3000-3999)						G4 G5 G7 GC
						GD IC ID IE
						IF IG II OR
						PC PL PT RA
						RC RD RE RF
						RG RH SJ SN
						ST UP UR UT
						UU UW UZ WG
						ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
STRATHMORE	STMRCAXFRS1	08781	08092	2319	728	AA BA DA GC
559/568(0000-3999)						GD GE GG GM
						GN HB HD II
						PC PL SN SQ
						VM
SUISUN	SUISCA11DS0	08379	08653	5170	722	BA DA G4 G5
707/437(0000-5999),437(7000-8999),439(0000-0999)						G6 G7 GC GD
707/439(9000-9999)						GQ HB IC ID
						IE IF IG OR
						PC PL RA RC
						RD RE RF RG
						RH SJ SN ST
						UG UR UT UW
						UZ WG ZW
SUMMIT VALLEY	SMVYCAXFRSA	09131	07725	4420	730	AA DA GC GD
760/389(2000-2999)						GE GM GN GR
						II RC RD SV
						TU UB
SUN CITY	SNCYCAXF67K	09259	07674	2319	730	AA BA DA GC
951/246(3000-3999),246(4000-4999),246(7000-7999)						GD GE GG GJ
951/246(8000-8999),301,566(5000-5999),639(5000-5999),672						GN GR HB HD
951/679,723(1000-1999),723(8000-8999)						II PC PL RC
						RD SH SN SQ
						TG TI TU UG
						UR VM WD WE
						WF WG WH WI
						WJ ZZ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SUNLAND	SNLDCAXF35K	09169	07895	2319	730	AA BA DA GC
818/352,353,446(0000-0999),951						GD GE GG GJ
						GN GR HB HD
						II PC PL RC
						RD SN SQ TG
						TI TJ TU UA
						UG UR VM WD
						WE WF WG WH
						WI WJ ZZ
SUNNYMEAD	SNYMCAXF92F	09208	07690	2319	730	AA BA DA GC
951/242,243(0000-3999),243(5000-9999),247,251(6000-7999)						GD GE GG GJ
951/485,486(0000-0999),486(2000-2999),486(3000-3999)						GN GR HB HD
951/486(4000-4999),486(5000-5999),486(6000-6999)						II PB PK RC
951/486(7000-7999),486(9000-9999),488(0000-1999)						RD SN SQ TG
951/488(9000-9999),601,656(9925-9998),697(6910-6949)						TI TJ TU UG
951/697(8200-8259),924						VM ZZ
SUNNYVALE	SNVACA0155T	08576	08644	5170	722	PK
/						
SUNNYVALE	SNVACA01DS1	08576	08644	5170	722	BA BC DA G4
408/245,328,481,522,523,524,530,584,616(1000-8999)						G5 G7 GC GD
408/617(0000-0999),617(1000-1999),617(2000-2999)						GE GQ HB IC
408/617(3000-3999),617(6000-6999),720,721,730						ID IE IF IG
408/731(1000-5999),731(8000-8999),732,733,735,736,737						II OR PB PK
408/738(0000-6999),738(8000-9999),739,746(0000-4999)						PR PS QA QE
408/746(6000-9999),749,773(0000-5999),773(7000-9999)						RA RC RD RE
408/774(0000-3999),774(5000-9999),830(0000-3999)						RF RG RH SD
408/830(5000-5999),830(8000-9999),991(0000-1999)						SK SN SQ TJ
408/991(6000-9999),992(0000-0999),992(2000-4999)						UG UP UT UU
408/992(6000-9999)						UW UZ ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
SUNNYVALE                   SNVACA11DS0 08569 08644 5170  722 AA BA DA G4
   408/336,338(1000-4999),400(0000-1999),400(4000-6999)      G5 G7 GC GD
   408/400(8000-9999),419(3000-3999),419(5000-8999)          GE GQ HB IC
   408/541(0000-2999),541(4000-9999),542(1000-6999)          ID IE IF IG
   408/542(8000-8999),543(0000-8999),548(1000-6999)          OR PB PK PR
   408/548(8000-9999),734(0000-4999),734(6000-9999),742      PS QA QE RA
   408/743(0000-4999),743(6000-9999),744(0000-1999)          RE RF RG RH
   408/744(3000-5999),744(7000-9999),745,747(0000-0999)      SD SE SJ SN
   408/747(1000-1999),747(3000-3999),747(4000-4999)          TJ UT UU UW
   408/747(5000-5999),747(6000-6999),747(8000-8999)          UZ WG WH ZW
   408/752(0000-1999),752(3000-7999),752(9000-9999),756,936
   408/936
.......................................................................
SUNNYVALE                   SNVACAUIDS0 08574 08637 7128  722 DA DD
   408/212(2000-2999),212(3000-3999),212(6000-6999)
   408/220(0000-0999),220(1000-1999),220(2000-2999)
   408/220(7000-7999),220(8000-8999),222,346,367(0000-0999)
   408/367(1000-1999),367(2000-2999),367(3000-3999)
   408/367(4000-4999),367(5000-5999),367(6000-6999)
   408/367(7000-7999),367(8000-8999),484(3000-3999),572,765
   408/822(0000-8999),875,876(5000-5999),878(0000-0999)
   408/878(1000-1999),878(3000-3999),878(6000-6999)
   408/878(7000-7999),878(8000-8999),914(3000-3999)
   408/914(4000-4999),914(6000-7999),914(9000-9999)
   408/933(0000-2999),933(4000-5999),933(7000-7999)
   415/490(0000-0999),490(1000-1999),490(2000-2999)
   415/490(3000-3999),490(4000-4999),490(5000-5999)
   415/490(9000-9999),963(5000-8999)
   510/270(9000-9999)
   650/235(2000-2999),235(3000-3999),480(2000-2999)
   650/480(4000-4999),480(6000-6999),480(7000-7999)
   650/480(8000-8999),534(9000-9999),676(1000-3999)
   650/769(1000-1999),769(2000-2999),769(3000-3999)
   650/815(0000-0999),815(2000-2999),815(3000-3999)
   650/930(1000-1999),930(2000-2999),930(3000-3999)
   650/930(4000-4999),930(5000-5999)
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SUNOL	SUNLCA11RS0	08526	08625	5170	722	AA BA DA G4
925/862(0000-0999),862(1000-1999),862(2000-2999)						G5 G7 GC GD
925/862(4000-4999),862(5000-5999),862(6000-6999)						GE HB II OR
925/862(8000-8999),862(9000-9999)						PC PL PS RA
						RE RF RG RH
						SJ SN ST UG
						UR WG WH ZW
SURF	SURFCAXFRS2	09119	08308	2319	740	AA BA DA GC
805/734(0000-0999),734(1000-1999),734(2000-2999)						GD GE GG GM
805/734(3000-3999),734(4000-4999),734(5000-5999)						GN HB HD II
805/734(6000-6999)						PC PL SH SN
						SQ TU UA UG
						UR VM WD WE
						WF WG WH WI
						WJ ZZ
SUSANVILLE	SSVLCAXF25T	07887	08488	2308	724	GB
/						
SUSANVILLE	SSVLCAXFDS0	07887	08488	2308	724	AA BA DA G2
530/251(0000-2999),251(4000-5999),251(8000-9999)						G3 GC GD GN
530/252(0000-0999),252(1000-1999),252(2000-2999)						GR HJ RB RC
530/252(3000-3999),252(4000-4999),252(5000-5999)						RD RH RM SD
530/252(6000-6999),252(7000-7999),257						SE SF SM SR
						ZZ
SUTTER CREEK	STCKCA11RS0	08331	08459	5170	738	AA BA DA G4
209/267(0000-0999),267(1000-1999),267(5000-5999)						GC GD IC ID
209/267(9000-9999)						IE IG PC PL
						PT RA RC RD
						RE RF RG RH
						SJ SV UG UR
						UT UU UW UZ
						WG WH ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SYLMAR	SYLMCAXF36K	09162	07922	2319	730	AA BA DA GC
818/362,364,367,833						GD GE GG GK
						GN GR HB HD
						II PC PL RC
						RD SH SN SQ
						TG TI TJ TU
						UA UG UR VM
						WD WE WF WG
						WH WI WJ ZZ
TAFT	TAFTCAXF53T	09009	08130	4420	734	BA GB SR
/						
TAFT	TAFTCAXFDS0	09009	08130	4420	734	AA DA GC GD
661/763(0000-0999),763(1000-1999),763(2000-2999)						GE RC RD SQ
661/763(3000-3999),763(4000-4999),763(5000-5999)						UB
661/763(6000-6999),763(7000-7999),763(8000-8999)						
661/765(1000-1999),765(2000-2999),765(3000-3999)						
661/765(4000-4999),765(5000-5999),765(6000-6999)						
661/765(7000-7999),765(9000-9999)						
TAHOE CITY	THCYCA01DS0	08148	08369	5170	726	AA BA DA G4
530/581,583,584(1000-1999),584(5000-5999),584(6000-6999)						G5 G7 GC GD
530/584(8000-8999)						GQ IC ID IF
						PC PL PR PU
						RA RC RD RE
						RF RG RH SJ
						SN SQ UP UT
						UU UW UZ ZW
TEHACHAPI	THCHCA01DS0	08985	07951	5170	734	AA BA DA G4
661/822,823(0000-0999),823(1000-1999),823(2000-2999)						G5 G7 GC GD
661/823(3000-3999),823(5000-5999),823(6000-6999)						GQ IC ID IE
661/823(7000-7999),823(8000-8999),823(9000-9999)						IF IG OR PC
						PL PT PU RA
						SK SV UT UU
						UW UZ WG WH
						ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
TEMECULA                    TMCLCAXGDS0 09295 07665 2319  730 DA GN TJ TU
   951/296(0000-3999),296(5000-6999),296(9000-9999)
   951/587(2080-2099),587(9199-9289),694(9397-9399)
   951/694(9411-9413),694(9438-9440),694(9447-9449)
   951/694(9466-9468),694(9480-9482),694(9489-9491)
   951/694(9535-9537),694(9621-9623),694(9632-9634)
   951/694(9686-9689),694(9716-9718),694(9726-9731)
   951/694(9844-9846),694(9850-9852),694(9882-9885)
   951/694(9928-9930),719(1000-3999)
.......................................................................
TEMECULA                    TMCLCAXHPSA 09302 07649 2319  730 DA GN TU
   951/240(4000-4999),302,303(0000-3999),303(6000-6999)
   951/303(8000-9999),308(2140-2199),587(2040-2059)
   951/587(9559-9567)
.......................................................................
TEMPLETON                   TMTNCA11RS0 08948 08364 5170  740 AA BA DA GC
   805/434(0000-0999),434(1000-1999),434(2000-2999)          GD IC ID IF
   805/434(3000-3999),434(4000-4999),434(5000-5999)          PC PL PT RA
   805/434(9000-9999)                                        SJ SV UT UU
                                                             UW UZ WG ZW
.......................................................................
TERRA BELLA                 TRBLCA11RS0 08820 08084 5170  728 AA BA DA G4
   559/535(0000-0999),535(1000-1999),535(4000-4999)          G5 G7 GC GD
   559/535(5000-5999)                                        II OR PC PL
                                                             RA RC RD RE
                                                             RF RG RH SJ
                                                             SN SQ UP UT
                                                             UU UW UZ ZW
.......................................................................
THERMAL                     THRMCAXFRS5 09238 07483 2319  973 AA BA DA GC
   760/399(1000-1999),399(3000-5999),399(8000-9299)          GD GE GG GM
   760/399(9700-9999)                                        GN GR HB HD
                                                             II PC PL SN
                                                             SQ TU VM
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
THORNTON                    THTNCA11RS0 08379 08561 5170  738 AA BA DA G4
   209/794(1000-1999),794(2000-2999),794(8000-8999)          G5 G7 GC GD
                                                             IC ID IE IF
                                                             IG PC PL PR
                                                             PU RA RC RD
                                                             RE RF RG RH
                                                             SJ SN ST SV
                                                             UG UR UT UU
                                                             UW UZ ZW
.......................................................................
THOUSAND OAKS               THOKCAXF49J 09202 07991 2319  730 AA BA DA GC
   805/370,371,372(3000-3999),372(4000-4999),372(5000-5999)  GD GE GR HB
   805/372(6000-6999),372(7000-7999),372(8000-8999),373,374  RC RD SH SN
   805/379,381(0000-0999),381(1000-1999),381(2000-2999)      SQ TD TG TU
   805/381(3000-3999),381(4000-4999),381(6000-6999)          ZZ
   805/381(7000-7999),381(8000-8999),381(9000-9999),446,495
   805/495
.......................................................................
THOUSAND OAKS               THOKCAXF81T 09202 07991 2319  730 GB HB TU
      /
.......................................................................
THOUSAND OAKS               THOKCAXFDS1 09202 07991 2319  730 AA BA DA GC
   805/228(0000-0999),228(1000-1999),228(5000-5999)          GD GG GJ GN
   805/228(6000-6999),228(7000-7999),228(8000-8999)          GR HB HD II
   805/229(0000-0999),230,246(0000-0999),262(0000-0999)      PA PJ RC RD
   805/262(1000-1999),313,351(0000-0999),449,494(0000-0999)  SH SN SQ TB
   805/494(1000-1999),494(3000-3999),494(4000-4999)          TD TG TH TI
   805/494(5000-5999),494(6000-6999),494(7000-7999)          TJ TU UA UG
   805/494(8000-8999),494(9000-9999),496,497,557(0000-0999)  UR VM WD WE
   805/557(1000-1999),557(2000-2999),557(3000-3999)          WF WG WH WI
   805/557(4000-4999),557(5000-5999),557(6000-6999)          WJ ZZ
   805/557(7000-7999),590(1000-1999),738(0000-0999)
   805/738(1000-1999),777,778(0000-0999),778(1000-1999)
   805/778(2000-2999),778(3000-3999),778(4000-4999)
   805/778(6000-6999),778(7000-7999),778(9000-9999)
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
THOUSAND OAKS	THOKCAXH49K	09193	07994	2319	730	AA BA DA GC
805/241,491(0000-0999),491(2000-2999),491(3000-3999)						GD GE GG GJ
805/491(8000-8999),492,493						GN HB HD II
						PB PK RC RD
						SN SQ TG TI
						TJ TU UA UG
						UR VM WD WE
						WF WG WH WI
						WJ ZZ
THOUSAND PALMS	THPLCAXFDS0	09208	07536	2319	973	AA BA DA GC
760/343(0000-5999),343(7000-7899)						GD GE GG GM
						GN GR HB HD
						II PC PL SH
						SN SQ TU UG
						VM
THREE RIVERS	THRRCA11RS0	08717	08076	5170	728	AA BA DA G4
559/561(0000-0999),561(1000-1999),561(3000-3999)						G5 G7 GC GD
559/561(4000-4999)						II OR PC PL
						RA RC RD RE
						RF RG RH SH
						SN SQ UP ZW
TIBURON	TBRNCA11DS0	08471	08734	5170	722	AA BA DA G4
415/435,789(0000-0999),789(1000-1999),789(2000-2999)						G5 G7 GC GD
415/789(5000-5999),789(7000-7999),789(8000-8999)						GQ IC ID IF
415/789(9000-9999)						OE OR PC PL
						PS RA RF RG
						RH SJ SN TJ
						UT UU UW UZ
						ZW
TIMBER COVE	TMCVCAXHRS1	08359	08856	4420	722	DA GM GN GR
707/847(3000-3999)						II

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
TIPTON	TPTNCA11RS0	08804	08132	5170	728	AA BA DA G4
559/752(0000-0999),752(1000-1999),752(4000-4999)						G5 G7 GC GD
559/752(5000-5999)						II OR PC PL
						RA RF RG RH
						SJ UP UT UU
						UW UZ ZW
TIVY VALLEY	TVVYCAXFRS1	08657	08177	4420	728	DA GE GM GN
559/787(2000-3999),787(8000-8999)						II UG
TOMALES	TMLSCA12RS0	08481	08733	5170	722	AA BA DA G4
707/878(1000-1999),878(2000-2999),878(9000-9999)						G5 G7 GC GD
						HB IC ID IE
						IF IG II OR
						PC PL PS RA
						RB SH SN ST
						UG UR UT UW
						UZ ZW
TOPANGA	TPNGCAXFRS1	09214	07942	2319	730	AA BA DA GC
310/455(0000-4999),455(7000-7999),455(9000-9999)						GD GE GG GJ
						GM GN GR HB
						HD II PC PL
						SH SN SQ TG
						TJ TU UG VM
TORRANCE	TRNCCA11DS0	09262	07883	5170	730	AA BA DA GC
310/212,222,224,320,328,381(0000-8999),468						GD GQ HB OR
310/533(0000-6999),533(8000-9999),618(0000-3999)						PB PK PR PS
310/618(5000-9999),781(1000-9999),782(0000-3999)						RA RF RG RH
310/782(6000-9999),783,787,972(2000-7999)						SJ SN SQ TJ
						UP WG WH ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
TORRANCE	TRNCCAXF54K	09262	07892	2319	730	AA BA DA GC
310/316,540,543,792,944(3000-3999),944(9000-9999)						GD GE GG GJ
						GN GR HB HD
						II PB PK RC
						RD SN SQ TG
						TI TJ TU UA
						UG UR VM WD
						WE WF WG WH
						WI WJ ZZ
TORRANCE	TRNCCAXG37J	09270	07894	2319	730	AA BA DA GC
310/373,375,378,465(0000-0999),465(1000-1999)						GD GE GG GJ
310/465(2000-2999),791						GN GR HB HD
						II PB PK RC
						RD SH SN SQ
						TG TI TJ TU
						UA UG UR VM
						WD WE WF WG
						WH WI WJ ZZ
TRACY	TRACCA11DS0	08485	08549	5170	738	AA BA DA G4
209/221(6000-8999),830,831(6000-6999),832,833						G5 G7 GC GD
209/834(0000-0999),834(1000-1999),834(2000-2999)						GQ IC IE IF
209/834(8000-8999),834(9000-9999),835,836,839(0000-0999)						IG OR PC PL
209/839(1000-1999),839(2000-2999),839(3000-3999)						PR PU RA RF
209/839(4000-4999),839(5000-5999),839(6000-6999)						RG RH SJ SQ
209/839(8000-8999),839(9000-9999)						TJ UP UT UU
						UW UZ WG WH
						ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
TRACY	TRACCA11RS2	08485	08549	5170	738	BA DA GC GD
209/831(1000-1999),831(4000-5999)						GE II PC PL
						PR PU RA RC
						RD RE RF RG
						RH RM SN ST
						SU SV TB TE
						TF TJ TM TN
						TP TQ TS TT
						UE UG UR UT
						UU UW UZ ZW
TRANQUILITY	TRNQCAXFRS1	08699	08316	4420	728	DA GM GN II
559/698(5000-5999),698(7000-7999)						
TRES PINOS	TRPSCA11RS0	08691	08506	5170	736	AA BA DA G4
831/628(1000-1999),628(3000-3999)						G5 G7 GC GD
						IC IE IF IG
						PC PL PT RA
						RC RD RE RF
						RG RH SJ UP
						UT UU UW UZ
						WG ZW
TRINIDAD	TRNDCA11RS1	07798	09075	5170	722	AA BA DA G4
707/677(0000-0999),677(1000-1999),677(3000-3999)						G5 G7 GC GD
707/677(9000-9999)						GE II PC PL
						PT RA SH SN
						ST UR UT UU
						UW UZ ZW
TRINITY CENTER	TRCTCAXFDS0	07796	08837	2321	724	AA BA DA GN
530/266,286						GR TJ
TRONA	TRONCAXFRS1	08819	07784	4420	730	DA GC GD GE
760/372(2000-2999),372(4000-5999)						GM GN GR II
						UG

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
TRUCKEE	TRUCCA11DS0	08115	08381	5170	726	AA BA DA G4
530/550(0000-0999),550(1000-1999),550(2000-2999)						G5 G7 GC GD
530/550(3000-3999),550(5000-5999),550(6000-6999)						GQ IC ID IF
530/550(7000-7999),550(8000-8999),550(9000-9999),582,587						PC PL PT RA
530/587						RC RD RE RF
						RG RH SJ SN
						SQ TJ UP UT
						UU UW UZ WG
						ZW
TRUCKEE	TRUCCA12RS0	08118	08383	5170	726	BA DA G4 G5
530/562(0000-0999),562(1000-1999),562(2000-2999)						G7 GC GD IC
530/562(3000-3999),562(8000-8999)						ID IE IF IG
						PC PL PR PU
						RA RC RD RE
						RF RG RH SJ
						SQ UP UT UU
						UW UZ ZW
TULARE	TULRCA11DS0	08774	08144	5170	728	AA BA DA G4
559/684(0000-0999),684(1000-1999),684(3000-3999)						G5 G7 GC GD
559/684(4000-4999),684(7000-7999),684(8000-8999)						GQ II OR PC
559/684(9000-9999),685,686,687(0000-0999),687(1000-1999)						PL RA RF RG
559/687(2000-2999),687(3000-3999),687(4000-4999)						RH SJ SN SQ
559/687(6000-6999),687(7000-7999),687(8000-8999)						TJ UP UT UU
559/687(9000-9999),688						UW UZ WG WH
						ZW
TUOLUMNE	TLMNCAXFDS0	08415	08351	2342	738	BA DA GC GD
209/928						GN HJ II RA
						RC RD RE RF
						RG RH UL UM

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
TURLOCK	TRLCCA11DS0	08527	08443	5170	738	AA BA DA G4
209/632,634,656,664,667,668,669						G5 G7 GC GD
						GQ IC ID IE
						IF IG OR PC
						PL PT PU RA
						RC RD RE RF
						RG RH SJ SV
						TJ UT UU UW
						UZ WG WH ZW
TUSTIN	TUSTCA11DS0	09267	07785	5170	730	AA BA BC DA
714/247(7000-7999),368,430(2000-2999),505,508,544,573						G4 G5 G7 GC
714/665,669,730,731,734,832,838						GD GQ HB IC
						ID IE IF IG
						II OH OR PB
						PK PR PS RA
						RC RD RE RF
						RG RH SJ SN
						SQ TJ UP UT
						UW UZ WG WH
						ZW
TUSTIN	TUSTCA70DS0	09272	07790	5170	730	BA DA G4 G5
714/247(0000-6999),247(8000-8999),258(0000-0999)						G7 GC GD GQ
714/258(1000-1999),258(2000-2999),258(3000-3999)						HB IC ID IE
714/258(4000-4999),258(5000-5999),258(7000-7999)						IF IG OR PC
714/258(8000-8999),258(9000-9999),259,466(1000-1999)						PL PR PS RA
714/466(2000-2999),466(3000-3999),466(4000-4999)						SJ SQ UP UT
714/466(5000-5999),466(8000-8999),566(0000-3999)						UW UZ WG WH
714/566(6000-9999)						ZW
TWAIN HARTE	TWHRCA11RS0	08397	08352	5170	738	DA G4 GC GD
209/586(0000-0999),586(1000-1999),586(2000-2999)						PC PL PT RA
209/586(3000-3999),586(4000-4999),586(5000-5999)						SJ SV UR ZW
209/586(6000-6999),586(7000-7999),586(9000-9999)						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
TWENTYNINE PALMS	TWPLCAXF36K	09130	07488	2319	973	AA BA DA GC
760/361(0000-0999),361(1000-1999),361(2000-2999)						GD GE GG GJ
760/361(3000-3999),361(4000-4999),361(5000-5999)						GN GR HB HD
760/361(7000-7999),361(8000-8999),367(0000-7999)						II PC PL RC
760/367(9000-9999),865(1000-8999)						RD SH SN SQ
						TI TU UG VM
TWENTYNINE PALMS	TWPLCAXGRS1	09115	07489	2319	973	AA BA DA GC
760/368(0000-0999),368(1000-1999),368(3000-3999)						GD GE GG GM
760/368(4000-4999),368(9000-9999)						GN GR HB HD
						II PC PL SH
						SN SQ TU VM
UKIAH	UKIHCA01DS0	08207	08885	5170	722	AA BA BC DA
707/462,463,467(0000-6999),467(8000-9999),468						G4 G5 G7 GC
707/472(0000-0999),472(2000-2999),472(4000-4999)						GD GQ IC ID
						IE IF IG II
						PC PL PT RA
						RC RD RE RF
						RG RH RM SK
						SN SV TJ UG
						UR UT UU UW
						UZ VE VM WG
						WH ZW
UKIAH	UKIHCA12RS0	08187	08886	5170	722	AA BA BC DA
707/485(0000-0999),485(1000-1999),485(5000-5999)						G4 G5 G7 GC
707/485(6000-6999),485(7000-7999),485(8000-8999)						GD IC ID IE
707/485(9000-9999)						IF IG II PC
						PL PT RA RC
						RD RE RF RG
						RH RM SL SN
						SV UG UR UT
						UU UW UZ VE
						VM ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
UNION CITY	UNCYCA11DS0	08526	08648	5170	722	AA BA DA G4
510/324(0000-0999),324(1000-1999),324(2000-2999)						G5 G7 GC GD
510/324(3000-3999),324(4000-4999),324(5000-5999)						GQ HB OE OR
510/324(8000-8999),429,441(0000-0999),441(1000-1999)						PB PK PS RA
510/441(2000-2999),441(3000-3999),441(5000-5999)						RE RF RG RH
510/441(6000-6999),441(7000-7999),441(8000-8999)						SJ SN TJ WG
510/441(9000-9999),471,475,476,477,487,489						WH ZW
510/675(0000-0999),675(1000-1999),675(2000-2999)						
510/675(3000-3999),675(4000-4999),675(5000-5999)						
510/675(6000-6999),675(9000-9999)						
UPLAND	UPLDCAXF98G	09184	07773	2319	730	AA BA DA GC
909/367(7000-7999),579(0000-0999),579(1000-1999)						GD GE GG GJ
909/579(4000-4999),579(5000-5999),579(6000-6999)						GN GR HB HD
909/579(8000-8999),608,920,931,932,946,949,981,982,985						II PA PJ RC
909/985						RD SH SN SQ
						TG TI TJ TU
						UA UG UR VM
						WD WE WF WG
						WH WI WJ ZZ
UPPER LAKE	UPLKCA11RS0	08198	08834	5170	722	AA BA DA G4
707/275(0000-0999),275(1000-1999),275(2000-2999)						GC GD IC ID
707/275(3000-3999),275(8000-8999),275(9000-9999)						IF PC PL PT
						RA SN UT UU
						UW UZ ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE			
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--
VACAVILLE	VCVLCA12DS0	08361	08660	5170	722	AA	BA	BC	DA
707/446,447,448,449,450(0000-0999),450(2000-3999),451						G4	G5	G7	GC
707/452(0000-0999),452(1000-1999),452(2000-2999)						GD	GQ	HB	IC
707/452(4000-4999),452(5000-5999),452(6000-6999)						ID	IE	IF	IG
707/452(7000-7999),452(8000-8999),452(9000-9999),453						OR	PC	PL	RA
707/454(0000-0999),454(1000-1999),454(2000-2999)						RC	RD	RE	RF
707/454(3000-3999),454(4000-4999),454(5000-5999)						RG	RH	SL	SN
707/454(7000-7999),454(8000-8999),455(0000-0999)						SV	TJ	UT	UU
707/455(1000-1999),455(2000-2999),455(3000-3999)						UW	UZ	VE	VM
707/455(4000-4999),455(7000-7999),455(8000-8999)						WG	WH	ZW	
707/455(9000-9999),469(0000-0999),469(1000-1999)									
707/469(2000-2999),469(4000-4999),469(6000-6999)									
707/469(7000-7999),469(8000-8999),469(9000-9999)									
707/624(1000-1999),624(2000-4999),624(7000-8999)									
VALLE VISTA	VLVSCAXF92X	09239	07623	2319	730	AA	BA	DA	GC
951/306(0000-0999),927						GD	GE	GG	GJ
						GN	GR	HB	HD
						II	PC	PL	RC
						RD	SH	SN	SQ
						TG	TI	TU	UG
						VM	ZZ		

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE			
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--
VALLEJO	VLLJCA01DS1	08421	08700	5170	722	AA	BA	BC	DA
707/550,551,552,553(1000-1999),553(2000-2999)						G4	G5	G7	GC
707/553(5000-5999),553(6000-6999),553(7000-7999)						GD	GQ	IC	ID
707/553(8000-8999),553(9000-9999),554,556(0000-0999)						IE	IF	IG	II
707/556(1000-1999),556(3000-3999),556(5000-5999)						OH	PC	PL	RA
707/556(6000-6999),556(7000-7999),556(8000-8999)						RC	RD	RE	RF
707/556(9000-9999),557,558(0000-0999),558(1000-1999)						RG	RH	RM	SL
707/558(2000-2999),558(4000-4999),558(5000-5999)						SN	SS	ST	TJ
707/558(6000-6999),558(7000-7999),558(8000-8999)						UG	UR	UT	UU
707/558(9000-9999),562(8000-8999),641(0000-0999)						UW	UZ	VL	VQ
707/641(7000-7999),641(8000-8999),642,643,644,645,647						WG	WH	ZY	
707/648(0000-0999),648(1000-1999),648(2000-2999)									
707/648(3000-3999),648(4000-4999),648(5000-5999)									
707/648(7000-7999),648(8000-8999),648(9000-9999),649									
707/651(0000-0999),651(1000-1999),651(2000-2999)									
707/651(3000-3999),651(4000-4999),651(5000-5999)									
707/651(7000-7999),651(8000-8999),652(0000-0999)									
707/654(1000-1999)									
VALLEY CENTER	VLCTCA11RS1	09354	07626	5170	732	AA	BA	DA	GC
760/749,751(0000-0999),751(1000-1999),751(2000-2999)						GD	IC	ID	IE
760/751(3000-3999),751(4000-4999),751(5000-5999)						IF	IG	OR	PC
760/751(7000-7999),751(8000-8999),751(9000-9999)						PL	PR	PU	RA
						RC	RD	RE	RF
						RG	RH	SJ	SN
						SQ	ST	SU	UE
						UP	UR	UT	UU
						UW	UZ	WG	ZW
VALLEY FORD	VYFRCA11RS1	08385	08819	5170	722	AA	BA	DA	G4
707/876(1000-1999),876(3000-3999)						G5	G7	GC	GD
						HB	IC	ID	IE
						IF	IG	II	OR
						PC	PL	PR	PU
						RA	RB	SJ	SN
						ST	UG	UR	UT
						UW	UZ	ZW	

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
VALLEY SPRINGS	VYSPCA11RS0	08375	08459	5170	738	AA BA DA G4
209/772(0000-0999),772(1000-1999),772(2000-2999)						GC GD IC ID
209/772(3000-3999),772(7000-9999)						IE IG PC PL
						PT RA SK SR
						UT UU UW UZ
						WG WH ZX
VAN NUYS	VNNYCA02DS0	09187	07919	5170	730	AA BA DA GC
818/267(1000-1999),267(2000-2999),267(3000-3999)						GD GQ HB II
818/267(5000-5999),373(0000-0999),373(1000-1999)						OH OR PA PJ
818/373(2000-2999),373(3000-3999),373(4000-4999)						PR PS QA QE
818/373(5000-5999),373(6000-6999),373(7000-7999)						RA RC RD RE
818/373(8000-8999),374,375,756,778,779,781,782,786,787						RF RG RH SJ
818/947,988						SN SQ TB TE
						TF TJ TM TN
						TP TQ TS TT
						UP UT UW UZ
						ZW
VAN NUYS	VNNYCA02DS1	09187	07919	5170	730	AA BA BC DA
323/873(1000-1999)						G4 G7 GC GD
818/376(0000-8999),442(0000-0999),442(6000-6999)						GQ HB IC ID
818/442(9000-9999),780,785,901,902,904,908,909,989,994						IE IF IG II
818/997						PA PJ PR PS
						QA QE RA RC
						RD RE RF RG
						RH SN SQ TB
						TE TF TJ TM
						TN TP TQ TS
						TT UP UT UW
						UZ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
VENTURA                     VNTRCA02DS0 09191 08072 5170  730 AA BA DA GC
   805/223(2000-2999),585(1000-1999),585(2000-2999)          GD GQ HB II
   805/585(6000-6999),641,643,648,651(2000-2999),652,653     OR PC PL PR
   805/667(2000-6999)                                        PU RA RC RD
                                                             RE RF RG RH
                                                             SJ SN SQ TJ
                                                             UP UT UW UZ
                                                             WG ZW
.......................................................................
VENTURA                     VNTRCA11DS0 09193 08062 5170  730 AA BA DA GC
   805/289,339,477(0000-7999),477(9000-9999),639(0000-0999)  GD GQ HB II
   805/639(1000-1999),639(2000-2999),639(3000-3999)          OH PC PL PR
   805/639(4000-4999),639(5000-5999),639(6000-6999)          PU RA RF RG
   805/639(7000-7999),639(9000-9999),642,644,645(1000-1999)  RH SF SK SN
   805/645(2000-2999),645(3000-3999),645(4000-4999)          TJ UT UW UZ
   805/645(5000-5999),645(6000-6999),645(7000-7999)          WG WH
   805/645(8000-8999),645(9000-9999),650,654,655
   805/656(6000-6999),656(9000-9999),658,662(0000-0999)
   805/662(1000-1999),662(2000-2999),662(3000-3999)
   805/662(4000-4999),662(6000-6999),662(7000-7999)
   805/662(8000-8999),662(9000-9999),675(0000-1999)
   805/675(4000-9999),676(1000-1999),676(3000-9999),677
.......................................................................
VICTORVILLE                 VTVLCAXA79T 09083 07726 4420  730 BA G2 G3 GB
      /                                                      SH SV TU
.......................................................................
VICTORVILLE                 VTVLCAXADS0 09083 07726 4420  730 AA DA GC GD
   760/241,243,245,261(5000-5999),261(6000-6999)             GE GJ GN GR
   760/261(7000-7999),269(0000-0999),269(1000-1999),381      II RC RD SQ
   760/552(6000-6999),843,951,955,962                        TD TH TI TJ
                                                             TU UB UG
.......................................................................
VINA                        VINACA12RS1 08017 08708 5170  724 AA BA DA G4
   530/839(1000-1999),839(2000-2999)                         IC ID IE IG
                                                             PC PL PT RA
                                                             SJ UT UU UW
                                                             UZ WG WH ZW
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
VISALIA                     VISLCA11DS0 08747 08139 5170  728 AA BA DA G4
   559/622,623(0000-0999),624,625,627,635,636                G5 G7 GC GD
   559/713(0000-0999),713(1000-1999),713(2000-2999)          GQ II OH PC
   559/713(3000-3999),713(4000-4999),713(5000-5999)          PL RA RC RD
   559/713(7000-7999),713(9000-9999),730(0000-0999)          RE RF RG RH
   559/730(2000-3999),730(5000-5999),730(7000-7999)          SL SN SR TJ
   559/730(9000-9999),732,733,734,735,737(4000-6999)         VF VP WG WH
   559/737(9000-9999),738(0000-0999),738(1000-1999)          ZX
   559/738(2000-2999),738(3000-3999),738(4000-4999)
   559/738(5000-5999),738(7000-7999),738(8000-8999)
   559/738(9000-9999),739(0000-8999),740(0000-1999)
   559/740(4000-5999),741(0000-0999),741(1000-1999)
   559/741(2000-2999),741(4000-4999),741(7000-7999)
   559/741(8000-8999),741(9000-9999),749(0000-0999)
   559/749(2000-9999)
.......................................................................
VISTA                       VISTCA12DS0 09367 07664 5170  732 AA BA DA G4
   760/414,630,631,639(0000-7999),643(0000-0999)             G5 G7 GC GD
   760/643(1000-1999),643(2000-2999),643(3000-3999)          GE GQ II OH
   760/643(4000-4999),643(5000-5999),643(9000-9999),724,726  OR PC PL PR
   760/732,758,806,940,941,945                               PU QA QE RA
                                                             RC RD RE RF
                                                             RG RH SK SN
                                                             SQ TB TE TJ
                                                             TM TN TP TQ
                                                             TS TT UP UT
                                                             UW UZ WG WH
                                                             ZW
.......................................................................
VOLCANO                     VOLCCAXFDS0 08324 08435 2343  738 BA DA GC GD
   209/258,293,295,296                                       GJ GN HB HD
                                                             HJ IA IC ID
                                                             II OE RC RD
                                                             T7 T9 TJ TU
                                                             TZ UG UP
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
WALKER BASIN	WLBSCA11RS2	08925	07976	5170	734	AA BA DA G4
661/867(1000-1999),867(2000-2999)						G5 G7 GC GD
						IC ID IE IF
						IG PC PL PT
						PU RA SJ SR
						UT UU UW UZ
						ZX
WALLACE	WLLCCA11RS0	08378	08484	5170	738	BA DA G4 GC
209/763(1000-1999),763(2000-2999),763(5000-5999)						GD IC ID IE
						PC PL PT RA
						RF RG RH SJ
						SV UP UT UU
						UW UZ WG WH
						ZW
WALNUT	WLNTCAXFDS0	09210	07805	2319	730	AA BA DA GC
909/274(1000-1999),274(3000-3999),444,468,480(0000-0999)						GD GE GG GH
909/594,595,598,614(0000-0999),614(1000-1999)						GJ GR HB PB
909/630(0000-0999),630(7000-7999),839(0000-0999)						PK RC RD SH
909/839(1000-1999),839(2000-2999),839(7000-7999)						SN SQ TG TU
909/839(8000-8999),869,979(5000-5999),979(6000-6999)						UA UR WD WE
						WF WG WH WI
						WJ ZZ
WALNUT CREEK	WNCKCA11DS0	08461	08663	5170	722	AA BA DA GC
925/210,274,279,280,295,296,472,817(1000-1999)						GD GE GQ HB
925/817(2000-2999),817(3000-3999),817(4000-4999)						II OE OH OR
925/817(5000-5999),817(6000-6999),906,926,927,933,937						PA PJ PS QA
925/938,939,941(0000-7999),941(9000-9999),942,974,975						QE RA RE RF
925/979(0000-4999),979(6000-7999),979(9000-9999),988						RG RH SF SN
						ST SU TJ UE
						UG UR VL VQ
						ZY

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
WALNUT CREEK	WNCKCA11DS1	08461	08663	5170	722	AA BA DA GC
925/256,287,746,930,932,934,935,943,944,945,946,947						GD GE GQ HB
925/952(0000-0999),952(1000-1999),952(2000-2999)						II PA PJ PS
925/952(3000-3999),952(4000-4999),952(5000-5999)						QA QE RA RC
925/952(6000-6999),952(8000-8999),952(9000-9999),977						RD RE RF RG
						RH SF SH SN
						ST SU TJ UE
						UG UR
WALNUT GROVE	WLGVCAXFRS4	08377	08576	2308	726	AA DA GD GM
916/776(1000-2999),776(4000-4999),776(9000-9999)						GR HJ RC RD
						SQ
WARNER SPRINGS	WNSPCA12RS0	09255	07666	5170	732	AA BA DA G4
760/782(0000-0999),782(1000-1999),782(3000-3999)						G5 G7 GC GD
760/782(4000-4999),782(9000-9999)						IC ID IE IF
						IG OR PC PL
						PR PU RA SJ
						SQ UP UT UU
						UW UZ WG ZW
WASCO	WASCCA01RS0	08907	08123	5170	734	AA BA DA G4
661/758						G5 G7 GC GD
						IC IE IF IG
						OR PC PL PT
						PU RA RF RG
						RH SJ SV UT
						UU UW UZ ZW
WATERFORD	WTFRCA11RS0	08494	08432	5170	738	AA BA DA G4
209/874(1000-1999),874(2000-2999),874(3000-3999)						G5 G7 GC GD
209/874(4000-4999),874(5000-5999),874(9000-9999)						IC ID IE IF
						IG OR PC PL
						PT PU RA SJ
						SN SV UT UU
						UW UZ WG WH
						ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
WATSONVILLE	WTVLCA01DS0	08673	08585	5170	722	AA BA DA G4
831/722,724,728,761,763,768,786(0000-0999)						GC GD GQ HB
831/786(1000-1999),786(2000-2999),786(3000-3999)						OH PC PL RA
831/786(4000-4999),786(7000-7999),786(8000-8999)						RC RD RE RF
831/786(9000-9999)						RG RH SK SN
						SV TJ UT UU
						UW UZ VE VM
						WG WH ZW
WAWONA	WANACA11RS0	08493	08240	5170	738	AA BA DA G4
209/375(1000-1999),375(6000-6999),375(9000-9999)						G5 G7 GC GD
						IC ID IE IF
						IG PC PL PT
						RA RC RD RE
						RF RG RH RM
						SN SV UG UR
						UT UU UW UZ
						ZW
WEAVERVILLE	WVVLCAXGDS0	07856	08870	4420	724	AA BA DA GC
530/623						GD GE GN GR
						II SQ
WEED	WEEDCA01RS0	07696	08794	5170	724	AA BA DA G4
530/938(0000-0999),938(1000-1999),938(2000-2999)						IC ID IF PC
530/938(3000-3999),938(4000-4999),938(5000-5999)						PL PT RA SJ
530/938(6000-6999),938(9000-9999)						UT UU UW UZ
						WG WH ZW
WEIMAR	WEMRCAXFRS1	08191	08505	4420	726	DA GM GN GR
530/637(1000-1999),637(4000-5999),637(9000-9999)						II
WELDON	WLDNCAXFRS1	08865	07942	4420	730	DA GE GM
760/378(1000-4999)						
WEOTT	WEOTCA11RS1	07958	09027	5170	722	BA DA G4 GC
707/946(1000-1999),946(2000-2999)						GD PC PL PT
						RA SH ST UG
						UR ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
WEST LOS ANGELES            WLANCA01DS0 09215 07907 5170  730 AA BA DA GC
   310/201,203,226,229,272(1000-1999),277,282,284,286        GD GE GQ HB
   310/407(0000-0999),407(1000-1999),407(2000-2999)          IC ID IE IF
   310/407(3000-3999),407(4000-4999),407(5000-5999)          IG OH OR PB
   310/407(6000-6999),407(7000-7999),407(8000-8999),551,552  PK PR PS QA
   310/553,556,557(0000-0999),557(1000-1999),557(2000-2999)  QE RA SK SN
   310/557(3000-3999),557(4000-4999),557(5000-5999)          SR SU TJ UG
   310/557(7000-7999),557(8000-8999),557(9000-9999),712,772  UT UW UZ VF
   310/785,788,789,843                                       VP WG WH ZX
   323/879(0000-0999)
   424/288(2000-3999)
.........................................................................
WEST LOS ANGELES            WLANCAXFDS1 09219 07913 2319  730 AA BA DA GC
   310/231,235,268,312,444,445,473,477,478,479               GD GE GG GJ
   310/575(0000-0999),575(1000-1999),575(3000-3999)          GN GR HB HD
   310/575(4000-4999),575(5000-5999),575(6000-6999)          II PA PJ QF
   310/575(7000-7999),575(8000-8999),575(9000-9999),914      RC RD SH SN
   310/966(1000-1999),966(2000-2999),966(3000-3999)          SQ TB TG TI
   310/966(4000-4999),966(5000-5999),966(6000-6999)          TJ TU UG UR
   310/966(8000-9999),996                                    VM WD WE WF
                                                             WG WH WI WJ
                                                             ZZ
.........................................................................
WEST LOS ANGELES            WLANCAXG47G 09217 07910 2319  730 AA BA DA GC
   310/234,441,446,470,474,475                               GD GE GG GJ
                                                             GN GR HB HD
                                                             II PA PJ RC
                                                             RD SH SN SQ
                                                             TG TI TJ TU
                                                             UA UG UR VM
                                                             WD WE WF WG
                                                             WH WI WJ ZZ
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
WEST LOS ANGELES            WLANCAXH82J 09221 07916 2319  730 AA BA DA GC
   310/264,315,447(0000-0999),447(3000-3999),447(6000-7999)  GD GE GR HB
   310/447(9000-9999),449,453,582(0000-4999),582(6000-9999)  PA RC RD SH
   310/586,828,829,998(0000-0999),998(1000-1999)             SN SQ TG TU
   310/998(2000-2999),998(3000-3999),998(4000-4999)          UA UR WD WE
   310/998(5000-5999),998(6000-6999),998(8000-8999)          WF WG WH WI
   310/998(9000-9999)                                        WJ ZZ
.......................................................................
WEST LOS ANGELES            WLANCAXHDS1 09221 07916 2319  730 AA BA DA GC
   310/207,442,571(0000-4999),571(6000-6999),584(0000-0999)  GD GG GJ GN
   310/584(2000-3999),584(5000-5999),820,826,979             GR HB HD II
                                                             PA PJ RC RD
                                                             SH SN SQ TB
                                                             TG TI TJ TU
                                                             UA UG UR VM
                                                             WD WE WF WG
                                                             WH WI WJ ZZ
.......................................................................
WEST LOS ANGELES            WLANCAXJDS0 09216 07913 2319  730 AA BA DA GC
   310/206,208(0000-0999),208(1000-1999),208(2000-2999)      GD GE GG GN
   310/208(3000-3999),208(4000-4999),208(5000-5999)          GR HB HD II
   310/208(6000-6999),208(7000-7999),208(8000-8999)          PA PJ RC RD
   310/209(0000-7999),209(9000-9999),443,794,824(0000-0999)  SN SQ TB TG
   310/824(1000-1999),824(2000-2999),824(4000-4999)          TJ TU UA UG
   310/824(5000-5999),824(6000-6999),824(7000-7999)          UR VM WD WE
   310/824(8000-8999),824(9000-9999),825                     WF WG WH WI
                                                             WJ ZZ
.......................................................................
WEST SACRAMENTO             WSCRCA11DS0 08304 08587 5170  726 AA BA DA G4
   916/371,372,373,374(0000-4999),374(8000-9999)             G5 G7 GC GD
   916/375(0000-0999),375(1000-1999),375(2000-2999)          GQ II OR PC
   916/375(3000-3999),375(4000-4999),375(5000-5999)          PL PR PU RA
   916/375(6000-6999),375(7000-7999),375(8000-8999)          RC RD RE RF
   916/376(0000-0999),376(1000-1999),376(2000-2999)          RG RH SK SN
   916/376(3000-3999),376(4000-4999),376(5000-5999)          SQ TJ UP UT
   916/376(6000-6999),376(8000-8999),376(9000-9999)          UU UW UZ WG
   916/617(2000-2999),617(3000-3999),617(4000-4999)          WH ZW
   916/617(5000-5999)
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE				
WEST SACRAMENTO	WSCRCAAHPS0	08298	08576	7283	726	BA	DA	GJ	GL	(N)
/						GQ	HA	IB	II	(N)
						IP	UG			(N)
WEST SACRAMENTO	WSCRCABYDS1	08305	08637	7128	726	DA				
530/204(5000-5999),207(6000-6999),213(7000-7999)										
530/216(5000-5999),217(6000-6999),293(4000-4999)										
530/303(5000-5999),313(4000-4999),349(3000-3999)										
530/412(6000-6999),539(3000-3999),563(2000-2999)										
530/594(3000-3999),798(5000-5999),955(4000-4999)										
916/209(5000-5999),228(6000-6999),228(8000-8999)										
916/237(5000-5999),246(3000-3999),250(6000-6999)										
916/251(3000-3999),302(3000-3999),330(5000-5999),356,377										
916/380(3000-4999),384(0000-0999),384(1000-1999)										
916/384(9000-9999),403(0000-0999),403(1000-1999)										
916/403(2000-2999),403(4000-4999),403(6000-6999)										
916/403(8000-8999),403(9000-9999),414(0000-0999)										
916/414(1000-1999),414(2000-2999),414(4000-4999)										
916/414(5000-5999),414(6000-6999),414(7000-7999)										
916/431(0000-6999),431(9000-9999),472(3000-3999)										
916/490(4000-4999),490(5000-5999),509(3000-3999)										
916/526(0000-0999),526(2000-2999),526(4000-4999)										
916/526(6000-6999),526(7000-7999),526(8000-8999)										
916/526(9000-9999),547(5000-5999),576(0000-8999)										
916/582(6000-6999),585(7000-7999),585(8000-8999)										
916/605(0000-0999),605(1000-1999),605(2000-2999)										
916/605(3000-3999),605(5000-5999),605(7000-7999)										
916/621(2000-2999),629(0000-1999),629(2000-2999)										
916/629(3000-3999),629(5000-5999),661(3000-3999)										
916/669(6000-6999),696(3000-3999),738(3000-3999)										
916/738(6000-6999),738(8000-8999),745(6000-6999)										
916/754(3000-4999),755(3000-3999),865(2000-2999)										
916/891(3000-3999),900(5000-5999),926(5000-5999)										
916/945(3000-3999),970(4000-4999),999(2000-2999)										
916/999(3000-3999)										
WEST SACRAMENTO	WSCRCABYESS	08305	08637	7128	726	DA				
/										

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
WESTLEY	WLEYCAXFRS0	08523	08505	2315	738	BA DA HD
/						
WESTMINSTER	WMNSCAXFDS0	09269	07824	2319	730	AA BA DA GC
714/372,373,379,799,890(0000-0999),890(1000-1999)						GD GE GG GJ
714/890(3000-3999),890(4000-4999),890(5000-5999)						GN GR HB HD
714/890(6000-6999),890(7000-7999),890(8000-8999)						II PA PJ RC
714/890(9000-9999),891,892,893,894,895,896,897,898,899						RD SH SN SQ
714/901,903,934						TB TG TI TJ
						TU UA UG UR
						VM WD WE WF
						WG WH WI WJ
						ZZ
WESTWOOD	WSWDCAXFDS0	07918	08542	3402	724	AA BA DA G5
530/256(0000-0999),256(2000-3999)						GC GD GN GR
						HJ IC IH II
						RA RC RE RF
						RG RH RM RX
						SP SU UB UL
						UM UT UW UX
						UZ
WHEATLAND	WTLDCA12RS0	08208	08581	5170	726	AA BA DA G4
530/633(0000-0999),633(1000-1999),633(2000-2999)						GC GD IC ID
530/633(4000-4999),633(8000-8999),633(9000-9999)						IF PC PL SJ
						UT UU UW UZ
						ZW
WHITETHORN	WHTNCAXFRS1	08024	09025	4420	722	DA GM GN GR
707/986(1000-1999),986(7000-7999),986(9000-9999)						II

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
WHITTIER	WHTRCAXF69M	09225	07836	2319	730	AA BA DA GC
562/464(0000-0999),464(1000-1999),464(2000-2999)						GD GE GG GJ
562/464(3000-3999),464(4000-4999),464(5000-5999)						GN GR HB HD
562/464(6000-6999),464(9000-9999),693,696,698,789						II PA PJ RC
562/907(0000-0999),907(1000-1999),907(2000-2999)						RD SH SN SQ
562/907(3000-3999),907(4000-4999),907(5000-5999)						TD TG TH TI
562/907(6000-6999),907(7000-7999),907(9000-9999),945						TJ TU UA UG
						UR VM WD WE
						WF WG WH WI
						WJ ZZ
WHITTIER	WHTRCAXG94C	09231	07826	2319	730	AA BA DA GC
562/902,943,947						GD GE GG GJ
						GN GR HB HD
						II PC PL RC
						RD SH SN SQ
						TG TI TJ TU
						UA UG UR VM
						WD WE WF WG
						WH WI WJ ZZ
WHITTIER	WHTRCAXH94K	09232	07835	2319	730	AA BA DA GC
562/777(0000-0999),777(1000-1999),777(2000-2999)						GD GE GG GJ
562/777(3000-3999),777(7000-7999),777(8000-8999)						GN GR HB HD
562/777(9000-9999),903,906,941,944,946						II PA PJ RC
						RD SH SN SQ
						TG TI TJ TU
						UA UG UR VM
						WD WE WF WG
						WH WI WJ ZZ
WHITTIER	WHTRCAXHRS3	09232	07836	8707	730	DA DD G2 GD
/						GE GJ GN GQ
						HB HC IA IB
						IC IF IG IH
						II QA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
WHITTIER	WHTRCAXJ69L	09221	07842	2319	730	AA BA DA GC
562/463,692,695,699,908						GD GE GG GJ
						GN GR HB HD
						II PB PK RC
						RD SH SN SQ
						TG TI TU UA
						UG UR VM WD
						WE WF WG WH
						WI WJ ZZ
WILLIAMS	WLMSCAXFDS0	08189	08707	3402	726	AA BA DA G5
530/473(0000-5999)						GC GD GE GN
						GR HJ IC IH
						II RA RE RF
						RG RH RM RP
						RQ RS RX SP
						SR SU SW UB
						UL UM UT UW
						UX UZ
WILLITS	WLTSCA12DS0	08151	08915	5170	722	AA BA DA G4
707/456(0000-0999),456(1000-1999),456(3000-3999)						G5 G7 GC GD
707/456(9000-9999),459						GQ II PC PL
						PT RA SJ SN
						SV UT UU UW
						UZ VE VM ZW
WILLOW CREEK	WWCKCAXFRS2	07819	08989	4420	724	DA GE GM GN
530/629(1000-4999)						GR II
WILLOWS	WLWSCA11RS0	08109	08722	5170	724	AA BA DA G4
530/934						GC GD IC ID
						IE IG PC PL
						PT RA RC RD
						RE RF RG RH
						SJ UT UU UW
						UZ WG WH ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
WILMINGTON	WLMGCA01DS0	09269	07870	5170	730	AA BA DA GC
310/233,513(0000-2999),513(6000-9999),518,522,549,816						GD GQ HB II
310/830,834,835,847(1000-8999),952						OR PB PK PR
323/775(0000-0999),775(1000-1999)						PS RA RF RG
						RH SJ SN SQ
						TJ UP UT UW
						UZ WG WH ZW
WINDSOR	WNDSCA11DS1	08333	08805	5170	722	BA DA GC GD
707/836(0000-0999),836(1000-1999),836(2000-2999)						GQ OR PC PL
707/836(7000-7999),836(8000-8999),836(9000-9999)						PR PU RA SJ
707/837(0000-0999),837(1000-1999),837(2000-2999)						SN SV UT UU
707/837(7000-7999),837(8000-8999),837(9000-9999),838						UW UZ VE VM
						ZW
WINTERHAVEN	WNHNCAXFDS1	09381	07174	2323	666	AA BA DA GN
760/572						GR OE TJ TZ
WINTERS	WNTRCA11RS0	08324	08662	5170	726	AA BA DA G4
530/795(0000-0999),795(1000-1999),795(2000-2999)						GC GD IC ID
530/795(3000-3999),795(4000-4999),795(5000-5999)						IF PC PL PR
530/795(6000-6999),795(9000-9999)						PU RA SJ SQ
						UP UT UU UW
						UZ ZW
WOODLAKE	WDLKCA11RS0	08723	08108	5170	728	AA BA DA G4
559/564(0000-0999),564(1000-1999),564(2000-2999)						G5 G7 GC GD
559/564(3000-3999),564(5000-5999),564(8000-8999)						II OR PC PL
						RA RC RD RE
						RF RG RH SJ
						SN SQ UP WG
						ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
WOODLAND	WDLDCA11DS0	08287	08632	5170	726	AA BA DA G4
530/406(0000-0999),406(1000-1999),406(2000-2999)						G5 G7 GC GD
530/406(3000-3999),406(4000-4999),406(5000-5999)						GQ IC ID IE
530/406(6000-6999),406(7000-7999),406(8000-8999)						IF IG PC PL
530/661(0000-7999),661(9000-9999),662,666,668,669						PR PU RA RC
						RD RE RF RG
						RH SK SN SQ
						TJ UP UT UU
						UW UZ WG WH
						ZX
WRIGHTWOOD	WRWDCAXFRS8	09129	07779	4420	730	AA DA GC GD
760/249(1000-1999),249(3000-6999)						GE GM GN GR
						II RC RD SV
						TU UB UG
YERMO	YERMCAXFRS1	08987	07655	4420	730	AA DA GC GD
760/254(1000-3999),254(5000-5999)						GE GM GN GR
						II RC RD SV
						TU UB
YORBA LINDA	YRLNCA11DS0	09235	07790	5170	730	AA BA DA GC
714/693,695(0000-0999),695(1000-1999),695(2000-2999)						GD GE GQ HB
714/695(3000-3999),695(4000-4999),695(6000-6999)						II OR PC PL
714/695(9000-9999),701(0000-0999),701(1000-1999)						PR PS RA SJ
714/701(2000-2999),701(3000-3999),701(4000-4999)						SQ TJ UP UT
714/701(5000-5999),701(7000-7999),701(9000-9999),777,779						UW UZ WG WH
714/970(0000-0999),970(1000-1999),970(2000-2999)						ZW
714/970(3000-3999),970(5000-5999),970(6000-6999)						
714/970(7000-7999),970(8000-8999),970(9000-9999)						
YORBA LINDA	YRLNCA12DS0	09237	07776	5170	730	BA DA G4 G5
714/692,694(0000-0999),694(1000-1999)						G7 GC GD GQ
						HB II OR PC
						PL PR PS RA
						SQ UR WG WH

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
YOSEMITE	YSMTCA11RS0	08445	08234	5170	738	AA BA DA G4
209/372(0000-0999),372(1000-1999),372(4000-4999)						G5 G7 GC GD
209/372(8000-8999),372(9000-9999)						IC ID IE IF
						IG PC PL PT
						RA RC RD RE
						RF RG RH RM
						SN SV UG UR
						UT UU UW UZ
						ZW
YOSEMITE	YSMTCA12RS0	08466	08266	5170	738	AA BA DA G4
209/379(1000-1999),379(2000-2999),379(9000-9999)						G5 G7 GC GD
						IC ID IE IF
						IG PC PL PT
						RA RC RD RE
						RF RG RH RM
						SN SV UG UR
						UT UU UW UZ
						ZW
YOSEMITE LAKES PARK	YMLPCAXFRS0	08569	08231	2338	728	AA BA DA G2
559/641(3000-4999),642(3000-4999),658(3000-4999)						G3 GC GD GM
559/683(3000-4999),692(3000-4999)						GN HB HD IC
						ID IE IF IG
						OE RA RC RD
						SQ T9 TJ TK
						UR UT UW WE
						WG
YOUNTVILLE	YNVLCA11RS0	08356	08726	5170	722	AA BA DA G4
707/944,945(0000-0999),945(1000-1999),945(6000-6999)						G5 G7 GC GD
707/948(2000-2999),948(3000-3999)						IC ID IF OR
						PC PL RA RF
						RG RH SJ SN
						SQ UP UT UU
						UW UZ WG ZW

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CALIFORNIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
YREKA	YREKCA11DS1	07631	08842	5170	724	AA BA DA G4
530/841(0000-0999),841(1000-1999),841(2000-2999)						GC GD IC ID
530/841(3000-3999),841(4000-4999),841(5000-5999)						IF PC PL PT
530/841(6000-6999),841(8000-8999),841(9000-9999),842						RA SJ UT UU
						UW UZ ZW
YUBA CITY	YBCYCA01DS0	08187	08618	5170	726	AA BA DA G4
530/671,673,674,751(0000-5999),751(7000-9999)						G5 G7 GC GD
530/755(0000-5999),755(9000-9999),790(0000-0999)						GQ II OH PC
530/790(1000-1999),790(2000-2999),790(3000-3999)						PL RA RB RC
530/790(4000-4999),790(6000-6999),790(7000-7999)						RD RE RF RG
530/790(8000-8999),790(9000-9999),821(0000-8999)						RH RM SK SN
530/822(0000-0999),822(1000-1999),822(2000-2999)						SQ TJ UP UT
530/822(3000-3999),822(4000-4999),822(5000-5999)						UU UW UZ WG
530/822(7000-7999),822(8000-8999),822(9000-9999)						WH ZX
YUCAIPA	YUCPCAXF79M	09182	07661	2319	730	AA BA DA GC
909/790,797,918(2000-2999)						GD GE GG GJ
						GN GR HB HD
						II PC PL RC
						RD SH SN SQ
						TB TG TI TU
						UA UG VM ZZ
YUCCA VALLEY	YCVYCAXG36X	09144	07552	2319	973	AA BA DA GC
760/228,365,369(0000-0999),369(1000-1999),369(2000-2999)						GD GE GG GJ
760/369(3000-3999),369(4000-4999),369(5000-5999)						GN GR HB HD
760/369(6000-6999),369(7000-7999),369(9000-9999)						II PC PL RC
						RD SH SN SQ
						TI TU UG VM

END OF SECTION

WIRE CENTER INFORMATION
PENDING CHANGES
SECTION 17
COLORADO

EFFECTIVE: DECEMBER 01, 2017

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - COLORADO

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE	
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --	
BRIGHTON	BITNCOMARS1	07442	05886	5102	656	GR	(N)
720/909(3000-3999)							(N)
COLORADO SPRINGS	CLSPCOMAX9X	07680	05813	7425	658	BA DA	(C)
719/208(8000-8999),244(9000-9999),284(8000-8999)							(C)
719/308(3000-3999),313(4000-5999),315(3000-3999),317,366							(C)
719/377(9000-9999),396(3000-3999),419(3000-3999)							(C)
719/424(3000-3999),427(1000-1999),472(3000-3999)							(C)
719/497(3000-3999),551(5000-5999),581(3000-3999)							(C)
719/600(4000-4999),626(3000-3999),628(8000-8999)							(C)
719/695(3000-3999),744(5000-5999),771(5000-5999)							(C)
719/900(6000-6999),992(3000-3999)							(C)
"	"	"	"	"	"	"	
719/208(8000-8999),244(9000-9999),284(8000-8999)						"	
719/308(3000-3999),313(4000-5999),315(3000-3999),317,366						"	
719/377(9000-9999),396(3000-3999),419(3000-3999)						"	
719/424(3000-3999),427(1000-1999),472(3000-3999)						"	
719/497(3000-3999),551(5000-5999),581(3000-3999)						"	
719/600(4000-4999),626(3000-3999),628(8000-8999)						"	
719/695(3000-3999),744(5000-5999),900(6000-6999)						"	
719/992(3000-3999)							

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - COLORADO

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE				
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--	
DENVER	DNVRCO37DS0	07500	05899	7425	656	BA	DA	GI	GJ	(C)
303/209,214(0000-0999),214(1000-1999),214(2000-2999)						GN	GQ	HA	HD	(C)
303/214(4000-4999),214(5000-5999),214(6000-6999)						IA	IB	II	SH	(C)
303/214(7000-7999),214(9000-9999),217(2000-2999)						SI	UA	UG	UR	(C)
303/217(4000-4999),217(7000-7999),217(9000-9999)						UU				(C)
303/218(1000-1999),218(2000-2999),218(3000-3999)										(C)
303/218(4000-4999),218(5000-5999),218(6000-6999)										(C)
303/218(7000-7999),218(9000-9999),219(9000-9999),222										(C)
303/242(3000-3999),305(0000-0999),305(1000-1999)										(C)
303/305(2000-2999),305(3000-3999),305(4000-4999)										(C)
303/305(5000-5999),305(6000-6999),305(7000-7999)										(C)
303/323(0000-0999),323(1000-1999),323(2000-2999)										(C)
303/323(3000-3999),323(4000-4999),323(6000-6999)										(C)
303/323(7000-7999),323(8000-8999),323(9000-9999)										(C)
303/328(0000-0999),328(4000-4999),328(6000-6999)										(C)
303/328(9000-9999),334,357(0000-4999),357(6000-9999),390										(C)
303/476(2000-2999),476(4000-4999),476(5000-5999)										(C)
303/476(7000-7999),476(9000-9999),481(0000-0999)										(C)
303/481(1000-1999),481(2000-2999),481(3000-3999)										(C)
303/481(4000-4999),481(5000-5999),481(7000-7999)										(C)
303/481(9000-9999),495(1000-1999),495(6000-6999)										(C)
303/495(7000-7999),531(1000-1999),531(3000-3999)										(C)
303/531(9000-9999),542,551(0000-1999),566(0000-7999)										(C)
303/566(9000-9999),676(8000-8999),704(4000-4999),729										(C)
303/801(0000-2999),801(4000-6999),801(9000-9999)										(C)
303/823(4000-4999),834(3000-3999),876,928(1000-1999)										(C)
303/928(2000-2999),928(3000-3999),928(4000-4999)										(C)
303/928(5000-5999),928(6000-6999),968(1000-1999)										(C)
303/968(2000-2999),968(3000-3999),993(1000-1999)										(C)
719/208(3000-3999),289(3000-3999),452(4000-4999)										(C)
719/619(3000-3999),696(3000-3999)										(C)
720/332,358(3000-3999),378(5000-5999),418(2000-8999)										(C)
720/449(4000-4999),450(3000-3999),462(2000-7999)										(C)
720/463(5000-5999),491(4000-4999),510(4000-4999)										(C)
720/571(3000-3999),572(2000-2999),572(3000-3999)										(C)
720/572(8000-8999),573(7000-7999),613(3000-3999),631										(C)
720/634(3000-3999),651(4000-6999),676(4000-4999)										(C)
720/683(3000-3999),695(3000-3999),709(3000-3999)										(C)
720/728(2000-2999),728(4000-4999),735(6000-6999)										(C)

-------- Continued on next page --------

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - COLORADO

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE	TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- --	-- --

-------- Continued from previous page --------

720/773(3000-3999),787(3000-3999),808(5000-5999)							(C)
720/864(4000-4999),925(3000-3999)							(C)
970/235(4000-4999),278(3000-3999),281(3000-3999)							(C)
970/296(3000-3999),300(3000-3999),329(3000-3999)							(C)
970/340(3000-3999),361(3000-3999),399(8000-8999)							(C)
970/404(3000-3999),408(4000-4999),409(3000-3999)							(C)
970/410(4000-4999),422(3000-3999),423(3000-3999)							(C)
970/427(3000-3999),439(3000-3999),440(3000-3999)							(C)
970/445(3000-3999),458(3000-3999),463(9000-9999)							(C)
970/475(6000-6999),519(3000-3999),529(8000-8999)							(C)
970/534(2000-2999),534(3000-3999),541(3000-3999)							(C)
970/557(5000-5999),573(4000-4999),601(3000-3999)							(C)
970/613(3000-3999),616(3000-3999),628(7000-7999)							(C)
970/658(4000-4999),670(6000-6999),685(3000-3999)							(C)
970/693(3000-3999),707(3000-3999),718(6000-6999)							(C)
970/776(5000-5999),797(3000-3999),818(3000-3999)							(C)
970/829(3000-3999),833(3000-3999),964(3000-3999)							(C)
"	"	"	"	"	"	"	
303/209,214(0000-0999),214(1000-1999),214(2000-2999)						"	
303/214(4000-4999),214(5000-5999),214(6000-6999)						"	
303/214(7000-7999),214(9000-9999),217(2000-2999)						"	
303/217(4000-4999),217(7000-7999),217(9000-9999)						"	
303/218(1000-1999),218(2000-2999),218(3000-3999)						"	
303/218(4000-4999),218(5000-5999),218(6000-6999)						"	
303/218(7000-7999),218(9000-9999),219(9000-9999),222						"	
303/242(3000-3999),305(0000-0999),305(1000-1999)						"	
303/305(2000-2999),305(3000-3999),305(4000-4999)						"	
303/305(5000-5999),305(6000-6999),305(7000-7999)						"	
303/323(0000-0999),323(1000-1999),323(2000-2999)						"	
303/323(3000-3999),323(4000-4999),323(6000-6999)						"	
303/323(7000-7999),323(8000-8999),323(9000-9999)						"	
303/328(0000-0999),328(4000-4999),328(6000-6999)						"	
303/328(9000-9999),334,357(0000-4999),357(6000-9999),390						"	
303/476(2000-2999),476(4000-4999),476(5000-5999)						"	
303/476(7000-7999),476(9000-9999),481(0000-0999)						"	
303/481(1000-1999),481(2000-2999),481(3000-3999)						"	
303/481(4000-4999),481(5000-5999),481(7000-7999)						"	

-------- Continued on next page --------

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - COLORADO

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE	TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- --	-- --
-------- Continued from previous page --------							
303/481(9000-9999),495(1000-1999),495(6000-6999)							"
303/495(7000-7999),531(1000-1999),531(3000-3999)							"
303/531(9000-9999),542,551(0000-1999),566(0000-7999)							"
303/566(9000-9999),676(8000-8999),704(4000-4999),729							"
303/801(0000-2999),801(4000-6999),801(9000-9999)							"
303/823(4000-4999),834(3000-3999),876,928(1000-1999)							"
303/928(2000-2999),928(3000-3999),928(4000-4999)							"
303/928(5000-5999),928(6000-6999),968(1000-1999)							"
303/968(2000-2999),968(3000-3999),993(1000-1999)							"
719/208(3000-3999),289(3000-3999),452(4000-4999)							"
719/619(3000-3999),696(3000-3999)							"
720/332,358(3000-3999),378(5000-5999),418(2000-8999)							"
720/449(4000-4999),450(3000-3999),462(2000-7999)							"
720/463(5000-5999),491(4000-4999),510(4000-4999)							"
720/571(3000-3999),572(2000-2999),572(3000-3999)							"
720/572(8000-8999),573(7000-7999),613(3000-3999),631							"
720/634(3000-3999),651(4000-6999),683(3000-3999)							"
720/695(3000-3999),709(3000-3999),728(2000-2999)							"
720/728(4000-4999),773(3000-3999),787(3000-3999)							"
720/808(5000-5999),864(4000-4999),925(3000-3999)							"
970/235(4000-4999),278(3000-3999),281(3000-3999)							"
970/296(3000-3999),300(3000-3999),329(3000-3999)							"
970/340(3000-3999),361(3000-3999),399(8000-8999)							"
970/404(3000-3999),409(3000-3999),422(3000-3999)							"
970/423(3000-3999),427(3000-3999),439(3000-3999)							"
970/440(3000-3999),445(3000-3999),458(3000-3999)							"
970/475(6000-6999),519(3000-3999),529(8000-8999)							"
970/534(2000-2999),534(3000-3999),541(3000-3999)							"
970/557(5000-5999),573(4000-4999),601(3000-3999)							"
970/613(3000-3999),616(3000-3999),628(7000-7999)							"
970/658(4000-4999),670(6000-6999),685(3000-3999)							"
970/693(3000-3999),707(3000-3999),718(6000-6999)							"
970/776(5000-5999),797(3000-3999),818(3000-3999)							"
970/829(3000-3999),833(3000-3999),964(3000-3999)							

END OF REPORT

==========

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - COLORADO

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
AGATE	AGATCOXCDS0	07507	05710	2178	658	AA BA DA HD
719/764						OE TJ TZ XE
AGUILAR	AGLRCOMARS1	07968	05694	5102	658	BA DA GC PC
719/941(0000-0999),941(2000-2999),941(4000-4999)						PL SQ WE
AKRON	AKRNCOXCRS1	07326	05641	2185	656	BA DA GC GR
970/345						SQ TJ
ALAMOSA	ALMSCOMADS0	08015	05900	5102	658	BA DA GC PC
719/587,589						PL RB RC RD
						RE RF RG RH
						RJ RK SN SQ
						TU WE
ALLENSPARK	ALPKCOMARS3	07433	06012	5102	656	BA DA GC PC
303/747(0000-2999),747(8000-9999)						PL TA TH WE
ALLISON	ALSNCOXCRS1	08184	06144	2208	656	AA DA GR HD
970/883						PN RA TJ WE
ANTONITO	ANTTCOXCRS1	08103	05901	2185	658	BA DA GC GR
719/376						SQ TJ
ARROWHEAD	CMRNCOXCDS0	07903	06201	2193	656	AA BA DA HD
970/862						OE TJ
ARVADA	ARVDCOMADS0	07493	05916	5102	656	AA BA DA GC
303/403,420,421,422,423,424,425,431,432,456,463,467						GD GR HD PC
303/603(9000-9999),940						PL RA RB RC
720/898						RD RE RF RG
						RH RJ RK SN
						SQ TA TH WE
ARVADA	ARVDCOMAXXX	07493	05916	5102	656	WE ZZ
/						

==========

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - COLORADO

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ARVADA	WMNSCOMADS0	07484	05911	5102	656	AA BA DA GC
303/412,426,427,428,429,430,487,650,657,658(2000-2999)						GD GR HD PB
303/658(4000-4999),706(3000-3999)						PK RA RB RC
720/540,542(0000-2999),542(4000-5999)						RD RE RF RG
						RH RJ RK SN
						SQ TA TH TU
						UR VJ WD WE
						WF WG WH WI
						WJ
ARVADA	WMNSCOMAXXX	07484	05911	5102	656	QB QF VJ WE
/						ZZ
ASPEN	ASPECOMADS0	07701	06161	5102	656	BA DA GC PC
970/205(0000-8999),300(7000-7999),429(0000-0999)						PL RA RB RC
970/429(1000-1999),429(2000-2999),429(3000-3999)						RD RE RF RG
970/429(6000-6999),429(7000-7999),429(9000-9999),544,920						RH RJ RK SQ
970/925						TU WE
ASPEN	SNMSCOMARS1	07700	06179	5102	656	BA DA GC PC
970/922(0000-0999),922(1000-1999),922(2000-2999)						PL SQ WE
970/922(5000-5999),922(6000-6999),922(7000-7999),923						
970/924(2000-9999)						
AULT	AULTCOMARS1	07315	05910	5102	656	BA DA GC PC
970/834(0000-0999),834(1000-1999),834(2000-2999)						SQ TA TH TU
970/834(9000-9999)						WE
AURORA	AURRCOMADS0	07495	05877	5102	656	AA BA DA GC
303/326,340,341,343,344,360,361,363,364,365,366,367						GD GJ GR HD
303/676(0000-0999),676(1000-1999),676(2000-2999)						PC PE PL RA
303/676(3000-3999),676(4000-4999),676(5000-5999)						RB RC RD RE
303/676(6000-6999),676(9000-9999),677,724,739						RF RG RH RJ
720/553,777,847,848,857,858,859						RK SN SQ TA
						TH UR VJ WD
						WE WF WG WH
						WI WJ

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - COLORADO

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
AURORA /	AURRCOMAXXX	07495	05877	5102	656	QA QE VJ WE ZZ
AURORA 303/261(0000-0999),261(4000-4999),261(9000-9999)	AURRCOMBRS1	07476	05848	5102	656	BA DA GC GR PC SN SQ WE
AURORA 303/307,371,373,375,459(8000-8999),567(5000-5999),574 303/576,585(2000-3999) 720/374	DNVRCOMBDS0	07486	05877	5102	656	BA DA GC GR HD PC PE PL SN SQ TA TH UR VJ WD WE WF WG WH WI WJ
AURORA /	DNVRCOMBXXX	07486	05877	5102	656	QA QE VJ WE ZZ
AVON 970/748,845,949	AVONCOMADS0	07597	06134	5102	656	BA DA GC PC PL SN SQ TH WE
BAILEY 303/816(0000-2999),816(4000-7999),816(9000-9999),838 720/924(0000-0999)	BALYCOMADS1	07578	05946	5102	656	BA DA GC GR PC PL SQ TH WE
BASALT 970/927	BSLTCOMADS0	07674	06205	5102	656	BA DA GC PC PL WE
BAYFIELD 970/884(0000-2999),884(4000-9999)	BYFDCOMARS1	08147	06176	5102	656	BA DA GC PC PL SQ TH WE
BENNETT 303/644 970/386	BNNTCOXCDS0	07470	05810	2186	656	BA DA HD OE TJ TZ
BERTHOUD 970/532	BRTHCOMADS0	07388	05948	5102	656	BA DA GC PC PL SN SQ TA TH TU WE

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - COLORADO

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
BEULAH 719/485	BELHCOXCDS0	07848	05787	2198	658	DA HA HD OE TJ TK TZ
BLANCA 719/206,379	BLNCCOXCDS2	08005	05840	2182	658	AA AB BA BC DA GC GE GK GL GN GP HB HD IA IB IC ID IF II OE RA RB RC RD SP SQ T9 TJ TK TZ UG UL UM UP UU VC WE
BOULDER 303/516,527,530,581 720/622(0000-6999)	BLDRCOGBRS1	07445	05953	5102	656	AA BA DA GC GD PC PL SN SQ TA TH WE
BOULDER /	BLDRCOMABB4	07457	05961	5102	656	TU
BOULDER 303/245,247(0000-2999),247(5000-9999),401,402,413,415 303/417,440,441,442,443,444,447,448,449,473,492,541,544 303/545,546,735,786,924,938,939,966,998 720/406,561(2000-2999),561(3000-3999),561(4000-4999) 720/561(5000-5999),561(6000-6999),561(7000-7999) 720/561(8000-8999),562,563(0000-0999),564,565 720/854(2000-2999),854(3000-3999),854(6000-6999) 720/854(7000-7999)	BLDRCOMADS0	07457	05961	5102	656	AA BA DA GC GD GJ HD PC PF PL RA RB RC RD RE RF RG RH RJ RK SN SQ TA TD UR VJ WD WE WF WG WH WI WJ
BOULDER /	BLDRCOMADSH	07457	05961	5102	656	TD WE
BOULDER /	BLDRCOMADSJ	07457	05961	5102	656	TD WE
BOULDER /	BLDRCOMADSK	07457	05961	5102	656	TD WE

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - COLORADO

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE	
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --	
BOULDER	BLDRCOMAXXX	07457	05961	5102	656	QA QE VJ WE	
/						ZZ	
BOULDER	TEMACOMABB2	07464	05953	5102	656	TU	
/							
BOULDER	TEMACOMADS0	07464	05953	5102	656	AA BA DA GC	
303/494,497(0000-8999),497(9000-9999),499,543,554						HD PC PL TH	
720/304(0000-4999),304(6000-9999)						UR VJ WD WE	
						WF WG WH WI	
						WJ	
BOULDER	TEMACOMAXXX	07464	05953	5102	656	VJ WE ZZ	
/							
BRANSON	BASNCOXCRS1	08007	05542	2185	658	BA DA GC GR	
719/946							
BRECKENRIDGE	BRRGCOMADS0	07605	06052	5102	656	AA BA DA GC	
970/453,547(0000-0999),547(1000-1999),547(2000-2999)						GD PC PL SN	
970/547(3000-3999),547(4000-4999),547(5000-5999)						SQ TH WE	
970/547(7000-7999),547(8000-8999),547(9000-9999)							
BRIGHTON	BITNCOMADS0	07442	05886	5102	656	AA BA DA GC	
303/498(1000-1999),498(2000-3999),498(4000-4999)						GR HD PC PL	
303/498(6000-6999),637,654,655,659,835(5000-5999)						RA RB RC RD	
720/523(2000-2999),523(4000-4999),523(6000-7999)						RE RF RG RH	
720/685(0000-4999),685(5000-5999),685(7000-9999)						RJ RK SN SQ	
						TA TH WE	
BRIGHTON	BITNCOMARS1	07442	05886	5102	656	GR	(N)
720/909(3000-3999)							(N)
BRISTOL-GRANADA	BRGRCOXCRS1	07709	05353	2185	658	BA DA GC GR	
719/734						TJ	

==========

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - COLORADO

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
BROOMFIELD                  BRFDCOMADS0 07468 05919 5102  656 AA BA DA GC
   303/265(4000-4999),272,404,410,438(0000-2999)             GD GR HD PC
   303/438(4000-9999),439(0000-0999),439(1000-1999)          PL RA RB RC
   303/439(2000-2999),439(3000-3999),439(4000-4999)          RD RE RF RG
   303/439(6000-6999),439(7000-7999),439(8000-8999)          RH RJ RK SN
   303/439(9000-9999),453(5000-7999),460,464,465,466,469     SQ TA TH UR
   303/533,635(0000-5999),635(7000-9999),892(2000-2999)      VJ WD WE WF
   720/558,566,887                                           WG WH WI WJ
.......................................................................
BROOMFIELD                  NGLNCOMADS0 07464 05907 5102  656 AA BA DA GC
   303/252,254,255,280,450,451,452,453(0000-4999)            GD GR HD PC
   303/453(8000-8999),457(0000-4999),457(6000-9999),538,920  PL RA RB RC
   720/568(7000-7999),627(0000-4999),872(0000-3999)          RD RE RF RG
   720/872(5000-9999),929(0000-2999),929(8000-9999),972      RH RJ RK SN
   720/977(0000-2999),977(5000-9999)                         SQ TA TH UR
                                                             VJ WD WE WF
                                                             WG WI WJ
.......................................................................
BROOMFIELD                  NGLNCOMAXXX 07464 05907 5102  656 VJ WE ZZ
      /
.......................................................................
BRUSH                       BRSHCOMARS1 07327 05712 5102  656 BA DA GC PC
   970/842(0000-0999),842(1000-1999),842(2000-2999)          PL SQ TU WE
   970/842(3000-3999),842(4000-4999),842(5000-5999)
   970/842(6000-6999),842(9000-9999)
.......................................................................
BUENA VISTA                 BNVSCOMARS1 07742 06028 5102  658 BA DA GC PC
   719/395                                                   PL WE
.......................................................................
BURLINGTON                  BURLCOXCDS0 07452 05432 2185  658 BA DA GC GR
   719/346                                                   TJ
.......................................................................
BYERS                       BYRSCOXCDS0 07472 05772 2181  656 AA DA HD SQ
   303/822                                                   T3 TJ
.......................................................................
CALHAN                      CLHNCOMARS1 07613 05742 5102  658 BA DA GC PC
   719/347(0000-0999),347(2000-2999),347(3000-3999)          PL SQ TA TH
   719/347(7000-7999),347(9000-9999)                         WE
```

==========

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - COLORADO

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
CAMPO	CAMPCOXCRS1	07920	05331	2185	658	BA DA GC GR
719/787						TJ
CANON CITY	CACYCOMADS0	07782	05856	5102	658	BA DA GC PC
719/204(0000-0999),204(2000-2999),269,275,276						PL RA RB RC
719/285(2000-2999)						RD RE RF RG
						RH RJ RK SN
						SQ TA TU WE
CANON CITY	CLSPCOMAXFY	07680	05813	1076	658	GR
719/204(7000-7999),215(6000-6999),220(6000-6999)						
719/223(6000-6999),245(6000-6999),270(7000-7999)						
719/284(6000-6999),292(7000-7999),294(5000-5999)						
719/316(7000-7999),340(4000-4999),342(6000-6999)						
719/350(7000-7999),361(7000-7999),372(2000-2999)						
719/399(7000-7999),400(7000-7999),417(6000-6999)						
719/427(8000-8999),470(7000-7999),581(1000-1999)						
719/624(6000-6999),625(6000-6999),626(7000-7999)						
719/631(6000-6999),639(7000-7999),657(8000-8999)						
719/662(6000-6999),674(6000-6999),735(6000-6999)						
719/745(6000-6999),749(4000-4999),752(6000-6999)						
719/767(6000-6999),771(7000-7999),781(0000-0999)						
719/782(6000-6999),793(7000-7999),800(6000-6999)						
719/826(7000-7999),838(7000-7999),849(7000-7999)						
719/931(6000-6999),938(6000-6999),942(7000-7999)						
719/967(7000-7999),974(6000-6999),982(6000-6999)						
719/988(5000-5999),992(7000-7999)						
CARBONDALE	CRDLCOMADS1	07675	06236	5102	656	BA DA GC PC
970/510(1000-1999),510(2000-2999),704(0000-4999)						PL TU WE
970/704(9000-9999),963						
CASTLE ROCK	CSRKCONMDS0	07570	05854	5102	656	AA BA DA GC
303/387,660,663,688,814						GD GJ GR HD
720/433,455,733						PC PG PK SN
						SQ TA TH WE
CASTLE ROCK	CSRKCONMXXX	07570	05854	5102	656	QA QE WE
/						

==========

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - COLORADO

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
CASTLE ROCK	LRKSCONMRS1	07598	05861	5102	656	BA DA GC GR
303/681(0000-0999),681(2000-3999),681(9000-9999)						HD PC SN SQ
303/712(2000-2999)						TH TU WE
CEDAREDGE	CDRDCOXCRS0	07812	06325	2184	656	AA BA DA GR
970/856(0000-1999),856(3000-4999),856(6000-8999)						OE TJ
CENTER	CNTRCOXCDS0	07968	05959	2185	658	BA DA GC GR
719/754						SQ TJ
CENTRAL CITY	CNCYCOMARS1	07514	05985	5102	656	BA DA GC PC
303/582(0000-3999),582(5000-9999)						PL TH WE
CHERAW	CHRWCOXCRS1	07764	05552	2185	658	BA DA GC GR
719/853						TJ
CHEYENNE WELLS	CHWLCOXCRS1	07556	05412	2185	658	BA DA GC GR
719/767(0000-0999),767(2000-5999),767(8000-9999)						TJ
COAL CREEK CANYON	CCCNCOMADS0	07484	05964	5102	656	BA DA GC PC
303/642(0000-4999),642(7000-9999)						PL SQ TA TH
						TU WE
COLLBRAN	COBNCOXCRS1	07742	06350	2185	656	BA DA GC GR
970/487						SQ TA
COLORADO CITY	CLCYCOXCDS1	07865	05760	2203	658	BA DA DD OE
719/489,676						TJ TU TZ
COLORADO SPRINGS	AFACCOMADS0	07648	05836	5102	658	BA DA GC PC
719/472(0000-0999),472(1000-1999),472(2000-2999)						PL SN SQ TA
719/472(5000-5999),472(6000-6999),472(7000-7999)						TH TU WE
719/472(8000-8999),472(9000-9999)						
COLORADO SPRINGS	BLFSCOMADS1	07640	05804	5102	658	BA DA GC PC
719/327(0000-1999),494(0000-2999),494(8000-8999),495						SQ TA TH TU
719/522(2000-2999)						WE

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - COLORADO

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
COLORADO SPRINGS	CLSPCO32RS1	07652	05807	5102	658	AA BA DA GC
719/282(0000-0999),282(1000-1999),282(2000-2999)						HD PC PL TA
719/282(3000-3999),282(4000-4999),282(6000-6999)						TH WE
719/282(7000-7999),282(8000-8999),282(9000-9999),364						
COLORADO SPRINGS	CLSPCOEADS0	07673	05799	5102	658	AA BA DA GC
719/380,474(8000-8999),550,552,554,556,570						GD PC PF PL
719/571(1000-8999),572,573,574,591,596,597						RA RB RC RD
719/622(0000-0999),622(1000-1999),622(2000-2999)						RE RF RG RH
719/622(3000-3999),622(4000-4999),622(5000-5999)						RJ RK SN SQ
719/622(8000-8999),622(9000-9999),637,638						TA TH WE
COLORADO SPRINGS	CLSPCOEAXXX	07673	05799	5102	658	QA QE WE ZZ
/						
COLORADO SPRINGS	CLSPCOMA00W	07680	05813	5102	658	HC WE
/						
COLORADO SPRINGS	CLSPCOMA01W	07680	05813	5102	658	TB WE
/						
COLORADO SPRINGS	CLSPCOMA02T	07680	05813	5102	658	GB
/						
COLORADO SPRINGS	CLSPCOMA03T	07680	05813	5102	658	GB
/						
COLORADO SPRINGS	CLSPCOMABB1	07680	05813	5102	658	TU
/						

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - COLORADO

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
COLORADO SPRINGS	CLSPCOMADS0	07680	05813	5102	658	AA BA DA GC
719/227,228,327(2000-9999),328,329(0000-0999)						GD PB PF PK
719/329(1000-1999),329(2000-2999),329(3000-3999)						RA RB RC RD
719/329(5000-5999),329(6000-6999),329(7000-7999)						RE RF RG RH
719/329(9000-9999),344(6000-6999),344(7000-7999),365,381						RJ RK SE SN
719/385,386,387(2000-2999),387(3000-3999),387(6000-6999)						SQ TA TD WE
719/389,442,444(0000-8999),447(0000-4999),447(6000-6999)						
719/447(8000-9999),448,471,473,474(0000-7999),475						
719/476(1000-1999),476(2000-2999),476(3000-3999)						
719/476(4000-4999),476(5000-5999),476(6000-6999)						
719/476(7000-7999),476(8000-8999),476(9000-9999)						
719/477(0000-0999),477(1000-1999),477(2000-2999)						
719/477(4000-4999),477(5000-5999),477(6000-6999)						
719/477(7000-7999),477(8000-8999),477(9000-9999)						
719/482(1000-1999),482(2000-2999),482(3000-3999)						
719/482(7000-7999),482(9000-9999),520,567,575,577,578						
719/630,632,633,634,635,636,667,668,721,776(1000-8999)						
719/866(0000-5999),866(7000-7999),866(9000-9999)						
COLORADO SPRINGS	CLSPCOMADS1	07680	05813	5102	658	AA BA DA GC
719/444(9000-9999),502(8000-8999),866(6000-6999)						HD PB PF PK
						RA RB RC RD
						RE RF RG RH
						RJ RK SE SN
						SQ TA TD WE
COLORADO SPRINGS	CLSPCOMADS2	07680	05813	5102	658	DA GC PF WE
/						
COLORADO SPRINGS	CLSPCOMADSH	07680	05813	5102	658	TD WE
/						
COLORADO SPRINGS	CLSPCOMADSJ	07680	05813	5102	658	TD WE
/						

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - COLORADO

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
COLORADO SPRINGS            CLSPCOMAGT0 07680 05813 8980  658 BA DA GE GJ
   719/352(0000-0999),352(3000-3999),362(1000-4999)          GR HB IB RC
   719/368(2000-3999),418(8000-8999),418(9000-9999)          RD SH SQ T1
   719/426(4000-4999),426(5000-5999),426(6000-6999)          T2 UG UP UR
   719/434(6000-6999),445(2000-2999),452(2000-3999)          US
   719/466(4000-6999),622(7000-7999),623(3000-3999)
   719/623(8000-8999),629(0000-5999),772
.......................................................................
COLORADO SPRINGS            CLSPCOMAK01 07680 05813 5102  658 UE WE
      /
.......................................................................
COLORADO SPRINGS            CLSPCOMAS01 07680 05813 5102  658 WE ZZ
      /
.......................................................................
COLORADO SPRINGS            CLSPCOMAX8X 07680 05813 8980  658 BA DA GE GJ
   719/213(2000-2999),325(0000-0999),325(7000-8999)          GR HB IB RC
   719/434(9000-9999),896(2000-2999)                         RD SH SQ T1
                                                             T2 UG UP UR
                                                             US
.......................................................................
COLORADO SPRINGS            CLSPCOMAX9X 07680 05813 7425  658 BA DA       (C)
   719/208(8000-8999),244(9000-9999),284(8000-8999)                       (C)
   719/308(3000-3999),313(4000-5999),315(3000-3999),317,366               (C)
   719/377(9000-9999),396(3000-3999),419(3000-3999)                       (C)
   719/424(3000-3999),427(1000-1999),472(3000-3999)                       (C)
   719/497(3000-3999),551(5000-5999),581(3000-3999)                       (C)
   719/600(4000-4999),626(3000-3999),628(8000-8999)                       (C)
   719/695(3000-3999),744(5000-5999),771(5000-5999)                       (C)
   719/900(6000-6999),992(3000-3999)                                      (C)
.......................................................................
COLORADO SPRINGS            CLSPCOMAXXX 07680 05813 5102  658 GB QA QE WE
      /
.......................................................................
COLORADO SPRINGS            CLSPCOMAXYZ 07679 05813 077E  658 DA
      /
```

==========

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - COLORADO

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
COLORADO SPRINGS            CLSPCOPVDS0 07661 05817 5102  658 AA BA DA GC
   719/255,258(2000-2999),258(3000-3999),258(4000-4999)      GD GJ HD PB
   719/258(5000-5999),258(6000-6999),260,262,264,265         PG PK SN SQ
   719/266(0000-0999),266(1000-1999),266(4000-4999)          TA TH TU WE
   719/266(5000-5999),266(6000-6999),266(7000-7999)
   719/266(8000-8999),266(9000-9999),268,272(0000-0999)
   719/272(2000-2999),272(3000-3999),272(4000-4999)
   719/272(6000-6999),272(7000-7999),272(8000-8999)
   719/272(9000-9999),273,277,278,388(0000-0999)
   719/388(1000-1999),388(2000-2999),388(4000-4999)
   719/388(5000-5999),388(7000-7999),388(8000-8999)
   719/388(9000-9999),432(0000-4999),522(0000-1999)
   719/522(4000-9999),528,531,532,533,534(0000-0999)
   719/534(1000-1999),534(2000-2999),534(4000-4999)
   719/534(5000-5999),534(6000-6999),534(7000-7999)
   719/534(8000-8999),534(9000-9999),535,536,548,590,592
   719/593,594,598,599,866(8000-8999)
.......................................................................
COLORADO SPRINGS            CLSPCOPVXXX 07661 05817 5102  658 QA QE WE
     /
.......................................................................
COLORADO SPRINGS            CLSPCOSMDS0 07693 05805 5102  658 BA DA GC GD
   719/226,502(2000-4999),503,524,526,527,538,540,576,579    PC PL RA RB
   719/579                                                   RC RD RE RF
                                                             RG RH RJ RK
                                                             SN SQ TA TH
                                                             TU WE
.......................................................................
COLORADO SPRINGS            CLSPCOSMXXX 07693 05805 5102  658 WE ZZ
     /
.......................................................................
COLORADO SPRINGS            CLSQCOMFDS0 07646 05820 4788  658 DA DD GD GJ
   719/219,247(4000-4999),247(5000-5999),283(0000-0999)      GL GN GP GR
   719/283(4000-4999),283(5000-5999),302,404(0000-5999)      HB HJ IA IC
   719/404(7000-9999),445(4000-4999),445(5000-5999)          ID IF IG II
   719/452(5000-5999),571(9000-9999),622(6000-6999)          QA QB QE RS
   719/644(7000-7999),792(5000-5999),799(6000-6999)          SJ SP SQ SU
                                                             UG VC
```

==========

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - COLORADO

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
COLORADO SPRINGS	FONTCOMADS0	07706	05784	5102	658	BA DA GC PC
719/322(0000-0999),322(9000-9999),382						PL SQ TA TH
						WE
COLORADO SPRINGS	GMFLCOMARS1	07670	05851	5102	658	BA DA GC PC
719/684(0000-2999),684(7000-9999)						PL SQ TA TH
						WE
COLORADO SPRINGS	MNSPCOMARS1	07680	05830	5102	658	BA DA GC PC
719/685(0000-0999),685(1000-1999),685(2000-2999)						PL SN SQ TA
719/685(3000-3999),685(4000-4999),685(5000-5999)						TH TU WE
719/685(9000-9999)						
COLORADO SPRINGS	SCRTCOMADS0	07691	05795	5102	658	AA BA DA GC
719/375(6000-7999),390,391,392,393(0000-0999)						GD PC SN SQ
719/393(1000-1999),393(4000-4999),393(6000-6999)						TA TH WE
719/393(7000-7999),393(8000-8999),393(9000-9999)						
COLORADO SPRINGS	WDPKCOMADS1	07659	05861	5102	658	BA DA GC GD
719/686(0000-0999),686(1000-1999),686(2000-2999)						PC PL SQ
719/686(5000-5999),686(6000-6999),686(7000-7999)						
719/686(8000-8999),686(9000-9999),687						
COLORADO SPRINGS	WDPKCOMARS1	07659	05861	5102	658	BA DA GC GD
/						PC PL SQ TA
						TH WE
CORTEZ	CRTZCOMADS0	08166	06348	5102	656	AA BA DA GC
970/564(0000-0999),564(1000-1999),564(2000-2999)						GD PC PL RB
970/564(4000-4999),564(5000-5999),564(6000-6999)						RC RD RE RF
970/564(8000-8999),564(9000-9999),565						RG RH RJ RK
						WE
CORTEZ	MVNPCOMARS1	08181	06328	5102	656	BA DA GC PC
970/529(1000-1999),529(4000-4999)						PL WE

==========

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - COLORADO

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
CRAIG	CRAGCOMADS0	07457	06354	5102	656	BA DA GC PC
970/824,826(0000-0999),826(1000-1999),826(2000-2999)						PL RA RB RC
970/826(3000-3999),826(4000-4999),826(5000-5999)						RD RE RF RG
970/826(6000-6999),826(9000-9999)						RH RJ RK SN
						SQ TU WE
CRAWFORD	CRFRCOXCRS0	07840	06261	2184	656	AA BA DA GR
970/921(0000-0999),921(2000-3999),921(5000-5999)						OE TJ
CREEDE	CREDCOXCDS0	07986	06101	2185	658	BA DA GC GR
719/658						TJ
CRESTED BUTTE	CRBTCOMARS1	07776	06168	5102	656	BA DA GC PC
970/251(3000-3999),349						PL WE
CRIPPLE CREEK	CRCKCO01RS1	07716	05866	5102	658	BA DA GC PC
719/689(0000-0999),689(1000-1999),689(2000-2999)						PL TA TH WE
719/689(3000-3999),689(4000-4999),689(5000-5999)						
719/689(6000-6999),689(7000-7999),689(9000-9999)						
CROOK	CROKCOXCRS0	07163	05622	2190	656	AA BA DA GN
970/886						GQ GR HB IA
						IC SP TJ UG
						UR UW VE WE
						WF WG
DE BEQUE	DBEQCONCRS2	07733	06396	5102	656	BA DA GC PC
970/283(0000-1999),283(5000-5999),283(8000-8999)						PL SQ TA TH
						WE
DECKERS	DCKRCOMARS1	07612	05905	5102	656	BA DA GC GR
303/647(0000-0999),647(2000-2999)						HD PC PL TH
						WE
DEER TRAIL	DRTRCOXCRS0	07482	05737	2181	656	AA DA GM HD
303/769						TJ XF

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - COLORADO

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
DEL NORTE	DLNRCOMARS1	07995	05994	5102	658	BA DA GC PC
719/657(0000-0999),657(2000-2999),657(3000-3999)						PL WE
719/657(4000-4999),657(9000-9999)						
DELTA	DELTCOMADS1	07851	06340	5102	656	BA DA GC PC
970/399(2000-2999),874						PL RB RC RD
						RE RF RG RH
						RJ RK TA WE
DENVER	DNVRCO2627T	07500	05899	273F	656	DA
/						

==========

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - COLORADO

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE				
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--	
DENVER	DNVRCO37DS0	07500	05899	7425	656	BA	DA	GI	GJ	(C)
303/209,214(0000-0999),214(1000-1999),214(2000-2999)						GN	GQ	HA	HD	(C)
303/214(4000-4999),214(5000-5999),214(6000-6999)						IA	IB	II	SH	(C)
303/214(7000-7999),214(9000-9999),217(2000-2999)						SI	UA	UG	UR	(C)
303/217(4000-4999),217(7000-7999),217(9000-9999)						UU				(C)
303/218(1000-1999),218(2000-2999),218(3000-3999)										(C)
303/218(4000-4999),218(5000-5999),218(6000-6999)										(C)
303/218(7000-7999),218(9000-9999),219(9000-9999),222										(C)
303/242(3000-3999),305(0000-0999),305(1000-1999)										(C)
303/305(2000-2999),305(3000-3999),305(4000-4999)										(C)
303/305(5000-5999),305(6000-6999),305(7000-7999)										(C)
303/323(0000-0999),323(1000-1999),323(2000-2999)										(C)
303/323(3000-3999),323(4000-4999),323(6000-6999)										(C)
303/323(7000-7999),323(8000-8999),323(9000-9999)										(C)
303/328(0000-0999),328(4000-4999),328(6000-6999)										(C)
303/328(9000-9999),334,357(0000-4999),357(6000-9999),390										(C)
303/476(2000-2999),476(4000-4999),476(5000-5999)										(C)
303/476(7000-7999),476(9000-9999),481(0000-0999)										(C)
303/481(1000-1999),481(2000-2999),481(3000-3999)										(C)
303/481(4000-4999),481(5000-5999),481(7000-7999)										(C)
303/481(9000-9999),495(1000-1999),495(6000-6999)										(C)
303/495(7000-7999),531(1000-1999),531(3000-3999)										(C)
303/531(9000-9999),542,551(0000-1999),566(0000-7999)										(C)
303/566(9000-9999),676(8000-8999),704(4000-4999),729										(C)
303/801(0000-2999),801(4000-6999),801(9000-9999)										(C)
303/823(4000-4999),834(3000-3999),876,928(1000-1999)										(C)
303/928(2000-2999),928(3000-3999),928(4000-4999)										(C)
303/928(5000-5999),928(6000-6999),968(1000-1999)										(C)
303/968(2000-2999),968(3000-3999),993(1000-1999)										(C)
719/208(3000-3999),289(3000-3999),452(4000-4999)										(C)
719/619(3000-3999),696(3000-3999)										(C)
720/332,358(3000-3999),378(5000-5999),418(2000-8999)										(C)
720/449(4000-4999),450(3000-3999),462(2000-7999)										(C)
720/463(5000-5999),491(4000-4999),510(4000-4999)										(C)
720/571(3000-3999),572(2000-2999),572(3000-3999)										(C)
720/572(8000-8999),573(7000-7999),613(3000-3999),631										(C)
720/634(3000-3999),651(4000-6999),676(4000-4999)										(C)
720/683(3000-3999),695(3000-3999),709(3000-3999)										(C)
720/728(2000-2999),728(4000-4999),735(6000-6999)										(C)

-------- Continued on next page --------

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - COLORADO

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
    -------- Continued from previous page --------

   720/773(3000-3999),787(3000-3999),808(5000-5999)                      (C)
   720/864(4000-4999),925(3000-3999)                                     (C)
   970/235(4000-4999),278(3000-3999),281(3000-3999)                      (C)
   970/296(3000-3999),300(3000-3999),329(3000-3999)                      (C)
   970/340(3000-3999),361(3000-3999),399(8000-8999)                      (C)
   970/404(3000-3999),408(4000-4999),409(3000-3999)                      (C)
   970/410(4000-4999),422(3000-3999),423(3000-3999)                      (C)
   970/427(3000-3999),439(3000-3999),440(3000-3999)                      (C)
   970/445(3000-3999),458(3000-3999),463(9000-9999)                      (C)
   970/475(6000-6999),519(3000-3999),529(8000-8999)                      (C)
   970/534(2000-2999),534(3000-3999),541(3000-3999)                      (C)
   970/557(5000-5999),573(4000-4999),601(3000-3999)                      (C)
   970/613(3000-3999),616(3000-3999),628(7000-7999)                      (C)
   970/658(4000-4999),670(6000-6999),685(3000-3999)                      (C)
   970/693(3000-3999),707(3000-3999),718(6000-6999)                      (C)
   970/776(5000-5999),797(3000-3999),818(3000-3999)                      (C)
   970/829(3000-3999),833(3000-3999),964(3000-3999)                      (C)
.........................................................................
DENVER                      DNVRCOCHDS0 07501 05895 5102  656 AA BA DA GC
   303/318,764,812,813,830(0000-3999),830(5000-9999),831     GD GR HD PA
   303/832,837,839,860,861,863,864,866,869(0000-4999)        PE PJ RA RB
   303/869(6000-9999),894                                    RC RD RE RF
   720/423,424,426,508(6000-6999),917(0000-3999)             RG RH RJ RK
   720/917(7000-7999),947(0000-8999)                         SN SQ TA TH
                                                             UR VJ WD WE
                                                             WF WG WH WI
                                                             WJ
.........................................................................
DENVER                      DNVRCOCHK01 07501 05895 5102  656 UE WE
     /
.........................................................................
DENVER                      DNVRCOCHXXX 07501 05895 5102  656 QA QE VJ WE
     /                                                       ZZ
```

==========

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - COLORADO

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
DENVER                      DNVRCOCPDS0 07498 05898 5102  656 AA BA DA GC
   303/244,291,292,293,294,295,296,297,298,299,308,312,313   GD GJ GR HD
   303/380,382,383,391(0000-2999),391(5000-9999)             PA PE PJ RA
   303/486(4000-4999),603(4000-4999),658(3000-3999),672,675  RB RC RD RE
   303/896,965(0000-6999),965(7000-7999),965(8000-9999),992  RF RG RH RJ
   720/264,578,876(3000-6999),929(3000-7999)                 RK SN SQ TA
                                                             TH UR VJ WD
                                                             WE WG WH WI
                                                             WJ
.......................................................................
DENVER                      DNVRCOCPXXX 07498 05898 5102  656 ZZ
     /
.......................................................................
DENVER                      DNVRCOEADS0 07499 05889 5102  656 AA BA DA GC
   303/270,314,315,316,320,321,322,329,331,333,336,355       GR HD PB PE
   303/370(0000-2999),370(5000-9999),372(0000-0999)          PK SN SQ TA
   303/372(3000-9999),377,388,393,394,398,399                TH UR VJ WD
   303/630(6000-6999),630(7000-7999),780                     WE WF WG WH
   720/941,942(0000-2999),942(4000-9999),945(0000-2999)      WI WJ
   720/945(8000-8999)
.......................................................................
DENVER                      DNVRCOEAXXX 07499 05889 5102  656 QA QE VJ WE
     /                                                       ZZ
.......................................................................
DENVER                      DNVRCOMA00W 07500 05899 5102  656 HC WE
     /
.......................................................................
DENVER                      DNVRCOMA02T 07500 05899 5102  656 GB
     /
.......................................................................
DENVER                      DNVRCOMA02W 07500 05899 5102  656 TB WE
     /
.......................................................................
DENVER                      DNVRCOMA03T 07500 05899 5102  656 BA DA GB HD
     /                                                       PJ WE
.......................................................................
DENVER                      DNVRCOMA03W 07500 05899 5102  656 TB WE
     /
```

==========

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - COLORADO

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
DENVER	DNVRCOMA04W	07500	05899	5102	656	TB WE
/						
DENVER	DNVRCOMA3GT	07500	05899	5102	656	G3 PJ WE
/						
DENVER	DNVRCOMA90W	07500	05899	5102	656	HC
/						
DENVER	DNVRCOMA99W	07500	05899	5102	656	HC WE
/						
DENVER	DNVRCOMABB3	07500	05899	5102	656	TU
/						
DENVER	DNVRCOMADS0	07500	05899	5102	656	AA BA DA GC
303/260(1000-1999),260(4000-7999),335(2000-3999),352						GD GJ GR HD
303/370(3000-3999),389(0000-5999),389(7000-8999)						PA PE PJ RA
303/405(0000-2999),405(4000-4999),405(6000-9999),436,446						RB RC RD RE
303/454,534,556,571,572,573,575,585(4000-9999),592,595						RF RG RH RJ
303/602,603(0000-2999),603(5000-8999),605,606,607,608						RK SE SN SQ
303/615(0000-5999),615(7000-9999),620(0000-5999)						TA TB TD UR
303/620(7000-9999),623,624,626(0000-5999),626(7000-9999)						VJ WD WE WG
303/628,629,630(3000-3999),630(4000-4999),633,634,640						WH WI WJ
303/673(2000-2999),673(4000-6999),685,806(3000-3999),820						
303/825,844,892(0000-1999),892(3000-9999),893,899						
303/954(1000-3999),954(5000-7999)						
720/337,348(5000-5999),359,362(4000-4999),482(5000-5999)						
720/568(5000-6999),622(7000-7999),904,931,932,944						
720/945(7000-7999),946,956(0000-5999),956(6000-6999)						
720/956(7000-9999)						

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - COLORADO

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
DENVER	DNVRCOMADS4	07500	05899	5102	656	AA BA CA GD
303/787						PA PE PJ RA
						RB RC RD RE
						RF RG RH RJ
						RK SE SN SQ
						TA TD UR VJ
						WD WE WF WG
						WH WI WJ
DENVER	DNVRCOMADSH	07500	05899	5102	656	TD WE
/						
DENVER	DNVRCOMADSJ	07500	05899	5102	656	TD WE
/						
DENVER	DNVRCOMADSK	07500	05899	5102	656	TD WE
/						
DENVER	DNVRCOMADSL	07500	05899	5102	656	TD WE
/						
DENVER	DNVRCOMADSZ	07500	05899	077E	656	DA QC
/						
DENVER	DNVRCOMAK01	07500	05899	5102	656	UE WE
/						
DENVER	DNVRCOMAK03	07500	05899	5102	656	UE WE
/						
DENVER	DNVRCOMAK11	07500	05899	5102	656	WE ZZ
/						
DENVER	DNVRCOMAK12	07500	05899	5102	656	WE ZZ
/						
DENVER	DNVRCOMAS01	07500	05899	5102	656	WE ZZ
/						

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - COLORADO

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
DENVER /	DNVRCOMAXXX	07500	05899	5102	656	QA QE RM UC VJ WE
DENVER 303/405(5000-5999),433,455,458,477,480,561,964 720/854(0000-1999),855(0000-4999),855(6000-9999)	DNVRCONODS0	07498	05905	5102	656	AA BA DA GC GD GR HD PA PJ RA RB RC RD RE RF RG RH RJ RK SN SQ TA TH UR VJ WD WE WF WG WH WI WJ
DENVER /	DNVRCONOXXX	07498	05905	5102	656	VJ WE ZZ
DENVER 303/317(0000-1999),317(9000-9999),342,348	DNVRCOOUDS0	07463	05854	5102	656	AA BA DA GC GD GJ GR PC RA RB RC RD RE RF RG RH RJ RK SE SN SQ TB WE
DENVER 303/300,504,512(0000-2999),512(4000-9999),584,639,691 303/692,753,756,757,758,759,782 720/242(0000-0999),242(1000-1999),242(2000-2999) 720/242(3000-3999),242(4000-4999),524(0000-2999) 720/524(5000-5999),524(9000-9999)	DNVRCOSEDS0	07512	05886	5102	656	AA BA DA GR HD PB PE PK TA TH UR VJ WD WE WF WG WH WI WJ
DENVER /	DNVRCOSEXXX	07512	05886	5102	656	QA QE VJ WE ZZ

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - COLORADO

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
DENVER	DNVRCOSODS0	07508	05894	5102	656	AA BA DA GC
303/260(2000-3999),281,282,603(3000-3999),698						GD GR HD PB
303/715(0000-7999),715(9000-9999),722,733,744,765,777						PE PK RA RB
303/778,871						RC RD RE RF
720/570(0000-5999),570(7000-9999)						RG RH RJ RK
						SN SQ TA TH
						UR VJ WD WE
						WF WG WH WI
						WJ
DENVER	DNVRCOSOXXX	07508	05894	5102	656	QA QE VJ WE
/						ZZ
DENVER	DNVRCOSWDS0	07519	05913	5102	656	AA BA DA GC
303/716,763(2000-9999),914,969,980,984,985,986,987,988						GD HD PB RA
303/989						RB RC RD RE
720/568(8000-8999),962,963(0000-6999),963(8000-9999)						RF RG RH RJ
						RK SN SQ TA
						TH WE
DENVER	DNVRCOSWXXX	07519	05913	5102	656	WE ZZ
/						
DENVER	DNVRCOWSDS0	07511	05901	5102	656	AA BA DA GC
303/727(1000-1999),727(4000-9999),742,922,934,935,936						GD GR HD PB
303/937,975(0000-5999),975(7000-9999)						PK RA RB RC
720/884(0000-5999),884(8000-8999)						RD RE RF RG
						RH RJ RK SN
						SQ TA TH TU
						WE
DENVER	DNVRCOWSXXX	07511	05901	5102	656	WE ZZ
/						
DENVER	DNVSCOSVDS0	07478	05903	077E	656	DA
/						

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - COLORADO

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
DENVER                      DNVTCOUZDS0 07496 05898 4788  656 DA DD GD GJ
   303/243(5000-5999),457(5000-5999),501(1000-1999)          GL GN GP GR
   303/524(3000-3999),532(3000-3999),532(8000-8999)          HB HJ IA IC
   303/558(1000-1999),566(8000-8999),586(8000-8999)          ID IF IG II
   303/586(9000-9999),652(5000-5999),656(4000-4999)          QA QB QE RS
   303/731(8000-8999),802(8000-8999),928(7000-7999)          SJ SP SQ SU
   303/928(8000-8999),974(6000-6999)                         UG VC
   720/213(0000-3999),213(7000-7999),213(9000-9999),214
   720/258(4000-4999),258(8000-8999),262(4000-4999)
   720/266(2000-2999),274,292(5000-5999),305(4000-4999)
   720/305(5000-5999),324(2000-2999),356(1000-1999)
   720/360(3000-3999),381(5000-5999),409(4000-4999)
   720/409(5000-5999),420(2000-2999),420(8000-8999)
   720/437(6000-6999),440(8000-8999),454(1000-1999)
   720/460(5000-5999),491(5000-5999),508(7000-7999)
   720/509(8000-8999),544(6000-6999),550(4000-4999)
   720/550(5000-5999),590(4000-4999),590(5000-5999)
   720/598(3000-3999),606(8000-8999),616(4000-4999)
   720/616(5000-5999),624(1000-1999),625(4000-4999)
   720/625(5000-5999),644(2000-2999),644(3000-3999)
   720/644(4000-4999),644(5000-5999),709(4000-4999)
   720/709(5000-5999),726(8000-8999),772(2000-2999)
   720/833(3000-3999)
   970/208(1000-1999),441(4000-4999),475(0000-3999)
   970/475(5000-5999),475(7000-7999),475(9000-9999),530
   970/535(5000-5999),578(5000-5999),589(8000-8999)
   970/612(0000-7999),612(9000-9999),628(2000-2999)
   970/644(4000-4999),670(4000-4999),762(5000-5999)
   970/823(5000-5999)
.......................................................................
DENVER                      DNVTCOZIDS1 07500 05898 026D  656 DA DD GE GL
      /                                                       GN GP GR IA
                                                              IB
```

==========

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - COLORADO

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE			
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--
DENVER	ENWDCO47DS0	07531	05866	8980	656	BA	DA	GE	GJ
303/302,317(2000-6999),317(8000-8999),325(3000-3999)						GR	HB	IB	RC
303/325(5000-5999),325(7000-7999),328(2000-3999)						RD	SH	SQ	T1
303/339(0000-0999),386(8000-8999),389(6000-6999)						T2	UG	UP	UR
303/389(9000-9999),459(2000-2999),459(4000-4999)						US			
303/459(5000-6999),459(7000-7999),482(1000-2999)									
303/495(2000-3999),495(5000-5999),496,539,785									
303/834(1000-1999),895(2000-3999),952(3000-3999)									
303/952(5000-7999),991									
720/206(0000-3999),207(0000-0999),207(2000-2999)									
720/207(5000-6999),207(9000-9999),208(0000-5999)									
720/208(7000-7999),210(0000-1999),212(0000-0999)									
720/212(2000-2999),221,222,223,224(0000-0999)									
720/224(9000-9999),225(0000-0999),225(9000-9999)									
720/226(0000-0999),226(9000-9999),227(0000-0999)									
720/227(9000-9999),228,229(0000-1999),240(0000-0999)									
720/240(2000-2999),240(4000-5999),241(0000-0999)									
720/241(5000-5999),241(7000-7999),246,247,249(0000-5999)									
720/250(0000-0999),257(0000-0999),265,284(0000-0999)									
720/284(3000-3999),284(5000-6999),293,294,330(7000-7999)									
720/367,368,377(0000-0999),377(1000-1999),377(2000-3999)									
720/377(9000-9999),384(0000-2999),385(0000-2999)									
720/389(0000-4999),449(0000-0999),449(5000-5999)									
720/449(9000-9999),457(7000-8999),468(5000-5999)									
720/579(0000-0999),579(9000-9999),622(8000-9999)									
720/746(2000-2999),746(4000-7999),862(0000-0999)									
720/862(1000-1999),862(2000-2999),863(0000-2999)									
720/863(3000-3999),863(5000-5999),880(3000-5999),889									
720/897(4000-4999),988(1000-2999)									
970/797(0000-1999),797(5000-9999)									

==========

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - COLORADO

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
DENVER	ENWDCO47DS3	07531	05866	8980	656	BA DA GE GJ
303/648(2000-2999),648(4000-7999),658(9000-9999)						GR HB IB RC
303/802(3000-5999),945(7000-8999)						RD SH SQ T1
720/208(9000-9999),230(0000-0999),230(2000-2999)						T2 UG UP UR
720/230(4000-5999),230(7000-7999),230(9000-9999)						US
720/251(7000-8999),257(5000-7999),282(4000-7999)						
720/285(1000-4999),306(2000-3999),306(4000-5999)						
720/324(4000-5999),362(5000-8999),378(9000-9999)						
720/398(2000-4999),428(3000-7999),437(2000-4999)						
720/438(3000-3999),446(0000-5999),458(3000-7999)						
720/477(5000-5999),491(6000-6999),506(6000-8999)						
720/509(1000-7999),522,585(2000-3999),686,836(3000-7999)						
720/884(9000-9999),921(8000-8999),940(2000-2999)						
970/449(7000-7999),672(2000-2999),682(6000-6999)						
970/692(2000-2999),692(8000-8999),797(4000-4999)						
970/818(9000-9999)						
DENVER	ENWDCOUHDS0	07527	05870	2581	656	D1 DA DD GB
/						GE GJ GL GN
						HB HJ IA IB
						IC ID IG II
						UG

==========

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - COLORADO

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
DENVER	HLRNCOFP1MD	07542	05893	1076	656	GR
303/645(3000-3999)						
308/365(7000-7999)						
719/421(7000-7999),478(7000-7999),882(6000-6999)						
720/239(7000-7999),356(4000-4999),414(7000-7999)						
720/453(1000-1999),463(6000-6999),510(7000-7999)						
720/531(0000-1999),531(6000-9999),580(7000-7999)						
720/586(6000-6999),586(8000-8999),598(7000-7999)						
720/613(7000-7999),619(7000-7999),676(7000-7999)						
720/683(7000-7999),697(5000-5999),697(6000-6999)						
720/697(7000-7999),707(4000-4999),709(7000-7999)						
720/717(7000-7999),722(7000-7999),728(6000-6999)						
720/728(7000-7999),745(7000-7999),758(6000-8999)						
720/778(5000-5999),795(7000-7999),925(4000-4999)						
970/233(5000-5999),235(7000-7999),287(7000-7999)						
970/289(7000-7999),293(6000-6999),296(7000-7999)						
970/340(7000-7999),341(7000-7999),360(6000-6999)						
970/363(5000-5999),394(7000-7999),398(7000-7999)						
970/408(7000-7999),410(7000-7999),414(6000-6999)						
970/431(9000-9999),432(6000-6999),436(6000-6999)						
970/438(7000-7999),441(6000-6999),465(6000-6999)						
970/469(6000-6999),470(7000-7999),474(6000-6999)						
970/478(5000-5999),485(7000-7999),500(7000-7999)						
970/512(6000-6999),514(2000-2999),517(7000-7999)						
970/519(7000-7999),536(7000-7999),548(6000-6999)						
970/550(6000-6999),551(7000-7999),553(7000-7999)						
970/557(6000-6999),570(4000-4999),572(6000-6999)						
970/579(2000-2999),592(6000-6999),594(6000-6999)						
970/598(7000-7999),601(5000-5999),615(8000-8999)						
970/626(7000-7999),629(7000-7999),633(6000-6999)						
970/636(7000-7999),661(7000-7999),665(5000-5999)						
970/693(7000-7999),695(6000-6999),699(7000-7999)						
970/702(7000-7999),707(7000-7999),710(8000-8999)						
970/713(7000-7999),715(7000-7999),716(5000-5999)						
970/717(6000-6999),718(7000-7999),737(5000-5999)						
970/761(7000-7999),762(7000-7999),771(1000-1999)						
970/788(5000-5999),795(1000-1999),798(5000-5999)						
970/808(5000-5999),822(4000-4999),825(7000-7999)						
970/833(7000-7999),847(9000-9999),855(7000-7999)						

-------- Continued on next page --------

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - COLORADO

-------- Continued from previous page --------

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
970/866(7000-7999),880(7000-7999),890(6000-6999) 970/919(7000-7999),989(7000-7999)						
DENVER NORTHEAST 303/227,286,287,288,289,405(3000-3999),439(5000-5999) 303/727(3000-3999),853 720/322(0000-2999),322(7000-9999)	DNVRCONEDS0	07480	05892	5102	656	AA BA DA GC GD GR HD PC PL RA RB RC RD RE RF RG RH RJ RK SN SQ TA TH TU UR VJ WD WE WF WG WH WI WJ
DENVER NORTHEAST /	DNVRCONEXXX	07480	05892	5102	656	VJ WE ZZ
DILLON 970/455(5000-7999),968(0000-0999),968(1000-1999) 970/968(2000-2999),968(3000-3999),968(6000-6999)	CPMTCOMARS3	07606	06070	5102	656	BA DA GC PC PL SQ TH WE
DILLON 970/262,468,496(1000-9999),513,752	DLLNCOMADS0	07574	06061	5102	656	AA BA DA GC GD PC PL RA RB RC RD RE RF RG RH RJ RK SN SQ TH TU WE
DILLON /	DLLNCOMAXXX	07574	06061	5102	656	WE ZZ
DILLON 970/496(0000-0999),668(0000-0999),668(1000-1999) 970/668(2000-2999),668(3000-3999),668(4000-4999) 970/668(5000-5999),668(6000-6999),668(7000-7999) 970/668(8000-8999),668(9000-9999)	FRSCCOMADS1	07588	06066	5102	656	BA DA GC PC PL SN SQ TH TU WE

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - COLORADO

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
DINOSAUR 970/374	DNSRCOXCRS1	07575	06575	2185	656	BA DA GC GR PC SQ
DOLORES 970/882	DLRSCOXCDS0	08136	06341	2185	656	BA DA GC GR TJ
DOVE CREEK 970/677	DVCKCOXCRS1	08092	06424	2185	656	AA DA GR HD RA RB RC RD TJ
DURANGO /	DURNCOMA01T	08150	06225	5102	656	PC
DURANGO 970/247,259,335(0000-7999),375,382(0000-0999) 970/382(2000-9999),385,426(7000-7999),764(1000-3999) 970/764(6000-6999),764(9000-9999)	DURNCOMADS0	08150	06225	5102	656	BA DA GC PC PG PL RB RC RD RE RF RG RH RJ RK TU WE
DURANGO /	DURNCOMADSH	08150	06225	5102	656	TD TU WE
DURANGO /	DURNCOMAXXX	08150	06225	5102	656	QA QE WE
EAGLE /	EAGLCOXCBB1	07605	06189	2185	656	T3
EAGLE 970/328	EAGLCOXCRS0	07605	06189	2185	656	AA BA DA GC GR HD RA RB RC RD SK SQ ST SU T7 TJ TU UG UP UU ZZ
EATON 970/454(0000-5999),454(8000-9999)	EATNCOMARS1	07325	05903	5102	656	BA DA GC PC SQ TA TH TU WE

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - COLORADO

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ECKERT	ECKRCOXCRS0	07826	06328	2184	656	AA BA DA GR
970/835(0000-4999),835(8000-8999)						OE TJ
EDWARDS	EDWRCOXCDS1	07596	06156	2185	656	AA DA GM GR
970/569,926						HD RA RB RC
						RD SJ SP SQ
						SU TJ UG UP
						UU
EL PASO	ELPSCOXCDS0	07663	05756	2187	658	DA HD SQ
719/683(1000-9999)						
ELBERT	ELBRCOMARS2	07586	05792	5102	656	BA DA GC PC
303/648(0000-0999),648(3000-3999),648(8000-9999)						PL SQ WE
ELIZABETH	ELZBCO01DS1	07561	05812	5102	656	BA DA GC PC
303/615(6000-6999),646(0000-6999),646(8000-9999)						PL SQ TH TU
						WE
ENGLEWOOD	DNVRCOTCRS1	07503	05908	5102	656	GR PA PJ
/						
ENGLEWOOD	ENWDCOABDS0	07533	05868	5102	656	AA BA DA GC
303/370(4000-4999),391(3000-4999),397,643(0000-4999)						GD GR HD PB
303/643(6000-9999),645(0000-2999),645(5000-9999),649						PE PK RA RB
303/658(6000-8999),662,705,706(0000-2999),706(4000-9999)						RC RD RE RF
303/708,727(2000-2999),754,768,784,790,792,799,858,925						RG RH RJ RK
720/250(1000-5999),267,268,345(5000-5999),345(6000-6999)						SN SQ TA TH
720/568(1000-4999),852,873,874,875,895,989(2000-2999)						VJ WE
720/989(2000-2999)						
ENGLEWOOD	ENWDCOABXXX	07533	05868	5102	656	QA QE VJ WE
/						ZZ

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - COLORADO

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ENGLEWOOD	ENWDCOMADS0	07518	05892	5102	656	AA BA DA GC
303/438(3000-3999),761,762,781,783,788,789						GD GR HD PC
303/806(0000-2999),806(4000-9999)						RA RB RC RD
720/833(0000-0999),833(2000-2999),833(6000-6999)						RE RF RG RH
720/833(9000-9999),945(3000-5999)						RJ RK SN SQ
						TA TH WE
ERIE	ERIECOMARS1	07440	05927	5102	656	BA DA GC HD
303/828(0000-5999),828(9000-9999)						PC PL SQ TA
						TH WE
ESTES PARK	ESPKCOMADS1	07395	06023	5102	656	BA DA GC PC
970/577(0000-5999),577(7000-9999),586						PL TA TH WE
EVERGREEN	EVRGCOMADS0	07539	05944	5102	656	AA BA DA GC
303/670,674,679						GD GR PC PL
720/942(3000-3996)						SN SQ TA TH
						TU WE
FAIRPLAY	FRPLCOMARS1	07657	06029	5102	658	BA DA GC PC
719/836(0000-0999),836(1000-1999),836(2000-2999)						PL TA WE
719/836(3000-3999),836(4000-4999),836(6000-6999)						
719/836(7000-7999),836(9000-9999)						
FLEMING	FLNGCOXCRS0	07201	05617	2190	656	AA BA DA GN
970/265						GQ GR HB IA
						IC SP TJ UG
						UR UW VE WE
						WF WG
FLORENCE	FLRNCOMARS1	07787	05834	5102	658	BA DA GC PC
719/784(0000-0999),784(1000-1999),784(2000-2999)						PL SQ TH TU
719/784(3000-3999),784(4000-4999),784(5000-5999)						WE
719/784(6000-6999),784(9000-9999)						

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - COLORADO

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
FORT COLLINS	FTCLCOHMDS0	07343	05960	5102	656	AA BA DA GC
970/204,206,207,223,225(0000-0999),225(1000-1999)						GD HD PC PL
970/225(2000-2999),225(3000-3999),225(4000-4999)						SN SQ TA TH
970/225(6000-6999),225(7000-7999),225(8000-8999)						WE
970/225(9000-9999),226,229,237(7000-8999),266,267,282						
970/288,377,821(0000-4999)						
FORT COLLINS	FTCLCOMA00T	07331	05965	5102	656	GJ GR PC
/						
FORT COLLINS	FTCLCOMA01W	07331	05965	5102	656	QE TB WE
/						
FORT COLLINS	FTCLCOMABB2	07331	05965	5102	656	TU
/						
FORT COLLINS	FTCLCOMADS0	07331	05965	5102	656	AA BA DA GC
970/221,224,407,416,419(0000-0999),419(1000-1999)						GD HD PC PG
970/419(2000-2999),419(3000-3999),419(4000-4999)						PL RA RB RC
970/419(5000-5999),419(6000-6999),419(7000-7999)						RD RE RF RG
970/419(8000-8999),472,482,484,488(4000-8999),490,491						RH RJ RK SN
970/492(0000-4999),492(6000-9999),493,494,495,498						SQ TA TD WE
970/980(2000-2999)						
FORT COLLINS	FTCLCOMADSH	07331	05965	5102	656	TD WE
/						
FORT COLLINS	FTCLCOMADSJ	07331	05965	5102	656	TD WE
/						
FORT COLLINS	FTCLCOMADSZ	07500	05899	077E	656	DA QC
/						
FORT COLLINS	FTCLCOMAXXX	07331	05965	5102	656	QA QE WE
/						
FORT COLLINS	WGTNCOMARS1	07302	05961	5102	656	AA BA DA GC
970/568(0000-0999),568(1000-1999),568(3000-3999)						PC PL SN SQ
970/568(4000-4999),568(7000-7999),568(9000-9999)						TA TH WE

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - COLORADO

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
FORT LUPTON	FTLPCOMADS0	07420	05891	5102	656	BA DA GC PC
303/857(0000-4999),857(6000-9999)						PL SN SQ TH
						TU WE
FORT MORGAN	FTMRCOMADS0	07337	05740	5102	656	BA DA GC PC
970/542(0000-0999),542(1000-1999),542(2000-2999)						PL RA RB RC
970/542(3000-3999),542(4000-4999),542(6000-6999)						RD RE RF RG
970/542(9000-9999),867						RH RJ RK TU
						WE
FOWLER	FWLRCOXCRS1	07785	05638	2185	658	BA DA GC GR
719/263						TJ
FRASER	FRSRCOMADS0	07502	06036	5102	656	BA DA GC PC
970/368(1000-1999),722(0000-0999),722(1000-1999)						PL SN SQ TH
970/722(5000-5999),722(7000-7999),726						WE
FREDERICK	FRDRCOMADS0	07424	05911	5102	656	BA DA GC PC
303/833						PL SQ TH WE
FRUITA	FRUTCOMADS0	07792	06471	5102	656	BA DA GC PC
970/858						PL SQ TA TH
						WE
GARDNER	GRNRCOXCRS1	07915	05803	2185	658	BA DA GC GR
719/746						
GEORGETOWN	GRTWCOMARS1	07542	06010	5102	656	BA DA GC PC
303/569(0000-3999)						PL SQ TH WE
GILCREST	GLCRCOMARS1	07378	05898	5102	656	BA DA GC PC
970/737(0000-2999),737(9000-9999)						PL SQ TA TH
						WE
GLENWOOD SPRINGS	GLSPCOMA00T	07650	06263	5102	656	PC
/						

==========

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - COLORADO

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
GLENWOOD SPRINGS 970/384,928,945,947	GLSPCOMADS0	07650	06263	5102	656	BA DA GC GD PC PL RA RB RC RD RE RF RG RH RJ RK SN SQ WE
GOLDEN 303/215,216,260(0000-0999),271,273,277,278,279,384 303/630(2000-2999),630(5000-5999),630(8000-8999) 303/869(5000-5999),982 720/497	GLDNCOMADS0	07510	05934	5102	656	BA DA GC GR HD PC PL RA RB RC RD RE RF RG RH RJ RK SN SQ TA TH WE
GOLDEN /	GLDNCOMAXXX	07510	05934	5102	656	WE ZZ
GRANBY 970/887(0000-0999),887(1000-1999),887(2000-2999) 970/887(3000-3999),887(4000-4999),887(5000-5999) 970/887(7000-7999),887(8000-8999),887(9000-9999)	GRNBCOMADS0	07474	06071	5102	656	BA DA GC PC PL RA RB RC RD RE RF RG RH RJ RK SN SQ TU WE
GRAND JUNCTION 970/434,523	CFTNCONMDS0	07796	06424	5102	656	AA BA DA GC GD PC PL SN SQ TA TH WE
GRAND JUNCTION /	GDJTCOMA02T	07804	06438	5102	656	DA GB PL SN SQ WE
GRAND JUNCTION /	GDJTCOMA03T	07804	06438	5102	656	DA G3 GB PL SN SQ WE
GRAND JUNCTION /	GDJTCOMA04T	07804	06438	5102	656	PC

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - COLORADO

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
GRAND JUNCTION 970/241,242,243,244,245,248,254,255,256,257,263,271,298 970/549(5000-5999),623(8000-8999),644(3000-3999) 970/683(2000-2999),683(3000-3999),683(4000-4999) 970/683(5000-5999),683(6000-6999),683(7000-7999) 970/773(2000-2999),985(7000-7999),986(3000-3999)	GDJTCOMADS0	07804	06438	5102	656	AA BA DA GC GD PC PG PL RA RB RC RD RE RF RG RH RJ RK SN SQ TA WE
GRAND JUNCTION /	GDJTCOMADSH	07804	06438	5102	656	TD WE
GRAND JUNCTION /	GDJTCOMAXXX	07804	06438	5102	656	QA QE RM UC WE ZZ
GRAND LAKE 970/627(0000-0999),627(1000-1999),627(2000-2999) 970/627(3000-3999),627(5000-5999),627(8000-8999) 970/627(9000-9999)	GDLKCOMARS1	07435	06063	5102	656	BA DA GC PC PL WE
GREELEY 970/330,339,506	GRELCOJCDS0	07355	05897	5102	656	AA BA DA GC GD PC PL SN SQ TA TH WE
GREELEY 970/714(5000-5999)	GRELCOJCRS1	07355	05897	5102	656	GR
GREELEY /	GRELCOMA01W	07346	05893	5102	656	TB WE
GREELEY 970/304,336,346,347(1000-1999),347(2000-2999) 970/347(3000-3999),347(5000-5999),347(6000-6999),348,350 970/351,352,353,356,378,392,395,400(2000-6999) 970/515(1000-1999),515(4000-4999),652(2000-2999),810	GRELCOMADS0	07346	05893	5102	656	BA DA GC GD HD PC PG PL RA RB RC RD RE RF RG RH RJ RK SN SQ TA TD WE
GREELEY /	GRELCOMADSH	07346	05893	5102	656	TD WE

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - COLORADO

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
GREELEY	GRELCOMAXXX	07346	05893	5102	656	QA QE WE ZZ
/						
GUNNISON	GNSNCOMADS0	07842	06140	5102	656	BA DA GC PC
970/641,642(0000-0999),642(1000-1999),642(4000-4999),943						PL RB RC RD
970/943						RE RF RG RH
						RJ RK SN SQ
						WE
GYPSUM	GYPSCO03DS0	07609	06196	4164	656	DA
970/273,277,280,337,754,766,777,790						
COMPANY: 4164 HAS A PRESENCE ON THIS SWITCH						
GYPSUM	GYPSCOXCRS1	07613	06208	2185	656	AA DA GM GR
970/524						HD RA RB RC
						RD SJ SP SQ
						SU TJ UG UP
						UU
HARTSEL	HRTSCO01DS0	07689	05984	2195	658	AA BA DA OE
719/837						TJ TZ
HAXTUN	HAXTCOXCDS0	07196	05581	2190	656	AA DA GN GQ
970/774						GR HB IA IC
						OE SP T3 TJ
						TZ UG UR UW
						VE WE WF WG
HAYDEN	HYDNCOMARS1	07449	06307	5102	656	BA DA GC PC
970/276(1000-1999),276(2000-2999),276(3000-3999)						PL WE
970/276(4000-4999),276(5000-5999),276(7000-7999)						
970/276(9000-9999)						
HILLROSE	HLRSCOMARS1	07308	05701	5102	656	BA DA GC PC
970/847(0000-0999),847(1000-1999),847(3000-3999)						PL SQ WE
HOLLY	HLLYCOXCRS1	07700	05321	2185	658	BA DA GC GR
719/537						TJ

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - COLORADO

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
HOLYOKE	HLYKCOXCDS1	07191	05524	2197	656	AA DA GN HD
970/854						OE SQ T9 TJ
						TK TZ
HOT SULPHUR SPRINGS	HSSPCOMARS1	07485	06097	5102	656	BA DA GC PC
970/725(0000-0999),725(1000-1999),725(3000-3999)						PL WE
HOTCHKISS	HTCHCOXCDS1	07823	06286	2184	656	AA BA DA GB
970/872(0000-5999)						GC GR OE TJ
						TU TZ
HOTCHKISS	HTCHCOXCGT0	07823	06286	2184	656	DA
970/338						
HOWARD	HWRDCOXCRS0	07813	05952	2185	658	AA DA GC GM
719/942(3000-3999),942(4000-4999),942(5000-5999)						GR HD RA RB
						RC RD
HUDSON	HDSNCOMARS1	07415	05863	5102	656	BA DA GC PC
303/536(0000-0999),536(2000-2999),536(4000-4999)						PL SQ TA TH
303/536(9000-9999)						TU WE
HUGO	HUGOCOXCDS0	07552	05613	2186	658	BA DA HD OE
719/436,438,446,743,763,765,768,962						TJ TZ
IDAHO SPRINGS	IDSPCOMADS0	07526	05982	5102	656	BA DA GC PC
303/567(0000-4999),567(9000-9999)						PL SN SQ TH
						TU WE
IGNACIO	IGNCCOXCDS0	08171	06175	2185	656	BA DA GC GR
970/563						TJ
JOES	JOESCOXCDS0	07402	05523	2199	656	AA BA DA DD
970/354,357,358,359,362,383,664						HA HD IB OE
						TJ TK TZ
JOHNSTOWN-MILLIKEN	JHMLCOMADS0	07374	05922	5102	656	BA DA GC PC
970/587(0000-2999),587(4000-9999)						SQ TA TH WE

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - COLORADO

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
JULESBURG	JLBGCOMARS1	07107	05548	5102	656	BA DA GC PC
308/445						PL TU WE
970/474(0000-0999),474(1000-1999),474(2000-2999)						
970/474(3000-3999),474(4000-4999),474(9000-9999)						
JULESBURG	OVIDCOMARS1	07118	05565	5102	656	BA DA GC PC
970/463(0000-0999),463(1000-1999),463(5000-5999)						PL WE
KEENESBURG	KNBGCOMARS1	07401	05844	5102	656	BA DA GC PC
303/732(0000-2999),732(4000-4999),732(7000-7999)						PL SQ TA TH
303/732(9000-9999)						WE
KIM	KIM COXCDS1	07933	05469	2203	658	BA DA DD OE
719/643						TJ TZ
KIOWA	KIOWCONMRS3	07557	05788	5102	656	BA DA GC PC
303/621(0000-3999),621(7000-9999)						SQ TH WE
KREMMLING	KRNGCOMARS1	07501	06143	5102	656	BA DA GC PC
970/724(0000-0999),724(1000-1999),724(3000-3999)						PL WE
970/724(8000-8999),724(9000-9999)						
LA JARA	LAJRCOXCDS0	08060	05903	2185	658	BA DA GC GR
719/274						TJ
LA JUNTA	LJNTCOXCBB1	07791	05549	2185	658	T3
/						
LA JUNTA	LJNTCOXCBB3	07791	05549	2185	658	T3
/						
LA JUNTA	LJNTCOXCDS0	07791	05549	2185	658	BA DA GC GR
719/383,384						RB RC RD RE
						RF RG RH RJ
						RK T7 TJ TU
LA SALLE	LSLLCOMARS1	07361	05890	5102	656	BA DA GC PC
970/284(0000-1999),284(5000-7999),284(9000-9999)						SQ TA TH TU
						WE

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - COLORADO

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
LA VETA 719/742	LAVTCOXCDS0	07964	05760	2185	658	BA DA GC GR TJ
LAFAYETTE-LOUISVILLE 303/269(2000-2999),335(4000-4999),604,661(0000-6999) 303/661(8000-9999),664,665,666,673(0000-1999) 303/673(3000-3999),673(9000-9999),689(4000-6999),926 720/536(6000-6999),536(7000-7999),890	DNVRCOCWDS0	07454	05935	5102	656	BA DA GC HD PC PE PL RB RC RD RE RF RG RH RJ RK SN SQ TA TH TU WE
LAFAYETTE-LOUISVILLE /	DNVRCOCWXXX	07454	05935	5102	656	QA QE WE
LAKE CITY 970/944	LKCYCOXCDS0	07967	06174	2185	656	AA DA GR HD RA RB RC RD TJ
LAKE GEORGE 719/748(0000-0999),748(1000-1999),748(3000-3999) 719/748(4000-4999),748(5000-5999),748(8000-8999) 719/748(9000-9999)	LKGRCOXCDS0	07677	05910	2185	658	BA DA GC GR TA TJ
LAKEWOOD /	LKWDCOMABB2	07506	05912	5102	656	TU
LAKEWOOD 303/202,205,231,232,233,234,235,236,237,238,239,274,275 303/445,462,626(6000-6999) 720/321,544(0000-0999),544(2000-2999),544(4000-5999) 720/544(8000-8999)	LKWDCOMADS0	07506	05912	5102	656	DA GC GJ GR HD PB PK TH UR VJ WD WE WF WG WI WJ
LAKEWOOD /	LKWDCOMAXXX	07506	05912	5102	656	QB QF VJ WE ZZ
LAMAR 719/336	LAMRCOXCDS0	07720	05405	2185	658	BA DA GC GR RB RC RD RE RF RG RH RJ RK TJ

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - COLORADO

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
LAS ANIMAS 719/456	LSANCOXCRS1	07757	05503	2185	658	BA DA GC GR TJ
LEADVILLE 719/486	LDVLCOMARS2	07665	06078	5102	658	DA GC PC PL WE
LIMON 719/775(0000-0999),775(2000-2999),775(8000-9999)	LIMNCOMARS1	07535	05658	5102	658	BA DA GC PC PL RB RC RD RE RF RG RH RJ RK WE
LITTLETON 303/269(5000-7999),904,932,933,948,971,972,973,977,978 303/979 720/563(2000-6999),842(6000-6999),842(8000-8999) 720/922(0000-5999),922(7000-9999),981	DNVRCOCLDS0	07539	05904	5102	656	AA BA DA GC GD HD PC PL RA RB RC RD RE RF RG RH RJ RK SN SQ TA TH TU WE
LITTLETON /	DNVRCOCLXXX	07539	05904	5102	656	WE ZZ
LITTLETON /	DNVRCODC99W	07526	05875	5102	656	HC WE
LITTLETON /	DNVRCODCBB3	07526	05875	5102	656	TU
LITTLETON 303/220,221,224,247(3000-4999),265(0000-0999) 303/265(7000-9999),267,290,372(1000-2999),486(0000-3999) 303/486(5000-9999),488,673(7000-8999),689(0000-3999) 303/689(7000-9999),694,712(0000-1999),712(3000-9999),713 303/714,721,737,740,741,770,771,773,779,793,796,804,843 303/846,850,889(0000-8999),930,967 720/200,444,482(0000-4999),482(6000-9999),488,489,493 720/528,529,536(1000-1999),536(9000-9999),554 720/872(4000-4999),963(7000-7999),977(3000-4999)	DNVRCODCDS0	07526	05875	5102	656	AA BA DA GJ GR HD PA PE PJ RA TA TB TD UR VJ WD WE WF WG WH WI WJ

==========

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - COLORADO

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
LITTLETON /	DNVRCODCDSH	07526	05875	5102	656	TD WE
LITTLETON /	DNVRCODCDSJ	07526	05875	5102	656	TD WE
LITTLETON /	DNVRCODCDSK	07526	05875	5102	656	TD WE
LITTLETON /	DNVRCODCDSL	07526	05875	5102	656	TD WE
LITTLETON /	DNVRCODCDSM	07526	05875	5102	656	TD WE
LITTLETON /	DNVRCODCK01	07526	05875	5102	656	TD UE WE
LITTLETON /	DNVRCODCXXX	07526	05875	5102	656	QA QE VJ WE ZZ
LITTLETON 303/265(2000-3999),265(5000-6999),346,470,471,683,791 720/344,348(0000-4999),348(6000-9999),516,563(8000-8999) 720/945(6000-6999)	LTTNCOHLDS0	07541	05885	5102	656	AA BA DA GB GC GD GR HD PC PL TA TH WE
LITTLETON 303/347,658(1000-1999),658(5000-5999),703,707,730,734 303/738,794,795,797,798 720/283,360(2000-2999),922(6000-6999)	LTTNCOMADS0	07528	05893	5102	656	AA BA DA GR HD PC PK TA TH WE
LITTLETON /	LTTNCOMAXXX	07528	05893	5102	656	WE ZZ
LODORE 970/365	LODRCOXCDS0	07457	06578	2297	656	CA
LONGMONT /	LNMTCOMADS0	07417	05943	5102	656	DA GC TH TU WE

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - COLORADO

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
LONGMONT	LNMTCOMADS1	07417	05943	5102	656	AA BA DA GC
303/485,651,678,682,684,702,772,774,776						GD HD PC RB
720/494,652,718,864(3000-3999),864(5000-7999)						RC RD RE RF
						RG RH RJ RK
						SN SQ TA TH
						TU WE
LONGMONT	LNMTCOMAXXX	07417	05943	5102	656	WE ZZ
/						
LONGMONT	NIWTCOMADS0	07434	05947	5102	656	BA DA GC PC
303/652(0000-4999),652(6000-6999),652(8000-9999)						PL SN SQ TA
						TH TU WE
LOOKOUT MOUNTAIN	LKMTCOMADS1	07522	05943	5102	656	BA DA GC GR
303/526(0000-5999),526(7000-7999),526(9000-9999)						PC PL SQ TA
720/746(0000-1999),746(3000-3999)						TH TU WE
LOVELAND	LVLDCOMADS0	07369	05952	5102	656	BA DA GC HD
970/203(0000-3999),203(6000-9999),278(0000-0999)						PC PL RB RC
970/278(1000-1999),278(2000-2999),278(4000-4999)						RD RE RF RG
970/278(8000-8999),278(9000-9999),461,593(0000-1999)						RH RJ RK SN
970/593(3000-7999),593(9000-9999),613(0000-2999)						SQ TA TH TU
970/613(4000-9999),619(2000-2999),619(3000-3999)						WE
970/619(4000-4999),619(5000-5999),619(6000-6999)						
970/619(7000-7999),622,624(1000-5999),635,663,667,669						
970/679,820(1000-6999),962(0000-0999),962(1000-1999)						
970/962(2000-2999),962(3000-3999),962(4000-4999)						
970/962(5000-5999),962(6000-6999),962(7000-7999)						
970/962(9000-9999)						
LYONS	LYNSCOMARS1	07414	05972	5102	656	BA DA GC PC
303/823(0000-0999),823(2000-2999),823(5000-5999)						PL SQ TA TH
303/823(6000-6999),823(7000-7999),823(8000-8999)						TU WE
303/823(9000-9999)						
MANASSA	MNSSCOXCRS1	08079	05894	2185	658	BA DA GC GR
719/843						SQ TJ

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - COLORADO

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
MANCOS 970/533(0000-0999),533(1000-1999),533(7000-7999) 970/533(9000-9999)	MNCSCOMARS1	08153	06299	5102	656	BA DA GC PC PL TH WE
MANZANOLA 719/462	MNZNCOXCRS1	07782	05610	2185	658	BA DA GC GR TJ
MARVEL 970/588	MARVCOXCDS0	08192	06258	2208	656	AA DA GR HD PN RA WE
MAYBELL 970/272	MYBLCOXCDS0	07479	06441	2185	656	BA DA GC GR
MCCOY 970/653	MCCYCOXCRS1	07545	06194	2185	656	AA DA GM GR HD RA RB RC RD
MEAD 970/535(0000-1999),535(4000-4999),535(6000-6999) 970/535(9000-9999)	MEADCOMARS1	07399	05931	5102	656	BA DA GC PB SQ TA TH WE
MEEKER 970/878(0000-0999),878(1000-1999),878(2000-2999) 970/878(3000-3999),878(4000-4999),878(5000-5999) 970/878(6000-6999),878(9000-9999)	MEKRCOMARS1	07573	06387	5102	656	BA DA GC PC PL WE
MESA 970/268	MESACOXCDS0	07765	06375	2185	656	BA DA GC GR SQ TA
MINTURN 970/827(0000-0999),827(1000-1999),827(4000-4999) 970/827(5000-5999),827(6000-6999),827(7000-7999) 970/827(9000-9999)	MNTRCOMARS1	07602	06119	5102	656	BA DA GC PC PL SQ TH TU WE
MONTE VISTA 719/852	MTVSCOMARS1	08006	05953	5102	658	BA DA GC PC PL SQ WE

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - COLORADO

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
MONTROSE 970/240,249,252,497(8000-8999),765(3000-3999) 970/964(2000-2999)	MTRSCOMADS0	07897	06293	5102	656	AA BA DA GC GD PC PL RA RB RC RD RE RF RG RH RJ RK TH TU WE
MONUMENT 719/272(5000-5999),481,484(0000-0999),484(1000-1999) 719/484(2000-2999),484(3000-3999),484(4000-4999) 719/484(5000-5999),484(6000-6999),484(7000-7999) 719/487(0000-0999),487(1000-1999),487(2000-2999) 719/487(3000-3999),487(6000-6999),487(7000-7999) 719/487(8000-8999),487(9000-9999),488	MNMTCOMADS0	07629	05835	5102	658	BA DA GC GD PB PK SN SQ TA TH WE
MONUMENT /	MNMTCOMAXXX	07629	05835	5102	658	QB QF WE
MORRISON 303/697	MRSNCOMARS1	07529	05925	5102	656	BA DA GC GR PC PL SQ TA TH TU WE
MOSCA 719/256,378	MOSCCOXCDS0	07957	05919	2204	658	AA BA DA GN HD OE T3 TJ TZ XF
NEDERLAND 303/258(0000-5999),258(7000-9999)	NDLDCOMARS1	07480	05995	5102	656	BA DA GC HD PC PL SQ TA TH TU WE
NEW CASTLE 970/984(0000-3999),984(9000-9999)	NWCSCOMARS1	07654	06299	5102	656	BA DA GC PC PL TU WE
NORWOOD 970/327	NRWDCOXCDS0	07989	06342	2185	656	BA DA GC GR TJ
NUCLA 970/859,864,865,931	NUCLCOXCDS0	07972	06393	2193	656	AA BA DA HD OE TJ TZ

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - COLORADO

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
NUNN	NUNNCOXCDS0	07292	05925	2194	656	DA HD OE T9
970/897						TJ TK TZ
OAK CREEK	OKCKCOMARS1	07480	06241	5102	656	BA DA GC PC
970/736(0000-0999),736(1000-1999),736(2000-2999)						PL WE
970/736(8000-8999)						
OLATHE	OLTHCOMARS1	07876	06317	5102	656	BA DA GC PC
970/323(0000-1999),323(5000-6999),323(8000-9999)						PL WE
ORDWAY	ORWYCOXCRS1	07753	05600	2185	658	BA DA GC GR
719/267						TJ
OTIS	OTISCOXCRS1	07315	05600	2185	656	BA DA GC GR
970/246						SQ TJ
OURAY	OURYCOMARS1	07984	06233	5102	656	BA DA GC PC
970/325(0000-1999),325(4000-4999),325(7000-7999)						PL TH WE
970/325(9000-9999)						
PAGOSA SPRINGS	PGSPCOXCDS0	08111	06079	2208	656	AA DA GR HD
970/264						PN RA RC RD
						TJ WE
PAGOSA SPRINGS WEST	PGSPCOXWDS0	08117	06090	2208	656	AA DA GR HD
970/731						PN RA RC RD
						TJ WE XG
PALISADE	PLSDCOMARS1	07786	06406	5102	656	BA DA GC PC
970/464(0000-0999),464(1000-1999),464(4000-4999)						SQ TA TH WE
970/464(5000-5999),464(6000-6999),464(7000-7999)						
970/464(9000-9999)						
PAONIA	PAONCOXCRS0	07804	06269	2184	656	AA BA DA GR
970/527(0000-0999),527(2000-7999)						OE TJ
PARACHUTE	PACHCO01DS0	07703	06372	5102	656	BA DA GC PC
970/285(0000-2999),285(5000-7999),285(8000-8999)						PL TA TU WE
970/285(9000-9999)						

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - COLORADO

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
PARKER	PRKRCOMADS0	07539	05846	5102	656	AA BA DA GC
303/805,840,841						GD GR HD PC
720/407(9000-9999),842(0000-1999),842(4000-5999),851						SN SQ TA TH
						TU WE
PEETZ	PETZCOXCDS1	07156	05678	2196	656	DA HD OE TJ
308/335						TK TZ
970/334						
PENROSE	PNRSCOMARS1	07775	05819	5102	658	BA DA GC PC
719/372(0000-0999),372(3000-3999),372(6000-6999)						PL SN SQ TA
719/372(7000-7999),372(9000-9999)						TH TU WE
PEYTON	PYTNCOMARS1	07623	05771	5102	658	BA DA GC PC
719/749(0000-0999),749(2000-2999),749(9000-9999)						PL SN SQ TA
						TH WE
PIKE TRAILS	GFFYCOXARS1	07733	05936	2185	658	AA DA GM GR
719/479						HD RA RB RC
						RD
PLATTEVILLE	PTVLCOMARS1	07395	05901	5102	656	BA DA GC PC
970/785(0000-2999),785(4000-4999),785(6000-6999)						PL SN SQ TA
970/785(9000-9999)						TH WE
PLEASANT VIEW	PSVWCOXCDS1	08123	06392	2188	656	AA BA DA HD
970/562						OE T9 TJ TK
						TZ
PUEBLO	AVDLCOMARS1	07775	05699	5102	658	BA DA GC PC
719/947(0000-1999),947(3000-4999),947(6000-9999)						PL SN SQ TA
						TH TU WE
PUEBLO	PUBLCO06DS0	07779	05769	5102	658	BA DA GC PC
719/547,647(0000-0999),647(1000-1999),647(2000-2999)						PL SN SQ TA
719/647(3000-3999),647(4000-4999),647(5000-5999)						TH WE
719/647(6000-6999),647(8000-8999),647(9000-9999)						

==========

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - COLORADO

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
PUEBLO	PUBLCOMA00W	07786	05743	5102	658	HC WE
/						
PUEBLO	PUBLCOMA02T	07786	05743	5102	658	PC
/						
PUEBLO	PUBLCOMABB1	07786	05743	5102	658	TU
/						
PUEBLO	PUBLCOMADS0	07786	05743	5102	658	AA BA DA GC
719/253(0000-0999),253(1000-1999),253(3000-3999)						GD PC PF PL
719/253(4000-4999),253(5000-5999),253(6000-6999)						RA RB RC RD
719/253(7000-7999),253(8000-8999),253(9000-9999),288,295						RE RF RG RH
719/296,423(1000-1999),423(2000-2999),423(3000-3999)						RJ RK SN SQ
719/423(5000-5999),542,543,544,545,546,549						TA TD WE
719/553(0000-4999),562,583,584,585,586,595						
719/744(0000-1999)						
PUEBLO	PUBLCOMADSH	07786	05743	5102	658	TD WE
/						
PUEBLO	PUBLCOMAXXX	07786	05743	5102	658	QA QE WE ZZ
/						
PUEBLO	PUBLCOSUDS0	07794	05746	5102	658	AA BA DA GC
719/557(3000-8999),560,561,564,565(0000-0999)						PC SQ TA TH
719/565(1000-1999),565(2000-2999),565(3000-3999)						WE
719/565(4000-4999),565(5000-5999),565(6000-6999),566						
PUEBLO	VNLDCOMARS1	07780	05725	5102	658	BA DA GC PC
719/948(0000-0999),948(1000-1999),948(2000-2999)						PL SN SQ TA
719/948(3000-3999),948(4000-4999),948(5000-5999)						TH WE
719/948(6000-6999),948(9000-9999)						
RANGELY	RNGLCOXCDS0	07600	06533	2185	656	BA DA GC GR
970/675						SQ TJ
RED FEATHER LAKES	RFLKCOXCDS0	07309	06059	2185	656	BA DA GC GR
970/881						HD SQ TA TJ

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - COLORADO

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
RICO 970/967	RICOCOXODS0	08069	06274	2201	656	AA BA DA HD OE T9 TJ TK TZ WH
RIDGWAY 970/626(0000-5999),626(9000-9999)	RDGWCOMARS1	07961	06254	5102	656	BA DA GC PC TH WE
RIFLE 970/625,665(6000-6999),665(7000-7999)	RIFLCOMADS0	07673	06337	5102	656	BA DA GC PC PL SQ WE
ROCKY FORD 719/254	RCFRCOXCRS1	07785	05583	2185	658	BA DA GC GR TJ
ROGGEN 303/849	RGGNCOXCDS0	07383	05826	2202	656	BA BC DA HD SQ
RUSH 719/478(0000-3999),478(5000-5999)	RUSHCOXCRS1	07655	05693	2187	658	DA HD
SAGUACHE 719/655	SGCHCOXCRS1	07900	05983	2185	658	BA DA GC GR TJ
SALIDA 719/530(0000-0999),530(2000-2999),530(5000-5999) 719/530(8000-8999),530(9000-9999),539	SALDCOMADS0	07800	05986	5102	658	BA DA GC PC PL RB RC RD RE RF RG RH RJ RK WE
SAN LUIS 719/672	SNLSCOXCRS1	08049	05810	2185	658	BA DA GC GR TJ
SHERIDAN LAKE 719/727,729,739	SDLKCOXCDS0	07626	05377	4466	658	AA BA DA HD TJ XG
SILT 970/876(0000-0999),876(1000-1999),876(2000-2999) 970/876(5000-5999),876(9000-9999)	SILTCOMARS1	07664	06317	5102	656	BA DA GC PC PL TU WE
SILVERTON 970/387(0000-1999),387(5000-5999),387(9000-9999)	SLTNCOMARS1	08027	06219	5102	656	BA DA GC PC PL TH WE

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - COLORADO

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SIMLA	SIMLCOXCDS0	07580	05713	2192	658	DA GN HB HD
719/541						OE T3 TJ TZ
						XF
SOMERSET	SMRTCOXCRS0	07786	06251	2184	656	AA BA DA GR
970/929						OE
SOUTH FORK	SFRKCOMARS1	08010	06041	5102	658	BA DA PC PL
719/873(0000-0999),873(1000-1999),873(2000-2999)						WE
719/873(5000-5999),873(9000-9999)						
SPRINGFIELD	SPFDCOXCRS1	07860	05358	2185	658	BA DA GC GR
719/523(0000-0999),523(1000-1999),523(2000-2999)						TJ
719/523(4000-4999),523(5000-5999),523(6000-6999)						
719/523(7000-7999),523(8000-8999),523(9000-9999)						
STEAMBOAT SPRINGS	STSPCOMADS0	07432	06238	5102	656	BA DA GC WE
/						
STEAMBOAT SPRINGS	STSPCOMADS1	07432	06238	5102	656	AA BA DA G4
970/870,871,875(0000-0999),875(1000-1999),875(2000-2999)						GC GD GE GG
970/879						GN GR HB HD
						IB IC ID IH
						II PC PL RA
						RB RC RD RE
						RF RG RH RJ
						RK SH SN SP
						SQ TL VC WE
STERLING	STNGCOMADS0	07230	05672	5102	656	BA DA GC PC
970/521,522,526(0000-0999),526(1000-1999),526(2000-2999)						PL RB RC RD
970/526(3000-3999),526(4000-4999),526(5000-5999)						RE RF RG RH
970/526(8000-8999),526(9000-9999)						RJ RK TU WE
STONEHAM	STHMCOXCDS0	07259	05743	2206	656	AA BA DA GM
970/735						GN HD OE T9
						TJ TK TZ

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - COLORADO

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
STRASBURG	STBGCOXCDS0	07469	05791	2207	656	AA BA DA GR
303/622(2000-2999),622(4000-4999),622(6000-9999)						OE SQ TJ TU
						TZ
STRATTON	SRTNCOXCRS1	07470	05486	2185	658	BA DA GC GR
719/348						TJ
SULLIVAN	DNVRCOSHDS0	07515	05857	5102	656	AA BA DA GC
303/269(0000-0999),269(3000-4999),269(8000-8999),400,617						GD GR HD PC
303/627,680,690,693,699,766						PL RA RB RC
720/870,876(0000-2999),876(9000-9999),886						RD RE RF RG
						RH RJ RK SN
						SQ TA TH TU
						WE
SULLIVAN	DNVRCOSLDS0	07509	05873	5102	656	AA BA DA GC
303/283,306(0000-7999),306(9000-9999),337,338,368,369						GD GR HD PB
303/614,636,671,695,696,743,745,750,751,752,755,873						PE RA RB RC
720/744(1000-1999),744(5000-9999),747,748						RD RE RF RG
						RH RJ RK SN
						SQ TA TH UR
						VJ WD WE WF
						WG WH WI WJ
SULLIVAN	DNVRCOSLXXX	07509	05873	5102	656	QA QE VJ WE
/						ZZ
TELLURIDE	TLRDCOMADS0	08008	06251	5102	656	BA DA GC PC
970/369(0000-0999),369(1000-1999),369(4000-4999)						PL TH WE
970/369(5000-5999),369(6000-6999),369(7000-7999)						
970/369(8000-8999),728						
TRINIDAD	TRNDCOMADS0	08009	05655	5102	658	BA DA GC PC
719/845(0000-4999),845(8000-9999),846						PL RB RC RD
						RE RF RG RH
						RJ RK WE
TWO BUTTES	TWBTCOXCRS1	07816	05333	2185	658	BA DA GC GR
719/326						TJ

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - COLORADO

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
VAIL	VAILCOMA00T	07586	06116	5102	656	PC
/						
VAIL	VAILCOMADS0	07586	06116	5102	656	BA DA GC PC
970/476,477(0000-0999),477(1000-1999),477(2000-2999)						RA RB RC RD
970/477(3000-3999),477(4000-4999),477(5000-5999)						RE RF RG RH
970/477(7000-7999),477(8000-8999),479						RJ RK SN SQ
						TH TU WE
VAIL	VAILCOMAXXX	07586	06116	5102	656	WE ZZ
/						
WALDEN	WLDNCOXCDS0	07356	06165	2185	656	BA DA GC GR
970/723						SQ TA TJ
WALSENBURG	WLBGCOMARS1	07929	05729	5102	658	BA DA GC PC
719/738(0000-0999),738(1000-1999),738(2000-2999)						PL SN SQ WE
719/738(3000-3999),738(4000-4999),738(5000-5999)						
719/738(6000-6999),738(7000-7999),738(9000-9999)						
WALSH	WLSHCOXCRS1	07845	05301	2185	658	BA DA GC GR
719/324						TJ
WARD	WARDCOMARS1	07457	06001	5102	656	BA DA GC HD
303/459(0000-1999),459(3000-3999),459(9000-9999)						PC PL SQ TA
						TH TU WE
WELDONA	WLDACOMARS1	07325	05773	5102	656	BA DA GC PC
970/645(0000-0999),645(1000-1999),645(2000-2999)						PL SQ TA WE
970/645(9000-9999)						
WESTCLIFFE	WCLFCOXCDS0	07857	05875	2185	658	BA DA GC GR
719/783						TJ
WESTON	WSTNCOXCDS0	08034	05710	2185	658	BA DA GC GR
719/868						

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - COLORADO

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
WIGGINS	WGNSCOXCDS1	07354	05783	2209	656	AA BA DA GN
970/437,483,656,895						HD OE TJ TK
						TZ
WILEY	WILYCOXCRS1	07712	05426	2185	658	BA DA GC GR
719/829						TJ
WILLARD	WLRDCOXCDS0	07258	05712	2210	656	AA DA GM GN
970/228						HB HD OE TJ
						TZ
WINDSOR	WNDSCOMADS1	07344	05930	5102	656	BA DA GC PC
970/674(0000-6999),674(8000-9999),686						PL SQ TA TH
						TU WE
WOODROW	WDRWCOXCDS0	07382	05690	2186	656	UD
/						
WRAY	WRAYCOXCRS1	07291	05478	2185	656	BA DA GC GR
970/332						TJ
YAMPA	YAMPCOMARS1	07505	06231	5102	656	BA DA GC PC
970/638(0000-0999),638(1000-1999),638(4000-4999)						PL WE
YUMA	YUMACOXCDS0	07308	05561	2185	656	BA DA GC GR
970/848						TJ

END OF SECTION

WIRE CENTER INFORMATION
PENDING CHANGES
SECTION 18
CONNECTICUT

EFFECTIVE: DECEMBER 01, 2017

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CONNECTICUT

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE				
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--	
HARTFORD	HRFRCT0301W	04687	01372	5200	920	GC	GD	GI	GL	(C)
/						GN	GP	HC	HD	(C)
						PA	PJ	PR	PS	(C)
						QA	SR	VP		(C)
"	"	"	"	"	"	GC	GD	GI	GL	
" / "						GN	GP	HD	PA	
						PJ	PR	PS	QA	
						SR	VP			
NEW HAVEN	NWHNCT0201W	04791	01342	5200	920	GB	HC	PR	PU	(C)
/										(C)
"	"	"	"	"	"	GB	PR	PU		
" / "										

END OF REPORT

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CONNECTICUT

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ANSONIA-DERBY	DRBYCT00DS0	04805	01366	5200	920	AA BA DA GC
203/732,734,735,736(0000-6999),736(8000-9999)						GD GI GL GN
203/751(8000-8999),922(0000-1999),922(3000-9999),924						GP GQ GR HA
						HD IC II OR
						PC PL PR PU
						RC RD SJ SQ
						SX TI TJ UB
						UG UP UQ UR
						WE WG WH WJ
BALTIC	BLTCCT00RS0	04653	01276	5200	920	AA BA DA GC
860/822(0000-0999),822(1000-1999),822(6000-6999)						GD GI GL GN
860/822(8000-8999),822(9000-9999)						GP GQ GR HD
						IC OR PC PL
						PT RC RD SQ
						TJ UB UG UQ
						UR WE WG WH
						WJ
BERLIN	BRLNCT00RS0	04719	01363	5200	920	AA BA DA GC
860/828,829(0000-0999),829(1000-1999),829(2000-2999)						GD GI GL GN
860/829(3000-3999),829(4000-4999),829(5000-5999)						GP GQ GR HD
860/829(6000-6999),829(8000-8999)						IC OR PC PL
						PR PS RC RD
						SQ TI TJ UB
						UG UP UQ UR
						WE WG WH WJ
BETHANY	BTHNCT00RS0	04784	01364	5200	920	AA BA DA GC
203/393(0000-0999),393(1000-1999),393(2000-2999)						GD GI GL GN
203/393(3000-3999),393(4000-4999),393(7000-7999)						GP GQ GR HD
203/393(9000-9999)						IC OR PC PL
						PR PU RC RD
						SQ UB UG UQ
						UR WE WG WH
						WJ

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CONNECTICUT

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
BETHLEHEM	BHLHCT00RS0	04763	01423	5200	920	BA DA G5 GN
/						HB IA IC II
						OR PC PL PR
						PU SH SQ ST
						UA UB UH UJ
						UK UL UM UQ
						UR UY
BLOOMFIELD	BLFDCT00DS0	04683	01385	5200	920	AA BA DA GC
860/242,243,286,726(0000-2999),726(9000-9999)						GD GI GL GN
860/768(4000-8999),769						GP GQ GR HA
						HD IC II OR
						PB PK PR PS
						RC RD SJ SQ
						SX TI TJ UB
						UG UQ UR WE
						WG WH WJ
BRANFORD	BRFRCT00DS0	04785	01324	5200	920	AA BA DA GC
203/315,481,483,488						GD GI GL GN
						GP GQ GR HA
						HD IC II OR
						PC PL PR PU
						RC RD SQ SX
						TI TJ UB UG
						UQ UR WE WG
						WH WJ
BRANFORD NORTH	NBFRCT00DS0	04769	01334	5200	920	OR PR PU SV
/						
BRANFORD NORTH	NBFRCT00DS1	04769	01334	5200	920	PR PU SQ
/						

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CONNECTICUT

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
BRANFORD NORTH	NBFRCT00RS0	04769	01334	5200	920	AA BA DA GC
203/484(0000-0999),484(1000-1999),484(2000-2999)						GD GI GL GN
203/484(4000-4999),484(5000-5999),484(6000-6999)						GP GQ GR HD
203/484(7000-7999),484(9000-9999)						IC OR PC PL
						PR PU RC RD
						SQ UB UG UQ
						UR WE WG WH
						WJ
BRIDGEPORT	BRPTCT01DS0	04841	01360	5200	920	AA BA DA GC
203/224(1000-7999),275(1000-1999),275(2000-2999)						GD GI GL GN
203/275(3000-3999),275(4000-4999),330,331(0000-1999)						GP GQ GR HA
203/331(3000-4999),331(8000-9999),332,333,334,335,336						HD IC II OH
203/337,338(0000-0999),338(2000-9999),339(0000-0999)						PB PK PR PU
203/339(3000-4999),339(6000-9999),362(0000-4999)						QA RC RD SK
203/362(6000-6999),366,367,368(0000-7999),368(9000-9999)						SR TI TJ UB
203/382(0000-2999),382(5000-9999),384,394(0000-0999)						UG UQ UR VF
203/394(4000-6999),394(9000-9999),534(0000-5999)						VP WE WG WH
203/534(7000-7999),576,579,581(5000-9999),615(0000-0999)						WJ ZX
203/615(5000-5999),615(6000-6999),615(7000-7999)						
203/615(9000-9999),696						
475/248						
BRIDGEPORT NORTH	BRPTCT03DS0	04837	01366	5200	920	AA BA DA GC
203/365,371,372,373,374,396,416(0000-0999)						GD GI GL GN
203/416(2000-4999),416(7000-7999),416(9000-9999)						GP GQ GR HA
						HD IC II OR
						PC PL PR PU
						RC RD SJ SQ
						SX TI TJ UB
						UG UP UQ UR
						WE WG WH WJ

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CONNECTICUT

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
BRISTOL	BRSTCT00DS0	04730	01394	5200	920	AA BA DA GC
860/314,582,583,584,585,589,766						GD GI GL GN
						GP GQ GR HA
						HD IC II OR
						PC PL PR PS
						RC RD SJ SQ
						SX TI TJ UB
						UG UQ UR WE
						WG WH WJ
BROOKFIELD	BRFDCT00DS0	04813	01424	5200	920	AA BA DA GC
203/740,775						GD GI GL GN
						GP GQ GR HA
						HD IC II OR
						PC PL PR PU
						RC RD SQ SX
						TI TJ UB UG
						UQ UR WE WG
						WH WJ
BYRAM	NYCMNY83DS0	04998	01407	7316	132	BA DA
203/347(3000-3999),769(7000-7999),930(7000-7999)						
CANAAN	CNANCT00DS0	04722	01486	5200	920	OR SV
/__						
CANAAN	CNANCT00DS1	04722	01486	5200	920	SQ
/__						
CANAAN	CNANCT00RS0	04722	01486	5200	920	AA BA DA GC
860/824(0000-0999),824(1000-1999),824(2000-2999)						GD GI GL GN
860/824(3000-3999),824(4000-4999),824(5000-5999)						GP GQ GR HD
860/824(7000-7999),824(8000-8999),824(9000-9999)						IC OR PC PL
						RC RD SQ TJ
						UB UG UQ UR
						WE WG WH WJ

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CONNECTICUT

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
CANTON	CNTNCT00RS0	04704	01410	5200	920	AA BA DA GC
860/693						GD GI GL GN
						GP GQ GR HD
						IC OR PC PL
						PR PS RC RD
						SQ UB UG UQ
						UR WE WG WH
						WJ
CHESHIRE	CHSHCT01DS0	04755	01366	5200	920	AA BA DA GC
203/250,271,272,699(0000-0999),699(1000-1999)						GD GI GL GN
203/699(2000-2999),699(3000-3999),699(4000-4999)						GP GQ GR HA
203/699(5000-5999),699(7000-7999),699(8000-8999)						HD IC II OR
203/699(9000-9999)						PC PL PR PU
						RC RD SQ TI
						TJ UB UG UQ
						UR WE WG WH
						WJ
CHESHIRE	CHSHCT01DS1	04755	01366	5200	920	PR PU SJ SQ
/___						SX
CLINTON	CLTNCT00RS0	04757	01287	5200	920	AA BA DA GC
860/664(0000-0999),664(1000-1999),664(2000-2999)						GD GI GL GN
860/664(3000-3999),664(4000-4999),664(6000-6999)						GP GQ GR HD
860/664(9000-9999),669						IC OR PC PL
						PR PS RC RD
						SQ TI TJ UB
						UG UQ UR WE
						WG WH WJ
COLCHESTER	CLCHCT00DS0	04685	01302	5200	920	AA BA DA GC
860/537						GD GI GL GN
						GP GQ GR HA
						HD IC II OR
						PC PL PT PU
						RC RD SQ UB
						UG UQ UR WE
						WG WH WJ

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CONNECTICUT

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
COLCHESTER /	CLCHCT00DS1	04685	01302	5200	920	PT PU SQ SX
COLUMBIA 860/228	CLMACT00RS4	04662	01316	5200	920	AA BA DA GC GD GI GL GN GP GQ GR HD IC OR PC PL PR PS RC RD SQ UB UG UQ UR WE WG WH WJ
CONNECTICUT /	HRFRCTBCDS1	04897	00138	639C	920	DA DD GE GL GN GP GR IA IB
CORNWALL /	CRNWCT00DS0	04738	01467	5200	920	OR SV
CORNWALL /	CRNWCT00DS1	04738	01467	5200	920	SQ
CORNWALL 860/672(0000-0999),672(2000-2999),672(4000-4999) 860/672(6000-6999),672(9000-9999)	CRNWCT00RS0	04738	01467	5200	920	AA BA DA GC GD GI GL GN GP GQ GR HD IC OR PC PL RC RD SQ UB UG UQ UR WE WG WH WJ
COVENTRY 860/742	CNTYCT00RS1	04652	01324	5200	920	AA BA DA GC GD GI GL GN GP GQ GR HD IC OR PC PL PR PS RC RD SQ TI UB UG UP UQ UR WE WG WH WJ

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CONNECTICUT

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
CROMWELL	CRWLCT00RS0	04716	01350	5200	920	AA BA DA GC
860/613(0000-0999),613(1000-1999),613(2000-2999)						GD GI GL GN
860/613(3000-3999),613(4000-4999),613(7000-7999)						GP GQ GR HD
860/613(9000-9999),632,635						IC OR PC PL
						PR PS RC RD
						SQ TI TJ UB
						UG UP UQ UR
						WE WG WH WJ
DANBURY	DNBRCT00BB0	04829	01423	5200	920	PR PU TD
/						
DANBURY	DNBRCT00DS1	04829	01423	5200	920	AA BA DA GC
203/205(0000-8999),207(0000-0999),207(2000-9999),730						GD GI GL GN
203/731(2000-3999),731(5000-6999),731(8000-8999)						GP GQ GR HA
203/739(0000-4999),739(6000-8999),743,744(0000-8999),748						HD IC II OH
203/749,778,790,791,792,794(0000-1999),794(3000-3999)						PB PK PR PU
203/794(5000-5999),794(8000-9999),796,797,798,825						QA RC RD SK
203/830(0000-8999),837(2000-5999),837(8000-9999)						SR TI TJ UB
						UG UQ UR VF
						VP WE WG WH
						WJ ZX
DANIELSON	DNSNCT00DS0	04600	01276	5200	920	AA BA DA GC
860/412(7000-7999),774,779						GD GI GL GN
						GP GQ GR HA
						HD IC II OR
						PC PL RC RD
						SQ TI TJ UB
						UC UG UQ UR
						WE WG WH WJ
DANIELSON	DNSNCT00DS1	04600	01276	5200	920	SQ SX
/						

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CONNECTICUT

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
DARIEN	DARNCT00RS1	04886	01383	5200	920	AA BA DA GC
203/655,656,662						GD GI GL GN
						GP GQ GR HD
						IC OR PC PL
						PR PU RC RD
						SQ TI TJ UB
						UG UP UQ UR
						WE WG WH WJ
DEEP RIVER	DPRVCT00RS0	04728	01290	5200	920	AA BA DA GC
860/526(0000-0999),526(1000-1999),526(2000-2999)						GD GI GL GN
860/526(3000-3999),526(4000-4999),526(5000-5999)						GP GQ GR HD
860/526(6000-6999),526(8000-8999),526(9000-9999)						IC OR PC PL
						PR PS RC RD
						SQ TJ UB UG
						UQ UR WE WG
						WH WJ
DURHAM	DRHMCT00RS0	04735	01336	5200	920	AA BA DA GC
860/349(0000-0999),349(1000-1999),349(2000-2999)						GD GI GL GN
860/349(3000-3999),349(5000-5999),349(6000-6999)						GP GQ GR HD
860/349(7000-7999),349(8000-8999),349(9000-9999)						IC OR PC PL
						PR PS RC RD
						SQ UB UG UQ
						UR WE WG WH
						WJ
EAST HAMPTON	EHTNCT00RS1	04703	01324	5200	920	AA BA DA GC
860/267(0000-2999),267(4000-9999),365(0000-0999)						GD GI GL GN
						GP GQ GR HD
						IC OR PC PL
						PR PS RC RD
						SQ TJ UB UG
						UQ UR WE WG
						WH WJ

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CONNECTICUT

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
EAST HARTFORD	EHRTCT01DS0	04683	01369	5200	920	BA DA GC GD
860/282,289,290,291,528,557,565,610(0000-7999)						GI GL GN GP
860/622(0000-0999),622(2000-7999)						GQ GR HA HD
						IC II OR PB
						PK PR PS RC
						RD SJ SQ SX
						TI TJ UB UG
						UP UQ UR WE
						WG WH WJ
EAST HARTFORD	EHRTCT02DS0	04686	01363	5200	920	AA BA DA GC
860/568,569(0000-8999),895(1000-1999),895(5000-5999)						GD GI GL GN
860/895(8000-9999)						GP GQ GR HA
						HD IC II OR
						PC PL PR PS
						RC RD SQ SX
						TI TJ UB UG
						UP UQ UR WE
						WG WH WJ
EAST HAVEN	EHVNCT00DS0	04792	01336	5200	920	AA BA DA GC
203/466(0000-7999),467,468,469(0000-7999),469(9000-9999)						GD GI GL GN
203/469(9000-9999)						GP GQ GR HA
						HD IC II OR
						PC PL PR PU
						RC RD SQ TI
						TJ UB UG UQ
						UR WE WG WH
						WJ
EAST HAVEN	EHVNCT00DS1	04792	01336	5200	920	PR PU SQ SX
/						

==========

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CONNECTICUT

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ENFIELD	ENFDCT01DS0	04639	01393	5200	920	AA BA DA GC
860/253(0000-0999),253(3000-9999),741,745,746(7000-7999)						GD GI GL GN
860/746(7000-7999)						GP GQ GR HA
						HD IC II OR
						PC PL PR PS
						RC RD SQ SX
						TI TJ UB UG
						UQ UR WE WG
						WH WJ
ENFIELD	ENFDCT02DS0	04634	01384	5200	920	BA DA GC GD
860/272(0000-0999),272(2000-2999),272(3000-3999),749,763						GI GL GN GP
860/763						GQ GR HA HD
						IC II OR PC
						PL PR PS RC
						RD SQ SX TJ
						UB UG UQ UR
						WE WG WH WJ
ESSEX	ESSXCT00RS0	04730	01279	5200	920	AA BA DA GC
860/767						GD GI GL GN
						GP GQ GR HD
						IC OR PC PL
						PR PS RC RD
						SQ TJ UB UG
						UQ UR WE WG
						WH WJ
FAIRFIELD	FRFDCT00DS0	04854	01362	5200	920	AA BA DA GC
203/254,255,256,259,319						GD GI GL GN
						GP GQ GR HA
						HD IC II OR
						PC PL PR PU
						RC RD SJ SQ
						SX TI TJ UB
						UG UP UQ UR
						WE WG WH WJ

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CONNECTICUT

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
FARMINGTON	FRTNCT00DS0	04709	01386	5200	920	AA BA DA GC
860/284(0000-0999),284(1000-1999),284(2000-2999)						GD GI GL GN
860/284(3000-3999),284(4000-4999),284(5000-5999)						GP GQ GR HA
860/284(6000-6999),284(7000-7999),284(9000-9999),409,674						HD IC II OR
860/676,677,678,679						PB PK PR PS
						RC RD SJ SQ
						SX TI TJ UB
						UG UP UQ UR
						WE WG WH WJ
GEORGETOWN	GRTWCT00RS0	04851	01402	5200	920	AA BA DA GC
203/544(0000-0999),544(1000-1999),544(7000-7999)						GD GI GL GN
203/544(8000-8999),544(9000-9999)						GP GQ GR HD
						IC OR PC PL
						PR PU RC RD
						SQ UB UG UQ
						UR WE WG WH
						WJ
GLASTONBURY	GLBYCT00DS0	04690	01356	5200	920	AA BA DA GC
860/368(2000-2999),368(3000-3999),368(4000-4999)						GD GI GL GN
860/368(5000-5999),368(6000-6999),633,652(0000-0999)						GP GQ GR HA
860/652(1000-1999),652(3000-3999),652(4000-4999)						HD IC II OR
860/652(6000-9999),657(0000-5999),657(7000-9999)						PC PL PR PS
860/659(0000-6999),659(8000-9999),682(1000-1999)						RC RD SJ SQ
						SX TI TJ UB
						UG UP UQ UR
						WE WG WH WJ
GOSHEN	GSHNCT00DS0	04731	01452	5200	920	OR SV
/						
GOSHEN	GSHNCT00DS1	04731	01452	5200	920	SQ
/						

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CONNECTICUT

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
GOSHEN	GSHNCT00RS0	04731	01452	5200	920	AA BA DA GC
860/491(1000-3999),491(9000-9999)						GD GI GL GN
						GP GQ GR HD
						IC OR PC PL
						RC RD SQ UB
						UG UQ UR WE
						WG WH WJ
GRANBY	GRNBCT00RS0	04666	01412	5200	920	AA BA DA GC
860/653,844(0000-0999),844(1000-1999),844(2000-2999)						GD GI GL GN
860/844(5000-5999),844(8000-8999),844(9000-9999)						GP GQ GR HD
						IC OR PC PL
						PR PS RC RD
						SQ UB UG UQ
						UR WE WG WH
						WJ
GREENWICH	GNWCCTGNDS0	04909	01397	5131	132	DA G4 G5 GC
203/422(0000-0999),422(2000-2999),422(3000-3999)						GD GK GL HB
203/422(4000-4999),422(5000-5999),422(6000-6999)						HH HI JD PB
203/422(7000-7999),422(8000-8999),552(0000-1999)						T2 TC
203/552(3000-9999),618,622,625(0000-0999),625(2000-2999)						
203/625(3000-3999),625(4000-4999),625(5000-5999)						
203/625(6000-6999),625(7000-7999),625(8000-8999)						
203/625(9000-9999),629,661,681(4000-4999),681(6000-6999)						
203/769(2000-2999),769(4000-4999),861,862,863,869						
203/971(7000-7999),983(1000-2999)						
GREENWICH	GNWCCTGNXXX	04909	01397	5131	132	PB RA RH RJ
/						TC WB

==========

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CONNECTICUT

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
GROTON	GRTNCT00DS0	04697	01240	5200	920	AA BA DA GC
860/396,405(0000-0999),405(1000-1999),405(2000-2999)						GD GI GL GN
860/405(3000-3999),405(8000-8999),405(9000-9999),433,441						GP GQ GR HA
860/445,446(0000-5999),446(8000-9999),448(0000-4999)						HD IC II OR
860/448(6000-6999),448(9000-9999),449(0000-0999)						PC PL PT PU
860/449(1000-1999),449(5000-5999),449(6000-6999)						RC RD SQ TI
860/449(7000-7999),449(8000-8999),449(9000-9999)						TJ UB UG UP
860/629(1000-1999),629(2000-2999),629(3000-3999)						UQ UR WE WG
860/629(4000-4999),686,694(0000-7999),715,732						WH WJ
GROTON	GRTNCT00DS1	04697	01240	5200	920	PT PU SJ SQ
/						SX
GUILFORD	GUFDCT00DS0	04771	01308	5200	920	AA BA DA GC
203/453,458,689(4000-4999)						GD GI GL GN
						GP GQ GR HA
						HD IC II OR
						PC PL PR PU
						RC RD SJ SV
						SX TI TJ UB
						UG UP UQ UR
						WE WG WH WJ
HADDAM	HGNMCT00RS0	04725	01322	5200	920	AA BA DA GC
860/345(0000-0999),345(2000-2999),345(3000-3999)						GD GI GL GN
860/345(4000-4999),345(7000-7999),345(8000-8999)						GP GQ GR HD
860/345(9000-9999)						IC OR PC PL
						PR PS RC RD
						SQ UB UG UQ
						UR WE WG WH
						WJ

==========

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CONNECTICUT

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE	
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --	
HAMDEN	HMDNCT00DS0	04779	01348	5200	920	AA BA DA GC	
203/230,248,281,287,288,407(0000-8999),582						GD GI GL GN	
						GP GQ GR HA	
						HD IC II OR	
						PC PL PR PU	
						RC RD SQ TI	
						TJ UB UG UP	
						UQ UR WE WG	
						WH WJ	
HAMDEN	HMDNCT00DS1	04779	01348	5200	920	PR PU SQ SX	
/							
HAMPTON	HMPNCT00DS0	04627	01298	5200	920	OR SV	
/							
HAMPTON	HMPNCT00DS1	04627	01298	5200	920	SQ	
/							
HAMPTON	HMPNCT00RS2	04627	01298	5200	920	AA BA DA GC	
860/455(0000-2999),455(7000-7999),455(9000-9999)						GD GI GL GN	
						GP GQ GR HD	
						IC OR PC PL	
						RC RD SQ UB	
						UG UQ UR WE	
						WG WH WJ	
HARTFORD	HRFRCT0301W	04687	01372	5200	920	GC GD GI GL	(C)
/						GN GP HC HD	(C)
						PA PJ PR PS	(C)
						QA SR VP	(C)
HARTFORD	HRFRCT0307T	04687	01372	5200	920	GB OH PR PS	
/							
HARTFORD	HRFRCT03252	04687	01372	5200	920	GB PR PS	
860/252							

==========

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CONNECTICUT

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE			
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--
HARTFORD	HRFRCT03B1T	04687	01372	5200	920	G1	G2	G3	GN
/						PR	PS		
HARTFORD	HRFRCT03BB0	04687	01372	5200	920	PR	PS	TD	
/									
HARTFORD	HRFRCT03BB1	04687	01372	5200	920	PR	PS	TD	
/									
HARTFORD	HRFRCT03DS0	04687	01372	5200	920	AA	BA	DA	GB
860/251(0000-8999),270(1000-8999),418(0000-6999)						GC	GD	GI	GL
860/418(8000-8999),422(1000-2999),422(6000-9999)						GN	GP	GQ	GR
860/424(0000-0999),424(3000-5999),424(8000-9999)						HA	HD	IC	II
860/550(6000-9999),560(0000-0999),560(2000-2999)						OR	PA	PJ	PR
860/560(4000-5999),560(7000-7999),560(9000-9999)						PS	QA	RC	RD
860/595(0000-1999),724(0000-1999),724(3000-3999)						SQ	TI	TJ	UB
860/724(7000-9999),765,951(0000-0999),951(3000-3999)						UG	UQ	UR	VL
860/951(7000-7999)						WE	WG	WH	WJ
						ZY			
HARTFORD	HRFRCT03DS1	04687	01372	5200	920	AA	BA	DA	EA
860/273,277,296,403,534(2000-9999),545,566(1000-7999)						GC	GD	GI	GL
860/692(1000-1999),692(3000-3999),692(5000-7999)						GN	GP	GQ	GR
860/692(9000-9999),695,702(0000-3999),702(5000-9999),714						HA	HD	IC	II
860/723,756(1000-4999),756(7000-9999),757(0000-2999)						OH	PA	PJ	PR
860/757(4000-9999),947(0000-0999),947(1000-1999)						PS	QA	RC	RD
860/947(2000-2999),947(3000-3999),947(5000-5999)						SL	SQ	TI	TJ
860/947(6000-6999),947(7000-7999),947(8000-8999)						UB	UG	UP	UQ
860/947(9000-9999),952(0000-1999),952(5000-8999),953,954						UR	WE	WG	WH
860/956(0000-2999),956(4000-4999),956(7000-9999),972						WJ			
860/986(5000-5999)									

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CONNECTICUT

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE			
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--
HARTFORD	HRFRCT03DS3	04687	01372	5200	920	AA	BA	DA	GC
860/240,241,244(0000-0999),244(1000-1999),244(2000-2999)						GD	GI	GL	GN
860/244(4000-4999),244(5000-5999),244(6000-6999)						GP	GQ	GR	HA
860/244(7000-7999),244(8000-8999),244(9000-9999),246						HD	IC	II	PA
860/247(0000-7999),247(9000-9999),249(2000-2999)						PJ	PR	PS	QA
860/249(5000-5999),249(7000-7999),275,278(0000-5999)						RC	RD	SL	SQ
860/278(7000-8999),280(0000-0999),280(2000-3999)						TI	TJ	UB	UG
860/280(9000-9999),293,297(0000-0999),297(2000-6999)						UQ	UR	WE	WG
860/297(8000-9999),299(0000-2999),299(7000-9999)						WH	WJ		
860/308(7000-8999),493,520,522(0000-0999),522(1000-1999)									
860/522(2000-2999),522(3000-3999),522(4000-4999)									
860/522(5000-5999),522(6000-6999),522(7000-7999)									
860/522(8000-8999),524,525,527,541(2000-4999)									
860/541(6000-9999),543(6000-8999),547,548(0000-5999)									
860/548(7000-9999),549(0000-1999),549(5000-5999)									
860/549(8000-9999),722(0000-3999),722(5000-9999)									
860/725(0000-0999),725(1000-1999),725(3000-3999)									
860/725(4000-4999),725(5000-5999),725(6000-6999)									
860/725(7000-7999),725(8000-8999),725(9000-9999)									
860/727(0000-4999),727(7000-9999),728(0000-7999)									
860/948(1000-1999),948(2000-7999),987(0000-1999)									
860/987(4000-6999),987(9000-9999)									

==========

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CONNECTICUT

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE	TYPE			
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--	
HARTFORD	HRFRCT03GT0	04687	01372	5200	920	GB	OH	PR	PS	
203/527(8000-8999),586(5000-5999),599(8000-8999)										
203/633(5000-5999),714(7000-7999),872(3000-3999)										
475/235(3000-3999)										
860/238(6000-6999),297(1000-1999),337(5000-5999)										
860/356(7000-7999),362(7000-7999),387(6000-6999)										
860/393(5000-5999),410(5000-5999),421(5000-5999)										
860/431(5000-5999),454(5000-5999),457(5000-5999)										
860/467(5000-5999),468(7000-7999),474(5000-5999)										
860/492(5000-5999),497(6000-6999),498(5000-5999)										
860/503(3000-3999),507(6000-6999),531(6000-6999)										
860/542(4000-4999),556(5000-5999),578(9000-9999)										
860/579(5000-5999),596(5000-5999),630(5000-5999)										
860/631(6000-6999),637(8000-8999),640(3000-3999)										
860/671(6000-6999),746(4000-4999),758(4000-4999)										
860/771(5000-5999),781(2000-2999),783(0000-0999)										
860/795(5000-5999),845(2000-2999),852(3000-3999)										
860/880(5000-5999),891(5000-5999),893(6000-6999)										
860/932(5000-5999),948(9000-9999),971(5000-5999)										
860/994(4000-4999),994(5000-5999)										

==========

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CONNECTICUT

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE	TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- --	-- --
HARTFORD	HRFRCTASDS0	04687	01373	7284	920	BA DA	GI GJ
203/244(6000-6999),278(5000-5999),283(8000-8999)						GL GN	GQ HA
203/303(5000-5999),306(5000-5999),318(7000-7999)						HD IA	IB II
203/405(4000-4999),427(2000-2999),427(4000-4999)						SH SI	UA UG
203/427(9000-9999),433(3000-3999),437(3000-3999)						UR UU	
203/437(9000-9999),447(4000-4999),447(6000-6999)							
203/447(8000-8999),463(6000-6999),490(3000-3999)							
203/491(3000-3999),497(3000-3999),533(3000-3999)							
203/643(5000-5999),651(6000-6999),701(4000-4999)							
203/704(3000-3999),712(6000-6999),712(8000-8999)							
203/721(8000-8999),836(2000-2999),859(3000-3999)							
203/859(7000-7999),859(9000-9999),872(8000-8999)							
203/893(4000-4999),937(2000-2999)							
860/210(6000-6999),226,245(6000-6999),255(0000-0999)							
860/255(3000-3999),255(5000-6999),256(0000-0999)							
860/256(2000-3999),259(9000-9999),261(9000-9999)							
860/262(5000-7999),262(9000-9999),263(1000-2999)							
860/263(5000-6999),264(9000-9999),269(2000-2999)							
860/271(7000-7999),315(8000-8999),317(8000-8999)							
860/318(8000-8999),319(8000-8999),321(2000-3999)							
860/321(9000-9999),322(8000-8999),323(9000-9999)							
860/325(1000-1999),327(0000-0999),327(9000-9999)							
860/331(2000-2999),339(4000-4999),341(8000-8999)							
860/351(9000-9999),352(9000-9999),357(9000-9999)							
860/359(9000-9999),375(9000-9999),383(7000-7999)							
860/393(4000-4999),400(6000-6999),406(6000-6999)							
860/406(9000-9999),412(5000-5999),417(5000-5999)							
860/451(3000-3999),453(2000-2999),458(2000-2999)							
860/495(7000-7999),544(9000-9999),554(9000-9999)							
860/581(6000-6999),591(3000-3999),592(4000-4999)							
860/603(4000-4999),605(2000-2999),607(7000-7999)							
860/607(8000-8999),616(0000-0999),616(1000-1999)							
860/616(2000-2999),616(3000-3999),616(4000-4999)							
860/616(5000-5999),616(6000-6999),616(7000-7999)							
860/616(9000-9999),618(4000-4999),618(9000-9999)							
860/656(3000-3999),702(4000-4999),706(0000-1999)							
860/706(5000-5999),707(1000-1999),713(0000-0999)							
860/713(2000-2999),713(5000-7999),744(3000-3999)							
860/754(0000-2999),754(5000-5999),754(9000-9999)							

-------- Continued on next page --------

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CONNECTICUT

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --

-------- Continued from previous page --------

860/768(0000-0999),772(3000-3999),786(6000-6999)
860/787(4000-4999),787(6000-7999),801(5000-5999)
860/808(0000-3999),808(5000-5999),813(9000-9999)
860/814(4000-4999),814(9000-9999),815(0000-0999)
860/815(5000-5999),815(9000-9999),850(2000-2999)
860/895(4000-4999),902(0000-0999),902(1000-1999)
860/902(2000-2999),902(3000-3999),902(4000-4999)
860/902(5000-5999),902(6000-6999),902(7000-9999)
860/903(0000-0999),903(9000-9999),904(1000-1999)
860/904(4000-4999),906(0000-0999),906(5000-5999)
860/906(9000-9999),907(2000-4999),907(5000-5999)
860/907(6000-6999),907(7000-7999),907(8000-8999)
860/909(2000-2999),920(0000-1999),920(3000-3999)
860/920(6000-6999),973(2000-2999),973(9000-9999)
860/975(0000-1999),975(2000-2999),975(3000-3999)
860/975(4000-4999),975(9000-9999)

.....

HARTFORD	HRFRCTDWDS0	04687	01372	7230	920	DA DD

/

.....

HUNTINGTON	HNTNCT00DS0	04816	01370	5200	920	AA BA DA GC

203/225,402(0000-1999),402(3000-7999),925,926,929,944 GD GI GL GN
203/944 GP GQ GR HA
HD IC II OR
PB PK PR PU
RC RD SJ SQ
SX TI TJ UB
UG UP UQ UR
WE WG WH WJ

==========

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CONNECTICUT

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
JEWETT CITY 860/376	JWCYCT00DS0	04646	01261	5200	920	AA BA DA GC GD GI GL GN GP GQ GR HA HD IC II OR PC PL PT PU RC RD SQ TJ UB UG UQ UR WE WG WH WJ
JEWETT CITY /	JWCYCT00DS1	04646	01261	5200	920	PT PU SQ SX
KENT 860/927(0000-0999),927(1000-1999),927(2000-2999) 860/927(3000-3999),927(4000-4999),927(5000-5999) 860/927(6000-6999),927(7000-7999),927(9000-9999)	KENTCT00RS0	04774	01470	5200	920	AA BA DA GC GD GI GL GN GP GQ GR HD IC OR PC PL RC RD SQ UB UG UQ UR WE WG WH WJ
LAKEVILLE /	LKVLCT00DS0	04728	01498	5200	920	OR SV
LAKEVILLE /	LKVLCT00DS1	04728	01498	5200	920	SQ
LAKEVILLE 860/435(0000-0999),435(1000-1999),435(2000-2999) 860/435(3000-3999),435(4000-4999),435(5000-5999) 860/435(6000-6999),435(8000-8999),435(9000-9999)	LKVLCT00RS0	04728	01498	5200	920	AA BA DA GC GD GI GL GN GP GQ GR HD IC OR PC PL RC RD SQ UB UG UQ UR WE WG WH WJ

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CONNECTICUT

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
LEBANON	LBNNCT00RS2	04662	01297	5200	920	AA BA DA GC
860/642(0000-0999),642(1000-1999),642(2000-2999)						GD GI GL GN
860/642(3000-3999),642(4000-4999),642(5000-5999)						GP GQ GR HD
860/642(6000-6999),642(7000-7999),642(9000-9999)						IC OR PC PL
						PT PU RC RD
						SQ UB UG UQ
						UR WE WG WH
						WJ
LEDYARD	LDYRCT00DS0	04676	01244	5200	920	OR PT PU SV
/						
LEDYARD	LDYRCT00DS1	04676	01244	5200	920	PT PU SQ
/						
LEDYARD	LDYRCT00RS1	04676	01244	5200	920	AA BA DA GC
860/464(0000-3999),464(5000-9999)						GD GI GL GN
						GP GQ GR HD
						IC OR PC PL
						PT PU RC RD
						SQ UB UG UQ
						UR WE WG WH
						WJ
LITCHFIELD	LTFDCT00DS0	04742	01436	5200	920	OR SV
/						
LITCHFIELD	LTFDCT00DS1	04742	01436	5200	920	SQ
/						
LITCHFIELD	LTFDCT00RS0	04742	01436	5200	920	AA BA DA GC
860/567						GD GI GL GN
						GP GQ GR HD
						IC OR PC PL
						RC RD SQ UB
						UG UQ UR WE
						WG WH WJ

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CONNECTICUT

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
LYME	LYMECT01DS0	04730	01267	5200	920	OR PT PU SV
/						
LYME	LYMECT01DS1	04730	01267	5200	920	PT PU SQ
/						
LYME	LYMECT01RS0	04730	01267	5200	920	AA BA DA GC
860/434						GD GI GL GN
						GP GQ GR HD
						IC OR PC PL
						PT PU RC RD
						SQ UB UG UQ
						UR WE WG WH
						WJ
MADISON	MDSNCT01DS0	04763	01296	5200	920	OR PR PU SV
/						
MADISON	MDSNCT01DS1	04763	01296	5200	920	PR PU SQ
/						
MADISON	MDSNCT01RS0	04763	01296	5200	920	AA BA DA GC
203/245,318(0000-0999),318(1000-1999),318(2000-2999)						GD GI GL GN
203/318(3000-3999),318(5000-5999),318(8000-8999)						GP GQ GR HD
						IC OR PC PL
						PR PU RC RD
						SQ TI TJ UB
						UG UQ UR WE
						WG WH WJ
MADISON NORTH	MDSNCT02DS0	04754	01311	5200	920	OR PR PU SV
/						
MADISON NORTH	MDSNCT02DS1	04754	01311	5200	920	PR PU SQ
/						

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CONNECTICUT

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MADISON NORTH	MDSNCT02RS0	04754	01311	5200	920	AA BA DA GC
203/421(0000-1999),421(3000-5999),421(7000-9999)						GD GI GL GN
203/457(0000-2999),457(4000-4999),457(9000-9999)						GP GQ GR HD
860/663(0000-3999),663(5000-5999)						IC OR PC PL
						PR PU RC RD
						SQ TI UB UG
						UQ UR WE WG
						WH WJ
MANCHESTER	MNCHCT00DS0	04670	01354	5200	920	BA DA GC GD
860/533,643,645,646,647,649						GI GL GN GP
						GQ GR HA HD
						IC II OH OR
						PC PL PR PS
						RC RD SQ TI
						TJ UB UG UP
						UQ UR WE WG
						WH WJ
MANCHESTER	MNCHCT00RS0	04670	01354	5200	920	PR PS SJ SQ
/						SX

==========

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CONNECTICUT

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
MANCHESTER                  MNCHCTAVDS0 04664 01356 7077  920 AA BA DA
   203/439(0000-0999),439(2000-2999),439(7000-7999)
   203/439(8000-8999),439(9000-9999),440(0000-0999)
   203/440(1000-1999),440(2000-2999),440(3000-3999)
   203/440(4000-4999),440(9000-9999),443(5000-5999)
   203/725(9000-9999)
   475/328(6000-6999)
   860/254(5000-5999),265(2000-2999),265(3000-3999)
   860/265(7000-7999),370(5000-5999),370(9000-9999)
   860/372(4000-4999),386(6000-6999),413(3000-3999)
   860/413(9000-9999),415(7000-7999),426(0000-1999)
   860/426(2000-2999),426(3000-3999),426(9000-9999)
   860/430(1000-1999),430(2000-2999),430(5000-5999)
   860/430(6000-6999),430(9000-9999),432(0000-5999)
   860/432(7000-7999),432(8000-8999),432(9000-9999)
   860/436(2000-2999),436(3000-3999),436(4000-4999)
   860/436(5000-5999),436(6000-6999),436(9000-9999)
   860/479(9000-9999),698(2000-2999),698(6000-6999)
   860/698(9000-9999),757(3000-3999),758(7000-7999)
   860/764(9000-9999),783(5000-5999),783(8000-8999)
   860/785(8000-8999),792(9000-9999),851(8000-8999)
   860/851(9000-9999),863(5000-5000),926(9000-9999)
.......................................................................
MARLBOROUGH                 MRLBCT00RS0 04688 01327 5200  920 AA BA DA GC
   860/295(0000-0999),295(1000-1999),295(6000-6999)          GD GI GL GN
   860/295(8000-8999),295(9000-9999)                         GP GQ GR HD
                                                             IC OR PC PL
                                                             PR PS RC RD
                                                             SQ TJ UB UG
                                                             UQ UR WE WG
                                                             WH WJ
```

==========

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CONNECTICUT

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MERIDEN	MRDNCT00DS0	04740	01358	5200	920	AA BA DA GC
203/694(5000-8999)						GD GI GL GN
						GP GQ GR HA
						HD IC II OH
						PB PK PR PU
						RC RD TI TJ
						UB UG WH WJ
						ZX
MERIDEN	MRDNCT00DS1	04740	01358	5200	920	AA BA DA GC
203/235,237,238,317(2000-2999),317(4000-6999)						GD GI GL GN
203/379(0000-0999),379(3000-5999),630,634,639,686						GP GQ GR HA
						HD IC II OH
						PB PK PR PU
						RC RD SK SR
						TI TJ UB UG
						UQ UR VF VP
						WE WG WH WJ
MERIDEN	MRDNCT04RS0	04742	01348	5200	920	AA BA DA GC
203/420						GD GG GI GL
						GN GP GQ GR
						HD IC PB PK
						PR PU RC RD
						SR TI UB UG
						UP
MIDDLEBURY	MDLBCT00DS0	04770	01397	5200	920	PR PU SV
/						
MIDDLEBURY	MDLBCT00DS1	04770	01397	5200	920	PR PU SQ
/						

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CONNECTICUT

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MIDDLEBURY	MDLBCT00RS0	04770	01397	5200	920	BA DA GC GD
203/577(0000-4999),577(6000-6999),598(0000-0999)						GI GL GN GP
203/598(3000-3999),598(7000-7999),695(0000-0999)						GQ GR HD IC
203/758(1000-2999),758(8000-9999)						OE OR PC PL
						PR PU RC RD
						SQ TJ UB UG
						UQ UR WE WG
						WH WJ
MIDDLETOWN	MDTWCT003GT	04720	01341	5200	920	PR PS SQ SX
/						
MIDDLETOWN	MDTWCT00DS0	04720	01341	5200	920	AA BA DA GC
860/343,344,346,347,358(1000-8999),636,638(0000-6999)						GD GI GL GN
860/685(0000-0999),685(2000-8999),704(0000-8999)						GP GQ GR HA
						HD IC II OH
						OR PB PK PR
						PS RC RD SK
						SQ TI TJ UB
						UG UP UQ UR
						WE WG WH WJ
MILFORD	MLFRCT00DS0	04820	01348	5200	920	AA BA DA GC
203/301(0000-3999),301(5000-7999),301(9000-9999),783,874						GD GI GL GN
203/876,877,878,882						GP GQ GR HA
						HD IC II OH
						OR PB PK PR
						PU RC RD SQ
						TI TJ UB UG
						UQ UR WE WG
						WH WJ
MILFORD	MLFRCT00DS1	04820	01348	5200	920	PR PU SJ SQ
/						SX

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CONNECTICUT

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MONTVILLE	MTVLCT00DS0	04687	01254	5200	920	AA BA DA GC
860/367(0000-0999),367(9000-9999),848						GD GI GL GN
						GP GQ GR HA
						HD IC II OR
						PC PL PT PU
						RC RD SQ UB
						UG UQ UR WE
						WG WH WJ
MONTVILLE	MTVLCT00DS1	04687	01254	5200	920	PT PU SQ SX
/						
MOODUS	MODSCT00RS0	04712	01306	5200	920	AA BA DA GC
860/873(1000-3999),873(5000-6999),873(8000-9999)						GD GI GL GN
						GP GQ GR HD
						IC OR PC PL
						PR PS RC RD
						SQ UB UG UQ
						UR WE WG WH
						WJ
MYSTIC	MYSTCT00DS0	04687	01225	5200	920	AA BA DA GC
860/245(0000-0999),245(3000-3999),536,572(0000-2999)						GD GI GL GN
860/572(4000-5999),572(7000-9999)						GP GQ GR HA
						HD IC II OR
						PC PL PT PU
						RC RD SQ TI
						TJ UB UG UQ
						UR WE WG WH
						WJ
MYSTIC	MYSTCT00DS1	04687	01225	5200	920	PT PU SQ SX
/						

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CONNECTICUT

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
NAUGATUCK	NGTCCT00DS0	04772	01384	5200	920	AA BA DA GC
203/720(0000-0999),720(1000-1999),720(2000-2999)						GD GI GL GN
203/720(3000-3999),720(4000-4999),720(5000-5999)						GP GQ GR HA
203/720(7000-7999),720(9000-9999),723(0000-2999)						HD IC II OR
203/723(4000-9999),729						PC PL PR PU
						RC RD SQ TI
						TJ UB UG UQ
						UR WE WG WH
						WJ
NAUGATUCK	NGTCCT00DS1	04772	01384	5200	920	PR PU SQ SX
/						
NEW BRITAIN	NWBRCT0091T	04715	01373	5200	920	PR PS
/						
NEW BRITAIN	NWBRCT00DS0	04715	01373	5200	920	AA BA DA GC
860/223,224,225,229,348(0000-0999),348(1000-1999)						GD GI GL GN
860/348(2000-2999),348(4000-4999),348(9000-9999)						GP GQ GR HA
860/612(0000-0999),612(1000-1999),612(2000-2999)						HD IC II OR
860/612(3000-3999),612(4000-4999),612(5000-5999)						PB PK PR PS
860/612(6000-6999),826(0000-8999),827,832,991						RC RD SJ SQ
						SX TI TJ UB
						UG UQ UR WE
						WG WH WJ
NEW CANAAN	NWCNCT00DS0	04876	01395	5200	920	AA BA DA GC
203/801(0000-0999),801(2000-4999),801(9000-9999),966,972						GD GI GL GN
203/972						GP GQ GR HA
						HD IC II OR
						PC PL PR PU
						RC RD SQ TI
						TJ UB UG UP
						UQ UR WE WG
						WH WJ
NEW CANAAN	NWCNCT00DS1	04876	01395	5200	920	SQ SX
/						

==========

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CONNECTICUT

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE				
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--	
NEW FAIRFIELD	NWFLCT00RS1	04819	01436	5200	920	AA	BA	DA	GC	
203/312(0000-0999),312(2000-2999),312(5000-5999)						GD	GI	GL	GN	
203/312(8000-8999),312(9000-9999),746						GP	GQ	GR	HD	
						IC	OR	PC	PL	
						PR	PU	RC	RD	
						SQ	TI	TJ	UB	
						UG	UP	UQ	UR	
						WE	WG	WH	WJ	
NEW HAVEN	NWHNCT0201W	04791	01342	5200	920	GB	HC	PR	PU	(C)
/										(C)
NEW HAVEN	NWHNCT0206T	04791	01342	5200	920	GB	PB	PK	PR	
/						PU				
NEW HAVEN	NWHNCT02B1T	04791	01342	5200	920	G1	G2	G3	G8	
/						PR	PU			
NEW HAVEN	NWHNCT02BB0	04791	01342	5200	920	PR	PU	TD		
/										
NEW HAVEN	NWHNCT02DS0	04791	01342	5200	920	PR	PU	SL	VL	
/						ZY				

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CONNECTICUT

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
NEW HAVEN                   NWHNCT02GT0 04791 01342 5200  920 GB PB PK PR
   203/208(5000-5999),290(5000-5999),292(7000-7999)          PU SL VL ZY
   203/344(2000-2999),350(5000-5999),383(2000-2999)
   203/403(5000-5999),408(5000-5999),424(5000-5999)
   203/428(6000-6999),448(5000-5999),457(7000-7999)
   203/463(0000-0999),505(6000-6999),513(7000-7999)
   203/544(5000-5999),563(4000-4999),594(2000-2999)
   203/679(2000-2999),682(3000-3999),693(5000-5999)
   203/713(6000-6999),745(1000-1999),751(6000-6999)
   203/842(7000-7999),873(6000-6999),880(4000-4999)
   203/903(5000-5999),916(8000-8999),968(5000-5999)
   475/202(7000-7999),209(4000-4999),227(2000-2999)
   475/227(8000-8999)
   860/326(7000-7999),374(5000-5999),381(8000-8999)
   860/415(5000-5999),420(5000-5999),451(2000-2999)
   860/452(5000-5999),495(6000-6999),552(3000-3999)
   860/577(5000-5999),591(6000-6999),592(5000-5999)
   860/598(1000-1999),619(5000-5999),662(5000-5999)
   860/750(4000-4999),822(5000-5999),957(7000-7999)
.......................................................................
NEW HAVEN                   NWHNCT03DS0 04792 01342 5200  920 AA BA DA GC
   203/200(1000-6999),492(0000-8999),495,497(0000-2999)      GD GI GL GN
   203/497(4000-9999),498,499(0000-6999),503(0000-0999)      GP GQ GR HA
   203/503(2000-3999),503(5000-6999),503(9000-9999)          HD IC II OH
   203/553(0000-6999),553(8000-8999),603,619(0000-0999)      PB PK PR PU
   203/619(5000-9999),688,691(2000-3999),737(1000-9999)      RC RD SK SQ
   203/764(3000-9999),765,771,781(0000-5999),781(7000-9999)  TI TJ UB UG
   203/812(1000-1999),812(2000-2999),812(3000-3999)          UP UQ UR WE
   203/812(4000-4999),812(5000-5999),812(6000-6999)          WG WH WJ
   203/812(7000-7999),821(0000-0999),821(2000-6999)
   203/821(8000-9999),928(1000-6999),936(0000-5999),946
   475/246,247
.......................................................................
NEW HAVEN                   NWHNCT03DS1 04792 01342 5200  920 OH PR PU SV
      /                                                      SX
```

==========

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CONNECTICUT

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
NEW HAVEN	NWHNCT03DS3	04792	01342	5200	920	AA BA DA GC
203/401(0000-0999),401(2000-7999),432,436,562,624						GD GI GL GN
203/680(1000-2999),680(4000-7999),752(0000-5999)						GP GQ GR HA
203/752(9000-9999),772(0000-7999),773,776,777,782,784						HD IC II PB
203/785,786,787(0000-7999),787(9000-9999),789,865,867						PK PR PU RC
203/867						RD SH SQ TI
						TJ UB UG UQ
						UR WE WG WH
						WJ
NEW LONDON	NWLNCT0204T	04700	01242	5200	920	GB PT PU
/						
NEW LONDON	NWLNCT0264C	04700	01242	5200	920	PT PU
/						
NEW LONDON	NWLNCT02DS0	04700	01242	5200	920	DA PT PU
/						
NEW LONDON	NWLNCT02DS1	04700	01242	5200	920	AA BA DA GC
860/271(2000-2999),271(4000-4999),437,439,440(0000-0999)						GD GI GL GN
860/440(1000-1999),440(2000-2999),440(3000-3999)						GP GQ GR HA
860/440(4000-4999),440(5000-5999),442,443,444,447						HD IC II OH
860/701(0000-1999),701(3000-7999),701(9000-9999)						PB PK PT PU
860/867(1000-5999)						QA RC RD SK
						SR TI TJ UB
						UG UQ UR VF
						VP WE WG WH
						WJ ZX
NEW LONDON	NWLNCT02DS7	04700	01242	5200	920	AA BA DA GC
203/826(5000-5999)						GD GL GN GP
						GQ PB PK PT
						PU RC RD SH
						SU UB UG UQ
						UR WE WG

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CONNECTICUT

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
NEW MILFORD	NMFRCT00DS0	04793	01442	5200	920	AA BA DA GC
860/210(0000-5999),210(7000-9999),350,354,355						GD GI GL GN
						GP GQ GR HA
						HD IC II OR
						PC PL RC RD
						SQ TI TJ UB
						UG UQ UR WE
						WG WH WJ
NEW MILFORD	NMFRCT00DS1	04793	01442	5200	920	SQ SX
/						
NEWINGTON	NWNTCT00DS0	04705	01368	5200	920	AA BA DA GC
860/353,594(0000-8999),660,665,666,667,696,755						GD GI GL GN
860/878(3000-3999),878(6000-6999),998						GP GQ GR HA
						HD IC II OR
						PC PL PR PS
						RC RD SJ SQ
						SX TI TJ UB
						UG UP UQ UR
						WE WG WH WJ
NEWTOWN	NWTWCT00DS0	04811	01406	5200	920	AA BA DA GC
203/270,364(0000-3999),364(9000-9999),426						GD GI GL GN
						GP GQ GR HA
						HD IC II OR
						PC PL PR PU
						RC RD SQ SX
						TI TJ UB UG
						UQ UR WE WG
						WH WJ

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CONNECTICUT

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
NIANTIC	NINTCT00RS1	04716	01251	5200	920	AA BA DA GC
860/691(0000-8999),739						GD GI GL GN
						GP GQ GR HD
						IC OR PC PL
						PT PU RC RD
						SQ TJ UB UG
						UQ UR WE WG
						WH WJ
NORFOLK	NRFLCT00DS0	04700	01472	5200	920	OR SV
/						
NORFOLK	NRFLCT00DS1	04700	01472	5200	920	SQ
/						
NORFOLK	NRFLCT00RS0	04700	01472	5200	920	AA BA DA GC
860/542(1000-1999),542(3000-3999),542(5000-5999)						GD GI GL GN
860/542(6000-6999),542(9000-9999)						GP GQ GR HD
						IC OR PC PL
						RC RD SQ UB
						UG UQ UR WE
						WG WH WJ
NORTH HAVEN	NHVNCT00DS0	04770	01345	5200	920	OR PR PU SV
/						ZW
NORTH HAVEN	NHVNCT00DS1	04770	01345	5200	920	PR PU SJ SV
/						ZW
NORTH HAVEN	NHVNCT00RS0	04770	01345	5200	920	AA BA DA GC
203/234,239,654(4000-4999),654(8000-8999),985(0000-4999)						GD GI GL GN
203/985(6000-8999)						GP GQ GR HD
						IC OR PC PL
						PR PU RC RD
						SJ SV TI TJ
						UB UG UQ UR
						WE WG WH WJ
						ZW

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CONNECTICUT

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
NORTH THOMPSON	THSNCT00DS0	04572	01303	5200	920	AA BA DA GC
860/923(0000-0999),923(1000-1999),923(2000-2999)						GD GI GL GN
860/923(3000-3999),923(9000-9999),935(0000-0999)						GP GQ GR HA
860/935(5000-5999),935(9000-9999)						HD IC II OR
						PC PL RC RD
						SQ UB UG UQ
						UR WE WG WH
						WJ
NORTH THOMPSON	THSNCT00DS1	04572	01303	5200	920	SQ SX
/						
NORWALK	NRWLCT0203T	04877	01379	5200	920	GB PR PU
/						
NORWALK	NRWLCT02DS0	04877	01379	5200	920	BA DA GB GC
/						GD GI GL GN
						GP GQ GR HA
						HD IC II OR
						PB PK PR PU
						QA RC RD SK
						SR UB UG UQ
						UR WE WG ZX
NORWALK	NRWLCT02DS2	04877	01379	5200	920	AA BA DA GC
203/299(0000-0999),299(1000-1999),299(3000-3999)						GD GI GL GN
203/299(4000-4999),299(5000-5999),299(8000-8999)						GP GQ GR HA
203/299(9000-9999),831,838,851(0000-1999),851(4000-9999)						HD IC II OR
203/852,853,854,855,857(0000-0999),857(2000-8999),866						PB PK PR PU
203/899,945(2000-2999),963(1000-8999),991						QA RC RD SK
						SR TI TJ UE
						UG UQ UR VF
						VP WE WG WH
						WJ

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CONNECTICUT

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
NORWALK /	NRWLCT02DS7	04877	01379	5200	920	BA DA GC GD GL GN GP GQ PB PK PR PU RC RD SU UB UG UQ UR WE WG
NORWALK NORTH 203/229,750,840,845,846,847,849	NRWLCT03DS0	04873	01381	5200	920	AA BA DA GC GD GI GL GN GP GQ GR HA HD IC II OR PB PK PR PU RC RD SQ SX TI TJ UB UG UP UQ UR WE WG WH WJ
NORWICH /	NRWCCT00DS0	04668	01263	5200	920	OR PT PU SV
NORWICH 860/204(0000-0999),204(3000-5999),204(8000-9999),312 860/425(0000-0999),425(1000-1999),425(2000-2999) 860/425(3000-3999),425(4000-4999),425(5000-5999) 860/425(6000-6999),425(8000-8999),425(9000-9999) 860/823(0000-6999),859(0000-6999),859(8000-9999),862 860/885(0000-3999),885(5000-7999),886(0000-2999) 860/886(4000-9999),887,889,892(0000-7999),892(9000-9999) 860/892(9000-9999)	NRWCCT00DS1	04668	01263	5200	920	AA BA DA G5 GC GD GI GL GN GP GQ GR HA HD IC II OH PC PL PT PU RC RD SJ SQ SX TI TJ UB UG UP UQ UR WE WG WH WJ
OLD GREENWICH 203/637,698(0000-4999),698(7000-9999) 475/249	OGNWCT00RS1	04904	01389	5200	920	AA BA DA GC GD GI GL GN GP GQ GR HD IC OR PC PL PR PU RC RD SQ TI TJ UB UG UP UQ UR WE WG WH WJ

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CONNECTICUT

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
OLD SAYBROOK	OLSYCT00RS0	04739	01269	5200	920	AA BA DA GC
860/388(0000-6999),388(8000-9999),391(4000-4999)						GD GI GL GN
860/395(0000-6999),510(0000-0999),510(4000-4999)						GP GQ GR HD
860/510(5000-5999),510(7000-7999)						IC OR PC PL
						PR PS RC RD
						SK SQ TJ UB
						UG UQ UR WE
						WG WH WJ
ORANGE	ORNGCT00DS0	04807	01352	5200	920	OR PR PU SV
/						
ORANGE	ORNGCT00DS1	04807	01352	5200	920	PR PU SQ
/						
ORANGE	ORNGCT00RS0	04807	01352	5200	920	AA BA DA GC
203/795,799,891(0000-0999),891(1000-1999),891(2000-2999)						GD GI GL GN
203/891(3000-3999),891(4000-4999),891(8000-8999)						GP GQ GR HD
203/891(9000-9999)						IC OR PC PL
						PR PU RC RD
						SQ TI TJ UB
						UG UQ UR WE
						WG WH WJ
OXFORD	OXFRCT00RL0	04797	01393	5200	920	BA OR PC PL
/						PR PU SQ
OXFORD	OXFRCT00RL1	04797	01393	5200	920	BA OR PC PL
/						PR PU SQ
OXFORD	OXFRCT01RS0	04785	01395	5200	920	BA OR PC PL
/						PR PU SQ

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CONNECTICUT

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
PLAINFIELD	PLFDCT00DS0	04616	01264	5200	920	AA BA DA GC
860/230(0000-0999),230(2000-2999),230(9000-9999)						GD GI GL GN
860/546(0000-0999),546(1000-1999),546(2000-2999)						GP GQ GR HA
860/546(6000-6999),546(9000-9999),564						HD IC II OR
						PC PL RC RD
						SQ TJ UB UG
						UQ UR WE WG
						WH WJ
PLAINFIELD	PLFDCT00DS1	04616	01264	5200	920	SQ SX
/						
PLAINVILLE	PLVLCT00DS0	04723	01384	5200	920	AA BA DA GC
860/410(0000-2999),410(9000-9999),641,747,793						GD GI GL GN
						GP GQ GR HA
						HD IC II OR
						PC PL PR PS
						RC RD SQ SX
						TI TJ UB UG
						UP UQ UR WE
						WG WH WJ
PORTLAND	PTLDCT00RS0	04712	01341	5200	920	AA BA DA GC
860/342(0000-7999),342(9000-9999)						GD GI GL GN
						GP GQ GR HD
						IC OR PC PL
						PR PS RC RD
						SQ TJ UB UG
						UQ UR WE WG
						WH WJ
PROSPECT	PRSPCT00DS0	04763	01376	5200	920	OR PR PU SV
/						
PROSPECT	PRSPCT00DS1	04763	01376	5200	920	PR PU SQ
/						

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CONNECTICUT

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
PROSPECT	PRSPCT00RS0	04763	01376	5200	920	AA BA DA GC
203/527(9000-9999),758(0000-0999),758(3000-7999)						GD GI GL GN
						GP GQ GR HD
						IC OR PC PL
						PR PU RC RD
						SQ TJ UB UG
						UQ UR WE WG
						WH WJ
PUTNAM	PTNMCT00DS0	04584	01295	5200	920	AA BA DA GC
860/928,963(0000-0999),963(1000-1999),963(2000-2999)						GD GI GL GN
860/963(3000-3999),963(4000-4999),963(5000-5999)						GP GQ GR HA
860/963(6000-6999),963(7000-7999),963(9000-9999)						HD IC II OR
						PC PL RC RD
						SQ TI TJ UB
						UG UQ UR WE
						WG WH WJ
PUTNAM	PTNMCT00DS1	04584	01295	5200	920	SQ SX
/						
REDDING	RDNGCT00RS0	04836	01400	5200	920	AA BA DA GC
203/938						GD GI GL GN
						GP GQ GR HD
						IC OR PC PL
						PR PU RC RD
						SQ TI UB UG
						UP UQ UR WE
						WG WH WJ
RIDGEFIELD	RDFDCT00RS1	04854	01414	5200	920	AA BA DA GC
203/431,438,894(0000-0999),894(1000-1999),894(3000-3999)						GD GI GL GN
203/894(7000-7999),894(8000-8999),894(9000-9999)						GP GQ GR HD
						IC OR PC PL
						PR PU RC RD
						SQ TI TJ UB
						UG UP UQ UR
						WE WG WH WJ

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CONNECTICUT

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ROCKVILLE	RKVLCT00DS0	04647	01357	5200	920	AA BA DA GC
860/870,871,872,875,896(0000-0999),896(1000-1999)						GD GI GL GN
860/896(2000-2999),896(3000-3999),896(4000-4999)						GP GQ GR HA
860/896(6000-6999),896(9000-9999)						HD IC II OR
						PC PL PR PS
						RC RD SQ TI
						TJ UB UG UQ
						UR WE WG WH
						WJ
ROCKVILLE	RKVLCT00RS0	04647	01357	5200	920	PR PS SQ SX
/						
SEYMOUR	SYMRCT00DS0	04791	01374	5200	920	OR PR PU SV
/						
SEYMOUR	SYMRCT00DS1	04791	01374	5200	920	PR PU SQ
/						
SEYMOUR	SYMRCT00RS0	04791	01374	5200	920	AA BA DA GC
203/881(0000-5999),881(7000-9999),888						GD GI GL GN
						GP GQ GR HD
						IC OR PC PL
						PR PU RC RD
						SQ TI TJ UB
						UG UQ UR WE
						WG WH WJ
SHARON	SHRNCT00DS0	04747	01491	5200	920	OR SV
/						
SHARON	SHRNCT00DS1	04747	01491	5200	920	SQ
/						

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CONNECTICUT

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SHARON	SHRNCT00RS0	04747	01491	5200	920	AA BA DA GC
860/364(0000-0999),364(1000-1999),364(2000-2999)						GD GI GL GN
860/364(4000-4999),364(5000-5999),364(7000-7999)						GP GQ GR HD
860/364(9000-9999)						IC OR PC PL
						RC RD SQ UB
						UG UQ UR WE
						WG WH WJ
SIMSBURY	SMBYCT00DS0	04680	01404	5200	920	AA BA DA GC
860/408,651,658,843(1000-1999),843(2000-2999)						GD GI GL GN
860/843(3000-3999),843(4000-4999),843(5000-5999)						GP GQ GR HA
860/843(6000-6999),843(7000-7999),843(8000-8999)						HD IC II OR
860/843(9000-9999)						PC PL PR PS
						RC RD SQ SX
						TI TJ UB UG
						UP UQ UR WE
						WG WH WJ
SOUTH WINDSOR	WPNGCT00DS0	04664	01365	5200	920	AA BA DA GC
860/644,648(0000-0999),648(1000-1999),648(2000-2999)						GD GI GL GN
860/648(4000-4999),648(5000-5999),648(6000-6999)						GP GQ GR HA
860/648(7000-7999),648(8000-8999),648(9000-9999)						HD IC II OR
						PC PL PR PS
						RC RD SJ SQ
						SX TI TJ UB
						UG UQ UR WE
						WG WH WJ
SOUTHBURY	SOBYCT00DS0	04790	01403	5200	920	AA BA DA G5
203/262(0000-6999),262(8000-9999),263(0000-0999)						GE GN HB IA
203/263(2000-8999),264,266(0000-0999),266(4000-9999)						IC IE II OR
203/267(1000-7999),486(0000-7999)						PC PL PR PU
						SH SQ ST UA
						UB UH UJ UK
						UL UM UQ UR
						UY
SOUTHBURY	SOBYCT01RS0	04794	01408	5200	920	BA OR PC PL
/						PR PU SQ

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CONNECTICUT

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SOUTHBURY	SOBYCT02RS0	04799	01400	5200	920	BA OR PC PL
/						PR PU SQ
SOUTHBURY	SOBYCT03RS0	04797	01413	5200	920	BA OR PC PL
/						PR PU SQ
SOUTHBURY	SOBYCT04RS0	04783	01399	5200	920	BA OR PC PL
/						PR PU SQ
SOUTHBURY	SOBYCT05RS0	04793	01411	5200	920	BA OR PC PL
/						PR PU SQ
SOUTHINGTON	STTNCT00DS0	04736	01376	5200	920	AA BA DA GC
860/276(0000-3999),276(5000-6999),276(8000-9999)						GD GI GL GN
860/378(0000-0999),378(1000-1999),378(3000-3999)						GP GQ GR HA
860/620(0000-1999),620(5000-6999),620(8000-9999),621						HD IC II OR
860/628(0000-0999),628(2000-9999),681(0000-0999)						PC PL PR PS
						RC RD SQ SX
						TI TJ UB UG
						UP UQ UR WE
						WG WH WJ
STAFFORD SPRINGS	STSPCT00DS0	04618	01351	5200	920	AA BA DA GC
860/684						GD GI GL GN
						GP GQ GR HA
						HD IC II OR
						PC PL PR PS
						RC RD SQ SX
						UB UG UQ UR
						WE WG WH WJ

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CONNECTICUT

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
STAMFORD	NWLNCTCS6MD	04702	01241	403G	920	GR
203/266(3000-3999),350(4000-4999),429(7000-7999)						
203/514(6000-6999),518(7000-7999),544(6000-6999)						
203/546(9000-9999),664(7000-7999),693(7000-7999)						
203/704(5000-5999),718(7000-7999),738(7000-7999)						
203/774(6000-6999),780(7000-7999),801(7000-7999)						
203/871(6000-6999),957(7000-7999),990(2000-2999)						
475/205(7000-7999),210(3000-7999),212(7000-7999)						
475/223(7000-7999),239(7000-7999),277(7000-7999)						
475/298(4000-4999),328(7000-7999),444(7000-7999)						
475/675(7000-7999),882(7000-7999),999(7000-7999)						
860/317(3000-3999),323(7000-7999),327(7000-7999)						
860/339(7000-7999),359(7000-7999),365(7000-7999)						
860/370(7000-7999),385(7000-7999),390(7000-7999)						
860/393(7000-7999),397(7000-7999),400(7000-7999)						
860/407(7000-7999),421(7000-7999),430(7000-7999)						
860/453(7000-7999),483(4000-4999),499(7000-7999)						
860/517(7000-7999),535(7000-7999),540(7000-7999)						
860/544(7000-7999),556(6000-6999),579(7000-7999)						
860/592(7000-7999),596(6000-6999),602(7000-7999)						
860/603(7000-7999),619(3000-3999),650(7000-7999)						
860/662(7000-7999),663(7000-7999),698(7000-7999)						
860/733(7000-7999),744(7000-7999),771(7000-7999)						
860/773(7000-7999),785(7000-7999),792(7000-7999)						
860/800(7000-7999),807(7000-7999),809(7000-7999)						
860/850(7000-7999),851(7000-7999),858(7000-7999)						
860/864(7000-7999),865(7000-7999),879(7000-7999)						
860/880(6000-6999),891(7000-7999),893(7000-7999)						
860/898(7000-7999),909(7000-7999),921(9000-9999)						
860/932(7000-7999),935(7000-7999)						
959/200(7000-7999),335(7000-7999)						
STAMFORD	SMFRCT01BB0	04897	01388	5200	920	PR PU TD

/

==========

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CONNECTICUT

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
STAMFORD	SMFRCT01DS1	04897	01388	5200	920	AA BA DA GC
203/323,325,327(0000-7999),327(9000-9999),328,352,353						GD GI GL GN
203/359,406(0000-6999),406(8000-9999),890(1000-1999)						GP GQ GR HA
203/890(2000-2999),890(3000-3999),890(4000-4999)						HD IC II OH
203/890(5000-5999),890(6000-6999),967,973(0000-6999)						OR PA PJ PR
203/973(8000-8999),975,978(0000-2999),978(4000-9999)						PU QA RC RD
						RF SN SQ TI
						TJ UB UE UG
						UQ UR WE WG
						WH WJ
STAMFORD	SMFRCT01DS2	04897	01388	5200	920	AA BA DA GC
203/251,316,324,326(2000-9999),348,351,356(0000-0999)						GD GI GL GN
203/356(1000-1999),356(2000-2999),356(3000-3999)						GP GQ GR HA
203/356(4000-4999),356(6000-6999),356(7000-7999)						HD IC II PA
203/356(8000-8999),356(9000-9999),357(0000-0999)						PJ PR PU QA
203/357(1000-1999),357(2000-2999),357(3000-3999)						RC RD RF SK
203/357(4000-4999),357(6000-6999),357(7000-7999)						SN SR TI TJ
203/357(8000-8999),357(9000-9999),358(0000-6999)						UB UE UG UQ
203/358(8000-9999),363(0000-3999),363(5000-9999),425,462						UR VF VP WE
203/539(3000-5999),539(7000-8999),541(2000-3999)						WG WH WJ ZX
203/541(6000-9999),585(0000-2999),585(5000-6999)						
203/602(0000-3999),602(5000-9999),674(0000-0999)						
203/674(2000-7999),708(0000-0999),708(2000-6999)						
203/708(8000-9999),719,728,890(7000-7999),890(8000-8999)						
203/921(0000-4999),940(8000-8999),961(0000-2999)						
203/961(4000-9999),964(0000-6999),964(8000-9999)						
203/965(0000-0999),965(2000-3999),965(5000-9999)						
203/969(0000-3999),969(6000-6999),969(7000-7999)						
203/969(9000-9999),977						

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CONNECTICUT

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
STAMFORD	SMFRCTATXMD	04897	01388	3083	920	GL

203/274(9000-9999),304(2000-2999),304(5000-5999)
203/308(4000-4999),327(8000-8999),364(8000-8999)
203/391(5000-5999),403(4000-4999),405(2000-2999)
203/405(7000-7999),409(0000-0999),409(3000-3999)
203/433(6000-6999),446(9000-9999),463(7000-7999)
203/463(9000-9999),508(6000-9999),517(1000-2999)
203/533(6000-6999),541(5000-5999),567(0000-3999)
203/567(5000-9999),568(0000-2999),568(6000-9999)
203/608(0000-3999),608(5000-9999),614(0000-0999)
203/616(1000-1999),616(6000-8999),621(0000-3999)
203/621(5000-5999),621(6000-7999),621(9000-9999)
203/638(0000-3999),638(5000-5999),638(6000-7999)
203/638(9000-9999),643(6000-6999),643(9000-9999),647
203/649(0000-7999),649(9000-9999),652(0000-7999)
203/652(9000-9999),653(0000-7999),653(9000-9999)
203/659(0000-7999),659(9000-9999),663(0000-2999)
203/663(4000-9999),665(0000-3999),665(5000-7999)
203/665(9000-9999),672,682(0000-2999),682(4000-4999)
203/682(6000-9999),683(0000-7999),683(9000-9999)
203/702(0000-2999),702(4000-9999),704(4000-4999)
203/714(8000-8999),779(8000-8999),780(9000-9999)
203/894(4000-4999)
475/206(2000-2999),220,289(7000-7999),619(8000-8999)
860/215(9000-9999),256(6000-6999),259(1000-1999)
860/263(3000-3999),263(4000-4999),272(9000-9999)
860/318(0000-0999),318(3000-3999),322(0000-0999)
860/326(0000-0999),336(0000-0999),336(2000-3999)
860/336(5000-5999),339(1000-1999),352(7000-7999)
860/359(3000-3999),362(5000-5999),375(1000-1999)
860/385(5000-5999),387(0000-0999),393(6000-6999)
860/394(3000-3999),404(3000-3999),412(8000-8999)
860/415(0000-0999),417(0000-0999),426(8000-8999),427
860/438(0000-2999),438(5000-5999),440(6000-6999)
860/440(9000-9999),451(6000-6999),457(4000-4999)
860/468(8000-8999),479(0000-0999),484(6000-6999),486
860/495(8000-8999),503(1000-1999),506(8000-8999)
860/507(8000-8999),515(3000-3999),517(3000-3999)
860/531(7000-7999),540(5000-5999),552(0000-0999)

-------- Continued on next page --------

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CONNECTICUT

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE	TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- --	-- --

-------- Continued from previous page --------

860/553(6000-6999),572(3000-3999),581(5000-5999)
860/592(6000-6999),596(3000-3999),598(7000-7999)
860/607(3000-3999),629(5000-5999),639(5000-5999)
860/656(0000-0999),656(1000-1100),656(1200-1200)
860/656(1257-1257),656(1478-1492),656(1494-1499)
860/656(1652-1652),656(1754-1754),656(2359-2359)
860/656(6000-7999),656(9000-9999),662(3000-3999)
860/697(2000-2999),697(3000-3999),697(4000-4999)
860/697(6000-7999),703(1000-1999),717(5000-5999)
860/730(2000-3999),730(6000-7999),730(8000-8999)
860/735(6000-7999),740(1100-1100),740(1200-1200)
860/740(3000-3999),740(6000-7999),751(6000-7999)
860/752(6000-7999),753(4000-4999),760,770(6000-6999)
860/771(4000-4999),772(1000-1999),773(1000-1999)
860/781(6000-7999),821(5000-5999),822(2000-2999)
860/822(4000-4999),835(2000-2999),835(6000-7999)
860/837(5000-5999),837(6000-6999),837(7000-7999)
860/837(8000-8999),837(9000-9999),851(5000-5999)
860/856(4000-4999),906(3000-3999),909(3000-3999)
860/921(5000-5999),932(4000-4999),934(1000-1999)
860/942(5000-5999),946(6000-6999),969(5000-5999)
860/973(1000-1999)
959/200(4000-4999)

==========

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CONNECTICUT

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE	TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- --	-- --
STAMFORD	SMFRCTDSDS0	04897	01389	7230	920	DA	DD

203/202(8000-8999),212(5000-5999),277,280(0000-0999)
203/280(4000-4999),280(5000-9999),290(3000-3999)
203/293(1000-1999),295(0000-0999),295(2000-2999)
203/295(6000-6999),296(5000-8999),307(6000-9999),310,320
203/369(0000-2999),369(3000-6999),369(7000-9999)
203/388(0000-0999),388(1000-1999),388(2000-2999)
203/388(3000-3999),388(4000-4999),388(7000-7999)
203/388(9000-9999),391(0000-0999),391(2000-2999)
203/391(9000-9999),399(0000-0999),399(1000-1999)
203/399(5000-5999),400(6000-6999),409(7000-7999)
203/418(3000-3999),418(4000-4999),418(5000-6999)
203/423(2000-2999),423(8000-8999),428(0000-0999)
203/428(3000-3999),429(0000-2999),429(6000-6999)
203/442(0000-0999),442(8000-8999),448(1000-4999)
203/455(0000-0999),455(2000-3999),455(5000-5999)
203/455(9000-9999),480,566,607,620(0000-6999)
203/620(7000-9999),636(1000-7999),636(8000-9999)
203/642(0000-2999),642(5000-5999),642(7000-7999)
203/669(0000-0999),669(1000-1999),669(6000-8999)
203/692(0000-1999),692(6000-8999),705(0000-0999)
203/705(2000-6999),716(0000-0999),716(6000-6999)
203/716(7000-7999),763(0000-0999),763(2000-3999)
203/763(5000-5999),763(6000-8999),801(1000-1999)
203/827(0000-6999),827(7000-9999),844(1000-3999)
203/844(4000-6999),844(7000-9999),873(2000-5999)
203/875(1000-4999),875(5000-8999),897,898(6000-8999)
203/898(9000-9999),920(2000-3999),920(5000-7999)
203/920(8000-9999),923(0000-0999),923(9000-9999)
203/955(0000-0999),955(2000-4999),955(5000-9999)
203/986(0000-4999),986(5000-9999),990(6000-6999)
203/990(7000-8999),990(9000-9999),995
475/204(5000-5999),277(3000-3999),328(3000-3999)
475/465(3000-3999),558(3000-3999)

==========

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CONNECTICUT

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
STAMFORD NORTH	SMFRCT02DS0	04890	01396	5200	920	AA BA DA GC
203/321(0000-2999),321(4000-4999),321(8000-8999),322,329						GD GI GL GN
203/461(6000-9999),595(0000-0999),595(6000-9999)						GP GQ GR HA
203/609(0000-0999),609(7000-8999),614(2000-7999)						HD IC II OR
203/703(3000-5999),962(0000-0999),968(0000-2999)						PB PK PR PU
203/968(6000-9999)						RC RD SJ SQ
						TI TJ UB UG
						UP UQ UR WE
						WG WH WJ
STONINGTON	SGTNCT00RS1	04675	01220	5200	920	AA BA DA GC
860/535(0000-5999),535(8000-9999),599						GD GI GL GN
						GP GQ GR HD
						IC OR PC PL
						PT PU RC RD
						SQ UB UG UQ
						UR WE WG WH
						WJ
STORRS	STRSCT01RS0	04637	01323	5200	920	AA BA DA GC
860/429,487(0000-0999),487(1000-1999),487(2000-2999)						GD GI GL GN
860/487(3000-3999),487(4000-4999),487(9000-9999)						GP GQ GR HD
						IC OR PC PL
						PR PS RC RD
						SQ TI TJ UB
						UG UQ UR WE
						WG WH WJ
STRATFORD	SRFRCT00DS0	04831	01354	5200	920	AA BA DA GC
203/375,377,378,380,381,383(1000-1999),383(4000-8999)						GD GI GL GN
203/385(0000-1999),385(3000-9999),386,502(0000-0999)						GP GQ GR HA
203/502(2000-2999),502(4000-4999),502(5000-5999)						HD IC II OR
203/502(6000-6999)						PB PK PR PU
						RC RD SJ SQ
						SX TI TJ UB
						UG UQ UR WE
						WG WH WJ

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CONNECTICUT

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
SUFFIELD 860/668	SFFDCT00RS2	04648	01398	5200	920	AA BA DA GC GD GI GL GN GP GQ GR HD IC OR PC PL PR PS RC RD SQ UB UG UQ UR WE WG WH WJ
THOMASTON /	THTNCT00DS0	04743	01411	5200	920	OR SV
THOMASTON /	THTNCT00DS1	04743	01411	5200	920	SQ
THOMASTON 860/283	THTNCT00RS0	04743	01411	5200	920	AA BA DA GC GD GI GL GN GP GQ GR HD IC OR PC PL RC RD SQ TJ UB UG UQ UR WE WG WH WJ
TORRINGTON 860/482,485(0000-2999),485(6000-6999),485(9000-9999),489 860/496,626(0000-0999),626(1000-1999),626(2000-2999) 860/626(6000-6999),626(7000-7999),626(8000-8999) 860/689(0000-0999),689(2000-2999)	TRTNCT00DS0	04725	01435	5200	920	AA BA DA GC GD GI GL GN GP GQ GR HA HD IC II OH OR PC PL RC RD SK SR TI TJ UB UG UQ UR VF VP WE WG WH WJ ZX

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CONNECTICUT

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
TRUMBULL	TMBLCT00DS0	04829	01375	5200	920	AA BA DA GC
203/261,268,445(0000-0999),445(1000-1999),445(2000-2999)						GD GI GL GN
203/445(5000-5999),445(7000-9999),452,459						GP GQ GR HA
						HD IC II OR
						PC PL PR PU
						RC RD SJ SQ
						SX TI TJ UB
						UG UQ UR WE
						WG WH WJ
UNIONVILLE	UNVLCT00DS0	04709	01399	5200	920	AA BA DA GC
860/404(0000-0999),404(1000-1999),404(4000-4999)						GD GI GL GN
860/404(7000-7999),404(8000-8999),673,675						GP GQ GR HA
						HD IC II OR
						PC PL PR PS
						RC RD SQ SX
						TI TJ UB UG
						UP UQ UR WE
						WG WH WJ
WALLINGFORD	WLFRCT00DS0	04755	01349	5200	920	AA BA DA GC
203/265,269,284,294,677(2000-9999),679(0000-0999)						GD GI GL GN
203/679(3000-3999),679(4000-4999),679(5000-5999)						GP GQ GR HA
203/679(6000-6999),679(7000-7999),679(8000-8999)						HD IC II OR
203/697(0000-7999),697(9000-9999),741(0000-0999)						PC PL PR PU
203/741(1000-1999),741(2000-2999),741(3000-3999)						RC RD SK SQ
203/741(4000-4999),741(5000-5999),741(6000-6999)						TI TJ UB UG
203/741(7000-7999),949						UQ UR WE WG
						WH WJ
WALLINGFORD	WLFRCT00DS1	04755	01349	5200	920	PR PU SX
/						
WASHINGTON	WASHCT00DS0	04773	01438	5200	920	OR SV
/						
WASHINGTON	WASHCT00DS1	04773	01438	5200	920	SQ
/						

==========

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CONNECTICUT

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
WASHINGTON	WASHCT00RS0	04773	01438	5200	920	AA BA DA GC
860/868(0000-0999),868(1000-1999),868(2000-2999)						GD GI GL GN
860/868(3000-3999),868(6000-6999),868(7000-7999)						GP GQ GR HD
860/868(9000-9999)						IC OR PC PL
						RC RD SQ UB
						UG UQ UR WE
						WG WH WJ
WATERBURY	WTRBCT0004T	04760	01391	5200	920	BA DA GC GD
/						GI GL GN GP
						GQ HD OH PB
						PK PR PU RC
						RD RM SV UB
						UG UQ UR WE
						WG
WATERBURY	WTRBCT004GT	04760	01391	5200	920	GB PR PU
/						
WATERBURY	WTRBCT00DS0	04760	01391	5200	920	AA BA DA GB
203/236,346(0000-0999),346(2000-7999),419(0000-4999)						GC GD GI GL
203/419(9000-9999),465(0000-0999),465(1000-1999)						GN GP GQ GR
203/465(4000-4999),465(7000-7999),573,574,575						HA HD IC II
203/578(1000-4999),578(8000-9999),591,596,597(0000-6999)						OH PB PK PR
203/597(8000-9999),709(2000-9999),753,754,755,756,757						PU RC RD RM
203/759(0000-7999),759(9000-9999)						SK SR TI TJ
						UB UG UQ UR
						VF VP WE WG
						WH WJ ZX
WATERTOWN	WTTWCT00DS0	04760	01404	5200	920	AA BA DA GC
860/274,945						GD GI GL GN
						GP GQ GR HA
						HD IC II OR
						PC PL RC RD
						SQ TI TJ UB
						UG UQ UR WE
						WG WH WJ

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CONNECTICUT

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
WATERTOWN	WTTWCT00DS1	04760	01404	5200	920	SQ SX
/						
WEST HARTFORD	WHFRCT01DS0	04691	01377	5200	920	AA BA DA GC
860/231,232,233,236,371(2000-3999),523,570,586						GD GI GL GN
						GP GQ GR HA
						HD IC II OH
						PC PL PR PS
						RC RD SJ SQ
						SX TI TJ UB
						UG UP UQ UR
						WE WG WH WJ
WEST HARTFORD	WHFRCT02DS0	04696	01379	5200	920	AA BA DA GC
860/313(0000-7999),521,561						GD GI GL GN
						GP GQ GR HA
						HD IC II OR
						PC PL PR PS
						RC RD SQ TI
						TJ UB UG UQ
						UR WE WG WH
						WJ
WEST HARTFORD	WHFRCT02RS9	04696	01379	5200	920	PR PS SJ SQ
/						SX
WEST HAVEN	WSHNCT00DS0	04800	01341	5200	920	AA BA DA GC
203/479(1000-1999),479(3000-5999),479(7000-8999)						GD GI GL GN
203/931(0000-4999),931(6000-9999),932,933,934						GP GQ GR HA
203/937(0000-1999),937(3000-9999)						HD IC II OR
						PC PL PR PU
						RC RD SQ TI
						TJ UB UG UQ
						UR WE WG WH
						WJ
WEST HAVEN	WSHNCT00DS1	04800	01341	5200	920	PR PU SJ SQ
/						SX

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CONNECTICUT

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
WESTBROOK	WSBKCT00RS0	04747	01276	5200	920	AA BA DA GC
860/399						GD GI GL GN
						GP GQ GR HD
						IC OR PC PL
						PR PS RC RD
						SQ TJ UB UG
						UQ UR WE WG
						WH WJ
WESTPORT	WSPTCT00DS0	04864	01376	5200	920	AA BA DA GC
203/221,222,226,227,291(0000-8999),341,454						GD GI GL GN
						GP GQ GR HA
						HD IC II OR
						PB PK PR PU
						RC RD SJ SQ
						SX TI TJ UB
						UG UP UQ UR
						WE WG WH WJ
WESTVILLE	WSTVCT00DS0	04792	01350	5200	920	AA BA DA GC
203/387,389,392(0000-0999),392(2000-2999),392(3000-3999)						GD GI GL GN
203/392(5000-5999),392(6000-6999),392(7000-7999)						GP GQ GR HA
203/392(8000-8999),392(9000-9999),397(0000-0999)						HD IC II OR
203/397(1000-1999),397(2000-2999),397(3000-3999)						PC PL PR PU
203/397(4000-4999),397(5000-5999),397(7000-7999)						RC RD SQ TI
203/397(8000-8999),397(9000-9999)						TJ UB UG UP
						UQ UR WE WG
						WH WJ
WESTVILLE	WSTVCT00DS1	04792	01350	5200	920	PR PU SQ SX
/						

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CONNECTICUT

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
WETHERSFIELD	WTFDCT00DS0	04696	01363	5200	920	AA BA DA GC
860/257(0000-4999),257(6000-9999),258(0000-8999)						GD GI GL GN
860/513(0000-1999),513(3000-7999),529,563,571(0000-0999)						GP GQ GR HA
860/571(2000-9999),721						HD IC II OR
						PC PL PR PS
						RC RD SJ SQ
						SX TI TJ UB
						UG UP UQ UR
						WE WG WH WJ
WILLIMANTIC	WLMNCT003GT	04650	01306	5200	920	GB
/						
WILLIMANTIC	WLMNCT00DS0	04650	01306	5200	920	AA BA DA GB
860/423,450(0000-5999),450(7000-9999),456,465(0000-0999)						GC GD GI GL
860/465(1000-1999),465(2000-2999),465(3000-3999)						GN GP GQ GR
860/465(4000-4999),465(5000-5999),465(8000-8999)						HA HD IC II
						OH PC PL RC
						RD SK SR TI
						TJ UB UG UQ
						UR VF VP WE
						WG WH WJ ZX
WILTON	WLTOCT00DS0	04862	01393	5200	920	AA BA DA GC
203/563(0000-0999),563(1000-1999),563(2000-2999)						GD GI GL GN
203/563(3000-3999),563(5000-5999),563(6000-6999)						GP GQ GR HD
203/563(7000-7999),563(9000-9999),761,762(0000-5999)						IC OR PC PL
203/762(7000-9999),834						PR PU RC RD
						SQ SX TI TJ
						UB UG UQ UR
						WE WG WH WJ
WILTON	WLTOCT00RS9	04862	01393	5200	920	OR PR PU
/						

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CONNECTICUT

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
WINDSOR	WNDSCT00DS0	04670	01380	5200	920	AA BA DA GC
860/285,298,580(0000-4999),607(4000-6999),624,683,687						GD GI GL GN
860/688,731(0000-0999),731(1000-1999),731(2000-2999)						GP GQ GR HA
860/731(3000-3999),731(4000-4999),731(5000-5999)						HD IC II OR
860/731(6000-6999),731(9000-9999),905(1000-2999)						PB PK PR PS
						QA RC RD SQ
						TI TJ UB UG
						UQ UR WE WG
						WH WJ
WINDSOR	WNDSCT00RS9	04670	01380	5200	920	PR PS SJ SQ
/						SX
WINDSOR LOCKS	WLKSCT00DS0	04654	01389	5200	920	AA BA DA GC
860/292(1000-9999),386(0000-0999),386(2000-2999)						GD GI GL GN
860/386(3000-3999),386(4000-4999),386(7000-7999),623,627						GP GQ GR HA
860/654						HD IC II OR
						PB PK PR PS
						RC RD SJ SQ
						SX TI TJ UB
						UG UP UQ UR
						WE WG WH WJ
WINSTED	WNSTCT00DS0	04699	01444	5200	920	AA BA DA GC
860/379,738						GD GI GL GN
						GP GQ GR HA
						HD IC II OR
						PC PL RC RD
						SQ TI TJ UB
						UG UQ UR WE
						WG WH WJ
WINSTED	WNSTCT00DS1	04699	01444	5200	920	OH SQ SX
/						

ISSUED: NOVEMBER 16, 2017 EFFECTIVE: DECEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - CONNECTICUT

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
WOLCOTT 203/879	WLCTCT00RS1	04748	01386	5200	920	AA BA DA GC GD GI GL GN GP GQ GR HD IC OR PC PL PR PU RC RD SQ TJ UB UG UQ UR WE WG WH WJ
WOODBURY /	WDBYCT00RL0	04778	01411	5200	920	BA OR PC PL PR PU SQ
WOODBURY /	WDBYCT00RS0	04778	01411	5200	920	BA OR PC PL PR PU SQ
WOODBURY /	WDBYCT01RS0	04768	01411	5200	920	BA OR PC PL PR PU SQ
WOODBURY /	WDBYCT02RS0	04768	01411	5200	920	BA OR PC PL PR PU SQ
WOODSTOCK /	WDSTCT00DS0	04590	01311	5200	920	OR SV
WOODSTOCK /	WDSTCT00DS1	04590	01311	5200	920	SQ
WOODSTOCK 860/974(0000-0999),974(1000-1999),974(2000-2999) 860/974(3000-3999),974(9000-9999)	WDSTCT00RS0	04590	01311	5200	920	AA BA DA GC GD GI GL GN GP GQ GR HD IC OR PC PL RC RD SQ UB UG UQ UR WE WG WH WJ

END OF SECTION

WIRE CENTER INFORMATION
PENDING CHANGES
SECTION 19
DELAWARE

EFFECTIVE: NOVEMBER 01, 2017

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - DELAWARE

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE	TYPE	
---------NPA/NXX----------	----------	-----	-----	----	----	--	-- -- --	
WILMINGTON	PHLAPAFGDSC	05250	01460	7447	228	BA	DA	(C)
302/230(2000-2999),241(2000-2999),246(3000-3999)								(C)
302/274(3000-7999),286(5000-5999),299(4000-4999)								(C)
302/327(8000-8999),353(5000-5999),525(3000-3999)								(C)
302/525(5000-5999),683(8000-8999),826(1000-4999)								(C)
"	"	"	"	"	"	"		
302/230(2000-2999),241(2000-2999),246(3000-3999)						"		
302/274(3000-7999),286(5000-5999),299(4000-4999)						"		
302/327(8000-8999),353(5000-5999),525(3000-3999)						"		
302/525(5000-5999),683(8000-8999)								

END OF REPORT

ISSUED: OCTOBER 17, 2017 EFFECTIVE: NOVEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - DELAWARE

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
ANGOLA                      ANGLDEANRS0 05474 01291 5010  228 AA DA GC GD
   302/945,947(0000-0999),947(1000-1999),947(2000-2999)      PC PL RA RM
   302/947(4000-4999),947(9000-9999)                         SQ
.......................................................................
BRIDGEVILLE                 BGVLDEBGRS0 05510 01365 5010  228 AA DA GC GD
   302/337(0000-0999),337(1000-1999),337(2000-2999)          GR PC PL RA
   302/337(3000-3999),337(4000-4999),337(7000-7999)          RM SQ
   302/337(8000-8999),337(9000-9999),721(7000-7999)
.......................................................................
CAMDEN                      CMDNDECDDS1 05438 01404 5010  228 AA DA GC GD
   302/697,698(0000-0999),698(1000-1999),698(3000-3999)      PC PL RA RM
   302/698(4000-4999),698(5000-5999),698(6000-6999)          SQ
   302/698(9000-9999)
.......................................................................
DAGSBORO                    DGBODEDGRS0 05488 01266 5010  228 AA DA GC GD
   302/732(1000-1999),732(3000-3999),732(6000-6999)          PC PL RA RM
   302/732(9000-9999)                                        SQ
.......................................................................
DELMAR                      DLMRDEDMRS0 05552 01302 5010  228 AA DA GC GD
   302/846(0000-0999),846(2000-2999),846(3000-3999)          PC PL RA
   302/846(9000-9999)
.......................................................................
DOVER                       DOVRDEDVDS0 05428 01407 5010  228 AA DA GC GD
   302/310(8000-8999),666,672(1000-1999),672(2000-2999)      GJ PB PK RA
   302/672(4000-4999),672(5000-5999),672(6000-6999)          RC RD RE RF
   302/672(7000-7999),672(9000-9999),674,677,678             RG RH RM SQ
   302/730(0000-0999),730(1000-1999),730(3000-3999)          TA UE
   302/730(4000-4999),730(5000-5999),730(7000-7999)
   302/730(8000-8999),730(9000-9999),734,735,736,739,741
   302/744(1000-1999),744(2000-2999),744(3000-3999)
   302/744(4000-4999),744(5000-5999),744(6000-6999)
   302/744(7000-7999),744(9000-9999),760(0000-0999)
   302/760(1000-1999),760(2000-2999),760(4000-4999)
   302/760(6000-6999),760(7000-7999),760(8000-8999)
   302/857(1000-1999),857(2000-2999),857(3000-3999)
   302/857(4000-4999),857(5000-5999),857(6000-6999)
   302/857(7000-7999),857(8000-8999)
```

==========

ISSUED: OCTOBER 17, 2017 EFFECTIVE: NOVEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - DELAWARE

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
FELTON	FETNDEFERS0	05460	01394	5010	228	AA DA GC GD
302/284(0000-0999),284(1000-1999),284(2000-2999)						PC PL RA RM
302/284(3000-3999),284(4000-4999),284(8000-8999)						SQ
302/284(9000-9999)						
FREDERICA	FRDRDEFRRS0	05449	01380	5010	228	AA DA GC GD
302/335(0000-0999),335(1000-1999),335(2000-2999)						GR PC PL RA
302/335(3000-3999),335(4000-4999),335(5000-5999)						RM SQ
302/335(9000-9999)						
GEORGETOWN	GRTWDEGRDS0	05498	01329	5010	228	AA DA GC GD
302/259(6000-6999),500(7000-7999),515(3000-3999)						GJ PC PL RA
302/853(1000-1999),853(3000-3999),853(4000-4999)						RM SQ TA UE
302/853(6000-6999),854,855,856,858(5000-5999)						
GREENWOOD	GNWDDEGNRS0	05497	01370	5010	228	AA DA GC GD
302/349(0000-0999),349(4000-4999),349(5000-5999)						GR PC PL RA
302/349(9000-9999)						RM SQ
GUMBORO	GMBODEGBRS1	05531	01299	5010	228	AA DA GC GD
302/238(0000-0999),238(7000-7999)						PC PL RA RM
						SQ
HARRINGTON	HRTNDEHARS0	05475	01384	5010	228	AA DA GC GD
302/398(0000-0999),398(1000-1999),398(3000-3999)						GR PC PL RA
302/398(4000-4999),398(5000-5999),398(6000-6999)						RM SQ
302/398(7000-7999),398(8000-8999),398(9000-9999)						
HARTLY	HRTLDEHLRS0	05445	01433	5010	228	AA DA GC GD
302/492(0000-0999),492(1000-1999),492(3000-3999)						GR PC PL RA
302/492(8000-8999)						RM SQ
HOCKESSIN	HCKSDEHCDS0	05333	01510	5010	228	AA DA GC GD
302/234,235(0000-0999),235(1000-1999),235(2000-2999)						GJ PC PL RA
302/235(4000-4999),235(5000-5999),235(6000-6999)						RM SQ
302/235(7000-7999),239						
HOCKESSIN	PHLAPAFGDSE	05250	01460	4874	228	GL
302/416(3000-3999),827(5000-5999)						

ISSUED: OCTOBER 17, 2017 EFFECTIVE: NOVEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - DELAWARE

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
HOLLY OAK                   HLOKDEHLDS0 05313 01481 5010  228 AA DA GC GD
   302/791,792,793(0000-0999),793(1000-1999),793(2000-2999)  GJ PC PL RA
   302/793(3000-3999),793(4000-4999),793(5000-5999)          RM SQ
   302/793(6000-6999),793(7000-7999),793(8000-8999)
   302/797(2000-2999),797(3000-3999),797(6000-6999)
   302/797(7000-7999),798
.......................................................................
LAUREL                      LARLDELRRS0 05540 01336 5010  228 AA DA GC GD
   302/875,877(0000-0999)                                    PC PL RA RM
                                                             SQ
.......................................................................
LEWES                       LEWSDELWDS1 05459 01305 5010  228 AA DA GC GD
   302/644(0000-0999),644(1000-1999),644(2000-2999)          PC PL RA RM
   302/644(3000-3999),644(4000-4999),644(6000-6999)          SQ
   302/644(7000-7999),644(8000-8999),644(9000-9999),645
.......................................................................
MARSHALLTON                 MSTNDEMADS0 05336 01494 5010  228 AA DA GC GD
   302/353(3000-3999),633,634(1000-1999),634(2000-2999)      GJ GR PC PL
   302/634(3000-3999),634(4000-4999),634(5000-5999)          RA RC RD RE
   302/634(6000-6999),634(7000-7999),634(8000-8999)          RF RG RH RM
   302/634(9000-9999),636,683(0000-0999),683(2000-2999)      SQ
   302/683(3000-3999),683(4000-4999),683(5000-5999)
   302/683(6000-6999),683(7000-7999),683(9000-9999),892
   302/992(0000-0999),992(1000-1999),992(2000-2999)
   302/992(3000-3999),992(4000-4999),992(5000-5999)
   302/992(6000-6999),992(7000-7999),992(9000-9999)
   302/993(0000-0999),993(1000-1999),993(2000-2999)
   302/993(3000-3999),993(4000-4999),993(5000-5999)
   302/993(7000-7999),993(8000-8999),993(9000-9999),994,995
   302/996,998,999
.......................................................................
MIDDLETOWN                  MDTWDEMTDS1 05396 01471 5010  228 AA DA GC GD
   302/203(1000-5999),376,378,449(0000-0999),449(1000-1999)  GR PC PL RA
   302/449(2000-2999),449(3000-3999),449(5000-5999)          RM SQ
   302/696(3000-3999)
```

==========

ISSUED: OCTOBER 17, 2017 EFFECTIVE: NOVEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - DELAWARE

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MILFORD	MLFRDEMFDS0	05462	01362	5010	228	AA DA GC GD
302/422,424(0000-0999),424(1000-1999),424(2000-2999)						GJ GR PC PL
302/424(3000-3999),424(4000-4999),424(5000-5999)						RA RM SQ
302/424(6000-6999),424(7000-7999),424(8000-8999)						
302/430(0000-0999),430(5000-5999),430(7000-7999)						
MILLSBORO	MLBODEMBRS0	05506	01302	5010	228	AA DA GC GD
302/933(0000-0999),933(3000-3999),934						PC PL RA RM
						SQ
MILTON	MLTNDEMLRS0	05475	01329	5010	228	AA DA GC GD
302/684(0000-0999),684(1000-1999),684(2000-2999)						PC PL RA RM
302/684(3000-3999),684(4000-4999),684(5000-5999)						SQ
302/684(8000-8999)						
NEW CASTLE	NWCSDENCDS0	05344	01479	5010	228	AA DA GC GD
302/322,323,324,325,326,327(2000-2999),327(3000-3999)						GR PC PL RA
302/327(5000-5999),327(7000-7999),328,395,413(3000-5999)						RM SH SP SQ
302/413(3000-5999)						

ISSUED: OCTOBER 17, 2017 EFFECTIVE: NOVEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - DELAWARE

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
NEWARK                      NWRKDENBDS0 05356 01503 5010  228 AA DA GC GD
   302/266(0000-0999),266(3000-3999),266(5000-5999)          GJ GR PA PJ
   302/266(6000-6999),266(7000-7999),266(8000-8999)          RA RC RD RE
   302/266(9000-9999),283(0000-0999),283(1000-1999)          RF RG RH RM
   302/283(2000-2999),283(3000-3999),283(4000-4999)          SQ
   302/283(5000-5999),283(6000-6999),283(7000-7999)
   302/283(8000-8999),286(0000-4999),286(6000-6999),292
   302/366(0000-0999),366(1000-1999),366(2000-2999)
   302/366(3000-3999),366(4000-4999),366(5000-5999)
   302/366(6000-6999),366(7000-7999),366(8000-8999),368,369
   302/391(2000-2999),391(3000-3999),391(5000-5999)
   302/391(6000-6999),391(7000-7999),391(8000-8999)
   302/391(9000-9999),451(0000-8999),452(0000-0999)
   302/452(1000-1999),452(2000-2999),452(3000-3999)
   302/452(5000-5999),452(6000-6999),452(7000-7999)
   302/452(8000-8999),452(9000-9999),453,454,455(0000-0999)
   302/455(1000-1999),455(3000-3999),455(4000-4999)
   302/455(9000-9999),456(0000-0999),456(1000-1999)
   302/456(3000-3999),456(4000-4999),456(5000-5999)
   302/456(6000-6999),456(7000-7999),456(8000-8999)
   302/456(9000-9999),457,458,623,631,731,733,737,738,758
   302/831(0000-0999),831(1000-1999),831(2000-2999)
   302/831(3000-3999),831(4000-4999),831(6000-6999)
   302/831(7000-7999),831(8000-8999),831(9000-9999)
   302/837(0000-0999),837(1000-1999),837(2000-2999)
   302/837(3000-3999),837(4000-4999),837(5000-5999)
   302/837(6000-6999),837(8000-8999),837(9000-9999)
   302/894(0000-0999),894(1000-1999),894(6000-6999)
   302/894(9000-9999)
.......................................................................
OCEAN VIEW                  OCVWDEOCDS0 05495 01269 5010  228 AA DA GC GD
   302/537,539,541(0000-0999),541(4000-4999),541(5000-5999)  GR PC PL RA
   302/541(8000-8999),541(9000-9999)                         RM SQ
.......................................................................
PHILADELPHIA                PHLAPAFGDS0 05250 01460 4124  228 BA DA GE GJ
   302/724(8000-8999)                                        GR HB IB RC
                                                             RD SH SQ T1
                                                             T2 UG UP UR
                                                             US

=======================================================================
```

ISSUED: OCTOBER 17, 2017 EFFECTIVE: NOVEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - DELAWARE

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
PHILADELPHIA                PHLAPAFGDSS 05250 01460 4124  228 BA DA GE GJ
   302/268(1000-1999),319(5000-5999),327(4000-4999)          GR HB IB RC
   302/367(1000-1999),397(0000-0999),397(2000-2999)          RD SH SQ T1
   302/397(5000-5999),400(0000-5999),408(1000-4999)          T2 UG UP UR
   302/413(2000-2999),413(6000-9999),414(1000-7999),417,418  US
   302/439(1000-1999),439(8000-9999),442(7000-7999),460
   302/499(1000-1999),517,520(1000-1999),544(8000-8999),583
   302/585(0000-0999),585(1000-5999),595(5000-5999)
   302/595(7000-8999),597(1000-5999),613(3000-3999)
   302/613(6000-6999),635(1000-1999),689(2000-2999)
   302/689(5000-5999),689(7000-7999),746(0000-0999)
   302/746(5000-5999),746(8000-9999),752(4000-4999)
   302/763(0000-0999),763(8000-8999),766(6000-6999)
   302/766(8000-8999),797(0000-0999),797(9000-9999)
   302/826(5000-6999),861(5000-5999),861(8000-8999)
   302/883(8000-8999)
.......................................................................
REHOBOTH                    KGPRPADODS0 05249 01510 7220  228 BA DA
   302/223(2000-2999),231(4000-4999),232(3000-3999)
   302/244(3000-3999),256(5000-5999),257(3000-3999)
   302/259(7000-7999),260(7000-7999),289(5000-5999)
   302/298(3000-3999),318(3000-3999),318(4000-4999)
   302/318(8000-8999),349(7000-7999),364(3000-3999)
   302/365(8000-8999),407(4000-4999),462(3000-3999)
   302/464(3000-3999),468(5000-5999),501(5000-5999)
   302/516(2000-2999),516(3000-3999),516(4000-4999)
   302/516(5000-5999),516(6000-6999),516(8000-8999)
   302/524(4000-4999),526(5000-5999),533(4000-4999)
   302/561(6000-6999),566(7000-7999),570(7000-7999)
   302/601(6000-6999),608(3000-3999),622(5000-5999)
   302/643(3000-3999),648(3000-3999),660(3000-3999)
   302/660(4000-4999),696(2000-2999),698(8000-8999)
   302/703(3000-3999),715(3000-3999),725(3000-3999)
   302/729(4000-4999),746(3000-3999),746(6000-6999)
   302/751(3000-3999),752(3000-3999),781(3000-3999)
   302/781(6000-6999),829(3000-3999),884(7000-7999)
   302/990(3000-3999)
```

==========

ISSUED: OCTOBER 17, 2017 EFFECTIVE: NOVEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - DELAWARE

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE				
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--	
REHOBOTH	RHBHDERBDS0	05464	01290	5010	228	AA	DA	GC	GD	
302/226,227						GR	PC	PL	RA	
						SQ				
SEAFORD	SEFRDESFDS0	05529	01353	5010	228	AA	DA	GC	GD	
302/628,629						GJ	GR	PC	PL	
						RA	SQ			
SELBYVILLE	SLVLDESVRS0	05523	01276	5010	228	AA	DA	GC	GD	
302/436						GR	PC	PL	RA	
						SQ				
SMYRNA	SMYRDESMDS1	05411	01436	5010	228	AA	DA	GC	GD	
302/223(1000-1999),514(4000-4999),653,659(0000-0999)						PC	PL	RA	SQ	
302/659(1000-1999),659(2000-2999),659(3000-3999)										
302/659(4000-4999),659(5000-5999),659(6000-6999)										
WILMINGTON	PHLAPAFGDSC	05250	01460	7447	228	BA	DA			(C)
302/230(2000-2999),241(2000-2999),246(3000-3999)										(C)
302/274(3000-7999),286(5000-5999),299(4000-4999)										(C)
302/327(8000-8999),353(5000-5999),525(3000-3999)										(C)
302/525(5000-5999),683(8000-8999),826(1000-4999)										(C)
WILMINGTON	TLVLDETVDS0	05312	01489	5010	228	AA	DA	GC	GD	
302/475,476(3000-3999),477(0000-0999),477(1000-1999)						GJ	GR	PC	PL	
302/477(2000-2999),477(3000-3999),477(4000-4999)						RA	RM	SQ		
302/477(5000-5999),477(6000-6999),477(8000-8999)										
302/477(9000-9999),478,479,529(0000-0999),529(1000-1999)										
302/529(2000-2999),529(3000-3999),529(4000-4999)										
302/529(5000-5999),529(7000-7999),529(8000-8999)										
302/529(9000-9999),887(1000-1999),887(2000-2999)										
302/887(3000-3999),887(4000-4999),887(5000-5999)										
302/887(7000-7999),887(8000-8999)										

ISSUED: OCTOBER 17, 2017 EFFECTIVE: NOVEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - DELAWARE

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE			
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--
WILMINGTON	WLMGDEPRDS0	05321	01485	5010	228	AA	DA	GC	GD
302/415(6000-8999),761(1000-1999),761(2000-2999)						GJ	PC	PL	RA
302/761(4000-4999),761(5000-5999),761(6000-6999)						RC	RD	RE	RF
302/761(7000-7999),761(8000-8999),761(9000-9999),762,764						RG	RH	RM	SQ
302/765(0000-0999),765(1000-1999),765(2000-2999)									
302/765(3000-3999),765(4000-4999),765(5000-5999)									
302/765(6000-6999),765(9000-9999)									
WILMINGTON	WLMGDEWL72N	05326	01486	5010	228	GB			
/									
WILMINGTON	WLMGDEWL72T	05326	01486	5010	228	GB			
/									

ISSUED: OCTOBER 17, 2017 EFFECTIVE: NOVEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - DELAWARE

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE	TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- --	-- --
WILMINGTON	WLMGDEWLDS0	05326	01486	5010	228	AA DA	GB GC
302/255,282,320,421,425(0000-0999),425(2000-2999)						GD GE	GJ GR
302/425(3000-3999),425(4000-4999),425(5000-5999)						PA PJ	RA RC
302/425(6000-6999),425(7000-7999),426,427,428(0000-0999)						RD RE	RF RG
302/428(1000-1999),428(2000-2999),428(3000-3999)						RH RM	SH SQ
302/428(4000-4999),428(5000-5999),428(6000-6999)						TA UE	ZZ
302/428(7000-7999),428(8000-8999),429,432,433(0000-0999)							
302/433(1000-1999),433(2000-2999),433(3000-3999)							
302/433(4000-4999),433(5000-5999),433(8000-8999)							
302/434(3000-3999),434(5000-5999),434(7000-7999)							
302/434(8000-8999),434(9000-9999),467(4000-4999)							
302/467(5000-5999),467(6000-6999),467(7000-7999)							
302/467(9000-9999),498(0000-0999),498(1000-1999)							
302/498(3000-3999),498(4000-4999),498(5000-5999)							
302/498(6000-6999),498(7000-7999),552,571,573(0000-0999)							
302/573(2000-2999),573(3000-3999),573(4000-4999)							
302/573(5000-5999),573(6000-6999),573(7000-7999)							
302/573(8000-8999),573(9000-9999),574(1000-1999)							
302/574(2000-2999),574(3000-3999),574(4000-4999)							
302/574(5000-5999),574(7000-7999),574(8000-8999)							
302/574(9000-9999),575(0000-0999),575(1000-1999)							
302/575(2000-2999),575(3000-3999),575(4000-4999)							
302/575(5000-5999),575(6000-6999),575(7000-7999)							
302/575(8000-8999),576,577,594,622(0000-0999)							
302/622(1000-1999),622(2000-2999),622(3000-3999)							
302/622(4000-4999),622(6000-6999),622(7000-7999)							
302/622(8000-8999),622(9000-9999),647,651,652(0000-0999)							
302/652(1000-1999),652(2000-2999),652(3000-3999)							
302/652(4000-4999),652(5000-5999),652(6000-6999)							
302/652(7000-7999),652(8000-8999),654,655,656							
302/657(0000-0999),657(2000-2999),657(3000-3999)							
302/657(4000-4999),657(5000-5999),657(6000-6999)							
302/657(7000-7999),657(8000-8999),658,661,695							
302/772(0000-0999),772(1000-1999),772(2000-2999)							
302/772(3000-3999),772(4000-4999),772(5000-5999)							
302/772(6000-6999),773,774,777,778(0000-0999)							
302/778(1000-1999),778(2000-2999),778(3000-3999)							
302/778(4000-4999),778(5000-5999),778(6000-6999)							
302/778(7000-7999),778(8000-8999),784(6000-6999)							

-------- Continued on next page --------

ISSUED: OCTOBER 17, 2017 EFFECTIVE: NOVEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - DELAWARE

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --

-------- Continued from previous page --------

302/784(7000-7999),784(8000-8999),784(9000-9999)
302/830(0000-0999),830(1000-1999),830(4000-4999)
302/830(5000-5999),830(6000-6999),830(7000-7999)
302/830(8000-8999),830(9000-9999),884(0000-6999)
302/884(8000-9999),885,886,888(0000-0999),888(1000-1999)
302/888(2000-2999),888(3000-3999),888(4000-4999)
302/888(5000-5999),888(6000-6999),888(7000-7999)
302/888(8000-8999),984(0000-0999),984(1000-1999)
302/984(2000-2999),984(3000-3999),984(4000-4999)
302/984(5000-5999),984(6000-6999),984(9000-9999)
302/985(0000-0999),985(2000-2999),985(4000-6999)
302/985(8000-9999)

WILMINGTON	WLMGDEWLPS1	05326	01486	5010	228	AA DA

302/543(9000-9999)

WILMINGTON	WLMGDEWLXCX	05326	01486	4874	228	DA

302/281(3000-3999),351,352(0000-5999),352(9000-9999)
302/355(0000-7999),356(0000-6999),356(9000-9999)
302/524(5000-5999),533(2000-2999),602(8000-8999)
302/607(6000-6999)

WRANGLE HILL	WRHLDEWHDS0	05367	01479	5010	228	AA DA GC GD

302/832,834,836,838 GJ PC PL RA
SQ

END OF SECTION

WIRE CENTER INFORMATION
PENDING CHANGES
SECTION 20
DISTRICT OF COLUMBIA

EFFECTIVE: NOVEMBER 01, 2017

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - DISTRICT OF COLUMBIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE				
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--	
WASHINGTON	WASHDCINDS0	05609	01585	7285	236	BA	DA	GI	GJ	(C)
202/268,313(7000-7999),381(5000-5999),499(3000-3999)						GL	GN	GQ	HA	(C)
202/567(6000-6999),594(3000-3999),715,719(2000-7999)						HD	IA	IB	II	(C)
202/729(1000-5999),729(7000-8999),730(0000-4999)						SH	SI	UA	UG	(C)
202/730(8000-8999),734(3000-4999),753(3000-3999)						UR	UU			(C)
202/774(2000-3999),795(7000-7999),795(8000-8999)										(C)
202/804(5000-5999),807(2000-2999),808(7000-7999)										(C)
202/818(1000-8999),838(2000-2999),838(3000-3999)										(C)
202/876(2000-2999),876(3000-3999),902(0000-0999)										(C)
202/902(4000-5999),969										(C)
240/308(7000-7999),562,895(8000-8999)										(C)
301/235(9000-9999),242(9000-9999),269(4000-4999)										(C)
301/269(5000-5999),269(6000-6999),298(9000-9999)										(C)
301/795(0000-3999),795(6000-7999),795(9000-9999)										(C)
301/804(3000-3999),804(9000-9999),837(0000-3999)										(C)
301/837(5000-5999),837(9000-9999),841(0000-2999)										(C)
301/841(9000-9999),867(0000-0999),867(2000-2999)										(C)
301/867(6000-6999),867(8000-8999),867(9000-9999)										(C)
301/909(2000-2999),909(6000-6999),909(7000-7999)										(C)
301/909(9000-9999),944(0000-2999),944(6000-9999)										(C)
301/945(0000-0999),945(4000-4999),945(9000-9999)										(C)
301/955(0000-1999),955(3000-3999),955(9000-9999)										(C)
301/957(2000-2999),957(3000-3999),957(7000-7999)										(C)
301/957(9000-9999),960(0000-2999),960(9000-9999)										(C)
301/965(9000-9999),966(6000-6999),966(9000-9999)										(C)
703/254(0000-2999),258(0000-0999),258(1000-1999)										(C)
703/258(3000-3999),258(6000-6999),258(7000-7999)										(C)
703/258(8000-8999),259(0000-5999),259(7000-7999)										(C)
703/259(9000-9999),261(2000-2999),268(2000-2999)										(C)
703/269(0000-6999),269(9000-9999),270(1000-7999)										(C)
703/286(0000-0999),286(2000-2999),286(6000-6999)										(C)
703/286(8000-8999),334(0000-0999),334(2000-2999)										(C)
703/334(9000-9999),340(1000-1999),340(2000-2999)										(C)
703/340(3000-3999),341(0000-0999),341(1000-1999)										(C)
703/341(2000-2999),341(3000-3999),341(5000-5999)										(C)
703/341(8000-8999),342(3000-3999),343(1000-2999)										(C)
703/343(4000-4999),343(7000-7999),343(8000-8999)										(C)
703/344(2000-2999),345(1000-3999),345(5000-7999)										(C)
703/348(5000-5999),399(2000-3999),459(2000-2999)										(C)

-------- Continued on next page --------

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - DISTRICT OF COLUMBIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE	TYPE	
---------NPA/NXX----------	----------	-----	-----	----	----	--	-- -- --	

-------- Continued from previous page --------

703/462(2000-2999),468(2000-2999),496(9000-9999)								(C)
703/574(6000-6999),574(9000-9999),586(6000-6999)								(C)
703/586(9000-9999),646(9000-9999),828(1000-3999)								(C)
703/828(9000-9999),962(2000-5999)								(C)
"	"	"	"	"	"	"		
202/268,313(7000-7999),499(3000-3999),567(6000-6999)							"	
202/594(3000-3999),715,719(2000-7999),729(1000-5999)							"	
202/729(7000-8999),730(0000-4999),730(8000-8999)							"	
202/734(3000-4999),753(3000-3999),774(2000-3999)							"	
202/795(7000-7999),795(8000-8999),804(5000-5999)							"	
202/807(2000-2999),808(7000-7999),818(1000-8999)							"	
202/838(2000-2999),838(3000-3999),876(2000-2999)							"	
202/876(3000-3999),902(0000-0999),902(4000-5999),969							"	
240/308(7000-7999),562,895(8000-8999)							"	
301/235(9000-9999),242(9000-9999),269(4000-4999)							"	
301/269(5000-5999),269(6000-6999),298(9000-9999)							"	
301/795(0000-3999),795(6000-7999),795(9000-9999)							"	
301/804(3000-3999),804(9000-9999),837(0000-3999)							"	
301/837(5000-5999),837(9000-9999),841(0000-2999)							"	
301/841(9000-9999),867(0000-0999),867(2000-2999)							"	
301/867(6000-6999),867(8000-8999),867(9000-9999)							"	
301/909(2000-2999),909(6000-6999),909(7000-7999)							"	
301/909(9000-9999),944(0000-2999),944(6000-9999)							"	
301/945(0000-0999),945(4000-4999),945(9000-9999)							"	
301/955(0000-1999),955(3000-3999),955(9000-9999)							"	
301/957(2000-2999),957(3000-3999),957(7000-7999)							"	
301/957(9000-9999),960(0000-2999),960(9000-9999)							"	
301/965(9000-9999),966(6000-6999),966(9000-9999)							"	
703/254(0000-2999),258(0000-0999),258(1000-1999)							"	
703/258(3000-3999),258(6000-6999),258(7000-7999)							"	
703/258(8000-8999),259(0000-5999),259(7000-7999)							"	
703/259(9000-9999),261(2000-2999),268(2000-2999)							"	
703/269(0000-6999),269(9000-9999),270(1000-7999)							"	
703/286(0000-0999),286(2000-2999),286(6000-6999)							"	
703/286(8000-8999),334(0000-0999),334(2000-2999)							"	
703/334(9000-9999),340(1000-1999),340(2000-2999)							"	
703/340(3000-3999),341(0000-0999),341(1000-1999)							"	

-------- Continued on next page --------

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - DISTRICT OF COLUMBIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE	TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- --	-- --

-------- Continued from previous page --------

703/341(2000-2999),341(3000-3999),341(5000-5999) "
703/341(8000-8999),342(3000-3999),343(1000-2999) "
703/343(4000-4999),343(7000-7999),343(8000-8999) "
703/344(2000-2999),345(1000-3999),345(5000-7999) "
703/348(5000-5999),399(2000-3999),459(2000-2999) "
703/462(2000-2999),468(2000-2999),496(9000-9999) "
703/574(6000-6999),574(9000-9999),586(6000-6999) "
703/586(9000-9999),646(9000-9999),828(1000-3999) "
703/828(9000-9999),962(2000-5999)

END OF REPORT

==========

ISSUED: OCTOBER 17, 2017 EFFECTIVE: NOVEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - DISTRICT OF COLUMBIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SOUTH MARYLAND	WASHDCRK4MD	05621	01584	8992	236	D1 DA DD GB
/						GE GJ GL GN
						HB HJ IA IB
						IC ID IG II
						UG
SOUTH MARYLAND	WASHDCRKDS3	05621	01584	8992	236	D1 DA DD GB
240/200(1000-1999),223(0000-6999),223(8000-9999)						GE GJ GL GN
240/243(0000-1999),243(2000-2999),243(4000-4999)						HB HJ IA IB
240/243(5000-5999),243(9000-9999),247(0000-6999)						IC ID IG II
240/247(8000-9999),260(0000-2999),260(4000-4999)						UG
240/260(9000-9999),268(0000-3999),268(5000-9999),290						
240/293(1000-1999),306(0000-4999),306(8000-9999)						
240/548(0000-0999),548(1000-1999),553(0000-1999)						
240/553(3000-3999),553(9000-9999),554(0000-0999)						
240/554(1000-1999),554(2000-2999),554(3000-3999)						
240/554(4000-4999),554(8000-8999),554(9000-9999)						
240/559(0000-0999),559(1000-1999),559(2000-2999)						
240/559(3000-3999),559(9000-9999)						
301/500(1000-1999),500(3000-3999)						
443/753(0000-1999),753(4000-7999),753(9000-9999)						
WASHINGTON	WASHDCCZDS0	05617	01593	8964	236	BA DA GE GJ
202/204,207(0000-3999),207(9000-9999),315(0000-5999)						GR HB IB RC
202/330(0000-0999),330(4000-5999),351(0000-0999)						RD SH SQ T1
202/351(5000-6999),355(0000-0999),355(6000-7999)						T2 UG UP UR
202/379(0000-4999),379(7000-7999),379(9000-9999)						US
202/380(0000-1999),380(3000-4999),380(9000-9999)						
202/403(0000-0999),403(2000-3999),446(0000-2999)						
202/459(0000-0999),459(2000-2999),459(5000-6999)						
202/591(1000-4999),827(0000-2999),827(7000-7999)						
202/827(9000-9999)						
WASHINGTON	WASHDCCZDS1	05617	01593	8964	236	BA DA GE GJ
202/601(5000-6999),627(1000-1999),627(3000-3999)						GR HB IB RC
202/697(4000-5999),706(5000-7999),753(1000-2999)						RD SH SQ T2
202/810(6000-8999),821(0000-1999),821(4000-4999)						TI UG UP UR
						US

ISSUED: OCTOBER 17, 2017 EFFECTIVE: NOVEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - DISTRICT OF COLUMBIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE				
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--	
WASHINGTON	WASHDCINDS0	05609	01585	7285	236	BA	DA	GI	GJ	(C)
202/268,313(7000-7999),381(5000-5999),499(3000-3999)						GL	GN	GQ	HA	(C)
202/567(6000-6999),594(3000-3999),715,719(2000-7999)						HD	IA	IB	II	(C)
202/729(1000-5999),729(7000-8999),730(0000-4999)						SH	SI	UA	UG	(C)
202/730(8000-8999),734(3000-4999),753(3000-3999)						UR	UU			(C)
202/774(2000-3999),795(7000-7999),795(8000-8999)										(C)
202/804(5000-5999),807(2000-2999),808(7000-7999)										(C)
202/818(1000-8999),838(2000-2999),838(3000-3999)										(C)
202/876(2000-2999),876(3000-3999),902(0000-0999)										(C)
202/902(4000-5999),969										(C)
240/308(7000-7999),562,895(8000-8999)										(C)
301/235(9000-9999),242(9000-9999),269(4000-4999)										(C)
301/269(5000-5999),269(6000-6999),298(9000-9999)										(C)
301/795(0000-3999),795(6000-7999),795(9000-9999)										(C)
301/804(3000-3999),804(9000-9999),837(0000-3999)										(C)
301/837(5000-5999),837(9000-9999),841(0000-2999)										(C)
301/841(9000-9999),867(0000-0999),867(2000-2999)										(C)
301/867(6000-6999),867(8000-8999),867(9000-9999)										(C)
301/909(2000-2999),909(6000-6999),909(7000-7999)										(C)
301/909(9000-9999),944(0000-2999),944(6000-9999)										(C)
301/945(0000-0999),945(4000-4999),945(9000-9999)										(C)
301/955(0000-1999),955(3000-3999),955(9000-9999)										(C)
301/957(2000-2999),957(3000-3999),957(7000-7999)										(C)
301/957(9000-9999),960(0000-2999),960(9000-9999)										(C)
301/965(9000-9999),966(6000-6999),966(9000-9999)										(C)
703/254(0000-2999),258(0000-0999),258(1000-1999)										(C)
703/258(3000-3999),258(6000-6999),258(7000-7999)										(C)
703/258(8000-8999),259(0000-5999),259(7000-7999)										(C)
703/259(9000-9999),261(2000-2999),268(2000-2999)										(C)
703/269(0000-6999),269(9000-9999),270(1000-7999)										(C)
703/286(0000-0999),286(2000-2999),286(6000-6999)										(C)
703/286(8000-8999),334(0000-0999),334(2000-2999)										(C)
703/334(9000-9999),340(1000-1999),340(2000-2999)										(C)
703/340(3000-3999),341(0000-0999),341(1000-1999)										(C)
703/341(2000-2999),341(3000-3999),341(5000-5999)										(C)
703/341(8000-8999),342(3000-3999),343(1000-2999)										(C)
703/343(4000-4999),343(7000-7999),343(8000-8999)										(C)
703/344(2000-2999),345(1000-3999),345(5000-7999)										(C)
703/348(5000-5999),399(2000-3999),459(2000-2999)										(C)

-------- Continued on next page --------

ISSUED: OCTOBER 17, 2017 EFFECTIVE: NOVEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - DISTRICT OF COLUMBIA

LOCALITY CLLI WCV WCH CC LATA OFFICE TYPE
---------NPA/NXX---------- ---------- ----- ----- ---- ---- -- -- -- --

-------- Continued from previous page --------

703/462(2000-2999),468(2000-2999),496(9000-9999) (C)
703/574(6000-6999),574(9000-9999),586(6000-6999) (C)
703/586(9000-9999),646(9000-9999),828(1000-3999) (C)
703/828(9000-9999),962(2000-5999) (C)

.....

WASHINGTON WASHDCSWXCY 05622 01577 4989 236 GL
202/238(3000-3999),242,250(2000-2999),250(3000-3999)
202/370(3000-3999),370(6000-6999),386(6000-6999)
202/407(8000-8999),444,448,459(4000-4999),465(3000-4999)
202/465(7000-8999),469(3000-3999),469(5000-5999)
202/495(2000-2999),507(7000-7999),509(8000-8999)
202/524(7000-7999),534(3000-3999),534(4000-4999)
202/536(2000-5999),540(5000-6999),552(2000-8999)
202/556(2000-2999),558(1000-1999),558(2000-3999)
202/558(5000-7999),596(3000-3999),600(3000-3999)
202/600(4000-4999),617(2000-2999),617(3000-3999)
202/629(5000-5999),640(6000-6999),640(7000-7999)
202/650(5000-5999),650(6000-6999),660(5000-5999)
202/660(6000-6999),660(7000-7999),677(4000-4999)
202/677(6000-6999),680(5000-7999),683(1000-1999)
202/683(3000-3999),683(4000-4999),735(2000-2999)
202/748(8000-8999),749(8000-8999),753(5000-5999)
202/774(1000-1999),787(1000-1999),787(3000-3999)
202/787(5000-6999),791(9000-9999),803(9000-9999)
202/823(4000-4999),877,903(0000-0999),903(2000-2999)
202/904(2000-2999),909(2000-2999),971(3000-3999)
202/971(4000-4999),994
240/294(1000-1999),294(5000-5999),581(1000-1999)
240/581(9000-9999),965(0000-4999),965(8000-9999)

.....

WASHINGTON WASKDCFNDS0 05617 01583 7445 236 BA DA
/

==========

ISSUED: OCTOBER 17, 2017 EFFECTIVE: NOVEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - DISTRICT OF COLUMBIA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
WASHINGTON D.C. /	WASHDCRK4MD	05621	01584	4937	236	D1 DA DD GB GE GJ GL GN HB HJ IA IB IC ID IG II UG
WASHINGTON D.C. 202/222(0000-0999),249(3000-5999),355(9000-9999),464 202/489(0000-0999),600(7000-7999)	WASHDCRKDS3	05621	01584	4937	236	D1 DA DD GB GE GJ GL GN HB HJ IA IB IC ID IG II UG
WASZ 1 202/575,581,582(0000-0999),582(1000-1999),582(2000-2999) 202/582(3000-3999),582(4000-4999),582(5000-5999) 202/582(6000-6999),582(7000-7999),582(8000-8999),583 202/584(0000-0999),584(1000-1999),584(2000-2999) 202/584(3000-3999),584(4000-4999),584(5000-5999) 202/584(6000-6999),584(7000-7999),584(8000-8999)	WASHDCACDS0	05620	01571	5020	236	AA BA DA GC GJ PC PL RC RD RJ RK SN SQ
WASZ 1 202/269,281(1000-1999),281(2000-2999),281(3000-3999),526 202/529,539,635,636,832,996	WASHDCBKDS0	05613	01581	5020	236	AA BA DA GC PC PL RC RD RJ RK SN SQ
WASZ 1 202/319(4000-6999)	WASHDCBKRS0	05613	01581	5020	236	DA
WASZ 1 202/388,396,397,398,399,627(5000-5999),627(7000-7999) 202/788	WASHDCBNDS0	05617	01575	5020	236	AA BA DA GC PC PL RC RD RJ RK SN SQ
WASZ 1 202/201,231,279(2000-2999),279(3000-3999),279(4000-4999) 202/279(5000-5999),279(6000-6999),279(7000-7999) 202/279(8000-8999),279(9000-9999),373(0000-0999) 202/373(1000-1999),373(3000-3999),373(5000-5999) 202/373(6000-6999),373(7000-7999),404,561,562,563,574 202/645,767,787(2000-2999),787(4000-4999),787(7000-7999) 202/787(7000-7999)	WASHDCCHDS0	05631	01572	5020	236	AA BA DA GC GJ PC PL RC RD RJ RK SN SQ

ISSUED: OCTOBER 17, 2017 EFFECTIVE: NOVEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - DISTRICT OF COLUMBIA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
WASZ 1 202/224,228	WASHDCDKDS0	05621	01578	5020	236	AA BA DA GC RC RD RJ RK SN SQ
WASZ 1 202/220,226,233,272,278,344(4000-4999),344(8000-8999) 202/347,376,383,393(0000-0999),393(1000-1999) 202/393(2000-2999),393(3000-3999),393(4000-4999) 202/393(5000-5999),393(6000-6999),393(7000-7999) 202/393(8000-8999),395,434,442,504,508,585,624,626,628 202/637,638(0000-0999),638(1000-1999),638(2000-2999) 202/638(3000-3999),638(4000-4999),638(5000-5999) 202/638(6000-6999),638(7000-7999),638(8000-8999),639,648 202/652(3000-3999),654,661,662,724,727,737,761,783,824 202/879,942	WASHDCDNDS0	05622	01582	5020	236	AA BA DA GC GJ PA PJ RC RD RJ RK RS SH SN SP SQ UC UE
WASZ 1 202/305,307,344(1000-3999),353,514,532,598,616	WASHDCDNDS1	05622	01582	5020	236	AA BA DA GC PA PJ RC RD RJ RK RS SH SN SP SQ UE
WASZ 1 202/470(9000-9999)	WASHDCDNGT1	05622	01582	5020	236	DA UC
WASZ 1 202/235,238(0000-2999),238(4000-9999),299(0000-0999) 202/299(1000-1999),299(2000-2999),299(3000-3999) 202/299(5000-5999),299(9000-9999),319(0000-3999) 202/319(7000-9999),518,588,612(1000-1999),612(2000-2999) 202/612(3000-3999),612(4000-4999),612(5000-5999) 202/612(6000-6999),612(7000-7999),612(8000-8999) 202/612(9000-9999),613,671,673,806(0000-7999) 202/806(9000-9999),865,884,956,986,991	WASHDCDPDS2	05620	01585	5020	236	AA BA DA GC GJ PA PJ RC RD RJ RK SN SQ
WASZ 1 202/232,234,265,328,332,387,462,476(1000-1999) 202/476(8000-8999),483,667,745,797,939	WASHDCDPDS4	05620	01585	5020	236	AA BA DA GC PA PJ RC RD RJ RK SH SN SQ TA

ISSUED: OCTOBER 17, 2017 EFFECTIVE: NOVEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - DISTRICT OF COLUMBIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
WASZ 1                      WASHDCFIDS0 05622 01581 5020  236 AA BA DA GC
   202/323,324                                              RC RD RJ RK
.......................................................................
WASZ 1                      WASHDCGGDS0 05612 01589 5020  236 AA BA DA GC
   202/291,356,538(8000-8999),541,545(0000-0999)            GJ PA PJ RC
   202/545(1000-1999),545(2000-2999),545(4000-4999)         RD RJ RK SH
   202/545(5000-5999),545(8000-8999),545(9000-9999),576     SN SQ
   202/577(0000-0999),722,723,726,782,829,882
.......................................................................
WASZ 1                      WASHDCGTDS0 05624 01588 5020  236 AA BA DA GC
   202/229,295(0000-0999),295(1000-1999),295(2000-2999)     GJ PA PJ RC
   202/295(3000-3999),295(4000-4999),295(5000-5999)         RD RJ RK SJ
   202/295(6000-6999),295(8000-8999),295(9000-9999),298,333 SM SN SQ
   202/337,338,339,342,389,403(5000-6999),424
   202/447(3000-4999),471(4000-4999),471(5000-5999)
   202/471(6000-6999),471(7000-7999),471(8000-8999)
   202/471(9000-9999),516,625,672,687,784,886,943
   202/944(1000-1999),944(2000-2999),944(3000-3999)
   202/944(4000-4999),944(5000-5999),944(6000-6999)
   202/944(7000-7999),944(8000-8999),944(9000-9999),945,965
   202/965
.......................................................................
WASZ 1                      WASHDCLCDS0 05620 01577 5020  236 AA BA DA GC
   202/543,544,546,547,548(0000-0999),548(1000-1999)        GJ PB PK RC
   202/548(2000-2999),548(3000-3999),548(4000-4999)         RD RJ RK SN
   202/548(5000-5999),548(6000-6999),548(8000-8999)         SQ TB
   202/548(9000-9999),608,675,698(0000-0999),698(3000-9999)
   202/698(3000-9999)
.......................................................................
WASZ 1                      WASHDCMODS0 05622 01583 5020  236 AA BA DA GC
   202/222(1000-1999),222(2000-2999),222(3000-3999)         GJ PA PJ RC
   202/222(4000-4999),222(6000-6999),222(7000-7999)         RD RJ RK SN
   202/222(9000-9999),458,473,522,614                       SQ
```

==========

ISSUED: OCTOBER 17, 2017 EFFECTIVE: NOVEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - DISTRICT OF COLUMBIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
WASZ 1                      WASHDCMODS1 05622 01583 5020  236 AA BA DA GC
   202/216,218,227,275,289,310,312,325,326,336,343,346,348   GJ PA PJ RC
   202/354,357,371,377(0000-0999),377(1000-1999)             RD RJ RK SN
   202/377(2000-2999),377(3000-3999),377(4000-4999)          SQ
   202/377(5000-5999),377(6000-6999),377(7000-7999)
   202/377(8000-8999),408,414(0000-0999),414(1000-1999)
   202/414(3000-3999),414(4000-4999),414(5000-5999)
   202/414(6000-6999),414(7000-7999),414(8000-8999)
   202/414(9000-9999),435,477,512,513,515,523,535,566,589
   202/623,633,680(1000-1999),682,712,732(0000-2999),786
   202/789,842,843,863(6000-6999),898,906(1000-1999)
   202/906(2000-2999),906(3000-3999),906(4000-4999)
   202/906(5000-5999),906(6000-6999),906(7000-7999)
   202/906(8000-8999),962
.......................................................................
WASZ 1                      WASHDCMODSS 05622 01583 5020  236 AA BA DA PA
   202/208,219,273,482,501,502,564,565,693,694               PJ RC RD RJ
                                                             RK SN SQ
.......................................................................
WASZ 1                      WASHDCMTDS0 05623 01585 5020  236 AA BA DA GC
   202/261,263(0000-0999),263(1000-1999),263(2000-2999)      GJ PA PJ RC
   202/263(3000-3999),263(4000-4999),263(5000-5999)          RD RJ RK RS
   202/263(6000-6999),263(7000-7999),263(8000-8999),296      SH SN SP SQ
   202/303(0000-0999),303(1000-1999),303(2000-2999)          UE
   202/303(3000-3999),303(4000-4999),303(5000-5999)
   202/303(6000-6999),303(7000-7999),303(8000-8999),331,334
   202/416,452,456,466,467,496,530,533,557(2000-2999)
   202/557(3000-3999),557(7000-7999),701(1000-2999),721,728
   202/732(3000-9999),736,739(0000-0999),739(3000-3999)
   202/739(4000-4999),739(5000-5999),739(6000-6999)
   202/739(8000-8999),739(9000-9999),762,776,785,833,835
   202/872,876(0000-1999),912(1000-1999),912(2000-2999)
   202/912(3000-3999),912(4000-4999),912(5000-5999)
   202/912(6000-6999),912(7000-7999),912(8000-8999)
   202/912(9000-9999),973,974
```

==========

ISSUED: OCTOBER 17, 2017 EFFECTIVE: NOVEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - DISTRICT OF COLUMBIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
WASZ 1                      WASHDCMTDS1 05623 01585 5020  236 AA BA DA GC
   202/223,254,293,327(2000-2999),327(5000-5999)             PA PJ RC RD
   202/327(6000-6999),327(7000-7999),327(8000-8999)          RJ RK RS SH
   202/327(9000-9999),419(0000-0999),419(1000-1999)          SN SP SQ UE
   202/419(2000-2999),419(3000-3999),419(4000-4999)
   202/419(5000-5999),419(6000-6999),419(7000-7999)
   202/419(8000-8999),429,457,463,632,634,647,653,659,663
   202/676(0000-0999),676(1000-1999),676(2000-2999)
   202/676(3000-3999),676(4000-4999),676(5000-5999)
   202/676(8000-8999),676(9000-9999),689(1000-1999)
   202/689(2000-2999),689(3000-3999),689(6000-6999)
   202/689(8000-8999),775,778,822,828,857,861,862,887,955
   202/955
.......................................................................
WASZ 1                      WASHDCMTRS0 05623 01585 5020  236 AA BA DA GC
   202/418,606                                               PA PJ RC RD
                                                             RJ RK RS SH
                                                             SN SP SR UE
.......................................................................
WASZ 1                      WASHDCSEDS0 05624 01573 5020  236 AA BA DA GC
   202/284,433,436(3000-3999),436(7000-7999),436(8000-8999)  GJ PC PL RC
   202/610,678,685,698(1000-2999),757,781,889                RD RJ RK SN
                                                             SQ
.......................................................................
WASZ 1                      WASHDCSW07N 05623 01578 5020  236 GB
     /
.......................................................................
WASZ 1                      WASHDCSW07T 05623 01578 5020  236 AA BA DA GB
   202/474,490,542,666,668,901                               GC PA PJ RC
                                                             RD RJ RK SH
                                                             SN SQ UE ZZ
.......................................................................
WASZ 1                      WASHDCSW2TD 05623 01578 5020  236 BA DA GC PA
     /                                                       PJ RC RD RJ
                                                             RK RS SH SN
                                                             SQ UE ZZ
.......................................................................
WASZ 1                      WASHDCSW2TD 05623 01578 5030  236 DA
     /
```

==========

ISSUED: OCTOBER 17, 2017 EFFECTIVE: NOVEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - DISTRICT OF COLUMBIA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
WASZ 1 /	WASHDCSW2WD	05623	01578	5020	236	DA PA PJ RC RD RJ RK SN SQ ZZ
WASZ 1 /	WASHDCSW2WD	05623	01578	5030	236	DA RA RC RD RK
WASZ 1 /	WASHDCSW90N	05623	01578	5020	236	GB
WASZ 1 /	WASHDCSWC2T	05623	01578	5020	236	BA DA GC GE PA PJ RC RD RJ RK SH SN SQ TB UE ZZ
WASZ 1 202/203(1000-1999),203(2000-2999),203(3000-3999) 202/203(4000-4999),203(5000-5999),203(6000-6999) 202/203(7000-7999),212(0000-5999),212(7000-8999),225,245 202/252,264(1000-1999),264(2000-2999),264(3000-3999) 202/264(4000-4999),264(5000-5999),264(6000-6999) 202/264(7000-7999),264(8000-8999),267,283,287,314,366 202/382,385,406(1000-1999),406(2000-2999),406(3000-3999) 202/406(4000-4999),406(5000-5999),406(6000-6999) 202/406(7000-7999),406(8000-8999),406(9000-9999),426 202/447(0000-2999),447(5000-9999),453,472,475,479,484 202/485,488,493,554,586,593,622,646,651(2000-2999) 202/651(3000-3999),651(4000-4999),651(6000-6999) 202/651(7000-7999),651(8000-8999),651(9000-9999),707,755 202/799,863(0000-0999),863(1000-1999),863(2000-2999) 202/863(3000-3999),863(4000-4999),863(5000-5999) 202/863(7000-7999),863(8000-8999),863(9000-9999),874,927 202/927	WASHDCSWDSA	05623	01578	5020	236	AA BA DA GC GE GJ PA PJ RC RD RJ RK SH SN SQ UE ZZ
WASZ 1 202/205,260,358,401,402,619,690,691,692,708,720	WASHDCSWDSS	05623	01578	5020	236	AA BA DA GC PA PJ RC RD RJ RK SH SN SQ UE ZZ

ISSUED: OCTOBER 17, 2017 EFFECTIVE: NOVEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - DISTRICT OF COLUMBIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE			
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--
WASZ 1	WASHDCWLDS0	05619	01595	5020	236	AA	BA	DA	GC
202/237,243(0000-0999),243(1000-1999),243(2000-2999)						GJ	PA	PJ	RC
202/243(3000-3999),243(4000-4999),243(5000-5999)						RD	RJ	RK	SN
202/243(6000-6999),244,274(1000-1999),274(2000-2999)						SQ			
202/274(3000-3999),274(4000-4999),274(5000-5999)									
202/274(6000-6999),274(7000-7999),274(8000-8999)									
202/274(9000-9999),282,362,363,364,537,665,686,752,764									
202/806(8000-8999),885(0000-0999),885(4000-4999)									
202/885(5000-5999),895,966									
WASZ 8	WASHDCSW2TD	05623	01578	5040	236	PA	PJ		
/									
WASZ 8	WASHDCSW2WD	05623	01578	5040	236	DA	RA	RC	RD
/						RK			
WSHNGTNZN1	WASIDCRG7MD	05618	01581	7954	236	GR			
202/794(1000-1999),804(7000-7999),840(7000-7999)									
202/971(7000-7999)									
240/258(4000-4999),339(7000-7999),459(7000-7999)									
240/495(7000-7999),503(7000-7999),530(7000-7999)									
240/616(7000-7999),630(7000-7999),716(7000-7999)									
240/781(7000-7999),782(7000-7999),837(5000-5999)									
240/901(7000-7999),903(7000-7999)									
301/242(7000-7999),246(7000-7999),265(7000-7999)									
301/354(6000-6999),372(7000-7999),438(4000-4999)									
301/569(5000-5999),666(7000-7999),690(7000-7999)									
301/691(7000-7999),692(7000-7999),844(7000-7999)									
301/880(8000-8999)									
410/834(7000-7999)									
571/298(6000-6999),343(7000-7999),348(7000-7999)									
571/525(7000-7999)									
703/454(7000-7999),743(6000-6999)									

==========

ISSUED: OCTOBER 17, 2017 EFFECTIVE: NOVEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - DISTRICT OF COLUMBIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE			
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--
WSNGTNZN14	WASHDCCZDS0	05617	01593	4773	236	BA	DA	GE	GJ
240/206(0000-0999),206(2000-2999),206(3000-4999)						GR	HB	IB	RC
240/254(0000-0999),254(3000-3999),264(5000-5999)						RD	SH	SQ	T1
240/280(0000-0999),294(0000-0999),294(9000-9999)						T2	UG	UP	UR
240/317(6000-6999),349(3000-3999),387(6000-7999),399						US			
240/404(0000-0999),404(6000-7999),404(9000-9999)									
240/408(7000-8999),427(0000-0999),427(3000-4999)									
240/427(9000-9999),437(0000-0999),437(5000-5999)									
240/459(6000-6999),489(0000-0999),489(4000-5999)									
240/489(9000-9999),510(0000-0999),510(9000-9999)									
240/523(0000-0999),523(5000-5999),523(9000-9999)									
240/538(0000-0999),538(9000-9999),560(0000-0999)									
240/560(9000-9999),595(6000-6999),644(0000-1999)									
240/644(6000-6999),645(0000-1999),645(4000-4999)									
240/652(1000-1999),652(4000-5999),652(6000-6999)									
240/668(2000-3999),705(7000-7999),718(0000-0999)									
240/718(7000-7999),745(0000-0999),745(3000-3999)									
240/764(0000-1999),764(2000-3999),765(0000-1999)									
240/765(6000-6999),766(0000-1999),766(3000-3999)									
240/778(0000-2999),804(0000-0999),804(2000-3999)									
240/804(8000-8999),823(0000-0999),823(2000-3999)									
240/823(6000-6999),833(0000-1999),833(4000-4999)									
240/837(0000-0999),837(1000-1999),837(7000-7999)									
240/844(0000-0999),844(4000-4999),844(5000-6999)									
240/845(0000-1999),845(5000-5999),846(0000-1999)									
240/846(6000-6999),986(0000-0999),986(5000-6999)									
240/986(7000-7999),993(0000-0999),993(2000-3999)									
240/993(4000-4999),993(5000-5999)									
301/244(0000-0999),263(6000-6999),263(7000-7999)									
301/686(8000-8999)									

==========

ISSUED: OCTOBER 17, 2017 EFFECTIVE: NOVEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - DISTRICT OF COLUMBIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE			
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--
WSNGTNZN14	WASHDCCZDS1	05617	01593	4773	236	BA	DA	GE	GJ
240/241(5000-6999),254(5000-6999),256(7000-8999)						GR	HB	IB	RC
240/257(7000-7999),292(7000-7999),316(3000-3999)						RD	SH	SQ	T1
240/383(1000-1999),383(3000-3999),390(2000-3999)						T2	UG	UP	UR
240/454(8000-9999),489(6000-8999),510(1000-2999)						US			
240/516(7000-7999),523(6000-8999),547(6000-6999)									
240/582(3000-3999),582(8000-9999),583(8000-8999)									
240/607(6000-8999),619(7000-7999),621(3000-3999)									
240/652(8000-9999),667(8000-8999),668(5000-6999)									
240/668(9000-9999),685(7000-7999),718(1000-3999)									
240/718(5000-5999),720(6000-6999),800(2000-2999)									
240/804(1000-1999),804(6000-6999),804(9000-9999)									
240/813(7000-7999),823(1000-1999),823(9000-9999)									
240/844(7000-8999),858(5000-5999),986(8000-9999)									
240/993(7000-8999)									
301/250(7000-7999),398(7000-9999),500(2000-2999)									
301/547(8000-8999),769(5000-6999),836(3000-3999)									

END OF SECTION

WIRE CENTER INFORMATION
PENDING CHANGES
SECTION 21
FLORIDA

EFFECTIVE: JANUARY 01, 2018

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
FORT WALTON BEACH           FTWBFLXAX5X 08094 02097 7985  448 GR          (C)
   217/989(7000-7999)                                                      (C)
   251/931(7000-7999)                                                      (C)
   850/203(7000-7999),279(7000-7999),306(7000-7999)                        (C)
   850/359(7000-7999),399(7000-7999),400(7000-7999)                        (C)
   850/401(7000-7999),604(6000-6999),605(7000-7099)                        (C)
   850/608(7000-7999),613(7000-7999),652(7000-7999)                        (C)
   850/667(7000-7999),679(7000-7999),684(7000-7999)                        (C)
   850/714(6000-6999),760(5000-5999),783(6000-6999)                        (C)
   850/812(7000-7999),836(1000-1999),859(7000-7999)                        (C)
   850/880(7000-7999),889(9000-9999)                                       (C)
 "                          "           "     "     "     "        "
   217/989(7000-7999)                                                     "
   251/931(7000-7999)                                                     "
   850/203(7000-7999),279(7000-7999),306(7000-7999)                       "
   850/359(7000-7999),399(7000-7999),400(7000-7999)                       "
   850/401(7000-7999),605(7000-7099),608(7000-7999)                       "
   850/613(7000-7999),679(7000-7999),684(7000-7999)                       "
   850/714(6000-6999),760(5000-5999),783(6000-6999)                       "
   850/812(7000-7999),836(1000-1999),859(7000-7999)                       "
   850/880(7000-7999),889(9000-9999)
.......................................................................
MAITLAND                    MTLDFLBRDS1 07940 01044 8692  458 DA DD      (C)
   407/457(3000-3999),544(1000-1999),585(8000-8999)                        (C)
   407/732(5000-5999)                                                      (C)
 "                          "           "     "     "     "        "
   407/544(1000-1999),585(8000-8999),732(5000-5999)
.......................................................................
TALLAHASSEE                 TLHSFLNG0MD 07879 01717 7985  953 GR          (C)
   850/300(7000-7999),347(7000-7999),371(7000-7999)                        (C)
   850/601(7000-7999),690(7000-7999),692(7000-7999)                        (C)
   850/695(7000-7999),713(7000-7999),764(7000-7999)                        (C)
   850/888(1000-1999),925(8000-8999),948(7000-7999)                        (C)
   850/971(8000-8999)                                                      (C)
 "                          "           "     "     "     "        "
   850/300(7000-7999),347(7000-7999),601(7000-7999)                       "
   850/692(7000-7999),695(7000-7999),713(7000-7999)                       "
   850/764(7000-7999),888(1000-1999),925(8000-8999)                       "
   850/948(7000-7999),971(8000-8999)

=======================================================================
```

WIRE CENTER INFORMATION
PENDING CHANGES
SECTION 21
FLORIDA

EFFECTIVE: JANUARY 01, 2018

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE				
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--	
TAMPA	TAMPFLXA6CD	08172	01147	0328	952	GC	GD	RC	RD	(C)
/						RJ	SH	SQ	TU	(C)
"	"	"	"	"	"	GC	GD	HC	RC	
" / "						RD	RJ	SH	SQ	
						TU				

==========

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE	
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --	
TAMPA	TAMQFLTADS1	08173	01147	8692	952	DA DD	(C)
727/223(0000-0999),245(1000-1999),245(2000-2999)							(C)
727/245(3000-3999),245(4000-4999),245(5000-5999)							(C)
727/260(6000-6999),322(7000-7999),324(4000-4999)							(C)
727/346(1000-1999),350(0000-0999),412(7000-7999)							(C)
727/437(4000-4999),450(0000-0999),450(1000-1999)							(C)
727/450(2000-2999),450(3000-3999),450(4000-4999)							(C)
727/450(5000-6999),450(7000-7999),450(8000-8999)							(C)
727/456(0000-0999),456(1000-1999),456(2000-2999)							(C)
727/456(3000-3999),456(4000-4999),456(5000-5999)							(C)
727/456(6000-6999),456(7000-7999),479(1000-1999)							(C)
727/484(7000-7999),569(0000-0999),569(1000-1999)							(C)
727/569(2000-2999),569(3000-3999),569(4000-4999)							(C)
727/569(5000-5999),608(1000-2999),614(4000-4999)							(C)
727/756(1000-1999),756(2000-2999),756(3000-3999)							(C)
727/756(4000-4999),756(5000-5999),756(7000-7999)							(C)
727/865(4000-4999)							(C)
813/305(1000-1999),305(2000-2999),305(3000-3999)							(C)
813/305(4000-4999),315(1000-1999),315(2000-2999)							(C)
813/315(3000-3999),315(4000-4999),367(5000-5999)							(C)
813/367(8000-8999),377(1000-1999),384(2000-3999)							(C)
813/405(1000-2999),418(3000-5999),439(3000-3999)							(C)
813/440(6000-6999),463(4000-5999),470(7000-7999)							(C)
813/489(1000-1999),574(1000-1999),574(3000-3999)							(C)
813/574(6000-6999),574(8000-8999),637(2000-2999)							(C)
813/637(5000-5999),658(1000-1999),658(2000-2999)							(C)
813/658(3000-3999),658(4000-4999),699(1000-1999)							(C)
813/739(0000-0999),739(1000-1999),739(2000-2999)							(C)
813/739(3000-3999),739(4000-4999),739(5000-5999)							(C)
813/739(6000-6999),739(7000-7999),739(8000-8999)							(C)
813/749(1000-1999),749(2000-2999),749(3000-3999)							(C)
813/749(4000-4999),751(0000-0999),751(1000-1999)							(C)
813/751(2000-2999),751(3000-3999),769(0000-0999)							(C)
813/769(1000-1999),769(2000-2999),769(3000-3999)							(C)
813/769(4000-4999),769(5000-5999),769(6000-6999)							(C)
813/769(7000-7999),769(8000-8999),792(6000-6999)							(C)
813/901(4000-4999),908(4000-4999),984(3000-3999)							(C)
813/995(6000-6999)							(C)
863/455(1000-1999),508(1000-1999),508(2000-2999)							(C)

-------- Continued on next page --------

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE	TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- --	-- --

-------- Continued from previous page --------

863/508(3000-3999),508(4000-4999),535(1000-1999)							(C)
863/535(2000-2999),535(3000-3999),547(0000-0999)							(C)
863/547(1000-1999),547(2000-2999),547(3000-3999)							(C)
863/904(0000-0999),904(1000-1999),904(2000-2999)							(C)
863/904(3000-3999),904(4000-4999),904(6000-6999)							(C)
863/913(1000-1999),913(2000-2999),913(3000-3999)							(C)
941/209(6000-7999),248(1000-1999),343(4000-5999)							(C)
941/405(1000-1999),412(2000-2999),441(0000-0999)							(C)
941/441(1000-1999),441(2000-2999),441(3000-3999)							(C)
941/441(9000-9999),465(4000-4999),487(1000-1999)							(C)
941/487(2000-3999),487(4000-5999),487(6000-6999)							(C)
941/548(2000-2999),552(0000-0999),552(1000-1999)							(C)
941/552(2000-2999),552(3000-3999),552(4000-4999)							(C)
941/552(5000-5999),552(7000-7999),567(1000-1999)							(C)
941/567(2000-3999),721(5000-5999),782(0000-0999)							(C)
941/782(1000-1999),782(2000-2999),782(3000-3999)							(C)
941/782(4000-4999),782(5000-5999),782(6000-6999)							(C)
941/845(0000-3999),845(5000-5999),893(2000-2999)							(C)
941/893(4000-4999),893(6000-6999)							(C)
"	"	"	"	"	"	"	
727/223(0000-0999),245(1000-1999),245(2000-2999)						"	
727/245(3000-3999),245(4000-4999),245(5000-5999)						"	
727/260(6000-6999),322(7000-7999),324(4000-4999)						"	
727/346(1000-1999),350(0000-0999),412(7000-7999)						"	
727/437(4000-4999),450(0000-0999),450(1000-1999)						"	
727/450(2000-2999),450(3000-3999),450(4000-4999)						"	
727/450(5000-6999),450(7000-7999),450(8000-8999)						"	
727/456(0000-0999),456(1000-1999),456(2000-2999)						"	
727/456(3000-3999),456(4000-4999),456(5000-5999)						"	
727/456(6000-6999),456(7000-7999),479(1000-1999)						"	
727/484(7000-7999),569(0000-0999),569(1000-1999)						"	
727/569(2000-2999),569(3000-3999),569(4000-4999)						"	
727/569(5000-5999),608(1000-2999),614(4000-4999)						"	
727/756(1000-1999),756(2000-2999),756(3000-3999)						"	
727/756(4000-4999),756(5000-5999),756(7000-7999)						"	
727/865(4000-4999)						"	
813/305(1000-1999),305(2000-2999),305(3000-3999)						"	

-------- Continued on next page --------

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE	TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- --	-- --

-------- Continued from previous page --------

813/305(4000-4999),315(1000-1999),315(2000-2999)						"	
813/315(3000-3999),315(4000-4999),367(5000-5999)						"	
813/367(8000-8999),377(1000-1999),384(2000-3999)						"	
813/405(1000-2999),418(3000-5999),440(6000-6999)						"	
813/463(4000-5999),470(7000-7999),489(1000-1999)						"	
813/574(1000-1999),574(3000-3999),574(6000-6999)						"	
813/574(8000-8999),637(2000-2999),637(5000-5999)						"	
813/658(1000-1999),658(2000-2999),658(3000-3999)						"	
813/658(4000-4999),699(1000-1999),739(0000-0999)						"	
813/739(1000-1999),739(2000-2999),739(3000-3999)						"	
813/739(4000-4999),739(5000-5999),739(6000-6999)						"	
813/739(7000-7999),739(8000-8999),749(1000-1999)						"	
813/749(2000-2999),749(3000-3999),749(4000-4999)						"	
813/751(0000-0999),751(1000-1999),751(2000-2999)						"	
813/751(3000-3999),769(0000-0999),769(1000-1999)						"	
813/769(2000-2999),769(3000-3999),769(4000-4999)						"	
813/769(5000-5999),769(6000-6999),769(7000-7999)						"	
813/769(8000-8999),792(6000-6999),901(4000-4999)						"	
813/908(4000-4999),984(3000-3999),995(6000-6999)						"	
863/455(1000-1999),508(1000-1999),508(2000-2999)						"	
863/508(3000-3999),508(4000-4999),535(1000-1999)						"	
863/535(2000-2999),535(3000-3999),547(0000-0999)						"	
863/547(1000-1999),547(2000-2999),547(3000-3999)						"	
863/904(0000-0999),904(1000-1999),904(2000-2999)						"	
863/904(3000-3999),904(4000-4999),904(6000-6999)						"	
863/913(1000-1999),913(2000-2999),913(3000-3999)						"	
941/209(6000-7999),248(1000-1999),343(4000-5999)						"	
941/405(1000-1999),412(2000-2999),441(0000-0999)						"	
941/441(1000-1999),441(2000-2999),441(3000-3999)						"	
941/441(9000-9999),465(4000-4999),487(1000-1999)						"	
941/487(2000-3999),487(4000-5999),487(6000-6999)						"	
941/548(2000-2999),552(0000-0999),552(1000-1999)						"	
941/552(2000-2999),552(3000-3999),552(4000-4999)						"	
941/552(5000-5999),552(7000-7999),567(1000-1999)						"	
941/567(2000-3999),721(5000-5999),782(0000-0999)						"	
941/782(1000-1999),782(2000-2999),782(3000-3999)						"	
941/782(4000-4999),782(5000-5999),782(6000-6999)						"	

-------- Continued on next page --------

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
    -------- Continued from previous page --------

   941/845(0000-3999),845(5000-5999),893(2000-2999)                "
   941/893(4000-4999),893(6000-6999)
.......................................................................
TAMPICEN                    TAMRFLIY7MD 08153 01136 7985  952 GR          (C)
   727/203(7000-7999),223(7000-7999),800(7000-7999)                      (C)
   727/888(7000-7999)                                                    (C)
   813/376(7000-7999),473(7000-7999),530(7000-7999)                      (C)
   813/534(7000-7999),616(7000-7999),702(7000-7999)                      (C)
   813/804(7000-7999),816(7000-7999),947(6000-6999)                      (C)
   813/947(7000-7999)                                                    (C)
   863/313(7000-7999),337(7000-7999),417(7000-7999)                      (C)
   863/733(7000-7999),845(7000-7999),862(7000-7999)                      (C)
   863/866(5000-5999),888(7000-7999),949(7000-7999)                      (C)
   941/202(7000-7999),270(5000-5999),281(7000-7999)                      (C)
   941/702(7000-7999),777(6000-6999),888(6000-6999)                      (C)
 "                          "           "     "     "     "         "
   727/203(7000-7999),223(7000-7999),800(7000-7999)                "
   727/888(7000-7999)                                              "
   813/376(7000-7999),473(7000-7999),530(7000-7999)                "
   813/534(7000-7999),616(7000-7999),702(7000-7999)                "
   813/804(7000-7999),816(7000-7999),947(6000-6999)                "
   813/947(7000-7999)                                              "
   863/313(7000-7999),337(7000-7999),417(7000-7999)                "
   863/733(7000-7999),845(7000-7999),866(5000-5999)                "
   863/888(7000-7999),949(7000-7999)                               "
   941/202(7000-7999),270(5000-5999),281(7000-7999)                "
   941/702(7000-7999),777(6000-6999),888(6000-6999)
```

END OF REPORT

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ALACHUA	ALCHFLXARP0	07831	01352	0336	452	AA DA GC GD
386/315(8000-8999)						GI GL GN GR
						HB HD II RA
						RC RD RH SJ
						SQ ST TJ UG
						UM UP UR UU
						UX VA
ALACHUA	ALCHFLXARS1	07831	01352	0336	452	AA DA GC GD
386/418,462						GI GL GN GR
						HB HD II RA
						RC RD RH SJ
						SQ ST TJ UG
						UM UP UR UU
						UX VA
ALFORD	ALFRFLXARS1	07931	01925	0340	450	AA BA DA DD
850/579						GI GK GR PC
						PL PN RC RD
						RE SA SH SP
						SQ TJ TU TW
						UP UR WE WG
						WJ
ALHAMBRA	MIAMFLAEDMS	08362	00536	4085	460	DA
/						
ALTAMONTE SPRINGS	ALSPFLXADS1	07929	01043	4085	458	DA
/						
ALTAMONTE SPRINGS-WNPK	ALSPFLXA21W	07929	01043	0341	458	HC
/						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ALTAMONTE SPRINGS-WNPK	ALSPFLXADS0	07929	01043	0341	458	AA BA BC DA
321/207(0000-5999),207(7000-7999)						GC GD GE GI
407/260,261(0000-2999),261(5000-9999),262,263,265,331						GK GR HB IA
407/332,339,767,830,831,834						IB IC ID IE
						IH II PA PJ
						PN PS RA RC
						RD RE RF RJ
						RK RM RS SA
						SH SP SQ SU
						TH TJ TK TU
						TW UB UE UG
						UK UL UM UN
						UP UR UU UX
						UZ WE WG WJ
ALVA-FORT MYERS	ALVAFLXARS1	08323	00871	0341	939	AA BA BC DA
239/728(0000-0999),728(2000-2999),728(3000-3999)						GC GD GI GK
239/728(5000-5999),728(6000-6999),728(9000-9999)						GR PC PL PN
						PR RA RC RD
						RE RF RK RM
						RS SA SH SP
						SQ ST SU TJ
						TK TU TW UB
						UG UK UL UM
						UP UR UU UX
						UZ WE WG WJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
APOPKA                      APPKFLXADS1 07943 01069 0341  458 AA BA BC DA
   407/464(0000-0999),464(1000-1999),464(2000-2999)          GC GD GE GI
   407/464(3000-3999),464(7000-7999),464(9000-9999)          GK GR HB IA
   407/814(0000-2999),814(5000-5999),814(6000-6999)          IB IC ID IE
   407/814(7000-7999),814(8000-8999),814(9000-9999),880,884  IH II PB PK
   407/886,889                                               PN PS RA RC
                                                             RD RE RF RJ
                                                             RK RM RS SA
                                                             SH SP SQ SU
                                                             TH TJ TK TU
                                                             TW UB UG UK
                                                             UL UM UN UP
                                                             UR UU UX UZ
                                                             WE WG WJ
.......................................................................
APOPKA                      APPKFLXARS0 07943 01068 8664  458 DA DD G2 GD
      /                                                      GE GJ GN GQ
                                                             HB HC IA IB
                                                             IC IE IF IG
                                                             IH II QA
.......................................................................
ARCADIA                     ARCDFLXADS0 08251 00967 0341  939 AA BA BC DA
   863/303(0000-0999),485(1000-1999),485(9000-9999)          GC GD GI GJ
   863/491(0000-1999),491(4000-9999),494,884(2000-2999)      GK GR IA IE
   863/884(9000-9999),993(0000-4999),993(7000-7999)          IG IH II PC
   863/993(9000-9999)                                        PL PN RA RC
                                                             RD RE RF RJ
                                                             RK RM RS SA
                                                             SH SP SQ ST
                                                             SU TJ TK TU
                                                             TW UB UG UK
                                                             UL UM UP UR
                                                             UU UX UZ WE
                                                             WG WJ
.......................................................................
ARCH CREEK                  NDADFLACDMS 08319 00538 4085  460 DA
      /
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ARCHER	ARCHFLMARS0	07881	01329	5191	454	AA BA DA G5
352/495						GC GD GL GQ
						GR PC PL PR
						PS SJ SV TJ
						UQ
ARLINGTON	JCVLFLARDMS	07642	01261	4085	452	DA
/						
ASTOR	ASTRFLXARS0	07854	01129	0341	454	AA BA BC DA
352/759(0000-0999),759(2000-2999),759(3000-3999)						GC GD GE GI
						GK GR IA IE
						IG IH II PC
						PL PN PS RA
						RC RD RE RF
						RJ RK RM RS
						SA SH SP SQ
						SU TJ TU TW
						UB UG UK UL
						UM UN UP UR
						UU UX UZ WE
						WG WJ
AVON PARK	AVPKFLXA04T	08144	00949	0341	939	GB
/						
AVON PARK	AVPKFLXADS0	08144	00949	0341	939	AA BA BC DA
863/201(1000-1999),201(9000-9999),434(0000-0999)						GC GD GE GI
863/448(0000-0999),452(0000-6999),452(8000-9999),453,462						GK GR HB IA
863/591(1000-1999),591(9000-9999),784(0000-0999)						IE IG IH II
863/784(4000-4999),784(6000-6999),784(7000-7999)						PA PJ PN RA
863/784(9000-9999)						RC RD RE RF
						RJ RK RM RS
						SA SH SP SQ
						ST SU T1 TH
						TJ TU TW UB
						UG UK UL UM
						UP UR UU UX
						UZ WE WG WJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
AZALEA PARK	ORLDFLAPDMS	07946	01016	4085	458	DA
/						
BAKER	BAKRFLXADS0	08056	02148	0340	448	AA BA DA DD
850/537						GC GD GI GK
						GR II PC PL
						PN PR RC RD
						RE SA SH SP
						SQ TJ TU TW
						UP UR WE WG
						WJ
BALDWIN	BLDWFLMARS0	07684	01324	5191	452	AA BA DA G5
904/266(0000-5999),266(8000-9999)						GC GD GL GQ
						GR PC PL PR
						PS SJ T9 TJ
						UQ XA
BARTOW	ALTRFLXARSA	08114	01014	0328	952	AA BA DA DD
863/537(1000-5999),537(9000-9999)						GE GG GM GN
						GR HB HD II
						PC PL RC RD
						SH SQ TB TG
						TI TU TW UG
						VM
BARTOW	BARTFLXA53H	08121	01038	0328	952	AA BA DA DD
863/519,533,534,804(0000-0999)						GC GD GE GG
						GJ GN GR HB
						HD II PC PL
						RC RD SH SQ
						TB TG TI TU
						TW UG VM
BAYSHORE	MIAMFLBADMS	08358	00530	4085	460	DA
/						
BEACH	MIAMFLBRDMS	08343	00520	4085	460	DA
/						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
BELLE GLADE	BLGLFLMADS0	08231	00709	5191	460	AA DA G4 GC
561/829(0000-1999),829(4000-4999),992,993(0000-5999)						GL GQ GR PC
561/993(8000-9999),996						PL PR PS RC
						RD SL TJ XA
BELLE GLADE	BLGLFLMAK01	08231	00709	5191	460	DA GQ GR PR
/						PS TJ UB UE
						UG UP XA ZY
BELLEVIEW	BLVWFLXADS0	07924	01200	0341	454	AA BA BC DA
352/233(2000-2999),245,307,347						GC GD GE GI
						GK GR IA IC
						ID IE IG IH
						II PC PL PN
						PR RA RC RD
						RE RF RJ RK
						RM RS SA SH
						SP SQ ST TJ
						TK TU TW UB
						UG UK UM UN
						UP UR UU UX
						UZ WE WG WJ
BEVERLY HILLS	BVHLFLXADS0	07989	01252	0341	454	AA BA BC DA
352/249(0000-4999),249(9000-9999),527,746						GC GD GE GI
						GK GR IA IE
						IG IH II PC
						PL PN RA RC
						RD RE RF RJ
						RK RM RS SA
						SH SP SQ ST
						SU TH TJ TK
						TU TW UB UE
						UG UK UL UM
						UN UP UR UU
						UX UZ WE WG
						WJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
BIG PINE	BGPIFLMARS0	08679	00604	5191	460	AA BA DA GC
305/515(1000-1999),872						GD GQ GR PC
						PL RC RD RF
						RH SJ SV TJ
						XA
BLOUNTSTOWN	BLTWFLXADS0	07947	01842	0291	450	AA DA DD GL
850/237,379,643(0000-5999),643(9000-9999),674,762						GM HD OE RC
						RD SH SV SW
						T3 TJ TZ UG
						UP XF
BOCA GRAND	BCGRFLXARS1	08379	00984	0341	939	AA BA BC DA
941/964(0000-0999),964(1000-1999),964(2000-2999)						GC GD GI GK
941/964(4000-4999),964(5000-5999),964(7000-7999)						GR PC PL PN
941/964(8000-8999),964(9000-9999)						PR RA RC RD
						RE RF RJ RK
						RM RS SA SH
						SP SQ ST SU
						TJ TU TW UB
						UG UK UL UM
						UP UR UU UX
						UZ WE WG WJ
BOCA RATON	BCRTFLBTBBA	08226	00581	5191	460	DA GQ GR PR
/						PS TJ TK TU
						XA XD
BOCA RATON	BCRTFLBTBBC	08226	00581	5191	460	DA GQ GR PR
/						PS TU XA XD
BOCA RATON	BCRTFLBTDS0	08226	00581	5191	460	AA BA DA G4
561/241,443,862(0000-6999),893,912,923(1000-1999)						GC GE GL GQ
561/923(2000-2999),923(3000-3999),923(4000-4999)						GR PA PJ PR
561/923(6000-6999),923(7000-7999),981(0000-5999)						PS QB QF RC
561/981(7000-9999),982,988,989(0000-3999),989(5000-9999)						RD RE RF RG
561/994,995,997(0000-3999),997(5000-9999),998,999						RH RM SN SV
						TJ TK XA XD

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
BOCA RATON /	BCRTFLBTK01	08226	00581	5191	460	DA GQ GR PA PJ PR PS TJ TK UB UE UG UP XA XD ZY
BOCA RATON /	BCRTFLMA61W	08234	00573	5191	460	DA GQ GR PA PJ PR PS T8 TA TJ TK XA
BOCA RATON /	BCRTFLMABBA	08234	00573	5191	460	DA GQ GR PR PS T8 TJ TK TU XA
BOCA RATON 561/297,338,347,361,362(0000-0999),362(1000-1999) 561/362(3000-3999),362(4000-4999),362(5000-5999) 561/362(6000-6999),362(7000-7999),362(8000-8999) 561/362(9000-9999),367(0000-1999),367(4000-4999) 561/367(6000-9999),368,391,392,393,394,395,416 561/417(0000-0999),417(2000-9999),447,544(0000-6999) 561/544(8000-8999),620,750,955(1000-9999)	BCRTFLMADS1	08234	00573	5191	460	AA BA DA GC GL GQ GR PA PJ PR PS RC RD RM SV T8 TJ TK VG XA
BOCA RATON /	BCRTFLMAK01	08234	00573	5191	460	DA GQ GR PA PJ PR PS T8 TJ TK UB UE UG UP XA ZY
BOCA RATON 561/962(0000-0999),962(2000-4999),962(6000-6999) 561/962(7000-7999),962(9000-9999)	BCRTFLMARS0	08234	00573	8664	460	DA DD G2 GD GE GJ GN GQ HB HC IA IB IC IE IF IG IH II QA
BOCA RATON /	BCRTFLSABBA	08240	00594	5191	460	DA GQ GR PR PS TJ TK TU XA

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
BOCA RATON                  BCRTFLSADS0 08240 00594 5191  460 AA BA DA GC
   561/218(0000-0999),218(1000-1999),218(2000-2999)          GL GQ GR PA
   561/218(3000-3999),218(5000-9999),451(0000-4999)          PJ PR PS RC
   561/451(8000-9999),470,477,479(0000-5999),482,483,487     RD RM SL SV
   561/488,558(0000-2999),558(8000-9999),672(2000-2999)      TJ TK XA
   561/672(6000-6999),852,883
.......................................................................
BOCA RATON                  BCRTFLSAK01 08240 00594 5191  460 DA GQ GR PR
     /                                                        PS TJ TK UB
                                                              UE UG UP XA
                                                              ZY
.......................................................................
BONIFAY                     BNFYFLXARS0 07938 01983 0340  450 AA BA DA DD
   850/373(1000-1999),547(0000-0999),547(1000-1999)          GI GK GR PC
   850/547(2000-2999),547(3000-3999),547(4000-4999)          PL PN RC RD
   850/547(5000-5999),547(7000-7999),547(8000-8999)          RE SA SH SP
   850/547(9000-9999),844                                    SQ TJ TU TW
                                                             UB UP UR WE
                                                             WG WJ
.......................................................................
BONITA SPRINGS              BNSPFLXADS1 08413 00862 0341  939 AA BA BC DA
   239/301(1000-1999),301(6000-7000),390(0000-5999)          GC GD GI GK
   239/390(7000-9999),405(6000-6999),495,498,947,948,949     GR PC PL PN
   239/992                                                   PR RA RC RD
                                                             RE RF RJ RK
                                                             RM RS SA SH
                                                             SP SQ ST TH
                                                             TJ TU TW UB
                                                             UG UK UL UM
                                                             UP UR UU UX
                                                             UZ WE WG WJ
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
BOWLING GREEN	BWLGFLXARS0	08169	01008	0341	939	AA BA DA GI
863/375(0000-0999),375(2000-6999),375(9000-9999)						GK GM GR PC
863/431(0000-0999),486(1000-1999),486(9000-9999)						PL PN RA RC
						RD RE RF RJ
						RK RM RS SA
						SH SP SQ ST
						SU TJ TU TW
						UB UG UK UL
						UM UP UR UU
						UX UZ WE WG
						WJ
BOYNTON	BYBHFLMARS5	08197	00589	8664	460	DA DD G2 GD
/						GE GJ GN GQ
						HB HC IA IB
						IC IF IG IH
						II QA
BOYNTON BEACH	BYBHFLMABBA	08197	00589	5191	460	DA GQ GR PR
/						PS TJ TK TU
						XA
BOYNTON BEACH	BYBHFLMADS0	08197	00589	5191	460	AA BA DA G4
561/292(4000-4999),292(6000-6999),292(7000-7999)						GC GL GQ GR
561/292(9000-9999),336(7000-7999),364,369,374(5000-9999)						PC PL PR PS
561/375,731,732,733,734,735(0000-0999),735(3000-9999)						QB QF RC RD
561/736,737,738,739(0000-1999),739(4000-7999)						RM SL SV TJ
561/739(9000-9999),740(0000-4999),740(7000-7999)						TK UK XA
561/740(9000-9999),742,752(0000-5999),752(8000-9999)						
BOYNTON BEACH	BYBHFLMAK01	08197	00589	5191	460	DA GQ GR PC
/						PL PR PS TJ
						TK UB UE UG
						UK UP XA ZY

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
BRADENTON	ANMRFLXA77H	08282	01142	0328	952	AA BA DA DD
941/778,779(0000-0999),779(1000-1999),779(2000-2999)						GE GG GJ GN
941/779(9000-9999)						GR HB HD II
						PC PL RC RD
						SH SQ TB TG
						TI TU TW UG
						UR VM WD WE
						WF WG WH WI
						WJ
BRADENTON	BRBAFLXA75H	08281	01114	0328	952	AA BA DA DD
941/727,739,751,752,753,755,756,758						GC GD GE GG
						GJ GN GR HB
						HD II PB RC
						RD SH SQ TB
						TG TI TJ TU
						TW UG UR VM
						WD WE WF WG
						WH WI WJ
BRADENTON	BRTNFLXX74H	08269	01117	0328	952	AA BA DA DD
941/708,714,715,741,742,744(0000-0999),744(1000-1999)						GC GD GE GG
941/744(2000-2999),744(3000-3999),744(4000-4999)						GJ GN GR HB
941/744(5000-5999),744(8000-8999),744(9000-9999),745,746						HD II PB RC
941/747,748,749,750						RD SH SQ TB
						TG TI TJ TU
						UG UR VM WD
						WE WF WG WH
						WI WJ
BRADENTON	BRTNFLXXRS1	08269	01117	8664	952	DA DD G2 GD
/						GE GJ GN GQ
						HB HC IA IB
						IC IE IF IG
						IH II QA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
BRADENTON	PLSLFLXA79H	08279	01126	0328	952	AA BA DA DD
941/761(0000-0999),761(1000-1999),761(2000-2999)						GC GD GE GG
941/761(3000-3999),761(4000-4999),761(7000-7999)						GJ GN GR HB
941/761(8000-8999),761(9000-9999),792,794,795,798						HD II PB RC
						RD SH SQ TB
						TG TI TJ TU
						TW UG UR VM
						WD WE WF WG
						WH WI WJ
BRANFORD	BRFRFLXARS1	07840	01442	0336	452	AA DA GC GD
386/935						GE GI GL GN
						GR HB HD II
						RA RC RD RH
						SJ SP SQ TJ
						UG UM UP UU
						UW VA
BRENTWOOD	NDADFLBRDMS	08326	00555	4085	460	DA
/						
BRONSON	BRSNFLMARS0	07908	01339	5191	454	AA BA DA G5
352/486(0000-6999),486(8000-8999)						GC GD GL GQ
						GR PC PL SJ
						SV TJ
BROOKER	BRKRFLXADS0	07795	01337	0336	454	AA DA GC GD
352/485						GI GL GN GR
						HD II RA RC
						RD RH SJ SQ
						ST TJ UG UM
						UP UR UU UW
						VA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
BROOKER 352/309(4000-4999)	BRKRFLXAPS0	07795	01337	0336	454	AA DA GC GD GI GL GN GR HD II RA RC RD RH SJ SQ ST TJ UM UP UR UU VA WA
BROOKER 386/590(8000-8999)	BRKRFLXARP0	07795	01337	0336	454	AA DA GC GD GI GL GN GR HD II RA RC RD RH SJ SQ ST TJ UM UP UR UU UW VA
BROOKSVILLE 352/540(2000-4999),540(6000-6999),540(9000-9999) 352/544(0000-6999),544(8000-8999),754,796,797(0000-0999) 352/797(3000-3999),797(4000-4999),797(5000-5999) 352/797(6000-6999),797(7000-7999),797(8000-8999) 352/797(9000-9999),799,848(0000-0999),848(1000-1999) 352/848(2000-2999),848(8000-9999)	BKVLFLJFDS0	08051	01200	5191	454	AA BA DA G5 GC GD GL GQ GR PC PL RC RD SJ SV TJ
BROOKSVILLE /	BKVLFLJFK01	08051	01200	5191	454	DA GQ GR PC PL TJ UB UE UG UP ZY
BUNNELL 386/206(4000-4999),206(9000-9999),263(4000-4999) 386/313(2000-2999),313(4000-4999),437,586(0000-7999)	BNNLFLMARS0	07769	01114	5191	456	AA BA DA G4 GL GQ GR PC PL RC RD RM TJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
BUSHNELL	BSHNFLXADS0	08004	01167	0341	454	AA BA DA GC
352/568(0000-4999),568(6000-9999),569(0000-3999)						GD GI GK GR
352/569(5000-6999),569(9000-9999),793						PC PL PN RA
						RC RD RE RF
						RJ RK RM RS
						SA SH SP SQ
						SU TJ TK TU
						TW UB UG UK
						UL UM UN UP
						UR UU UX UZ
						WE WG WJ
CALLAHAN	CLHNFLXADS0	07621	01329	0336	452	AA DA GC GD
904/507(2000-2999),879						GI GL GN GR
						HB HD II RA
						RC RD RH SJ
						SP SQ ST TJ
						UG UM UP UR
						UU UW VA
CALLAHAN	CLHNFLXAPS0	07621	01329	0336	452	AA DA GC GD
904/341(0000-0999)						GI GL GN GR
						HB HD II JA
						RA RC RD RH
						SP SQ ST TJ
						UG UM UP UR
						UU UW VA
CALLAHAN	CLHNFLXAPS1	07621	01329	0336	452	AA DA GC GD
904/320(4000-4999)						GI GL GN GR
						HB HD II RA
						RC RD RH SJ
						SP SQ ST TJ
						UG UM UP UR
						UU UW VA
CANAL	MIAMFLCADMS	08374	00552	4085	460	DA

/

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
CANTONMENT	CNTMFLLEDS1	08120	02238	5191	448	AA BA DA G5
251/931(0000-0999),931(3000-3999)						GC GD GL GQ
850/937(0000-4999),937(6000-6999),937(8000-9999),968						GR PC PL PR
						PS RC RD SJ
						SV TJ
CAPE CORAL	CPCRFLXADS0	08382	00916	0341	939	AA BA BC DA
239/540,541(0000-0999),541(1000-1999),541(2000-2999)						GC GD GI GJ
239/541(3000-3999),541(4000-4999),541(5000-5999)						GK GR HB IA
239/541(7000-7999),541(9000-9999),542,549,945(0000-8999)						IB IE IG IH
239/945(0000-8999)						II PB PK PN
						PR RA RC RD
						RE RF RJ RK
						RM RS SA SH
						SP SQ ST SU
						TJ TK TU TW
						UB UE UG UJ
						UK UL UM UP
						UR UU UX UZ
						WE WG WJ
CAPE HAZE	CPHZFLXADS0	08353	01003	0341	939	AA BA DA GC
941/697,698(0000-2999),698(4000-5999),698(7000-9999)						GD GE GI GK
941/828(0000-0999),828(2000-3999),828(7000-7999)						GR IA IC IE
941/828(8000-8999)						IG IH II PC
						PL PN RA RC
						RD RE RF RJ
						RK RM RS SA
						SH SP SQ ST
						SU TJ TU TW
						UB UG UK UL
						UM UP UR UU
						UX UZ WE WG
						WJ
CASSELBERRY	CSLBFLXADS1	07923	01034	4085	458	DA

/

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
CASSELBERRY-WINTER PARK	CSLBFLXADS1	07923	01034	0341	458	AA BA BC DA
407/388(0000-0999),388(1000-1999),388(2000-2999)						GC GD GE GI
407/388(3000-3999),388(7000-7999),388(9000-9999),695,696						GK GR HB IA
407/699						IB IC ID IE
						IH II PC PL
						PN PS RA RC
						RD RE RF RJ
						RK RM RS SA
						SH SP SQ SU
						TJ TK TU TW
						UB UE UG UK
						UL UM UN UP
						UR UU UX UZ
						WE WG WJ
CEDAR KEY	CDKYFLMARS0	08005	01371	5191	454	AA BA DA G4
352/543						GC GD GL GQ
						GR PC PL TJ
CHASSAHOWITCKA-HMSP	CHSWFLXARS0	08035	01245	0341	454	AA BA BC DA
352/382(0000-8999)						GC GD GI GK
						GR PC PL PN
						RA RC RD RE
						RF RJ RK RM
						RS SA SH SP
						SQ ST SU TJ
						TU TW UB UG
						UK UL UM UN
						UP UR UU UX
						UZ WE WG WJ
CHATTAHOOCHEE	CHTHFLXADS0	07879	01836	0291	450	AA DA DD GL
229/662						GM HD RC RD
850/663						SH SV SW TJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
CHERRY LAKE	CHLKFLXARS0	07771	01590	0340	953	AA BA DA DD
850/929(0000-0999),929(1000-1999),929(2000-2999)						GI GK GR PC
850/929(3000-3999),929(4000-4999),929(6000-6999)						PL PN RA RC
850/929(7000-7999),929(9000-9999)						RD RE SA SH
						SP SQ TJ TU
						TW UP WE WG
						WJ
CHIEFLAND	CFLDFLMAK01	07924	01378	5191	454	DA GQ GR TJ
/						UB UG UP ZY
CHIEFLAND	CFLDFLMARS0	07924	01378	5191	454	AA BA DA G5
352/490,493						GC GD GL GQ
						GR PC PL SJ
						SV TJ
CHIPLEY	CHPLFLJADS0	07927	01957	5191	450	AA BA DA G5
850/330,415,638						GC GD GL GQ
						GR PC PL QB
						QF RC RD RE
						SJ SV TJ UQ
CHIPLEY	CHPLFLJAK99	07927	01957	5191	450	DA GQ GR PC
/						PL TJ UB UE
						UG UP ZY
CITRA	CITRFLXADS0	07863	01248	0336	454	AA DA GC GD
352/595						GI GL GN GR
						HD II RA RC
						RD RH SJ SP
						SQ TJ UG UM
						UP UU UW VA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
CITRA 352/599	CITRFLXAPS0	07863	01248	0336	454	AA DA GC GD GE GI GL GN GR HB HD II RA RC RD RH SJ SP SQ TJ UM UP UU UW VA
CLAY STREET /	JCVLFLCLDMS	07648	01276	4085	452	DA
CLEARWATER 727/298,441,442,443,444(1000-1999),444(2000-2999) 727/444(3000-3999),444(4000-4999),444(5000-5999) 727/444(7000-7999),444(8000-8999),444(9000-9999),445,446 727/447,448,449,453(3000-3999),453(4000-4999) 727/453(5000-5999),453(6000-6999),453(7000-7999),461,462 727/464,466(0000-0999),466(2000-2999),466(6000-6999) 727/466(9000-9999),467,468,469(0000-0999),469(1000-1999) 727/469(2000-2999),469(4000-4999),469(5000-5999) 727/469(6000-6999),469(8000-8999),469(9000-9999) 727/631(0000-0999)	CLWRFLXA44H	08202	01203	0328	952	AA BA DA DD GC GD GE GR HB RC RD SH SQ TD TU UR WD WE WF WG WH WI WJ
CLEARWATER 727/412(9000-9999),465(0000-0999),465(1000-1999) 727/465(2000-2999),465(5000-5999),465(7000-7999) 727/465(9000-9999),562	CLWRFLXADS0	08202	01203	0328	952	AA BA DA DD GC GD GG GJ GN GR HB HC HD II PA RC RD SH SQ TB TD TG TH TI TU UG VM
CLEARWATER /	CLWRFLXARS0	08202	01203	8664	952	DA DD G2 GD GE GJ GN GQ HB HC IA IB IC IF IG IH II QA

COMPANY: 8664 HAS A PRESENCE ON THIS SWITCH

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
CLEARWATER	CLWRFLXARS5	08202	01203	8664	952	DA DD G2 GD
/						GE GJ GN GQ
						HB HC IA IB
						IC IF IG IH
						II QA
CLEARWATER	CNSDFLXA79H	08191	01196	0328	952	AA BA DA DD
727/669,712(0000-0999),712(1000-1999),712(2000-2999)						GC GD GE GG
727/712(3000-3999),712(4000-4999),712(5000-5999)						GJ GN GR HB
727/712(8000-8999),712(9000-9999),723(0000-0999)						HD II PA RC
727/723(1000-1999),723(2000-2999),723(3000-3999)						RD SH SQ TB
727/723(6000-6999),723(7000-7999),723(8000-8999)						TG TI TJ TU
727/723(9000-9999),724(0000-0999),724(1000-1999)						TW UG UR VM
727/724(2000-2999),724(3000-3999),724(5000-5999)						WD WE WF WG
727/724(6000-6999),724(7000-7999),724(8000-8999)						WH WI WJ
727/724(9000-9999),725,726,791,793(0000-0999)						
727/793(2000-2999),793(3000-3999),793(6000-6999)						
727/793(9000-9999),796,797,799						
CLEARWATER	DNDNFLXA73H	08191	01210	0328	952	AA BA DA DD
727/733,734,735(0000-0999),735(6000-6999),735(9000-9999)						GC GD GE GG
727/736,738						GJ GN GR HB
						HD II PA RC
						RD SH SQ TB
						TG TI TU TW
						UG UR VM WD
						WE WF WG WH
						WI WJ
CLEARWATER	INRKFLXX59H	08223	01203	0328	952	AA BA DA DD
727/517(0000-0999),517(1000-1999),517(2000-2999)						GC GD GE GG
727/517(3000-3999),517(4000-4999),517(7000-7999)						GJ GN GR HB
727/517(8000-8999),517(9000-9999),593(0000-0999)						HD II PB RC
727/593(1000-1999),593(2000-2999),593(3000-3999)						RD SH SQ TB
727/593(5000-5999),593(6000-6999),593(7000-7999)						TG TI TU TW
727/593(8000-8999),593(9000-9999),595,596						UG UR VM WD
						WE WF WG WH
						WI WJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
CLEARWATER                  LRGOFLXA58H 08212 01199 0328  952 AA BA DA DD
   727/406,501(0000-1999),501(7000-9999),518(0000-0999)      GC GD GE GG
   727/518(1000-1999),518(2000-2999),518(3000-3999)          GJ GN GR HB
   727/518(6000-6999),518(7000-7999),518(8000-8999)          HD II PA RC
   727/518(9000-9999),559(0000-0999),559(3000-3999)          RD SH SQ TB
   727/559(4000-4999),559(5000-5999),559(6000-6999)          TG TI TU TW
   727/559(7000-7999),559(8000-8999),559(9000-9999),581,582  UG UR VM WD
   727/584,585,586,587,588                                   WE WF WG WH
                                                             WI WJ
.......................................................................
CLEARWATER                  PNLSFLXA53H 08206 01190 0328  952 AA BA DA DD
   727/507(0000-0999),507(2000-2999),507(3000-3999)          GC GD GE GR
   727/507(4000-4999),507(5000-5999),507(6000-6999)          HB RC RD SH
   727/507(7000-7999),507(8000-8999),507(9000-9999),524,530  SQ TJ TU UR
   727/531,532,533(0000-0999),533(1000-1999),533(2000-2999)  WD WE WF WG
   727/533(3000-3999),533(4000-4999),533(7000-7999)          WH WI WJ
   727/533(8000-8999),533(9000-9999),535,536,538
   727/539(0000-0999),539(1000-1999),539(2000-2999)
   727/539(3000-3999),539(4000-4999),539(5000-5999)
   727/539(6000-6999),539(7000-7999),539(8000-8999)
   727/599(2000-2999)
.......................................................................
CLEARWATER                  PNLSFLXADS0 08206 01190 0328  952 AA BA DA DD
   727/519(0000-0999),519(1000-1999),519(2000-2999)          GC GD GG GJ
   727/519(7000-7999),519(9000-9999),523(0000-0999)          GN GR HB HD
   727/523(1000-1999),523(2000-2999),523(3000-3999)          II PA RC RD
   727/523(4000-4999),523(5000-5999),523(7000-7999)          SH SQ TB TG
   727/523(8000-8999),523(9000-9999)                         TI TJ TU TW
                                                             UG VM
.......................................................................
CLEARWATER                  STGRFLXA78H 08178 01208 0328  952 AA BA DA DD
   727/771(0000-2999),771(4000-4999),771(6000-9999)          GC GD GE GG
   727/772(0000-0999),772(1000-1999),772(2000-2999)          GJ GN GR HB
   727/772(4000-4999),772(5000-5999),772(6000-6999)          HD II PA RC
   727/772(7000-7999),772(8000-8999),772(9000-9999)          RD SH SQ TB
   727/773(0000-0999),773(1000-1999),773(2000-2999)          TG TI TJ TU
   727/773(3000-3999),773(4000-4999),773(8000-8999)          TW UG UR VM
   727/773(9000-9999),781,784,785,786,787,789                WD WE WF WG
                                                             WH WI WJ
=======================================================================
```

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
CLERMONT	CLMTFLXADS0	07991	01098	0341	454	AA BA BC DA
352/241,242(0000-6999),242(9000-9999),243,394						GC GD GE GI
352/404(9000-9999),536(1000-2999),536(6000-6999)						GK GR IA IE
352/536(8000-8999),536(9000-9999),989(9000-9999)						IG IH II PC
						PL PN PS RA
						RC RD RE RF
						RJ RK RM RS
						SA SH SP SQ
						SU TJ TK TU
						TW UB UG UK
						UL UM UN UP
						UR UU UX UZ
						WE WG WJ
CLEWISTON	CLTNFLXARS0	08245	00761	0341	939	AA BA DA GC
863/805(0000-3999),805(5000-5999),805(8000-9999),902,983						GD GE GI GK
863/983						GR IA IE IG
						IH II PC PL
						PN RA RC RD
						RE RF RJ RK
						RM RS SA SH
						SP SQ ST SU
						TJ TK TU TW
						UB UG UK UL
						UM UP UR UU
						UX UZ WE WG
						WJ
COCOA	COCOFLMADS0	07924	00904	5191	458	AA BA DA G4
321/433,504(0000-0999),504(2000-4999),504(6000-9999)						GC GL GQ GR
321/609(2000-4999),609(6000-9999),617(0000-4999)						PC PL PR PS
321/617(6000-9999),631,632,633,634(0000-1999)						QB QF RC RD
321/634(3000-3999),634(5000-9999),635,636,637(0000-7999)						RE RF RG RH
321/637(9000-9999),638,639,690						RM SJ SV TJ
						XA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
COCOA	COCOFLMAK99	07924	00904	5191	458	DA GQ GR PC
/						PL PR PS TJ
						UB UE UG UP
						XA ZY
COCOA	COCOFLMEDS0	07917	00902	5191	458	AA BA DA GC
321/449,452,453,454,455,456(0000-0999),456(1000-1999)						GL GQ GR PC
321/456(2000-2999),456(3000-3999),456(4000-4999)						PL PR PS RC
321/456(5000-5999),456(6000-6999),456(7000-7999)						RD RE RF RG
321/456(9000-9999),459,986(0000-5999),986(8000-8999)						RH RM SJ SV
						TJ XA
COCOA BEACH	CCBHFLAFRS0	07903	00891	5191	458	AA BA DA G1
321/406(4000-4999),730(0000-0999),730(1000-1999)						G4 GL GQ GR
321/730(4000-4999),730(5000-5999),730(6000-6999)						PC PL PR PS
321/730(7000-7999)						RB
COCOA BEACH	CCBHFLMADS0	07912	00885	5191	458	AA BA DA G4
321/328(2000-2999),783,784,799(0000-0999),799(1000-1999)						GC GL GQ GR
321/799(2000-2999),799(3000-3999),799(4000-4999)						PC PL PR PS
321/799(7000-7999),799(8000-8999),799(9000-9999)						RC RD RE RF
321/868(0000-0999),868(1000-1999),868(2000-2999)						RG RH RM SJ
321/868(3000-3999),868(4000-4999),868(5000-5999)						SV TJ XA
321/868(6000-6999),868(7000-7999),868(8000-8999)						
COCOA BEACH	CCBHFLMAK99	07912	00885	5191	458	DA GQ GR PC
/						PL PR PS TJ
						UB UG UP XA
						ZY
COLONIAL	ORLDFLCLDMS	07952	01028	4085	458	DA
/						
CORAL RIDGE	FTLDFLCRDMS	08270	00558	4085	460	DA
/						

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
COTTONDALE	CTDLFLXARS0	07910	01933	0340	450	AA BA DA DD
850/352(0000-7999),352(9000-9999)						GI GK GR PC
						PL PN RC RD
						SA SH SP SQ
						TU TW UP UR
						WE WG WJ
CRAWFORDVILLE	CFVLFLXADS0	07935	01704	0340	953	AA BA D1 DA
850/745(7000-7999),926						GC GD GI GK
						GR II PC PL
						RC RD RE SG
						SH SM SN SQ
						TJ TK
CRESCENT CITY	CRCYFLXADS0	07801	01152	0336	452	AA DA GC GD
386/698						GI GL GN GR
						HD RA RC RD
						RH SJ SP SQ
						TJ UM UP UU
						UW VA
CRESCENT CITY	CRCYFLXAPS0	07801	01152	0336	452	AA D1 DA GC
386/203(0000-0999),203(1000-1999),203(2000-2999)						GI GN GR HD
386/203(3000-3999),203(4000-4999),203(5000-5999)						RA RC RD RH
386/203(6000-6999),203(7000-7999),203(8000-8999)						SJ SP SQ TJ
						UM UP UU UW
						VA
CRESTVIEW	CRVWFLXA02T	08025	02127	0340	448	GB II
/						
CRESTVIEW	CRVWFLXADS0	08025	02127	0340	448	AA BA D1 DA
850/306(1000-1999),306(9000-9999),423,682,683,689						GC GD GI GK
						GR HD PC PL
						PN PR RC RD
						RE SA SH SP
						SQ TJ TU TW
						UB UP UR WE
						WG WJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
CRESTVIEW 850/546(6000-6999)	CRVWFLXAQMD	08025	02128	8692	448	DA DD
CROSS CITY 352/498	CSCYFLBARS0	07919	01439	5191	454	AA BA DA G5 GC GD GL GQ GR PC PL SJ SV TJ
CRYSTAL RIVER 352/501(2000-6999),563(0000-6999),563(9000-9999),564 352/794(0000-0999),794(2000-2999),794(4000-5999) 352/794(7000-7999),794(8000-8999),794(9000-9999),795	CRRVFLXADS0	08007	01272	0341	454	AA BA BC DA GC GD GI GK GR PC PL PN RA RC RD RE RF RJ RK RM RS SA SH SP SQ ST TJ TK TU TW UB UG UK UL UM UN UP UR UU UX UZ WE WG WJ
CYPRESS /	FTLDFLCYDMS	08267	00564	4085	460	DA
CYPRESS LAKE-FORT MYERS 239/258(3000-3999),415,432,433,437,481,482,489 239/745(3000-4999),985(0000-3999),985(7000-7999) 239/985(8000-8999)	CYLKFLXADS0	08386	00898	0341	939	AA BA BC DA GC GD GE GI GK GR HB IA IB IE IG IH II PB PK PN PR RA RC RD RE RF RJ RK RM RS SA SH SP SQ ST TH TJ TK TU TW UB UE UG UJ UK UL UM UP UR UU UX UZ WE WG WJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
CYPRESS LAKE-FORT MYERS	CYLKFLXBRS0	08370	00880	0341	939	AA BA BC DA
239/225(0000-2999),225(4000-4999),225(6000-7999)						GC GD GE GI
239/225(9000-9999),245(6000-6999),561,768						GK GR HB IA
						IB IE IG IH
						II PC PL PN
						PR RA RC RD
						RE RF RJ RK
						RS SA SH SP
						SQ ST SU TJ
						TK TU TW UB
						UG UJ UK UL
						UM UP UR UU
						UX UZ WE WG
						WJ
DADE CITY	DDCYFLXADS1	08068	01147	0341	454	AA BA BC DA
352/458(0000-0999),458(9000-9999),518,521,523(0000-3999)						GC GD GE GI
352/523(5000-5999),523(6000-6999),523(7000-7999)						GK GR IA IC
352/523(8000-8999),523(9000-9999),567						ID IE IH II
						PC PL PN RA
						RC RD RE RF
						RJ RK RM RS
						SA SH SP SQ
						SU TJ TK TU
						TW UB UG UK
						UL UM UN UP
						UR UU UX UZ
						WE WG WJ
DAYTONA BEACH	DYBHFLFNRS0	07799	01057	5191	456	AA BA DA G4
386/274(0000-7999),366(6000-6999)						GC GL GQ GR
						PB PK PR PS
						RC RD RM SV
						TJ
DAYTONA BEACH	DYBHFLMA51W	07793	01048	5191	456	DA GQ GR PB
/						PK PR PS T8
						TB TJ TK XA
						XD

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
DAYTONA BEACH	DYBHFLMABB0	07793	01048	5191	456	DA GQ GR PB
/						PK PR PS T8
						TD TG TJ TK
						XA XD
DAYTONA BEACH	DYBHFLMABB1	07793	01048	5191	456	DA GQ GR PR
/						PS T8 TD TG
						TJ TK XA XD
DAYTONA BEACH	DYBHFLMABB2	07793	01048	5191	456	DA GQ GR PR
/						PS T8 TD TG
						TJ TK XA XD
DAYTONA BEACH	DYBHFLMABB3	07793	01048	5191	456	DA GQ GR PR
/						PS T8 TD TG
						TJ XA XD
DAYTONA BEACH	DYBHFLMABBA	07793	01048	5191	456	DA GQ GR PR
/						PS T8 TJ TK
						TU XA XD
DAYTONA BEACH	DYBHFLMABBC	07793	01048	5191	456	DA GQ GR PR
/						PS T7 T8 TJ
						TK TU XA XD

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
DAYTONA BEACH               DYBHFLMADS0 07793 01048 5191  456 AA BA DA G4
   386/226(0000-0999),226(1000-1999),226(2000-2999)          GC GL GQ GR
   386/226(3000-3999),226(4000-4999),226(6000-6999)          PB PK PR PS
   386/226(7000-7999),226(8000-8999),226(9000-9999)          QB QF RC RD
   386/238(0000-0999),238(1000-1999),238(2000-2999)          RM SV T8 TJ
   386/238(3000-3999),238(4000-4999),238(5000-5999)          TK XA XD
   386/238(6000-6999),238(7000-7999),238(8000-8999)
   386/239(0000-0999),239(2000-2999),239(3000-3999)
   386/239(4000-4999),239(5000-5999),239(6000-6999)
   386/239(7000-7999),239(8000-8999),239(9000-9999)
   386/248(0000-0999),248(1000-1999),248(2000-2999)
   386/248(3000-3999),248(8000-8999),252,253,254(0000-8999)
   386/255,257,258,310(5000-6999),323,425,453(2000-2999)
   386/481(1000-2999),481(5000-5999),481(6000-6999)
   386/506(3000-4999),681(0000-6999),681(9000-9999)
   386/947(0000-0999),947(1000-1999),947(2000-2999)
   386/947(3000-3999),947(4000-4999),947(5000-5999)
   386/947(6000-6999),947(8000-8999),947(9000-9999)
.......................................................................
DAYTONA BEACH               DYBHFLMADS3 07793 01048 4400  456 DA
   386/523(0000-3999),523(9000-9999)
.......................................................................
DAYTONA BEACH               DYBHFLMAK31 07793 01048 5191  456 DA GQ GR PR
      /                                                        PS T8 TJ TK
                                                               UE VB XA XD
.......................................................................
DAYTONA BEACH               DYBHFLMAK97 07793 01048 5191  456 DA GQ GR PB
      /                                                        PK PR PS SP
                                                               T8 TJ TK UE
                                                               UG XA XD
.......................................................................
DAYTONA BEACH               DYBHFLMAK99 07793 01048 5191  456 DA GQ GR PB
      /                                                        PK PR PS T8
                                                               TJ TK UB UE
                                                               UG UP XA XD
                                                               ZY
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
DAYTONA BEACH 386/202(8000-8999),210(8000-8999),263(6000-6999) 386/402(9000-9999),597(8000-8999),693(2000-2999) 386/873(3000-3999),944(6000-6999)	DYBHFLMAX2Y	07793	01048	4400	456	DA
DAYTONA BEACH 386/231,615,671,672,673,676,677	DYBHFLOBDS0	07784	01062	5191	456	AA BA DA G4 GC GD GL GQ GR PB PK PR PS RC RD RM SJ SV TJ TK
DAYTONA BEACH /	DYBHFLOBK99	07784	01062	5191	456	DA GQ GR PR PS TJ TK UB UE UG UP ZY
DAYTONA BEACH 386/441	DYBHFLOSRS0	07774	01068	5191	456	DA GC GD GQ GR PB PK PR PS RC RD RM SJ SV TJ
DAYTONA BEACH /	DYBHFLPO01T	07803	01035	5191	456	DA G2 G3 G8 GB GQ GR PB PK PR PS T8 TJ TK
DAYTONA BEACH 386/304,322,756,760,761,763,767,788	DYBHFLPODS0	07803	01035	5191	456	AA BA DA G4 G8 GC GK GL GQ GR PB PK PR PS RC RD RM SV T8 TJ TK
DAYTONA BEACH /	DYBHFLPOK99	07803	01035	5191	456	DA G8 GQ GR PR PS T8 TJ TK UB UG UP ZY

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
DAYTONA BEACH               DYBHFLWSXAY 07792 01051 8692  456 DA DD
   386/246(1000-1999),263(1000-1999),626(1000-1999)
   386/663(1000-1999),944(0000-0999),944(1000-1999)
   386/944(2000-2999),944(3000-3999),944(4000-4999)
   386/944(5000-5999),944(7000-7999)
.......................................................................
DAYTONABCH                  DYBHFLPOXFX 07803 01035 7985  456 GR
   386/202(7000-7999),210(6000-6999),270(7000-7999)
   386/276(7000-7999),309(7000-7999),317(7000-7999)
   386/384(6000-6999),444(7000-7999),507(7000-7999)
.......................................................................
DAYTONBCH                   DYBHFLMAX5X 07793 01049 8664  456 BA DA
   386/202(3000-3999),206(3000-3999),233(2000-2999)
   386/233(3000-3999),233(9000-9999),277(3000-3999)
   386/345(8000-8999),626(2000-2999),626(3000-3999)
   386/626(5000-5999),663(4000-4999),663(7000-7999)
   386/663(8000-8999),693(3000-3999),864(7000-7999)
   386/864(8000-8999),888(3000-3999)
.......................................................................
DE FUNIAK SPRINGS           DFSPFLXADS0 07991 02048 0340  448 AA BA DA DD
   850/307(1000-1999),307(9000-9999),892,951(0000-2999)      GC GD GI GK
   850/951(4000-9999)                                        GR II PC PL
                                                             PN RC RD RE
                                                             SA SH SP SQ
                                                             TJ TU TW UP
                                                             UR WE WG WJ
.......................................................................
DEBARY                      DBRYFLDLDS0 07877 01047 5191  458 AA BA DA G4
   386/574,575(0000-0999),575(1000-1999),575(2000-2999)      GL GQ GR PC
   386/575(3000-3999),575(5000-5999),860                     PL PR PS RC
                                                             RD SJ SV TJ
.......................................................................
DEBARY                      DBRYFLMARS1 07884 01058 5191  458 AA BA DA G4
   386/668(1000-2999),753(0000-2999),753(9000-9999)          GL GQ GR PC
                                                             PL PR PS RC
                                                             RD SJ SV TJ
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
DEERFIELD BEACH             DRBHFLMABBA 08242 00572 5191  460 DA GQ GR PR
     /                                                          PS TJ TK TU
                                                                XA
.......................................................................
DEERFIELD BEACH             DRBHFLMADS0 08242 00572 5191  460 AA BA DA G4
   954/360,363(3000-6999),418(0000-1999),418(3000-6999)         GC GL GQ GR
   954/418(8000-9999),419,420(0000-8999),421,422(0000-1999)     PA PJ PR PS
   954/422(4000-9999),425(0000-1999),425(3000-5999)             RC RD RM SL
   954/425(7000-9999),426,427,428,429,480(0000-6999)            SV TJ TK XA
   954/480(8000-9999),481,570,571,574,596,671(2000-2999)
   954/698,725,949(2000-4999)
.......................................................................
DEERFIELD BEACH             DRBHFLMAK01 08242 00572 5191  460 DA GQ GR PA
     /                                                          PJ PR PS TJ
                                                                TK UB UE UG
                                                                UP XA ZY
.......................................................................
DEERFIELD MAIN              DRBHFLMADMS 08242 00572 4085  460 DA
     /
.......................................................................
DELAND                      DELDFLMADS0 07857 01074 5191  456 AA BA DA G4
   386/626(6000-6999),626(7000-7999),734,736,738,740            GC GL GQ GR
   386/785(0000-2999),822,943                                   PC PL PR PS
                                                                RC RD RM SV
                                                                TJ TK
.......................................................................
DELAND                      DELDFLMAK99 07857 01074 5191  456 DA GQ GR PC
     /                                                          PL PR PS TJ
                                                                TK UB UE UG
                                                                UP ZY
.......................................................................
DELEON SPRINGS              DLSPFLMARS0 07843 01091 5191  456 BA DA GC GD
   386/985(0000-0999),985(1000-1999),985(2000-2999)             GL GQ GR PC
   386/985(3000-3999),985(4000-4999),985(5000-5999)             PL PR PS RC
   386/985(6000-6999),985(7000-7999),985(9000-9999)             RD SV TJ
.......................................................................
DELRAY BEACH                DLBHFLKPBBA 08219 00594 5191  460 DA GQ GR PR
     /                                                          PS TJ TK TU
                                                                XA

=======================================================================
```

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
DELRAY BEACH	DLBHFLKPDS0	08219	00594	5191	460	AA BA DA G4
561/495,496,498,499,637,638,865(0000-4999)						GC GL GQ GR
561/865(8000-9999),894(7000-7999)						PC PL PR PS
						QB QF RC RD
						RM SL SV TJ
						TK XA
DELRAY BEACH	DLBHFLKPK01	08219	00594	5191	460	DA GQ GR PR
/						PS TJ TK UB
						UE UG UP XA
						ZY
DELRAY BEACH	DLBHFLKPRS0	08219	00594	5191	460	AA BA DA G4
561/381(0000-0999),381(2000-2999),381(3000-3999)						GC GQ GR PC
561/381(4000-4999),381(5000-5999),381(6000-6999)						PL PR PS QB
561/381(7000-7999),381(8000-8999)						QF RC RD RM
						SL SV TJ TK
						XA
DELRAY BEACH	DLBHFLMADS0	08210	00583	5191	460	AA BA DA G4
561/243,265(0000-4999),265(6000-9999),266(0000-2999)						GC GL GQ GR
561/266(5000-9999),272,274(0000-0999),274(1000-1999)						PC PL PR PS
561/274(2000-2999),274(3000-3999),274(4000-4999)						QB QF RC RD
561/274(6000-6999),274(7000-7999),274(8000-8999)						RM SL SV TJ
561/274(9000-9999),276,278,279(0000-0999),279(1000-1999)						TK XA
561/279(2000-2999),279(4000-4999),279(7000-9999),280						
561/330(0000-3999),330(6000-6999),330(7000-7999)						
561/330(8000-8999),330(9000-9999)						
DELRAY BEACH	DLBHFLMAK01	08210	00583	5191	460	DA GQ GR PC
/						PL PR PS TJ
						TK UB UE UG
						UP XA ZY

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
DELRAY BEACH 561/438,454(0000-7999)	DLBHFLMARS0	08210	00583	5191	460	AA BA DA G4 GC GL GQ GR PC PL PR PS QB QF RC RD SL SV TJ TK XA
DELRAY BEACH /	DLBHFLMARS3	08211	00583	8664	460	DA DD G2 GD GE GJ GN GQ HB HC IA IB IC IF IG IH II QA
DESTIN /	DESTFLST2MD	08088	02080	4400	448	DA
DESTIN 850/344(2000-2999),344(6000-6999),881,884	DESTFLSTDS1	08088	02080	4400	448	DA
DESTIN 850/269,650,654,837	DESTFLXADS0	08087	02076	0340	448	AA BA DA DD GC GD GI GK GR II PB PK PN PR RC RD RE SA SH SP SQ TJ TU TW UB UP UR WE WG WJ
DOWLING PARK 386/658(4000-4999)	DWPKFLXARP0	07812	01521	0336	452	AA DA GC GD GE GI GL GN GR HB HD II RA RC RD RH SJ SP SQ TJ UM UP UU UW VA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
DOWLING PARK	DWPKFLXARS0	07812	01521	0336	452	AA DA GC GD
386/658(0000-3999),658(5000-9999)						GE GI GL GN
						GR HB HD II
						RA RC RD RH
						SJ SP SQ TJ
						UM UP UU UW
						VA
DUNNELLON	DNLNFLWMK01	07966	01267	5191	454	DA GQ GR TJ
/						UB UE UG UP
						ZY
DUNNELLON	DNLNFLWMRS0	07966	01267	5191	454	AA BA DA G5
352/465,489,522						GC GQ GR PC
						PL RC RD SJ
						SV TJ
EAST ORANGE	EORNFLMARS0	07925	00984	5191	458	BA DA G4 GL
407/368(8000-8999),568						GQ GR PC PL
						PR PS RC RD
						SJ SV T9 TJ
						XA
EAU GALLIE	EGLLFLBGDS0	07958	00867	5191	458	AA BA DA G4
321/242,253,254,255,259,751,752,757(0000-0999)						GC GL GQ GR
321/757(3000-3999),757(5000-9999)						PC PL PR PS
						RC RD RM SJ
						SV TJ XA
EAU GALLIE	EGLLFLBGK99	07958	00867	5191	458	DA GQ GR PC
/						PL PR PS TJ
						UB UE UG UP
						XA ZY
EAU GALLIE	EGLLFLIHDS0	07947	00858	5191	458	BA DA GC GL
321/773,777,779						GQ GR PC PL
						PR PS RC RD
						RM SJ SV TJ
						XA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ENGLEWOOD	ENWDFLXA47H	08349	01023	0328	952	AA BA DA DD
941/460(0000-0999),460(1000-1999),460(2000-2999)						GC GD GE GG
941/460(9000-9999),473(0000-0999),473(1000-1999)						GJ GN GR HB
941/473(2000-2999),473(3000-3999),473(4000-4999)						HD II PB RC
941/473(5000-5999),473(7000-7999),473(8000-8999)						RD SH SQ TB
941/473(9000-9999),474,475						TG TI TJ TU
						TW UG UR VM
						WD WE WF WG
						WH WI WJ
EUSTIS	ESTSFLXADS0	07926	01116	0341	454	AA BA BC DA
352/357,483(0000-5999),483(7000-9999),589						GC GD GI GK
						GR IA IC PC
						PL PN PS RA
						RC RD RE RF
						RJ RK RM RS
						SA SH SP SQ
						SU TJ TK TU
						TW UB UG UK
						UL UM UN UP
						UR UU UX UZ
						WE WG WJ
EVERGLADES	EVRGFLXARS1	08459	00739	0341	939	AA BA BC DA
239/695(0000-4999),695(9000-9999)						GC GD GI GK
						GR PC PL PN
						RA RC RD RE
						RJ RK RM RS
						SA SH SQ ST
						SU TJ TU TW
						UB UG UK UL
						UM UP UR UU
						UX UZ WE WG
						WJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
FEATHER SOUND               FHSDFLXA57H 08206 01178 0328  952 AA BA DA DD
   727/227,299,537(1000-1999),537(2000-2999),537(3000-3999)  GC GD GE GR
   727/537(4000-4999),537(5000-5999),537(7000-7999)          HB RC RD SH
   727/537(8000-8999),540,556,561,564(5000-5999),566,567     SQ TG TU UR
   727/571,572,573,574,575(0000-4999),575(5000-5999)         WD WE WF WG
   727/575(6000-6999),575(8000-8999),592(0000-0999)          WH WI WJ
   727/592(3000-3999),592(6000-6999),592(7000-7999)
   727/592(9000-9999),872
.......................................................................
FEATHER SOUND               FHSDFLXARS0 08206 01178 0328  952 AA DA GG GJ
   727/557(0000-0999),557(1000-1999)                         GM GN GR HD
                                                             II PA TB TI
                                                             TJ TU TW UG
                                                             VM
.......................................................................
FERNANDINA BEACH            FRBHFLFPDS0 07569 01278 5191  452 AA BA DA G5
   904/206(4000-4999),261,277,321(0000-5999),491(0000-1999)  GC GD GL GQ
   904/491(3000-9999)                                        GR PC PL PR
                                                             PS RC RD SJ
                                                             T9 TJ TK XA
.......................................................................
FERNANDINA BEACH            FRBHFLFPK99 07569 01278 5191  452 DA GQ GR PC
      /                                                      PL PR PS T9
                                                             TJ TK UB UG
                                                             UP XA ZY
.......................................................................
FLA. SHERIFFS BOYS RANCH    BORAFLXARS1 07762 01506 0336  452 AA DA GC GD
   386/842                                                   GE GI GL GN
                                                             GR HB HD II
                                                             RA RC RD RH
                                                             SP SQ TJ UM
                                                             UP UU VA
.......................................................................
FLAGLER BEACH               FLBHFLMARS0 07754 01095 5191  456 BA DA G4 GC
   386/439,517(2000-2999),517(6000-9999)                     GD GL GQ GR
                                                             PC PL SJ SV
                                                             TJ
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
FLORAHOME	FLRHFLXADS1	07782	01246	0336	452	AA DA GC GD
386/659(0000-2999),659(9000-9999),661(0000-2999)						GI GL GN GR
						HD II RA RC
						RD RH SP SQ
						TJ UM UP UU
						UW VA
FLORAHOME	FLRHFLXAPS0	07782	01246	0336	452	AA DA GC GD
386/662(4000-4999)						GE GI GL GN
						GR HB HD II
						RA RC RD RH
						SJ SP SQ TJ
						UM UP UU UW
						VA
FLORALA	PNSCFLFN0MD	08130	02211	7469	448	BA DA
334/767(3000-3999)						
FORT CAROLINE	JCVLFLFCDMS	07634	01268	4085	452	DA
/						
FORT GEORGE	FTGRFLMARS0	07614	01247	5191	452	AA BA DA G5
904/251(0000-3999),251(7000-9999)						GC GD GL GQ
						GR PC PL PR
						PS SJ T9 TJ
FORT LAUDERDALE	FTLDFLCRDS0	08270	00558	5191	460	AA DA G4 GC
954/390,396,398(2000-2999),398(6000-6999),398(7000-7999)						GL GQ GR PA
954/398(8000-8999),398(9000-9999),537,561,563,564,565						PJ PR PS RC
954/566,567,568(0000-0999),568(1000-1999),568(2000-2999)						RD RM SV T9
954/568(3000-3999),568(4000-4999),568(5000-5999)						TJ TK
954/568(6000-6999),568(7000-7999),568(9000-9999)						
954/630(0000-4999),630(8000-9999)						
FORT LAUDERDALE	FTLDFLCRK01	08270	00558	5191	460	DA GQ GR PR
/						PS T9 TJ TK
						UB UE UG UP
						ZY

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
FORT LAUDERDALE	FTLDFLCYBB0	08266	00564	5191	460	DA GQ GR PR
/						PS T9 TD TG
						TJ TK XA
FORT LAUDERDALE	FTLDFLCYBB1	08266	00564	5191	460	DA GQ GR PR
/						PS T9 TD TG
						TJ TK XA
FORT LAUDERDALE	FTLDFLCYBB2	08266	00564	5191	460	DA GQ GR PR
/						PS T9 TD TG
						TJ TK XA
FORT LAUDERDALE	FTLDFLCYBB3	08266	00564	5191	460	DA GQ GR PR
/						PS T9 TD TG
						TJ TK XA
FORT LAUDERDALE	FTLDFLCYBB4	08266	00564	5191	460	DA GQ GR PR
/						PS T9 TD TG
						TJ TK XA
FORT LAUDERDALE	FTLDFLCYBB5	08266	00564	5191	460	DA GQ GR PR
/						PS T9 TD TG
						TJ TK XA
FORT LAUDERDALE	FTLDFLCYBB6	08266	00564	5191	460	DA GQ GR PR
/						PS T9 TD TG
						XA
FORT LAUDERDALE	FTLDFLCYBB7	08266	00564	5191	460	DA GQ GR PR
/						PS T9 TD TG
						TJ TK XA
FORT LAUDERDALE	FTLDFLCYBB8	08266	00564	5191	460	DA GQ GR PR
/						PS T9 TD TG
						TJ TK XA
FORT LAUDERDALE	FTLDFLCYBB9	08266	00564	5191	460	DA GQ GR PR
/						PS T9 TD TG
						XA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY ---------NPA/NXX----------	CLLI ----------	WCV ---	WCH ---	CC ---	LATA ---	OFFICE TYPE -- -- -- --
FORT LAUDERDALE /	FTLDFLCYBBA	08266	00564	5191	460	DA GQ GR PR PS T7 T9 TJ TK TU XA
FORT LAUDERDALE /	FTLDFLCYBBU	08266	00564	5191	460	DA GQ GR PR PS T9 TD TG XA
FORT LAUDERDALE 954/202,229(0000-3999),229(5000-9999),267,351 954/489(0000-7999),489(9000-9999),490,491,492,493,550 954/598(7000-7999),689(0000-1999),689(3000-9999),771,772 954/776,928,938,940(3000-7999),958	FTLDFLCYDS0	08266	00564	5191	460	AA DA G4 GC GL GQ GR PA PJ PR PS QB QF RC RD RM SL SV T9 TJ TK XA
FORT LAUDERDALE /	FTLDFLCYK01	08266	00564	5191	460	DA GQ GR PA PJ PR PS SL T9 TJ TK UB UE UG UP XA ZY
FORT LAUDERDALE /	FTLDFLJABBA	08296	00581	5191	460	DA GQ GR PR PS TJ TK TU XA
FORT LAUDERDALE 754/312(8000-9999) 954/201,236,262,370,382,423,424,452,472,473,474 954/475(0000-5999),475(7000-9999),476,503,512(2000-2999) 954/512(5000-6999),577,625(2000-2999),625(3000-3999) 954/625(6000-8999),652(3000-3999),652(5000-5999) 954/652(7000-7999),693(0000-4999),693(7000-9999),723 954/915(0000-0999),915(2000-2999),915(6000-6999) 954/915(8000-8999),915(9000-9999),916(0000-6999) 954/916(8000-9999)	FTLDFLJADS0	08296	00581	5191	460	AA DA G4 GC GD GE GL GQ GR PA PJ PR PS QB QF RC RD RM SL SV TJ TK XA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
FORT LAUDERDALE	FTLDFLJAK01	08296	00581	5191	460	DA GQ GR PA
/						PJ PR PS TJ
						TK UB UE UG
						UP XA ZY
FORT LAUDERDALE	FTLDFLMRDS0	08281	00558	5191	460	AA DA G4 GC
754/321						GE GL GQ GR
954/320(2000-3999),320(5000-5999),320(8000-8999)						PA PJ PR PS
954/320(9000-9999),348(6000-6999),355,356(0000-0999)						QB QF RC RD
954/356(3000-9999),357(4000-9999),459(2000-2999)						RM SL SV T9
954/459(6000-9999),462,463,467,468,519(0000-1999)						TJ TK XA
954/519(3000-4999),519(6000-9999),522,523,524,525,527						
954/627(0000-0999),627(3000-3999),627(5000-9999),712						
954/713(0000-8999),728(1000-9999),759(0000-0999)						
954/759(4000-9999),760,761(0000-4999),761(6000-9999)						
954/762(0000-6999),762(8000-9999),763,764,765(0000-5999)						
954/765(7000-9999),766(0000-1999),766(2000-2999)						
954/766(3000-3999),766(5000-9999),767,768,769(2000-9999)						
954/779(0000-5999),779(7000-9999),828(1000-1999)						
954/828(3000-9999),831(0000-8999),832(0000-2999)						
954/832(4000-5999),832(7000-9999),847,848(0000-0999)						
954/848(6000-9999),888(0000-0999),888(1000-1999)						
954/888(2000-2999),888(3000-3999),888(4000-4999)						
954/888(5000-5999),888(6000-6999),888(7000-7999)						
954/888(9000-9999)						
FORT LAUDERDALE	FTLDFLMRK01	08281	00558	5191	460	DA GQ GR PR
/						PS T9 TJ TK
						UB UE UG UP
						XA ZY
FORT LAUDERDALE	FTLDFLMRK30	08281	00558	5191	460	DA GQ GR PA
/						PJ PR PS T9
						TJ TK UB UE
						UG UP XA ZY

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
FORT LAUDERDALE	FTLDFLOADS0	08280	00573	5191	460	AA DA GC GL
754/322,323						GQ GR PA PJ
954/484,485,486,497,535,676(0000-3999),676(5000-9999)						PR PS RC RD
954/677,714,717,730(0000-0999),730(2000-9999),731,733						RE RF RG RH
954/735,739,777,809(0000-0999),809(2000-2999)						RM SJ SN SV
954/809(7000-7999),839(1000-1999)						TJ TK
FORT LAUDERDALE	FTLDFLOAK01	08280	00573	5191	460	DA GQ GR PA
/						PJ PR PS TJ
						TK UB UE UG
						UP ZY
FORT LAUDERDALE	FTLDFLPL13T	08288	00568	5191	460	DA GB GQ GR
/						PR PS XA
FORT LAUDERDALE	FTLDFLPLBB0	08288	00568	5191	460	DA GQ GR PA
/						PJ PR PS TD
						TG TJ TK XA
FORT LAUDERDALE	FTLDFLPLBB1	08288	00568	5191	460	DA GQ GR PR
/						PS TD TG TJ
						TK XA
FORT LAUDERDALE	FTLDFLPLBB2	08288	00568	5191	460	DA GQ GR PR
/						PS TD TG TJ
						TK XA
FORT LAUDERDALE	FTLDFLPLBB3	08288	00568	5191	460	DA GQ GR PR
/						PS TD TG TJ
						TK XA
FORT LAUDERDALE	FTLDFLPLBB4	08288	00568	5191	460	DA GQ GR PR
/						PS TD TG TJ
						TK XA
FORT LAUDERDALE	FTLDFLPLBB5	08288	00568	5191	460	DA GQ GR PR
/						PS TD TG TJ
						TK XA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
FORT LAUDERDALE /	FTLDFLPLBB6	08288	00568	5191	460	DA GQ GR PR PS TD TG TJ TK XA
FORT LAUDERDALE /	FTLDFLPLBB7	08288	00568	5191	460	DA GQ GR PR PS TD TG TJ TK XA
FORT LAUDERDALE /	FTLDFLPLBB8	08288	00568	5191	460	DA GQ GR PR PS TD TG XA
FORT LAUDERDALE /	FTLDFLPLBB9	08288	00568	5191	460	DA GQ GR PR PS TD TG XA
FORT LAUDERDALE /	FTLDFLPLBBA	08288	00568	5191	460	DA GQ GR PR PS T7 TJ TK TU XA
FORT LAUDERDALE /	FTLDFLPLBBC	08288	00568	5191	460	DA GQ GR PR PS TU XA
FORT LAUDERDALE /	FTLDFLPLBBE	08288	00568	5191	460	DA GQ GR PR PS TU XA
FORT LAUDERDALE 954/316,321,327,513(2000-2999),513(6000-6999),581,583 954/584,585(0000-6999),585(8000-8999),587,791,792,797 954/797	FTLDFLPLDS0	08288	00568	5191	460	AA DA G4 GC GL GQ GR PA PJ PR PS QB QF RC RD RM SL SV TJ TK XA
FORT LAUDERDALE /	FTLDFLPLG1W	08288	00568	5191	460	DA GQ GR PA PJ PR PS TA TJ TK XA
FORT LAUDERDALE /	FTLDFLPLK01	08288	00568	5191	460	DA GQ GR PA PJ PR PS TJ TK UB UE UG UP XA ZY

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
FORT LAUDERDALE             FTLDFLSGDS0 08299 00591 5191  460 AA DA G4 GB
   954/514(0000-6999),514(8000-8999),835(0000-3999)          GC GD GL GQ
   954/835(6000-9999),837(0000-1999),837(4000-5999)          GR PA PJ PR
   954/838(0000-0999),838(1000-1999),838(2000-2999)          PS RC RD RM
   954/838(3000-3999),838(4000-4999),838(6000-6999)          SL SV TJ TK
   954/838(7000-7999),838(8000-8999),838(9000-9999)
   954/839(2000-3999),845(0000-2999),845(4000-9999),846
   954/851(0000-1999),851(7000-9999),858(0000-4999)
   954/858(7000-7999),858(9000-9999),880(6000-6999)
.......................................................................
FORT LAUDERDALE             FTLDFLSGK01 08299 00591 5191  460 DA GQ GR PA
      /                                                      PJ PR PS TJ
                                                             TK UB UE UG
                                                             UP ZY
.......................................................................
FORT LAUDERDALE             FTLDFLSU61W 08285 00583 5191  460 DA GQ GR PA
      /                                                      PJ PR PS TA
                                                             TJ TK
.......................................................................
FORT LAUDERDALE             FTLDFLSUK01 08285 00583 5191  460 DA GQ GR PR
      /                                                      PS TJ TK UB
                                                             UE UG UP ZY
.......................................................................
FORT LAUDERDALE             FTLDFLSURP0 08285 00583 5191  460 AA DA G4 GC
   954/572,578,741,742,746,747,748,749                       GL GQ GR PA
                                                             PJ PR PS RC
                                                             RD RM SL SV
                                                             TJ TK
.......................................................................
FORT LAUDERDALE             FTLDFLWNDS0 08309 00595 5191  460 AA BA DA GC
   954/217,306(0000-0999),306(4000-5999),306(7000-7999),349  GL GQ GR PA
   954/358(6000-6999),384,385,389,446(6000-6999)             PJ PR PS RC
   954/515(0000-1999),515(3000-4999),598(8000-8999),659      RD RM SL SV
   954/660(0000-0999),660(3000-4999)                         TJ TK
.......................................................................
FORT LAUDERDALE             FTLDFLWNK01 08309 00595 5191  460 DA GQ GR PR
      /                                                      PS TJ TK UB
                                                             UE UG UP ZY
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
FORT MEADE                  FTMDFLXARS0 08144 01016 0341  939 AA BA DA GI
   863/285(0000-2999),285(6000-6999),285(7000-7999)          GK GM GR PC
   863/285(8000-8999),285(9000-9999)                         PL PN RA RC
                                                             RD RE RF RJ
                                                             RK RM RS SA
                                                             SH SP SQ ST
                                                             SU TJ TU TW
                                                             UB UG UK UL
                                                             UM UP UR UU
                                                             UX UZ WE WG
                                                             WJ
.......................................................................
FORT MEYERS                 FTMYFL3900T 08360 00906 937C  939 DA
     /
.......................................................................
FORT MYERS                  FTMYFL39DS0 08360 00906 8692  939 DA DD
   239/215(5000-5999),215(8000-8999),216(4000-4999)
   239/249(6000-6999),259(1000-1999),259(2000-2999)
   239/280(1000-5999),284(1000-1999),298(5000-5999)
   239/298(7000-7999),302(1000-1999),302(4000-4999)
   239/307(3000-3999),312(1000-1999),313(2000-2999)
   239/313(4000-4999),314(0000-0999),314(1000-1999)
   239/314(2000-2999),322(1000-1999),377,384(5000-5999)
   239/384(6000-6999),393(5000-5999),425(0000-4999)
   239/425(6000-6999),425(8000-9999),431(2000-2999)
   239/443(1000-4999),444(1000-1999),444(2000-2999)
   239/444(3000-3999),444(4000-4999),444(5000-5999)
   239/444(6000-6999),449(1000-1999),449(2000-2999)
   239/449(3000-3999),449(4000-4999),449(5000-5999),500
   239/567(5000-5999),579(1000-1999),579(2000-2999)
   239/579(5000-5999),628(4000-4999),652(8000-8999)
   239/673(3000-3999),674(1000-1999),687(1000-1999)
   239/690(4000-4999),690(7000-7999),738(7000-7999)
   239/829(1000-1999),834(6000-6999),900(8000-8999)
   239/919(5000-5999),963(3000-3999),985(4000-4999)
   239/985(6000-6999)
   941/214(1000-1999),235(6000-6999),347(3000-3999)
   941/347(6000-6999),467(1000-1999)
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
FORT MYERS                  FTMYFL39DS1 08360 00906 8692  939 DA DD
   239/232(1000-1999),270(7000-7999),301(5000-5999)
   239/318(3000-3999),558(2000-2999),789(4000-4999)
   239/842(5000-5999),900(2000-2999)
   863/485(2000-2999),885(3000-3999)
.......................................................................
FORT MYERS                  FTMYFLXA04T 08360 00906 0341  939 G2 G3 G8 GB
      /
.......................................................................
FORT MYERS                  FTMYFLXADS0 08360 00906 0341  939 AA BA BC DA
   239/226,321(7000-8999),332,334,335,336(0000-2999)         GC GD GE GI
   239/336(3000-3999),336(5000-8999),337,338(0000-6999)      GK GR HB IA
   239/338(9000-9999),339(0000-2999),339(4000-6999)          IB IE IG IH
   239/339(8000-9999),343,344(0000-5999),461,476(6000-6999)  II PB PK PN
   239/476(7000-7999),476(8000-9999),477,479,938(8000-8999)  PR RA RC RD
   239/938(8000-8999)                                        RE RF RJ RK
                                                             RM RS SA SH
                                                             SP SQ ST SU
                                                             SW T1 T7 TH
                                                             TJ TK TU TW
                                                             UB UE UG UJ
                                                             UK UL UM UN
                                                             UP UR UU UX
                                                             UZ WE WG WJ
.......................................................................
FORT MYERS                  FTMYFLXADS2 08360 00906 4400  939 DA
   239/210(0000-0999),210(2000-4999),210(6000-7999)
   239/210(9000-9999),217(5000-5999),260(2000-2999)
   239/260(8000-8999),673(5000-5999),674(5000-5999)
   239/675(5000-5999),677(2000-2999),687(2000-2999)
   239/687(5000-5999),687(7000-7999),908(2000-2999)
   239/919(1000-1999),970(3000-3999)
   863/230(4000-4999)
   941/467(7000-7999),676(1000-1999),979(4000-4999)
.......................................................................
FORT MYERS                  FTMYFLXAPS0 08360 00906 0341  939 IP
      /
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
FORT MYERS                  FTMYFLXAX6Y 08360 00906 8664  939 BA DA
   239/207(3000-3999),214(3000-3999),221(6000-6999)
   239/265(9000-9999),282(7000-7999),325(6000-6999)
   239/503(3000-3999),652(2000-2999),829(2000-2999)
   863/302(3000-3999)
   941/347(5000-5999),979(3000-3999)
.......................................................................
FORT MYERS                  FTMYFLXAXEY 08360 00906 7448  939 BA DA
   239/224(3000-3999),249(5000-5999),271(3000-3999)
   239/312(3000-3999),315(3000-3999),317(3000-3999)
   239/322(3000-3999),330(3000-3999),351(5000-5999)
   239/362(9000-9999),451(3000-3999),471(3000-3999)
   239/558(3000-3999),599(3000-3999),674(6000-6999)
   239/675(3000-3999),676(3000-3999),687(3000-3999)
   239/785(3000-3999),789(3000-3999),829(8000-8999)
   239/970(4000-4999),985(5000-5999)
   727/264(5000-5999)
   863/263(3000-3999),265(3000-3999),344(4000-4999)
   863/451(3000-3999),473(5000-5999),486(3000-3999)
   863/517(3000-3999),623(3000-3999),659(3000-3999)
   863/784(3000-3999)
   941/467(3000-3999),676(3000-3999),828(5000-5999)
.......................................................................
FORT MYERS                  FTMYFLXAXYY 08360 00906 4400  939 DA
   863/231(3000-3999),231(9000-9999)
.......................................................................
FORT MYERS                  FTMYFLXBDS0 08349 00901 0341  939 AA BA BC DA
   239/690(0000-0999),690(1000-1999),690(2000-2999)          GC GD GI GK
   239/690(3000-3999),690(5000-5999),690(8000-8999)          GR PC PL PN
   239/690(9000-9999),693,694                                PR RA RC RD
                                                             RE RF RJ RK
                                                             RM RS SA SH
                                                             SP SQ ST SU
                                                             TJ TK TU TW
                                                             UB UG UK UL
                                                             UM UP UR UU
                                                             UX UZ WE WG
                                                             WJ
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
FORT MYERS	NPLSFLGF3MD	08427	00827	7985	939	GR
239/215(6000-6999),215(7000-7999),217(8000-8999)						
239/221(5000-5999),224(7000-7999),231(7000-7999)						
239/232(7000-7999),312(7000-7999),318(6000-6999)						
239/558(7000-7999),631(7000-7999),674(8000-8999)						
239/675(7000-7999),800(7000-7999),970(7000-7999)						
239/984(7000-7999)						
863/212(7000-7999),222(7000-7999),230(7000-7999)						
863/235(7000-7999),265(7000-7999),301(7000-7999)						
863/304(7000-7999),328(7000-7999),344(7000-7999)						
863/431(7000-7999),484(7000-7999),531(7000-7999)						
863/722(7000-7999)						
941/830(7000-7999),855(7000-7999),883(7000-7999)						
FORT MYERS BEACH	FTMBFLXADS0	08404	00896	0341	939	AA BA DA GC
239/463,765						GD GI GK GR
						PC PL PN PR
						RA RC RD RE
						RF RJ RK RM
						RS SA SH SP
						SQ ST SU TJ
						TK TU TW UB
						UG UK UL UM
						UP UR UU UX
						UZ WE WG WJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
FORT MYERS SOUTH	FTMYFLXCDS2	08367	00903	0341	939	AA BA BC DA
239/274,275,277,278,346,418,931,936,938(0000-3999)						GC GD GI GJ
239/938(7000-7999),938(9000-9999),939						GK GR HB IA
						IB IE IG IH
						II PA PJ PN
						PR RA RC RD
						RE RF RJ RK
						RM RS SA SH
						SP SQ ST SU
						TH TJ TK TU
						TW UB UE UG
						UK UL UM UP
						UR UU UX UZ
						WE WG WJ
FORT PIERCE	FTPRFLMABB0	08053	00736	5191	460	DA GQ GR TD
/						TG TJ UK XA
FORT PIERCE	FTPRFLMABB1	08053	00736	5191	460	DA GQ GR TD
/						TG TJ UK XA
FORT PIERCE	FTPRFLMABB2	08053	00736	5191	460	DA GQ GR TD
/						TG TJ XA
FORT PIERCE	FTPRFLMABB3	08053	00736	5191	460	DA GQ GR TD
/						TG TJ XA
FORT PIERCE	FTPRFLMADS0	08053	00736	5191	460	AA BA DA G4
772/242(2000-2999),250,429(0000-8999),429(9000-9999),460						GC GL GQ GR
772/461,462,464,465,466,467,468,489(0000-0999)						PC PL QB QF
772/489(2000-9999),595(0000-1999),595(3000-3999)						RC RD RM TJ
772/595(5000-6999),595(8000-9999)						UK XA
FORT PIERCE	FTPRFLMAK01	08053	00736	5191	460	DA GQ GR PC
/						PL TJ UB UE
						UG UK UP XA
						ZY

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
FORT WALTON BEACH           FTWBFLXA02T 08094 02097 0340  448 G2 G3 G8 GB
     /                                                        II
.......................................................................
FORT WALTON BEACH           FTWBFLXADS0 08094 02097 0340  448 AA BA DA GC
   850/200(1000-1999),200(9000-9999),243,244,301,302         GD GI GK GR
   850/362(0000-0999),362(1000-1999),362(4000-4999)          HD PB PK PN
   850/362(5000-5999),664,796,833,986                        PR RC RD RE
                                                             SA SH SP SQ
                                                             T1 TH TJ TU
                                                             TW UP UR WE
                                                             WG WJ
.......................................................................
FORT WALTON BEACH           FTWBFLXAX5X 08094 02097 7985  448 GR          (C)
   217/989(7000-7999)                                                      (C)
   251/931(7000-7999)                                                      (C)
   850/203(7000-7999),279(7000-7999),306(7000-7999)                        (C)
   850/359(7000-7999),399(7000-7999),400(7000-7999)                        (C)
   850/401(7000-7999),604(6000-6999),605(7000-7099)                        (C)
   850/608(7000-7999),613(7000-7999),652(7000-7999)                        (C)
   850/667(7000-7999),679(7000-7999),684(7000-7999)                        (C)
   850/714(6000-6999),760(5000-5999),783(6000-6999)                        (C)
   850/812(7000-7999),836(1000-1999),859(7000-7999)                        (C)
   850/880(7000-7999),889(9000-9999)                                       (C)
.......................................................................
FORT WALTON BEACH           FTWBFLXBDS0 08090 02104 0340  448 AA BA DA DD
   850/314,315,862,863,864                                   GC GD GI GK
                                                             GR II PC PL
                                                             PN PR RC RD
                                                             RE RS SA SH
                                                             SP SQ ST TB
                                                             TJ TU TW UB
                                                             UP UR WE WG
                                                             WJ
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
FORT WALTON BEACH	FTWBFLXCRS0	08105	02119	0340	448	AA BA DA GI
850/581						GK GR PC PL
						PN PR RC RD
						RE SA SH SP
						SQ ST TB TJ
						TU TW UB UP
						UR WE WG WJ
FORT WHITE	FTWHFLXADS0	07828	01402	0336	452	AA DA GC GD
386/497						GI GL GN GR
						HB HD II RA
						RC RD RH SP
						SQ TJ UM UP
						UU UW VA
FORT WHITE	FTWHFLXAPS0	07828	01402	0336	452	AA D1 DA GC
386/300(4000-4999)						GI GL GN GR
						HB HD II RA
						RC RD RH SP
						SQ TJ UM UP
						UU UW VA
FREEPORT	FRPTFLXARS0	08036	02028	0340	448	AA BA DA DD
850/835						GI GK GR PC
						PL PN RC RD
						RE SA SH SP
						SQ TJ TU TW
						UP UR WE WG
						WJ
FROSTPROOF	FRSTFLXA63H	08119	00970	0328	952	AA DA DD GC
863/635						GD GE GG GJ
						GN GR HB HD
						II PC PL RC
						RD SH SQ TB
						TG TU TW UG
						VM

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
FT LAUDERDALE	FTLDFLMADS0	08281	00558	5191	460	DA GQ GR PC
/						PL
FT WALTON BEACH	FTWBFLXAQMD	08094	02096	8692	448	DA DD
850/226(5000-5999),659(0000-0999),714(0000-0999)						
GAINESVILLE	GSVLFLCBGT0	07835	01326	7193	454	DA
352/224(5000-5999),225(3000-3999),225(5000-5999)						
352/226(8000-8999),261(2000-2999),304(5000-5999)						
352/304(6000-6999),363(6000-6999),390(6000-6999)						
352/390(8000-8999),433(2000-2999),474(6000-6999)						
352/505(0000-0999),505(3000-3999),505(5000-5999)						
352/505(6000-6999),509(3000-3999),512(0000-0999)						
352/512(9000-9999),519(5000-5999),641(6000-6999)						
352/653(6000-6999),672(6000-6999),727(4000-4999)						
352/727(7000-7999),745(7000-7999),789(6000-6999)						
352/872(5000-5999)						
GAINESVILLE	GSVLFLMA01T	07840	01310	5191	454	DA G2 G8 GB
/						GQ GR PB PK
						PR PS QB QF
						TJ TK UK XD
GAINESVILLE	GSVLFLMA35T	07840	01310	5191	454	DA G8 GB GQ
/						GR PR PS TJ
						XD
GAINESVILLE	GSVLFLMA51W	07840	01310	5191	454	DA G8 GQ GR
/						PB PK PR PS
						TB TJ TK UK
						XD
GAINESVILLE	GSVLFLMABB0	07840	01310	5191	454	DA G8 GQ GR
/						PB PK PR PS
						TD TG TJ TK
						UK XD

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
GAINESVILLE /	GSVLFLMABB1	07840	01310	5191	454	DA G8 GQ GR PR PS TD TG TJ TK UK XD
GAINESVILLE /	GSVLFLMABB2	07840	01310	5191	454	DA G8 GQ GR PR PS TD TG TJ XD
GAINESVILLE /	GSVLFLMABBA	07840	01310	5191	454	DA G8 GQ GR PR PS TJ TK TU XD
GAINESVILLE /	GSVLFLMABBC	07840	01310	5191	454	DA G8 GQ GR PR PS T7 TJ TK TU XD
GAINESVILLE 352/273,294,334,370,392,393,846,955	GSVLFLMADS0	07840	01310	5191	454	AA BA DA G7 G8 GC GD GK GL GQ GR PB PK PR PS QB QF RC RD RE RF RG RH RM SJ SV TJ TK UK UQ XD
GAINESVILLE 352/264,265,271,335,336,337,338,367,371,372,373,374,375 352/376,377,378,379,380,381,384,395,491,548,594,627,692 352/733	GSVLFLMADS1	07840	01310	5191	454	AA BA DA G5 G8 GC GD GL GQ GR PB PK PR PS QB QF RC RD RM SJ SV TJ TK UK XD
GAINESVILLE 352/240(0000-0999),240(7000-7999),240(8000-8999) 352/240(9000-9999)	GSVLFLMADS2	07840	01310	4400	454	DA

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
GAINESVILLE /	GSVLFLMAK02	07840	01310	5191	454	DA G8 GQ GR PB PK PR PS TJ TK UB UE UG UK UP XD ZY
GAINESVILLE /	GSVLFLMAKO1	07840	01310	5191	454	DA G8 GQ GR PB PK PR PS SJ TJ TK UB UE UG UK UP XD ZY
GAINESVILLE 352/290(9000-9999)	GSVLFLMAX8Y	07840	01310	4400	454	DA
GAINESVILLE 352/313,331,332,333	GSVLFLNW33E	07842	01316	5191	454	AA BA DA G4 GC GD GL GQ GR PB PK PR PS RC RD RM SJ SV TJ TK
GAINESVILLE /	GSVLFLNWK01	07842	01316	5191	454	DA GQ GR PB PK PR PS TJ TK UB UG UP ZY
GAINESVILLE 352/224(1000-1999),224(2000-2999),224(3000-3999) 352/224(4000-4999),224(6000-6999),224(7000-7999) 352/277(5000-5999),405(3000-3999),500	GSVLFLSMDMD	07842	01309	8692	454	DA DD
GAINESVILLE 352/221(7000-7999),448(4000-4999),600(3000-3999) 352/642(1000-1999)	GSVLFLSMFMD	07842	01309	8692	454	DA DD

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
GAINESVL                    GSVLFLMAX1Y 07840 01310 8664  454 BA DA
   352/200(5000-5999),200(6000-7999),200(8000-8999)
   352/220(6000-6999),227(4000-4999),227(9000-9999)
   352/233(4000-4999),270(3000-3999),277(3000-3999)
   352/282(4000-4999),289(3000-3999),308(3000-3999)
   352/310(9000-9999),327(4000-4999),327(9000-9999)
   352/330(6000-6999),360(7000-7999),385(5000-5999)
   352/390(2000-2999),390(3000-3999),397(3000-3999)
   352/405(8000-8999),414(7000-7999),415(4000-4999)
   352/418(3000-3999),418(6000-6999),432(2000-2999)
   352/432(4000-4999),448(2000-2999),458(3000-3999)
   352/478(3000-3999),503(3000-3999),508(3000-3999)
   352/519(3000-3999),533(3000-3999),537(3000-3999)
   352/553(2000-2999),557(3000-3999),560(3000-3999)
   352/560(7000-7999),561(3000-3999),571(3000-3999)
   352/608(3000-3999),643(3000-3999),643(4000-4999)
   352/658(4000-4999),668(3000-3999),685(5000-5999)
   352/771(4000-4999),835(3000-3999),835(4000-4999)
   352/973(4000-4999)
.......................................................................
GENEVA                      GENVFLMARS0 07892 01010 5191  458 AA DA GL GQ
   407/349(0000-0999),349(1000-1999),349(2000-2999)          GR PC PL SV
   407/349(3000-3999),349(5000-5999),349(9000-9999)          T9 TJ
.......................................................................
GLENDALE                    GLDLFLXARS0 07964 02062 0340  448 AA BA DA DD
   850/859(0000-0999),859(1000-1999),859(2000-2999)          GI GK GR PC
   850/859(3000-3999),859(9000-9999)                         PL PN PS RC
                                                             RD RE SA SH
                                                             SP SQ TU TW
                                                             UP UR WE WG
                                                             WJ
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
GOLDEN GATE-NAPLES          GLGCFLXADS0 08428 00829 0341  939 AA BA BC DA
   239/304(0000-5999),304(7000-7999),348(0000-0999)          GC GD GI GJ
   239/348(1000-1999),348(2000-2999),348(3000-3999)          GK GR HB IA
   239/348(4000-4999),348(6000-6999),348(7000-7999)          IB IE IG IH
   239/348(8000-8999),348(9000-9999),352,353,354(0000-6999)  II PC PL PN
   239/354(8000-9999),455                                    RA RC RD RE
                                                             RF RJ RK RM
                                                             RS SA SH SP
                                                             SQ ST SU TJ
                                                             TK TU TW UB
                                                             UG UK UL UM
                                                             UP UR UU UX
                                                             UZ WE WG WJ
.......................................................................
GOLDENROD                   GLRDFLXADS1 07932 01024 4085  458 DA
     /
.......................................................................
GOLDENROD-WINTER PARK       GLRDFLXADS0 07932 01024 0341  458 AA BA BC DA
   407/657,671,672,673,677,678,679,681                       GC GD GE GI
                                                             GK GR HB IA
                                                             IB IC ID IE
                                                             IH II PB PK
                                                             PN RA RC RD
                                                             RE RF RJ RK
                                                             RM RS SA SH
                                                             SP SQ SU TH
                                                             TJ TK TU TW
                                                             UB UE UG UK
                                                             UL UM UN UP
                                                             UR UU UX UZ
                                                             WE WG WJ
.......................................................................
GRACEVILLE                  GCVLFLMARS0 07892 01973 5191  450 AA BA DA G5
   850/263                                                   GC GD GL GQ
                                                             GR PC PL RC
                                                             RD SJ SV TJ
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
GRAND RIDGE	GDRGFLXADS0	07892	01866	0340	450	AA BA DA DD
850/592(0000-6999),592(8000-9999)						GC GD GI GK
						GR II PC PL
						PN RC RD RE
						SA SH SP SQ
						TJ TU TW UB
						UP UR WE WG
						WJ
GRANDE	MIAMFLGRDMS	08351	00528	4085	460	DA
/						
GREEN COVE SPRINGS	GCSPFLCNDS0	07712	01242	5191	452	AA BA DA G5
904/284,529(1000-1999),529(2000-2999),529(3000-3999)						GC GL GQ GR
904/529(4000-4999),529(5000-5999),529(6000-6999)						PC PL PR PS
904/529(7000-7999),529(8000-8999),529(9000-9999)						RC RD RE RF
						RG RH RJ RK
						SJ SV T9 TJ
						TK UQ XA
GREENSBORO	GNBOFLXARS0	07896	01806	4454	450	AA BA DA GC
850/442						GD GR IC ID
						IE IH OE RA
						RC RD SV TJ
						UB UG UT UW
						UZ VA ZZ
GREENVILLE	GNVLFLXARS0	07811	01613	0340	953	AA BA DA DD
850/948(0000-6999),948(8000-9999)						GC GD GI GK
						GR PC PL PN
						RC RD RE SA
						SH SP SQ TJ
						TU TW UB UP
						UR WE WG WJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
GREENWOOD	GNWDFLXARS0	07877	01905	0340	450	AA BA DA DD
850/594(0000-0999),594(1000-1999),594(3000-3999)						GI GK GR PC
850/594(4000-4999),594(5000-5999),594(6000-6999)						PL PN RC RD
850/594(7000-7999),594(9000-9999)						RE SA SH SP
						SQ TU TW UP
						UR WE WG WJ
GRETNA	GRETFLXARS0	07879	01796	4454	450	AA BA DA GC
850/831(0000-0999),831(1000-1999),831(2000-2999)						GD GR IC ID
850/831(3000-3999),856						IE IG IH OE
						RA RC RD SH
						SP SQ TJ UB
						UG UT UW UZ
						VA
GROVELAND	GVLDFLXARS0	07999	01113	0341	454	AA BA BC DA
352/429						GC GD GE GI
						GK GR PC PL
						PN PS RA RC
						RD RE RF RJ
						RK RM RS SA
						SH SP SQ SU
						TJ TK TU TW
						UB UG UL UM
						UN UP UR WE
						WG WJ
GULF BREEZE	GLBRFLMCDS0	08154	02185	5191	448	AA BA DA G5
850/916,932,934						GC GD GQ GR
						PC PL PR PS
						RC RD RE RF
						RG RH RJ RK
						SJ SV TJ TK

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
HAINES CITY                 DUNDFLXA43H 08076 01015 0328  952 AA BA DA DD
   863/438(0000-0999),438(8000-9999),439(0000-6999)          GC GD GE GG
   863/439(7100-7191),439(7200-7260),439(7265-7299)          GJ GN GR HB
   863/439(7300-7342),439(7350-7369),439(7374-7399)          HD II PC PL
   863/439(7500-7521),439(7529-7580),439(7587-7599)          RC RD SQ TB
   863/439(7600-7631),439(7637-7699),439(7800-7851)          TG TU TW UG
   863/439(7868-7870),439(7878-7880),439(7890-7899)          VM
   863/439(7900-7994),439(8000-8999),439(9800-9866)
   863/439(9873-9899)
.......................................................................
HAINES CITY                 HNCYFLXA42H 08061 01025 0328  952 AA BA DA DD
   863/419(0000-4999),419(7000-8999),421,422                 GC GD GE GG
                                                             GJ GN GR HB
                                                             HD II PC PL
                                                             RC RD SH SQ
                                                             TB TG TI TU
                                                             TW UG VM
.......................................................................
HAINES CITY                 HNCYFLXN424 08040 01044 0328  952 AA BA DA DD
   863/419(9904-9980),420(0000-4999),420(6000-9999),424      GE GG GJ GM
                                                             GN GR HB HD
                                                             II PC PL RC
                                                             RD SH SQ TB
                                                             TG TI TU TW
                                                             UG VM
.......................................................................
HAINES CITY                 POINFLXARSA 08041 01000 0328  952 AA BA DA DD
   863/427(0000-4999),427(6000-6999),427(7000-7999)          GE GG GM GN
   863/427(9000-9999),439(7192-7197),439(7261-7264)          GR HB HD II
   863/439(7343-7349),439(7370-7373),439(7522-7528)          PC PL RC RD
   863/439(7581-7586),439(7632-7636),439(7852-7867)          SH SQ TB TG
   863/439(7871-7877),439(7881-7889),439(7995-7999)          TI TU TW UG
   863/439(9867-9872),496(0000-2999)                         VM
.......................................................................
HALLANDALE                  HLWDFLHADMS 08306 00541 4085  460 DA
      /
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
HASTINGS	HSNGFLXADS0	07747	01183	0336	452	AA DA GC GD
904/692(0000-0999),692(1000-1999),692(2000-2999)						GI GL GN GR
904/692(3000-3999),692(4000-4999),692(5000-5999)						HD II RA RC
904/692(6000-6999),692(9000-9999)						RD RH SJ SP
						SQ TJ UM UP
						UU UW VA
HASTINGS	HSNGFLXAPS0	07747	01183	0336	452	AA DA GC GD
904/785(9000-9999)						GI GL GN GR
						HD II RA RC
						RD RH SJ SP
						SQ TJ UM UP
						UU UW VA
HAVANA	HAVNFLMADS0	07855	01757	5191	450	AA BA DA G5
850/539						GC GD GL GQ
						GR PC PL RC
						SJ SV TJ
HAWTHORNE	HWTHFLMARS0	07826	01264	5191	454	AA BA DA G5
352/481						GC GD GL GQ
						GR PC PL PR
						PS SJ SV TJ
HIALEAH	MIAMFLHLDMS	08343	00559	4085	460	DA
/						
HIGH SPRINGS	HGSPFLXADS0	07833	01373	0336	452	AA DA GC GD
386/454						GI GL GN GR
						HB HD II RA
						RC RD RH SJ
						SP SQ TJ UM
						UP UU UW VA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
HIGH SPRINGS	HGSPFLXAPS0	07833	01373	0336	452	AA DA GC GD
386/201(0000-0999),201(1000-1999),201(2000-2999)						GI GL GN GR
386/201(3000-3999),201(4000-4999),201(5000-5999)						HB HD II RA
386/201(6000-6999),201(7000-7999),201(8000-8999)						RC RD RH SJ
						SP SQ TJ UM
						UP UU UW VA
HILLIARD	HLRDFLXADS0	07605	01357	0336	452	AA DA GC GD
904/845(0000-0999),845(1000-1999),845(2000-2999)						GI GL GN GR
904/845(3000-3999),845(4000-4999),845(5000-5999)						HB HD II RA
904/845(6000-6999),845(7000-7999),845(9000-9999)						RC RD RH SJ
						SQ ST TJ UG
						UM UP UR UU
						UW VA
HILLIARD	HLRDFLXAPS0	07605	01357	0336	452	AA DA GC GD
904/267(4000-4999)						GI GL GN GR
						HB HD II JA
						RA RC RD RH
						SQ ST TJ UG
						UM UP UR UU
						UW VA
HOBE SOUND	HBSDFLMADS0	08104	00662	5191	460	DA GC GD GL
772/545,546						GQ GR PC PL
						RC RD RM SL
						SV TJ XA
HOBE SOUND	HBSDFLMAK01	08104	00662	5191	460	DA GQ GR TJ
/						UB UG UP XA
						ZY
HOLLEY-NAVARRE	HLNVFLMADS1	08119	02141	5191	448	AA BA DA G5
850/515,936,939						GC GD GL GQ
						GR PC PL PR
						PS SJ SV TJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
HOLLYWOOD /	HLWDFLHAK01	08306	00542	5191	460	DA GQ GR PR PS TJ TK UB UE UG UP ZY
HOLLYWOOD 954/454,455,456,457,458,516(5000-5999)	HLWDFLHARP0	08306	00542	5191	460	AA BA DA G4 GC GL GQ GR PB PK PR PS RC RD RM SL SV TJ TK
HOLLYWOOD 954/342(4000-4999),342(8000-8999),359,635(1000-1999) 954/635(3000-3999),635(6000-6999),635(9000-9999) 954/883(0000-8999),920,921,922,923,924,925,926,927,929 954/929	HLWDFLMADS0	08301	00546	5191	460	AA BA DA G4 GC GL GQ GR PB PK RC RD RE RF RG RH RM SA SJ SN SV TJ TK
HOLLYWOOD /	HLWDFLMAK01	08301	00546	5191	460	DA GQ GR TJ TK UB UE UG UP ZY
HOLLYWOOD /	HLWDFLPEBBA	08316	00567	5191	460	DA GQ GR PR PS TJ TK TU XA
HOLLYWOOD 754/703(2000-3999) 954/252,276,392,430,431,432,433,434,435,436,437,438,441 954/442,443,447,450,499,517,538,602(1000-5999),672,680 954/704,880(0000-0999),885	HLWDFLPEDS0	08316	00567	5191	460	AA BA DA GC GL GQ GR PB PK PR PS RC RD RM SL SV TJ TK XA
HOLLYWOOD /	HLWDFLPEK01	08316	00567	5191	460	DA GQ GR PR PS TJ TK UB UE UG UP XA ZY
HOLLYWOOD /	HLWDFLWH51W	08309	00557	5191	460	DA GQ GR PB PK PR PS TB TJ TK XA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
HOLLYWOOD                   HLWDFLWHBBA 08309 00557 5191  460 DA GQ GR PR
     /                                                          PS TJ TK TU
                                                                XA
.......................................................................
HOLLYWOOD                   HLWDFLWHBBC 08309 00557 5191  460 DA GQ GR PR
     /                                                          PS TU XA
.......................................................................
HOLLYWOOD                   HLWDFLWHBBE 08309 00557 5191  460 DA GQ GR PR
     /                                                          PS TU XA
.......................................................................
HOLLYWOOD                   HLWDFLWHDS0 08309 00557 5191  460 AA BA DA G4
   954/265,322,364(2000-2999),364(4000-5999),518(0000-2999)  GC GL GQ GR
   954/518(5000-9999),844,893(0000-0999),893(1000-1999)      PB PK PR PS
   954/893(3000-3999),893(4000-4999),893(5000-5999)          QB QF RC RD
   954/893(6000-6999),893(7000-7999),893(8000-8999)          RM SL SV TJ
   954/893(9000-9999),894,961,962,963,964,965,966,967,981    TK XA
   954/983,985,986,987,989
.......................................................................
HOLLYWOOD                   HLWDFLWHK01 08309 00557 5191  460 DA GQ GR PA
     /                                                          PJ PR PS TJ
                                                                TK UB UE UG
                                                                UP XA ZY
.......................................................................
HOMESTEAD                   HMSTFLEARS0 08437 00537 5191  460 AA BA DA G4
   305/230(0000-1999),230(5000-6999),230(9000-9999)          GC GD GL GQ
   305/257(6000-7999)                                        GR PC PL PR
                                                             PS RC RD RF
                                                             RH SJ SV T9
                                                             XA
.......................................................................
HOMESTEAD                   HMSTFLHMDS0 08438 00542 5191  460 AA BA DA G4
   305/242,245,246,247,248                                   GC GD GL GQ
   786/243(0000-5999),243(7000-9999),349(0000-2999)          GR PC PL PR
   786/349(6000-6999)                                        PS RC RD RF
                                                             RH SJ SV T9
                                                             TJ TK
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
HOMESTEAD /	HMSTFLHMK01	08438	00542	5191	460	DA GQ GR PR PS T9 TJ TK UB UE UG UP ZY
HOMESTEAD 305/224(4000-4999),224(5000-5999),224(7000-7999) 305/224(9000-9999),257(0000-5999),258 786/415(0000-3999),415(4000-8999),415(9000-9999)	HMSTFLNARS0	08423	00539	5191	460	AA BA DA G4 GC GD GL GQ GR PC PL PR PS RC RD RF RH SJ SV T9 TJ XA
HOMOSASSA SPRINGS 352/621,628	HMSPFLXARS0	08025	01258	0341	454	AA BA BC DA GC GD GE GI GK GR IA IC ID IE IH II PC PL PN RA RC RD RE RF RJ RK RM RS SA SH SP SQ ST SU TJ TK TU TW UB UG UK UL UM UN UP UR UU UX UZ WE WG WJ
HOWEY-IN-THE-HILLS 352/324(0000-0999),324(1000-1999),324(2000-2999) 352/324(3000-3999),324(4000-4999),324(5000-5999)	HOWYFLXARS0	07962	01116	0341	454	AA BA BC DA GC GD GE GI GK GR IA IC ID IE IH II PC PL PN PS RA RC RD RE RF RJ RK RM SA SH SP SQ TJ TU TW UB UG UK UL UM UN UP UR UU UX UZ WE WG WJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
HUDSON                      HDSNFLXA86H 08119 01232 0328  952 AA BA DA DD
   727/697(0000-0999),697(1000-1999),697(2000-2999)          GC GD GE GG
   727/697(3000-3999),697(4000-4999),697(5000-5999)          GJ GN GR HB
   727/697(6000-6999),819(0000-0999),819(1000-1999)          HD II PB RC
   727/819(2000-2999),819(3000-3999),819(5000-5999)          RD SH SQ TB
   727/819(8000-8999),819(9000-9999),861(0000-0999)          TG TI TU TW
   727/861(1000-1999),861(2000-2999),861(3000-3999)          UG UR VM WD
   727/861(4000-4999),861(5000-5999),861(6000-6999)          WE WF WG WH
   727/861(7000-7999),861(8000-8999),862,863,868,869         WI WJ
.......................................................................
HUDSON                      MNLKFLXA85H 08114 01213 0328  952 AA BA DA DD
   727/379(0000-0999),379(5000-5999),379(9000-9999),856      GC GD GE GG
   727/857(0000-0999),857(1000-1999),857(2000-2999)          GJ GN GR HB
   727/857(9000-9999)                                        HD II PC PL
                                                             RC RD SH SQ
                                                             TB TG TI TU
                                                             TW UG UR VM
                                                             WD WE WF WG
                                                             WH WI WJ
.......................................................................
IMMOKALEE                   IMKLFLXARS0 08357 00806 0341  939 AA BA DA GC
   239/657,658(0000-3999),658(6000-9999),867(0000-0999)      GD GE GI GK
   239/867(2000-3999),867(5000-5999)                         GR HB IA IB
                                                             IE IG IH II
                                                             PC PL PN RA
                                                             RC RD RE RF
                                                             RJ RK RM RS
                                                             SA SH SP SQ
                                                             ST SU TJ TK
                                                             TU TW UB UG
                                                             UK UL UM UP
                                                             UR UU UX UZ
                                                             WE WG WJ
.......................................................................
INDIAN CREEK                MIAMFLICDMS 08329 00524 4085  460 DA
      /
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
INDIAN LAKE	INLKFLXARSA	08087	00944	0328	952	AA DA DD GE
863/692(0000-2999),692(9000-9999)						GG GM GN GR
						HB HD II PC
						PL RC RD SH
						SQ TB TG TI
						TU TW UG VM
INDIANTOWN	INTWFLXADS1	08147	00713	0331	460	BA DA GR OE
772/597						RA RC RD RM
						SA SN SQ T3
						TJ TK TZ ZZ
INTERLACHEN	INTRFLXADS0	07802	01235	0336	452	AA DA GC GD
386/684						GI GL GN GR
						HD II RA RC
						RD RH SJ SP
						SQ TJ UM UP
						UU UW VA
INTERLACHEN	INTRFLXAPS0	07802	01235	0336	452	AA DA GC GD
386/224(4000-4999)						GI GL GN GR
						HD II RA RC
						RD RH SJ SP
						SQ TJ UM UP
						UU UW VA
INVERNESS	INVRFLXADS1	07993	01222	0341	454	AA BA BC DA
352/341,344,560(0000-0999),560(4000-4999),560(6000-6999)						GC GD GI GK
352/560(9000-9999),637,726,860(0000-2999),860(5000-5999)						GR IA IC PC
352/860(7000-8999)						PL PN RA RC
						RD RE RF RJ
						RK RM RS SA
						SH SP SQ ST
						SU TJ TK TU
						TW UB UG UK
						UL UM UN UP
						UR UU UX UZ
						WE WG WJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
IONA-FORT MYERS 239/454,466	IONAFLXARS0	08395	00903	0341	939	AA BA BC DA GC GD GE GI GK GR HB IA IB IE IG IH II PC PL PN PR RA RC RD RE RF RJ RK RM RS SA SH SP SQ ST SU TJ TK TU TW UB UG UK UL UM UP UR UU UX UZ WE WG WJ
ISLAMORADA 305/517(0000-0999),517(2000-2999),517(4000-4999) 305/517(9000-9999),664	ISLMFLMARS0	08555	00507	5191	460	AA BA DA G4 GC GD GL GQ GR PC PL RC RD RF RH SJ SV XA
JACKSONVILLE 904/720,721,722,723(0000-0999),723(2000-2999) 904/723(3000-3999),723(5000-5999),723(6000-6999) 904/723(7000-7999),723(8000-8999),723(9000-9999),724,725 904/726(0000-6999),726(8000-9999),727,805(0000-0999) 904/805(1000-1999),805(4000-4999),805(7000-7999) 904/805(8000-8999),805(9000-9999),855	JCVLFLARDS0	07642	01260	5191	452	AA BA DA G4 GC GQ GR PA PJ PR PS RC RD RE RF RG RH RJ RK SJ SV T9 TJ TK UK UQ XA
JACKSONVILLE /	JCVLFLARK99	07642	01260	5191	452	DA GQ GR PA PJ PR PS T9 TJ TK UB UG UK UP XA ZY
JACKSONVILLE /	JCVLFLBLBB2	07648	01276	5191	452	DA GQ GR PC PL TD TG
JACKSONVILLE /	JCVLFLBWBBA	07642	01249	5191	452	DA GQ GR PR PS T9 TU XA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
JACKSONVILLE	JCVLFLBWDS0	07642	01249	5191	452	AA BA DA G5
904/208(7000-7999),218,248(7000-7999),445(2000-6999)						GC GD GL GQ
904/472(2000-2999),564(1000-1999),564(2000-2999)						GR PA PJ PR
904/564(3000-3999),564(4000-4999),564(5000-5999)						PS RC RD RM
904/564(6000-6999),564(7000-7999),564(8000-8999)						SJ SV T9 TJ
904/564(9000-9999),565,620,641,642,645,646(0000-5999)						TK UK UQ VG
904/646(9000-9999),807(9000-9999),905,928,996(0000-0999)						XA
904/996(1000-1999),996(2000-2999),996(3000-3999)						
904/996(5000-5999),996(6000-6999),996(7000-7999)						
904/996(8000-8999),996(9000-9999),997,998						
JACKSONVILLE	JCVLFLBWK31	07642	01249	5191	452	DA GQ GR PR
/						PS T9 TJ TK
						UB UG UK VB
						XA
JACKSONVILLE	JCVLFLBWK99	07642	01249	5191	452	DA GQ GR PA
/						PJ PR PS T9
						TJ TK UB UE
						UG UK UP XA
						ZY
JACKSONVILLE	JCVLFLCL05T	07648	01276	5191	452	DA G2 G3 G8
/						GB GQ GR PA
						PJ PR PS QB
						QF T8 T9 TJ
						TK UK VJ VK
						XA XD
JACKSONVILLE	JCVLFLCL51W	07648	01276	5191	452	DA G8 GQ GR
/						PA PJ PR PS
						T8 T9 TB TJ
						TK UK VJ VK
						XA XD
JACKSONVILLE	JCVLFLCL55T	07648	01276	5191	452	DA G8 GB GQ
/						GR PR PS T8
						T9 XA XD

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
JACKSONVILLE	JCVLFLCL5MD	07648	01276	5191	452	DA G1 G2 G8
/						GQ GR PA PJ
						PR PS T8 T9
						TJ TK UK VJ
						VK XA XD
JACKSONVILLE	JCVLFLCL62W	07648	01276	5191	452	DA G8 GQ GR
/						PA PJ PR PS
						T8 T9 TA TJ
						TK UK VJ VK
						XA XD
JACKSONVILLE	JCVLFLCLBB0	07648	01276	5191	452	DA G8 GQ GR
/						PA PJ PR PS
						T8 T9 TD TG
						TJ TK UK VJ
						VK XA XD
JACKSONVILLE	JCVLFLCLBB1	07648	01276	5191	452	DA G8 GQ GR
/						PR PS T8 T9
						TD TG TJ TK
						UK VJ VK XA
						XD
JACKSONVILLE	JCVLFLCLBB2	07648	01276	5191	452	DA G8 GQ GR
/						PR PS T8 T9
						TD TG XA XD
JACKSONVILLE	JCVLFLCLBB3	07648	01276	5191	452	DA G8 GQ GR
/						PR PS T8 T9
						TD TG TJ TK
						UK VJ VK XA
						XD
JACKSONVILLE	JCVLFLCLBB4	07648	01276	5191	452	DA G8 GQ GR
/						PR PS T8 T9
						TD TG TJ TK
						XA XD

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
JACKSONVILLE	JCVLFLCLBB6	07648	01276	5191	452	DA G8 GQ GR
/						PR PS T8 T9
						TD TG XA XD
JACKSONVILLE	JCVLFLCLBB7	07648	01276	5191	452	DA G8 GQ GR
/						PR PS T8 T9
						TD TG XA XD
JACKSONVILLE	JCVLFLCLBBA	07648	01276	5191	452	DA G8 GQ GR
/						PR PS T7 T8
						T9 TJ TK TU
						UK VJ VK XA
						XD
JACKSONVILLE	JCVLFLCLBBC	07648	01276	5191	452	DA G8 GQ GR
/						PR PS T8 T9
						TJ TK TU XA
						XD
JACKSONVILLE	JCVLFLCLBBF	07648	01276	5191	452	DA G8 GQ GR
/						PR PS T8 T9
						TU XA XD
JACKSONVILLE	JCVLFLCLBBU	07648	01276	5191	452	DA G8 GQ GR
/						PR PS T8 T9
						TD TG XA XD

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
JACKSONVILLE                JCVLFLCLDS0 07648 01276 5191  452 AA BA DA G5
   904/232(0000-7999),232(9000-9999),244,248(6000-6999)      G8 GC GD GE
   904/301(1000-8999),308,337(7000-7999),340,350             GK GL GQ GR
   904/351(1000-5999),351(7000-7999),353,354,355,356         PA PJ PR PS
   904/357(1000-9999),358,359,360(0000-8999),361(0000-0999)  QB QF RC RD
   904/361(2000-2999),361(4000-7999),366(0000-0999)          SV T8 T9 TA
   904/366(1000-1999),366(2000-2999),366(3000-3999)          TB TE TF TJ
   904/366(4000-4999),366(5000-5999),366(6000-6999)          TK UK UQ UX
   904/366(7000-7999),366(8000-8999),427,457,475(0000-0999)  VG VJ VK XA
   904/475(1000-1999),475(3000-3999),475(4000-4999)          XD
   904/475(5000-5999),475(6000-6999),475(7000-7999)
   904/475(8000-8999),475(9000-9999),489,527(4000-4999)
   904/549(0000-0999),549(1000-1999),549(2000-2999)
   904/549(3000-3999),549(4000-4999),549(8000-8999)
   904/549(9000-9999),588(0000-1999),598(0000-3999)
   904/598(5000-9999),630,632,633,634(0000-1999)
   904/634(3000-4999),634(6000-6999),634(8000-9999),665
   904/790(4000-8999),791,798
.......................................................................
JACKSONVILLE                JCVLFLCLDS1 07648 01276 5191  452 BA DA G7 G8
      /                                                        GC GD GL GQ
                                                               GR PA PJ PR
                                                               PS QB QF RC
                                                               RD SV T8 T9
                                                               TA TB TE TF
                                                               TJ TK UK UX
                                                               VG VJ VK XA
                                                               XD
.......................................................................
JACKSONVILLE                JCVLFLCLGT0 07613 01245 6100  452 BA DA GE GJ
   904/212(0000-0999),212(2000-9999),216,239(3000-4999)      GR HB IB RC
   904/404(7000-8999),437(4000-5999),517(1000-1999)          RD SH SQ T1
   904/517(8000-8999),562(2000-3999),621(3000-3999)          T2 UG UP UR
   904/672(2000-3999),694(6000-8999),758(0000-0999)          US
   904/758(1000-1999),758(2000-5999),758(6000-7999)
   904/800(0000-1999),999(2000-2999)
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
JACKSONVILLE /	JCVLFLCLK98	07648	01276	5191	452	DA G8 GQ GR PA PJ PR PS T8 T9 TJ TK UE UG UK VJ VK XA XD
JACKSONVILLE /	JCVLFLCLK99	07648	01276	5191	452	DA G8 GQ GR PA PJ PR PS T8 T9 TJ TK UB UE UG UK UP VJ VK XA XD ZY
JACKSONVILLE 904/229(0000-0999),328(2000-3999),458(8000-8999) 904/592(2000-3999),592(5000-5999),592(6000-6999) 904/592(8000-8999),677(7000-8999),713(2000-2999)	JCVLFLCLX0Y	07613	01245	6100	452	BA DA GE GJ GR HB IB RC RD SH SQ T1 T2 UG UP UR US
JACKSONVILLE 904/743,744,745,762(0000-2999),762(9000-9999)	JCVLFLFCDS0	07634	01268	5191	452	AA BA DA G5 GC GD GL GQ GR PA PJ PR PS RD SJ SV T9 TJ TK UQ XA
JACKSONVILLE /	JCVLFLFCK99	07634	01268	5191	452	DA GQ GR PR PS T9 TJ TK UB UG UP XA ZY
JACKSONVILLE 904/741	JCVLFLIARS0	07618	01292	5191	452	AA BA DA G5 GC GD GL GQ GR PA PJ RC RD RE RF RG RH SJ SV T9 TJ UQ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
JACKSONVILLE                JCVLFLJBDS0 07647 01276 4400  452 DA
   386/628(5000-5999)
   904/201(6000-6999),206(5000-5999),207(6000-6999)
   904/208(2000-2999),208(4000-4999),208(5000-5999)
   904/208(6000-6999),309(5000-8999),322(5000-5999)
   904/345(2000-2999),345(3000-4999),345(5000-5999)
   904/345(6000-8999),365(4000-6999),383(1000-1999)
   904/385(7000-7999),400(6000-7999),402(8000-8999)
   904/407(3000-3999),436(6000-6999),483(3000-3999)
   904/483(5000-5999),493,517(5000-5999),520(6000-7999)
   904/562(5000-5999),567(1000-1999),567(2000-2999)
   904/584(1000-1999),644(0000-0999),644(6000-6999)
   904/694(0000-0999),694(1000-1999),694(4000-4999)
.......................................................................
JACKSONVILLE                JCVLFLJBRS0 07647 01276 4400  452 DA
   904/372(2000-2999),373(3000-3999),417(2000-2999)
   904/482(0000-1999),482(4000-4999),483(2000-2999)
   904/592(4000-4999),821(3000-3999)
.......................................................................
JACKSONVILLE                JCVLFLJBWMD 07647 01276 4400  452 DA
   386/530(8000-8999),628(9000-9999)
   904/301(0000-0999),301(9000-9999),335(5000-5999)
   904/404(3000-4999),413(5000-5999),531(7000-7999)
   904/712(8000-8999)
.......................................................................
JACKSONVILLE                JCVLFLJTK01 07655 01256 5191  452 DA GQ GR PA
      /                                                         PJ PR PS T9
                                                                TJ TK UB UE
                                                                UG UK UP VJ
                                                                VK XA ZY
.......................................................................
JACKSONVILLE                JCVLFLJTRSA 07655 01256 5191  452 AA BA DA G5
   904/245(0000-0999),245(2000-8999),279,281,296,332            GC GD GL GQ
   904/407(0000-2999),407(4000-9999),450(6000-8999)             GR PA PJ PR
   904/470(1000-1999),470(2000-2999),470(3000-3999)             PS QB QF RC
   904/470(4000-4999),470(5000-5999),470(6000-6999)             RD SV T9 TJ
   904/470(7000-7999),470(8000-8999),623                        TK UK UQ VG
                                                                VJ VK XA
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
JACKSONVILLE	JCVLFLLFDS0	07638	01286	5191	452	AA BA DA G5
904/713(0000-0999),713(4000-4999),713(6000-6999)						GC GD GL GQ
904/713(8000-9999),764,765,766,768,924(0000-3999)						GR PA PJ PR
904/924(7000-9999)						PS RC RD SJ
						SV T9 TJ TK
						UQ XA
JACKSONVILLE	JCVLFLLFK99	07638	01286	5191	452	DA GQ GR PR
/						PS T9 TJ TK
						UB UG UP XA
						ZY
JACKSONVILLE	JCVLFLMSDMS	07652	01272	4085	452	DA
/						
JACKSONVILLE	JCVLFLNOBBA	07661	01288	5191	452	DA GQ GR PR
/						PS T9 TJ TU
						XA
JACKSONVILLE	JCVLFLNODS0	07661	01288	5191	452	AA BA DA G5
904/370(1000-1999),370(2000-2999),370(5000-8999)						GC GD GL GQ
904/378(0000-5999),378(7000-9999),693,695,781,783,786						GR PA PJ PR
904/786						PS RC RD SJ
						SV T9 TJ TK
						UK UQ VJ VK
						XA
JACKSONVILLE	JCVLFLNOK99	07661	01288	5191	452	DA GQ GR PA
/						PJ PR PS T9
						TJ TK UB UE
						UG UK UP VJ
						VK XA ZY
JACKSONVILLE	JCVLFLOWDS0	07623	01285	5191	452	AA BA DA G5
904/696,714(0000-4999),714(6000-7999),714(9000-9999),751						GC GD GL GQ
904/757						GR PA PJ PR
						PS RC RD SJ
						SV T9 TJ TK
						UK UQ XA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
JACKSONVILLE /	JCVLFLOWK99	07623	01285	5191	452	DA GQ GR PR PS T9 TJ TK UB UG UK UP XA ZY
JACKSONVILLE /	JCVLFLOWXXX	07623	01285	5191	452	DA GQ GR PA PJ PR PS SP T9 TJ TK UB UK XA
JACKSONVILLE /	JCVLFLRVK99	07658	01279	5191	452	DA GQ GR PR PS T9 TJ TK UB UG UK UP VJ VK XA ZY
JACKSONVILLE 904/381,384,387,388,389,981	JCVLFLRVPSB	07658	01279	5191	452	AA BA DA G5 GC GD GL GQ GR PA PJ PR PS RC RD SJ SV T9 TJ TK UK UQ VJ VK XA
JACKSONVILLE 904/256(0000-0999),256(1000-1999),256(2000-2999) 904/256(3000-3999),256(5000-5999),256(6000-6999) 904/256(7000-7999),256(8000-8999),367(0000-0999) 904/367(1000-1999),367(4000-4999),367(5000-5999) 904/367(6000-6999),367(7000-7999),367(8000-8999) 904/367(9000-9999),419(0000-2999),419(4000-6999),443,448 904/636,730,731(0000-5999),731(7000-9999),732(1000-9999) 904/733,737,739,828(0000-8999),954	JCVLFLSJ73E	07658	01262	5191	452	AA BA DA G5 GC GD GL GQ GR PA PJ PR PS QB QF RC RD SV T9 TJ TK UK UQ VG VJ VK XA
JACKSONVILLE /	JCVLFLSJBBA	07658	01262	5191	452	DA GQ GR PR PS T9 TU XA
JACKSONVILLE /	JCVLFLSJBBC	07658	01262	5191	452	DA GQ GR PR PS T9 TU XA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
JACKSONVILLE	JCVLFLSJK99	07658	01262	5191	452	DA GQ GR PA
/						PJ PR PS T9
						TJ TK UB UE
						UG UK UP VJ
						VK XA ZY
JACKSONVILLE	JCVLFLSM01T	07652	01272	5191	452	BA DA GB GQ
/						GR PA PJ PR
						PS QB QF T9
						TJ TK UK VJ
						VK XA
JACKSONVILLE	JCVLFLSMDS0	07652	01272	5191	452	AA BA DA G7
904/202,248(5000-5999),255,306(0000-5999),306(7000-9999)						GB GC GD GK
904/313,346,348(1000-9999),390,391,393,396,398,399						GL GQ GR PA
904/516(1000-1999),516(6000-6999),627(1000-3999)						PJ PR PS QB
904/697(2000-5999),702,858						QF RM RP RQ
						SL SR T9 TJ
						TK UK UQ VG
						VJ VK XA
JACKSONVILLE	JCVLFLSMK99	07652	01272	5191	452	DA GQ GR PA
/						PJ PR PS T9
						TJ TK UB UE
						UG UK UP VJ
						VK XA ZY
JACKSONVILLE	JCVLFLWCDS0	07671	01281	5191	452	AA BA DA G5
904/317,542,546,573,594(0000-2999),594(4000-9999),771						GC GD GL GQ
904/772(0000-3999),772(6000-6999),772(7000-9999),777						GR PA PJ PR
904/778(0000-4999),778(7000-9999),779(0000-2999)						PS RC RD SJ
904/779(4000-9999),804,908						SV T9 TJ TK
						UK UQ XA
JACKSONVILLE	JCVLFLWCK99	07671	01281	5191	452	DA GQ GR PR
/						PS T9 TJ TK
						UB UG UK UP
						XA ZY

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE			
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--
JACKSONVILLE	JCVMFLEDDS0	07655	01254	8664	452	DA	DD	G2	GD
352/503(5000-5999)						GE	GJ	GN	GQ
386/269(3000-3999),313(3000-3999),336(4000-4999)						HB	HC	IA	IB
386/518(3000-3999),682(2000-6999)						IC	IE	IF	IG
904/214(1000-1999),240(3000-3999),248(3000-4999)						IH	II	QA	
904/271(2000-3999),299(3000-3999),312(5000-6999)									
904/335(3000-3999),414(7000-7999),414(8000-8999)									
904/423(4000-4999),438(6000-7999),440(7000-7999)									
904/450(4000-4999),462,495(0000-0999),520(4000-5999)									
904/527(5000-5999),527(6000-6999),531(3000-3999)									
904/543(6000-6999),559(3000-3999),572(3000-3999)									
904/579(2000-2999),579(5000-5999),596,646(6000-6999)									
904/661(5000-5999),671(8000-8999),801(8000-8999)									
904/831(3000-3999),849(8000-8999),853(2000-2999)									
904/853(7000-7999),900(6000-6999),903(5000-5999)									
904/999(3000-3999),999(6000-6999)									

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
JACKSONVILLE	JCVMFLUFDS0	07654	01255	8692	452	DA DD
386/438(1000-1999),438(2000-2999),524(0000-0999)						
386/524(1000-1999),524(3000-3999),524(6000-6999)						
386/524(7000-7999),524(9000-9999),643(1000-1999)						
386/643(2000-2999)						
904/253(1000-2999),253(6000-7999),271(4000-4999)						
904/364(2000-2999),383(3000-3999),406(1000-1999)						
904/416(2000-3999),418(5000-7999),420(5000-5999),421						
904/423(2000-2999),423(3000-3999),428(1000-1999)						
904/432(0000-0999),432(1000-1999),432(2000-2999)						
904/432(4000-4999),432(9000-9999),435(0000-0999)						
904/435(1000-1999),435(2000-2999),435(3000-3999)						
904/435(9000-9999),436(0000-0999),436(1000-1999)						
904/436(2000-2999),436(7000-7999),436(9000-9999)						
904/446(1000-1999),446(2000-2999),446(4000-4999)						
904/458(0000-0999),458(2000-3999),458(9000-9999)						
904/473(0000-0999),473(1000-1999),473(2000-2999)						
904/473(4000-4999),473(9000-9999),484(0000-3999)						
904/484(9000-9999),494(0000-0999),494(2000-2999)						
904/494(3000-3999),494(5000-5999),494(9000-9999)						
904/507(5000-5999),562(1000-1999),562(4000-4999)						
904/562(6000-6999),562(7000-7999),672(1000-1999)						
904/672(4000-4999),863(0000-0999),863(1000-1999)						
904/863(2000-2999),863(7000-7999),863(9000-9999)						
904/899(0000-0999),899(1000-1999),899(4000-4999)						
904/899(5000-5999),899(6000-6999),899(7000-7999)						
904/899(8000-8999),899(9000-9999)						
JACKSONVILLE	JCVMFLUFDS1	07654	01255	8692	452	DA DD
352/573(2000-2999),578(7000-7999),708(2000-2999)						
352/815(1000-1999)						
386/853(2000-2999)						
904/423(5000-5999),426(0000-0999),440(1000-1999)						
904/440(2000-2999),458(1000-1999),500,516(5000-5999)						
904/559(4000-4999),760(3000-3999),760(4000-4999)						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
JACKSONVILLE BEACH 904/220,221	JCBHFLABRS0	07628	01240	5191	452	AA BA DA G5 GC GD GL GQ GR PA PJ PR PS RC RD SJ SV T9 TJ TK XA
JACKSONVILLE BEACH /	JCBHFLMAK99	07626	01230	5191	452	DA GQ GR PR PS T9 TJ TK UB UE UG UP XA ZY
JACKSONVILLE BEACH 904/241,242(0000-4999),242(7000-9999),246,247,249 904/270(0000-8999)	JCBHFLMAPSB	07626	01230	5191	452	AA BA DA G5 GC GD GL GQ GR PA PJ PR PS RC RD SJ SV T9 TJ TK XA
JACKSONVILLE BEACH 904/223,821(0000-2999),821(4000-9999),953,956,992	JCBHFLSPRS0	07635	01236	5191	452	AA BA DA G5 GC GD GL GQ GR PA PJ PR PS RC RD SJ SV T9 TJ TK XA
JACKSONVL 386/463(6000-6999),603(7000-7999),800(7000-7999) 386/866(7000-7999) 904/203(6000-6999),297(6000-6999),344(7000-7999) 904/395(6000-6999),409(7000-7999),474(6000-6999) 904/479(7000-7999),530(7000-7999),552(7000-7999) 904/661(7000-7999),679(7000-7999),748(7000-7999) 904/774(6000-6999),796(6000-6999),830(7000-7999) 904/844(7000-7999),853(4000-4999),877(6000-6999)	JCVLFLCL76Z	07648	01276	7985	452	GR

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
JASPER	JSPRFLXARP0	07737	01506	0336	452	AA DA GC GD
386/638(2000-2999)						GE GI GL GN
						GR HB HD II
						RA RC RD RH
						SJ SP SQ TJ
						UM UP UU UW
						VA
JASPER	JSPRFLXARS1	07737	01506	0336	452	AA DA GC GD
386/638(0000-1999),638(3000-9999),792						GE GI GL GN
						GR HB HD II
						RA RC RD RH
						SJ SP SQ TJ
						UG UM UP UU
						UW UX UZ VA
JAY	JAY FLMARS0	08039	02242	5191	448	AA BA DA G5
850/675						GC GD GL GQ
						GR PC PL PR
						PS RC RD SV
						TJ
JENNINGS	JNGSFLXARP0	07736	01539	0336	452	AA DA GC GD
386/938(6000-6999)						GE GI GL GN
						GR HB HD II
						RA RC RD RH
						SP SQ TJ UM
						UP UU UW VA
JENNINGS	JNGSFLXARS1	07736	01539	0336	452	AA DA GC GD
386/938(0000-0999),938(1000-1999),938(2000-2999)						GE GI GL GN
386/938(3000-3999),938(4000-4999),938(5000-5999)						GR HB HD II
386/938(7000-7999),938(8000-8999),938(9000-9999)						RA RC RD RH
						SP SQ TJ UM
						UP UU UW VA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
JENSEN BEACH	HTISFLMADS0	08069	00702	5191	460	AA BA DA GC
772/225,229,232(0000-3999),232(9000-9999),334						GQ GR PC PL
						RC RD RM SV
						TJ XA
JENSEN BEACH	HTISFLMAK01	08069	00702	5191	460	DA GQ GR TJ
/						UB UG UP XA
						ZY
JUPITER	JPTRFLMABBA	08123	00641	5191	460	DA GQ GR PR
/						PS TJ TK TU
JUPITER	JPTRFLMADS0	08123	00641	5191	460	AA BA DA G4
561/263,575,741,743,744,745,746,747,748						GC GL GQ GR
						PC PL PR PS
						QB QF RC RD
						SL SV TJ TK
JUPITER	JPTRFLMAK01	08123	00641	5191	460	DA GQ GR PC
/						PL PR PS TJ
						TK UB UE UG
						UP ZY
KENANSVILLE	KNVLFLXARP0	08041	00895	0341	458	AA BA BC DA
407/436(0000-1999)						GC GD GI GK
						GR HB IA IB
						IC ID IE IH
						II PC PL PN
						PS RA RC RD
						RE RF RJ RK
						RM RS SA SH
						SP SQ SU TJ
						TU TW UB UG
						UK UL UM UN
						UP UR UU UX
						UZ WE WG WJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
KEY LARGO	KYLRFLLSRS0	08496	00493	5191	460	AA BA DA G4
305/451,453(0000-1999),453(3000-5999),453(7000-9999)						GC GD GL GQ
						GR PC PL RC
						RD RF RH SJ
						SV T9 TJ XA
KEY LARGO	KYLRFLMAK01	08519	00497	5191	460	DA GQ GR SP
/						TJ UB UG UP
						XA
KEY LARGO	KYLRFLMARS0	08519	00497	5191	460	AA BA DA G4
305/434(1000-1999),434(3000-3999),852,853(0000-5999)						GC GD GL GQ
305/853(7000-7999),853(9000-9999)						GR PC PL RC
						RD RF RH SJ
						SV TJ XA
KEY WEST	KYWSFLMABB0	08746	00669	5191	460	DA GQ GR TD
/						TG TJ XA
KEY WEST	KYWSFLMABB1	08746	00669	5191	460	DA GQ GR TD
/						TG TJ XA
KEY WEST	KYWSFLMADS0	08746	00669	5191	460	AA BA DA GC
305/292,293,294,295,296,809(1000-5999)						GD GL GQ GR
						PC PL RC RD
						RF RH SJ SV
						TJ TK XA
KEY WEST	KYWSFLMAK01	08746	00669	5191	460	DA GQ GR TJ
/						TK UB UE UG
						UP XA ZY
KEYSTONE HEIGHTS	KYHGFLMAK01	07786	01276	5191	454	DA GQ GR PR
/						PS T9 TJ UB
						UG UP ZY

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
KEYSTONE HEIGHTS	KYHGFLMARS0	07786	01276	5191	454	AA BA DA G5
352/473,478(2000-2999)						GC GD GL GQ
						GR PC PL PR
						PS SJ T9 TJ
						UQ
KINGSLEY LAKE	KGLKFLXARS0	07747	01293	0340	452	AA BA DA DD
904/533(0000-0999),533(1000-1999),533(2000-2999)						GI GK GR PC
904/533(3000-3999),533(7000-7999),533(9000-9999)						PL PN RC RD
						RE SA SH SP
						SQ TJ TU TW
						UB UP UR WE
						WG WJ
KISSIMMEE	KSSMFLXADS1	08007	01015	4085	458	DA
/						
KISSIMMEE	KSSMFLXAPS0	08003	01009	0341	458	AA BA BC DA
321/697(0000-1999),697(3000-5999)						GC GD GI GJ
407/343,518,530(2000-2999),742,846,847,870(0000-2999)						GK GR HB IA
407/870(4000-9999),931(0000-5999),931(7000-9999)						IB IC ID IE
407/932(0000-7999),932(9000-9999),933,935,943(0000-0999)						IH II PA PJ
407/943(1000-1999),943(2000-2999),943(3000-3999)						PN PS RA RC
407/943(5000-5999),943(6000-6999),943(7000-7999)						RD RE RF RJ
407/943(8000-8999),943(9000-9999),944						RK RM RS SA
						SH SP SQ SU
						TH TJ TK TU
						TW UB UG UK
						UL UM UN UP
						UR UU UX UZ
						WE WG WJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
KISSIMMEE-BUENAVENTURA LK	KSSMFLXDRS0	07991	01001	0341	458	AA BA BC DA
407/344,348,962(0000-0999),962(1000-1999),962(2000-2999)						GC GD GI GJ
407/962(3000-3999),962(4000-4999)						GK GR IA IC
						PC PL PN PS
						RA RC RD RE
						RF RJ RK RM
						RS SA SH SP
						SQ SU TJ TK
						TU TW UB UG
						UK UL UM UN
						UP UR UU UX
						UZ WE WG WJ
KISSIMMEE-WEST	KSSMFLXBDS1	08003	01027	0341	458	AA BA BC DA
321/677(0000-0999)						GC GD GE GI
407/238,239,390(0000-0999),390(1000-1999),390(2000-2999)						GK GR HB IA
407/390(3000-3999),390(5000-5999),390(6000-6999)						IB IC ID IE
407/390(7000-7999),390(8000-8999),390(9000-9999),396,397						IH II PB PK
407/465(0000-6999),465(8000-8999),477(0000-1999)						PN PS RA RC
407/477(7000-9999),662,787(0000-0999),787(1000-1999)						RD RE RF RJ
407/787(3000-3999),787(4000-4999),787(5000-5999)						RK RM RS SA
						SH SP SQ SU
						TH TJ TK TU
						TW UB UG UK
						UL UM UN UP
						UR UU UX UZ
						WE WG WJ
LABELLE	LBLLFLXADS0	08294	00847	0341	939	AA BA DA GC
863/612(0000-4999),612(9000-9999),674(0000-2999)						GD GE GI GK
863/674(4000-6999),674(9000-9999),675						GR PC PL PN
						RA RC RD RE
						RF RJ RK RM
						RS SA SH SP
						SQ ST SU TJ
						TK TU TW UB
						UG UK UL UM
						UP UR UU UX
						UZ WE WG WJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
LADY LAKE	LDLKFLXAPS0	07938	01163	0341	454	AA BA BC DA
352/205(7000-7999),205(8000-8999),259,350(2000-2999)						GC GD GI GK
352/391(1000-1999),391(5000-5999),391(9000-9999)						GR IA IC PC
352/430(0000-0999),430(1000-2999),430(3000-3999),674,750						PL PN PS RA
352/751(0000-4999),751(5000-5999),751(6000-6999)						RC RD RE RF
352/751(7000-8999),753,821						RJ RK RM RS
						SA SH SP SQ
						SU TJ TK TU
						TW UB UG UK
						UL UM UN UP
						UR UU UX UZ
						WE WG WJ
LAKE BRANTLEY-WINTER PARK	LKBRFLXADS1	07932	01054	0341	458	AA BA BC DA
407/389(0000-8999),682,746,772(0000-0999),772(1000-1999)						GC GD GE GI
407/772(2000-2999),772(3000-3999),772(4000-4999)						GK GR HB IA
407/772(5000-5999),772(7000-7999),772(8000-8999)						IC ID IE IH
407/772(9000-9999),774,786,788,862,865(5000-8999)						II PB PK PN
407/865(9000-9999),869						PS RA RC RD
						RE RF RJ RK
						RM RS SA SH
						SP SQ SU TH
						TJ TK TU TW
						UB UE UG UK
						UL UM UN UP
						UR UU UX UZ
						WE WG WJ
LAKE BUENA VISTA	LKBNFLXB03T	07998	01041	0330	458	G2 G3 GB GC
/___						HB

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
LAKE BUENA VISTA            LKBNFLXBDS0 07998 01041 0330  458 AA BA DA GE
   321/939(0000-0999),939(1000-1999),939(2000-2999)          GJ GR HD HG
   321/939(3000-3999),939(4000-4999),939(6000-6999)          HK IB IC ID
   321/939(7000-7999),939(8000-8999)                         IE IG RC RD
   407/560,566,824(0000-7999),824(9000-9999),827             RG RL RM SH
   407/828(0000-0999),828(1000-1999),828(2000-2999)          SP SQ ST UP
   407/828(3000-3999),828(4000-4999),828(5000-5999)          UU UX
   407/828(6000-6999),828(7000-7999),828(8000-8999)
   407/934(1000-1999),934(2000-2999),934(3000-3999)
   407/934(4000-4999),934(5000-5999),934(6000-6999)
   407/934(7000-7999),934(8000-8999),938,939(0000-0999)
   407/939(1000-1999),939(2000-2999),939(3000-3999)
   407/939(4000-4999),939(5000-5999),939(6000-6999)
   407/939(7000-7999)
.......................................................................
LAKE BUENA VISTA            LKBNFLXBDS2 08000 01041 8105  458 DA GR
   321/329(4000-4999),329(7000-7999),830(1000-1999)
   321/831(1000-1999)
   407/233(2000-2999),268(5000-5999),288(1000-1999)
   407/326(1000-1999),329(1000-1999),347(1000-1999)
   407/358(1000-1999),488(1000-1999),556(2000-2999)
   407/756(1000-1999)
.......................................................................
LAKE BUTLER                 LKBTFLXADS0 07771 01352 0336  452 AA DA GC GD
   386/496                                                   GI GL GN GR
                                                             HB HD II RA
                                                             RC RD RH SJ
                                                             SP SQ TJ UM
                                                             UP UU UW VA
.......................................................................
LAKE BUTLER                 LKBTFLXAPS0 07771 01352 0336  452 AA DA GC GD
   386/217(4000-4999)                                        GI GL GN GR
                                                             HB HD II RA
                                                             RC RD RH SP
                                                             SQ ST TJ UM
                                                             UP UU UW VA
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
LAKE CITY                   LKCYFLMADS0 07769 01419 5191  452 AA BA DA G5
   386/292(7000-8999),466(0000-1999),466(3000-3999),719,752  GC GD GL GQ
   386/754,755,758,961(0000-0999),961(1000-1999)             GR PC PL RC
   386/961(2000-2999),961(3000-3999),961(6000-6999)          RD SJ TJ UQ
   386/961(7000-7999),961(8000-8999),961(9000-9999)          XA
.......................................................................
LAKE CITY                   LKCYFLMAK99 07769 01419 5191  452 DA GQ GR PC
      /                                                      PL TJ UB UG
                                                             UP XA ZY
.......................................................................
LAKE HELEN                  LKHLFLXARS0 07859 01057 0341  458 AA BA BC DA
   386/228(0000-4999),228(6000-6999),228(8000-9999)          GC GD GE GI
                                                             GK GR HB IA
                                                             IC ID IE IH
                                                             II PC PL PN
                                                             RA RC RD RE
                                                             RF RJ RK RM
                                                             RS SA SH SP
                                                             SQ SU TJ TU
                                                             TW UB UG UK
                                                             UL UM UN UP
                                                             UR UU UX UZ
                                                             WE WG WJ
.......................................................................
LAKE MARY                   LKMRFLHEDS0 07908 01056 5191  458 AA BA DA G4
   321/249(4000-4999),249(5000-5999)                         GC GE GL GQ
   407/268(2000-4999),268(7000-8999),333,444,548(3000-3999)  GR PC PL PR
   407/771,804,805,829,833(0000-5999),833(8000-9999)         PS QB QF SJ
   407/942(0000-0999),942(1000-1999),942(8000-8999)          T9 TJ UK XA
   407/942(9000-9999)
.......................................................................
LAKE MARY                   LKMRFLHEK99 07908 01056 5191  458 DA GQ GR PC
      /                                                      PL PR PS T9
                                                             TJ UB UG UK
                                                             UP XA ZY
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
LAKE PLACID	LKPCFLXARS0	08186	00903	0341	939	AA BA BC DA
863/260(0000-0999),465,531(0000-0999),531(5000-5999)						GC GD GI GK
863/531(9000-9999),592(1000-1999),592(9000-9999)						GR PC PL PN
863/699(0000-6999),699(8000-9999)						RA RC RD RE
						RF RJ RK RM
						RS SA SH SP
						SQ ST SU TJ
						TK TU TW UB
						UG UL UM UP
						UR WE WG WJ
LAKE WALES	BBPKFLXARSA	08103	00978	0328	952	AA BA DA DD
863/638(0000-4999),638(7000-7999),638(9000-9999)						GE GG GM GN
						GR HB HD II
						PC PL RC RD
						SH SQ TB TG
						TI TU TW UG
						VM
LAKE WALES	LKWLFLXA67H	08096	00996	0328	952	AA BA DA DD
863/676,678,679						GC GD GE GG
						GJ GN GR HB
						HD II PC PL
						RC RD SH SQ
						TB TG TI TU
						TW UG VM
LAKE WALES	LKWLFLXERSA	08083	00966	0328	952	AA BA DA DD
863/696						GE GG GM GN
						GR HB HD II
						PC PL RC RD
						SH SQ TB TG
						TI TU TW UG
						VM
LAKE WORTH	WPBHFLLEDMS	08179	00598	4085	460	DA

/

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
LAKELAND	HGLDFLXA64H	08116	01065	0328	952	AA BA DA DD
863/607,619,644,646,647,648,701(0000-2999)						GC GD GE GG
863/701(7000-9999),709(0000-1999),709(8000-9999)						GJ GN GR HB
						HD II PB RC
						RD SH SQ TB
						TG TI TU TW
						UG UR VM WD
						WE WF WG WH
						WI WJ
LAKELAND	LKLDFLXA68H	08106	01073	0328	952	AA BA DA DD
863/284,413(0000-5999),413(8000-9999),499,603(0000-2999)						GC GD GE GG
863/603(4000-7999),603(9000-9999),616(0000-0999)						GJ GN GR HB
863/616(1000-1999),616(2000-2999),616(4000-4999)						HD II PA RC
863/616(5000-5999),616(6000-6999),616(7000-7999)						RD SH SQ TB
863/616(8000-8999),616(9000-9999),680,682,683,686,687						TD TG TH TI
863/688,802						TU UG UR VM
						WD WE WF WG
						WH WI WJ
LAKELAND	LKLDFLXARS5	08106	01073	8664	952	DA DD G2 GD
/						GE GJ GN GQ
						HB HC IA IB
						IC IF IG IH
						II QA
LAKELAND	LKLDFLXE66H	08099	01062	0328	952	AA BA DA DD
863/510(0000-0999),606(0000-0999),606(7000-7999)						GC GD GE GG
863/606(9000-9999),614(9000-9999),665,666(1000-3999)						GJ GN GR HB
863/666(5000-6999),666(8000-9999),667(0000-5999)						HD II PB RC
863/667(7000-7999),667(9000-9999),668(0000-0999)						RD SH SQ TB
863/668(2000-9999),669(0000-2999),669(4000-4999)						TG TI TU TW
863/669(9000-9999)						UG UR VM WD
						WE WF WG WH
						WI WJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
LAKELAND	LKLDFLXN85H	08093	01084	0328	952	AA BA DA DD
863/815,816(0000-2999),816(7000-9999),853(1000-9999),858						GC GD GE GG
863/859						GJ GN GR HB
						HD II PC PL
						RC RD SH SQ
						TB TG TI TU
						TW UG UR VM
						WD WE WF WG
						WH WI WJ
LAWTEY	LWTYFLXARS0	07741	01309	0340	452	AA BA DA DD
904/782(0000-0999),782(1000-1999),782(2000-2999)						GI GK GR PC
904/782(3000-3999),782(4000-4999),782(8000-8999)						PL PN RC RD
904/782(9000-9999)						RE SA SH SP
						SQ TJ TU TW
						UB UP UR WE
						WG WJ
LEE	LEE FLXARS0	07789	01554	0340	953	AA BA DA DD
850/971(0000-0999),971(1000-1999),971(2000-2999)						GI GK GR PC
850/971(3000-3999),971(4000-4999),971(5000-5999)						PL PN RC RD
850/971(7000-7999),971(9000-9999)						RE SA SH SP
						SQ TJ TU TW
						UP UR WE WG
						WJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
LEESBURG                    LSBGFLXADS1 07953 01144 0341  454 AA BA BC DA
   352/314,315,319,323,326,360(0000-2000),360(4000-4999)     G1 GC GD GE
   352/360(6000-6999),365,435(0000-0999),435(1000-1999)      GI GK GR IA
   352/435(2000-2999),435(3000-3999),435(4000-4999)          IC ID IE IH
   352/435(6000-6999),435(8000-8999),435(9000-9999)          II PB PK PN
   352/638(9000-9999),728,787                                PS RA RC RD
                                                             RE RF RJ RK
                                                             RM RS SA SH
                                                             SP SQ SU T1
                                                             TJ TK TU TW
                                                             UB UE UG UK
                                                             UL UM UN UP
                                                             UR UU UX UZ
                                                             WE WG WJ
.......................................................................
LEHIGH ACRES                LHACFLXADS0 08344 00864 0341  939 AA BA BC DA
   239/303(0000-3999),303(5000-5999),303(7000-7999)          GC GD GE GI
   239/303(9000-9999),368,369                                GK GR HB IA
                                                             IB IE IG IH
                                                             II PC PL PN
                                                             PR RA RC RD
                                                             RE RF RJ RK
                                                             RM RS SA SH
                                                             SP SQ ST SU
                                                             TJ TK TU UB
                                                             UG UK UL UM
                                                             UP UR UU UX
                                                             UZ WA WE WG
                                                             WJ
.......................................................................
LIVE OAK                    LVOKFLXA03T 07782 01487 0336  452 G2 GB GR TJ
     /                                                       XG
.......................................................................
LIVE OAK                    LVOKFLXA4MD 07782 01487 7193  452 DA
   386/518(5000-5999),518(6000-6999)
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
LIVE OAK	LVOKFLXADS0	07782	01487	0336	452	AA BA DA GC
386/208,330,362,364,647(0000-8999)						GD GE GI GL
						GN GR HB HD
						II RA RC RD
						RH SJ SP SQ
						ST TJ UG UM
						UP UR UU UX
						VA XG
LIVE OAK	LVOKFLXAPS0	07782	01487	0336	452	AA BA DA GC
386/339(1000-1999)						GD GE GI GL
						GN GR HB HD
						II RA RC RD
						RH SJ SP SQ
						ST TJ UG UM
						UP UR UU UX
						VA XG
LURAVILLE	LRVLFLXARP0	07814	01498	0336	452	AA DA GC GD
386/776(4000-4999)						GE GI GL GN
						GR HB HD II
						RA RC RD RH
						SJ SP SQ TJ
						UM UP UU UW
						VA
LURAVILLE	LRVLFLXARS1	07814	01498	0336	452	AA DA GC GD
386/776(0000-3999),776(5000-9999)						GE GI GL GN
						GR HB HD II
						RA RC RD RH
						SJ SP SQ TJ
						UM UP UU UW
						VA
LYNN HAVEN	LYHNFLAWAMD	08040	01921	8664	450	BA DA
850/238(3000-3999),260(3000-3999),299(3000-3999)						
850/387(7000-7999),532(6000-6999),571(9000-9999)						
850/614(3000-3999),633(3000-3999),633(6000-6999)						

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
LYNN HAVEN 850/265,271,277	LYHNFLOHDS0	08040	01921	5191	450	AA BA DA G5 GC GD GL GQ GR PC PL PR PU QB QF SJ SV TJ UK
LYNN HAVEN /	LYHNFLOHK99	08040	01921	5191	450	DA GQ GR PC PL PR PU TJ UB UG UK UP ZY
MACCLENNY 904/259,653	MCLNFLXADS1	07701	01345	0335	452	AA BA DA GE GJ GL GN GQ GR HB HD IA IB IC ID IE IF IG JE OE RC SH SQ T9 TI TJ TK TL TR TZ UG UP UR WE WF WG
MADISON 850/253(0000-0999),253(1000-1999),253(3000-3999) 850/253(4000-4999),253(6000-6999),253(8000-8999) 850/290(1000-1999),290(9000-9999),973(0000-6999) 850/973(8000-9999)	MDSNFLXADS0	07790	01576	0340	953	AA BA DA DD GC GD GI GK GR II PC PL PN RC RD RE RS SA SH SP SQ ST TJ TK TU TW UB UP UR WE WG WJ
MAIN RELIEF /	FTLDFLMRDMS	08281	00558	4085	460	DA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
MAITLAND                    MTLDFLBRDS0 07940 01044 8692  458 DA DD
   321/422(7000-7999),527(2000-2999),527(7000-7999)
   321/559(1000-1999),559(2000-2999),559(3000-3999)
   321/559(4000-4999),559(5000-5999)
   386/239(1000-1999),414(2000-2999),917(1000-1999)
   407/217(1000-1999),388(6000-6999),569(0000-0999)
   407/569(1000-1999),569(2000-2999),569(3000-3999)
   407/569(4000-4999),571(0000-8999),573(0000-0999)
   407/573(1000-1999),573(2000-2999),573(3000-3999)
   407/573(4000-4999),589(0000-0999),589(1000-1999)
   407/589(2000-2999),589(3000-3999),589(4000-4999)
   407/589(8000-8999),593(5000-5999),597(0000-0999)
   407/597(1000-1999),597(2000-2999),597(3000-3999)
   407/597(4000-4999),597(5000-5999),597(8000-8999)
   407/597(9000-9999),598(0000-0999),598(1000-1999)
   407/598(2000-2999),598(3000-3999),598(4000-4999)
   407/637(3000-3999),712(2000-2999),712(6000-6999)
   407/712(7000-8999),734(4000-4999),842(1000-1999)
   407/842(2000-2999),842(3000-3999),842(5000-5999)
   407/949(5000-6999),964(1000-1999),994(4000-4999)
.......................................................................
MAITLAND                    MTLDFLBRDS1 07940 01044 8692  458 DA DD       (C)
   407/457(3000-3999),544(1000-1999),585(8000-8999)                       (C)
   407/732(5000-5999)                                                     (C)
.......................................................................
MAITLAND                    MTLDFLTCDS1 07938 01044 4085  458 DA
```

/

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
MAITLAND-WINTER PARK 321/263(0000-0999),263(2000-4999) 407/475,659,660,661,667,806,838,875	MTLDFLXARP0	07939	01045	0341	458	AA BA BC DA GC GD GE GI GK GR HB IA IC ID IE IH II PA PJ PS RA RC RD RE RF RJ RK RM RS SH SQ SU TH TJ TK UB UE UG UK UL UM UN UP UU UX UZ ZZ
MALONE 850/569(0000-0999),569(1000-1999),569(2000-2999) 850/569(3000-3999),569(4000-4999),569(5000-5999) 850/569(9000-9999)	MALNFLXARS0	07861	01914	0340	450	AA BA DA DD GI GK GR PC PL PN RC RD SA SH SP SQ TJ TU TW UB UP UR WE WG WJ
MANDARIN 904/363,464,519,538,667(5000-8999),987	MNDRFLAVDS0	07661	01245	5191	452	AA BA DA G5 GC GD GE GL GQ GR PC PL PR PS QB QF RC RD RM SJ SV T9 TJ TK UK UQ XA
MANDARIN /	MNDRFLAVK99	07661	01245	5191	452	DA GQ GR PC PL PR PS T9 TJ TK UB UE UG UK UP XA ZY
MANDARIN /	MNDRFLLOBBA	07672	01248	5191	452	DA GQ GR PR PS T9 TU XA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MANDARIN	MNDRFLLODS0	07672	01248	5191	452	AA BA DA G5
904/251(6000-6999),260,262,268,271(6000-8999)						GC GD GL GQ
904/288(0000-0999),288(2000-9999),292,880,886						GR PA PJ PR
						PS RC RD SJ
						SV T9 TJ TK
						UQ XA
MANDARIN	MNDRFLLOK99	07672	01248	5191	452	DA GQ GR PA
/						PJ PR PS T9
						TJ TK UB UG
						UP XA ZY
MANDARIN	MNDRFLLWRS0	07683	01247	5191	452	AA BA DA G5
904/230(0000-4999),230(5000-5999),230(6000-6999)						GC GL GQ GR
904/230(7000-7999),230(8000-9999),287,679(0000-0999)						PC PL PR PS
						RC RD SJ SV
						T9 TJ TK XA
MARATHON	MRTHFLVEK01	08633	00551	5191	460	DA GQ GR TJ
/						UB UE UG UP
						XA ZY
MARATHON	MRTHFLVERS0	08633	00551	5191	460	AA BA DA GC
305/289,743						GD GL GQ GR
						PC PL RC RD
						RF RH SJ SV
						TJ XA
MARCO ISLAND	MOISFLXADS1	08476	00806	0341	939	AA BA BC DA
239/389,393(0000-0999),393(1000-1999),393(2000-2999)						GC GD GI GK
239/393(3000-3999),393(4000-4999),393(6000-6999),394,642						GR PC PL PN
239/642						RA RC RD RE
						RF RJ RK RM
						RS SA SH SP
						SQ ST SU TJ
						TK TU TW UB
						UG UK UL UM
						UP UR UU UX
						UZ WE WG WJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MARGATE	PMBHFLMADMS	08264	00580	4085	460	DA
/						
MARIANNA	MRNNFLXA03T	07901	01906	0340	450	GB
/						
MARIANNA	MRNNFLXADS0	07901	01906	0340	450	AA BA D1 DA
850/372(1000-1999),372(9000-9999),482,526,718(0000-5999)						GC GD GI GK
850/718(9000-9999)						GR HD II PC
						PL PN RC RD
						RE RS SA SH
						SP SQ T1 TJ
						TK TU TW UB
						UP UR WE WG
						WJ
MARIANNA	PNCYFLMAXTZ	08058	01914	7985	450	GR
850/238(4000-4999),317(7000-7999),352(8000-8999)						
850/360(7000-7999),388(1000-1999),397(7000-7999)						
850/403(7000-7999),481(7000-7999),548(8000-8999)						
850/569(7000-7999),571(0000-0999),592(7000-7999)						
850/593(8000-8999),594(2000-2999),614(7000-7999)						
850/632(7000-7999),658(7000-7999),854(7000-7999)						
850/956(6000-6999)						
MAXVILLE	MXVLFLMARS0	07706	01318	5191	452	AA BA DA G5
904/289(0000-0999),289(4000-4999),289(7000-7999)						GC GD GL GQ
904/289(9000-9999)						GR PC PL PR
						PS RC RD SJ
						SV T9 TJ UQ
						XA
MAYO	MAYOFLXARP0	07846	01493	0336	452	AA DA GC GD
386/294(6000-6999)						GE GI GL GN
						GR HB HD II
						RA RC RD RH
						SJ SP SQ TJ
						UM UP UU UW
						VA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MAYO	MAYOFLXARS1	07846	01493	0336	452	AA DA GC GD
386/294(0000-5999),294(7000-9999)						GE GI GL GN
						GR HB HD II
						RA RC RD RH
						SJ SP SQ ST
						TJ UG UM UP
						UR UU UW VA
MCINTOSH	MCINFLXADS0	07868	01270	0336	454	AA DA GC GD
352/591						GI GL GN GR
						HD II RA RC
						RD RH SJ SP
						SQ ST TJ UG
						UM UP UR UU
						UW VA
MCINTOSH	MCINFLXAPS0	07868	01270	0336	454	AA DA GC GD
352/878(4000-4999)						GI GL GN GR
						HD II RA RC
						RD RH SJ SP
						SQ ST TJ UG
						UM UP UR UU
						UW VA
MELBOURNE	MLBRFLMA61W	07963	00854	5191	458	DA GQ GR PC
/						PL PR PS TB
						TJ UK XA
MELBOURNE	MLBRFLMADS0	07963	00854	5191	458	AA BA DA GC
321/409,434,674,676(0000-7999),676(9000-9999)						GL GQ GR PC
321/722(0000-0999),722(1000-1999),722(2000-2999)						PL PR PS QB
321/722(3000-3999),722(4000-4999),722(5000-5999)						QF RC RD RM
321/722(8000-8999),722(9000-9999),723,724,725,726,727						SV TJ UB UK
321/728,729,733,768(0000-2999),768(4000-9999)						XA ZY
321/837(0000-0999),837(1000-1999),837(2000-2999)						
321/837(4000-4999),837(5000-5999),837(6000-6999)						
321/837(7000-7999),837(8000-8999),951,952,953,956,984						
321/984						

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
MELBOURNE /	MLBRFLMAK99	07963	00854	5191	458	DA GQ GR PC PL PR PS TJ UB UE UG UK UP XA ZY
MELROSE 352/475(0000-0999),475(1000-1999),475(2000-2999) 352/475(3000-3999),475(4000-4999),475(5000-5999) 352/475(6000-6999),475(9000-9999)	MLRSFLXADS0	07800	01270	0336	454	AA DA GC GD GI GL GN GR HD II RA RC RD RH SJ SP SQ ST TJ UG UM UP UR UU UW VA
MELROSE 352/218(4000-4999)	MLRSFLXAPS0	07800	01270	0336	454	AA DA GC GD GI GL GN GR HD II RA RC RD RH SJ SP SQ ST TJ UG UM UP UR UU UW VA
MIAMI /	MIAMFL98DS4	08351	00527	937C	460	DA DD GE GL GN GP GR IA IB
MIAMI /	MIAMFL98DS6	08351	00527	937C	460	DA DD GE GL GN GP GR IA IB
MIAMI 305/441,442,443,444,445,446,447,448,460,461,476,529,567 305/569,648(0000-5999),648(7000-9999),774,982(3000-3999) 786/552(0000-1999),552(4000-9999),999(1000-1999) 786/999(7000-7999)	MIAMFLAEDS0	08362	00536	5191	460	AA BA DA G4 GC GD GL GQ GR PA PJ PR PS QB QF RC RD RF RH SV T9 TJ TK VG

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
MIAMI /	MIAMFLAEK01	08362	00536	5191	460	DA GQ GR PA PJ PR PS T9 TJ TK UB UE UG UP ZY
MIAMI 305/520(1000-4999),520(6000-6999),520(7000-7999) 305/520(8000-8999)	MIAMFLAERS0	08362	00536	5191	460	AA BA DA G4 GC GD GE GL GQ GR PA PJ PR PS RC RD RF RH SK SV T9 TJ TK
MIAMI 305/633,634,635,636,637,638	MIAMFLALDS0	08349	00539	5191	460	AA BA DA G4 GC GD GL GQ GR PA PJ PR PS RC RD RF RH SJ SV T9 TJ TK
MIAMI /	MIAMFLALK01	08349	00539	5191	460	DA GQ GR PA PJ PR PS T9 TJ TK UB UE UG UP ZY
MIAMI 305/492(1000-1999),492(4000-4999),492(6000-6999),526,869 305/870,871,874,876 786/265(0000-0999),265(2000-9999)	MIAMFLAPDS0	08354	00546	5191	460	AA BA DA G4 GC GD GE GL GQ GR PA PJ PR PS RA RB RC RD RF RH SL SV T9 TJ TK
MIAMI /	MIAMFLAPK01	08354	00546	5191	460	DA GQ GR PR PS SP T9 TJ TK UB UE UG UP

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
MIAMI                       MIAMFLBAK01 08358 00530 5191  460 DA GQ GR PR
     /                                                         PS T9 TJ TK
                                                               UB UE UG UP
                                                               ZY
.......................................................................
MIAMI                       MIAMFLBARP0 08358 00530 5191  460 AA BA DA G4
   305/250(0000-0999),250(2000-2999),250(3000-3999)            GC GD GL GQ
   305/250(4000-4999),250(5000-5999),250(6000-6999)            GR PA PJ PR
   305/250(7000-7999),250(9000-9999),285,854,856               PS RC RD RF
   305/857(0000-0999),857(1000-1999),857(3000-3999)            RH SJ SV T9
   305/857(6000-6999),857(9000-9999),858,859(2000-2999)        TJ TK
   305/859(4000-4999),859(6000-6999),859(7000-7999)
   305/859(8000-8999),859(9000-9999),860
   786/314(5000-5999)
.......................................................................
MIAMI                       MIAMFLBCDS0 08347 00532 5191  460 AA BA DA G4
   305/438(0000-5999),438(9000-9999),571(0000-5999)            GC GD GL GQ
   305/571(7000-9999),572(0000-2999),572(4000-4999)            GR PA PJ PR
   305/572(9000-9999),573,576                                  PS RC RD RF
                                                               RH SJ SV T9
                                                               TJ TK
.......................................................................
MIAMI                       MIAMFLBCK01 08347 00532 5191  460 DA GQ GR PR
     /                                                         PS T9 TJ TK
                                                               UB UE UG UP
                                                               ZY
.......................................................................
MIAMI                       MIAMFLBR61W 08343 00520 5191  460 DA GQ GR PA
     /                                                         PJ PR PS T9
                                                               TA TJ TK
.......................................................................
MIAMI                       MIAMFLBRDS0 08343 00520 5191  460 AA BA DA G4
   305/531,532,534,535,538,604,672,673,674,695                 GC GD GL GQ
   305/938(1000-4999)                                          GR PA PJ PR
   786/276                                                     PS RC RD RF
                                                               RH SJ SV T9
                                                               TJ TK
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MIAMI	MIAMFLBRK01	08343	00520	5191	460	DA GQ GR PR
/						PS T9 TJ TK
						UB UE UG UP
						ZY
MIAMI	MIAMFLCA21W	08374	00552	5191	460	DA GQ GR HC
/						PA PJ PR PS
						T9 TJ TK
MIAMI	MIAMFLCABBA	08374	00552	5191	460	DA GQ GR PR
/						PS T9 TJ TK
						TU
MIAMI	MIAMFLCADS0	08374	00552	5191	460	AA BA DA G4
305/207,220,221,222(0000-6999),222(8000-9999),223,225						GC GD GL GQ
305/226,227,228,229,348,480,485,487(4000-6999)						GR PA PJ PR
305/487(9000-9999),551,552,553,554,559						PS RC RD RF
786/315(2000-2999),315(5000-5999)						RH SJ SV T9
						TJ TK VG
MIAMI	MIAMFLCAK01	08374	00552	5191	460	DA GQ GR PA
/						PJ PR PS T9
						TJ TK UB UE
						UG UP ZY
MIAMI	MIAMFLDADS0	08351	00527	7422	460	BA DA GI GJ
/						GL GN GQ HA
						HD IA IB II
						SH SI UA UG
						UR UU
MIAMI	MIAMFLDBRS1	08381	00538	5191	460	AA BA DA G4
305/670,671(0000-2999),671(4000-8999)						GC GD GQ GR
						PA PJ PR PS
						RC RD RF RH
						SJ SV T9 TJ
						TK

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MIAMI	MIAMFLFLDS0	08356	00533	5191	460	AA BA DA G4
305/541,631(0000-1999),631(3000-9999),642,643,644						GC GD GL GQ
305/646(0000-0999),646(2000-7999),646(9000-9999),649						GR PA PJ PR
786/470(1000-3999),470(8000-8999)						PS RC RD RF
						RH SJ SV T9
						TJ TK
MIAMI	MIAMFLFLK01	08356	00533	5191	460	DA GQ GR PR
/						PS SP T9 TJ
						TK UB UG UP
MIAMI	MIAMFLGR05T	08351	00528	5191	460	DA G1 G2 GB
/						GQ GR PA PJ
						PR PS QB QF
						T8 T9 TJ TK
						UK XD
MIAMI	MIAMFLGR61W	08351	00528	5191	460	DA GQ GR PA
/						PJ PR PS T8
						T9 TA TJ TK
						XD
MIAMI	MIAMFLGRBB1	08351	00528	5191	460	DA GQ GR PA
/						PJ PR PS T8
						T9 TD TG TJ
						TK XD
MIAMI	MIAMFLGRBB2	08351	00528	5191	460	DA GQ GR PR
/						PS T8 T9 TD
						TG TJ TK XD
MIAMI	MIAMFLGRBB3	08351	00528	5191	460	DA GQ GR PR
/						PS T8 T9 TD
						TG TJ TK XD
MIAMI	MIAMFLGRBB4	08351	00528	5191	460	DA GQ GR PR
/						PS T8 T9 TD
						TG TJ TK XD

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MIAMI	MIAMFLGRBB5	08351	00528	5191	460	DA GQ GR PR
/						PS T8 T9 TD
						TG TJ TK XD
MIAMI	MIAMFLGRBB6	08351	00528	5191	460	DA GQ GR PR
/						PS T8 T9 TD
						TG TJ TK XD
MIAMI	MIAMFLGRBB7	08351	00528	5191	460	DA GQ GR PR
/						PS T8 T9 TD
						TG TJ TK XD
MIAMI	MIAMFLGRBB8	08351	00528	5191	460	DA GQ GR PR
/						PS T8 T9 TD
						TG TJ TK XD
MIAMI	MIAMFLGRBBA	08351	00528	5191	460	DA GQ GR PR
/						PS T8 T9 TJ
						TK TU XD
MIAMI	MIAMFLGRBBC	08351	00528	5191	460	DA GQ GR PR
/						PS T8 T9 TJ
						TK TU XD
MIAMI	MIAMFLGRBBE	08351	00528	5191	460	DA GQ GR PR
/						PS T8 T9 TJ
						TU XD
MIAMI	MIAMFLGRBBH	08351	00528	5191	460	DA GQ GR PR
/						PS T8 T9 TU
						XD
MIAMI	MIAMFLGRBBT	08351	00528	5191	460	DA GQ GR PR
/						PS T8 T9 TD
						TG XD
MIAMI	MIAMFLGRBBU	08351	00528	5191	460	DA GQ GR PR
/						PS T8 T9 TD
						TG XD

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
MIAMI                       MIAMFLGRBBY 08351 00528 5191  460 DA GQ GR PR
     /                                                         PS T8 T9 TD
                                                               TG TJ XD
.......................................................................
MIAMI                       MIAMFLGRBBZ 08351 00528 5191  460 DA GQ GR PR
     /                                                         PS T8 T9 TD
                                                               TG TJ XD
.......................................................................
MIAMI                       MIAMFLGRDS0 08351 00528 5191  460 AA BA DA G4
   305/530,536,539(0000-0999),539(1000-1999),539(2000-2999)  GC GD GE GL
   305/539(3000-3999),539(4000-4999),539(5000-5999)          GQ GR PA PJ
   305/539(6000-6999),539(7000-7999),539(9000-9999)          PR PS QB QF
   305/810(0000-3999),810(5000-6999)                         RC RD RF RH
                                                             SL SV T8 T9
                                                             TA TB TJ TK
                                                             VG XD
.......................................................................
MIAMI                       MIAMFLGRDS1 08351 00528 5191  460 AA BA DA G4
   305/237,243,329,347,349(0000-2999),349(4000-9999),350     GC GD GL GQ
   305/355,358,371,372,373,374,375,376,377,379               GR PA PJ PR
   305/381(3000-4999),381(6000-7999),381(8000-8999)          PS QB QF RC
   305/381(9000-9999),400(5000-7999),415(0000-7999)          RD RF RH SK
   305/415(9000-9999),416(0000-7999),416(9000-9999)          SV T8 T9 TA
   305/424(0000-0999),523(0000-8999),533,577,579             TB TJ TK XD
   305/603(0000-6999),679,755(0000-1999),755(5000-9999),789
   305/808(0000-2999),808(4000-9999),960(0000-6999)
   305/960(8000-9999),961(0000-0999),961(2000-9999)
   305/982(0000-2999),982(4000-6999),982(9000-9999),995
   786/273(3000-4999),316(4000-4999),327(5000-5999)
   786/425(0000-6999),425(8000-9999),466,468(2000-2999)
   786/469(2000-5999),597(5000-5999),777(0000-7999)
.......................................................................
MIAMI                       MIAMFLGRK01 08351 00528 5191  460 DA GQ GR PR
     /                                                         PS T8 T9 TJ
                                                               TK UB UE UG
                                                               UP XD ZY
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MIAMI	MIAMFLGRK03	08351	00528	5191	460	DA GQ GR PA
/						PJ PR PS T8
						T9 TJ TK UB
						UE UG UP XD
						ZY
MIAMI	MIAMFLHL61W	08343	00559	5191	460	DA GQ GR PB
/						PK PR PS T9
						TA TJ TK
MIAMI	MIAMFLHLBBA	08343	00559	5191	460	DA GQ GR PR
/						PS T9 TJ TK
						TU
MIAMI	MIAMFLHLDS0	08343	00559	5191	460	AA BA DA G4
305/200(1000-1999),231,362,364(0000-4999),364(6000-9999)						GC GD GL GQ
305/512,556,557,558,698,816(0000-5999),816(7000-9999)						GR PB PK PR
305/817,818,819,820,821,822,823,824(0000-5999)						PS QB QF RC
305/824(8000-9999),825,826,827,828,829,846(3000-5999)						RD RF RH SJ
786/313(0000-2999),313(4000-4999),313(6000-9999),639						SV T9 TJ TK
						VG
MIAMI	MIAMFLHLK01	08343	00559	5191	460	DA GQ GR PB
/						PK PR PS T9
						TJ TK UB UE
						UG UP ZY
MIAMI	MIAMFLICDS0	08329	00524	5191	460	AA BA DA G4
305/861,864,865,866,867,868,993(0000-1999)						GC GD GL GQ
305/993(3000-7999)						GR PA PJ PR
						PS RC RD RF
						RH SJ SV T9
						TJ TK
MIAMI	MIAMFLKEDS0	08365	00513	5191	460	AA BA DA GC
305/361,365						GD GL GQ GR
786/317(5000-5999)						PA PJ PR PS
						RC RD RF SJ
						SV T9 TJ TK

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MIAMI	MIAMFLME61W	08350	00534	5191	460	DA GQ GR PA
/						PJ PR PS T9
						TA TJ TK
MIAMI	MIAMFLMEK01	08350	00534	5191	460	DA GQ GR PR
/						PS T9 TJ TK
						UB UE UG UP
						ZY
MIAMI	MIAMFLMERP0	08350	00534	5191	460	AA BA DA G4
305/324,325,326(0000-0999),326(1000-1999),326(4000-4999)						GC GD GL GQ
305/326(5000-5999),326(6000-6999),326(7000-7999)						GR PA PJ PR
305/326(8000-8999),326(9000-9999),545,547(0000-0999)						PS RC RD RF
305/547(1000-1999),547(2000-2999),547(3000-3999)						RH SK SV T9
305/547(4000-4999),547(5000-5999),547(6000-6999)						TJ TK
305/547(7000-7999),548(0000-0999),548(1000-1999)						
305/548(2000-2999),548(3000-3999),548(4000-4999)						
305/548(5000-5999),548(6000-6999),548(7000-7999)						
305/549(1000-1999),549(2000-2999),549(3000-3999)						
305/549(5000-5999),549(6000-6999),549(7000-7999)						
305/549(9000-9999),550,560(2000-2999),585						
MIAMI	MIAMFLMERS0	08350	00534	5191	460	AA BA DA GC
305/575(0000-0999),575(3000-8999)						GD GL GQ GR
						PA PJ PR PS
						RD SV T9 TJ
						TK VG
MIAMI	MIAMFLNMDS0	08327	00537	5191	460	AA BA DA G4
305/891,892,893,895,899,981(0000-5999),981(7000-9999)						GC GD GL GQ
305/981(7000-9999)						GR PA PJ PR
						PS RC RD RF
						RH SJ SV T9
						TJ TK
MIAMI	MIAMFLNMK01	08327	00537	5191	460	DA GQ GR PR
/						PS T9 TJ TK
						UB UE UG UP
						ZY

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MIAMI	MIAMFLNSDS0	08343	00543	5191	460	AA BA DA GC
305/691,693,694,696,835,836						GD GL GQ GR
786/318(1000-1999),318(3000-3999),318(5000-5999)						PA PJ PR PS
						RC RD SV T9
						TJ TK
MIAMI	MIAMFLNSK01	08343	00543	5191	460	DA GQ GR PR
/						PS SP T9 TJ
						TK UB UE UG
						UP
MIAMI	MIAMFLOLDS0	08333	00550	5191	460	AA BA DA G4
305/681,685,687,688,769(0000-7999),769(9000-9999),953						GC GD GL GQ
786/413(3000-3999)						GR PA PJ PR
						PS RC RD SV
						T9 TJ TK
MIAMI	MIAMFLOLK01	08333	00550	5191	460	DA GQ GR PR
/						PS T9 TJ TK
						UB UE UG UP
						ZY
MIAMI	MIAMFLPBDS0	08352	00548	5191	460	AA DA G4 GC
305/805,863,882,883,884,885,887,888,889						GL GQ GR PA
786/337(4000-4999),337(6000-9999),394(1000-2999)						PJ PR PS RC
786/394(4000-6999),394(8000-9999),585(7000-9999)						RD RF RH SG
						SJ SN SV T9
						TJ TK
MIAMI	MIAMFLPBK01	08352	00548	5191	460	DA GQ GR PR
/						PS T9 TJ UB
						UE UG UP ZY
MIAMI	MIAMFLPEK01	00000	00000	5191	460	DA GQ GR PC
/						PL UB UE UG
						UP ZY

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MIAMI	MIAMFLPLBB0	08360	00557	5191	460	DA GQ GR PR
/						PS T9 TD TG
						TJ TK XA XD
MIAMI	MIAMFLPLBB1	08360	00557	5191	460	DA GQ GR PR
/						PS T9 TD TG
						TJ TK XA XD
MIAMI	MIAMFLPLBB2	08360	00557	5191	460	DA GQ GR PR
/						PS T9 TD TG
						TJ TK XA XD
MIAMI	MIAMFLPLBB3	08360	00557	5191	460	DA GQ GR PR
/						PS T9 TD TG
						TJ TK XA XD
MIAMI	MIAMFLPLBB4	08360	00557	5191	460	DA GQ GR PR
/						PS T9 TD TG
						TJ TK XA XD
MIAMI	MIAMFLPLBB5	08360	00557	5191	460	DA GQ GR PR
/						PS T9 TD TG
						TJ TK XA XD
MIAMI	MIAMFLPLBB6	08360	00557	5191	460	DA GQ GR PR
/						PS T9 TD TG
						TJ TK XA XD
MIAMI	MIAMFLPLBB7	08360	00557	5191	460	DA GQ GR PR
/						PS T9 TD TG
						TJ TK XA XD
MIAMI	MIAMFLPLBB8	08360	00557	5191	460	DA GQ GR PR
/						PS T9 TD TG
						TJ TK XA XD
MIAMI	MIAMFLPLBBA	08360	00557	5191	460	DA GQ GR PR
/						PS T7 T9 TJ
						TK TU XA XD

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MIAMI	MIAMFLPLBBC	08360	00557	5191	460	DA GQ GR PR
/						PS T9 TJ TK
						TU XA XD
MIAMI	MIAMFLPLBBE	08360	00557	5191	460	DA GQ GR PR
/						PS T9 TJ TU
						XA XD
MIAMI	MIAMFLPLBBU	08360	00557	5191	460	DA GQ GR PR
/						PS T9 TD TG
						TJ XA XD
MIAMI	MIAMFLPLDS0	08360	00557	5191	460	AA BA DA GC
305/392(2000-9999),406,418(1000-9999),436,437,463						GD GL GQ GR
305/468(0000-3999),468(5000-9999),470,471,477						PA PJ PR PS
305/482(0000-0999),482(2000-2999),482(4000-5999)						QB QF RC RD
305/482(7000-9999),499(1000-9999),500,513,514(1000-8999)						RH SV T9 TJ
305/591,592,593,594,597,599,629,639(1000-7999)						TK VG XA XD
305/639(9000-9999),640(0000-4999),640(6000-7999)						
305/640(9000-9999),715,716,717(0000-6999),717(9000-9999)						
305/718,994(0000-3999),994(5000-9999)						
786/216(0000-0999),331,336,464(1000-4999),464(6000-7999)						
786/533(4000-5999),533(7000-7999),533(9000-9999),845						
MIAMI	MIAMFLPLK01	08360	00557	5191	460	DA GQ GR PA
/						PJ PR PS T9
						TJ TK UB UE
						UG UP XA XD
						ZY
MIAMI	MIAMFLPLK02	08360	00557	5191	460	DA GQ GR PR
/						PS T9 TJ TK
						UB UE UG UP
						XA XD ZY
MIAMI	MIAMFLPLK32	08360	00557	5191	460	DA GQ GR PR
/						PS T9 TJ TK
						UG VB XA XD

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MIAMI	MIAMFLPLRS0	08360	00557	5191	460	AA BA DA G4
305/590(0000-0999),590(2000-2999),590(4000-4999)						GC GD GE GQ
305/590(6000-6999),590(9000-9999),873(0000-0999)						GR PA PJ PR
305/873(2000-2999)						PS RC RD SK
						SV T9 TJ TK
						XA XD
MIAMI	MIAMFLRR1GT	08372	00536	5191	460	DA GB GQ GR
/						PR PS T9 TJ
MIAMI	MIAMFLRR61W	08372	00536	5191	460	DA GQ GR PA
/						PJ PR PS T9
						TA TJ TK
MIAMI	MIAMFLRRBBA	08372	00536	5191	460	DA GQ GR PR
/						PS T7 T9 TJ
						TK TU
MIAMI	MIAMFLRRDS0	08372	00536	5191	460	AA BA DA GC
305/284,661,662,663,665,666,667,668,669,689						GD GL GQ GR
305/740(0000-0999),740(2000-9999)						PA PJ PR PS
786/268(0000-8999),308(2000-4999),662(0000-2999)						RC RD RF RH
786/662(4000-5999),662(7000-8999)						SL SV T9 TA
						TB TJ TK
MIAMI	MIAMFLRRK01	08372	00536	5191	460	DA GQ GR PR
/						PS T9 TJ TK
						UB UE UG UP
						ZY
MIAMI	MIAMFLSH61W	08337	00537	5191	460	DA GQ GR PA
/						PJ PR PS T9
						TA TJ TK

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MIAMI	MIAMFLSHDS0	08337	00537	5191	460	AA BA DA G1
305/751,754,756,757,758,759,762(1000-1999)						GC GD GL GQ
305/762(3000-3999),762(4000-4999),762(5000-5999)						GR PA PJ PR
305/762(6000-6999),762(7000-7999),762(8000-8999)						PS QB QF RC
305/795(1000-9999)						RD RF RH SJ
						SV T9 TJ TK
MIAMI	MIAMFLSHK01	08337	00537	5191	460	DA GQ GR PR
/						PS T9 TJ TK
						UB UE UG UP
						ZY
MIAMI	MIAMFLSODS0	08386	00547	5191	460	AA BA DA GC
305/270,271,273,274,275,279,412,595,596,598						GD GL GQ GR
305/630(0000-7999),630(9000-9999)						PA PJ PR PS
786/263(0000-0999),263(4000-7999),527(6000-9999)						RC RD RF RH
786/594(6000-9999),595,596						SJ SV T9 TA
						TB TJ TK VG
MIAMI	MIAMFLSOK01	08386	00547	5191	460	DA GQ GR PR
/						PS T9 TJ TK
						UB UE UG UP
						VG ZY
MIAMI	MIAMFLWDDS0	08394	00559	5191	460	AA BA DA G4
305/380,382,383,385,386,387,388,408,752						GC GD GL GQ
786/319(5000-5999),467(2000-5999)						GR PA PJ PR
						PS RC RD SV
						T9 TJ TK VG
MIAMI	MIAMFLWDK01	08394	00559	5191	460	DA GQ GR PR
/						PS T9 TJ TK
						UB UE UG UP
						VG ZY
MIAMI	MIAMFLWM61W	08366	00545	5191	460	DA GQ GR PA
/						PJ PR PS T9
						TA TJ TK

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MIAMI	MIAMFLWMDS0	08366	00545	5191	460	AA BA DA GC
305/260(0000-5999),260(7000-9999),261,262,263(1000-9999)						GD GL GQ GR
305/264,265,266,267(0000-0999),267(2000-6999)						PA PJ PR PS
305/267(8000-9999),269						RC RD RF RH
786/275(0000-2999),275(8000-9999),388,624(2000-6999)						SV T9 TJ TK
						VG
MIAMI	MIAMFLWMK01	08366	00545	5191	460	DA GQ GR PR
/___						PS T9 TJ TK
						UB UE UG UP
						ZY
MIAMI	MIANFLPVDS0	08364	00554	7448	460	BA DA
/___						
MIAMI	MIANFLPVDS1	08364	00554	7448	460	DA
305/307(5000-5999),704(5000-5999),704(6000-6999)						
786/437,662(6000-6999),972(3000-3999)						

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE			
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--
MIAMI	MIANFLWKDS0	08363	00554	8664	460	DA	DD	G2	GD
305/351(0000-5999),351(9000-9999),423(0000-0999)						GE	GJ	GN	GQ
305/423(1000-1999),423(2000-2999),423(3000-3999)						HB	HC	IA	IB
305/423(4000-4999),423(6000-6999),423(7000-7999)						IC	IE	IF	IG
305/423(8000-8999),506(0000-0999),506(2000-2999)						IH	II	QA	
305/507(0000-3999),507(5000-7999),507(9000-9999)									
305/508(9000-9999),521(0000-2999),521(4000-7999)									
305/521(9000-9999),680(3000-3999),702,704(0000-1999)									
305/704(4000-4999),704(9000-9999),714,744(5000-5999)									
305/894(0000-5999),894(7000-9999),907(2000-2999)									
305/907(3000-3999),907(7000-7999),908,909(0000-0999)									
305/910(2000-2999),925									
561/223(4000-4999),328(2000-2999),396(2000-2999)									
561/402(8000-8999),404(2000-2999),469(3000-5999)									
561/515(0000-4999),515(6000-8999),570(3000-3999)									
561/571(3000-3999),600(3000-3999),614(3000-3999)									
561/617(2000-2999),618(3000-3999),657(4000-4999)									
561/666(3000-3999),692(4000-4999),801(7000-7999)									
561/962(8000-8999),972(5000-5999)									
754/260(3000-3999),812(3000-3999)									
772/224(3000-3999),228(3000-3999),245(3000-3999)									
772/281(3000-3999),324(3000-3999),742(7000-7999)									
772/763(2000-2999),882(3000-3999),925(3000-3999)									
772/934(5000-5999)									
786/491(7000-7999),532(1000-1999),532(9000-9999)									
786/535(2000-2999),582(6000-6999),650(3000-3999)									
786/713(3000-3999),747(3000-3999),792(3000-3999)									
786/812(3000-3999),857(5000-5999),907(3000-3999)									
786/913(4000-4999),915(8000-8999),971(3000-3999)									
954/233,281(1000-1999),281(3000-3999),282(5000-5999)									
954/282(7000-7999),283(1000-5999),363(2000-2999)									
954/369(0000-0999),369(2000-2999),378(0000-2999)									
954/378(4000-5999),378(7000-7999),395(8000-8999)									
954/498(2000-2999),744(1000-1999),744(3000-3999)									
954/744(5000-5999),744(7000-7999),745(0000-0999)									
954/745(1000-1999),745(2000-2999),745(3000-3999)									
954/745(4000-4999),745(5000-5999),745(6000-6999)									
954/745(7000-7999),745(9000-9999),903(1000-3999)									
954/903(9000-9999),908(8000-8999),945(3000-3999)									

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE			
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--
MIAMI	MIANFLYIDS6	08351	00527	4227	460	DA	DD	GJ	GL
305/359(3000-3999),359(5000-5999),390(8000-8999)						GN	GQ	GR	HB
305/407(8000-9999),421(4000-5999),433(6000-6999)						HJ	IA	IB	IC
305/434(8000-8999),503,677(5000-7999),704(2000-3999)						ID	IE	IG	II
305/722(3000-3999),722(5000-5999),800,952(5000-5999)						SH	SP	SQ	UG
305/993(2000-2999)						UP	UR	UU	WE
561/209(1000-1999),210(2000-2999),214(6000-7999)						WF	WG	WH	WJ
561/214(8000-8999),228(5000-7999),277(1000-2999)									
561/367(2000-2999),427(1000-2999),455(1000-1999)									
561/455(3000-3999),465(1000-1999),500,623(1000-1999)									
561/656(9000-9999),672(3000-3999),672(8000-8999)									
561/674(0000-0999),674(9000-9999),767(3000-4999)									
561/807(4000-4999),807(6000-8999),860(8000-9999)									
561/868(1000-2999),868(6000-6999),868(8000-9999)									
561/869(4000-5999),869(7000-8999),880(2000-2999)									
561/880(6000-6999),939(0000-0999),939(1000-3999)									
561/939(4000-4999),939(5000-5999),939(6000-7999)									
754/500									
772/233(4000-4999),293(9000-9999),402(4000-4999)									
772/403(5000-5999),403(8000-8999),409(8000-8999)									
772/453(2000-2999),672(5000-5999),924(2000-2999)									
786/228(5000-5999),230(2000-2999),245(0000-0999)									
786/245(2000-2999),264(1000-1999),264(5000-6999)									
786/265(1000-1999),272,279(0000-7999),279(9000-9999)									
786/288(4000-4999),300(3000-3999),300(4000-4999)									
786/345(0000-2999),345(5000-6999),364,392,405(1000-1999)									
786/427(1000-2999),427(6000-6999),427(8000-8999),500									
786/522(7000-8999),693(6000-9999),863(8000-8999),866									
786/871(2000-6999),879(7000-8999),999(0000-0999)									
786/999(6000-6999),999(8000-8999)									
954/245(3000-3999),302(5000-6999),400(2000-2999)									
954/414(2000-6999),416(1000-1999),416(4000-4999)									
954/461(2000-2999),465(2000-2999),500,504(4000-4999)									
954/529(2000-2999),556(1000-1999),556(2000-3999)									
954/556(4000-5999),556(6000-9999),598(6000-6999)									
954/602(6000-8999),656(1000-1999),656(3000-3999)									
954/656(4000-4999),656(6000-6999),657(9000-9999)									
954/660(1000-2999),660(5000-8999),660(9920-9920)									
954/660(9947-9947),660(9990-9990),660(9999-9999)									

-------- Continued on next page --------

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY CLLI WCV WCH CC LATA OFFICE TYPE
---------NPA/NXX---------- ---------- ----- ----- ---- ---- -- -- -- --

-------- Continued from previous page --------

954/665(2000-2999),668(2000-2999),671(1100-1104)
954/671(1499-1500),671(4000-6999),834(1000-1999)
954/842(7000-7999),859(3000-3999),861(1000-2999)
954/861(4000-4999),861(6000-6999),862(0000-0999)
954/862(1000-6999),862(9000-9999),880(9000-9999)
954/905(4000-5999),905(6000-6999)

.....

MIAMI MIANFLYIDST 08351 00527 4227 460 GL
305/808(3000-3999)

.....

MIAMI MIAPFLYODS0 08359 00544 8692 460 DA DD
305/400(3000-3999),468(4000-4999),492(7000-7999)
305/728(1000-1999),728(2000-2999),728(3000-3999)
305/728(4000-4999),728(5000-5999),728(6000-6999)
305/728(7000-7999),728(8000-8999),740(1000-1999)
305/749(0000-4999),777(0000-3999),777(6000-7999)
305/777(9000-9999),779,961(1000-1999)
786/216(1000-1999),362(7000-8999),369(7000-7999)
786/375(6000-6999),401(1000-1999),406(1000-1999)
786/406(7000-7999),413(1000-1999),464(8000-8999)
786/478(3000-3999),523(7000-7999),528(1000-1999)
786/528(2000-2999),528(3000-3999),528(4000-4999)
786/528(5000-5999),581(1000-1999),581(2000-2999)
786/581(3000-3999),581(4000-4999),581(5000-5999)
786/594(2000-2999),594(3000-3999),594(4000-4999)
786/594(5000-5999),837(2000-2999),975(2000-2999)
954/939(2000-2999)

.....

MIAMI MIAPFLYODS1 08359 00544 8692 460 DA DD
786/501(8000-8999),601(1000-1999),609(9000-9999)
786/749(1000-1999),913(2000-2999)

.....

MIAMI MIAQFL06DS1 08326 00551 6100 460 BA DA GE GJ
/ GR HB IB RC
RD SH SQ T1
T2 UG UP UR
US

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
MIAMI                       MIASFL68DS0 08364 00554 2889  460 D1 DA DD GB
   305/721(1000-3999)                                          GE GJ GL GN
   561/210(8000-8999),491(0000-7999),491(9000-9999)            HB HJ IA IB
   786/209(2000-3999),270(0000-4999),332(5000-6999),497        IC ID IG II
   786/544(0000-1999),544(7000-8999),544(9000-9999)            UG
   786/545(0000-1999),545(3000-4999),545(8000-8999)
   786/871(8000-9999),923(0000-1999),923(2000-3999)
   786/923(4000-4999),923(5000-5999),923(9000-9999)
   954/545(8000-8999),653(0000-7999),653(9000-9999)
   954/759(2000-2999),839(9000-9999),880(1000-1999)
   954/919(0000-2999),919(4000-7999),919(9000-9999)
.......................................................................
MIAMI                       MIASFLRA0MD 08319 00546 4400  460 DA GR
   305/712(8000-8999),764(3000-3999)
   386/277(8000-8999)
   561/275(1000-1999),275(2000-2999),275(7000-7999)
   561/285(5000-5999),536(2000-2999),598(6000-6999)
   561/952(8000-8999),972(6000-6999)
   772/236(5000-5999),237(8000-8999),245(5000-5999)
   772/257(8000-8999),497(7000-7999),646(7000-7999)
   772/672(8000-8999),678(4000-4999),678(7000-7999)
   772/872(7000-7999)
   786/404(2000-2999),404(4000-4999),404(5000-5999)
   786/404(7000-7999),430(5000-5999),592(3000-3999)
   786/735(8000-8999)
   954/237(0000-0999),617(1000-1999),622(0000-0999)
   954/857(2000-2999)
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MIAMI	MIASFLRADS0	08319	00546	4400	460	DA
305/508(7000-7999),520(5000-5999),677(4000-4999)						
305/873(6000-6999)						
561/208(2000-2999),208(4000-4999),209(2000-2999)						
561/244(7000-7999),245(4000-4999),314(7000-7999)						
561/322(3000-3999),337(3000-3999),420(8000-8999)						
561/455(7000-7999),578(5000-5999),578(8000-8999)						
561/727(3000-3999),894(4000-4999),894(6000-6999)						
561/939(8000-8999),961(5000-5999)						
754/816(3000-4999)						
772/337(8000-8999),872(8000-8999)						
786/228(3000-3999),248(0000-0999),248(2000-9999)						
786/260(0000-0999),342(6000-6999),342(7000-7999)						
786/369(2000-3999),378(5000-5999),389(5000-5999)						
786/422(6000-6999),422(7000-8999),433(0000-2999)						
786/433(4000-6999),507(6000-6999),517(8000-8999)						
786/528(7000-7999),533(1000-1999),619(2000-2999)						
786/662(3000-3999)						
954/226(5000-5999),237(2000-2999),246(5000-5999)						
954/363(7000-7999),381(8000-8999),397(7000-7999)						
954/418(7000-7999),601(0000-2999),622(4000-4999)						
954/642(5000-5999),642(7000-7999),651(6000-6999)						
954/670(0000-2999),670(5000-5999),670(8000-8999)						
954/703(7000-8999),745(8000-8999),840(0000-2999)						
954/874(7000-7999),915(1000-1999),915(3000-3999)						
954/960(8000-8999)						

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
MIAMI                       MIASFLTT5MD 08351 00528 7985  460 GR
   305/831(7000-7999),916(7000-7999)
   561/323(9000-9999),342(6000-6999),365(9000-9999)
   561/406(7000-7999),409(1000-1999),494(7000-7999)
   561/708(7000-7999),806(7000-7999),808(0000-0999)
   561/812(7000-7999)
   754/260(9000-9999)
   772/206(7000-7999),402(0000-0999),444(9000-9999)
   772/672(6000-6999),888(7000-7999),918(7000-7999)
   772/999(7000-7999)
   786/482(7000-7999),501(7000-7999),563(7000-7999)
   786/610(7000-7999),701(7000-7999)
   954/248(5000-5999),488(5000-7999),507(8000-8999)
   954/542(1000-6999),542(9000-9999),715(8000-8999)
   954/809(6000-6999),876(7000-7999)
.......................................................................
MICANOPY                    MCNPFLMARS0 07863 01286 5191  454 AA BA DA G5
   352/466                                                      GC GD GL GQ
                                                                GR PC PL PR
                                                                PS SJ SV TJ
.......................................................................
MICCO                       MICCFLBBRS0 07990 00815 5191  460 AA BA DA GC
   772/663(0000-1999),663(3000-3999),663(6000-6999)             GL GQ GR PC
   772/663(9000-9999),664                                       PL PR PS RC
                                                                RD RM SL TJ
                                                                XA
.......................................................................
MIDDLEBURG                  MDBGFLPMDS0 07716 01280 5191  452 AA BA DA G5
   904/214(7000-7999),214(9000-9999),282,291,406(2000-2999)     GC GD GL GQ
   904/406(4000-4999),406(5000-5999),589(9000-9999)             GR PC PL PR
                                                                PS SJ T9 TJ
                                                                TK UQ XA
.......................................................................
MILTON                      MLTNFLRADS0 08091 02192 5191  448 AA BA DA G5
   850/623,626,665(6000-6999),981(0000-0999),981(1000-1999)     GC GD GQ GR
   850/981(2000-2999),981(3000-3999),981(4000-4999)             PC PL PR PS
   850/981(5000-5999),981(7000-7999),981(8000-8999)             SJ SV TJ TK
   850/981(9000-9999),983
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MILTON	MLTNFLRAK99	08091	02192	5191	448	DA GQ GR PR
/						PS TJ TK UB
						UE UG UP ZY
MOLINO	MOLNFLXADS0	08101	02253	4465	448	AA BA DA DD
850/587						GC GN GR HA
						HD IC ID IE
						IF IG RS SH
						SN SQ TL UM
						US UW VA WE
MONTICELLO	MNTIFLXADS0	07819	01659	0340	953	AA BA DA DD
850/342(0000-0999),342(1000-1999),342(2000-2999)						GC GD GI GK
850/342(3000-3999),342(5000-5999),342(6000-6999)						GR II PC PL
850/342(7000-7999),342(9000-9999),997						PN RC RD RE
						RS SA SH SP
						SQ ST TJ TK
						TU TW UB UP
						UR WE WG WJ
MONTVERDE	MTVRFLXARS0	07973	01088	0341	458	AA BA BC DA
407/469(0000-0999),469(2000-2999),469(3000-3999)						GI GK GR HB
407/469(4000-4999),469(9000-9999)						IA IC ID IE
						IH II PC PL
						PN PS RA RC
						RD RE RF RJ
						RK RM RS SA
						SH SP SQ SU
						TJ TU TW UB
						UG UK UL UM
						UN UP UR UU
						UX UZ WE WG
						WJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MOORE HAVEN	MRHNFLXARS0	08246	00796	0341	939	AA BA DA GC
863/946(0000-0999),946(1000-1999),946(2000-2999)						GD GE GI GK
863/946(3000-3999),946(6000-6999),946(9000-9999)						GR IA IE IG
						IH II PC PL
						PN RA RC RD
						RE RF RJ RK
						RM RS SA SH
						SP SQ ST SU
						TJ TU TW UB
						UG UK UL UM
						UP UR UU UX
						UZ WE WG WJ
MOUNT DORA	MTDRFLXADS0	07932	01104	0341	454	AA BA BC DA
352/383,385(0000-4999),385(9000-9999),735(0000-0999)						GC GD GI GK
352/735(1000-1999),735(2000-2999),735(3000-3999)						GR IA IC PC
352/735(4000-4999),735(5000-5999),735(6000-6999)						PL PN PS RA
352/735(7000-7999),735(9000-9999)						RC RD RE RF
						RJ RK RM RS
						SA SH SP SQ
						SU TJ TK TU
						TW UB UG UK
						UL UM UN UP
						UR UU UX UZ
						WE WG WJ
MULBERRY	BRJTFLXARSA	08155	01050	0328	952	AA BA DA DD
863/428						GE GG GM GN
						GR HB HD II
						PC PL RC RD
						SH SQ TB TG
						TI TU TW UG
						VM

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MULBERRY	MLBYFLXARSA	08135	01060	0328	952	AA BA DA DD
863/425,869(7000-9999)						GE GG GM GN
						GR HB HD II
						PC PL RC RD
						SH SQ TB TG
						TI TU TW UG
						VM
MUNSON	MNSNFLMARS0	08032	02187	5191	448	AA BA DA G5
850/957						GC GD GL GQ
						GR PC PL PR
						PS RC RD SJ
						SV TJ
MURDOCK-PORT CHARLOTTE	MRDCFLXARS0	08318	00994	0341	939	AA BA DA GC
941/255						GD GI GJ GK
						GR PC PL PN
						RA RC RD RE
						RF RJ RK RM
						RS SA SH SP
						SQ ST SU TJ
						TK TU TW UB
						UG UL UM UP
						UR WE WG WJ
MYAKKA	MYCYFLXA32H	08256	01032	0328	952	AA BA DA DD
941/322(0000-2999),322(6000-6999),322(8000-9999)						GE GG GJ GN
						GR HB HD II
						PC PL RC RD
						SH SQ TB TG
						TI TU TW UG
						VM

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
NAPLES-MOORINGS	NPLSFLXDDS0	08441	00844	0341	939	AA BA BC DA
239/213(0000-7999),213(9000-9999),261,262,263,403,430						GC GD GE GI
239/434,435,436,624,643,649,659						GK GR HB IA
						IB IE IG IH
						II PB PK PN
						RA RC RD RE
						RF RJ RM RS
						SA SH SP SQ
						ST SU TH TJ
						TK TU TW UB
						UE UG UJ UK
						UL UM UP UR
						UU UX UZ WE
						WG WJ
NAPLES-SOUTHEAST	NPLSFLXCDS0	08450	00830	0341	939	AA BA BC DA
239/252,417,530(0000-0999),530(1000-1999),530(2000-2999)						GC GD GI GJ
239/530(3000-3999),530(4000-4999),530(5000-5999)						GK GR HB IA
239/530(6000-6999),530(7000-7999),530(9000-9999),732,774						IB IE IG IH
239/775,793						II PC PL PN
						RA RC RD RE
						RF RJ RK RM
						RS SA SH SP
						SQ ST SU TH
						TJ TK TU TW
						UB UG UJ UK
						UL UM UN UP
						UR UU UX UZ
						WE WG WJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
NEW PORT RICHEY             NPRCFLXA84H 08142 01223 0328  952 AA BA DA DD
   727/815(0000-0999),815(1000-1999),815(3000-3999)          GC GD GE GG
   727/815(4000-4999),815(7000-7999),815(8000-8999)          GJ GN GR HB
   727/815(9000-9999),816(0000-8999),816(9000-9599)          HD II PA RC
   727/816(9900-9999),817,834(2000-2999),834(3000-3999)      RD SH SQ TB
   727/834(4000-4999),834(5000-5999),834(6000-6999)          TG TI TU TW
   727/834(7000-7999),834(8000-8999),834(9000-9999)          UG UR VM WD
   727/836(1000-8999),836(9900-9999),838,841,842(1000-9999)  WE WF WG WH
   727/843(0000-0999),843(2000-2999),843(3000-3999)          WI WJ
   727/843(4000-4999),843(5000-5999),843(6000-6999)
   727/843(7000-7999),843(8000-8999),843(9000-9999)
   727/844(0000-0999),844(1000-1999),844(2000-2999)
   727/844(3000-3999),844(4000-4999),844(5000-5999)
   727/844(6000-6999),844(7000-7999),844(9000-9999),845
   727/846(0000-1999),846(4000-9999),847,848,849
   727/859(0000-0999),859(4000-4999),859(9000-9999)
.......................................................................
NEW PORT RICHEY             SNSPFLXA37H 08142 01211 0328  952 AA BA DA DD
   727/372,375(0000-0999),375(1000-1999),375(2000-2999)      GC GD GE GG
   727/375(5000-5999),375(7000-7999),375(8000-8999)          GJ GN GR HB
   727/375(9000-9999),376,816(9600-9899),836(9700-9899)      HD II PC PL
   727/842(0000-0999)                                        RC RD SH SQ
                                                             TB TG TI TJ
                                                             TU TW UG UR
                                                             VM WD WE WF
                                                             WG WH WI WJ
.......................................................................
NEW SMYRNA BEACH            NSBHFLMA61W 07818 01010 5191  456 DA GQ GR PC
      /                                                      PL PR PS TB
                                                             TJ TK
.......................................................................
NEW SMYRNA BEACH            NSBHFLMADS0 07818 01010 5191  456 AA BA DA G4
   386/409(0000-0999),409(2000-2999),409(3000-9999),423,424  GC GL GQ GR
   386/426,427,428,478(0000-1999),478(5000-5999)             PC PL PR PS
                                                             RC RD SV TJ
                                                             TK
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
NEW SMYRNA BEACH /	NSBHFLMAK99	07818	01010	5191	456	DA GQ GR PC PL PR PS TJ TK UB UE UG UP ZY
NEWBERRY 352/472	NWBYFLMARS0	07868	01356	5191	454	AA BA DA G5 GC GD GL GQ GR PC PL PR PS SJ TJ
NORTH CAPE CORAL 239/242,424(1000-3999),424(4000-4999),424(6000-6999),458 239/573,574,772	CPCRFLXBDS1	08370	00919	0341	939	AA BA BC DA GC GD GI GJ GK GR HB IA IB IE IG IH II PC PL PN PR RA RC RD RE RF RJ RK RM RS SA SH SP SQ ST SU TJ TK TU TW UB UE UG UJ UK UL UM UP UR UU UX UZ WE WG WJ
NORTH DADE /	NDADFLACBBA	08319	00538	5191	460	DA GQ GR PR PS T9 TJ TK TU

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
NORTH DADE                  NDADFLACDS0 08319 00538 5191  460 AA BA DA GC
   305/354(1000-1999),354(2000-2999),354(3000-3999)          GD GL GQ GR
   305/354(4000-4999),354(5000-5999),354(7000-7999)          PA PJ PR PS
   305/354(8000-8999),354(9000-9999),787(0000-1999)          RC RD RF RH
   305/787(5000-9999),919,940,944,945,947,948,949            SJ SV T9 TJ
   305/952(1000-1999),952(2000-2999),952(6000-6999)          TK
   305/952(7000-7999),952(8000-8999),952(9000-9999)
   305/956(0000-0999),956(1000-1999),956(2000-2999)
   305/956(3000-3999),956(4000-4999),956(5000-5999)
   305/956(7000-7999),956(9000-9999),957
   786/274(1000-1999),274(4000-5999),274(7000-8999)
   786/416(9000-9999)
.......................................................................
NORTH DADE                  NDADFLACK01 08319 00538 5191  460 DA GQ GR PA
      /                                                       PJ PR PS T9
                                                              TJ TK UB UE
                                                              UG UP ZY
.......................................................................
NORTH DADE                  NDADFLBRDS0 08325 00555 5191  460 AA BA DA GC
   305/430(0000-5999),430(7000-9999),474,620,621,622,623     GD GL GQ GR
   305/624,625,626,627(0000-2999),627(4000-9999),628,943     PA PJ PR PS
   305/974(9000-9999)                                        QB QF RC RD
   786/267(6000-6999),320(9000-9999)                         RF RH SJ SV
                                                             T9 TJ TK VG
.......................................................................
NORTH DADE                  NDADFLBRK01 08325 00555 5191  460 DA GQ GR PA
      /                                                       PJ PR PS T9
                                                              TJ TK UB UE
                                                              UG UP ZY
.......................................................................
NORTH DADE                  NDADFLBRK31 08325 00555 5191  460 DA GQ GR PR
      /                                                       PS T9 TJ TK
                                                              UG VB
.......................................................................
NORTH DADE                  NDADFLGG01T 08319 00545 5191  460 BA DA G8 GB
      /                                                       GQ GR PA PJ
                                                              PR PS T8 T9
                                                              TJ TK
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
NORTH DADE /	NDADFLGG03T	08319	00545	5191	460	DA G2 G3 G8 GB GQ GR PA PJ PR PS T8 T9 TJ TK
NORTH DADE /	NDADFLGG04T	08319	00545	5191	460	DA G8 GB GQ GR PA PJ PR PS QB QF T8 T9 TJ TK
NORTH DADE 954/312(0000-2999),312(3000-3999),312(4000-4999) 954/315(0000-4999),315(5000-5999),315(6000-9999) 954/379(4000-4999),399(4000-4999),449(2000-2999) 954/513(3000-3999),515(5000-5999),548(3000-3999) 954/642(3000-3999),691(0000-2999),691(4000-4999) 954/691(9000-9999),703(2000-3999),707(4000-6999) 954/734(1000-2999),832(3000-3999),837(2000-2999) 954/848(2000-3999),861(5000-5999),874(0000-2999) 954/874(3000-3999),874(4000-4999),874(9000-9999) 954/905(1000-1999),905(2000-2999),905(3000-3999)	NDADFLGG6MD	08319	00546	8692	460	DA DD
NORTH DADE /	NDADFLGGBBA	08319	00545	5191	460	DA G8 GQ GR PR PS T8 T9 TU

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
NORTH DADE                  NDADFLGGDS0 08319 00545 5191  460 AA BA DA G4
   305/249(0000-0999),249(2000-9999),493(0000-0999)          G8 GC GD GL
   305/493(1000-1999),493(2000-2999),493(3000-3999)          GQ GR PA PJ
   305/493(4000-4999),493(5000-5999),493(6000-6999)          PR PS QB QF
   305/493(7000-7999),493(9000-9999),650(0000-0999)          RA RC RD RF
   305/650(2000-2999),650(3000-3999),650(4000-4999)          RH SL SV T8
   305/650(5000-5999),650(6000-6999),650(7000-7999)          T9 TJ TK
   305/650(8000-8999),650(9000-9999),651,652,653,654,655
   305/690(4000-4999),690(5000-5999),690(6000-6999)
   305/690(9000-9999),770(0000-0999),770(1000-1999)
   305/770(2000-2999),770(3000-3999),770(4000-4999)
   305/770(5000-5999),770(7000-7999),770(9000-9999)
   305/999(0000-0999),999(2000-4999),999(6000-6999)
   305/999(8000-9999)
.......................................................................
NORTH DADE                  NDADFLGGK01 08319 00545 5191  460 DA G8 GQ GR
      /                                                        PR PS T8 T9
                                                               TJ TK UB UE
                                                               UG UP ZY
.......................................................................
NORTH DADE                  NDADFLOLDS0 08313 00540 5191  460 AA BA DA GC
   305/466,682,692(1000-9999),705(0000-1999),705(8000-9999)  GD GL GQ GR
   305/792(0000-7999),792(9000-9999),918(0000-0999)          PA PJ PR PS
   305/918(3000-3999),918(5000-8999),931,932,933,935         RC RD RF RH
   305/936(0000-3999),936(5000-9999),937                     SJ SV T9 TJ
   786/908(0000-1999),955(0000-1999)                         TK
.......................................................................
NORTH DADE                  NDADFLOLK01 08313 00540 5191  460 DA GQ GR PR
      /                                                        PS T9 TJ TK
                                                               UB UE UG UP
                                                               ZY
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
NORTH FORT MYERS	NFMYFLXADS0	08355	00913	0341	939	AA BA BC DA
239/652(0000-1999),652(4000-4999),652(5000-5999)						GC GD GE GI
239/652(6000-6999),652(7000-7999),652(9000-9999)						GK GR HB IA
239/656(0000-0999),656(1000-1999),656(2000-2999)						IB IE IG IH
239/656(3000-3999),656(4000-4999),656(5000-5999)						II PC PL PN
239/656(6000-6999),656(7000-7999),656(8000-8999),995,997						PR RA RC RD
239/997						RE RF RJ RK
						RM RS SA SH
						SP SQ ST SU
						TJ TK TU TW
						UB UG UK UL
						UM UP UR UU
						UX UZ WE WG
						WJ
NORTH FORT MYERS-SUNCOAST	NFMYFLXBDS0	08348	00913	0341	939	AA BA BC DA
239/543,567(0000-4999),567(6000-6999),567(7000-7999),731						GC GD GI GK
239/731						GR PC PL PN
						PR RA RC RD
						RE RF RJ RK
						RM RS SA SH
						SP SQ ST SU
						TJ TU TW UB
						UG UK UL UM
						UP UR UU UX
						UZ WE WG WJ
NORTH KEY LARGO	NKLRFLMARS0	08483	00491	5191	460	AA BA DA GC
305/367(0000-0999),367(2000-6999),367(8000-9999)						GD GL GQ GR
						PC PL RC RD
						SV T9 TJ TK
NORTH MIAMI	MIAMFLNMDMS	08327	00537	4085	460	DA
/						

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
NORTH NAPLES	NNPLFLXADS1	08425	00854	0341	939	AA BA BC DA
239/254(0000-5999),254(7000-9999),449(7000-7999),513,514						GC GD GE GI
239/552,566,591(0000-4999),591(6000-9999),592(0000-2999)						GK GR HB IA
239/592(5000-9999),593,594,596,597,598						IB IE IG IH
						II PB PK PN
						RA RC RD RE
						RF RJ RK RM
						RS SA SH SP
						SQ ST SU TH
						TJ TK TU TW
						UB UG UK UL
						UM UP UR UU
						UX UZ WE WG
						WJ
NORTH PORT	NRPTFLXA42H	08322	01014	0328	952	AA BA DA DD
941/240(5000-5999),240(6000-6999),240(8000-8999)						GC GD GE GG
941/257(2000-2999),423,426,429(0000-2999),429(4000-9999)						GJ GN GR HB
941/429(4000-9999)						HD II PC PL
						RC RD SH SQ
						TB TG TI TU
						TW UG UR VM
						WD WE WF WG
						WH WI WJ
OAK HILL	OKHLFLMARS0	07842	00981	5191	456	BA DA G4 GC
386/345(0000-5999)						GD GL GQ GR
						PC PL PR PS
						RC RD SV TJ
OAKLAND	FTLDFLOADMS	08280	00573	4085	460	DA
/						
OCALA	OCALFLXA03T	07908	01227	0341	454	GB
/						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
OCALA	OCALFLXADS0	07908	01227	0341	454	AA BA BC DA
352/351,368,369,401(0000-1999),401(3000-3999)						GC GD GE GI
352/401(5000-9999),402,620(0000-3999),620(6000-9999),622						GK IA IC ID
352/629,671,690,732,840(0000-2999),840(4000-9999),867						IE IH II PB
352/867						PK PN PR RA
						RC RD RE RF
						RJ RK RM RS
						SA SH SP SQ
						ST SU T1 TH
						TJ TK TU TW
						UB UE UG UK
						UL UM UN UP
						UR UU UX UZ
						WE WG WJ
OCALA	OCALFLXAX3X	07908	01227	8692	454	DA DD
352/253(7000-7999),292(7000-7999),453(1000-1999)						
352/453(2000-2999),453(3000-3999),453(4000-4999)						
352/453(5000-5999),458(5000-5999),464(6000-6999),524,526						
352/547(1000-1999),547(2000-2999),547(3000-3999)						
352/547(4000-4999),561(2000-2999),653(1000-1999)						
OCALA	OCALFLXAXBZ	07908	01227	8692	454	DA DD
352/300(1000-1999),355(4000-4999),513(1000-1999)						
352/530(4000-4999),643(2000-2999),720(4000-4999)						
352/800(3000-3999)						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
OCALA                       OCALFLXAXCZ 07908 01227 7985  454 GR
   352/203(2000-2999),247(3000-3999),254(7000-7999)
   352/268(7000-7999),269(7000-7999),289(7000-7999)
   352/299(9000-9999),324(7000-7999),366(7000-7999)
   352/389(7000-7999),400(7000-7999),405(7000-7999)
   352/437(7000-7999),440(7000-7999),441(7000-7999)
   352/443(7000-7999),462(6000-6999),474(4000-4999)
   352/477(7000-7999),501(7000-7999),513(7000-7999)
   352/535(9000-9999),537(7000-7999),541(7000-7999)
   352/559(7000-7999),570(6000-6999),570(7000-7999)
   352/580(7000-7999),606(6000-6999),608(7000-7999)
   352/609(7000-7999),612(7000-7999),617(7000-7999)
   352/636(7000-7999),639(7000-7999),643(7000-7999)
   352/668(7000-7999),703(7000-7999),704(7000-7999)
   352/707(7000-7999),708(7000-7999),720(7000-7999)
   352/759(7000-7999),765(7000-7999),775(7000-7999)
   352/877(7000-7999)
.......................................................................
OCALA                       OCALFLXAXUY 07908 01227 4400  454 DA GN GR HA
   352/321(3000-3999),324(9000-9999),350(8000-8999)          HK IA IC ID
   352/366(2000-2999),432(7000-7999),461(2000-2999)
   352/508(2000-2999),509(9000-9999),602(2000-2999)
   352/668(5000-5999),729(7000-7999),759(6000-6999)
   352/771(9000-9999)
.......................................................................
OCALA NATIONAL FOREST       OCNFFLXARP0 07885 01187 0341  454 AA BA DA GC
   352/625                                                   GD GI GK GR
                                                             IA IC PC PL
                                                             PN PR RA RC
                                                             RD RE RF RJ
                                                             RK RM RS SA
                                                             SH SP SQ SU
                                                             TU TW UB UG
                                                             UK UL UM UN
                                                             UP UR UU UX
                                                             UZ WE WG WJ
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
OCALA-HIGHLANDS	OCALFLXCRS0	07904	01219	0341	454	AA BA BC DA
352/694						GC GD GE GI
						GK GR IA IC
						ID IE IH II
						PC PL PN PR
						RA RC RD RE
						RF RJ RK RM
						RS SA SH SP
						SQ ST SU TJ
						TK TU TW UB
						UG UL UM UN
						UP UR WE WG
						WJ
OCALA-ROLLING GREEN	OCALFLXJRS0	07906	01211	0341	454	AA BA BC DA
352/624						GC GD GE GI
						GK GR IA IC
						ID IE IH II
						PC PL PN PR
						RA RC RD RE
						RF RJ RK RM
						SA SH SP SQ
						SU TJ TK TU
						TW UB UG UK
						UL UM UN UP
						UR UU UX UZ
						WE WG WJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
OCALA-SHADY ROAD	OCALFLXBPS0	07915	01231	0341	454	AA BA BC DA
352/237,285,291,854,861,873						GC GD GE GI
						GK GR IA IC
						ID IE IH II
						PB PK PN PR
						RA RC RD RE
						RF RJ RK RM
						RS SA SH SP
						SQ ST SU TJ
						TK TU TW UB
						UG UK UL UM
						UN UP UR UU
						UX UZ WE WG
						WJ
OCKLAWAHA	OKLWFLXAPS0	07915	01178	0341	454	AA BA DA GC
352/288(0000-6999),288(8000-9999)						GD GI GK GR
						PC PL PN PR
						RA RC RD RE
						RF RJ RK RM
						RS SA SH SP
						SQ SU TJ TU
						TW UB UG UL
						UM UN UP UR
						WE WG WJ
OJUS	OJUSFLTLO3T	08314	00550	5191	460	DA GQ GR PC
___/___						PL

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
OKEECHOBEE	OKCBFLXADS1	08142	00797	0341	939	AA BA BC DA
863/357,467,623(1000-1999),623(9000-9999),763						GC GD GI GK
863/824(0000-3999),824(6000-6999),824(8000-9999)						PC PL PN RA
						RC RD RE RF
						RJ RK RM RS
						SA SH SP SQ
						ST SU TJ TU
						TW UB UG UK
						UL UM UP UR
						UU UX UZ WE
						WG WJ
OLD TOWN	OLTWFLLNRS0	07912	01412	5191	454	AA BA DA G5
352/542						GC GD GL GQ
						GR PC PL SJ
						TJ
ORANGE CITY	ORCYFLXADS0	07870	01064	0341	458	AA BA BC DA
386/456(0000-2999),456(5000-5999),774,775,851						GC GD GE GI
386/917(0000-0999),917(2000-8999)						GK GR HB IA
						IC ID IE IH
						II PC PL PN
						RA RC RD RE
						RF RJ RK RM
						RS SA SH SP
						SQ SU TJ TK
						TU TW UB UG
						UK UL UM UN
						UP UR UU UX
						UZ WE WG WJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ORANGE CITY-DELTONA LAKES	ORCYFLXCRS0	07864	01043	0341	458	AA BA BC DA
386/532,561(2000-2999),789						GC GD GE GI
						GK GR HB IA
						IC ID IE IH
						II PC PL PN
						RA RC RD RE
						RF RJ RK RM
						RS SA SH SP
						SQ SU TJ TK
						TU TW UB UG
						UK UL UM UN
						UP UR UU UX
						UZ WE WG WJ
ORANGE PARK	ORPKFLMABBC	07682	01264	5191	452	DA GQ GR PR
/						PS T9 TU XA
ORANGE PARK	ORPKFLMADS0	07682	01264	5191	452	AA BA DA G5
904/215,264,269,278,541(0000-3999),541(5000-5999)						GC GD GL GQ
904/541(7000-7999)						GR PC PL PR
						PS RC RD SJ
						SV T9 TJ TK
						UQ XA
ORANGE PARK	ORPKFLRWBBA	07692	01272	5191	452	DA GQ GR PR
/						PS T9 TU XA
ORANGE PARK	ORPKFLRWDS0	07692	01272	5191	452	AA BA DA G5
904/213,272,276,298(0000-3999),336,602(0000-4999)						GC GQ GR PC
904/639(1000-2999),639(3000-3999),639(7000-8999)						PL PR PS RC
904/682(2000-7999)						RD SJ SV T9
						TJ TK UQ XA
ORANGE SPRINGS	ORSPFLXADS0	07830	01231	0336	454	AA DA GC GD
352/546,605(4000-4999)						GI GL GN GR
						HD II RA RC
						RD RH SP SQ
						TJ UM UP UU
						UW VA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
ORLANDO /	ORLDFL60DS1	07956	01031	937C	458	DA DD GE GL GN GP GR IA IB
ORLANDO /	ORLDFL60XFX	07956	01031	8664	458	DA DD G2 GD GE GJ GN GQ HB HC IA IB IC IF IG IH II QA
ORLANDO 321/235 407/207,208(0000-1999),208(3000-9999),249,273,275,277 407/281,282,306,380,381,382,384,423(6000-6999),482,658 407/690(5000-5999),734(6000-6999),736,737,823	ORLDFLAPDS0	07946	01017	5191	458	AA DA G4 GC GL GQ GR PA PJ PR PS RC RD T9 TJ TK UK VG VJ VK XA
ORLANDO /	ORLDFLAPK99	07946	01017	5191	458	DA GQ GR PA PJ PR PS T9 TJ TK UB UE UG UK UP VJ VK XA ZY
ORLANDO /	ORLDFLCL01T	07952	01028	5191	458	DA GB GQ GR PA PJ PR PS SP T8 T9 TJ TK UG UK VJ VK XA
ORLANDO 407/228,427(1000-1999),893,894,895,896,897,898	ORLDFLCLDS0	07952	01028	5191	458	AA DA G4 GC GE GL GQ GR PA PJ PR PS RC RD SV T8 T9 TJ TK UK VG VJ VK XA

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
ORLANDO /	ORLDFLCLK99	07952	01028	5191	458	DA GQ GR PA PJ PR PS T8 T9 TJ TK UB UE UG UK UP VJ VK XA ZY
ORLANDO /	ORLDFLMA04T	07954	01032	5191	458	DA G2 G3 G8 GB GK GQ GR PA PJ PR PS QB QF T8 T9 TD TG TJ TK UK VJ VK XA XD
ORLANDO /	ORLDFLMA33T	07954	01032	5191	458	DA G8 GB GQ GR PR PS T8 T9 TD TG TJ XA XD
ORLANDO /	ORLDFLMA34T	07954	01032	5191	458	DA G8 GB GQ GR PR PS T8 T9 TD TG TJ XA XD
ORLANDO	ORLDFLMA35Z	07954	01032	4400	458	DA
321/215(9000-9999),445(3000-3999),607(5000-5999) 321/682(4000-4999),765(8000-8999) 386/215(8000-8999),960(1000-1999) 407/258(5000-5999),315(5000-5999),395(7000-7999) 407/434(7000-7999),434(8000-8999),440(5000-6999) 407/442(5000-5999),506(0000-1999),508(3000-3999) 407/519(5000-5999),544(8000-8999),564(5000-5999) 407/593(7000-7999)						
ORLANDO /	ORLDFLMA51W	07954	01032	5191	458	DA G8 GQ GR PA PJ PR PS T8 T9 TB TD TG TJ TK UK VJ VK XA XD

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ORLANDO	ORLDFLMA5MD	07954	01032	5191	458	DA G1 G8 GL
/						GQ GR PA PJ
						PR PS SK T8
						T9 TD TG TJ
						TK UK VJ VK
						XA XD
ORLANDO	ORLDFLMABB0	07954	01032	5191	458	DA G8 GQ GR
/						PA PJ PR PS
						T8 T9 TD TG
						TJ TK UK VJ
						VK XA XD
ORLANDO	ORLDFLMABB1	07954	01032	5191	458	DA G8 GQ GR
/						PR PS T8 T9
						TD TG TJ TK
						UK VJ VK XA
						XD
ORLANDO	ORLDFLMABB2	07954	01032	5191	458	DA G8 GQ GR
/						PR PS T8 T9
						TD TG TJ TK
						UK VJ VK XA
						XD
ORLANDO	ORLDFLMABB3	07954	01032	5191	458	DA G8 GQ GR
/						PR PS T8 T9
						TD TG TJ TK
						UK XA XD
ORLANDO	ORLDFLMABB4	07954	01032	5191	458	DA G8 GQ GR
/						PR PS T8 T9
						TD TG TJ TK
						UK VJ VK XA
						XD

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
ORLANDO /	ORLDFLMABB5	07954	01032	5191	458	DA G8 GQ GR PR PS T8 T9 TD TG TJ TK UK VJ VK XA XD
ORLANDO /	ORLDFLMABB6	07954	01032	5191	458	DA G8 GQ GR PR PS T8 T9 TD TG TJ TK UK VJ VK XA XD
ORLANDO /	ORLDFLMABB7	07954	01032	5191	458	DA G8 GQ GR PR PS T8 T9 TD TG TJ TK UK VJ VK XA XD
ORLANDO /	ORLDFLMABB8	07954	01032	5191	458	DA G8 GQ GR PR PS T8 T9 TD TG TJ TK XA XD
ORLANDO /	ORLDFLMABBA	07954	01032	5191	458	DA G8 GQ GR PR PS T8 T9 TD TG TJ TK TU XA XD
ORLANDO /	ORLDFLMABBC	07954	01032	5191	458	DA G8 GQ GR PR PS T7 T8 T9 TD TG TJ TK TU XA XD
ORLANDO /	ORLDFLMABBE	07954	01032	5191	458	DA G8 GQ GR PR PS T8 T9 TU XA XD

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
ORLANDO /	ORLDFLMABBU	07954	01032	5191	458	DA G8 GQ GR PR PS T8 T9 TD TG TJ XA XD
ORLANDO /	ORLDFLMABBX	07954	01032	5191	458	DA G8 GQ GR PR PS T8 T9 TD TG TJ XA XD
ORLANDO /	ORLDFLMADMS	07954	01032	4085	458	DA
ORLANDO 321/841,843 407/236(0000-5999),236(7000-9999),237(1000-6999) 407/237(8000-8999),243(0000-6999),243(9000-9999) 407/244(0000-5999),244(7000-9999),245,246(0000-0999) 407/246(1000-1999),246(2000-2999),246(3000-3999) 407/246(4000-4999),246(5000-5999),246(6000-6999) 407/246(7000-7999),246(8000-8999),254,316(0000-0999) 407/316(1000-1999),316(3000-3999),316(4000-4999) 407/316(8000-8999),316(9000-9999),317(0000-0999) 407/317(1000-1999),317(2000-2999),317(3000-3999) 407/317(7000-7999),317(8000-8999),317(9000-9999) 407/318(1000-3999),318(5000-5999),318(7000-7999) 407/318(8000-8999),418(1000-2999),418(4000-7999) 407/419(3000-3999),419(8000-8999),419(9000-9999) 407/420(1000-6999),420(9000-9999),422,423(0000-5999) 407/423(7000-9999),424,425,426,428(0000-1999) 407/428(3000-6999),428(9000-9999),434(2000-6999),471,481 407/487(1000-1999),487(5000-5999),487(7000-7999) 407/487(8000-8999),540(0000-7999),540(9000-9999) 407/567(3000-6999),642,648,649,650,835,836,839,841,843 407/849(0000-0999),849(1000-1999),849(2000-2999) 407/849(3000-3999),849(4000-4999),849(5000-5999) 407/849(6000-6999),849(7000-7999),849(9000-9999),872,999 407/999	ORLDFLMADS1	07954	01032	5191	458	AA DA G4 G8 GC GD GE GL GQ GR PA PJ PR PS QB QF RC RD SK SV T8 T9 TD TG TJ TK UK VG VJ VK XA XD

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ORLANDO	ORLDFLMADS6	07954	01032	4400	458	DA
321/215(0000-0999),215(2000-3999),215(6000-6999)						
321/220(2000-2999),220(6000-6999),257(0000-1999)						
321/257(6000-6999),299(9000-9999),352(8000-8999)						
321/363(5000-5999),527(3000-3999),527(5000-5999)						
321/574(7000-7999),608(3000-3999),608(5000-7999)						
321/608(8000-8999),682(3000-3999),704(8000-8999)						
321/775(0000-1999),775(7000-7999),775(8000-8999)						
321/785(2000-2999),890(1000-1999)						
407/219(5000-5999),279(4000-4999),279(5000-5999)						
407/418(0000-0999),418(9000-9999),472,480(2000-2999)						
407/480(3000-3999),480(4000-4999),480(5000-5999)						
407/535(4000-4999),608(6000-7999),615(8000-8999)						
407/722(5000-5999),722(7000-7999),722(8000-8999)						
407/781(0000-0999),781(1000-1999),781(2000-5999)						
407/781(8000-8999)						
ORLANDO	ORLDFLMAK97	07954	01032	5191	458	DA G8 GQ GR
/						PA PJ PR PS
						T8 T9 TD TG
						TJ TK UB UE
						UG UK UP VJ
						VK XA XD ZY
ORLANDO	ORLDFLMAXAX	07954	01032	4227	458	GL
321/221(2000-2999),328(1000-1999),441(7000-7999)						
321/445(2000-2999),460(5000-5999),800(7000-7999)						
321/805(5000-5999),972(0000-0999)						
407/233(1000-1999),315(0000-0999),385(1000-1999)						
407/428(2000-2999),429(6000-6999),557(8000-8999)						
407/674(1000-1999),692(9000-9999),757(1000-1999)						
407/845(7000-7999)						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE	TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- --	-- --
ORLANDO	ORLDFLMAXCY	07954	01032	8692	458	DA	DD
321/216(3000-3999),222(1000-1999),222(2000-2999)							
321/323(1000-1999),421(1000-1999),421(2000-2999)							
321/421(3000-3999),421(4000-4999),541(1000-1999)							
321/541(2000-2999),541(3000-3999),541(4000-4999)							
321/604(3000-3999),775(2000-2999)							
386/232(1000-1999),232(2000-2999),232(3000-3999)							
407/264(7000-7999),269(6000-6999),406(5000-5999)							
407/505(4000-4999),512(1000-1999),519(1000-1999)							
407/536(2000-2999),567(1000-2999),581,585(0000-0999)							
407/585(1000-1999),585(2000-2999),585(3000-3999)							
407/585(4000-4999),585(5000-5999),585(6000-6999)							
407/585(7000-7999),588(1000-1999),588(2000-2999)							
407/588(3000-3999),588(5000-5999),608(1000-1999)							
407/608(5000-5999),802(1000-1999),802(3000-3999)							
407/956(6000-6999),956(8000-8999),992(0000-0999)							
407/992(1000-1999),992(2000-2999),992(3000-3999)							
407/992(4000-4999),992(5000-5999),992(6000-6999)							
407/992(7000-7999)							

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
ORLANDO                     ORLDFLMAXOX 07954 01032 4227  458 GL
   321/206,214(0000-5999),214(6000-6999),214(9000-9999)
   321/218(0000-0999),218(6000-6999),218(8000-8999)
   321/221(0000-1999),221(3000-3999),221(9000-9999)
   321/226(0000-1999),226(2000-2999),226(3000-3999)
   321/226(4000-4999),226(5000-7999),226(9000-9999)
   321/238(0000-3999),238(4000-4999),238(5000-7999)
   321/238(9000-9999),244(0000-2999),244(5000-5999)
   321/244(9000-9999),249(0000-0999),249(1000-1999)
   321/249(6000-6999),249(7000-7999),249(8000-8999)
   321/249(9000-9999),256(0000-2999),256(4000-9999)
   321/260(0000-1999),260(3000-3999),260(5000-9999)
   321/273(0000-0999),273(9000-9999),406(0000-1999)
   321/406(9000-9999),500,600(0000-3999),600(5000-9999)
   321/735(0000-0999),735(1000-1999),735(5000-5999)
   321/735(6000-6999),735(9000-9999),747(0000-2999)
   321/747(9000-9999),821(0000-2999),821(5000-5999)
   321/821(6000-6999),821(7000-7999),821(9000-9999)
   407/209(3000-3999),266,284(1000-1999),362(1000-1999)
   407/362(7000-7999),403(5000-5999),403(6000-6999)
   407/479(3000-3999),500,520(5000-5999),557(2000-2999)
   407/557(3000-3999),574(8000-8999),842(7000-7999)
   407/956(1000-1999),956(3000-5999)
.......................................................................
ORLANDO                     ORLDFLOEDS0 07954 01032 8664  458 DA DD G2 GD
      /                                                         GE GJ GN GQ
                                                                HB HC IA IB
                                                                IC IE IF IG
                                                                IH II QA
.......................................................................
ORLANDO                     ORLDFLPCDS0 07968 01022 5191  458 AA DA G4 GC
   407/240,251,438,458(0000-0999),458(1000-1999)               GD GL GQ GR
   407/458(2000-2999),458(8000-8999),582,762,812,816,825       PA PJ PR PS
   407/826(0000-0999),826(2000-9999),850(0000-7999)            QB QF RC RD
   407/850(9000-9999),851,852(0000-7999),852(9000-9999),854    SV T9 TJ TK
   407/855,856,857,858(0000-0999),858(1000-1999)               UK VG VJ VK
   407/858(2000-2999),858(3000-3999),858(4000-4999)            XA
   407/858(5000-5999),858(6000-6999),858(7000-7999)
   407/858(9000-9999),859,888,967(4000-4999)

=======================================================================
```

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
ORLANDO /	ORLDFLPCK01	07968	01022	5191	458	DA GQ GR PA PJ PR PS T9 TJ TK UB UE UG UK UP VJ VK XA ZY
ORLANDO 407/253(0000-5999),253(7000-9999),264(3000-3999),290,291 407/292,293,294,295,296,297,298,299,445,521,522,523,532 407/578,822	ORLDFLPHDS0	07955	01048	5191	458	AA DA GC GL GQ GR PA PJ PR PS RC RD SV T9 TJ TK UK XA
ORLANDO /	ORLDFLPHK99	07955	01048	5191	458	DA GQ GR PA PJ PR PS T9 TJ TK UB UE UG UK UP XA ZY
ORLANDO 321/842 407/224,226,248,264(0000-0999),264(2000-2999) 407/264(4000-5999),264(9000-9999),345,351,352,354,355 407/356,363,370,371(6000-6999),503,626,666(2000-2999) 407/685,817,903	ORLDFLSADS0	07979	01034	5191	458	AA DA G4 GC GL GQ GR PA PJ PR PS QB QF RC RD SV T9 TJ TK UK VG VJ VK XA
ORLANDO /	ORLDFLSAK99	07979	01034	5191	458	DA GQ GR PA PJ PR PS SP T9 TJ TK UB UE UG UK UP VJ VK XA
ORLANDO /	ORLDFLXHDS0	07955	01032	7422	458	BA DA GI GJ GL GN GQ HA HD IA IB II SH SI UA UG UR UU

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE	TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- --	-- --
ORLANDO	ORLEFLIQDS0	07940	01042	7448	458	BA	DA
321/213(6000-6999),216(2000-2999),233(7000-7999)							
321/233(8000-8999),285(3000-3999),289(3000-3999)							
321/289(4000-4999),329(3000-3999),348(3000-3999)							
321/354(0000-0999),354(1000-1999),354(2000-2999)							
321/354(3000-3999),354(6000-6999),354(9000-9999)							
321/373(1000-1999),373(4000-4999),373(5000-5999)							
321/373(6000-6999),392(3000-3999),395(3000-3999)							
321/426(4000-4999),426(9000-9999),482(5000-5999)							
321/549(3000-3999),549(4000-4999),558(1000-1999)							
321/558(3000-3999),558(5000-5999),558(8000-8999)							
321/637(8000-8999),677(3000-3999),745(2000-2999)							
321/745(6000-6999),766(7000-7999),775(4000-4999)							
321/775(6000-6999)							
386/232(4000-4999),232(7000-7999),456(9000-9999)							
386/951(2000-2999),960(5000-5999),960(6000-6999)							
407/287(4000-4999),287(7000-7999),287(9000-9999)							
407/358(6000-6999),358(7000-7999),358(8000-8999)							
407/358(9000-9999),362(0000-0999),362(2000-6999)							
407/362(9000-9999),392(3000-3999),452(0000-0999)							
407/452(3000-3999),452(5000-5999),452(6000-6999)							
407/454(5000-8999),454(9000-9999),469(5000-5999)							
407/498(2000-2999),517(0000-2999),517(5000-5999)							
407/517(7000-7999),517(9000-9999),520(3000-3999)							
407/541(0000-6999),541(8000-8999),542(6000-6999)							
407/547(2000-3999),548(0000-0999),548(2000-2999)							
407/548(5000-5999),548(8000-8999),548(9000-9999)							
407/549(3000-3999),549(4000-4999),549(5000-5999)							
407/549(7000-7999),552(3000-3999),552(4000-4999)							
407/565(2000-2999),572(0000-0999),583(0000-3999)							
407/583(5000-5999),583(8000-8999),587(0000-4999)							
407/587(7000-7999),587(8000-8999),594(9000-9999)							
407/612(6000-6999),614(6000-6999),618(0000-2999)							
407/618(5000-5999),618(7000-8999),670(0000-3999)							
407/670(6000-7999),702(1000-1999),702(2000-2999)							
407/702(6000-6999),710(3000-4999),732(2000-2999)							
407/744(0000-0999),744(9000-9999),754(0000-3999)							
407/754(9000-9999),803(4000-4999),803(5000-8999),926							
407/949(0000-0999),949(3000-3999),949(9000-9999)							

-------- Continued on next page --------

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
    -------- Continued from previous page --------

   407/964(3000-3999),982(8000-8999)
.......................................................................
ORLANDO                     ORLFFLEP2MD 07951 01033 7985  458 GR
     /
.......................................................................
ORLANDO                     ORLFFLEP9MD 07951 01033 7985  458 GR
   321/203(7000-7999),218(7000-7999),337(7000-7999)
   321/347(3000-3999),414(7000-7999),428(9000-9999)
   321/593(7000-7999),802(7000-7999),978(7000-7999)
   321/985(7000-7999)
   386/457(7000-7999),516(7000-7999)
   407/315(8000-8999),326(7000-7999),450(7000-7999)
   407/512(7000-7999),544(7000-7999),553(7000-7999)
   407/554(6000-6999),554(7000-7999),564(7000-7999)
   407/605(7000-7999),773(7000-7999),775(7000-7999)
   407/792(7000-7999),853(6000-6999),853(7000-7999)
   407/979(3000-3999)
.......................................................................
ORLANDO FL                  ORLDFLMA02Z 07954 01032 6100  458 BA DA GE GJ
   321/251(1000-1999),251(4000-8999),251(9000-9999)          GR HB IB RC
   321/281(0000-5999),281(6000-6999),281(9000-9999)          RD SH SQ T1
   321/283(0000-2999),283(3000-4999),283(5000-5999),293      T2 UG UP UR
   321/296(0000-1999),296(3000-3999),549(5000-5999)          US
   321/549(6000-6999),574(0000-0999),574(1000-2999)
   321/574(3000-3999),574(4000-4999),574(5000-5999)
   321/765(5000-6999)
   407/218(5000-8999),391(3000-3999),393(5000-5999)
   407/429(2000-3999),517(3000-3999),536(4000-5999)
   407/567(7000-7999),574(2000-7999),770(5000-5999)
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
ORLANDO FL                  ORLDFLMADSG 07954 01032 6100  458 BA DA GE GJ
   321/275(4000-5999),285(0000-1999),285(4000-4999)          GR HB IB RC
   321/285(8000-8999),296(6000-7999),332(9000-9999)          RD SH SQ T1
   321/400(1000-1999),400(5000-6999),445(0000-0999)          T2 UG UP UR
   321/445(4000-6999),445(7000-7999),578(5000-5999)          US
   321/608(2000-2999),821(3000-3999),888(2000-4999)
   407/259(2000-3999),289(4000-5999),369(4000-5999)
   407/373(1000-2999),442(0000-0999),442(2000-2999)
   407/442(3000-3999),442(4000-4999),517(4000-4999)
   407/517(6000-6999),674(2000-4999)
.......................................................................
OVIEDO                      OVIDFLCADS0 07913 01018 5191  458 AA DA G4 GC
   407/359,365,366,890(2000-4999),971,977                    GL GQ GR PC
                                                             PL PR PS RC
                                                             RD SV T9 TJ
                                                             TK UK XA
.......................................................................
OVIEDO                      OVIDFLCAK99 07913 01018 5191  458 DA GQ GR PR
      /                                                      PS T9 TJ TK
                                                             UB UG UK UP
                                                             XA ZY
.......................................................................
OVIEDO                      OVIDFLCARS0 07926 01020 8664  458 DA DD G2 GD
      /                                                      GE GJ GN GQ
                                                             HB HC IA IB
                                                             IC IF IG IH
                                                             II QA
.......................................................................
PACE                        PACEFLPVRS0 08105 02207 5191  448 BA DA G5 GC
   850/994,995                                               GD GQ GR PC
                                                             PL PR PS RC
                                                             RD SJ SV TJ
.......................................................................
PAHOKEE                     PAHKFLMAK01 08202 00722 5191  460 DA GQ GR PR
      /                                                      PS TJ UB UE
                                                             UG UP XA ZY
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
PAHOKEE                     PAHKFLMARS0 08202 00722 5191  460 AA DA G4 GC
   561/924(0000-0999),924(2000-9999)                          GL GQ GR PC
                                                              PL PR PS RC
                                                              RD RM SL TJ
                                                              XA
.......................................................................
PALATKA                     PLTKFLMADS0 07772 01196 5191  452 AA BA DA G5
   386/312(0000-0999),312(1000-1999),312(2000-2999)           GC GD GL GQ
   386/312(3000-3999),312(4000-4999),312(5000-5999)           GR PC PL RC
   386/312(6000-6999),312(8000-8999),312(9000-9999),325,326   RD SJ SV TJ
   386/328,329                                                UQ XA
.......................................................................
PALATKA                     PLTKFLMAK99 07772 01196 5191  452 DA GQ GR TJ
      /                                                       UB UE UG UP
                                                              XA ZY
.......................................................................
PALM BEACH GARDENS          PBGRFLEZDS0 08147 00636 8692  460 DA DD
   561/209(6000-8999),226(4000-4999),226(7000-7999)
   561/245(2000-2999),282(4000-5999),340(1000-1999)
   561/354(0000-2999),354(4000-4999),354(9000-9999)
   561/405(4000-4999),472(0000-3999),472(5000-9999)
   561/665(4000-4999),829(2000-2999),839(2000-2999)
   561/847(2000-2999),853(0000-3999),853(9000-9999)
   561/886(0000-4999),886(5000-5999),886(9000-9999)
   561/900(0000-3999),900(9000-9999),948(7000-7999)
   561/952(2000-2999),961(2000-2999),961(7000-7999)
   561/972(9000-9999)
   772/236(2000-2999),402(1000-1999),403(1000-1999)
   772/408(5000-5999),409(1000-1999),469,497(0000-0999)
   772/497(1000-1999),497(3000-3999),497(9000-9999),500
   772/600(0000-3999),600(9000-9999),647(3000-3999)
   772/774(4000-4999),828(4000-4999),924(3000-3999)
.......................................................................
PALM BEACH GARDENS          PBGRFLEZDS1 08147 00636 8692  460 DA DD
   561/345(7000-7999),365(1000-3999),425(1000-1999)
   561/430(6000-6999),537(4000-4999),578(4000-4999)
   561/578(6000-6999),713(1000-2999),727(1000-2999)
   561/839(1000-1999),899(1000-1999),907(5000-5999)
   772/413(3000-3999)

=======================================================================
```

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
PALM COAST	PLCSFLMADS0	07743	01116	5191	456	BA DA G4 GC
386/246(0000-0999),246(3000-6999),246(9000-9999),445,446						GD GL GQ GR
386/447,597(4000-6999),986(1000-4999)						PC PL RC RD
						SV TK
PALM COAST	PLCSFLMAK99	07743	01116	5191	456	DA GQ GR PC
/						PL TJ UB UG
						UP ZY
PALMETTO	MIAMFLPLDMS	08361	00557	4085	460	DA
/						
PALMETTO	PLMTFLXA72H	08256	01121	0328	952	AA BA DA DD
941/721(0000-0999),721(1000-1999),721(2000-2999)						GC GD GE GG
941/721(3000-3999),721(4000-4999),721(6000-6999)						GJ GN GR HB
941/721(7000-7999),721(8000-8999),721(9000-9999),722,723						HD II PC PL
941/729						RC RD SH SQ
						TB TG TI TU
						TW UG UR VM
						WD WE WF WG
						WH WI WJ
PALMETTO	PRSHFLXARSA	08239	01101	0328	952	AA DA DD GE
941/776(0000-0999),776(1000-1999),776(2000-2999)						GG GM GN GR
941/776(3000-3999),776(5000-5999),776(8000-8999)						HB HD II PC
941/776(9000-9999)						PL RC RD SH
						SQ TB TG TI
						TU TW UG VM
PANACEA	PANCFLXARS0	07965	01690	0340	953	AA BA DA DD
850/984(0000-5999),984(8000-9999)						GI GK GR PC
						PL PN RC RD
						RE SA SH SP
						SQ TJ TU TW
						UP UR WE WG
						WJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
PANAMA CITY 850/870,871,874	PNCYFLCARS0	08051	01900	5191	450	AA DA G5 GC GQ GR PC PL PR PU RC RD SJ SV TJ
PANAMA CITY /	PNCYFLMA04T	08058	01914	5191	450	DA G2 G8 GB GQ GR PC PL PR PU T8 TJ UK XD
PANAMA CITY /	PNCYFLMA32T	08058	01914	5191	450	DA G8 GB GQ GR PR PU T8 TJ XD
PANAMA CITY /	PNCYFLMABB0	08058	01914	5191	450	DA G8 GQ GR PR PU T8 TD TG TJ XD
PANAMA CITY /	PNCYFLMABB1	08058	01914	5191	450	DA G8 GQ GR PR PU T8 TD TG TJ XD
PANAMA CITY /	PNCYFLMABBA	08058	01914	5191	450	DA G8 GQ GR PR PU T8 TJ TU XD
PANAMA CITY 850/522,560,747,763,767,769,770,784,785,872,873,913,914 850/914	PNCYFLMADS0	08058	01914	5191	450	AA BA DA G5 G8 GB GC GD GE GK GL GQ GR PC PL PR PU RC RD SJ SV T8 TJ UK UQ XD
PANAMA CITY 850/257(0000-0999),257(2000-2999),257(9000-9999)	PNCYFLMAFMD	08059	01902	4400	450	DA

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
PANAMA CITY /	PNCYFLMAK99	08058	01914	5191	450	DA G8 GQ GR PC PL PR PU T8 TJ UB UE UG UK UP XD ZY
PANAMA CITY 850/334	PNCYFLMAX5Y	08059	01902	4400	450	DA
PANAMA CITY /	PNCYFLMAX7X	08058	01902	8692	450	DA DD
PANAMA CITY BEACH 850/230,233,234,235,236,636,732	PCBHFLNTDS0	08066	01951	5191	450	AA BA DA G5 GC GD GL GQ GR PC PL PR PU RC RD SJ SV TJ UK
PANAMA CITY BEACH /	PCBHFLNTK99	08066	01951	5191	450	DA GQ GR PC PL PR PU TJ UB UG UK UP ZY
PENSACOLA /	PNSCFLBLBB0	08147	02200	5191	448	DA GQ GR PB PK PR PS T8 TD TG TJ TK UK XA XD
PENSACOLA /	PNSCFLBLBB1	08147	02200	5191	448	DA GQ GR PR PS T8 TD TG TJ TK UK XA XD
PENSACOLA /	PNSCFLBLBB2	08147	02200	5191	448	DA GQ GR PR PS T8 TD TG TJ XA XD

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
PENSACOLA                   PNSCFLBLBBA 08147 02200 5191  448 DA GQ GR PR
     /                                                         PS T8 TJ TK
                                                               TU XA XD
.......................................................................
PENSACOLA                   PNSCFLBLBBC 08147 02200 5191  448 DA GQ GR PR
     /                                                         PS T7 T8 TJ
                                                               TK TU XA XD
.......................................................................
PENSACOLA                   PNSCFLBLDS0 08147 02200 5191  448 AA BA DA G5
   850/310,429,430(0000-8999),432,433,434,435(0000-3999)       GC GD GL GQ
   850/435(5000-9999),436,437,438,439(0000-3999)               GR PB PK PR
   850/439(6000-9999),444,469,470(0000-6999),470(8000-9999)    PS QB QF RC
   850/595                                                     RD SJ SV T8
                                                               TJ TK UK UQ
                                                               XA XD
.......................................................................
PENSACOLA                   PNSCFLBLK99 08147 02200 5191  448 DA GQ GR PB
     /                                                         PK PR PS T8
                                                               TJ TK UB UE
                                                               UG UK UP XA
                                                               XD ZY
.......................................................................
PENSACOLA                   PNSCFLFN0MD 08130 02211 8664  448 BA DA
   850/367(3000-3999),389(3000-3999),401(3000-3999)
   850/409(3000-3999),460(3000-3999),463(3000-3999)
   850/466(4000-4999),467(0000-0999),483(8000-8999)
   850/602(9000-9999),608(3000-3999),613(3000-3999)
   850/659(3000-3999),710(2000-2999),733(5000-5999)
   850/744(0000-0999),780(3000-3999),810(3000-3999),840
   850/859(4000-4999),898(8000-8999),909(3000-3999)
.......................................................................
PENSACOLA                   PNSCFLFPDS0 08130 02211 5191  448 AA BA DA G5
   850/416,471(0000-0999),471(1000-1999),471(2000-2999)        GC GD GL GQ
   850/471(3000-3999),471(4000-4999),471(5000-5999)            GR PB PK PR
   850/471(6000-6999),471(7000-7999),471(9000-9999),473,474    PS QB QF RC
   850/475,476,477,478,479,484,494,505,857(0000-0999)          RD SJ SV TJ
   850/857(1000-1999),857(2000-2999),857(3000-3999)            TK UK UQ XD
   850/857(4000-4999),857(5000-5999),857(6000-6999)
   850/857(7000-7999),857(8000-8999),969
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
PENSACOLA /	PNSCFLFPK99	08130	02211	5191	448	DA GQ GR PB PK PR PS TJ TK UB UE UG UK UP XD ZY
PENSACOLA 850/941(0000-0999),941(1000-1999),941(2000-2999) 850/941(4000-4999),941(5000-5999),941(6000-6999) 850/941(8000-8999),941(9000-9999),944	PNSCFLHCRS0	08142	02222	5191	448	AA BA DA G5 GC GD GQ GR PB PK PR PS RC RD SJ SV TJ UQ
PENSACOLA 850/200(4000-4999),226(4000-4999),226(6000-6999) 850/226(7000-7999),226(8000-8999),279(3000-3999) 850/279(4000-4999),279(6000-6999),306(2000-2999) 850/306(3000-3999),331(4000-4999),332(5000-5999) 850/332(6000-6999),332(7000-7999),361(4000-4999) 850/362(6000-6999),398(5000-5999),398(6000-6999) 850/398(8000-8999),424(3000-3999),424(4000-4999) 850/424(5000-5999),424(6000-6999),424(7000-7999) 850/435(4000-4999),439(5000-5999),460(2000-2999) 850/460(7000-7999),460(8000-8999),466(2000-2999) 850/466(3000-3999),466(5000-5999),497(6000-6999) 850/542(4000-4999),549(3000-3999),565(5000-5999) 850/586(7000-7999),607(2000-2999),607(6000-6999) 850/607(7000-7999),607(8000-8999),608(6000-6999) 850/613(2000-2999),613(6000-6999),637(1000-1999) 850/696(2000-2999),696(4000-4999),710(7000-7999) 850/737(2000-2999),780(6000-6999),791(6000-6999) 850/810(8000-8999),880(6000-6999),898(3000-3999) 850/910(6000-6999),912(4000-4999),912(6000-6999) 850/912(8000-8999)	PNSCFLJAGT0	08146	02206	7193	448	DA

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
PENSACOLA 850/492,497(0000-0999),497(1000-1999),497(8000-9999)	PNSCFLPBDS0	08185	02226	5191	448	AA BA DA G5 GC GD GL GQ GR PB PK PR PS RC RD RE RF RG RH RJ RK SJ SV TJ UQ
PENSACOLA 850/266(2000-2999),266(6000-6999),266(9000-9999)	PNSCFLPGDS0	08156	02208	4400	448	DA
PENSACOLA /	PNSCFLWA01T	08155	02208	5191	448	DA G2 G8 GB GQ GR PB PK PR PS T8 TJ TK UK
PENSACOLA 850/452,453,454(0000-0999),454(2000-2999),454(3000-3999) 850/455,456,457,458,760(9000-9999),912(0000-3999) 850/912(5000-5999)	PNSCFLWADS0	08155	02208	5191	448	AA BA DA G5 G8 GB GC GD GE GK GL GQ GR PB PK PR PS RC RD SJ SV T8 TJ TK UK UQ
PENSACOLA /	PNSCFLWAK99	08155	02208	5191	448	DA G8 GQ GR PB PK PR PS T8 TJ TK UK
PENSACOLA 850/361(0000-0999),454(1000-1999),462(0000-0999) 850/462(1000-1999),483(5000-5999),500,549(0000-0999) 850/549(2000-2999)	PNSCFLWAXMD	08155	02208	8692	448	DA DD
PERRINE /	PRRNFLMABBA	08397	00536	5191	460	DA GQ GR PR PS T9 TJ TK TU

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
PERRINE	PRRNFLMADS0	08397	00536	5191	460	AA BA DA G4
305/232,233,234,235,238,251,252,253,254,255,256,259,278						GC GD GL GQ
305/378,969,971						GR PC PL PR
786/242,293,573(0000-7999),573(9000-9999)						PS RC RD RF
						RG RH RJ RK
						RM SJ SN SV
						T9 TJ TK
PERRINE	PRRNFLMAKO1	08397	00536	5191	460	DA GQ GR PC
/						PL PR PS T9
						TJ TK UB UE
						UG UP ZY
PERRY	PRRYFLXADS0	07873	01566	0291	953	AA BA DA GC
850/223,578,584,838(0000-5999),838(8000-9999)						GL OE RC RD
						SV T3 TJ TZ
						UG XF XG
PIERSON	PRSNFLFDRS0	07833	01123	5191	456	BA DA G5 GC
386/749(0000-4999),749(6000-6999),749(9000-9999)						GD GL GQ GR
						PC PL PR PS
						TJ
PINE CASTLE	ORLDFLPCDMS	07968	01022	4085	458	DA
/						
PINE ISLAND	PNISFLXADS0	08390	00945	0341	939	AA BA DA GC
239/282(0000-0999),282(1000-1999),282(2000-2999)						GD GI GK GR
239/282(5000-5999),282(8000-9999),283						PC PL PN PR
						RA RC RD RE
						RF RJ RK RM
						RS SA SH SP
						SQ ST SU TJ
						TK TU TW UB
						UG UK UL UM
						UP UR UU UX
						UZ WE WG WJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
PINES HILLS	ORLDFLPHDMS	07955	01048	4085	458	DA
/						
PLANT CITY	PNCRFLXA73J	08152	01085	0328	952	AA BA DA DD
813/650(0000-0999),650(2000-2999),650(8000-8999)						GD GE GG GJ
813/650(9000-9999),737(1000-1999),737(2000-2999)						GN GR HB HD
813/737(3000-3999),737(4000-4999),737(5000-5999)						II PC PL RC
813/737(6000-6999),737(9000-9999)						RD SH SQ TB
						TG TU TW UG
						VM
PLANT CITY	PTCYFLXA75H	08128	01098	0328	952	AA BA DA DD
813/659(0000-0999),659(1000-1999),659(2000-2999)						GD GE GG GJ
813/659(3000-3999),659(4000-4999),659(8000-8999)						GN GR HB HD
813/659(9000-9999),707(0000-0999),707(1000-1999)						II PB RC RD
813/707(2000-2999),707(5000-5999),707(6000-6999)						SQ TB TG TI
813/707(7000-7999),707(8000-8999),707(9000-9999),717						TJ TU TW UG
813/719(1000-4999),719(6000-9999),752,754,757						UR VM WD WE
813/759(0000-2999),759(4000-9999),764(0000-0999)						WF WG WH WI
813/764(2000-2999),764(8000-8999),764(9000-9999)						WJ
PLANTATION	FTLDFLPLDMS	08288	00568	4085	460	DA
/						
POLK CITY	PKCYFLXARSA	08066	01066	0328	952	AA BA DA DD
863/984						GE GG GM GN
						GR HB HD II
						PC PL RC RD
						SH SQ TB TG
						TI TU TW UG
						UR VM WD WE
						WF WG WH
POMONA PARK	PMPKFLMARS0	07797	01172	5191	452	AA BA DA G5
386/649(0000-0999),649(1000-1999),649(4000-4999)						GC GD GL GQ
386/649(5000-5999),649(6000-6999),649(8000-8999)						GR PC PL RC
386/649(9000-9999)						RD RM SJ SV
						TJ UB XA ZY

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
POMPANO BEACH /	PMBHFLCSBBA	08267	00591	5191	460	DA GQ GR PR PS TJ TK TU XA
POMPANO BEACH 954/227,255,340,341,344,345,346,509(0000-5999) 954/509(8000-9999),575,688(8000-8999),752,753,755,757 954/796,825(4000-4999)	PMBHFLCSDS0	08267	00591	5191	460	AA BA DA GC GL GQ GR PC PL PR PS RC RD RE RF RG RH RM SL SV TJ TK XA
POMPANO BEACH /	PMBHFLCSK01	08267	00591	5191	460	DA GQ GR PR PS TJ TK UB UE UG UP XA ZY
POMPANO BEACH 305/384(2000-2999),384(9000-9999) 561/237(0000-0999),237(1000-1999),237(2000-2999) 561/237(3000-3999),237(4000-4999),237(6000-6999) 561/237(7000-7999),237(9000-9999),273(8000-8999) 561/277(6000-6999),352(2000-2999),516(3000-3999) 561/526(0000-0999),526(4000-4999),526(9000-9999) 561/536(0000-1999),536(9000-9999),623(4000-4999) 772/240(7000-7999),293(6000-6999),360(3000-3999) 772/403(7000-7999),405(4000-4999) 954/364(0000-1999),364(3000-3999),364(6000-6999) 954/364(9000-9999),377,379(0000-0999),379(1000-1999) 954/379(3000-3999),379(5000-5999),379(9000-9999) 954/603(0000-0999),603(9000-9999),633(0000-1999) 954/633(3000-3999),633(6000-6999),633(9000-9999) 954/903(5000-6999)	PMBHFLDRDS0	08262	00569	7422	460	BA DA GI GJ GL GN GQ HA HD IA IB II SH SI UA UG UR UU
POMPANO BEACH /	PMBHFLDRDS1	08262	00569	7448	460	BA DA
POMPANO BEACH 561/922(1000-2999),922(4000-4999)	PMBHFLDRDS2	08262	00569	7422	460	BA DA

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
POMPANO BEACH               PMBHFLFEDS0 08254 00565 5191  460 AA BA DA G4
   954/545(0000-1999),545(3000-7999),545(9000-9999),781,782  GC GL GQ GR
   954/783,784,785,786,788,876(0000-0999),876(2000-3999)     PB PK PR PS
   954/876(5000-6999),941,942,943,946                        RC RD RE RF
                                                             RG RH RJ RK
                                                             RM SJ SN SV
                                                             TJ TK XA
.......................................................................
POMPANO BEACH               PMBHFLFEK01 08254 00565 5191  460 DA GQ GR PB
      /                                                      PK PR PS TJ
                                                             TK UB UE UG
                                                             UP XA ZY
.......................................................................
POMPANO BEACH               PMBHFLMA05T 08264 00580 5191  460 DA G2 G3 GB
      /                                                      GQ GR PB PK
                                                             PR PS QB QF
                                                             TJ TK UK XA
.......................................................................
POMPANO BEACH               PMBHFLMA06T 08264 00580 5191  460 DA G2 G3 GB
      /                                                      GQ GR PB PK
                                                             PR PS QB QF
                                                             TJ TK UK XA
.......................................................................
POMPANO BEACH               PMBHFLMABBA 08264 00580 5191  460 DA GQ GR PR
      /                                                      PS TJ TK TU
                                                             XA
.......................................................................
POMPANO BEACH               PMBHFLMABBC 08264 00580 5191  460 DA GQ GR PR
      /                                                      PS TU XA
.......................................................................
POMPANO BEACH               PMBHFLMADS0 08264 00580 5191  460 AA BA DA G4
   954/590(2000-3999),590(5000-7999),917,934(1000-1999)      GC GL GQ GR
   954/935(0000-6999),935(8000-9999),956,957(2000-2999)      PB PK PR PS
   954/957(6000-9999),968,969,970,971,972,973,974,975,977    RC RD RM SL
   954/978,979,984                                           SV TJ TK XA
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
POMPANO BEACH /	PMBHFLMAK01	08264	00580	5191	460	DA GQ GR PR PS TJ TK UB UE UG UP XA ZY
POMPANO BEACH 954/366(0000-0999),366(2000-2999)	PMBHFLMARS1	08264	00580	8664	460	DA DD G2 GD GE GJ GN GQ HB HC IA IB IC IF IG IH II QA
POMPANO BEACH 954/960(0000-1999)	PMBHFLNPRS0	08259	00573	5191	460	AA BA DA GL GQ GR PB PL SL
POMPANO BEACH 954/597(0000-4999),597(7000-9999),718,720,721,722,724 954/726	PMBHFLTADS0	08275	00586	5191	460	AA BA DA GC GL GQ GR PB PK PR PS RC RD RM SL SV TJ TK
POMPANO BEACH /	PMBHFLTAK01	08275	00586	5191	460	DA GQ GR PR PS TJ TK UB UE UG UP ZY
POMPANO FEDERAL /	PMBHFLFEDMS	08254	00565	4085	460	DA
PONCE DE LEON 850/836(0000-0999),836(2000-2999),836(3000-3999) 850/836(4000-4999),836(5000-5999),836(6000-6999) 850/836(7000-7999),836(8000-8999),836(9000-9999)	PNLNFLXARS0	07976	02017	0340	448	AA BA DA DD GI GK GR PC PL PN RC RD RE SA SH SP SQ TJ TU TW UP UR WE WG WJ

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
PONTE VEDRA BEACH	PNVDFLMADS0	07644	01216	5191	452	AA BA DA G5
904/273,280,285,543(0000-1999),543(2000-2999)						GC GD GL GQ
904/543(5000-5999),543(7000-8999),543(9000-9999)						GR PC PL PR
						PS RC RD RE
						RF RG RH RJ
						RK SJ SV T9
						TJ TK UQ XA
PORT CHARLOTTE	PTCTFLXADS0	08320	00982	0341	939	AA BA BC DA
941/235(0000-5999),235(7000-7999),235(9000-9999)						GC GD GI GJ
941/613(0000-0999),613(1000-1999),613(2000-2999)						GK GR IA IE
941/613(3000-3999),613(6000-6999),613(7000-7999)						IG II PB PK
941/613(8000-8999),623(0000-1999),624,625,627,629,743						PN RA RC RD
941/764,766						RE RF RJ RK
						RM RS SA SH
						SP SQ ST SU
						TH TJ TK TU
						TW UB UE UG
						UK UL UM UP
						UR UU UX UZ
						WE WG WJ
PORT ST. JOE	PTSJFLXA03T	08090	01819	0291	450	D1 DA GB HB
/						HD
PORT ST. JOE	PTSJFLXADS2	08090	01819	0291	450	AA DA DD GC
850/227(0000-3999),227(7000-7999),227(9000-9999),229,282						GL HD OE RC
850/349,639,647,648,653(0000-4999),653(8000-9999),670						RD SH SV SW
850/697,827,927						TJ TZ UG UP
PORT ST. LUCIE	PTSLFLMADS0	08080	00726	5191	460	AA BA DA GC
772/204(7000-9999),336,340(0000-5999),340(7000-9999),343						GL GQ GR PC
772/344,446(7000-7999),621(3000-4999),621(7000-7999)						PL RC RD RM
772/621(8000-9999),785,807(4000-5999),807(7000-9999),871						SL SV TJ XA
772/873(0000-6999),873(8000-9999),878,879(0000-4999)						
772/879(6000-7999),879(9000-9999)						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
PORT ST. LUCIE /	PTSLFLMAK01	08080	00726	5191	460	DA GQ GR TJ UB UE UG UP XA ZY
PORT ST. LUCIE 772/335,337(0000-7999),337(9000-9999),380(0000-1999) 772/380(9000-9999),398,807(6000-6999)	PTSLFLSOCG0	08082	00711	5191	460	AA BA DA GC GL GQ GR PC PL RC RD SL SV TJ XA
PORT ST. LUCIE /	PTSLFLSOK01	08082	00711	5191	460	DA GQ GR TJ UB UE UG UP XA ZY
PUNTA GORDA 941/505,575,637,639,833(0000-6999),833(8000-9999)	PNGRFLXADS1	08323	00968	0341	939	AA BA BC DA GC GD GI GK GR PC PL PN RA RC RD RE RF RJ RK RM RS SA SH SP SQ ST SU TH TJ TK TU TW UB UG UK UL UM UP UR UU UX UZ WE WG WJ
QUINCY 850/618,627,662(2000-3999),875	QNCYFLXADS0	07878	01780	4454	450	AA BA DA GC GD GR IC ID IE IG IH OE RA RC RQ RU SH SP SQ TJ TU TZ UB UG UT UU UW UX UZ VA

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
RAIFORD	RAFRFLXARP0	07748	01334	0336	452	AA DA GC GD
386/431(3000-3999)						GE GI GL GN
						GR HB HD II
						RA RC RD RH
						SJ SP SQ TJ
						UM UP UU UW
						VA
RAIFORD	RAFRFLXARS1	07748	01334	0336	452	AA DA GC GD
386/431(0000-2999),431(4000-9999)						GI GL GN GR
						HB HD II RA
						RC RD RH SJ
						SP SQ TJ UM
						UP UU UW VA
RED ROAD	MIAMFLRRDMS	08372	00537	4085	460	DA
/						
REYNOLDS HILL	RYHLFLXARS0	07939	02030	0340	450	AA BA DA DD
850/956(0000-0999),956(1000-1999),956(2000-2999)						GI GK GR PC
850/956(3000-3999),956(4000-4999),956(5000-5999)						PL PN RC RD
850/956(7000-7999),956(8000-8999),956(9000-9999)						RE SA SH SP
						SQ TJ TU TW
						UP UR WE WG
						WJ
RIVERSIDE	JCVLFLRVDMS	07658	01278	4085	452	DA
/						
RIVIERA BEACH	WPBHFLRBDMS	08147	00618	4085	460	DA
/						
SAINT AUGUSTINE	STAGFLBSRS0	07707	01153	5191	452	AA BA DA G5
904/460(0000-1999),460(9000-9999),461,471						GC GD GL GQ
						GR PC PL PR
						PS RC RD SJ
						SV T9 TJ TK
						XA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
SAINT AUGUSTINE /	STAGFLMA61W	07695	01171	5191	452	DA GQ GR PC PL PR PS T9 TA TJ TK XA
SAINT AUGUSTINE /	STAGFLMABBA	07695	01171	5191	452	DA GQ GR PR PS T9 TJ TU XA
SAINT AUGUSTINE 904/547(3000-8999),615(2000-2999),808(0000-4999) 904/808(6000-9999),810(0000-0999),810(1000-1999) 904/810(2000-2999),810(3000-3999),810(4000-4999) 904/810(5000-5999),810(6000-6999),810(7000-7999) 904/810(9000-9999),819,823,824,825,826(0000-4999) 904/826(8000-8999),827(0000-0999),827(1000-1999) 904/827(2000-2999),827(5000-5999),827(6000-6999) 904/827(8000-9999),829(0000-0999),829(1000-1999) 904/829(2000-2999),829(3000-3999),829(5000-5999) 904/829(6000-6999),829(8000-9999)	STAGFLMADS0	07695	01171	5191	452	AA BA DA G5 GC GD GL GQ GR PC PL PR PS QB QF RM RP RQ SJ SR T9 TJ TK UQ XA
SAINT AUGUSTINE /	STAGFLMAK99	07695	01171	5191	452	DA GQ GR PC PL PR PS T9 TJ TK UB UE UG UP XA ZY
SAINT AUGUSTINE 904/794,797	STAGFLSHRS0	07712	01163	5191	452	AA BA DA G5 GC GD GL GQ GR PC PL PR PS RC RD SJ SV T9 TJ TK UQ XA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SAINT CLOUD	STCDFLXAPS0	08000	00983	0341	458	AA BA BC DA
407/498(0000-0999),498(3000-3999),891(0000-0999)						GC GD GI GK
407/891(1000-1999),891(2000-2999),891(3000-3999)						GR IA IC PC
407/891(6000-6999),891(7000-7999),891(8000-8999)						PL PN PS RA
407/891(9000-9999),892,957						RC RD RE RF
						RJ RK RM RS
						SA SH SP SQ
						SU TJ TK TU
						TW UB UG UK
						UL UM UN UP
						UR UU UX UZ
						WE WG WJ
SAINT MARKS	STMKFLXARS0	07923	01674	0340	953	AA BA DA DD
850/925(0000-7999),925(9000-9999)						GI GK GR PC
						PL PN RC RD
						RE SA SH SP
						SQ TU TW UP
						UR WE WG WJ
SAINT PETERSBURG	BAYUFLXA54H	08220	01180	0328	952	AA BA DA DD
727/541,544,545,546,547(0000-0999),547(1000-1999)						GC GD GE GG
727/547(2000-2999),547(4000-4999),547(5000-5999)						GJ GN GR HB
727/547(6000-6999),547(7000-7999),547(8000-8999)						HD II PB RC
727/547(9000-9999),548,549,768(0000-0999),768(8000-8999)						RD SH SQ TB
727/768(8000-8999)						TG TI TU TW
						UG UR VM WD
						WE WF WG WH
						WI WJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
SAINT PETERSBURG            GNDYFLXA57H 08209 01168 0328  952 AA BA DA DD
   727/217(0000-0999),217(1000-1999),217(2000-2999)          GC GD GE GG
   727/217(3000-3999),217(4000-4999),217(7000-7999)          GJ GN GR HB
   727/217(8000-8999),217(9000-9999),563(0000-0999)          HD II PA RC
   727/563(1000-1999),563(2000-2999),563(3000-3999)          RD SH SQ TB
   727/563(5000-5999),563(7000-7999),563(8000-8999)          TG TI TJ TU
   727/563(9000-9999),568(0000-0999),568(1000-1999)          TW UG UR VM
   727/568(2000-2999),568(3000-3999),568(4000-4999)          WD WE WF WG
   727/568(5000-5999),568(9000-9999),570,576,577,578,579     WH WI WJ
   727/622
.......................................................................
SAINT PETERSBURG            LLMNFLXADS0 08217 01167 0328  952 AA BA DA DD
   727/520(0000-0999),520(1000-1999),520(7000-7999)          GC GD GE GG
   727/520(8000-8999),520(9000-9999),521(0000-0999)          GJ GN GR HB
   727/521(1000-1999),521(2000-2999),521(3000-3999)          HD II PA RC
   727/521(4000-4999),521(5000-5999),521(6000-6999)          RD SH SQ TB
   727/521(9000-9999),522,525,526,527,528                    TG TI TU TW
                                                             UG UR VM WD
                                                             WE WF WG WH
                                                             WI WJ
.......................................................................
SAINT PETERSBURG            NGBHFLXA39H 08226 01191 0328  952 AA BA DA DD
   727/319,320(0000-0999),320(1000-1999),320(8000-8999)      GC GD GE GG
   727/320(9000-9999),391,392,393,394(0000-0999)             GJ GN GR HB
   727/394(1000-1999),394(2000-2999),394(5000-5999)          HD II PA RC
   727/394(6000-6999),394(7000-7999),394(8000-8999)          RD SH SQ TB
   727/394(9000-9999),395,397,398,399(0000-0999)             TG TI TJ TU
   727/399(1000-1999),399(2000-2999),399(3000-3999)          TW UG UR VM
   727/399(4000-4999),399(5000-5999),399(8000-8999)          WD WE WF WG
   727/399(9000-9999)                                        WH WI WJ
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SAINT PETERSBURG	PSDNFLXA34H	08232	01172	0328	952	AA BA DA DD
727/302(0000-0999),302(2000-2999),302(3000-3999)						GC GD GE GG
727/302(4000-4999),302(5000-5999),302(6000-6999)						GJ GN GR HB
727/302(7000-7999),302(9000-9999),341(0000-0999)						HD II PB RC
727/341(1000-1999),341(2000-2999),341(3000-3999)						RD SH SQ TB
727/341(4000-4999),341(6000-6999),341(7000-7999),343						TG TI TU TW
727/344(0000-0999),344(1000-1999),344(2000-2999)						UG UR VM WD
727/344(3000-3999),344(4000-4999),344(5000-5999)						WE WF WG WH
727/344(6000-6999),344(7000-7999),344(8000-8999),345						WI WJ
727/346(0000-0999),346(2000-2999),346(4000-4999)						
727/346(9000-9999),347,381,384						
SAINT PETERSBURG	SGBEFLXA36H	08241	01174	0328	952	AA BA DA GC
727/360,363,367,368(0000-0999),368(9000-9999)						GD GE GG GJ
						GN GR HB HD
						II PC PL RC
						RD SH SQ TB
						TG TI TU TW
						UG VM
SAINT PETERSBURG	SKWYFLXADS0	08230	01165	0328	952	AA BA DA DD
727/321,322(0000-0999),322(1000-1999),322(2000-2999)						GC GD GE GG
727/322(5000-5999),322(6000-6999),322(8000-8999)						GJ GN GR HB
727/322(9000-9999),323,327,328(0000-0999),328(1000-1999)						HD II PB RC
727/328(2000-2999),328(3000-3999),328(5000-5999)						RD SH SQ TB
727/328(6000-6999),328(7000-7999),328(8000-8999)						TG TI TJ TU
727/328(9000-9999)						TW UG UR VM
						WD WE WF WG
						WH WI WJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
SAINT PETERSBURG            SPBGFLXA89H 08225 01159 0328  952 AA BA DA DD
   727/502(0000-0999),502(1000-1999),502(2000-2999)          GC GD GE GR
   727/502(3000-3999),502(4000-4999),502(5000-5999)          HB PA RC RD
   727/502(8000-8999),502(9000-9999),551(0000-0999)          RJ SH SQ TG
   727/551(2000-2999),551(3000-3999),551(5000-5999)          TU TW UR WD
   727/551(6000-6999),551(7000-7999),551(8000-8999)          WE WF WG WH
   727/551(9000-9999),553,767(1000-8999),820(0000-0999)      WI WJ
   727/820(2000-2999),820(3000-3999),820(4000-4999)
   727/820(5000-5999),820(6000-6999),820(7000-7999)
   727/820(8000-8999),820(9000-9999),821,822,823,824,825
   727/892,893,894,895,896,897(0000-0999),897(1000-1999)
   727/897(2000-2999),897(3000-3999),897(4000-4999)
   727/897(6000-6999),897(7000-7999),897(9000-9999),898
.......................................................................
SAINT PETERSBURG            SPBGFLXADS0 08225 01159 0328  952 AA BA DA GG
   727/550(0000-0999),550(1000-1999),550(2000-2999)          GJ GN GR HD
   727/550(3000-3999),550(4000-4999),550(5000-5999)          II PA TB TD
   727/550(8000-8999),550(9000-9999),552,826(1000-1999)      TH TI TU UG
   727/826(2000-2999),826(3000-3999),826(4000-4999)          VM
   727/826(5000-5999),826(6000-6999),826(8000-8999)
   727/826(9000-9999),827(0000-0999),827(1000-1999)
   727/827(3000-3999),827(4000-4999),827(5000-5999)
   727/827(6000-6999),827(9000-9999)
.......................................................................
SAINT PETERSBURG            SPBGFLXS86H 08238 01159 0328  952 AA BA DA DD
   727/864,865(0000-0999),865(1000-1999),865(2000-2999)      GC GD GE GG
   727/865(3000-3999),865(6000-6999),865(7000-7999)          GJ GN GR HB
   727/865(8000-8999),865(9000-9999),866(0000-0999)          HD II PB RC
   727/866(1000-1999),866(2000-2999),866(3000-3999)          RD RJ SH SQ
   727/866(5000-5999),866(6000-6999),866(7000-7999)          TB TG TI TU
   727/866(8000-8999),866(9000-9999),867(0000-0999)          TW UG UR VM
   727/867(1000-1999),867(2000-2999),867(3000-3999)          WD WE WF WG
   727/867(5000-5999),867(6000-6999),867(7000-7999)          WH WI WJ
   727/867(8000-8999),867(9000-9999),906(0000-0999)
   727/906(3000-3999),906(4000-4999),906(8000-8999)
   727/906(9000-9999)
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SALT SPRINGS-OCALA	SSPRFLXARS0	07844	01193	0341	454	AA BA BC DA
352/685(0000-4999),685(8000-9999)						GC GD GE GI
						GK GR IA IC
						ID IE IH II
						PC PL PN RA
						RC RD RE RF
						RJ RK RM RS
						SA SH SP SQ
						SU TJ TU TW
						UB UG UK UL
						UM UN UP UR
						UU UX UZ WE
						WG WJ
SAN ANTONIO	SNANFLXARS0	08080	01159	0341	454	AA BA DA GI
352/588						GK GM GR PC
						PL PN RA RC
						RD RE RF RJ
						RK RM RS SA
						SH SP SQ SU
						TJ TU TW UB
						UG UK UL UM
						UN UP UR UU
						UX UZ WE WG
						WJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SAN CARLOS PARK-FORT MYERS	SCPKFLXARS0	08390	00880	0341	939	AA BA BC DA
239/267,590(0000-0999),590(1000-1999),590(2000-2999)						GC GD GE GI
239/590(3000-3999),590(4000-4999),590(6000-6999)						GK GR HB IA
239/590(7000-7999),590(9000-9999)						IB IE IG IH
						II PC PL PN
						PR RA RC RD
						RE RF RJ RK
						RM RS SA SH
						SP SQ ST SU
						TJ TK TU TW
						UB UG UK UL
						UM UP UR UU
						UX UZ WE WG
						WJ
SAN JOSE	JCVLFLSJDMS	07658	01262	4085	452	DA
/						
SAND LAKE	ORLDFLSADMS	07979	01034	4085	458	DA
/						
SANDERSON	SNSNFLXARS0	07721	01366	0335	452	AA BA DA EA
904/275						G9 GE GJ GL
						GM GN GR HB
						HD IA IB IC
						ID JE OE RC
						SH SQ T9 TI
						TJ TK TL TR
						UG UP UR WE
						WG
SANFORD	SNFRFLMA32T	07895	01044	5191	458	DA GB GQ GR
/						PR PS TJ XA

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SANFORD	SNFRFLMADS0	07895	01044	5191	458	AA DA G5 GC
407/268(9000-9999),302,320,321,322,323,324(0000-4999)						GD GL GQ GR
407/324(5000-5999),324(7000-7999),324(8000-8999)						PC PL PR PS
407/324(9000-9999),327,328,330(0000-7999),330(9000-9999)						RC RD SV TJ
407/665,688(0000-0999),688(1000-2999),688(4000-8999)						TK UK XA
407/688(9000-9999),833(7000-7999),871(0000-0999)						
407/871(1000-1999),871(7000-7999),871(8000-8999)						
407/871(9000-9999)						
SANFORD	SNFRFLMAK99	07895	01044	5191	458	DA GQ GR PC
/						PL PR PS TJ
						TK UB UE UG
						UK UP XA ZY
SANIBEL-CAPTIVA ISLANDS	SNISFLXADS0	08421	00923	0341	939	AA BA DA GC
239/395,472						GD GI GK GR
						PC PL PN PR
						RA RC RD RE
						RF RJ RK RM
						RS SA SH SP
						SQ ST SU TJ
						TK TU TW UB
						UG UK UL UM
						UP UR UU UX
						UZ WE WG WJ
SANTA ROSA BEACH	SNRSFLXARS0	08069	02031	0340	448	AA BA DA DD
850/267,622						GI GK GR PC
						PL PN RC RD
						RE SA SH SP
						SQ TJ TU TW
						UP UR WE WG
						WJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SARASOTA	LGBKFLXA38H	08297	01117	0328	952	AA BA DA DD
941/383,387(0000-0999),387(1000-1999),387(2000-2999)						GC GD GE GG
941/387(3000-3999),387(7000-7999),387(8000-8999)						GJ GN GR HB
941/387(9000-9999)						HD II PC PL
						RC RD SH SQ
						TB TG TI TU
						TW UG UR VM
						WD WE WF WG
						WH WI WJ
SARASOTA	NRSDFLXA35H	08290	01100	0328	952	AA BA DA DD
941/351,355,358,359,360						GC GD GE GG
						GJ GN GR HB
						HD II PB RC
						RD SH SQ TB
						TG TI TJ TU
						TW UG UR VM
						WD WE WF WG
						WH WI WJ
SARASOTA	SARKFLXARSA	08303	01099	0328	952	AA BA DA DD
941/388(0000-0999),388(1000-1999),388(2000-2999)						GC GD GE GG
941/388(3000-3999),388(4000-4999),388(5000-5999)						GM GN GR HB
941/388(6000-6999),388(9000-9999)						HD II PC PL
						RC RD SH SQ
						TB TG TI TU
						TW UG VM
SARASOTA	SEKYFLXA34H	08310	01088	0328	952	AA BA DA DD
941/312(0000-0999),312(9000-9999),346(0000-0999)						GC GD GE GG
941/346(1000-1999),346(2000-2999),346(3000-3999)						GJ GN GR HB
941/346(4000-4999),346(5000-5999),346(7000-7999)						HD II PC PL
941/346(8000-8999),346(9000-9999),349						RC RD SH SQ
						TB TG TI TU
						TW UG UR VM
						WD WE WF WG
						WH WI WJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SARASOTA	SPRGFLXA37H	08290	01078	0328	952	AA BA DA DD
941/341,342,343(0000-0999),343(1000-1999),343(6000-6999)						GC GD GE GG
941/343(9000-9999),371,377,378,379						GJ GN GR HB
						HD II PB RC
						RD SH SQ TB
						TG TI TJ TU
						TW UG UR VM
						WD WE WF WG
						WH WI WJ
SARASOTA	SRSTFLXA95H	08296	01094	0328	952	AA BA DA DD
941/316,329,331,361(0000-0999),361(1000-1999)						GC GD GE GR
941/361(2000-2999),361(3000-3999),361(4000-4999)						HB RC RD RJ
941/361(5000-5999),361(6000-6999),361(7000-7999)						SH SQ TH TU
941/361(8000-8999),363(0000-0999),363(2000-2999)						UR WD WE WF
941/363(3000-3999),363(5000-5999),363(7000-7999)						WG WH WI WJ
941/363(8000-8999),363(9000-9999),364,365,366						
941/373(0000-1699),373(2000-3699),373(4000-4999)						
941/373(6000-6999),373(7000-9999),951,952(0000-0999)						
941/952(1000-1999),952(2000-2999),952(4000-4999)						
941/952(5000-5999),952(6000-6999),952(9000-9999)						
941/953(0000-0999),953(2000-2999),953(3000-3999)						
941/953(4000-4999),953(5000-5999),953(6000-6999)						
941/953(7000-7999),953(8000-8999),953(9000-9999),954,955						
941/957(0000-0999),957(1000-1999),957(3000-3999)						
941/957(4000-4999),957(5000-5999),957(6000-6999)						
941/957(7000-7999)						
SARASOTA	SRSTFLXADS0	08296	01094	0328	952	AA BA DA DD
941/296(1000-1999),296(2000-2999),296(3000-3999)						GC GD GG GJ
941/296(9000-9999),330(0000-0999),330(1000-1999)						GN GR HB HD
941/330(2000-2999),330(8000-8999),330(9000-9999),362						II PA RC RD
941/373(1700-1999),373(3700-3999),487(9000-9999)						RJ SH SQ TB
941/706(9000-9999),906,907,917						TD TG TI TJ
						TU UG VM

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SARASOTA	SRSTFLXARS0	08296	01094	8664	952	DA DD G2 GD
/						GE GJ GN GQ
						HB HC IA IB
						IC IF IG IH
						II QA
SARASOTA	SSDSFLXA92H	08306	01083	0328	952	AA BA DA DD
941/921,922,923,924,925,926(0000-0999),926(1000-1999)						GC GD GE GG
941/926(2000-2999),926(3000-3999),926(4000-4999)						GJ GN GR HB
941/926(7000-7999),926(8000-8999),926(9000-9999),927						HD II PA RC
941/929(0000-0999),929(1000-1999),929(2000-2999)						RD SH SQ TB
941/929(7000-7999),929(9000-9999)						TG TI TJ TU
						TW UG UR VM
						WD WE WF WG
						WH WI WJ
SEAGROVE BEACH	SGBHFLXARS0	08069	02007	0340	448	AA BA DA DD
850/231(0000-0999),231(1000-1999),231(2000-2999)						GI GK GR PC
850/231(3000-3999),231(4000-4999),231(5000-5999)						PL PN RC RD
850/231(6000-6999),231(7000-7999),231(9000-9999)						RE SA SH SP
850/534(0000-0999),534(2000-2999),534(3000-3999)						SQ TJ TU TW
850/534(4000-4999),534(5000-5999),534(6000-6999)						UP UR WE WG
850/534(7000-7999),534(8000-8999),534(9000-9999)						WJ
SEBASTIAN	SBSTFLFERS0	08021	00817	5191	460	AA DA GC GL
772/571(0000-0999),571(1000-1999),571(2000-2999)						GQ GR PC PL
772/571(8000-8999),571(9000-9999)						RC RD RM SL
						SV TJ XA
SEBASTIAN	SBSTFLMADS0	07998	00801	5191	460	AA BA DA GC
772/228(7000-7999),228(9000-9999),388(0000-6999)						GQ GR PC PL
772/388(8000-9999),581,589						RC RD RM SL
						SR TJ XA
SEBASTIAN	SBSTFLMAK01	07998	00801	5191	460	DA GQ GR TJ
/						UB UE UG UP
						XA ZY

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SEBRING	SBNGFLXADS1	08157	00927	0341	939	AA BA BC DA
863/314(0000-1999),314(3000-5999),314(8000-9999),382,385						GC GD GI GK
863/386(0000-1999),386(4000-9999),402,471(0000-6999)						GR PC PL PN
863/471(9000-9999),593(1000-1999),593(9000-9999)						RA RC RD RE
						RF RJ RK RM
						RS SA SH SP
						SQ ST SU TH
						TJ TK TU TW
						UB UG UK UL
						UM UP UR UU
						UX UZ WE WG
						WJ
SHALIMAR	SHLMFLXADS0	08085	02096	0340	448	AA BA DA DD
850/609,651						GC GD GI GK
						GR II PC PL
						RC RD RE SA
						SH SP SQ T1
						TJ TU TW UB
						UP UR WE WG
						WJ
SILVER OAKS	MIAMFLSODMS	08386	00547	4085	460	DA
/						
SILVER SPRINGS SHORES	SVSSFLXARS0	07914	01192	0341	454	AA BA BC DA
352/261(1000-1999),261(9000-9999),680,687						GC GD GE GI
						GK GR IA IC
						ID IE IH II
						PC PL PN PR
						RA RC RD RE
						RF RJ RK RM
						RS SA SH SP
						SQ SU TJ TK
						TU TW UB UG
						UK UL UM UN
						UP UR UU UX
						UZ WE WG WJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SILVER SPRINGS-OCALA	SVSPFLXARS0	07896	01218	0341	454	AA BA BC DA
352/236(0000-0999),236(1000-1999),236(2000-2999)						GC GD GE GI
352/236(3000-3999),236(4000-4999),236(5000-5999)						GK GR IA IC
352/236(6000-6999),236(7000-7999),236(8000-8999)						ID IE IH II
352/438(0000-3999),438(5000-5999)						PC PL PN PR
						RA RC RD RE
						RF RJ RK RM
						RS SA SH SP
						SQ SU TJ TU
						TW UB UG UK
						UL UM UN UP
						UR UU UX UZ
						WE WG WJ
SNEADS	SNDSFLXARS0	07886	01850	0340	450	AA BA DA DD
850/593(0000-0999),593(1000-1999),593(2000-2999)						GI GK GR PC
850/593(3000-3999),593(4000-4999),593(5000-5999)						PL PN RC RD
850/593(6000-6999),593(9000-9999)						RE SA SH SP
						SQ TJ TU TW
						UB UP UR WE
						WG WJ
SOPCHOPPY	SPCPFLXARL0	07969	01710	0340	953	AA BA D1 DA
850/962(0000-0999),962(1000-1999),962(2000-2999)						GC GD GI GK
850/962(3000-3999),962(4000-4999),962(5000-5999)						GR II PC PL
850/962(6000-6999),962(7000-7999),962(9000-9999)						PN RC RD RE
						SA SH SP SQ
						TU TW UP UR
						WE WG WJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE	TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- --	-- --
SOUTHEAST FL GG-EA	MIAQFL60DS0	08326	00549	6100	460	BA DA	GE GJ
305/200(0000-0999),200(8000-8999),328,351(7000-8999),356						GR HB	IB RC
305/357,359(0000-0999),359(4000-4999),359(9000-9999)						RD SH	SQ T1
305/370(0000-0999),384(3000-4999),390(0000-0999)						T2 UG	UP UR
305/390(3000-3999),396(0000-0999),396(5000-5999)						US	
305/396(9000-9999),415(8000-8999),421(3000-3999)							
305/421(7000-7999),424(3000-6999),428(9000-9999)							
305/455(8000-8999),459(1000-1999),507(4000-4999)							
305/520(0000-0999),572(5000-8999),647(0000-0999)							
305/647(2000-2999),647(6000-6999),671(9000-9999)							
305/726(0000-0999),726(2000-2999),735(0000-0999)							
305/735(5000-6999),742(2000-2999),777(4000-5999)							
305/777(8000-8999),830(8000-9999),851(0000-0999)							
305/851(4000-4999),851(9000-9999),873(1000-1999)							
305/873(7000-8999),909(7000-7999),938(5000-5999)							
305/938(6000-8999),967(6000-7999)							
561/244(0000-4999),244(9000-9999),245(9000-9999)							
561/340(0000-0999),340(2000-2999),354(5000-6999)							
561/424(8000-8999),886(6000-6999),902(0000-0999)							
561/902(5000-5999),908(0000-0999),908(5000-6999)							
561/908(7000-7999),909(0000-4999),909(6000-6999)							
561/910(2000-2999),935(0000-0999),935(2000-2999)							
561/952(0000-0999),952(1000-1999),952(4000-6999)							
561/952(7000-7999),953(0000-2999),953(3000-8999)							
772/409(5000-5999),905(0000-1999),905(4000-6999)							
772/907(0000-0999),907(1000-1999),907(2000-2999)							
772/907(3000-4999),907(6000-9999),918(0000-1999)							
772/918(5000-6999),919(0000-0999),919(3000-4999)							
772/919(6000-6999),932(0000-0999),932(2000-3999)							
772/933(0000-0999),933(2000-3999),934(0000-0999)							
772/934(2000-3999),934(7000-7999),940(0000-0999)							
772/940(5000-5999)							
786/217(0000-1999),217(6000-6999),219(0000-1999)							
786/219(3000-4999),270(5000-5999),338(2000-2999)							
786/338(4000-4999),338(6000-7999),545(7000-7999)							
786/601(8000-8999),924							
954/282(4000-4999),317(4000-5999),323(0000-1999)							
954/323(5000-7999),332(9000-9999),342(0000-3999)							
954/342(5000-5999),342(7000-7999),343,369(5000-5999)							

-------- Continued on next page --------

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE	TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- --	-- --

-------- Continued from previous page --------

954/446(1000-2999),446(7000-9999),510(2000-3999)
954/644(4000-8999),734(6000-9999),809(3000-3999)
954/837(7000-7999),944(0000-2999),944(4000-5999)
954/949(0000-1999),949(5000-9999)

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE			
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--
SOUTHEAST FL GG-EA	MIAQFL60DS1	08326	00549	6100	460	BA	DA	GE	GJ
305/230(2000-3999),230(7000-7999),397(0000-2999)						GR	HB	IB	RC
305/402(0000-8999),422(0000-0999),422(2000-8999)						RD	SH	SQ	T1
305/425(0000-0999),425(2000-8999),489(0000-0999)						T2	UG	UP	UR
305/489(2000-8999),508(6000-6999),537(5000-5999)						US			
305/537(7000-7999),574(0000-0999),574(1000-8999),675									
305/723(0000-0999),723(2000-8999),735(7000-7999)									
305/768(0000-0999),768(2000-8999),832(0000-0999)									
305/832(2000-8999),847(0000-0999),847(2000-8999)									
305/907(5000-5999),936(4000-4999),946(0000-0999)									
305/946(2000-8999)									
561/200(2000-2999),206(0000-0999),246(3000-4999)									
561/258(0000-0999),258(2000-8999),287(4000-5999)									
561/293(7000-8999),300(2000-2999),300(7000-9999)									
561/348(6000-8999),370(6000-7999),405(2000-3999)									
561/423(0000-0999),423(2000-9999),431(0000-0999)									
561/431(2000-8999),516(6000-8999),526(1000-2999)									
561/526(7000-7999),526(8000-8999),584(5000-7999)									
561/623(6000-6999),634(2000-4999),658(0000-0999)									
561/658(2000-8999),665(5000-6999),760(0000-8999)									
561/768(7000-7999),771(1000-1999),771(9000-9999),828									
561/880(8000-8999),892,953(9000-9999)									
754/263(4000-5999),484(3000-3999)									
772/209(4000-7999),237(3000-3999),245(4000-4999)									
772/248(1000-1999),252(3000-3999),261(5000-5999)									
772/263(4000-5999),264(0000-0999),264(2000-8999)									
772/324(6000-6999),325(0000-0999),325(2000-8999)									
772/365(0000-0999),365(2000-8999),382(0000-0999)									
772/382(2000-8999),402(6000-7999),413(4000-7999)									
772/577(5000-5999),594(0000-0999),594(2000-8999)									
772/607(5000-7999),618(6000-9999),619(0000-0999)									
772/619(2000-8999),647(4000-7999),673(0000-0999)									
772/673(2000-8999),675(9000-9999),679(0000-0999)									
772/679(2000-8999),872(3000-5999),979(7000-7999)									
786/207(0000-0999),207(5000-5999),207(7000-7999)									
786/214(3000-5999),221,231(5000-5999),329(6000-7999)									
786/375(2000-4999),431(2000-4999),441(1000-5999)									
786/441(8000-8999),454(2000-4999),478(4000-4999),513									
786/524(0000-0999),524(2000-8999),533(0000-0999)									

-------- Continued on next page --------

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --

-------- Continued from previous page --------

786/541(2000-2999),549(0000-0999),549(2000-8999)
786/551(0000-0999),551(2000-8999),752(3000-4999)
786/955(2000-2999)
954/200(6000-8999),212(0000-8999),272(7000-7999)
954/281(5000-5999),283(9000-9999),301,320(4000-4999),337
954/374(6000-7999),375(2000-2999),375(4000-4999)
954/375(7000-8999),400(5000-5999),400(7000-7999)
954/404(5000-5999),416(5000-7999),425(6000-6999)
954/518(4000-4999),573(6000-6999),607(4000-5999)
954/656(0000-0999),656(5000-5999),656(9000-9999)
954/688(2000-2999),697(0000-8999),827(0000-8999)
954/834(7000-9999),901(2000-3999),944(3000-3999)
954/944(6000-9999),960(4000-4999),960(6000-7999)

SPRING LAKE	SLHLFLXARS0	08159	00905	0341	939	AA BA BC DA
863/655						GC GD GI GK
						GR PC PL PN
						RA RC RD RE
						RF RJ RK RM
						RS SA SH SP
						SQ ST SU TJ
						TU TW UB UG
						UL UM UP UR
						WE WG WJ
ST JOHNS	STAGFLWGRS0	07699	01206	5191	452	AA BA BC DA
904/201(7000-7999),494(1000-1999),494(7000-7999),522						GC GD GQ GR
904/671(1000-1999),940						PC PL PR PS
						T9 XA
ST.PETERSBURG	SPBGFLXARS7	08225	01159	8664	952	DA DD G2 GD
/						GE GJ GN GQ
						HB HC IA IB
						IC IE IF IG
						IH II QA

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
STARKE	STRKFLXADS0	07764	01306	0340	452	AA BA DA DD
904/368,964,966(0000-0999),966(2000-8999)						GC GD GI GK
						GR HD PC PL
						PN RC RD RE
						RS SA SH SP
						SQ TJ TU TW
						UB UP UR WE
						WG WJ
STUART	STRTFLMADS0	08092	00697	5191	460	AA DA GC GL
772/219,220,221,223,232(4000-4999),283,286,287,288						GQ GR PC PL
772/320(3000-4999),419(2000-6999),463,590,692,781						QB QF RC RD
						RM SV T8 TJ
						UK XA
STUART	STRTFLMAK01	08092	00697	5191	460	DA GQ GR PC
/						PL T8 TJ UB
						UE UG UK UP
						XA ZY
SUGAR LOAF KEY	SGKYFLMARS0	08698	00632	5191	460	AA BA DA GC
305/744(0000-0999),744(7000-9999),745						GD GL GQ GR
						PC PL RC RD
						RF RH SJ SV
						TJ XA
SUNNY HILLS	SYHSFLCCRS0	07972	01942	5191	450	AA BA DA G5
850/773						GC GD GL GQ
						GR PC PL RC
						RD SJ SV TJ
						UQ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
SWEETWATER                  SWTHFLXA88H 08174 01170 0328  952 AA BA DA GC
   813/249,880,881,882,883,884,885,886,887,888,889,890       GD GE GG GJ
   813/901(0000-0999),901(1000-1999),901(2000-2999)          GN GR HB HD
   813/901(3000-3999),901(5000-5999),901(6000-6999)          II QF RC RD
   813/901(7000-7999),901(8000-8999),901(9000-9999)          RJ SH SQ TB
                                                             TI TU UG UR
                                                             VM WD WE WF
                                                             WG WH WI WJ
.......................................................................
SWEETWATER                  SWTHFLXADS0 08174 01170 0328  952 AA BA DA GC
   813/243,290(0000-0999),290(2000-2999),290(3000-3999)      GD GG GJ GN
   813/290(4000-4999),290(5000-5999),290(6000-6999)          GR HB HD II
   813/290(7000-7999),290(8000-8999),290(9000-9999)          PA RC RD RJ
   813/496(0000-1999),496(8000-8999),496(9000-9999),584,674  SH SQ TB TG
   813/806                                                   TI TJ TU TW
                                                             UG VM
.......................................................................
TALLAHASSE                  TLHSFLXAX7X 07876 01716 8664  953 BA DA
   850/273(7000-7999),296(3000-3999),427(3000-3999)
   850/536(8000-8999),601(3000-3999),688(1000-1999)
   850/688(9000-9999),745(3000-3999)
.......................................................................
TALLAHASSEE                 TLHSFLNG0MD 07879 01717 7985  953 GR          (C)
   850/300(7000-7999),347(7000-7999),371(7000-7999)                       (C)
   850/601(7000-7999),690(7000-7999),692(7000-7999)                       (C)
   850/695(7000-7999),713(7000-7999),764(7000-7999)                       (C)
   850/888(1000-1999),925(8000-8999),948(7000-7999)                       (C)
   850/971(8000-8999)                                                     (C)
.......................................................................
TALLAHASSEE                 TLHSFLXA02T 07876 01716 0340  953 GB
      /
.......................................................................
TALLAHASSEE                 TLHSFLXA21W 07876 01716 0340  953 HC
      /
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
TALLAHASSEE	TLHSFLXADS0	07876	01716	0340	953	AA BA D1 DA
850/222,224,425,513,521,577,891						GC GD GI GK
						GR HD II PB
						PK PN PS RC
						RD RE RS SA
						SH SP SQ ST
						T1 T7 TA TH
						TJ TK TU TW
						UE UN UP UR
						VJ WE WG WJ
TALLAHASSEE	TLHSFLXADS1	07876	01716	0340	953	AA BA DA DD
850/245,410,412,413,414,431,487,488,561,599,606,617,681						GC GD GI GK
850/717,841(1000-8999),847,853,915,921,922						GR II PB PK
						PN RC RD RE
						RL SA SG SH
						SM SN SP SQ
						TA TB TJ TK
						TU TW UB UP
						UR VJ WE WG
						WJ
TALLAHASSEE	TLHSFLXADS3	07876	01716	4400	953	DA
850/241(0000-0999),241(1000-1999),241(7000-7999)						
850/241(9000-9999)						
TALLAHASSEE	TLHSFLXAGT0	07876	01716	6100	953	BA DA GE GJ
850/629(2000-3999),631(3000-5999),807(0000-0999)						GR HB IB RC
850/807(1000-5999),807(6000-8999),895(2000-3999)						RD SH SQ T1
850/895(4000-4999)						T2 UG UP UR
						US
TALLAHASSEE	TLHSFLXAPS0	07876	01716	0340	953	IP

/

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
TALLAHASSEE	TLHSFLXAX4X	07876	01716	6100	953	BA DA GE GJ
850/254(0000-0999),254(1000-1999),254(2000-2999)						GR HB IB RC
850/254(3000-4999),254(6000-8999),254(9000-9999)						RD SH SQ T1
850/329(3000-4999),702(2000-3999)						T2 UG UP UR
						US
TALLAHASSEE	TLHSFLXAX6Y	07876	01716	4400	953	DA
850/347(9000-9999)						
TALLAHASSEE	TLHSFLXAX9X	07876	01716	4400	953	DA
/						
TALLAHASSEE	TLHSFLXB21W	07870	01719	0340	953	HC
/						
TALLAHASSEE	TLHSFLXBDS0	07870	01719	0340	953	AA BA DA DD
850/297,298(0000-0999),298(1000-1999),298(2000-2999)						GC GD GI GK
850/298(3000-3999),298(4000-4999),298(5000-5999)						GR II PB PK
850/298(6000-6999),298(7000-7999),298(9000-9999),383,385						PN PS RC RD
850/386,422,523,531,552,553(0000-0999),553(2000-2999)						RE RS SA SH
850/553(3000-3999),553(4000-4999),553(5000-5999)						SP SQ ST TB
850/553(6000-6999),553(7000-7999),553(8000-8999)						TH TJ TK TU
850/553(9000-9999)						TW UB UP UR
						VJ WE WG WJ
TALLAHASSEE	TLHSFLXCDS0	07882	01723	0340	953	AA BA DA DD
850/350,504,574,575,576,580						GC GD GI GK
						GR II PB PK
						PN PS RC RD
						RE RS SA SH
						SP SQ ST TB
						TH TJ TK TU
						TW UB UP UR
						VJ WE WG WJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
TALLAHASSEE	TLHSFLXDDS0	07876	01709	0340	953	AA BA DA DD
850/216,219,309,325(1000-1999),325(2000-2999)						GC GD GI GK
850/325(3000-3999),325(4000-4999),325(5000-5999)						GR II PB PK
850/325(6000-6999),325(7000-7999),325(8000-8999)						PN PS RC RD
850/325(9000-9999),402,656,671,877,878,942						RE RS SA SH
						SP SQ ST TB
						TH TJ TK TU
						TW UB UP UR
						VJ WE WG WJ
TALLAHASSEE	TLHSFLXEDS0	07877	01718	0340	953	AA BA DA DD
850/644,645						GC GD GI GK
						GR II PC PL
						PN PS RC RD
						RE SA SH SP
						SQ TB UA UB
						UP UR VJ WA
						WE WG WJ
TALLAHASSEE	TLHSFLXFDS0	07854	01718	0340	953	AA BA DA DD
850/668,893,894,906,907(0000-0999),907(1000-1999)						GC GD GI GK
850/907(2000-2999),907(3000-3999),907(4000-4999)						GR II PB PK
850/907(5000-5999),907(8000-8999),907(9000-9999)						PN PS RC RD
						RE RL RS SA
						SH SP SQ ST
						TB TJ TK TU
						TW UB UP UR
						VK WE WG WJ
TALLAHASSEE	TLHSFLXGRL0	07899	01695	0340	953	AA BA DA DD
850/210(0000-0999),210(1000-1999),421						GC GD GI GK
						GR II PC PL
						PN PS RC RD
						RE SA SH SP
						SQ TJ TU TW
						UB UP UR WE
						WG WJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
TALLAHASSEE	TLHSFLXHDS0	07870	01734	0340	953	AA BA DA DD
850/514,536(0000-0999),536(1000-1999),536(2000-2999)						GC GD GI GK
850/536(3000-3999),536(4000-4999),536(5000-5999)						GR II PC PL
850/536(7000-7999),536(9000-9999),562						PN PS RC RD
						RE SA SH SP
						SQ ST TB TJ
						TK TU TW UB
						UP UR VJ WE
						WG WJ
TAMPA	ALFAFLXA67H	08183	01122	0328	952	AA BA DA DD
813/671,672,677,741(0000-3999),741(9000-9999)						GC GD GE GG
						GJ GN GR HB
						HD II PC PL
						RC RD SH SQ
						TB TG TI TU
						TW UG UR VM
						WD WE WF WG
						WH WI WJ
TAMPA	BHPKFLXA28H	08180	01157	0328	952	AA BA DA DD
813/207(0000-0999),207(2000-9999),281,282,286,287,288						GC GD GE GG
813/289,636(0000-0999),636(1000-1999),636(2000-2999)						GJ GN GR HB
813/636(3000-3999),636(4000-4999),636(5000-5999)						HD II PA QF
813/636(7000-7999),636(8000-8999),636(9000-9999)						RC RD SH SQ
813/637(0000-0999),637(1000-1999),637(3000-3999)						TB TG TI TJ
813/637(4000-4999),637(6000-6999),637(7000-7999)						TU TW UG UR
813/637(8000-8999),637(9000-9999),639(0000-0999)						VM WD WE WF
813/639(1000-1999),639(2000-2999),639(3000-3999)						WG WH WI WJ
813/639(4000-4999),639(5000-5999),639(6000-6999)						
813/639(7000-7999),639(9000-9999),868(9000-9999)						
813/902(5200-5699)						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
TAMPA	BRNDFLXA68H	08157	01116	0328	952	AA BA DA DD
813/571(0000-0999),571(1000-1999),571(2000-2999)						GC GD GE GG
813/571(3000-3999),571(5000-5999),571(6000-6999)						GJ GN GR HB
813/571(7000-7999),571(8000-8999),571(9000-9999),643,651						HD II PA RC
813/653,654,655,657,661,662(0000-0999),662(1000-1999)						RD SH SQ TB
813/662(2000-2999),662(3000-3999),662(5000-5999)						TG TI TJ TT
813/662(6000-6999),662(7000-7999),662(8000-8999)						TU TW UG UR
813/662(9000-9999),681,684,685,689,916						VM WD WE WF
						WG WH WI WJ
TAMPA	BYSHFLXA84H	08197	01144	0328	952	AA BA DA DD
813/840(0000-0999),840(1000-1999),840(2000-2999)						GE GG GM GN
813/840(5000-5999),840(6000-6999),840(7000-7999)						GR HB HD II
813/840(8000-8999),840(9000-9999)						PC PL RC RD
						SH SQ TB TG
						TI TU TW UG
						VM
TAMPA	CRWDFLXA96H	08151	01169	0328	952	AA BA DA DD
813/264,265,269(0000-0999),269(1000-1999),269(2000-2999)						GC GD GE GG
813/269(3000-3999),269(4000-4999),269(5000-5999)						GJ GN GR HB
813/269(7000-7999),269(8000-8999),269(9000-9999)						HD II PA RC
813/908(0000-0999),908(1000-1999),908(2000-2999)						RD SH SQ TB
813/908(3000-3999),908(5000-5999),908(6000-6999)						TG TI TJ TU
813/908(7000-7999),908(8000-8999),908(9000-9999),960,961						TW UG UR VM
813/962,963,964(0000-0999),964(1000-1999),964(2000-2999)						WD WE WF WG
813/964(4000-4999),964(5000-5999),964(8000-8999)						WH WI WJ
813/964(9000-9999),968,969						
TAMPA	HYPKFLXADS0	08175	01148	0328	952	AA BA DA DD
813/250,251,253(0000-0999),253(1000-1999),253(2000-2999)						GC GD GE GG
813/253(3000-3999),253(4000-4999),253(5000-5999)						GJ GN GR HB
813/253(6000-6999),253(7000-7999),253(8000-8999),254,258						HD II PB RC
813/259,660,844						RD RJ SH SQ
						TB TG TI TJ
						TU TW UG UR
						VM WD WE WF
						WG WH WI WJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
TAMPA	KYSTFLXA92H	08154	01185	0328	952	AA BA DA DD
813/792(0000-0999),792(1000-1999),792(2000-2999)						GC GD GE GG
813/792(5000-5999),792(7000-7999),792(8000-8999)						GJ GN GR HB
813/792(9000-9999),920,926						HD II PC PL
						RC RD SH SQ
						TB TG TI TJ
						TU TW UG UR
						VM WD WE WF
						WG WH WI WJ
TAMPA	LNLKFLXA99H	08117	01182	0328	952	AA BA DA DD
813/235(6000-6999),235(9000-9999),693(3000-3999)						GC GD GE GG
813/693(4000-4999),929,995(0000-0999),995(2000-2999)						GJ GN GR HB
813/995(9000-9999),996						HD II PC PL
						RC RD SH SQ
						TB TG TI TU
						TW UA UG VM
TAMPA	LUTZFLXA94H	08134	01169	0328	952	AA BA DA DD
813/909(0000-0999),909(1000-1999),909(2000-2999)						GC GD GE GG
813/909(4000-4999),909(7000-7999),909(8000-8999)						GJ GN GR HB
813/909(9000-9999),948(0000-4999),948(6000-9999),949						HD II PC PL
						RC RD SH SQ
						TB TG TI TJ
						TU TW UG UR
						VM WD WE WF
						WG WH WI WJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
TAMPA                       MIAMFLGR8MD 08350 00527 4227  460 GL
   305/424(1000-1999),434(7000-7999),438(7000-7999)
   305/501(5000-5999),581,717(7000-7999),722(7000-7999)
   561/219,249(5000-5999),284(7000-7999),300(1000-1999)
   561/300(4000-4999),417(1000-1999),419(2000-2999)
   561/598(5000-5999),612(6000-6999),618(4000-4999)
   561/623(2000-2999),623(5000-5999),692(7000-7999)
   561/899(2000-2999),981(6000-6999)
   754/200(7000-7999),224(2000-2999),227(4000-4999)
   754/312(1000-1999),312(4000-4999)
   772/405(1000-1999)
   786/230(1000-1999),230(3000-3999),254(2000-2999)
   786/257(2000-2999),275(3000-3999),315(4000-4999)
   786/353(1000-1999),378(8000-8999),453(3000-3999)
   786/472(9000-9999),483(1000-2999),534(0000-0999)
   786/534(1000-1999),536(1000-1999),536(3000-3999)
   786/539(1000-1999),542(2000-2999),552(3000-3999)
   786/587(1000-1999),600(6000-6999),641(6000-6999)
   786/703(0000-0999),749(2000-2999),749(3000-3999)
   786/762(3000-3999),762(4000-4999),871(0000-1999)
   954/210(1000-1999),213(0000-0999),251(8000-8999)
   954/368(1000-1999),372(4000-4999),393(1000-1999)
   954/399(5000-5999),414(0000-1999),414(7000-7999)
   954/414(8000-8999),414(9000-9999),440(1000-1999)
   954/487(1000-1999),509(7000-7999),628(3000-3999)
   954/635(4000-4999),727(7000-7999),744(8000-8999)
   954/759(3000-3999),780(5000-5999),845(3000-3999)
   954/861(3000-3999),908(4000-4999),935(7000-7999)
.......................................................................
TAMPA                       OLDSFLXA85H 08175 01185 0328  952 AA BA DA DD
   813/814,818,852(0000-0999),852(1000-1999),852(2000-2999)  GC GD GE GG
   813/852(3000-3999),852(6000-6999),852(7000-7999)          GJ GN GR HB
   813/852(8000-8999),852(9000-9999),854,855,891             HD II PC PL
   813/925(0000-0999),925(1000-1999),925(2000-2999)          RC RD SH SQ
   813/925(3000-3999),925(8000-8999)                         TB TG TI TJ
                                                             TU TW UG UR
                                                             VM WD WE WF
                                                             WG WH WI WJ
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE			
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--
TAMPA	PRCMFL03DS1	08163	01129	4227	952	DA	DD	GJ	GL
305/755(3000-4999)						GN	GQ	GR	HB
561/410(7000-7999)						HJ	IA	IB	IC
727/234(4000-4999),246,247(1000-1999),254(5000-5999)						ID	IE	IG	II
727/282(1000-1999),362(5000-5999),362(7000-7999)						SH	SP	SQ	UG
727/378(1000-1999),394(3000-3999),774,873(1000-1999)						UP	UR	UU	WE
813/284(2000-2999),346,347(4000-4999),347(5000-5999)						WF	WG	WH	WJ
813/357(3000-3999),373(7000-7999),397(3000-3999)									
813/397(4000-4999),402(1000-1999),424(2000-2999)									
813/426(8000-8999),440(5000-5999),463(9000-9999)									
813/509(2000-2999),509(5000-5999),517(3000-3999)									
813/518(4000-4999),559(2000-2999),574(0000-0999)									
813/577(3000-3999),636(6000-6999),638(8000-8999)									
813/670(0000-0999),682(0000-0999),682(6000-6999),794									
813/898(1000-1999),983(7000-7999)									
863/274(7000-7999),292(7000-7999),440(5000-5999)									
863/455(5000-5999),576(6000-6999),581(8000-8999)									
863/837(5000-5999)									
941/244(1000-1999),564(2000-2999),803(3000-3999)									
941/876(2000-2999),960(4000-4999)									
TAMPA	RSKNFLXA64H	08214	01118	0328	952	AA	BA	DA	DD
813/641(0000-0999),641(1000-1999),641(2000-2999)						GC	GD	GE	GG
813/641(3000-3999),641(5000-5999),641(6000-6999)						GJ	GN	GR	HB
813/641(7000-7999),641(8000-8999),641(9000-9999),645						HD	II	PC	PL
813/649(0000-0999),649(1000-1999),649(2000-2999)						RC	RD	SH	SQ
813/649(9000-9999)						TB	TG	TI	TU
						TW	UG	UR	VM
						WD	WE	WF	WG
						WH	WI	WJ	

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
TAMPA	SLSPFLXA93H	08158	01156	0328	952	AA BA DA DD
813/375(3000-3999),915(0000-0999),915(1000-1999)						GC GD GE GG
813/915(2000-2999),915(3000-3999),915(4000-4999)						GJ GN GR HB
813/915(7000-7999),915(8000-8999),915(9000-9999)						HD II PA RC
813/930(0000-0999),930(1000-1999),930(2000-2999)						RD SH SQ TB
813/930(3000-3999),930(4000-4999),930(6000-6999)						TD TG TH TI
813/930(7000-7999),930(8000-8999),930(9000-9999),931,932						TU UG UR VM
813/933,935,936(0000-0999),936(1000-1999),936(2000-2999)						WD WE WF WG
813/936(3000-3999),936(5000-5999),936(7000-7999)						WH WI WJ
813/936(8000-8999),936(9000-9999),990(8000-8999)						
TAMPA	SMNLFLXA23H	08164	01152	0328	952	AA BA DA GC
813/231,232,234,236,237,238,239(0000-3999)						GD GE GG GJ
813/239(5000-5999),239(8000-9999)						GN GR HB HD
						II PC PL RC
						RD SH SQ TB
						TG TI TU TW
						UG UR VM WD
						WE WF WG WH
						WI WJ
TAMPA	TAMPFLDMDS0	08173	01148	7422	952	BA DA GI GJ
/						GL GN GQ HA
						HD IA IB II
						SH SI UA UG
						UR UU

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE	TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- --	-- --
TAMPA	TAMPFLUTDS0	08157	01131	8664	952	DA DD	G2 GD
727/236(3000-3999),236(5000-5999),236(6000-6999)						GE GJ	GN GQ
727/236(8000-8999),236(9000-9999),254(4000-4999)						HB HC	IA IB
727/346(3000-3999),368(1000-1999),368(2000-2999)						IC IE	IF IG
727/368(3000-3999),368(4000-8999),374,379(3000-3999)						IH II	QA
727/379(6000-6999),559(2000-2999),619(7000-7999)							
727/729(3000-8999),812,860(4000-4999),860(5000-5999)							
727/947(3000-3999),947(4000-4999),947(7000-7999)							
813/349,383,385(0000-0999),385(3000-3999),385(5000-5999)							
813/385(9000-9999),407(4000-5999),472(0000-0999)							
813/472(1000-1999),472(2000-2999),472(3000-3999)							
813/472(4000-4999),472(5000-5999),472(6000-6999)							
813/472(7000-7999),472(8000-8999),472(9000-9999)							
813/473(3000-3999),473(4000-4999),476(6000-6999)							
813/476(7000-7999),500(3000-6999),569(4000-4999)							
813/569(5000-5999),746,778(6000-6999),829(0000-0999)							
813/829(2000-3999),829(5000-9999),862(3000-3999)							
813/862(4000-4999)							
863/307(3000-3999),307(4000-4999),353(3000-3999)							
863/455(3000-3999),576(3000-3999),804(3000-3999)							
863/852(3000-3999),852(7000-7999),852(8000-8999)							
863/852(9000-9999),868(0000-0999),868(1000-1999)							
863/868(2000-2999),868(3000-4999),868(5000-5999)							
863/868(6000-6999),868(7000-7999),868(8000-8999)							
863/868(9000-9999),913(5000-5999),969(3000-3999)							
863/969(4000-4999),969(5000-5999)							
941/209(3000-3999),219(7000-7999),531(3000-3999)							
941/531(4000-4999),531(7000-7999),536(0000-0999)							
941/536(2000-2999),536(9000-9999),538(0000-0999)							
941/538(3000-3999),538(4000-4999),538(9000-9999)							
941/580(3000-3999),580(5000-5999),580(6000-6999)							
TAMPA	TAMPFLXA01T	08172	01147	0328	952	GB GR	TU
/							
TAMPA	TAMPFLXA02T	08172	01147	0328	952	GB HB	TU
/							

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
TAMPA                       TAMPFLXA03T 08172 01147 0328  952 GB
     /
.......................................................................
TAMPA                       TAMPFLXA0MD 08172 01147 4227  952 GL
   727/330(9000-9999),342(5000-5999)
   813/345(5000-5999),359(8000-8999),397(0000-0999)
   813/405(0000-0999),415(0000-0999),434(4000-4999)
   813/574(4000-4999),579(9000-9999),792(4000-4999)
   813/793(6000-6999),800
   863/393(9000-9999),589(1000-1999)
   941/296(0000-0999),462(1000-1999)
.......................................................................
TAMPA                       TAMPFLXA6CD 08172 01147 0328  952 GC GD RC RD (C)
     /                                                      RJ SH SQ TU (C)
.......................................................................
TAMPA                       TAMPFLXA6MD 07955 01032 7422  952 BA DA GI GJ
     /                                                      GL GN GQ HA
                                                            HD IA IB II
                                                            SH SI UA UG
                                                            UR UU
.......................................................................
TAMPA                       TAMPFLXAPSA 08172 01147 0328  952 DA
   813/402(9000-9999)
.......................................................................
TAMPA                       TAMPFLXAX0Y 08172 01147 2889  952 BA DA GE GJ
   727/216(0000-2999),216(4000-4999),216(7000-9999)          GR HB IB RC
   727/264(0000-4999),264(9000-9999),361(0000-1999)          RD SH SQ T1
   727/361(4000-4999),361(7000-7999),361(9000-9999)          T2 UG UP UR
   727/362(0000-4999),362(9000-9999),674(0000-2999)          US
   727/674(4000-4999),674(6000-6999),674(7000-7999)
   727/674(9000-9999)
   813/200,202(8000-8999),319,321(7000-8999),337(2000-3999)
   813/369(6000-7999),413(2000-2999),418(8000-8999)
   813/423(6000-6999),466(1000-1999),793(4000-4999)
   813/868(2000-2999),999(2000-3999)
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
TAMPA                       TAMPFLXAXEY 08172 01147 4400  952 DA
   727/286(4000-4999),286(5000-5999)
   813/355(5000-5999),397(5000-5999),405(3000-3999)
   813/419(5000-5999),423(7000-7999),428(7000-7999)
   813/712(1000-1999)
   863/733(9000-9999)
.......................................................................
TAMPA                       TAMPFLXEDS0 08160 01135 0328  952 AA BA DA DD
   813/246,372,432,604,612,620,621,622,623,626,627,628,630   GC GD GE GG
   813/635(0000-0999),635(1000-1999),635(2000-2999)          GJ GN GR HB
   813/635(3000-3999),635(4000-4999),635(5000-5999)          HD II PA QF
   813/635(7000-7999),635(8000-8999),635(9000-9999),663,664  RC RD RJ SH
   813/740(0000-0999),740(1000-1999),740(2000-2999)          SQ TB TD TG
   813/740(3000-3999),740(4000-4999),740(7000-7999)          TH TI TU UG
   813/740(8000-8999),740(9000-9999),744                     UR VM WD WE
                                                             WF WG WH WI
                                                             WJ
.......................................................................
TAMPA                       TAMPFLXX22H 08172 01147 0328  952 AA BA DA DD
   813/202(0000-7999),202(9000-9999),204(1000-1999)          GC GD GE GG
   813/204(2000-2999),204(3000-3999),204(4000-4999)          GJ GN GR HB
   813/204(5000-5999),204(6000-6999),204(7000-7999)          HD II PA RC
   813/204(8000-8999),204(9000-9999),216,218,221,222,223     RD RJ SH SQ
   813/224,225,226(0000-0999),226(1000-1999),226(2000-2999)  TB TG TI TJ
   813/226(3000-3999),226(4000-4999),226(5000-5999)          TU TW UG UR
   813/226(6000-6999),226(8000-8999),226(9000-9999)          VM WD WE WF
   813/227(0000-3999),227(5000-9999),228,229,275             WG WH WI WJ
   813/314(0000-1999),314(3000-6999),314(8000-9999)
   813/318(0000-0999),318(3000-9999)
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE	TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- --	-- --
TAMPA	TAMPFLXX27H	08172	01147	0328	952	AA BA	DA DD
813/209,233(0000-0999),233(1000-1999),233(2000-2999)						GC GD	GR HB
813/233(3000-3999),233(4000-4999),233(5000-5999)						QF RC	RD RJ
813/233(7000-7999),233(8000-8999),233(9000-9999),272,273						SH SQ	TG TU
813/274,276,277(0000-0999),277(1000-1999),277(2000-2999)						TW	
813/277(3000-3999),277(5000-5999),277(7000-7999)							
813/277(9000-9999),301,306,307,470(3000-3999)							
813/470(5000-5999),483(0000-0999),483(1000-1999)							
813/483(2000-2999),483(3000-3999),483(4000-4999)							
813/483(5000-5999),483(6000-6999),483(7000-7999)							
813/483(8000-8999),552							

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
TAMPA	TAMQFLSZDS0	08165	01165	7448	952	BA DA
727/202(3000-3999),260(5000-5999),322(4000-4999)						
727/378(0000-0999),431(0000-1999),431(3000-8999)						
727/437(0000-1999),437(3000-3999),437(5000-5999)						
727/685(4000-4999),803(0000-5999),803(7000-9999)						
727/807(2000-2999),826(7000-7999),828(6000-6999)						
727/940(9000-9999)						
813/261,262,279(5000-5999),280(3000-3999),280(7000-8999)						
813/284(1000-1999),284(3000-3999),371,379(3000-4999)						
813/402(3000-4999),421(6000-8999),437(8000-8999)						
813/448(2000-2999),448(5000-5999),466(3000-3999),487						
813/498(4000-4999),498(5000-5999),498(6000-6999)						
813/512(3000-3999),528(4000-4999),559(3000-3999)						
813/603(3000-3999),603(9000-9999),607(3000-3999)						
813/619(4000-4999),675(0000-0999),675(1000-3999)						
813/675(6000-6999),675(9000-9999),703(6000-6999)						
813/703(8000-8999),745,775(0000-4999),775(6000-7999)						
813/775(9000-9999),778(0000-0999),804(3000-4999)						
813/898(5000-5999),906(3000-3999),906(4000-4999)						
813/938(6000-6999),974,982(4000-4999)						
863/279(3000-3999),417(3000-3999),438(3000-3999)						
863/450(3000-3999),703(3000-3999),800(9000-9999),834						
863/837(3000-3999),844(5000-5999),855(9000-9999)						
863/874(3000-3999)						
941/201(3000-3999),220(3000-3999),225(4000-4999)						
941/232(7000-7999),303(4000-4999),444(3000-3999)						
941/444(8000-8999),548(3000-3999),564(3000-3999)						
941/677(7000-7999),702(6000-6999),799(5000-5999)						
941/882(5000-5999),926(6000-6999),981(4000-4999)						

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE	
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --	
TAMPA	TAMQFLTADS1	08173	01147	8692	952	DA DD	(C)
727/223(0000-0999),245(1000-1999),245(2000-2999)							(C)
727/245(3000-3999),245(4000-4999),245(5000-5999)							(C)
727/260(6000-6999),322(7000-7999),324(4000-4999)							(C)
727/346(1000-1999),350(0000-0999),412(7000-7999)							(C)
727/437(4000-4999),450(0000-0999),450(1000-1999)							(C)
727/450(2000-2999),450(3000-3999),450(4000-4999)							(C)
727/450(5000-6999),450(7000-7999),450(8000-8999)							(C)
727/456(0000-0999),456(1000-1999),456(2000-2999)							(C)
727/456(3000-3999),456(4000-4999),456(5000-5999)							(C)
727/456(6000-6999),456(7000-7999),479(1000-1999)							(C)
727/484(7000-7999),569(0000-0999),569(1000-1999)							(C)
727/569(2000-2999),569(3000-3999),569(4000-4999)							(C)
727/569(5000-5999),608(1000-2999),614(4000-4999)							(C)
727/756(1000-1999),756(2000-2999),756(3000-3999)							(C)
727/756(4000-4999),756(5000-5999),756(7000-7999)							(C)
727/865(4000-4999)							(C)
813/305(1000-1999),305(2000-2999),305(3000-3999)							(C)
813/305(4000-4999),315(1000-1999),315(2000-2999)							(C)
813/315(3000-3999),315(4000-4999),367(5000-5999)							(C)
813/367(8000-8999),377(1000-1999),384(2000-3999)							(C)
813/405(1000-2999),418(3000-5999),439(3000-3999)							(C)
813/440(6000-6999),463(4000-5999),470(7000-7999)							(C)
813/489(1000-1999),574(1000-1999),574(3000-3999)							(C)
813/574(6000-6999),574(8000-8999),637(2000-2999)							(C)
813/637(5000-5999),658(1000-1999),658(2000-2999)							(C)
813/658(3000-3999),658(4000-4999),699(1000-1999)							(C)
813/739(0000-0999),739(1000-1999),739(2000-2999)							(C)
813/739(3000-3999),739(4000-4999),739(5000-5999)							(C)
813/739(6000-6999),739(7000-7999),739(8000-8999)							(C)
813/749(1000-1999),749(2000-2999),749(3000-3999)							(C)
813/749(4000-4999),751(0000-0999),751(1000-1999)							(C)
813/751(2000-2999),751(3000-3999),769(0000-0999)							(C)
813/769(1000-1999),769(2000-2999),769(3000-3999)							(C)
813/769(4000-4999),769(5000-5999),769(6000-6999)							(C)
813/769(7000-7999),769(8000-8999),792(6000-6999)							(C)
813/901(4000-4999),908(4000-4999),984(3000-3999)							(C)
813/995(6000-6999)							(C)
863/455(1000-1999),508(1000-1999),508(2000-2999)							(C)

-------- Continued on next page --------

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE	TYPE	
---------NPA/NXX----------	----------	-----	-----	----	----	--	-- -- --	--

-------- Continued from previous page --------

863/508(3000-3999),508(4000-4999),535(1000-1999) (C)
863/535(2000-2999),535(3000-3999),547(0000-0999) (C)
863/547(1000-1999),547(2000-2999),547(3000-3999) (C)
863/904(0000-0999),904(1000-1999),904(2000-2999) (C)
863/904(3000-3999),904(4000-4999),904(6000-6999) (C)
863/913(1000-1999),913(2000-2999),913(3000-3999) (C)
941/209(6000-7999),248(1000-1999),343(4000-5999) (C)
941/405(1000-1999),412(2000-2999),441(0000-0999) (C)
941/441(1000-1999),441(2000-2999),441(3000-3999) (C)
941/441(9000-9999),465(4000-4999),487(1000-1999) (C)
941/487(2000-3999),487(4000-5999),487(6000-6999) (C)
941/548(2000-2999),552(0000-0999),552(1000-1999) (C)
941/552(2000-2999),552(3000-3999),552(4000-4999) (C)
941/552(5000-5999),552(7000-7999),567(1000-1999) (C)
941/567(2000-3999),721(5000-5999),782(0000-0999) (C)
941/782(1000-1999),782(2000-2999),782(3000-3999) (C)
941/782(4000-4999),782(5000-5999),782(6000-6999) (C)
941/845(0000-3999),845(5000-5999),893(2000-2999) (C)
941/893(4000-4999),893(6000-6999) (C)

.....

TAMPA TAMQFLTADS3 08173 01147 8692 952 DA DD
941/564(1000-1999)

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE	TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- --	-- --
TAMPA	TAMSFLCZDS0	08152	01136	6100	952	BA DA	GE GJ
305/455(9000-9999)						GR HB	IB RC
727/230(0000-0999),230(5000-5999),231(0000-0999)						RD SH	SQ T1
727/231(2000-3999),231(7000-9999),232(0000-1999)						T2 UG	UP UR
727/232(3000-3999),233(0000-1999),233(3000-3999)						US	
727/234(0000-0999),234(1000-2999),342(6000-8999)							
727/388(0000-7999),388(8000-8999),388(9000-9999)							
727/478(7000-8999),489(0000-3999),489(5000-7999)							
727/489(9000-9999),490(0000-5999),490(7000-7999)							
727/491(0000-0999),491(1000-3999),491(6000-6999)							
727/494(0000-1999),494(3000-3999),495(0000-0999)							
727/495(2000-2999),597(6000-8999)							
813/217(4000-4999),217(6000-9999),322(0000-1999)							
813/322(3000-3999),322(7000-8999),333(0000-2999)							
813/333(5000-7999),343(6000-6999),343(8000-8999)							
813/425(0000-0999),425(2000-7999),425(9000-9999)							
813/426(3000-3999),433(1000-1999),436(9000-9999)							
813/475(3000-3999),482(0000-0999),482(9000-9999)							
813/567(0000-2999),567(3000-5999),569(0000-3999)							
813/569(6000-7999),600(1000-3999),600(5000-6999)							
813/649(6000-7999),649(8000-8999),658(6000-6999)							
813/699(6000-6999),699(8000-8999),774(7000-9999)							
813/793(8000-8999),830(9000-9999),840(3000-4999)							
813/856(0000-0999),856(3000-4999),862(0000-0999)							
813/862(2000-2999),862(9000-9999),864,925(4000-6999)							
813/936(4000-4999),936(6000-6999),938(2000-2999)							
813/944(2000-6999),982(6000-7999)							
863/223(0000-0999),223(1000-1999),223(2000-2999)							
863/229(0000-2999),229(3000-3999),229(4000-4999)							
863/229(8000-8999),248(0000-8999),268(0000-0999)							
863/268(1000-1999),279(1000-1999),808(5000-5999)							
863/943(0000-3999),978(0000-0999),978(1000-1999)							
863/978(5000-5999)							
941/201(1000-1999),240(0000-2999),295(7000-8999)							
941/375(0000-0999),375(2000-3999),375(4000-6999)							
941/375(7000-7999),527(0000-1999),527(3000-3999)							
941/803(0000-0999),803(2000-2999),803(8000-8999)							
941/870(0000-0999),870(1000-3999),870(4000-5999)							
941/870(6000-8999),876(0000-0999),876(1000-1999)							

-------- Continued on next page --------

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --

-------- Continued from previous page --------

941/876(6000-7999),894(0000-0999),894(6000-6999)
941/981(0000-1999),981(7000-7999)

TAMPA	TAMSFLCZDS2	08152	01136	6100	952	BA DA GE GJ
727/245(6000-8999),255(5000-7999),279(2000-4999)						GR HB IB RC
727/290(3000-3999),290(4000-4999),333(2000-2999)						RD SH SQ T1
727/333(8000-8999),523(6000-6999),683(8000-8999)						T2 UG UP UR
727/683(9000-9999),755(2000-2999)						US
813/280(6000-6999),298(0000-1999),330(3000-4999)						
813/345(2000-2999),364(1000-1999),364(6000-8999)						
813/422(5000-7999),441(6000-8999),463(1000-1999)						
813/466(7000-7999),501(0000-1999),704(2000-2999)						
813/902(4000-4999),902(6000-7999)						
863/354(6000-7999),508(6000-7999),638(5000-6999)						
863/734(7000-7999)						
941/209(4000-5999),237(3000-5999),257(5000-7999)						
941/264(2000-2999),296(6000-8999),328(3000-3999)						
941/460(4000-4999),460(5000-5999),525(5000-5999)						
941/531(5000-6999),549(6000-6999),584(2000-2999)						
941/718(4000-4999),725(6000-6999),761(5000-6999)						
941/870(9000-9999),882(1000-1999),882(6000-6999)						
941/894(1000-1999)						
TAMPA	TAMSFLDEDSG	08172	01147	937C	952	DA DD GE GL
/						GN GP GR IA
						IB
TAMPA	TAMSFLZKDS0	08160	01132	2889	952	D1 DA DD GB
/						GE GJ GL GN
						HB HJ IA IB
						IC ID IG II
						UG

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
TAMPA	THNTFLXADS0	08136	01131	0328	952	AA BA DA GC
813/982(0000-0999),982(1000-1999),982(2000-2999)						GD GE GG GJ
813/982(5000-5999),982(8000-8999),982(9000-9999),986						GN GR HB HD
						II PC PL RC
						RD SH SQ TB
						TG TI TU TW
						UG VM
TAMPA	TMTRFLXADS0	08150	01145	0328	952	AA BA DA GC
813/868(0000-0999),899,914,980,983(0000-0999)						GD GE GG GJ
813/983(1000-1999),983(3000-3999),983(8000-8999)						GN GR HB HD
813/983(9000-9999),984(0000-0999),984(1000-1999)						II PA RC RD
813/984(2000-2999),984(4000-4999),984(5000-5999)						SH SQ TB TG
813/984(6000-6999),984(7000-7999),984(8000-8999)						TI TJ TU TW
813/984(9000-9999),985,987,988,989						UG UR VM WD
						WE WF WG WH
						WI WJ
TAMPA	UNVRFLXA97H	08147	01154	0328	952	AA BA DA GC
813/470(1000-2999),558,615,617,631,632,866,903,905,910						GD GE GG GJ
813/971,972,975,977,978,979						GN GR HB HD
						II PA RC RD
						RJ SH SQ TB
						TG TI TJ TU
						TW UG UR VM
						WD WE WF WG
						WH WI WJ
TAMPA	WIMMFLXA63H	08205	01101	0328	952	AA BA DA DD
813/633,634,642(0000-0999),642(1000-1999),642(8000-8999)						GC GD GE GG
813/642(9000-9999)						GJ GN GR HB
						HD II PC PL
						RC RD SH SQ
						TB TG TI TU
						TW UG UR VM
						WD WE WF WG
						WH WI WJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
TAMPA /	WLCHFLXA97H	08110	01159	0328	952	BA DA GC GD GE GG GJ GN GR HB HD II PC PL RC RD SH SQ TB TG TI TJ TU TW UG UR VM WD WE WF WG WH WI WJ
TAMPA 813/907,973,991,994	WLCHFLXARP1	08110	01159	0328	952	PA
TAMPA 813/805(0000-0999),805(1000-1999),805(2000-2999) 813/805(3000-3999),805(4000-4999),805(5000-5999) 813/805(6000-6999),805(7000-7999),805(9000-9999) 813/830(0000-0999),831,832,835,837,839,902(0000-0999) 813/902(1000-1999),902(5000-5199),902(5700-5999) 813/902(8000-8999),902(9000-9999)	WLCRFLXA83H	08185	01148	0328	952	AA BA DA DD GC GD GE GG GJ GN GR HB HD II PA RC RD SH SQ TB TG TI TJ TU TW UG UR VM WD WE WF WG WH WI WJ
TAMPA 813/241(0000-2999),241(4000-4999),241(6000-6999) 813/241(8000-9999),242,247,248	YBCTFLXA24H	08169	01145	0328	952	AA BA DA GC GD GE GG GJ GN GR HB HD II PA RC RD RJ SH SQ TB TG TI TU TW UG UR VM WD WE WF WG WH WI WJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
TAMPICEN                    TAMRFLIY7MD 08153 01136 7985  952 GR          (C)
   727/203(7000-7999),223(7000-7999),800(7000-7999)                       (C)
   727/888(7000-7999)                                                     (C)
   813/376(7000-7999),473(7000-7999),530(7000-7999)                       (C)
   813/534(7000-7999),616(7000-7999),702(7000-7999)                       (C)
   813/804(7000-7999),816(7000-7999),947(6000-6999)                       (C)
   813/947(7000-7999)                                                     (C)
   863/313(7000-7999),337(7000-7999),417(7000-7999)                       (C)
   863/733(7000-7999),845(7000-7999),862(7000-7999)                       (C)
   863/866(5000-5999),888(7000-7999),949(7000-7999)                       (C)
   941/202(7000-7999),270(5000-5999),281(7000-7999)                       (C)
   941/702(7000-7999),777(6000-6999),888(6000-6999)                       (C)
.......................................................................
TARPON SPRINGS              TRSPFLXA93H 08164 01217 0328  952 AA BA DA GC
   727/934,937,938,939(0000-0999),939(1000-1999)             GD GE GG GJ
   727/939(2000-2999),939(3000-3999),939(4000-4999)          GN GR HB HD
   727/939(8000-8999),939(9000-9999),942,943,944(0000-0999)  II PB RC RD
   727/944(2000-2999),944(3000-3999),944(4000-4999)          SH SQ TB TG
   727/944(5000-5999),944(7000-7999),944(9000-9999)          TI TJ TU TW
   727/945(0000-0999),945(1000-1999),945(7000-7999)          UG UR VM WD
   727/945(8000-8999),945(9000-9999)                         WE WF WG WH
                                                             WI WJ
.......................................................................
TAVARES                     TVRSFLXADS0 07940 01119 0341  454 AA BA BC DA
   352/253(0000-6999),253(9000-9999),343,742,743(0000-0999)  GC GD GI GK
   352/743(1000-1999),743(2000-2999),743(3000-3999)          GR IA IC ID
   352/743(4000-4999),743(5000-5999),743(6000-6999)          IE IH II PC
   352/743(7000-7999),743(8000-8999),743(9000-9999)          PL PN PS RA
                                                             RC RD RE RF
                                                             RJ RK RM RS
                                                             SA SH SP SQ
                                                             SU TJ TK TU
                                                             TW UB UG UK
                                                             UL UM UN UP
                                                             UR UU UX UZ
                                                             WE WG WJ
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
TITUSVILLE /	TTVLFLMA61W	07885	00945	5191	458	DA GQ GR PC PL PR PS TB TJ UK
TITUSVILLE 321/225(3000-3999),225(6000-7999),264,267,268,269,383 321/385(0000-6999),385(9000-9999)	TTVLFLMADS0	07885	00945	5191	458	AA BA DA GC GL GQ GR PC PL PR PS RC RD RM SV TJ UK
TRENTON 352/463	TRENFLMARS0	07895	01387	5191	454	AA BA DA G5 GC GD GL GQ GR PC PL SJ TJ
TRILLACOOCHEE 352/583(0000-6999),583(8000-9999)	TLCHFLXARS0	08049	01157	0341	454	AA BA DA GI GK GM GR PC PL PN RA RC RD RE RF RJ RK RM RS SA SH SP SQ SU TJ TU TW UB UG UK UL UM UN UP UR UU UX UZ WE WG WJ
TYNDALL AFB 850/283,286	TAFBFLXARS0	08068	01892	0291	450	AA DA DD GL GM HD OE RC RD SH SV SW TJ UG UP

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
UMATILLA	UMTLFLXARS0	07911	01122	0341	454	AA BA BC DA
352/669,771(0000-0999),771(5000-5999),771(8000-8999)						GC GE GI GK
						GR IA IC ID
						IE IH II PC
						PL PN PS RA
						RC RD RE RF
						RJ RK RM RS
						SA SH SP SQ
						SU TJ TK TU
						TW UB UG UK
						UL UM UN UP
						UR UU UX UZ
						WE WG WJ
VALPARAISO	VLPRFLXADS0	08064	02087	0340	448	AA BA DA DD
850/678,729,882,883,885						GC GD GI GK
						GR II PC PL
						PN PR RC RD
						RE RS SA SH
						SP SQ TB TJ
						TU TW UB UP
						UR WE WG WJ
VALPARAISO	VLPRFLXBRS0	08063	02073	0340	448	AA BA DA DD
850/897						GC GD GI GK
						GR PC PL PN
						PR RC RD RE
						RS SA SH SP
						SQ ST TB TJ
						TU TW UB UP
						UR WE WG WJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
VENICE 941/918,966	OSPRFLXA96H	08317	01069	0328	952	AA BA DA GC GD GE GG GJ GN GR HB HD II PC PL RC RD SH SQ TB TG TI TU TW UG UR VM WD WE WF WG WH WI WJ
VENICE 941/412(0000-0999),412(1000-1999),412(3000-3999) 941/412(9000-9999),480,483(1000-5999),483(7000-9999),484 941/485,486,488	VENCFLXA48H	08332	01053	0328	952	AA BA DA GC GD GE GG GJ GN GR HB HD II PB RC RD RJ SH SQ TB TG TI TJ TU TW UG UR VM WD WE WF WG WH WI WJ
VENICE 941/408(0000-2999),408(7000-9999),492,493,496,497	VENCFLXSDS0	08337	01041	0328	952	AA BA DA GC GD GE GG GJ GN GR HB HD II PC PL RC RD SH SQ TB TG TI TU TW UG UR VM WD WE WF WG WH WI WJ
VERNON 850/535	VERNFLMARS0	07973	01971	5191	450	AA BA DA G5 GC GD GL GQ GR PC PL TJ
VERO BEACH /	VRBHFLBEK01	08017	00765	5191	460	DA GQ GR TJ UB UE UG UP XA ZY

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
VERO BEACH 772/231,234,492(0000-2999),492(5000-5999)	VRBHFLBERS0	08017	00765	5191	460	BA DA GC GQ GR PA PJ RC RD RE RF RG RH RJ RK RM SA SL SV TJ XA
VERO BEACH 772/226(1000-4999),270,299(0000-0999),299(1000-1999) 772/299(2000-2999),299(3000-3999),299(4000-4999) 772/299(5000-5999),299(6000-6999),299(7000-7999) 772/299(9000-9999),562,563(0000-2999),563(4000-6999) 772/563(9000-9999),564(0000-0999),564(2000-9999),567,569 772/770,778,794(0000-7999),794(9000-9999),978	VRBHFLMADS0	08025	00770	5191	460	AA DA GC GL GQ GR PA PJ RC RD RM SL SV T9 TJ UK XA
VERO BEACH /	VRBHFLMAK01	08025	00770	5191	460	DA GQ GR T9 TJ UB UE UG UK UP XA ZY
W PALM BEACH /	WPBHFL58RS0	08162	00608	8664	460	DA DD G2 GD GE GJ GN GQ HB HC IA IB IC IE IF IG IH II QA
WALDO 352/468	WALDFLXADS0	07798	01299	0336	454	AA DA GC GD GI GL GN GR HD II RA RC RD RH SJ SP SQ TJ UM UP UU UW VA
WALDO 352/618(9000-9999)	WALDFLXAPS0	07798	01299	0336	454	AA DA GC GD GI GL GN GR HD II RA RC RD RH SJ SP SQ TJ UM UP UU UW VA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
WALNUT HILL	WLHLFLXADS0	08083	02294	4465	480	AA BA DA DD
850/327						GC GN GR HA
						HD IC ID IE
						IF IG IH RS
						SH SQ TL UG
						UM US UW UX
						VA WE
WAUCHULA	WCHLFLXAPS0	08184	00995	0341	939	AA BA DA GC
863/767(0000-1999),767(3000-9999),773(0000-0999)						GD GI GK GR
863/773(2000-6999),773(9000-9999)						PC PL PN RA
						RC RD RE RF
						RJ RK RM RS
						SA SH SP SQ
						ST SU TJ TK
						TU TW UB UG
						UK UL UM UP
						UR UU UX UZ
						WE WG WJ
WEEKIWACHEE SPRINGS	WWSPFLHIDS0	08075	01226	5191	454	AA BA DA G5
352/592,596,597,606(7000-7999)						GL GQ GR PC
						PL RC RD SJ
						TJ UB UG ZX
WEEKIWACHEE SPRINGS	WWSPFLSHDS0	08090	01223	5191	454	AA BA DA G5
352/200(3000-4999),263(2000-2999),398(1000-1999),666,683						GC GD GL GQ
352/684,686,688						GR PC PL RC
						RD SJ SV TJ
WEEKIWACHEE SPRINGS	WWSPFLSHK01	08090	01223	5191	454	DA GQ GR TJ
/						UB UE UG UP
						ZY
WELAKA	WELKFLMARS0	07807	01184	5191	452	AA BA DA G5
386/467(0000-0999),467(2000-3999),467(7000-9999)						GC GD GL GQ
						GR PC PL SJ
						SV TJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
WELLBORN	WLBRFLXADS0	07779	01453	0336	452	AA DA GC GD
386/963(0000-6999),963(8000-9999)						GI GL GN GR
						HB HD II RA
						RC RD RH SP
						SQ TJ UM UP
						UU UW VA
WELLBORN	WLBRFLXARP0	07779	01453	0336	452	AA DA GC GD
386/963(7000-7999)						GE GI GL GN
						GR HB HD II
						RA RC RD RH
						SJ SP SQ TJ
						UM UP UU UW
						VA
WEST HOLLYWOOD	HLWDFLWHDMS	08310	00557	4085	460	DA
/						
WEST MIAMI	MIAMFLWMDMS	08364	00545	4085	460	DA
/						
WEST PALM ANNEX	WPBHFLANDMS	08162	00608	4085	460	DA
/						
WEST PALM BEACH	WPBHFLAN61W	08162	00608	5191	460	DA GQ GR PA
/						PJ PR PS T8
						TA TJ TK
WEST PALM BEACH	WPBHFLANBB0	08162	00608	5191	460	DA GQ GR PA
/						PJ PR PS T8
						TD TG TJ TK
WEST PALM BEACH	WPBHFLANBB1	08162	00608	5191	460	DA GQ GR PR
/						PS T8 TD TG
						TJ TK
WEST PALM BEACH	WPBHFLANBB2	08162	00608	5191	460	DA GQ GR PR
/						PS T8 TD TG
						TJ TK

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
WEST PALM BEACH	WPBHFLANBB3	08162	00608	5191	460	DA GQ GR PR
/						PS T8 TD TG
						TJ TK
WEST PALM BEACH	WPBHFLANBB4	08162	00608	5191	460	DA GQ GR PR
/						PS T8 TD TG
						TJ TK
WEST PALM BEACH	WPBHFLANBB5	08162	00608	5191	460	DA GQ GR PR
/						PS T8 TD TG
						TJ TK
WEST PALM BEACH	WPBHFLANBB8	08162	00608	5191	460	DA GQ GR PR
/						PS T8 TD TG
						TJ
WEST PALM BEACH	WPBHFLANBBA	08162	00608	5191	460	DA GQ GR PR
/						PS T8 TJ TK
						TU
WEST PALM BEACH	WPBHFLANBBC	08162	00608	5191	460	DA GQ GR PR
/						PS T7 T8 TJ
						TK TU
WEST PALM BEACH	WPBHFLANBBF	08162	00608	5191	460	DA GQ GR PR
/						PS T8 TU
WEST PALM BEACH	WPBHFLANBBU	08162	00608	5191	460	DA GQ GR PR
/						PS T8 TD TG
						TJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
WEST PALM BEACH             WPBHFLANDS0 08162 00608 5191  460 AA BA DA G4
   561/355(1000-4999),355(6000-9999),366(0000-0999)          GC GL GQ GR
   561/366(1000-1999),366(3000-3999),366(4000-4999)          PA PJ PR PS
   561/366(5000-5999),366(6000-6999),366(8000-9999)          QB QF RC RD
   561/514(0000-0999),514(2000-4999),514(8000-9999),650      RM SV T8 TJ
   561/651(0000-1999),651(3000-3999),651(4000-4999)          TK VG
   561/651(5000-5999),651(6000-6999),651(7000-7999)
   561/651(8000-8999),653(0000-0999),653(2000-9999),655,659
   561/671(0000-8999),802(0000-7999),802(9000-9999)
   561/803(1000-1999),803(2000-2999),803(3000-3999)
   561/803(4000-4999),803(6000-6999),803(7000-7999)
   561/803(8000-8999),803(9000-9999),804,805(1000-9999),820
   561/822(0000-2999),822(4000-9999),832,833,835
   561/837(0000-2999),837(4000-9999),838(0000-2999)
   561/838(4000-9999),868(7000-7999)
.......................................................................
WEST PALM BEACH             WPBHFLANK98 08162 00608 5191  460 DA GQ GR PR
      /                                                        PS T8 TJ TK
                                                               UB UE UG UP
                                                               ZY
.......................................................................
WEST PALM BEACH             WPBHFLANK99 08162 00608 5191  460 DA GQ GR PR
      /                                                        PS T8 TJ TK
                                                               UB UE UG UP
                                                               ZY
.......................................................................
WEST PALM BEACH             WPBHFLGABBA 08185 00608 5191  460 DA GQ GR PR
      /                                                        PS TJ TK TU
.......................................................................
WEST PALM BEACH             WPBHFLGADS0 08185 00608 5191  460 AA BA DA G4
   561/304(0000-7999),357,370(1000-1999),432,433(0000-0999)  GC GL GQ GR
   561/433(1000-1999),433(2000-2999),433(3000-3999)          PA PJ PR PS
   561/433(4000-4999),433(5000-5999),433(7000-7999)          QB QF RC RD
   561/433(8000-8999),433(9000-9999),434,439,491(8000-8999)  RM SL SV TJ
   561/629(8000-8999),641,642,649,868(0000-0999)             TK
   561/868(3000-5999),963,964,965,966,967,968
   561/969(0000-0999),969(1000-1999),969(2000-2999)
   561/969(3000-3999),969(4000-4999),969(5000-5999)
   561/969(6000-6999),969(7000-7999),969(9000-9999)

=======================================================================
```

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY ---------NPA/NXX----------	CLLI ----------	WCV -----	WCH -----	CC ----	LATA ----	OFFICE TYPE -- -- -- --
WEST PALM BEACH /	WPBHFLGAK01	08185	00608	5191	460	DA GQ GR PA PJ PR PS TJ TK UB UE UG UP ZY
WEST PALM BEACH /	WPBHFLGR02T	08142	00629	5191	460	DA G1 G2 G3 G8 GA GB GQ GR PA PJ PR PS QB RC RF RG RH SL SQ T8 TJ TK
WEST PALM BEACH /	WPBHFLGR03T	08142	00629	5191	460	DA G8 GB GQ GR PA PJ PR PS T8 TJ TK
WEST PALM BEACH /	WPBHFLGRBBA	08142	00629	5191	460	DA G8 GQ GR PR PS T8 TJ TK TU
WEST PALM BEACH /	WPBHFLGRBBO	08142	00629	5191	460	DA G8 GQ GR PR PS T8 TU
WEST PALM BEACH /	WPBHFLGRBMD	08142	00629	8692	460	DA DD
WEST PALM BEACH 561/207(5000-6999),228(2000-3999),253(8000-8999) 561/514(5000-7999),548,622,624,625,626,627,630 561/656(2000-2999),691,694,775,776,784(6000-6999),796 561/799,882(5000-5999)	WPBHFLGRDS0	08142	00629	5191	460	AA BA DA G4 G8 GC GE GL GQ GR PA PJ PR PS QB QF RC RD RM SL SV T8 TJ TK
WEST PALM BEACH /	WPBHFLGRK01	08142	00629	5191	460	DA G3 G8 GQ GR PA PJ PR PS RC SL SV T8 TJ TK UB UE UG UP ZY

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
WEST PALM BEACH /	WPBHFLGRK31	08142	00629	5191	460	DA G8 GQ GR PR PS T8 TJ TK UG VB
WEST PALM BEACH /	WPBHFLHHBBA	08171	00618	5191	460	DA GQ GR PR PS TJ TK TU
WEST PALM BEACH 561/242,471,478,598(7000-7999),615,616,640 561/651(2000-2999),656(4000-7999),681,682,683,684,686 561/687,688,689,697,712	WPBHFLHHDS0	08171	00618	5191	460	AA BA DA GC GL GQ GR PA PJ PR PS QB QF RC RD RE RF RG RH RM SL SV TJ TK VG
WEST PALM BEACH /	WPBHFLHHK01	08171	00618	5191	460	DA GQ GR PA PJ PR PS TJ TK UB UE UG UP ZY
WEST PALM BEACH /	WPBHFLHHK02	08171	00618	5191	460	DA GQ GR PR PS TJ TK UB UE UG UP ZY
WEST PALM BEACH 561/233(0000-8999)	WPBHFLHHRS0	08171	00618	5191	460	AA BA DA G4 GC GL GQ GR PA PJ PR PS SL TJ TK
WEST PALM BEACH 561/202(0000-0999),202(9000-9999),233(9000-9999) 561/383(2000-9999),493(0000-5999),493(6000-6999) 561/493(7000-9999),533,540,547,550,580,582,585,586,588 561/656(0000-0999),656(3000-3999)	WPBHFLLEDS0	08179	00598	5191	460	AA BA DA G4 GC GL GQ GR PA PJ PR PS QB QF RB RC RD SL SN SV TJ TK

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY ---------NPA/NXX----------	CLLI ----------	WCV -----	WCH -----	CC ----	LATA ----	OFFICE TYPE -- -- -- --
WEST PALM BEACH /	WPBHFLLEK01	08179	00598	5191	460	DA GQ GR PA PJ PR PS TJ TK UB UE UG UP ZY
WEST PALM BEACH /	WPBHFLRB61W	08147	00618	5191	460	DA GQ GR PA PJ PR PS TA TJ TK
WEST PALM BEACH /	WPBHFLRBK01	08147	00618	5191	460	DA GQ GR PR PS TJ TK UB UE UG UP ZY
WEST PALM BEACH 561/494(0000-0999),494(1000-1999),494(2000-2999) 561/494(3000-3999),840(0000-0999),840(1000-1999) 561/840(2000-2999),840(3000-3999),840(4000-4999) 561/840(6000-6999),840(7000-7999),840(8000-8999) 561/840(9000-9999),841(0000-0999),841(1000-1999) 561/841(2000-2999),841(3000-3999),841(4000-4999) 561/841(5000-5999),841(7000-7999),841(8000-8999) 561/841(9000-9999),842,844,845,848,863,881(0000-0999) 561/881(1000-1999),881(2000-2999),881(3000-3999) 561/881(4000-4999),881(5000-5999),881(7000-7999) 561/881(8000-8999),881(9000-9999),882(0000-4999) 561/882(6000-9999)	WPBHFLRBRP0	08147	00618	5191	460	AA DA G4 GC GL GQ GR PA PJ PR PS QB QF RC RD RM SL SV TJ TK
WEST PALM BEACH 561/204,333,422(0000-3999),422(5000-9999),514(1000-1999) 561/633(4000-4999),656(1000-1999),753,784(0000-5999) 561/784(7000-9999),790(0000-0999),790(1000-1999) 561/790(2000-2999),790(3000-3999),790(4000-4999) 561/790(5000-5999),790(6000-6999),790(7000-7999) 561/790(9000-9999),791(0000-5999),791(7000-9999),792,793 561/795,798,904(0000-0999),904(2000-5999),904(7000-9999) 561/904(7000-9999)	WPBHFLRPDS0	08185	00634	5191	460	AA BA DA G4 GC GL GQ GR PA PJ PR PS QB QF RC RD RM SL SV TJ TK

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
WEST PALM BEACH	WPBHFLRPK01	08185	00634	5191	460	DA GQ GR PR
/						PS TJ TK UB
						UE UG UP ZY
WEST PALM GAREDN SV	WPBHFLGRDMS	08142	00629	4085	460	DA
/						
WEST PALM GREEN ACRES	WPBHFLGADMS	08185	00608	4085	460	DA
/						
WEST PALM HAVER HILL	WPBHFLHHDMS	08171	00618	4085	460	DA
/						
WESTSIDE	WSSDFLXA87H	08175	01156	0328	952	AA BA DA GC
813/350,356(1000-7999),357(0000-0999),357(1000-1999)						GD GE GG GJ
813/357(2000-2999),357(5000-5999),357(6000-6999)						GN GR HB HD
813/357(7000-7999),357(8000-8999),554,673,801,870						II PA QF RC
813/871(1000-1999),871(2000-2999),871(3000-3999)						RD RJ SH SQ
813/871(4000-4999),871(5000-5999),871(6000-6999)						TB TH TI TU
813/871(7000-7999),871(8000-8999),871(9000-9999),872,873						TW UG UR VM
813/874,875,876,877,878,879,998(0000-0999)						WD WE WF WG
813/998(1000-1999),998(2000-2999),998(3000-3999)						WH WI WJ
813/998(8000-8999),998(9000-9999)						
WESTSIDE	WSSDFLXADS0	08175	01156	0328	952	AA BA DA GC
813/348,351(1000-1999),351(2000-2999),351(3000-3999)						GD GG GJ GN
813/351(4000-4999),351(5000-5999),351(6000-6999)						GR HB HD II
813/351(7000-7999),351(8000-8999),353,354,396						RC RD SH SQ
813/414(0000-0999),414(2000-2999),414(4000-4999)						TB TD TG TI
813/414(6000-6999),414(7000-7999),414(8000-8999)						TJ TU UG VM
813/414(9000-9999)						
WESTVILLE	WSTVFLXARS0	07958	02010	0340	450	AA BA DA DD
850/548(0000-7999),548(9000-9999)						GI GK GR PC
						PL PN RC RD
						RE SA SH SP
						SQ TJ TU TW
						UP UR WE WG
						WJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
WHITE SPRINGS	WHSPFLXARP0	07753	01454	0336	452	AA DA GC GD
386/303(3000-3999)						GE GI GL GN
						GR HB HD II
						RA RC RD RH
						SJ SP SQ TJ
						UM UP UU UW
						VA
WHITE SPRINGS	WHSPFLXARS1	07753	01454	0336	452	AA DA GC GD
386/303(0000-2999),303(4000-7999),303(8000-8999)						GE GI GL GN
386/303(9000-9999),397,884						GR HB HD II
						RA RC RD RH
						SJ SP SQ ST
						TJ UG UM UP
						UR UU UW VA
WILDWOOD	WLWDFLXARS0	07960	01177	0341	454	AA BA BC DA
352/330(0000-5999),330(8000-9999),689(0000-0999)						GC GE GI GK
352/689(3000-7999),689(9000-9999),748						GR IA IC ID
						IE IH II PC
						PL PN RA RC
						RD RE RF RJ
						RK RM RS SA
						SH SP SQ SU
						TJ TK TU TW
						UB UG UK UL
						UM UN UP UR
						UU UX UZ WE
						WG WJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
WILLISTON	WLSTFLXARS0	07901	01301	0341	454	AA BA BC DA
352/528,529(0000-4999),529(6000-6999),529(9000-9999)						GC GE GI GK
						GR IA IC ID
						IE IH II PC
						PL PN RA RC
						RD RE RF RJ
						RK RM RS SA
						SH SP SQ SU
						TJ TU TW UB
						UG UK UL UM
						UN UP UR UU
						UX UZ WE WG
						WJ
WINDERMERE	WNDRFLXARS0	07978	01053	0341	458	AA BA BC DA
407/876,909(0000-0999),909(1000-1999),909(2000-2999)						GC GD GE GI
407/909(4000-4999),909(5000-5999),909(6000-6999)						GK GR HB IA
407/909(7000-7999),909(8000-8999),909(9000-9999)						IC ID IE IH
						II PC PL PN
						PS RA RC RD
						RE RF RJ RK
						RM RS SA SH
						SP SQ SU TJ
						TK TU TW UB
						UG UK UL UM
						UN UP UR UU
						UX UZ WE WG
						WJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
WINTER GARDEN	WNGRFLXADS0	07970	01069	0341	458	AA BA BC DA
407/287(3000-3999),395(6000-6999),654,656,877,905						GC GD GI GJ
						GK GR HB IA
						IC ID IE IH
						II PB PK PN
						PS RA RC RD
						RE RF RJ RK
						RM RS SA SH
						SP SQ SU TH
						TJ TK TU TW
						UB UE UG UK
						UL UM UN UP
						UR UU UX UZ
						WE WG WJ
WINTER GARDEN	WNGRFLXARS1	07970	01069	8664	458	DA DD G2 GD
/						GE GJ GN GQ
						HB HC IA IB
						IC IF IG IH
						II QA
WINTER HAVEN	ABDLFLXA96H	08085	01047	0328	952	AA BA DA DD
863/551(0000-4999),551(6000-9999),965,967,968(0000-1999)						GC GD GE GG
863/968(5000-5999),968(8000-9999)						GJ GN GR HB
						HD II PC PL
						RC RD SH SQ
						TB TG TI TU
						TW UG VM
WINTER HAVEN	CYGRFLXA32H	08086	01022	0328	952	AA BA DA DD
863/318(0000-6999),318(8000-9999),324,325(0000-2999)						GC GD GE GG
863/325(7000-9999),326(1000-1999),326(4000-6999)						GJ GN GR HB
863/326(9000-9999),367,875(0000-1999)						HD II PC PL
						RC RD SH SQ
						TB TG TI TU
						TW UG VM

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
WINTER HAVEN	LKALFLXA95H	08075	01040	0328	952	AA DA DD GC
863/956(0000-5999),956(8000-9999)						GD GE GG GJ
						GN GR HB HD
						II PC PL RC
						RD SH SQ TB
						TG TU TW UG
						VM
WINTER HAVEN	WNHNFLBU3MD	08105	01034	4400	952	DA
727/479(0000-0999),495(5000-5999)						
863/354(9000-9999),546(7000-7999),703(5000-5999)						
863/874(7000-7999)						
941/225(6000-6999),322(5000-5999),357(8000-8999)						
941/479(5000-5999),548(5000-5999),564(4000-4999)						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
WINTER HAVEN                WNHNFLBUDS0 08105 01034 4400  952 DA
   502/813(5000-5999)
   727/331(8000-8999),341(8000-8999),451(0000-7999)
   727/451(8000-8999),568(6000-6999),568(7000-7999)
   727/828(0000-5999),828(8000-8999),835(0000-4999)
   727/935(0000-0999)
   813/206,316(4000-4999),343(5000-5999),397(2000-2999)
   813/403(5000-5999),413(0000-0999),475(7000-7999),490
   813/506(5000-6999),526(7000-7999),597(2000-2999)
   813/675(8000-8999),712(2000-8999),750(1000-1999)
   813/849(4000-4999),865(0000-4999),865(5000-5999)
   813/865(6000-8999),865(9000-9999)
   863/353(4000-4999),577(0000-0999),577(1000-1999)
   863/577(2000-2999),577(3000-3999),577(4000-4999)
   863/577(5000-5999),577(6000-6999),577(7000-7999)
   863/577(8000-8999),595(0000-0999),595(1000-1999)
   863/595(2000-2999),595(4000-4999),595(9000-9999)
   863/734(0000-0999),734(1000-1999),734(3000-3999)
   863/734(4000-4999)
   941/225(7000-7999),308(7000-7999),309(9000-9999)
   941/357(5000-5999),363(4000-4999),556(0000-0999)
   941/556(1000-1999),556(2000-2999),556(3000-3999)
   941/556(4000-4999),556(5000-5999),556(6000-6999)
   941/556(7000-7999),556(8000-8999),584(0000-0999)
   941/584(6000-6999),757(0000-0999),757(1000-1999)
   941/757(2000-2999),757(4000-4999),757(5000-5999)
   941/840(6000-6999)
.......................................................................
WINTER HAVEN                WNHNFLXC29H 08086 01033 0328  952 AA BA DA DD
   863/291,292(0000-0999),292(2000-4999),292(8000-9999),293  GC GD GE GG
   863/294,295,297,298(0000-1999),298(3000-9999),299         GJ GN GR HB
   863/401(0000-3999),401(6000-9999)                         HD II PB RC
                                                             RD SH SQ TB
                                                             TG TI TU TW
                                                             UG UR VM WD
                                                             WE WF WG WH
                                                             WI WJ
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
WINTER PARK                 WNPKFLXADS1 07942 01034 4085  458 DA
      /
.......................................................................
WINTER PARK                 WNPKFLXAPS0 07941 01034 0341  458 AA BA BC DA
   407/539(0000-3999),539(5000-9999),599,621(0000-0999)      GC GD GE GI
   407/621(2000-9999),622(0000-0999),622(1000-1999)          GK GR HB IA
   407/622(2000-2999),622(3000-3999),622(4000-4999)          IC ID IE IH
   407/622(5000-5999),622(6000-6999),622(7000-7999)          II PA PJ PN
   407/622(8000-8999),623,628,629,643,644,645,646,647        PS RA RC RD
   407/691(0000-2999),691(4000-9999),740,741(0000-2999)      RE RF RJ RK
   407/741(4000-9999),975                                    RM RS SA SH
                                                             SP SQ SU T1
                                                             T7 TH TJ TK
                                                             TU TW UB UE
                                                             UG UK UL UM
                                                             UN UP UR UU
                                                             UX UZ WE WG
                                                             WJ
.......................................................................
WINTER PARK                 WNPKFLXE03T 07941 01034 0341  458 GB
      /
.......................................................................
WINTER PARK                 WNPKFLXE21W 07941 01034 0341  458 HC PS
      /
.......................................................................
WINTER PARK                 WNPKFLXEDS1 07941 01034 4400  458 DA
   321/280(4000-5999),280(7000-7999),280(8000-8999)
   321/304(3000-3999),395(0000-0999),396(3000-3999)
   321/397(0000-0999),397(1000-1999),397(2000-2999)
   321/397(3000-3999),397(4000-4999),397(5000-5999)
   321/397(6000-6999),397(7000-7999),397(9000-9999)
   321/401(1000-1999),402(0000-0999),402(5000-5999)
.......................................................................
WINTER PARK                 WNPKFLXEPS0 07941 01034 0341  458 IP
      /
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
WINTER PARK	WNPKFLXERS0	07941	01034	8664	458	DA DD G2 GD
/__						GE GJ GN GQ
						HB HC IA IB
						IC IE IF IG
						IH II QA
WINTER PARK	WNPKFLXEUMD	07941	01034	4400	458	DA
321/304(6000-6999),304(8000-8999),338(4000-4999)						
WINTER PARK	WNPKFLXEXVX	07941	01034	6100	458	BA DA GE GJ
321/282(0000-1999),282(2000-2999),282(4000-5999)						GR HB IB RC
321/282(7000-7999),284(0000-2999),284(3000-4999)						RD SH SQ T1
321/286(0000-1999),286(2000-3999),286(5000-5999)						T2 UG UP UR
321/286(8000-8999),295(5000-5999),329(2000-2999)						US
321/401(8000-8999),401(9000-9999),697(7000-7999)						
407/261(4000-4999),772(6000-6999),790(3000-3999)						
WINTER PARK	WNPKFLXEXWX	07941	01034	6100	458	BA DA GE GJ
321/250(4000-4999),250(7000-8999),304(4000-5999)						GR HB IB RC
321/422(4000-6999),682(2000-2999)						RD SH SQ T1
407/655(0000-4999),972(2000-2999)						T2 UG UP UR
						US
WINTER PARK TOLL	WNPKFLXEDS1	07941	01034	4085	458	DA
/__						
YANKEETOWN	YNTWFLMARS0	07991	01304	5191	454	AA BA DA G5
352/447						GC GD GL GQ
						GR PC PL SJ
						SV TJ
YOUNGSTOWN-FOUNTAIN	YNFNFLMARS0	07978	01907	5191	450	AA BA DA G5
850/722						GC GD GL GQ
						GR PC PL PR
						PU SJ SV TJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - FLORIDA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
YULEE	YULEFLMARS0	07585	01300	5191	452	AA BA DA G5
904/225,530(6000-6999),530(8000-8999),548(0000-1999)						GC GD GL GQ
904/548(4000-4999),548(9000-9999)						GR PC PL PR
						PS SJ T9 TJ
						XA
ZEPHYRHILLS	ZPHYFLXA78H	08093	01131	0328	952	AA BA DA GC
813/715(0000-0999),715(1000-1999),715(3000-3999)						GD GE GG GJ
813/715(4000-4999),715(5000-5999),715(6000-6999)						GN GR HB HD
813/715(7000-7999),715(8000-8999),715(9000-9999)						II PC PL RC
813/779(0000-0999),779(1000-1999),779(2000-2999)						RD SH SQ TB
813/779(3000-3999),779(4000-4999),779(6000-6999)						TG TI TU TW
813/779(7000-7999),779(8000-8999),779(9000-9999),780,782						UA UG UR VM
813/783(0000-3999),783(6000-9999),788						WD WE WF WG
						WH WI WJ
ZOLFO SPRINGS	ZLSPFLXARP0	08193	00986	0341	939	AA BA DA GC
863/735						GD GI GK GR
						PC PL PN RA
						RC RD RE RF
						RJ RK RM RS
						SA SH SP SQ
						ST SU TJ TU
						TW UB UG UK
						UL UM UP UR
						UU UX UZ WE
						WG WJ

END OF SECTION

WIRE CENTER INFORMATION
PENDING CHANGES
SECTION 22
GEORGIA

EFFECTIVE: JANUARY 01, 2018

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE				
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--	
ATLANTA	SMYRGAFEDS4	07256	02113	8646	438	BA	DA	GE	GJ	(C)
404/475(0000-7999),475(9000-9999),478						GR	HB	IB	RC	(C)
678/278(0000-4999),278(7000-9999),279(0000-4999)						RD	SH	SQ	T1	(C)
678/279(7000-9999),280(0000-3999),280(6000-9999)						T2	UG	UP	UR	(C)
678/281(0000-3999),281(6000-9999),282(0000-3999)						US				(C)
678/282(5000-5999),282(6000-6999),282(8000-9999)										(C)
678/285(0000-4999),285(6000-7999),285(9000-9999)										(C)
678/356(0000-0999),356(3000-3999),356(5000-5999)										(C)
678/356(8000-9999),412(0000-4999),412(6000-7999)										(C)
678/412(9000-9999),430(0000-0999),430(4000-5999)										(C)
678/433(0000-2999),433(4000-7999),434(0000-1999)										(C)
678/435(0000-0999),436(0000-0999),436(4000-4999)										(C)
678/490(0000-0999),490(2000-3999),490(7000-7999)										(C)
678/543(1000-1999),601(0000-2999),601(5000-9999)										(C)
678/609(0000-2999),609(4000-4999),609(6000-7999)										(C)
678/609(9000-9999),722(0000-0999),722(2000-2999)										(C)
678/722(4000-7999)										(C)
"	"	"	"	"	"	"				
404/475(0000-7999),475(9000-9999),478						"				
678/278(0000-4999),278(7000-9999),279(0000-4999)						"				
678/279(7000-9999),280(0000-3999),280(6000-9999)						"				
678/281(0000-3999),281(6000-9999),282(0000-3999)						"				
678/282(5000-5999),282(8000-9999),285(0000-4999)						"				
678/285(6000-7999),285(9000-9999),356(0000-0999)						"				
678/356(3000-3999),356(5000-5999),356(8000-9999)						"				
678/412(0000-4999),412(6000-7999),412(9000-9999)						"				
678/430(0000-0999),430(4000-5999),433(0000-2999)						"				
678/433(4000-7999),434(0000-1999),435(0000-0999)						"				
678/436(0000-0999),436(4000-4999),490(0000-0999)						"				
678/490(2000-3999),490(7000-7999),543(1000-1999)						"				
678/601(0000-2999),601(5000-9999),609(0000-2999)						"				
678/609(4000-4999),609(6000-7999),609(9000-9999)						"				
678/722(0000-0999),722(2000-2999),722(4000-7999)										

==========

WIRE CENTER INFORMATION
PENDING CHANGES
SECTION 22
GEORGIA

EFFECTIVE: JANUARY 01, 2018

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE	TYPE			
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--	
MILLEDGEVILLE	MDVLGAXADS0	07279	01830	4332	446	AA	BA	DA	DD	(C)
478/414(0000-5999),414(7000-7999),414(9000-9999),445						GC	GD	GI	GR	(C)
478/451(0000-6999),451(8000-8999),452,453,454(0000-6999)						HD	II	RC	RD	(C)
478/454(9000-9999),457(0000-3999),457(8000-9999)						RM	SQ	TJ	XG	(C)
478/776(4000-4999),776(5000-5999),804(0000-0999)										(C)
478/804(4000-9999)										(C)
"	"	"	"	"	"	"				
478/414(0000-5999),414(7000-7999),414(9000-9999),445						"				
478/451(0000-6999),451(8000-8999),452,453,454(0000-6999)						"				
478/454(9000-9999),457(0000-3999),457(8000-9999)						"				
478/804(0000-0999),804(4000-9999)										

END OF REPORT

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ABBEVILLE	ABVLGAXARP0	07493	01723	4332	444	AA BA DA GC
229/467(8000-8999)						GM GR HB HD
						TJ
ABBEVILLE	ABVLGAXARS1	07493	01723	4332	444	AA BA DA GC
229/467(0000-0999),467(1000-1999),467(2000-2999)						GM GR HB HD
229/467(3000-3999),467(4000-4999),467(5000-5999)						TJ
229/467(6000-6999),467(7000-7999),467(9000-9999)						
ACWORTH	ACWOGAMA97E	07226	02164	5192	438	AA BA DA GL
678/439(3000-3999),574(0000-0999),574(2000-2999)						GQ GR PC PL
678/574(3000-6999),574(7000-7999),574(8000-9999)						PR PS SV T9
770/529,917(0000-0999),917(1000-1999),917(4000-9999)						TJ TK XA
770/966(0000-1999),966(5000-5999),966(7000-9999),974						
770/975(0000-1999),975(3000-9999)						
ADAIRSVILLE	AIVLGAMA77A	07192	02236	5192	438	AA BA DA G4
678/276(0000-4999)						GL GQ GR PC
770/769(9000-9999),773(1000-4999),773(7000-9999)						PL T9 TJ XA
770/877(3000-7999),877(9000-9999),878(5000-5999)						
770/878(6000-6999),878(9000-9999)						

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ADAIRSVILLE	FRPKGACX1MD	07283	02070	365B	438	GR
256/781(7000-7999),906(6000-6999)						
334/384(7000-7999),835(7000-7999)						
404/205(7000-7999),334(6000-6999)						
470/203(7000-7999),206(7000-7999),207(6000-6999)						
470/227(6000-6999),235(6000-6999),236(7000-7999)						
470/238(7000-7999),248(7000-7999),250(7000-7999)						
470/251(7000-7999),310(7000-7999),319(7000-7999)						
470/334(7000-7999),343(7000-7999),358(7000-7999)						
470/377(7000-7999),444(3000-3999),592(7000-7999)						
470/625(7000-7999),777(3000-3999),786(7000-7999)						
470/839(7000-7999),863(7000-7999),892(7000-7999)						
470/999(8000-8999)						
678/203(7000-7999),345(7000-7999),430(7000-7999)						
678/632(7000-7999),647(2000-2999),649(7000-7999)						
678/726(6000-6999),850(2000-2999),853(3000-3999)						
678/885(8000-8999),890(3000-3999),893(6000-6999)						
678/967(7000-7999)						
706/230(7000-7999),381(4000-4999),430(7000-7999)						
706/438(7000-7999),441(7000-7999),480(7000-7999)						
706/486(5000-5999),487(1000-1999),519(3000-3999)						
706/522(1000-1999),591(7000-7999),600(7000-7999)						
706/603(7000-7999),605(7000-7999),637(7000-7999)						
706/655(7000-7999),661(2000-2999),663(1000-1999)						
706/666(7000-7999),696(7000-7999),701(7000-7999)						
706/702(7000-7999),708(7000-7999),710(7000-7999)						
706/715(7000-7999),717(2000-2999),740(5000-5999)						
706/744(7000-7999),770(7000-7999),780(7000-7999)						
706/800(7000-7999),807(7000-7999),810(7000-7999)						
706/862(7000-7999),875(8000-8999),879(7000-7999)						
706/915(7000-7999),917(7000-7999),918(7000-7999)						
706/919(7000-7999),920(7000-7999),926(7000-7999)						
706/927(7000-7999),928(7000-7996),932(7000-7999)						
706/943(6000-6999),948(7000-7999),960(7000-7999)						
706/967(7000-7999),974(2000-2999),981(7000-7999)						
706/983(7000-7999),989(7000-7999)						
762/202(7000-7999),213(7000-7996),214(7000-7999)						
762/223(7000-7999),226(7000-7999),228(7000-7999)						
762/230(7000-7999),244(7000-7999),263(7000-7999)						

-------- Continued on next page --------

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

-------- Continued from previous page --------

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
762/319(7000-7999),323(5000-5999),339(7000-7999) 762/348(7000-7999),448(7000-7999),465(7000-7999) 762/500(7000-7999),795(7000-7999),847(2000-2999) 770/336(8000-8999),415(6000-6999),462(7000-7999) 770/574(1000-1999),694(7000-7999),727(7000-7999)						
ADEL	ADELGAXADS0	07665	01650	4332	444	AA BA DA GC
229/896						GD GI GR HB
						HD II RD SQ
						TJ
ADEL	ADELGAXAPS0	07665	01650	4332	444	AA BA DA GC
229/398(9000-9999)						GD GI GR HB
						HD II RD SQ
						TJ
ADRIAN	ADRNGAXADS0	07321	01670	0377	446	AA BA DA GR
478/348,469,668						
ALAMO	ALAMGAXARP0	07414	01655	4425	440	AA BA DA DD
912/568(8000-8999),878(9000-9999)						GC GD GI GR
						HD SV TJ
ALAMO	ALAMGAXARS0	07414	01655	4425	440	AA BA DA DD
912/568(0000-0999),568(1000-1999),568(2000-2999)						GC GD GI GR
912/568(3000-3999),568(4000-4999),568(5000-5999)						HD SV TJ
912/568(6000-6999),568(7000-7999),568(9000-9999)						
ALAPAHA	ALPHGAXARP0	07601	01644	4332	444	AA DA DD GC
229/532(3000-3999)						GI GR HB HD
						II RC SH SQ
						TJ
ALAPAHA	ALPHGAXARS0	07601	01644	4332	444	AA BA DA DD
229/532(0000-2999),532(4000-9999)						GC GI GR HB
						HD II RC SH
						SQ TJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ALBANY	ALBYGAMA03T	07650	01815	5192	444	DA G2 G3 G8
/___						GB GQ GR PB
						PK PR PS QB
						QF T8 TJ TU
						UK XA XD
ALBANY	ALBYGAMA13T	07650	01815	5192	444	DA G8 GB GQ
/___						GR PR PS T8
						TJ TU XA XD
ALBANY	ALBYGAMA45A	07650	01815	5192	444	AA BA DA G4
229/312,420,430,431,432,434,435,436,438,439(0000-0999)						G8 GE GL GQ
229/439(1000-1999),439(2000-2999),439(4000-4999)						GR PB PK PR
229/439(7000-7999),439(8000-8999),439(9000-9999)						PS QB QF T8
229/446(0000-0999),446(1000-1999),446(2000-2999)						TJ TU UK XA
229/446(3000-3999),446(4000-4999),446(6000-6999)						XD
229/446(7000-7999),446(8000-8999),446(9000-9999)						
229/483(0000-0999),483(2000-3999),483(5000-7999)						
229/483(9000-9999),565,639(0000-1999),639(3000-9999)						
229/878(0000-0999),878(1000-1999),878(2000-2999)						
229/878(3000-3999),878(4000-4999),878(6000-6999)						
229/878(7000-7999),878(8000-8999),878(9000-9999),883,888						
229/889,903(1000-9999)						
ALBANY	ALBYGAMA88C	07650	01815	5192	444	DA GQ PR PS
/___						TU
ALBANY	ALBYGAMABB0	07650	01815	5192	444	DA G8 GQ GR
/___						PR PS T8 TD
						TG TJ TU UK
						XA XD
ALBANY	ALBYGAMABB1	07650	01815	5192	444	DA G8 GQ GR
/___						PR PS T8 TD
						TG TJ TU UK
						XA XD

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
ALBANY /	ALBYGAMABB2	07650	01815	5192	444	DA G8 GQ GR PR PS T8 TD TG TJ TU XA XD
ALBANY /	ALBYGAMABB3	07650	01815	5192	444	DA G8 GQ GR PR PS T8 TD TG TJ TU XA XD
ALBANY /	ALBYGAMABB4	07650	01815	5192	444	DA G8 GQ GR PR PS T8 TD TG TU XA XD
ALBANY /	ALBYGAMAK01	07650	01815	5192	444	DA G8 GQ GR PB PK PR PS T8 TJ TU UB UE UG UK UP XA XD ZY
ALBANY /	ALBYGAMAOMD	07650	01815	8355	444	DA DD
ALMA 912/632	ALMAGAXADS0	07498	01539	0344	440	AA BA DA GD GL GN GR HD IC ID OE RC RD SP SQ TJ TK TZ UG WE
ALMA 912/535,720	ALMAGAXADS2	07498	01540	3622	440	DA GR

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
ALPHARETTA                  ALPRGAMA47C 07188 02106 5192  438 AA BA DA GC
   470/268(0000-0999),268(1000-1999),286(8000-8999)          GD GL GQ GR
   470/286(9000-9999),448(5000-5999)                         PB PK PR PS
   678/240(0000-1999),240(9000-9999),242(0000-0999)          QB QF SV T9
   678/242(2000-2999),248(8000-8999),297,319,339,366,393     TJ TK UK VG
   678/566,624,694(2000-6000),746,762,867,893(0000-0999)     VJ VK XA
   678/893(1000-1999),893(2000-2999),893(3000-3999)
   678/893(4000-4999),893(5000-5999),893(7000-7999)
   678/893(8000-8999),893(9000-9999)
   770/343,346,360,410,442,475,521,569(0000-0999)
   770/569(1000-1999),569(2000-2999),569(4000-4999)
   770/569(5000-5999),569(6000-6999),569(7000-7999)
   770/569(8000-8999),569(9000-9999),619,663,664,667
   770/708(0000-1999),708(4000-6999),708(9000-9999),740,750
   770/751,752,753,754,772,777
.......................................................................
ALPHARETTA                  ALPRGAMABBA 07188 02106 5192  438 DA GQ GR PR
      /                                                        PS T9 TJ TK
                                                               TU XA
.......................................................................
AMERICUS                    AMRCGAMADS1 07564 01881 5192  444 BA DA GC GQ
   229/410(7000-7999),924,928,931                            GR PC PL SV
                                                             TJ XA
.......................................................................
AMERICUS                    AMRCGAMAK01 07564 01881 5192  444 DA GQ GR TJ
      /                                                        UB UE UG UP
                                                               XA ZY
.......................................................................
APPLING                     APNGGAES54F 07106 01739 5192  442 BA DA G4 GL
   706/309(9000-9999),541(0000-0999),541(1000-1999)          GQ GR PC PL
   706/541(2000-2999),541(3000-3999),541(4000-4999)          PR PU SV TJ
   706/541(5000-5999),541(8000-8999),541(9000-9999)          XA
.......................................................................
ARLINGTON                   ARTNGAES72A 07728 01894 5192  444 AA BA DA G4
   229/725                                                   GC GE GL GQ
                                                             GR PC PL SV
                                                             TJ XA
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
ASHBURN 229/613(2000-2999)	ASBNGAXARP0	07580	01747	4332	444	AA BA DA GC GI GR HB HD II SQ TJ
ASHBURN 229/566(0000-0999),566(1000-1999),566(2000-2999) 229/566(8000-8999),566(9000-9999),567(0000-0999) 229/567(2000-2999),567(3000-3999),567(4000-4999) 229/567(8000-8999),567(9000-9999),613(0000-1999) 229/613(3000-9999)	ASBNGAXARS0	07580	01747	4332	444	AA BA DA GC GI GR HB HD II SQ TJ
ATHENS /	ATHNGAMA02T	07130	01948	5192	438	DA GB GQ GR PC PL PR PS QB QF T8 TJ TK XA
ATHENS /	ATHNGAMA03T	07130	01948	5192	438	DA GB GQ GR PR PS T8 XA
ATHENS /	ATHNGAMA61W	07130	01948	5192	438	DA GQ GR PC PL PR PS T8 TA TJ TK XA
ATHENS 706/208(0000-0999),208(1000-1999),208(2000-2999) 706/208(3000-3999),208(4000-4999),208(6000-6999) 706/208(7000-7999),208(8000-8999),208(9000-9999),227,316 706/352(2000-2999),353,354,355,357,369,389(2000-3999) 706/389(6000-7999),425(0000-5999),425(7000-9999),475,542 706/543,546,548,549,552,559,583(0000-6999) 706/583(8000-9999),613,713(2000-4999)	ATHNGAMADS1	07130	01948	5192	438	AA BA DA GC GQ GR PC PL PR PS QB QF RC RD SV T8 TJ TK XA
ATHENS /	ATHNGAMAK01	07130	01948	5192	438	DA GQ GR PC PL PR PS T8 TJ TK UB UE UG UP XA ZY

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ATHENS	ATHNGAMASMD	07130	01948	4498	438	DA
678/664(5000-5999)						
706/395(1000-1999),612(9000-9999)						
ATLANTA	ATLAGAMVDS3	07259	02084	8355	438	DA DD
404/201(6000-7999),419(0000-6999),419(8000-9999)						
404/832(3000-3999),832(8000-8999)						
678/251(0000-4999),304(1000-5999),329(1000-2999)						
678/420(0000-7999),420(9000-9999),466(1000-5999)						
678/538(0000-4999),538(9000-9999),539(1000-5999),553						
678/554(0000-4999),593(1000-4999),593(7000-7999)						
678/593(9000-9999),633(3000-3999),676,686,874,875						
ATLANTA	ATLAGAPRDS0	07241	02092	4498	438	DA
404/418(0000-0999),418(3000-3999),418(9000-9999)						
404/424(0000-0999),503(9000-9999),602(5000-5999)						
404/604(2000-3999),665(4000-4999),665(8000-8999)						
404/693(8000-8999),693(9000-9999),789(2000-3999)						
404/856(7000-7999),917(8000-8999),968(2000-2999)						
404/969(0000-1999),969(3000-4999)						
678/335(3000-3999),335(7000-7999),500(0000-0999)						
678/500(2000-2999),500(7000-7999),510(0000-1999)						
678/510(2000-2999),510(4000-5999),510(7000-7999)						
678/600(8000-8999),605(8000-8999),658(4000-4999)						
678/681(2000-2999),681(6000-6999),681(7000-7999)						
678/681(8000-8999),702(8000-8999),738(0000-1999)						
678/738(7000-7999),739(0000-0999),739(2000-2999)						
678/740(0000-0999),741(2000-2999),741(3000-3999)						
678/741(5000-5999),741(6000-6999),752(5000-5999)						
678/827(7000-8999),845(7000-7999),922(3000-3999)						
678/922(6000-6999),940(2000-2999),961(2000-2999)						
678/964(2000-2999),965(2000-2999),967(2000-2999)						
678/992(0000-2999),992(7000-7999),993(1000-2999)						
678/994(0000-0999),995(0000-0999),996(0000-0999)						
678/996(2000-2999),996(3000-3999),996(7000-7999)						
678/996(8000-8999),996(9000-9999)						
770/336(1000-1999),336(3000-4999),573(8000-8999)						
770/796(6000-6999),796(8000-8999),877(8000-8999)						
770/881(9000-9999)						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
ATLANTA /	ATLCGABXDS1	07269	02086	7435	438	BA DA
ATLANTA 404/472(0000-3999),472(8000-9999)	ATLNGAAD69F	07269	02104	5192	438	AA BA DA GC GQ GR PA PJ PR PS RC RD SV T9 TJ TK VK XA
ATLANTA 404/505,691,696,699	ATLNGAADRPA	07269	02104	5192	438	AA BA CA PA PJ PR PS
ATLANTA 404/494(1000-5999),494(8000-9999),629(0000-6999) 404/629(8000-9999),890(1000-1999)	ATLNGABH34F	07282	02098	5192	438	AA BA DA G4 GC GL GQ GR PA PJ PR PS SK SV T9 TH TJ TK VG XA
ATLANTA 404/344,346,349	ATLNGABHRPA	07282	02098	5192	438	AA DA PA PJ PR PS
ATLANTA /	ATLNGABU02T	07243	02092	5192	438	DA G2 G3 G8 GB GQ GR PA PJ PR PS T8 T9 TJ TK UK XA
ATLANTA 404/741,744	ATLNGABU03T	07243	02092	5192	438	DA G8 GB GQ GR PA PR PS T8 T9 XA
ATLANTA /	ATLNGABU04T	07243	02092	5192	438	DA G8 GB GQ GR PR PS T8 T9 XA
ATLANTA /	ATLNGABU51W	07243	02092	5192	438	DA G8 GQ GR PA PJ PR PS T8 T9 TB TJ TK UK XA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
ATLANTA                     ATLNGABU53W 07243 02092 5192  438 DA G8 GH GQ
     /                                                          GR PA PJ PR
                                                                PS T8 T9 TJ
                                                                TK UK XA
.......................................................................
ATLANTA                     ATLNGABU84C 07243 02092 5192  438 AA BA DA G4
   404/300(0000-2999),300(4000-8999),467,649(3000-3999)         G8 GC GE GL
   404/649(8000-8999),649(9000-9999),812,814,816,841,842        GQ GR PA PJ
   404/846,848,869,923(1000-3999),923(5000-9999)                PR PS QB QF
   404/948(0000-0999),948(1000-1999),948(9000-9999)             RC RD SV T8
   404/949(0000-6999),949(8000-9999)                            T9 TJ TK UK
                                                                VG VJ VK XA
.......................................................................
ATLANTA                     ATLNGABUDS2 07243 02092 5192  438 AA BA DA G8
   404/231,233,237,238(0000-0999),238(1000-1999)                GC GL GQ GR
   404/238(2000-2999),238(3000-3999),238(4000-4999)             PA PJ PR PS
   404/238(5000-5999),238(6000-6999),238(8000-8999)             QB QF RC RD
   404/238(9000-9999),239(0000-1999),239(4000-9999),240,261     RM SK SV T8
   404/262,264,266,364,365,442,495,504,760,926(0000-5999)       T9 TJ TK UK
   404/926(7000-9999),975(5000-6999),995                        VG XA
.......................................................................
ATLANTA                     ATLNGABUK01 07243 02092 5192  438 DA G8 GQ GR
     /                                                          PA PJ PR PS
                                                                QB T8 T9 TJ
                                                                TK UB UE UG
                                                                UK UP XA ZY
.......................................................................
ATLANTA                     ATLNGABURS1 07243 02092 5192  438 AA BA DA G8
   404/398(0000-0999),398(6000-6999)                            GC GD GL GQ
                                                                GR PA PJ PR
                                                                PS T8 T9 TJ
                                                                TK UK XA
.......................................................................
ATLANTA                     ATLNGACD28F 07251 02061 5192  438 AA BA DA GC
   404/534(0000-3999),534(4000-5999),534(6000-6999)             GQ GR PA PJ
   404/534(8000-8999),534(9000-9999)                            PR PS SV T9
                                                                TJ TK XA
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ATLANTA	ATLNGACDRPA	07251	02061	5192	438	AA BA CA PA
404/284,286,288,289						PJ PR PS
ATLANTA	ATLNGACS1CD	07259	02084	5192	438	DA G1 GL GQ
/						GR PA PJ PR
						PS T9 TJ TK
						UK XA XD
ATLANTA	ATLNGACS33A	07259	02084	5192	438	AA BA DA G4
404/224(0000-8999),265,302(0000-0999),302(1000-1999)						GC GE GJ GL
404/302(2000-2999),302(3000-3999),302(4000-4999)						GQ GR PA PJ
404/302(5000-5999),302(6000-6999),302(8000-8999)						PR PS QB QF
404/302(9000-9999),330(0000-1999),330(3000-3999)						RC RD SV T9
404/330(5000-6999),331,332,335(0000-6999),335(9000-9999)						TJ TK UK VG
404/489,546,612,613,616,730,865(0000-0999)						XA XD
404/865(2000-2999),865(4000-9999),893(0000-0999)						
404/893(1000-1999),893(2000-2999),893(3000-3999)						
404/893(4000-4999),893(5000-5999),893(6000-6999)						
404/893(7000-7999),927						
ATLANTA	ATLNGACS65C	07259	02084	5192	438	AA BA DA G4
404/220(0000-3999),220(5000-6999),232(1000-4999)						GC GD GE GL
404/232(6000-8999),463,515,651,652(1000-8999)						GQ GR PA PJ
404/654(1000-2999),654(4000-6999),654(8000-9999),656,657						PR PS QB QF
404/671(1000-1999),749(1000-5999),749(9000-9999),818						RC RD SV T9
404/890(9000-9999),924(3000-3999)						TJ TK UK VG
						XA XD
ATLANTA	ATLNGACSBB0	07259	02084	5192	438	DA GQ GR PR
/						PS T9 TD TG
						XA XD
ATLANTA	ATLNGACSBB2	07259	02084	5192	438	DA GQ GR PA
/						PJ PR PS T9
						TD TG TJ TK
						UK XA XD

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ATLANTA	ATLNGACSBB3	07259	02084	5192	438	DA GQ GR PR
/___						PS T9 TD TG
						TJ TK UK XA
						XD
ATLANTA	ATLNGACSBB4	07259	02084	5192	438	DA GQ GR PR
/___						PS T9 TD TG
						TJ TK UK XA
						XD
ATLANTA	ATLNGACSBB5	07259	02084	5192	438	DA GQ GR PR
/___						PS T9 TD TG
						TJ TK UK XA
						XD
ATLANTA	ATLNGACSBB6	07259	02084	5192	438	DA GQ GR PR
/___						PS T9 TD TG
						TJ TK UK XA
						XD
ATLANTA	ATLNGACSBB7	07259	02084	5192	438	DA GQ GR PR
/___						PS T9 TD TG
						TJ TK UK XA
						XD
ATLANTA	ATLNGACSBB8	07259	02084	5192	438	DA GQ GR PR
/___						PS T9 TD TG
						TJ TK UK XA
						XD
ATLANTA	ATLNGACSBB9	07259	02084	5192	438	DA GQ GR PR
/___						PS T9 TD TG
						TJ TK UK XA
						XD
ATLANTA	ATLNGACSBBA	07259	02084	5192	438	DA GQ GR PR
/___						PS T7 T9 TJ
						TK TU UK XA
						XD

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ATLANTA	ATLNGACSBBC	07259	02084	5192	438	DA GQ GR PR
/						PS T7 T9 TJ
						TK TU XA XD
ATLANTA	ATLNGACSBBE	07259	02084	5192	438	DA GQ GR PR
/						PS T9 TJ TK
						TU XA XD
ATLANTA	ATLNGACSBBG	07259	02084	5192	438	DA GQ GR PR
/						PS T9 TU XA
						XD
ATLANTA	ATLNGACSBBN	07259	02084	5192	438	DA GQ GR PR
/						PS T9 TD TG
						XA XD
ATLANTA	ATLNGACSBBP	07259	02084	5192	438	DA GQ GR PR
/						PS T9 TD TG
						XA XD
ATLANTA	ATLNGACSBBQ	07259	02084	5192	438	DA GQ GR PR
/						PS T9 TD TG
						XA XD
ATLANTA	ATLNGACSBBR	07259	02084	5192	438	DA GQ GR PR
/						PS T9 TG XA
						XD
ATLANTA	ATLNGACSBBS	07259	02084	5192	438	DA GQ GR PR
/						PS T9 TD TG
						XA XD
ATLANTA	ATLNGACSBBT	07259	02084	5192	438	DA GQ GR PR
/						PS T9 TD TG
						XA XD

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ATLANTA /	ATLNGACSBBU	07259	02084	5192	438	DA GQ GR PR PS T9 TD TG TJ TK UK XA XD
ATLANTA /	ATLNGACSBBV	07259	02084	5192	438	DA GQ GR PR PS T9 TD TG TJ TK UK XA XD
ATLANTA /	ATLNGACSBBW	07259	02084	5192	438	DA GQ GR PR PS T9 TD TG TJ TK UK XA XD
ATLANTA /	ATLNGACSBBX	07259	02084	5192	438	DA GQ GR PR PS T9 TD TG TJ TK UK XA XD
ATLANTA /	ATLNGACSBBY	07259	02084	5192	438	DA GQ GR PR PS T9 TD TG TJ TK UK XA XD
ATLANTA /	ATLNGACSBBZ	07259	02084	5192	438	DA GQ GR PR PS T9 TD TG TJ TK UK XA XD
ATLANTA /	ATLNGACSBC2	07259	02084	5192	438	DA GQ GR PR PS T9 TD TG XA XD

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ATLANTA	ATLNGACSDS3	07259	02084	5192	438	AA BA DA GC
404/215,221,222,223,225,230,338(1000-9999),420,506						GL GQ GR PA
404/507(0000-1999),507(3000-5999),507(7000-9999)						PJ PR PS QB
404/521(0000-7999),521(9000-9999),522,523,524,525,526						QF RC RD SK
404/527,529,562,572,577,581(0000-1999),581(3000-9999)						SV T9 TJ TK
404/582,584,586(0000-3999),586(5000-9999),588,589,614						UK VG VJ VK
404/631(0000-5999),631(8000-9999),653,658,659,681,688						XA XD
404/707(2000-3999),707(6000-6999),707(9000-9999),739,802						
404/813,827(0000-7999),827(9000-9999),878,880,887						
404/954(3000-9999),979(2000-9999)						
678/623,657,732(2000-2999)						
ATLANTA	ATLNGACSK02	07259	02084	5192	438	DA GQ GR PA
/						PJ PR PS T9
						TJ TK UB UE
						UG UK UP XA
						XD ZY
ATLANTA	ATLNGACSK11	07259	02084	5192	438	DA GQ GR PR
/						PS T9 TJ TK
						UB UG UK VB
						XA XD

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
ATLANTA                     ATLNGADZDS0 07226 02096 8355  438 DA DD
   470/228(7000-7999),247,448(0000-0999),448(2000-2999)
   678/207(0000-5999),208(1000-1999),252(0000-4999)
   678/287(0000-5999),287(7000-8999),301(1000-5999)
   678/318(1000-7999),318(9000-9999),321(1000-3999)
   678/322(1000-5999),323(0000-4999),328(1000-6999)
   678/341(1000-5999),385,460(0000-5999),486(1000-5999)
   678/487(0000-4999),502(1000-5999),504(0000-4999)
   678/505(5000-6999),529(6000-6999),533(0000-7999)
   678/542(1000-1999),578(0000-3999),597(0000-7999)
   678/631(1000-5999),680(0000-1999),718(1000-4999)
   678/718(6000-6999),745(3000-3999),745(4000-4999)
   678/765(1000-1999),775(0000-7999),781,784(0000-5999)
   678/784(7000-7999),792(5000-5999),808(0000-4999)
   678/808(8000-8999),889(1000-1999),892(1000-5999)
   678/926(7000-7999),942(0000-5999),942(7000-9999)
   678/960(2000-2999),981(1000-1999),981(4000-4999)
   678/987(0000-7999),987(9000-9999)
   706/844(1000-1999),844(9000-9999)
   770/383(4000-4999),406(2000-2999)
.......................................................................
ATLANTA                     ATLNGAELBBA 07253 02070 5192  438 DA GQ GR PR
     /                                                          PS T9 TJ TK
                                                                TU XA
.......................................................................
ATLANTA                     ATLNGAELDS1 07253 02070 5192  438 AA BA DA GC
   404/270(2000-9999),341(3000-3999),370(0000-1999)             GL GQ GR PA
   404/370(3000-9999),371,373,377,378,687                       PJ PR PS RC
                                                                RD SV T9 TJ
                                                                TK UK VK XA
.......................................................................
ATLANTA                     ATLNGAELK01 07253 02070 5192  438 DA GQ GR PA
     /                                                          PJ PR PS T9
                                                                TJ TK UB UE
                                                                UG UK UP XA
                                                                ZY
.......................................................................
ATLANTA                     ATLNGAEP01T 07280 02084 5192  438 DA GB GQ GR
     /                                                          PR PS TJ XA

=======================================================================
```

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
ATLANTA /	ATLNGAEP11T	07280	02084	5192	438	DA GB GQ GR PR PS TJ XA
ATLANTA 404/209,305,322(0000-4999),322(6000-6999),322(9000-9999) 404/382(1000-4999),466,530(0000-8999),559,669(0000-5999) 404/669(7000-9999),677,684,714,715,761,762,763,765,766 404/767,768,773,856(1000-2999)	ATLNGAEP64A	07280	02084	5192	438	AA BA DA GC GL GQ GR PA PJ PR PS QB QF RC RD SV TJ TK UK VG VJ VK XA
ATLANTA /	ATLNGAEPBB0	07280	02084	5192	438	DA GQ GR PR PS TD TG TJ XA
ATLANTA /	ATLNGAEPBB1	07280	02084	5192	438	DA GQ GR PR PS TD TG TJ TK UK XA
ATLANTA /	ATLNGAEPBB2	07280	02084	5192	438	DA GQ GR PR PS TD TG TJ TK XA
ATLANTA /	ATLNGAEPBB3	07280	02084	5192	438	DA GQ GR PR PS TD TG TJ TK XA
ATLANTA /	ATLNGAEPBB4	07280	02084	5192	438	DA GQ GR PR PS TD TG TJ XA
ATLANTA /	ATLNGAEPBB5	07280	02084	5192	438	DA GQ GR PR PS TD TG XA
ATLANTA /	ATLNGAEPBB6	07280	02084	5192	438	DA GQ GR PR PS TD TG XA
ATLANTA /	ATLNGAEPBBA	07280	02084	5192	438	DA GQ GR PR PS TJ TK TU XA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
ATLANTA 404/792,794	ATLNGAEPDSQ	07280	02084	5192	438	DA PA PJ PR PS
ATLANTA /	ATLNGAEPK11	07280	02084	5192	438	DA GQ GR PR PS TJ TK UG UK VB XA
ATLANTA /	ATLNGAEPKO1	07280	02084	5192	438	DA GQ GR PA PJ PR PS TJ TK UB UE UG UK UP XA ZY
ATLANTA /	ATLNGAFP12T	07279	02067	5192	438	DA GB GQ GR PR PS T9 TJ XA
ATLANTA 404/361,362(0000-6999),362(8000-9999),363,366,608,675 404/968(0000-1999),968(3000-7999)	ATLNGAFP36F	07279	02067	5192	438	AA BA DA G4 GC GL GQ GR PA PJ PR PS RC RD SV T9 TJ TK UK VK XA
ATLANTA /	ATLNGAFPBBA	07279	02067	5192	438	DA GQ GR PR PS T9 TJ TK TU XA
ATLANTA /	ATLNGAFPK01	07279	02067	5192	438	DA GQ GR PA PJ PR PS T9 TJ TK UB UE UG UK UP XA ZY
ATLANTA 404/328(0000-3999),328(4000-4999),328(7000-7999) 404/328(9000-9999),381(0000-0999),381(2000-7999) 404/381(9000-9999)	ATLNGAGR24F	07262	02065	5192	438	AA BA DA GC GL GQ GR PA PJ PR PS SV T9 TJ TK XA

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE			
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--
ATLANTA	ATLNGAGRRPA	07262	02065	5192	438	AA	BA	CA	CC
404/212,241,243,244						PA	PJ	PR	PS
ATLANTA	ATLNGAHPDS1	07257	02084	4498	438	DA			

404/324(4000-5999),564
678/223(7000-7999),237(4000-4999),318(8000-8999)
678/341(7000-7999),374(5000-5999),394(5000-5999)
678/507(0000-3999),514(0000-6999),527(0000-3999)
678/527(5000-8999),535(1000-1999),564(0000-0999)
678/564(1000-1999),564(2000-2999),564(3000-3999)
678/564(5000-5999),564(7000-7999),569(0000-0999)
678/569(1000-1999),569(2000-2999),569(3000-3999)
678/569(4000-4999),569(5000-5999),569(6000-6999)
678/569(7000-7999),569(8000-8999),638(0000-0999)
678/638(1000-1999),638(2000-2999),638(3000-3999)
678/638(4000-4999),638(5000-5999),638(6000-6999)
678/638(7000-7999),638(8000-8999),674(1000-1999)
678/674(2000-2999),677(8000-8999),681(3000-3999)
678/684(0000-0999),684(1000-1999),684(2000-2999)
678/684(3000-3999),684(4000-4999),684(5000-5999)
678/684(6000-6999),696(2000-2999),739(3000-4999)
678/765(3000-3999),782(4000-4999),783(1000-1999)
678/783(2000-2999),866(8000-8999),951(1000-1999)
678/997(2000-2999)
706/410(9000-9999)
770/558(8000-8999),635(9000-9999)

ATLANTA	ATLNGAHPEMD	07257	02084	4498	438	DA

404/997(4000-7999)
678/359(5000-5999),359(7000-7999),359(8000-8999)
678/399(4000-5999),495(0000-0999),495(1000-1999)
678/495(2000-2999),495(3000-3999),495(4000-4999)
678/495(5000-5999),495(6000-6999),495(9000-9999)
678/738(5000-5999),791(0000-0199),791(1000-1999)
678/791(4000-4999),791(7000-7999),954(0000-0999)
770/362(1000-1999),635(0000-4999),635(6000-6999)
770/738(0000-6999),738(9000-9999),771(0000-0999)
770/820(0000-0999),872(5000-5999)

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ATLANTA	ATLNGAHR79E	07260	02098	5192	438	AA BA DA GC
404/799(0000-0999),799(1000-1999),799(2000-2999)						GL GQ GR PA
404/799(3000-3999),799(5000-5999),799(6000-6999)						PJ PR PS SV
404/799(7000-7999),799(8000-8999),799(9000-9999)						T9 TJ TK UK
						VK XA
ATLANTA	ATLNGAIADS0	07240	02111	7837	438	DA DD G2 GD
/						GE GJ GN GQ
						HB HC IA IB
						IC IE IF IG
						IH II QA
ATLANTA	ATLNGAICDS1	07240	02064	5192	438	AA BA DA GC
404/292,294,296,297,298,299,499(0000-2999)						GL GQ GR IC
404/499(3000-3999),499(5000-7999),499(8000-9999),501,508						PA PJ PR PS
404/508						SV T9 TJ TK
						VK XA
ATLANTA	ATLNGALADS1	07265	02077	5192	438	AA BA DA GC
404/622,624(0000-5999),624(7000-9999),627,635(0000-5999)						GL GQ GR PA
404/635(7000-7999),635(9000-9999)						PJ PR PS SV
						T9 TJ TK VK
						XA
ATLANTA	ATLNGAMADS6	07260	02085	8646	438	D1 DA DD GB
/						GE GJ GL GN
						HB HJ IA IB
						IC ID IG II
						UG

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ATLANTA	ATLNGAMADSA	07260	02085	8355	438	DA DD
404/335(7000-7999),410(2000-3999),494(7000-7999)						
404/563(7000-7999),566(2000-2999),566(3000-3999)						
404/566(4000-4999),649(6000-6999),665(2000-2999)						
404/665(5000-5999),698(2000-2999),698(4000-4999)						
404/801(3000-3999),823(6000-6999),845(7000-7999)						
404/856(8000-8999),857(1000-1999),902(4000-4999)						
404/937(1000-1999),937(2000-2999),952(1000-2999)						
470/225(5000-5999),237(1000-1999),237(3000-3999)						
470/282(2000-2999),313(3000-3999),319(1000-1999)						
470/322(1000-1999),322(2000-2999),363(2000-2999)						
470/426(8000-8999),550(5000-5999),747(3000-3999)						
470/769(1000-1999),771(1000-1999)						
678/345(1000-1999),345(6000-6999),399(7000-7999)						
678/500(3000-3999),515(1000-1999),515(2000-2999)						
678/536(4000-4999),563(2000-2999),572(1000-1999)						
678/651(1000-1999),651(2000-2999),704(8000-8999)						
678/712(7000-7999),757(7000-7999),785(3000-3999)						
706/383(5000-5999),583(7000-7999),609(6000-6999)						
706/708(1000-1999),752(6000-6999),756(3000-3999)						
706/765(2000-2999),780(4000-4999),913(1000-1999)						
706/913(8000-8999)						
762/207(1000-1999),232(1000-1999),232(3000-3999)						
762/234(4000-4999),234(8000-8999),448(3000-3999)						
770/213(1000-1999),213(5000-5999),224(0000-0999)						
770/450(2000-2999),504(5000-5999)						
ATLANTA	ATLNGAPKW03	07259	02085	7002	438	GR SH UD WE
/						
ATLANTA	ATLNGAPP12T	07254	02087	5192	438	DA GB GQ GR
/						PR PS T9 XA
						XD

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
ATLANTA                     ATLNGAPP34A 07254 02087 5192  438 AA BA DA GC
   404/249,251,347,407(1000-9999),498,532(0000-7999),541     GD GE GL GQ
   404/619,685,686,727,745(1000-7999),745(9000-9999)         GR PA PJ PR
   404/764(1000-5999),810(0000-0999),810(2000-9999),815      PS QB QF RC
   404/817(0000-0999),817(2000-9999),829(0000-0999)          RD SK SV T9
   404/829(6000-9999),832(2000-2999),832(9000-9999)          TJ TK UK VG
   404/853(0000-8999),910(0000-1999),986                     VJ VK XA XD
.......................................................................
ATLANTA                     ATLNGAPP61W 07254 02087 5192  438 DA GQ GR PA
      /                                                       PJ PR PS T9
                                                              TA TJ TK UK
                                                              XA XD
.......................................................................
ATLANTA                     ATLNGAPPBBA 07254 02087 5192  438 DA GQ GR PR
      /                                                       PS T9 TJ TK
                                                              TU XA XD
.......................................................................
ATLANTA                     ATLNGAPPDS2 07254 02087 5192  438 AA BA DA GC
   404/206,253,279(1000-1999),279(3000-9999),385,575,598     GD GL GQ GR
   404/602(1000-1999),602(3000-4999),602(6000-8999),607,676  PA PJ PR PS
   404/724(0000-0999),724(1000-1999),724(2000-2999)          QB QF RC RD
   404/724(3000-3999),724(4000-4999),724(6000-6999)          SK SV T9 TJ
   404/724(7000-7999),724(9000-9999),733(0000-6999)          TK UK VG XA
   404/733(8000-9999),870,872,873,874,875,876                XD
   404/877(0000-1999),877(3000-7999),877(9000-9999)
   404/879(0000-7999),879(9000-9999),881,885,888,892,894
   404/897,898,962
   470/373(1000-2999)
.......................................................................
ATLANTA                     ATLNGAPPK01 07254 02087 5192  438 DA G4 GQ GR
      /                                                       PA PJ PR PS
                                                              T9 TJ TK UB
                                                              UE UG UK UP
                                                              XA XD ZY
.......................................................................
ATLANTA                     ATLNGAPPK11 07254 02087 5192  438 DA GQ GR PR
      /                                                       PS T9 TJ TK
                                                              UG UK VB XA
                                                              XD
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
ATLANTA 770/229(7000-7999)	ATLNGAQSDS0	07259	02086	7435	438	BA DA
ATLANTA /	ATLNGAQSDS1	07259	02086	7177	438	BA DA GI GJ GL GN GQ HA HD IA IB II SH SI UA UG UR UU
ATLANTA 334/408(3000-3999)	ATLNGAQSDS3	07259	02086	7221	438	BA DA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ATLANTA	ATLNGAQSDS3	07259	02086	7435	438	BA
229/352(6000-6999)						
404/260,267(0000-2999),267(4000-9999),439,479						
404/487(0000-7999),487(9000-9999),662(3000-3999)						
404/682(0000-0999),682(1000-1999),682(2000-2999)						
404/682(3000-3999),682(4000-4999),682(5000-5999)						
404/682(6000-6999),682(7000-7999),682(9000-9999)						
404/720(0000-3999),720(5000-9999),736(0000-0999)						
404/736(1000-1999),736(2000-2999),736(3000-3999)						
404/736(7000-7999),736(9000-9999),836,946(0000-2999)						
404/946(4000-7999),946(9000-9999),965,974(0000-1999)						
404/974(9000-9999)						
470/202(7000-7999),251(3000-3999),275(8000-8999)						
470/285(3000-3999),291(3000-3999),322(3000-6999)						
470/346(3000-6999),351(2000-2999),351(3000-3999)						
470/351(4000-5999),351(6000-6999),362(2000-7999)						
470/378(2000-4999),385(3000-3999),434,447(4000-4999)						
470/447(5000-5999),533(4000-4999),633(3000-4999)						
470/655(3000-3999)						
678/208(3000-3999),224(9000-9999),257(6000-6999),259						
678/280(5000-5999),365(0000-0999),365(2000-3999)						
678/400(5000-5999),506(3000-3999),514(7000-8999)						
678/537(6000-6999),537(8000-8999),569(9000-9999)						
678/635(3000-3999),635(6000-6999),685(5000-5999)						
678/713(3000-3999),713(7000-7999),719(3000-3999)						
678/726(4000-4999),734(3000-3999),734(9000-9999)						
678/745(9000-9999),783(5000-5999),821(7000-7999)						
678/837(3000-3999),975(3000-3999)						
706/225(5000-5999),307(7000-7999),310(5000-5999)						
706/358(4000-4999),416(3000-3999),459(3000-3999)						
706/460(3000-3999),519(6000-6999),522(3000-3999)						
706/530(3000-3999),603(3000-3999),686(5000-5999)						
706/708(3000-3999),744(3000-3999),749(3000-3999)						
706/752(3000-3999),908(3000-3999),938(3000-3999)						
706/963(3000-3999),983(4000-4999),999(6000-6999)						
762/203(3000-3999),213(3000-3999),214(3000-3999)						
762/230(4000-4999)						
770/225,240(0000-3999),240(5000-9999),250(0000-0999)						
770/250(1000-1999),250(2000-2999),250(3000-3999)						

-------- Continued on next page --------

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --

-------- Continued from previous page --------

770/250(4000-4999),250(5000-5999),250(6000-6999)
770/250(7000-7999),280(0000-4999),280(6000-6999)
770/280(8000-9999),281(2000-5999),281(7000-9999)
770/282(2000-3999),282(5000-5999),284(2000-2999)
770/284(7000-7999),284(9000-9999),285(2000-2999)
770/285(3000-3999),285(9000-9999),290,308(0000-0999)
770/308(1000-1999),308(2000-2999),308(4000-4999)
770/308(5000-5999),308(6000-6999),308(7000-7999),325
770/369(8000-9999),370(2000-4999),371(1000-1999)
770/371(5000-5999),372(1000-1999),372(5000-5999)
770/375(2000-4999),625(1000-5999),625(7000-9999)
770/626(2000-2999),629(3000-3999),705,743(3000-4999)
770/767(2000-2999),767(4000-4999),767(7000-8999)
770/779(0000-6999),870(1000-3999),870(5000-6999)
912/215(4000-4999)

ATLANTA	ATLNGAQSDS8	07259	02086	067D	438	DA DD GE GL
/___						GN GP GR IA
						IB
ATLANTA	ATLNGASSBB0	07232	02099	5192	438	DA GQ GR PR
/___						PS T9 TD TG
						XA
ATLANTA	ATLNGASSBB1	07232	02099	5192	438	DA GQ GR PR
/___						PS T9 TD TG
						TJ TK UK XA
ATLANTA	ATLNGASSBB2	07232	02099	5192	438	DA GQ GR PR
/___						PS T9 TD TG
						TJ TK UK XA
ATLANTA	ATLNGASSBB3	07232	02099	5192	438	DA GQ GR PR
/___						PS T9 TD TG
						TJ TK UK XA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ATLANTA	ATLNGASSBB4	07232	02099	5192	438	DA GQ GR PR
/						PS T9 TD TG
						TJ TK UK XA
ATLANTA	ATLNGASSBB5	07232	02099	5192	438	DA GQ GR PR
/						PS T9 TD TG
						XA
ATLANTA	ATLNGASSBBA	07232	02099	5192	438	DA GQ GR PR
/						PS T7 T9 TJ
						TK TU UK XA
ATLANTA	ATLNGASSBBC	07232	02099	5192	438	DA GQ GR PR
/						PS T9 TJ TK
						TU XA
ATLANTA	ATLNGASSBBE	07232	02099	5192	438	DA GQ GR PR
/						PS T9 TU XA
ATLANTA	ATLNGASSDS1	07232	02099	5192	438	AA BA DA GC
404/236(0000-5999),236(7000-8999),250(0000-1999)						GL GQ GR PA
404/250(3000-9999),252,255,256(0000-5999),256(7000-9999)						PJ PR PS QB
404/257(0000-5999),257(7000-9999),269,303,459,497,531						QF RC RD SJ
404/568,573(4000-5999),705,780(7000-7999),832(1000-1999)						SV T9 TJ TK
404/843,845(0000-5999),845(8000-9999),847,851(0000-3999)						UK VG VJ VK
404/851(5000-6999),851(8000-9999),890(2000-4999)						XA
404/943(0000-7999),943(9000-9999)						
470/565						
678/843						
ATLANTA	ATLNGASSK01	07232	02099	5192	438	DA GQ GR PR
/						PS T9 TJ TK
						UB UG UK UP
						XA ZY
ATLANTA	ATLNGATH21W	07241	02080	5192	438	DA G4 GQ GR
/						HC PA PJ PR
						PS T8 T9 TJ
						TK UK XA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ATLANTA	ATLNGATH78A	07241	02080	5192	438	AA BA DA GQ
404/235,248(0000-6999),248(8000-9999),315,320,321,325						GR PA PJ PR
404/327,329,417,471(0000-0999),471(1000-1999)						PS QB QF RC
404/471(2000-2999),471(4000-4999),471(5000-5999)						RD SK SV T8
404/471(6000-6999),471(7000-7999),471(8000-8999)						T9 TJ TK UK
404/471(9000-9999),486(0000-2999),486(4000-9999)						VG VJ VK XA
404/553(0000-0999),553(2000-2999),553(7000-9999),633,634						
404/636,638,639,679,712,718(1000-8999),728,778,785						
404/828(1000-9999),929,943(8000-8999),982(0000-0999)						
404/982(1000-1999),982(2000-2999),982(3000-3999)						
404/982(5000-5999),982(6000-6999),982(7000-7999)						
404/982(8000-8999),982(9000-9999)						
ATLANTA	ATLNGATHBBA	07241	02080	5192	438	DA GQ GR PR
/						PS T8 T9 TJ
						TK TU XA
ATLANTA	ATLNGATHK01	07241	02080	5192	438	DA G4 GQ GR
/						PA PJ PR PS
						T8 T9 TJ TK
						UB UE UG UK
						UP XA ZY
ATLANTA	ATLNGATHK12	07241	02080	5192	438	DA GQ GR PR
/						PS T8 T9 TJ
						TK UG UK VB
						XA
ATLANTA	ATLNGAWD11W	07252	02095	5192	438	DA GG GQ GR
/						PA PJ PR PS
						T9 TJ TK UK
						XA
ATLANTA	ATLNGAWD21W	07252	02095	5192	438	DA GQ GR HC
/						PA PJ PR PS
						T9 TJ TK UK
						XA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ATLANTA	ATLNGAWDDS1	07252	02095	5192	438	AA BA DA GC
404/350,351,352,355,367,425(1000-1999),425(7000-7999)						GL GQ GR PA
404/603(0000-5999),603(7000-9999),605,609(5000-5999)						PJ PR PS SV
404/609(6000-6999),609(7000-7999),609(8000-8999)						T9 TJ TK UK
404/609(9000-9999),832(6000-6999)						VK XA
470/788(1000-7999)						
678/732(1000-1999)						
ATLANTA	ATLNGAWERPA	07266	02089	5192	438	AA BA DA GC
404/752,753,755,756,758						GL GQ GR PA
						PJ PR PS SV
						T9 TJ TK UK
						VK XA
ATLANTA	SMYRGAFEDS0	07256	02113	8758	438	BA DA GE GJ
404/591,601						GR HB IB RC
470/253(2000-3999)						RD SH SQ T1
678/212(4000-4999),298,302,303(0000-3999),303(5000-5999)						T2 UG UP UR
678/303(9000-9999),306(0000-5999),306(8000-8999)						US
678/348(1000-3999),401(0000-1999),405,444(2000-2999)						
678/444(4000-4999),668(2000-2999),796(7000-7999)						
678/801(2000-2999),801(4000-4999),802(0000-7999)						
678/803(0000-2999),803(6000-6999),804(0000-3999)						
678/804(6000-6999),805(0000-5999),805(9000-9999)						
678/806(0000-1999),806(4000-4999),807(0000-2999)						
678/812(0000-8999),814(0000-0999),814(1000-1999)						
678/815(0000-1999),816(1000-1999),816(4000-4999)						
678/816(7000-7999),818(0000-1999),818(4000-4999),819						
678/820(0000-0999),820(2000-2999),824(0000-1999)						
678/824(3000-3999),825(0000-1999),826(0000-0999)						
678/826(3000-5999),827(0000-0999),828(0000-0999)						
678/828(5000-6999),829(0000-1999),830(0000-0999)						
678/830(1000-1999),832(0000-2999),832(4000-4999)						
678/832(6000-6999),834(0000-1999),836(0000-2999)						
678/837(0000-1999),837(4000-4999),840(0000-0999)						
678/840(3000-3999),840(7000-7999),841(0000-0999)						
678/841(1000-1999),846(1000-1999),952(8000-8999)						
678/960(5000-5999)						
770/783(8000-8999)						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE			
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--
ATLANTA	SMYRGAFEDS1	07256	02113	8758	438	BA	DA	GE	GJ
404/448(3000-9999),481(2000-4999),585(2000-5999)						GR	HB	IB	RC
404/795(0000-2999),795(3000-3999),795(5000-5999)						RD	SH	SQ	T1
404/795(9000-9999),829(1000-2999),855(2000-4999)						T2	UG	UP	UR
404/937(3000-5999),973(0000-1999),973(3000-3999)						US			
470/202(1000-1999),202(6000-6999)									
678/288(6000-8999),317,374(7000-8999),394(4000-4999)									
678/394(8000-8999),433(3000-3999),433(8000-8999)									
678/434(2000-3999),434(5000-5999),434(8000-8999)									
678/456(3000-3999),503(7000-7999),586(0000-1999)									
678/586(4000-4999),586(6000-9999),604(8000-8999)									
678/639(9000-9999),682(2000-2999),682(6000-6999)									
678/690(9000-9999),734(0000-2999),734(4000-6999)									
678/734(7000-8999),745(1000-1999),759(3000-7999)									
678/771(3000-3999),798(3000-6999),803(3000-5999)									
678/803(7000-9999),805(6000-6999),807(3000-6999)									
678/810(2000-9999),828(3000-4999),866(2000-2999)									
678/866(3000-3999),866(7000-7999),881(3000-8999)									
678/913(0000-2999),922(1000-1999),922(2000-2999)									
678/922(7000-7999),922(8000-8999),941(8000-8999)									
678/954(6000-8999),961(1000-1999),961(6000-6999)									
678/965(1000-1999),974(3000-4999)									
770/217,463(7000-7999),573(6000-6999),783(5000-6999)									

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
ATLANTA                     SMYRGAFEDS4 07256 02113 8646  438 BA DA GE GJ (C)
   404/475(0000-7999),475(9000-9999),478                     GR HB IB RC (C)
   678/278(0000-4999),278(7000-9999),279(0000-4999)          RD SH SQ T1 (C)
   678/279(7000-9999),280(0000-3999),280(6000-9999)          T2 UG UP UR (C)
   678/281(0000-3999),281(6000-9999),282(0000-3999)          US          (C)
   678/282(5000-5999),282(6000-6999),282(8000-9999)                      (C)
   678/285(0000-4999),285(6000-7999),285(9000-9999)                      (C)
   678/356(0000-0999),356(3000-3999),356(5000-5999)                      (C)
   678/356(8000-9999),412(0000-4999),412(6000-7999)                      (C)
   678/412(9000-9999),430(0000-0999),430(4000-5999)                      (C)
   678/433(0000-2999),433(4000-7999),434(0000-1999)                      (C)
   678/435(0000-0999),436(0000-0999),436(4000-4999)                      (C)
   678/490(0000-0999),490(2000-3999),490(7000-7999)                      (C)
   678/543(1000-1999),601(0000-2999),601(5000-9999)                      (C)
   678/609(0000-2999),609(4000-4999),609(6000-7999)                      (C)
   678/609(9000-9999),722(0000-0999),722(2000-2999)                      (C)
   678/722(4000-7999)                                                    (C)
.......................................................................
ATLANTA                     WNDRGAXAPS2 07154 02005 856A  438 DA
   470/372(9000-9999)
.......................................................................
ATTAPULGUS                  ATPLGAXADS0 07837 01781 4455  444 AA BA DA GC
   229/465                                                   GD GR IC ID
                                                             IE IG IH OE
                                                             RA RC SH SP
                                                             SQ TJ UB UG
                                                             UT UW UZ VA
                                                             XG
.......................................................................
AUGUSTA                     AGSTGAAU86C 07095 01698 5192  442 AA BA DA G4
   706/210,228,288(0000-0999),447(0000-8999),650,651,854     GL GQ GR PB
   706/855,860,863,868,869(0000-0999),869(1000-1999)         PK PR PU SV
   706/869(7000-7999),869(8000-8999),869(9000-9999)          TJ TK XA
.......................................................................
AUGUSTA                     AGSTGAEFIMD 07092 01672 288B  442 BA DA
   803/262(4000-4999),295(5000-5999),373(3000-3999)
   803/426(5000-5999),455(3000-3999),615(3000-3999)
   803/618(6000-6999),770(3000-3999)
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
AUGUSTA	AGSTGAEFIMD	07092	01672	7435	442	BA DA
478/349(8000-8999),377(8000-8999),401(6000-6999)						
706/466(7000-7999),558(4000-4999),619(2000-2999)						
706/619(3000-3999),843(4000-4999),849(8000-8999)						
706/993(9000-9999)						
762/337(3000-3999)						
AUGUSTA	AGSTGAFL21W	07106	01676	5192	442	DA GQ GR HC
/						PB PK PR PU
						TJ TK XA
AUGUSTA	AGSTGAFLPSA	07106	01676	5192	442	AA BA DA PB
706/560,771,772,790,792,793,796,798						PK PR PS
AUGUSTA	AGSTGAMT03T	07089	01674	5192	442	DA G2 G3 G8
/						GB GQ GR PB
						PK PR PU QB
						QF T8 TJ TK
						UK XA XD
AUGUSTA	AGSTGAMT11T	07089	01674	5192	442	DA G8 GB GQ
/						GR PR PU T8
						XA XD
AUGUSTA	AGSTGAMT21W	07089	01674	5192	442	DA G8 GQ GR
/						HC PB PK PR
						PU T8 TJ TK
						UK XA XD
AUGUSTA	AGSTGAMT51W	07089	01674	5192	442	DA G8 GQ GR
/						PB PK PR PU
						T8 TB TJ TK
						UK XA XD

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
AUGUSTA                     AGSTGAMT84A 07089 01674 5192  442 AA BA DA G4
   706/303(2000-2999),303(5000-5999),303(6000-6999)          G8 GC GE GL
   706/303(7000-7999),303(9000-9999),432(0000-0999)          GQ GR PB PK
   706/432(3000-3999),432(4000-4999),432(5000-5999)          PR PU QB QF
   706/432(7000-7999),446,469(1000-1999),469(3000-3999)      RC RD RE RF
   706/469(5000-6999),721,722,723(0000-0999),723(4000-4999)  RG RH SJ SV
   706/723(6000-6999),723(7000-7999),723(8000-8999),724,774  T8 TJ TK UC
   706/787,791,821(0000-0999),821(1000-1999),821(2000-2999)  UK XA XD
   706/821(3000-3999),821(4000-4999),821(5000-5999)
   706/821(6000-6999),821(7000-7999),821(8000-8999)
   706/823(0000-0999),823(1000-1999),823(2000-2999)
   706/823(3000-3999),823(4000-4999),823(5000-5999)
   706/823(6000-6999),823(8000-8999),823(9000-9999)
   706/826(0000-0999),826(1000-1999),826(3000-3999)
   706/826(4000-4999),826(5000-5999),826(6000-6999)
   706/826(7000-7999),828(0000-0999),828(2000-2999)
   706/828(3000-3999),828(4000-4999),828(5000-5999)
   706/828(6000-6999),828(7000-7999),828(8000-8999)
   706/828(9000-9999),848,849(0000-0999),849(2000-2999)
   706/849(3000-3999),849(4000-4999),849(5000-5999)
   706/849(6000-6999),849(7000-7999),849(9000-9999)
   762/206
.......................................................................
AUGUSTA                     AGSTGAMTBB0 07089 01674 5192  442 DA G8 GQ GR
      /                                                       PR PU T8 TD
                                                              TG XA XD
.......................................................................
AUGUSTA                     AGSTGAMTBB1 07089 01674 5192  442 DA G8 GQ GR
      /                                                       PB PK PR PU
                                                              T8 TD TG TJ
                                                              TK UK XA XD
.......................................................................
AUGUSTA                     AGSTGAMTBB2 07089 01674 5192  442 DA G8 GQ GR
      /                                                       PR PU T8 TD
                                                              TG XA XD
.......................................................................
AUGUSTA                     AGSTGAMTBB3 07089 01674 5192  442 DA G8 GQ GR
      /                                                       PR PU T8 TG
                                                              XA XD

=======================================================================
```

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
AUGUSTA	AGSTGAMTBB5	07089	01674	5192	442	DA G8 GQ GR
/						PR PU T8 TD
						TG XA XD
AUGUSTA	AGSTGAMTBB6	07089	01674	5192	442	DA G8 GQ GR
/						PR PU T8 TD
						TG XA XD
AUGUSTA	AGSTGAMTBBA	07089	01674	5192	442	DA G8 GQ GR
/						PR PU T7 T8
						TJ TK TU XA
						XD
AUGUSTA	AGSTGAMTDS3	07089	01674	4498	442	DA
706/288(1000-3999),396						
803/265(9000-9999),426(2000-2999)						
AUGUSTA	AGSTGAMTK01	07089	01674	5192	442	DA G8 GQ GR
/						PB PK PR PU
						T8 TJ TK UB
						UE UG UK UP
						XA XD ZY
AUGUSTA	AGSTGAMTOMD	07089	01674	8355	442	DA DD
/						
AUGUSTA	AGSTGAMTX3X	07089	01674	4498	442	DA
478/349(6000-6999)						
803/293(1000-1999),293(2000-2999),293(3000-3999)						
803/293(4000-4999),293(7000-7999),293(9000-9999)						

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
AUGUSTA                     AGSTGAMTXIZ 07089 01674 365B  442 GR
   478/202(6000-6999),215(7000-7999),253(6000-6999)
   478/401(7000-7999),419(7000-7999)
   706/541(7000-7999),556(5000-5999),607(7000-7999)
   706/690(7000-7999),873(7000-7999),914(4000-4999)
   762/212(6000-6999),221(7000-7999),245(7000-7999)
   803/302(2000-2999),510(6000-6999),594(7000-7999)
   803/615(7000-7999),618(7000-7999),663(2000-2999)
   803/845(7000-7999),998(3000-3999)
.......................................................................
AUGUSTA                     AGSTGAMTXXX 07089 01674 5192  442 DA G8 GQ GR
      /                                                     PB PK PR PU
                                                            T8 TJ TK UC
                                                            UK XA XD
.......................................................................
AUGUSTA                     AGSTGATHDS1 07094 01680 5192  442 AA BA DA GC
   706/305(2000-2999),481,667(0000-0999),667(2000-9999)     GL GQ GR PB
   706/729(0000-3999),729(5000-9999),731(0000-3999)         PK PR PU SV
   706/731(5000-9999),733,736,737,738,739                   TJ TK XA
.......................................................................
AUSTELL                     ASTLGAMADS1 07271 02130 5192  438 BA DA GC GL
   678/398(0000-3999),398(5000-6999),398(8000-8999)         GQ GR PC PL
   678/529(1000-1999),529(4000-5999),529(7000-8999),945     PR PS QB QF
   770/732,739,745,819,941,944,948                          SV T9 TJ TK
                                                            XA
.......................................................................
BACONTON                    BCTNGAMA78A 07689 01795 5192  444 BA DA G4 GE
   229/787                                                  GL GQ GR PC
                                                            PL SV TJ XA
.......................................................................
BAINBRIDGE                  BNBRGAMA24E 07816 01813 5192  444 AA BA DA GC
   229/208,243,246,248                                      GL GQ GR PC
                                                            PL SV TJ XA
.......................................................................
BAINBRIDGE                  BNBRGAMAK01 07816 01813 5192  444 DA GL GQ GR
      /                                                     PC PL TJ UB
                                                            UE UG UP XA
                                                            ZY
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
BALL GROUND /	BLGRGAABAMD	07144	02148	0360	438	BA GC GD GN GR IC ID TJ
BARNESVILLE 770/358,872(2000-2999),872(3000-3999)	BRVIGAMA35A	07372	01973	5192	438	BA DA GQ GR PC PL TJ XA
BARWICK 229/735(6000-6999)	BAWKGAXARP0	07741	01675	4332	444	AA DA GC GI GR HB HD II SH SQ TJ
BARWICK 229/735(0000-0999),735(1000-1999),735(2000-2999) 229/735(3000-3999),735(4000-4999),735(5000-5999) 229/735(7000-7999),735(8000-8999),735(9000-9999)	BAWKGAXARS2	07741	01675	4332	444	AA DA GC GI GR HB HD II SH SQ TJ
BATESVILLE 706/947(4000-4999)	BTVLGAXARP0	06997	02069	0386	438	AA BA BC DA DD G2 G7 GC GD GM GR HD IC II RA RH RN RO SP SU SV TJ UB UK UM UT UW UX UZ
BATESVILLE 706/947(0000-3999),947(5000-9999)	BTVLGAXARS1	06997	02069	0386	438	AA BA BC DA DD G2 G7 GC GD GM GR HD IC II RA RH RN RO SP SU SV TJ UB UK UM UT UW UX UZ
BAXLEY 912/366,367	BXLYGAES36A	07443	01546	5192	440	AA BA DA GC GL GQ GR PC PL RC RD SV TJ XA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
BAXLEY 912/705	BXLYGAESWAA	07443	01546	3622	440	DA GR
BERLIN 229/324(4000-4999)	BRLNGAXARP0	07696	01675	4332	444	AA BA DA GC GI GR HB HD II SQ TJ
BERLIN 229/324(0000-0999),324(1000-1999),324(2000-2999) 229/324(3000-3999),324(5000-5999),324(6000-6999) 229/324(7000-7999),324(8000-8999),324(9000-9999)	BRLNGAXARS3	07696	01675	4332	444	AA BA DA GC GI GR HB HD II SQ TJ
BIG CANOE 706/579(9000-9999)	BGCNGAXARP0	07117	02145	0386	438	AA BA BC DA DD G2 G7 GC GD GM GR HD IC II RA RH RN RO SP ST SU SV TJ UB UK UM UT UW UX UZ
BIG CANOE 706/579(0000-0999),579(1000-1999),579(2000-2999) 706/579(3000-3999),579(5000-5999),579(6000-6999) 706/579(7000-7999)	BGCNGAXARS1	07117	02145	0386	438	AA BA BC DA DD G2 G7 GC GD GM GR HD IC II RA RH RN RO SP SU SV TJ UB UK UM UT UW UX UZ
BIG CANOE 706/268(0000-0999),268(1000-1999),268(2000-2999) 706/268(3000-3999),268(4000-4999),268(5000-5999) 706/268(6000-6999),268(7000-7999),268(8000-8999)	BGCPGAXARS1	07118	02145	0375	438	BA BC DA GM GR OE TJ
BLACKSHEAR 912/449	BLCSGAES44C	07532	01480	5192	440	BA DA GC GL GQ GR PC PL SV TJ XA

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
BLACKSHEAR 912/807	BLCSGAESRS0	07533	01480	3622	440	DA GR
BLAIRSVILLE 706/439,745,781,835	BLVIGAXA74A	07010	02137	0386	438	AA BA BC DA DD G2 G7 GC GD GM GR HD IC II RA RH RN RO SJ SM SP ST SU SV TJ UB UK UM UR UT UW UX UZ
BLAIRSVILLE 706/487(4000-4999)	BLVIGAXAPS0	07010	02137	0386	438	AA BA BC DA DD G2 G7 GC GD GM GR HD IC II RA RH RN RO SJ SM SP ST SU TJ UB UK UM UR UT UW UX UZ
BLAKELY 229/723,724	BLKLGAXADS1	07761	01925	0364	444	AA BA DA GR HD TJ
BLAKELY 229/475(9000-9999)	BLKLGAXAPS0	07761	01925	0364	444	AA BA DA GR HD TJ
BLUE RIDGE 706/258(0000-0999),258(1000-1999),258(2000-2999) 706/258(3000-3999),258(4000-4999),258(5000-5999) 706/258(6000-6999),258(9000-9999),632,633(1000-1999) 706/633(2000-2999),633(5000-5999)	BLRGGAXADS1	07044	02194	0346	438	AA BA DA G7 GC GD GR OE RC RD RM SQ T7 TJ TU
BLUE RIDGE 762/739(1000-1999)	BLRGGAXAGT0	07044	02194	0346	438	AA BA DA G7 GC GD GR OE RC RD RM SQ T7 TJ TU

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
BLUFFTON	BFTNGAXARP0	07726	01925	4332	444	AA BA DA DD
229/641(4000-4999)						GC GD GI GR
						HD II TJ
BLUFFTON	BFTNGAXARS3	07726	01925	4332	444	AA BA DA DD
229/641(0000-0999),641(1000-1999),641(2000-2999)						GC GD GI GR
229/641(3000-3999),641(5000-5999),641(6000-6999)						HD II TJ
229/641(7000-7999),641(8000-8999),641(9000-9999)						
BOGART-STATHAM	BGRTGAMA72C	07149	01978	5192	438	BA DA G4 GC
678/753(0000-1999),753(3000-3999)						GL GQ GR PC
770/725						PL PR PS SV
						TJ XA
BOSTON	BSTNGAXARP0	07764	01672	4332	444	AA BA DA GC
229/498(3000-3999)						GI GR HB HD
						II SH SQ TJ
BOSTON	BSTNGAXARS1	07764	01672	4332	444	AA BA DA GC
229/498(0000-0999),498(1000-1999),498(2000-2999)						GI GR HB HD
229/498(4000-4999),498(5000-5999),498(6000-6999)						II SH SQ TJ
229/498(7000-7999),498(8000-8999),498(9000-9999)						
BOWDON	BWDNGAMARS1	07376	02200	5192	438	BA DA G4 GL
256/568(2000-3999),568(5000-5999),568(7000-7999)						GQ GR PC PL
256/568(9000-9999)						T9 TJ XA
770/258(0000-5999),258(7000-9999)						
BRASELTON	BATNGAXARP0	07137	02024	0357	438	AA DA GC GD
706/824(3000-3999)						GI GL GN GR
						HB HD II RA
						RC RD RH SJ
						SP SQ ST TJ
						UG UM UP UR
						UU UW VA

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
BRASELTON 706/654,658,824(0000-2999),824(4000-4999),824(7000-7999) 706/824(9000-9999)	BATNGAXARS1	07137	02024	0357	438	AA DA GC GD GI GL GN GR HB HD II RA RC RD RH SJ SP SQ ST TJ UG UM UP UR UU UW VA
BREMEN 770/537,824(2000-2999),824(5000-5999)	BRMNGAES53A	07334	02201	5192	438	AA BA DA G4 GC GL GQ GR PC PL SV T9 TJ XA
BROOKLET /	BRLTGAXA02T	07264	01504	0348	440	BA DA GB GR HB T3 TJ TK
BROOKLET 912/587,823,839,842,852,865	BRLTGAXADS1	07264	01504	0348	440	DA GC GR HD IS OE RA RB RC RD RE RH RM SA SE T3 TJ TK XF
BROXTON 912/359(4000-4999)	BRXTGAXARP0	07522	01616	4332	440	AA BA DA DD GC GI GR HB HD II SQ TJ
BROXTON 912/359(0000-0999),359(1000-1999),359(2000-2999) 912/359(3000-3999),359(5000-5999),359(6000-6999) 912/359(7000-7999),359(8000-8999),359(9000-9999)	BRXTGAXARS0	07522	01616	4332	440	AA BA DA DD GC GI GR HB HD II SQ TJ
BRUNSWICK 912/261,262,264,265,267,279,280,466,554	BRWKGAMA26C	07475	01342	5192	440	BA DA GC GL GQ GR PC PL SV TJ UK XA
BRUNSWICK 912/263	BRWKGAMAAMD	07475	01342	3622	440	DA GR

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
BRUNSWICK /	BRWKGAMAK01	07475	01342	5192	440	DA GQ GR TJ UB UE UG UK UP XA ZY
BUCHANAN 770/646(0000-3999),646(4000-4999),646(5000-9999)	BCHNGAES64A	07324	02214	5192	438	BA DA G4 GC GL GQ GR PC PL SV TJ XA
BUENA VISTA 229/277,649	BNVSGAXADS0	07543	01953	4332	444	AA BA DA DD GC GD GI GR HD II TJ
BUENA VISTA 229/279(9000-9999)	BNVSGAXAPS0	07543	01953	4332	444	AA BA DA DD GC GD GI GR HD II TJ
BUFORD 470/238(4000-4999),266(5000-5999) 678/482,546,714,745(2000-2999),765(4000-4999) 678/765(5000-5999),889(4000-4999) 770/271,614,831,904(0000-0999),904(2000-7999),932,945 770/945	BUFRGABH94A	07158	02062	5192	438	AA BA DA GC GL GQ GR PC PL PR PS SV T9 TJ TK UK XA
BUTLER 478/862	BTLRGAXA86A	07472	01933	0381	446	BA DA GC GR HD OE PN SD SQ T9 TJ TK
BYROMVILLE 478/433(8000-8999)	BYVLGAXARP0	07509	01842	4332	446	AA DA GC GI GR HB HD II SH SQ TJ
BYROMVILLE 478/433(0000-0999),433(1000-1999),433(2000-2999) 478/433(3000-3999),433(4000-4999),433(5000-5999) 478/433(6000-6999),433(7000-7999),433(9000-9999)	BYVLGAXARS0	07509	01842	4332	446	AA DA GC GI GR HB HD II SH SQ TJ

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
BYRON 478/956(9000-9999)	BYRNGAXARP0	07410	01866	0357	446	AA DA GC GD GI GL GN GR HD RA RC RD RH SQ TJ UM UP UU UW VA
BYRON 478/956(0000-0999),956(1000-1999),956(2000-2999) 478/956(3000-3999),956(4000-4999),956(5000-5999) 478/956(6000-6999),956(7000-7999),956(8000-8999)	BYRNGAXARS1	07410	01866	0357	446	AA DA GC GD GI GL GN GR HD RA RC RD RH SQ TJ UM UP UU UW VA
CADWELL 478/689(1000-4999),689(9000-9999)	CDWLGAXA68A	07403	01718	0380	446	AA BA DA TJ
CAIRO 229/307(0000-0999),307(6000-6999),307(7000-7999) 229/307(8000-8999),307(9000-9999),377,378	CAIRGAXADS1	07787	01750	0357	444	AA DA GC GD GI GL GN GR HB HD RA RC RD RH SJ SQ TJ UG UM UP UU UW VA
CAIRO 229/307(1000-1999)	CAIRGAXAPS0	07787	01750	0357	444	AA DA GC GD GI GL GN GR HB HD RA RC RD RH SJ SQ TJ UG UM UP UU UW VA
CALHOUN 706/602,624,625,629,879(2000-6999)	CLHNGAESDS1	07167	02253	5192	438	BA DA GC GQ GR PC PL RC SV XA
CALVARY-RENO 229/872(4000-4999)	CLREGAXARP0	07826	01757	0357	444	AA DA GC GD GM GR HB HD RA RC RD RH SQ TJ UM UP UU UW VA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
CALVARY-RENO	CLREGAXARS1	07826	01757	0357	444	AA DA GC GD
229/872(0000-0999),872(1000-1999),872(2000-2999)						GM GR HB HD
229/872(3000-3999),872(5000-5999),872(6000-6999)						RA RC RD RH
229/872(7000-7999),872(8000-8999),872(9000-9999)						SQ TJ UM UP
						UU UW VA
CAMILLA	CMLLGAMA33E	07721	01788	5192	444	BA DA G4 GC
229/336,522						GD GL GQ GR
						PC PL SV TJ
						XA
CANTON HOLLY SPRINGS	CNTNGAXADS0	07178	02152	4332	438	AA BA DA DD
678/493,880(0000-0999),880(1000-1999),880(2000-2999)						GC GD GI GR
678/880(3000-3999)						HB HD II RD
770/224(1000-5999),479,704,720,721(9000-9999)						SH SQ TJ
CANTON HOLLY SPRINGS	CNTNGAXADS1	07178	02152	4332	438	AA BA DA DD
770/721(0000-1999),721(3000-3999),721(4000-4999)						GC GD GI GJ
770/721(5000-5999),721(6000-6999),721(7000-7999)						GR HB HD II
770/721(8000-8999)						RD SH SQ
CANTON HOLLY SPRINGS	CNTNGAXAPS0	07178	02152	4332	438	AA BA DA DD
470/863(9000-9999)						GC GD GI GR
770/721(2000-2999)						HB HD II RD
						SH SQ TJ
CANTON HOLLY SPRINGS	CNTNGAXBRS0	07184	02151	4332	438	AA BA DA DD
770/345						GC GI GR HB
						HD II SH SQ
CARLTON	CRTOGAXARP0	07082	01903	0357	438	AA DA GC GD
706/797(8000-8999)						GI GN GR HD
						II RA RC RD
						RH SQ TJ UM
						UP UU UW VA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
CARLTON	CRTOGAXARS1	07082	01903	0357	438	AA DA GC GD
706/797(0000-0999),797(1000-1999),797(2000-2999)						GI GN GR HD
706/797(3000-3999),797(4000-4999),797(5000-5999)						II RA RC RD
706/797(6000-6999),797(7000-7999),797(9000-9999)						RH SQ TJ UM
						UP UU UW VA
CARNESVILLE	CRNVGAXADS0	07039	01971	4332	438	AA BA DA DD
706/384						GC GI GR HD
						II SQ TJ
CARNESVILLE	CRNVGAXAPS0	07039	01971	4332	438	AA BA DA DD
762/277(9000-9999)						GC GI GR HD
						II SQ TJ
CARROLLTON	CRTNGAMA83C	07354	02175	5192	438	BA DA GC GL
678/796(0000-2999),796(9000-9999)						GQ GR PC PL
						SV T9 TJ TK
						UK XA
CARROLLTON	CRTNGAMAK01	07354	02175	5192	438	DA GQ GR PC
/						PL T9 TJ TK
						UB UE UG UK
						UP XA ZY
CARROLLTON	CRTNGAMARPA	07354	02175	5192	438	AA BA DA PC
770/214,830,832,834,836,838						PL
CARTERSVILLE	CRVLGAMA38C	07218	02194	5192	438	BA DA G4 GC
470/490(6000-7999)						GL GQ GR PC
678/535(6000-6999),721(0000-6999),721(7000-7999)						PL SV T9 TJ
678/721(9000-9999),917						TK XA
770/276(7000-7999),382,383(3000-3999),383(6000-9999),386						
770/387(0000-5999),387(7000-9999),606(0000-3999)						
770/606(5000-6999),606(8000-9999),607						
CAVE SPRING	CVSPGAMA77A	07277	02272	5192	438	BA DA G4 GL
706/777						GQ GR PC PL
						TJ XA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
CEDAR GROVE	CDGVGAXA46A	07406	01687	0380	446	AA BA DA TJ
478/463(0000-4999),463(9000-9999)						
CEDAR SPRINGS	CDSPGAXARS0	07809	01916	0364	444	AA BA DA GR
229/372						HD
CEDARTOWN	CDTWGAMA74C	07288	02249	5192	438	BA DA G4 GC
678/246(0000-3999)						GL GQ GR PC
770/748,749(0000-6999),749(8000-9999)						PL RC RD SV
						TJ XA
CENTERVILLE	CNVLGAXARP0	07409	01852	0357	446	AA DA GC GD
478/971(9000-9999)						GI GL GN GR
						HD RA RC RD
						RH SQ TJ UM
						UP UU UW VA
CENTERVILLE	CNVLGAXARS1	07409	01852	0357	446	AA DA GC GD
478/953,971(0000-0999),971(1000-1999),971(2000-2999)						GI GL GN GR
478/971(3000-3999),971(4000-4999),971(5000-5999)						HD RA RC RD
478/971(6000-6999),971(7000-7999),971(8000-8999)						RH SQ TJ UM
						UP UU UW VA
CHAMBLEE	CHMBGAMADS0	07225	02085	5192	438	AA BA DA GC
678/530,547						GL GQ GR PA
770/216,220(0000-6999),220(8000-9999),234,292(1000-1999)						PJ PR PS QB
770/292(9000-9999),451,452,454,455(0000-4999)						QF RC RD SV
770/455(6000-9999),457,458,488,936,986						T9 TJ TK UK
						VG VJ VK XA
CHAMBLEE	CHMBGAMAK11	07225	02085	5192	438	DA GQ GR PR
/						PS T9 UG VB
						XA
CHAMBLEE	CHMBGAMARS4	07225	02084	7837	438	DA DD G2 GD
/						GE GJ GN GQ
						HB HC IA IB
						IC IE IF IG
						IH II QA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
CHAMBLEE /	CLMBGAMA61W	07225	02084	5192	438	DA GQ GR PA PJ TA XA
CHAMBLEE /	CLMBGAMAK11	07225	02084	5192	438	DA GQ GR PA PJ UG VB XA
CHATSWORTH 706/422(0000-4999),422(6000-9999),517,695	CHWOGAXADS0	07102	02252	4332	438	AA BA DA DD GC GD GI GR HB HD II RD SH SQ TJ
CHATSWORTH 706/422(5000-5999)	CHWOGAXAPS0	07102	02252	4332	438	AA BA DA DD GC GD GI GR HB HD II RD SH SQ TJ
CHESTER 478/358	CHESGAXA35A	07402	01743	0380	446	AA BA DA TJ
CHICKAMAUGA 706/375,382	CHCMGAXADS1	07127	02344	0354	472	AA BA DA GR OE TJ TK TZ
CLARKESVILLE 706/754,839	CLVLGAXARS1	07020	02042	0386	438	AA BA BC D1 DA DD G2 G3 G7 GB GC GD GM GR HB HD IA IC ID II RA RH RL RN SJ SM SP ST SU SV TJ UB UK UM UR UT UW UX UZ
CLAXTON 912/739	CXTNGAMA73A	07329	01519	5192	440	AA DA GC GL GQ GR PC PL SV TJ XA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
CLAYTON	CYTNGAXARP0	06959	02052	4425	438	AA BA DA GC
706/212(9000-9999)						GD GI GR HB
						HD RC RD SV
						TJ
CLAYTON	CYTNGAXARS2	06959	02052	4425	438	AA BA DA GC
706/212(0000-0999),212(2000-5999),212(7000-7999),782						GD GI GR HB
						HD RC RD SV
						TJ
CLERMONT	CLMTGAMA98C	07077	02067	5192	438	BA DA G4 GC
770/983(0000-3999),983(5000-5999),983(7000-7999)						GD GL GQ GR
770/983(9000-9999)						PC PL SV TJ
						XA
CLEVELAND	CLEVGAXA86C	07045	02077	0386	438	AA BA BC D1
706/219,348(0000-2999),348(4000-4999),348(6000-9999),865						DA DD G2 G3
706/865						G7 GB GC GD
						GM GR HB HD
						IA IC ID II
						RA RH RL RN
						RO SJ SM SP
						ST SU SV T3
						TJ UB UK UM
						UR UT UW UX
						UZ XG
CLEVELAND	CLEVGAXAPS0	07045	02077	0386	438	AA BA BC D1
762/216(9000-9999),228(9000-9999)						DA DD G1 G2
						G3 GB GC GD
						GM GR HB HD
						IA IC ID II
						RA RH RL RN
						RO SJ SM SP
						ST SU SV T3
						TJ UB UK UM
						UR UT UW UX
						UZ XG

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
COCHRAN 478/934	CCHRGAMA93A	07423	01774	5192	446	BA DA GC GL GQ GR PC PL SV TJ XA
COHUTTA 706/694(1000-1999)	CHTTGAXARP0	07081	02299	4332	438	AA BA DA DD GC GI GR HB HD II SQ TJ
COHUTTA 706/694(0000-0999),694(2000-2999),694(3000-3999) 706/694(4000-4999),694(5000-5999),694(6000-6999) 706/694(8000-8999),694(9000-9999)	CHTTGAXARS1	07081	02299	4332	438	AA BA DA DD GC GI GR HB HD II SQ TJ
COLBERT 706/788(8000-8999)	CLBRGAXARP0	07099	01930	0357	438	AA DA GC GD GI GM GR HB HD RA RC RD RH SQ TJ UM UP UU UW VA
COLBERT 706/788(0000-0999),788(1000-1999),788(2000-2999) 706/788(3000-3999),788(4000-4999),788(5000-5999) 706/788(6000-6999),788(7000-7999),788(9000-9999)	CLBRGAXARS1	07099	01930	0357	438	AA DA GC GD GI GM GR HB HD RA RC RD RH SQ TJ UM UP UU UW VA
COLLINS 912/693(4000-4999)	CLNSGAXARP0	07345	01553	4425	440	AA BA DA DD GC GD GI GR HD II SV TJ
COLLINS 912/693(0000-0999),693(1000-1999),693(2000-2999) 912/693(3000-3999),693(5000-5999),693(6000-6999) 912/693(7000-7999),693(8000-8999),693(9000-9999)	CLNSGAXARS0	07345	01553	4425	440	AA BA DA DD GC GD GI GR HD II SV TJ
COLQUITT 229/758	CLQTGAES75C	07777	01867	5192	444	BA DA G4 GC GL GQ GR PC PL SV TJ XA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
COLUMBUS	CLMBGABV68C	07561	02033	5192	438	AA BA DA GC
706/544,545,626,682,683,685(0000-5999),685(7000-9999)						GL GQ GR PB
706/687,689						PK PR PU SV
762/408						TJ XA
COLUMBUS	CLMBGAMT01T	07557	02044	5192	438	DA G2 G3 G8
/						GB GQ GR PB
						PK PR PU QB
						QF TJ UK XA
COLUMBUS	CLMBGAMT12T	07557	02044	5192	438	DA G8 GB GQ
/						GR PR PU TJ
						XA
COLUMBUS	CLMBGAMT13T	07557	02044	5192	438	DA G8 GB GQ
/						GR PR PU TJ
						XA
COLUMBUS	CLMBGAMT61W	07557	02044	5192	438	DA G8 GQ GR
/						PB PK PR PU
						TB TJ UK XA
COLUMBUS	CLMBGAMT64A	07557	02044	5192	438	AA BA DA G8
706/225(3000-4999),257(1000-1999),257(2000-2999)						GL GQ GR PB
706/257(3000-3999),257(4000-4999),257(5000-5999)						PK PR PU QB
706/257(6000-6999),257(7000-7999),257(8000-8999)						QF RC RD SV
706/257(9000-9999),317,320,321(0000-0999),321(1000-1999)						TJ UK XA
706/321(2000-2999),321(3000-3999),321(5000-5999)						
706/321(6000-6999),321(7000-7999),321(8000-8999)						
706/321(9000-9999),322,323,324,327,494,571,576,596						
706/641(0000-0999),641(1000-1999),641(3000-3999)						
706/641(4000-4999),641(5000-5999),641(6000-6999)						
706/641(7000-7999),641(8000-8999),641(9000-9999),644,649						
706/653,660(0000-4999),660(6000-9999),748(2000-6999)						
706/763(2000-6999),966,985						
COLUMBUS	CLMBGAMTBB0	07557	02044	5192	438	DA G8 GQ GR
/						PR PU TD TG
						TJ UK XA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
COLUMBUS /	CLMBGAMTBB1	07557	02044	5192	438	DA G8 GQ GR PB PK PR PU TD TG TJ UK XA
COLUMBUS /	CLMBGAMTBB2	07557	02044	5192	438	DA G8 GQ GR PR PU TD TG TJ UK XA
COLUMBUS /	CLMBGAMTBB4	07557	02044	5192	438	DA G8 GQ GR PR PU TD TG XA
COLUMBUS /	CLMBGAMTK01	07557	02044	5192	438	DA G4 G8 GQ GR PB PK PR PU TJ UB UE UG UK UP XA ZY
COLUMBUS /	CLMBGAMTK11	07557	02044	5192	438	DA G8 GQ GR PR PU TJ UG UK VB XA
COLUMBUS 706/223(5000-5999)	CLMBGAMTXRX	07557	02044	4498	438	DA
COLUMBUS 706/561,562(0000-2999),562(6000-9999),563,565,568 706/569(0000-0999)	CLMBGAMW56C	07546	02035	5192	438	BA DA GC GL GQ GR PB PK PR PU SV TJ XA
COMER 706/783(7000-7999)	COMRGAXARP0	07087	01920	0357	438	AA DA GC GD GM GR HB HD RA RC RD RH SJ SQ ST TJ UG UM UP UU UW VA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
COMER	COMRGAXARS1	07087	01920	0357	438	AA DA GC GD
706/783(0000-0999),783(1000-1999),783(2000-2999)						GM GR HB HD
706/783(3000-3999),783(4000-4999),783(5000-5999)						RA RC RD RH
706/783(6000-6999),783(9000-9999)						SJ SQ ST TJ
						UG UM UP UU
						UW VA
COMMERCE	CMRCGAXADS1	07091	01987	0357	438	AA DA GC GD
706/335,336,423						GI GJ GL GN
						GR HB HD II
						RA RC RD RH
						SK SP SQ ST
						TJ UG UM UP
						UR UU UW VA
						XG
COMMERCE	CMRCGAXAPS0	07091	01987	0357	438	AA DA GC GD
706/520						GI GJ GL GN
						GR HB HD II
						RA RC RD RH
						SK SP SQ ST
						TJ UG UM UP
						UR UU UW VA
						XG
CONCORD	CNCRGAMA49C	07389	02022	5192	438	BA DA GL GQ
770/884(0000-0999),884(3000-3999),884(5000-5999)						GR PC PL TJ
770/884(9000-9999)						XA
CONYERS	CNYRGAMA48F	07243	02018	5192	438	AA BA DA GC
678/413(0000-4999),413(6000-9999)						GL GQ GR PC
770/278(7000-8999),388,483,602,760,761,785,860,918,922						PL PR PS SV
770/929						T9 TJ TK UK
						XA
COOLIDGE	CLDGGAXARP0	07730	01708	4332	444	AA BA DA GC
229/346(2000-2999)						GM GR HB HD
						SQ TJ

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
COOLIDGE	CLDGGAXARS1	07730	01708	4332	444	AA BA DA GC
229/346(0000-1999),346(3000-9999)						GM GR HB HD
						SQ TJ
CORDELE	CORDGAMA27C	07542	01797	5192	444	BA DA G4 GC
229/271,273,276,401(0000-7999),401(9000-9999)						GL GQ GR PC
						PL SV TJ XA
CORNELIA	CRNLGAXA77A	07040	02030	0386	438	AA BA BC D1
706/776,778,894(0000-0999),894(1000-1999),894(2000-2999)						DA DD G2 G3
706/894(3000-3999),894(4000-4999),894(5000-5999)						G7 GB GC GD
						GM GR HB HD
						IA IC ID II
						RA RN RO SJ
						SM SP ST SU
						SV TJ UB UK
						UM UR UT UW
						UX UZ
CORNELIA	CRNLGAXAPS0	07040	02030	0386	438	AA BA BC D1
706/915(4000-4999)						DA DD G2 G3
						G7 GB GC GD
						GM GR HB HD
						IA IC ID II
						RA RN RO SJ
						SM SP ST SU
						SV TJ UB UK
						UM UR UT UW
						UX UZ
COVINGTON	CVTNGAMT78C	07241	01984	5192	438	AA BA DA G4
678/212(7000-7999),342,625(0000-2999),625(3000-5999)						GC GL GQ GR
678/625(6000-6999),625(7000-9999)						PC PL PR PS
770/385,784,786,787,788						SV T9 TJ TK
						XA
CULLODEN	CUDNGAXA88A	07401	01943	0381	446	BA DA GC GR
478/885						HD OE PN SD
						TJ TK

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
CUMMING	CMNGGAMA88C	07152	02094	5192	438	AA BA DA G4
678/341(6000-6999),455,513,947,965(4000-6999)						GC GL GQ GR
678/965(7000-7999),965(8000-8999)						PC PL PR PS
770/205,781,844,886,887,888,889						SV T9 TJ TK
						XA
CUSSETA	CSSTGAMARS1	07569	01993	5192	438	BA DA GC GD
706/989(0000-0999),989(1000-1999),989(2000-2999)						GL GQ GR PC
706/989(3000-3999)						PL PR PU SV
						TJ XA
CUTHBERT	CTHBGAXADS1	07671	01940	4332	444	AA BA DA GC
229/209(1000-1999),209(5000-5999),209(7000-7999)						GI GR HB HD
229/209(8000-8999),209(9000-9999),732						RC TJ
CUTHBERT	CTHBGAXAPS0	07671	01940	4332	444	AA BA DA GC
229/209(6000-6999)						GI GR HB HD
						RC TJ
DAHLONEGA	DHLNGAXARP0	07076	02104	0386	438	AA BA BC DA
706/482(4000-4999)						DD G2 G7 GD
						GM GR HD IC
						ID II RA RH
						RN RO SJ SM
						SP ST SU SV
						TJ UB UK UM
						UR UT UW UX
						UZ
DAHLONEGA	DHLNGAXARS1	07076	02104	0386	438	AA BA BC DA
706/482(0000-0999),482(1000-1999),482(2000-2999)						DD G2 G7 GC
706/482(3000-3999),482(5000-5999),482(6000-6999)						GD GM GR HD
706/482(7000-7999),482(9000-9999),864,867(0000-4999)						IC ID II RA
706/867(6000-9999)						RH RN RO SJ
						SM SP ST SU
						SV TJ UB UK
						UM UR UT UW
						UX UZ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
DALLAS                      DLLSGAES44A 07269 02174 5192  438 AA BA DA G4
   678/224(4000-4999),363(0000-0999),363(1000-1999)          GC GL GQ GR
   678/363(3000-3999),363(4000-4999),363(5000-5999)          PC PL PR PS
   678/363(6000-6999),363(7000-7999),363(8000-8999)          SV T9 TJ TK
   678/363(9000-9999),383(3000-3999),383(8000-8999)          XA
   770/443,445,505
.......................................................................
DALTON                      DLTNGAXBRS1 07105 02286 4332  438 AA BA DA DD
   706/259                                                   GC GD GI GR
                                                             HB HD II RD
                                                             SQ TJ XG
.......................................................................
DALTON                      DLTNGAXCDS1 07121 02284 4332  438 AA BA DA GC
   706/217(0000-4999),217(6000-6999),226,260(2000-4999)      GD GI GJ GR
   706/270(0000-0999),270(5000-9999),271(0000-4999)          HB HD II RC
   706/271(9000-9999),272,275,278,279,281,370                RD RM SK SQ
   706/428(0000-0999),428(2000-3999),428(5000-9999),532      TJ UG XG
   706/712(1000-9999),876(0000-7999),876(9000-9999)
.......................................................................
DALTON                      DLTNGAXCPS0 07121 02284 4332  438 DA
   706/516(3000-3999),712(0000-0999)
.......................................................................
DALTON                      DLTNGAXDRS1 07137 02273 4332  438 AA BA DA DD
   706/277                                                   GC GD GI GR
                                                             HB HD II RD
                                                             SH SQ TJ XG
.......................................................................
DANIELSVILLE                DEVLGAXARP0 07083 01940 0357  438 AA DA GC GD
   706/795(1000-1999)                                        GI GL GN GR
                                                             HB HD II RA
                                                             RC RD RH SJ
                                                             SP SQ ST TJ
                                                             UG UM UP UU
                                                             UW VA
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
DANIELSVILLE	DEVLGAXARS1	07083	01940	0357	438	AA DA GC GD
706/795(0000-0999),795(2000-2999),795(3000-3999)						GI GL GN GR
706/795(5000-5999),795(6000-6999),795(7000-7999)						HB HD II RA
706/795(9000-9999)						RC RD RH SJ
						SP SQ ST TJ
						UG UM UP UU
						UW VA
DANVILLE	DAVLGAXARP0	07372	01780	4425	446	AA BA DA DD
478/962(8000-8999)						GC GD GI GR
						HD SV TJ
DANVILLE	DAVLGAXARS0	07372	01780	4425	446	AA BA DA DD
478/962(0000-0999),962(1000-1999),962(2000-2999)						GC GD GI GR
478/962(3000-3999),962(4000-4999),962(5000-5999)						HD SV TJ
478/962(6000-6999),962(7000-7999),962(9000-9999)						
DARIEN	DARNGAXADS0	07430	01355	0358	440	DA GM GR HD
912/437,485,832						OE TJ TZ
DAWSON	DWSNGAXADS0	07640	01883	4332	444	AA BA DA GC
229/995						GD GI GR HD
						II RC RD SQ
						TJ
DAWSON	DWSNGAXAPS0	07640	01883	4332	444	AA BA DA GC
229/633(9000-9999)						GD GI GR HD
						II RC RD SQ
						TJ
DAWSONVILLE	DWVLGAXARP0	07079	02131	0386	438	AA BA BC DA
706/429(1000-1999)						DD G2 G7 GC
						GD GM GR HD
						IC II RA RH
						RN RO SJ SM
						SP ST SU SV
						TJ UB UK UM
						UR UT UW UX
						UZ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
DAWSONVILLE	DWVLGAXARS1	07079	02131	0386	438	AA BA BC DA
706/265,344(0000-0999),344(1000-1999),344(3000-3999)						DD G2 G7 GC
706/344(4000-4999),344(5000-5999),344(6000-6999)						GD GM GR HD
706/429(0000-0999),429(9000-9999),531(0000-0999)						IC II RA RH
706/531(1000-1999),531(2000-2999),531(3000-3999)						RN RO SJ SM
706/531(9000-9999)						SP ST SU SV
						TJ UB UK UM
						UR UT UW UX
						UZ
DAWSONVILLE	DWVLGAXBRS2	07113	02096	0386	438	AA BA BC DA
706/216						DD G2 G7 GC
						GD GM GR HD
						IC II RA RH
						RN RO SJ SM
						SP ST SU SV
						UB UK UM UR
						UT UW UX UZ
DEXTER	DXTRGAXA87A	07387	01731	0380	446	AA BA DA HB
478/875						HD TJ
DIAL	DIALGAXARS0	07055	02167	0346	438	AA BA DA G7
706/838						GC GD GM GR
						OE RD RL RM
						SQ TJ
DILLARD MOUNTAIN CITY	DLRDGAXARP0	06946	02056	4425	438	AA BA DA GC
706/746(8000-8999)						GD GR HB HD
						SV TJ
DILLARD MOUNTAIN CITY	DLRDGAXARS2	06946	02056	4425	438	AA BA DA GC
706/746(0000-0999),746(1000-1999),746(2000-2999)						GD GR HB HD
706/746(3000-3999),746(4000-4999),746(5000-5999)						SV TJ
706/746(6000-6999),746(7000-7999),746(9000-9999)						
DOERUN	DORNGAXARP0	07677	01749	4332	444	AA BA DA GC
229/782(6000-6999)						GM GR HB HD
						SQ TJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
DOERUN	DORNGAXARS1	07677	01749	4332	444	AA BA DA GC
229/782(0000-0999),782(1000-1999),782(2000-2999)						GM GR HB HD
229/782(3000-3999),782(4000-4999),782(5000-5999)						SQ TJ
229/782(7000-7999),782(8000-8999),782(9000-9999)						
DONALSONVILLE	DNVLGAXADS0	07819	01878	4425	444	AA BA DA DD
229/524						GC GD GI GR
						HD II RC RD
						SV TJ
DONALSONVILLE	DNVLGAXAPS0	07819	01878	4425	444	AA BA DA DD
229/992(9000-9999)						GC GD GI GR
						HD II RC RD
						SV TJ
DOUGLAS	DGLSGAAWWAA	07587	01388	3622	440	GR
912/276(6000-6999),475(1000-1999)						
DOUGLAS	DGLSGAXADS0	07541	01597	4332	440	AA BA DA DD
912/260,383,384,389,393						GC GD GI GR
						HB HD II RC
						RD RM SQ TJ
DOUGLAS	DGLSGAXAPS0	07541	01597	4332	440	AA BA DA DD
912/493(2000-2999)						GC GD GI GR
						HB HD II RC
						RD RM SQ TJ
DOUGLASVILLE	DGVLGAMA94F	07294	02141	5192	438	AA BA DA G4
678/391(0000-2999),391(8000-8999),715,838						GC GL GQ GR
770/489,577,920,942,947,949						PC PL PR PS
						SV T9 TJ TK
						XA
DUBLIN	DBLNGAMA27C	07353	01719	5192	446	AA BA DA GC
478/272,274,275,277,296						GL GQ GR PC
						PL RC RD SV
						TJ XA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
DUDLEY	DDLYGAXA67A	07368	01745	0380	446	AA BA DA HB
478/676						HD TJ
DULUTH	DLTHGAHS47C	07191	02072	5192	438	BA DA G4 GC
470/564(5000-7999)						GL GQ GR PC
678/415,417,473,474(0000-5999),474(7000-9999),475						PL PR PS SV
678/512(0000-8999),542(2000-3999),584(0000-2999)						T9 TJ TK UK
678/584(4000-9999),639(0000-8999),957(0000-6999)						XA
678/957(8000-9999)						
770/232(0000-5999),232(7000-9999),418,476,495,497,622						
770/623,813,814(0000-0999),814(2000-2999),814(3000-3999)						
770/814(4000-4999),814(5000-5999),814(7000-7999)						
770/814(8000-8999),814(9000-9999)						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
DUNWOODY	DNWDGAMA67A	07219	02096	5192	438	AA BA DA GC
404/648,774						GD GL GQ GR
678/320(0000-6999),320(9000-9999),338(3000-3999)						PA PJ PR PS
678/338(4000-4999),404(3000-4999),406(8000-8999),441,443						QB QF RC RD
678/579(0000-1999),579(3000-9999),587(0000-4999)						SL SV T9 TJ
678/587(6000-7999),587(9000-9999),645,652(9000-9999)						TK UK VG VJ
678/731(0000-0999),731(1000-1999),731(2000-2999)						VK XA
678/731(3000-3999),731(4000-4999),731(5000-5999)						
678/731(6000-6999),731(8000-8999),731(9000-9999)						
678/795(7000-7999)						
770/206(1000-7999),206(9000-9999),350,351(0000-1999)						
770/351(3000-9999),352,353(0000-0999),353(1000-1999)						
770/353(2000-2999),353(3000-3999),353(4000-4999)						
770/353(5000-5999),353(6000-6999),353(7000-7999)						
770/353(8000-8999),379,390,391,392,393,394,395,396,399						
770/481(0000-0999),481(1000-1999),481(2000-2999)						
770/481(3000-3999),481(4000-4999),481(5000-5999)						
770/481(6000-6999),481(7000-7999),481(9000-9999)						
770/508(2000-2999),512,522,551,604(0000-0999)						
770/604(2000-2999),604(3000-3999),604(4000-4999)						
770/604(5000-5999),604(6000-6999),604(7000-7999)						
770/604(8000-8999),604(9000-9999),668(0000-2999)						
770/668(5000-5999),668(7000-9999),671,673,677,698,730						
770/804,821(0000-0999),821(2000-5999),828(0000-4999)						
770/829(1000-9999),901(0000-0999),901(1000-1999)						
770/901(3000-3999),901(4000-4999),901(5000-5999)						
770/901(6000-6999),901(7000-7999),901(8000-8999)						
770/901(9000-9999),913(0000-5999),913(8000-9999)						
DUNWOODY	DNWDGAMABBA	07219	02096	5192	438	DA GQ GR PR
/						PS T9 TJ TK
						TU XA
DUNWOODY	DNWDGAMAK01	07219	02096	5192	438	DA GQ GR PA
/						PJ PR PS T9
						TJ TK UB UE
						UG UK UP XA
						ZY

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
DUNWOODY /	DNWDGAMAK11	07219	02096	5192	438	DA GQ GR PR PS T9 TJ TK UG UK VB XA
EASTANOLLEE 706/779(1000-1999)	ENLLGAXARP0	07011	01990	4332	438	AA BA DA GC GI GM GR HB HD SH SQ TJ
EASTANOLLEE 706/779(0000-0999),779(2000-2999),779(3000-3999) 706/779(4000-4999),779(5000-5999),779(6000-6999) 706/779(7000-7999),779(8000-8999),779(9000-9999)	ENLLGAXARS1	07011	01990	4332	438	AA BA DA GC GI GM GR HB HD SH SQ TJ
EASTMAN 478/374,448	ESMNGAES37A	07442	01725	5192	446	BA DA GL GQ GR PC PL SV TJ XA
EATONTON 706/484,485,923	ETTNGAESDS1	07249	01881	5192	438	BA DA GC GQ GR PC PL SV TJ XA
EDISON 229/835(1000-1999)	EDSNGAXARP0	07707	01908	4332	444	AA BA DA GC GM GR HB HD RC SQ TJ
EDISON 229/835(0000-0999),835(2000-2999),835(3000-3999) 229/835(4000-4999),835(5000-5999),835(6000-6999) 229/835(7000-7999),835(8000-8999),835(9000-9999)	EDSNGAXARS1	07707	01908	4332	444	AA BA DA GC GM GR HB HD RC SQ TJ
ELBERTON 706/213,283	EBTNGAMA28A	07053	01885	5192	438	AA BA DA G4 GC GL GQ GR PC PL TJ XA
ELLABELL 912/851,858	ELBLGAXARS1	07284	01450	0376	440	AA BA DA GR OE RC RD TJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
ELLAVILLE 229/937(3000-3999)	ELVLGAXARP0	07539	01910	4332	444	AA BA DA GC GD GM GR HB HD RD TJ
ELLAVILLE 229/937(0000-2999),937(4000-4999),937(5000-5999) 229/937(9000-9999)	ELVLGAXARS1	07539	01910	4332	444	AA BA DA GC GD GM GR HB HD RD TJ
ELLIJAY /	ELJYGAXA01T	07091	02200	0360	438	D1 DA GB GR HB HD RC RD RU SH SQ TJ UR ZZ
ELLIJAY 706/273(1000-3999),273(5000-5999),273(7000-7999),276,635 706/636	ELJYGAXA27A	07091	02200	0360	438	AA BA DA DD GC GD GN GR IC ID TJ
ELLIJAY 706/515(0000-4999),515(6000-9999),697,698	ELJYGAXADS1	07091	02200	0360	438	AA BA DA DD GC GD GN GR IC ID TJ
ENIGMA 229/533(2000-2999)	ENGMGAXARP0	07605	01664	4332	444	AA BA DA DD GC GI GR HB HD II SH TJ
ENIGMA 229/533(0000-0999),533(1000-1999),533(3000-3999) 229/533(4000-4999),533(5000-5999),533(6000-6999) 229/533(7000-7999),533(8000-8999),533(9000-9999)	ENGMGAXARS3	07605	01664	4332	444	AA BA DA DD GC GI GR HB HD II SH TJ
FAIRBURN 770/892(2000-4999),892(7000-7999)	FRBNGAEB96A	07312	02095	5192	438	AA BA DA GC GL GQ GR PC PL PR PS SV T9 TJ TK XA
FAIRBURN 770/306,774,964,969	FRBNGAEBRPA	07312	02095	5192	438	AA BA DA PC PL PR PS

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
FAIRMOUNT	FAMTGAXADS0	07157	02207	0362	438	AA BA DA GR
706/337(1000-5999),337(7000-7999),337(9000-9999)						HD
770/796(1000-1999),796(2000-2999),796(9000-9999)						
FARGO	FARGGAXARP0	07667	01461	4425	440	AA BA DA DD
912/637(2000-2999)						GC GD GI GR
						HD SV TJ
FARGO	FARGGAXARS0	07667	01461	4425	440	AA BA DA DD
912/637(0000-0999),637(1000-1999),637(3000-3999)						GC GD GI GR
912/637(4000-4999),637(5000-5999),637(6000-6999)						HD SV TJ
912/637(7000-7999),637(8000-8999),637(9000-9999)						
FAYETTEVILLE	FYVLGASG46A	07324	02062	5192	438	BA DA GL GQ
678/817(0000-1999),817(3000-7999),817(9000-9999)						GR PC PL PR
770/460,461,716,719						PS SV T9 TJ
						TK XA
FAYETTEVILLE	PTCYGAMA48C	07337	02076	5192	438	AA BA DA G4
678/364(0000-1999),364(3000-6999),364(8000-9999)						GC GL GQ GR
770/268(7000-7999),486,487,631,632						PC PL PR PS
						SV T9 TJ TK
						XA
FITZGERALD	FTZGGAXADS0	07540	01685	4332	444	AA BA DA DD
229/409,423,424,426,622(0000-7999)						GC GD GI GR
						HB HD II RC
						RD RM SH SQ
						T7 TJ TU XG
FITZGERALD	FTZGGAXADS2	07540	01685	4332	444	AA BA DA DD
229/428						GC GD GI GR
						HB HD II RC
						RD RM SH SQ
						T7 TU XG
FITZGERALD	FTZGGAXAPS0	07540	01685	4332	444	DA
229/736(0000-0999),868(8000-8999)						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
FLOWERY BRANCH 770/848,965,967	FLBRGAMADS1	07137	02058	5192	438	BA DA G4 GC GD GL GQ GR PC PL T9 TJ XA
FOLKSTON 912/496	FLTNGAXADS0	07587	01387	4425	440	AA BA DA DD GC GD GI GR HD RC RD SV TJ
FOLKSTON 912/575(9000-9999),698(9000-9999),985	FLTNGAXAPS0	07587	01387	4425	440	AA BA DA DD GC GD GI GR HD RC RD SV TJ
FORSYTH 478/974(0000-0999),992(2000-2999),992(5000-6999) 478/992(8000-9999),993(3000-4999),993(9000-9999),994	FRSYGAMA99A	07354	01935	5192	446	AA BA DA GC GL GQ GR PC PL SV TJ XA
FORT GAINES 229/768(1000-1999)	FTGNGAXARP0	07727	01964	4332	444	AA BA DA GC GI GR HB HD SQ TJ
FORT GAINES 229/768(0000-0999),768(2000-2999),768(3000-3999) 229/768(4000-4999),768(5000-5999),768(9000-9999)	FTGNGAXARS1	07727	01964	4332	444	AA BA DA GC GI GR HB HD SQ TJ
FORT VALLEY 478/822(1000-3999),822(7000-7999),822(9000-9999),825 478/827(0000-1999),827(3000-3999)	FTVYGAMA82C	07440	01877	5192	446	BA DA GC GL GQ GR PC PL PT SV TJ XA
FORT VALLEY /	FTVYGAMAK01	07440	01877	5192	446	DA GQ GR PC PL PT TJ UB UE UG UP XA ZY
FRANKLIN 706/675(0000-1999),675(3000-4999),675(6000-6999) 706/675(8000-9999)	FKLNGAMA67C	07421	02150	5192	438	BA DA G4 GL GQ GR PC PL TJ XA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
FUNSTON	FNTNGAXARP0	07695	01729	4332	444	AA BA DA GC
229/941(3000-3999)						GM GR HB HD
						SH SQ TJ
FUNSTON	FNTNGAXARS1	07695	01729	4332	444	AA BA DA GC
229/941(0000-2999),941(4000-9999)						GM GR HB HD
						SH SQ TJ
GAINESVILLE	GSVLGAMA01T	07106	02054	5192	438	DA GC GQ GR
/						T8 TJ XA
GAINESVILLE	GSVLGAMA03T	07106	02054	5192	438	DA GB GQ GR
/						T8 TJ XA
GAINESVILLE	GSVLGAMADS1	07106	02054	5192	438	AA BA DA GC
678/450,989(0000-3999),989(5000-5999)						GD GL GQ GR
770/219,287(0000-3999),287(5000-9999),297,503(0000-3999)						PC PL RC RD
770/503(7000-9999),531,532,533(4000-9999),534,535,536						SV T8 TJ XA
770/538(0000-0999),538(2000-2999),538(3000-3999)						
770/538(4000-4999),538(5000-5999),538(6000-6999)						
770/538(7000-7999),538(8000-8999),538(9000-9999)						
770/539(6000-6999),539(7000-7999),539(8000-8999)						
770/539(9000-9999),718(0000-5999),718(9000-9999)						
GAINESVILLE	GSVLGAMAK01	07106	02054	5192	438	DA GQ GR PC
/						PL T8 TJ UB
						UE UG UP XA
						ZY
GAINESVILLE	GSVLGAMAO2T	07106	02054	5192	438	DA GB GQ GR
/						PC PL T8 TJ
						XA
GAY	GAY GAMA53A	07402	02044	5192	438	AA DA GC GL
706/538(0000-1999),538(6000-6999)						GQ GR PC PL
						TJ XA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
GENEVA	GENVGAXA26A	07496	01986	0381	438	BA DA GC GR
706/269						HD OE PN SQ
						T9 TJ TK
GEORGETOWN	MTGMAL100MD	07691	02249	7177	478	BA DA
229/234(3000-3999)						
GIBSON	GBSNGAES59A	07193	01745	5192	442	BA DA G4 GL
706/598						GQ GR PC PL
						SV TJ XA
GLENNVILLE	GLNVGAXADS0	07373	01497	4425	440	AA BA DA DD
912/654						GC GD GI GR
						HD II RC RD
						SV TJ
GLENNVILLE	GLNVGAXAPS0	07373	01497	4425	440	AA BA DA DD
912/457(4000-4999)						GC GD GI GR
						HD II RC RD
						SV TJ
GLENWOOD	GLWDGAXADS1	07398	01641	0365	440	BA DA GC OE
912/523						TJ TZ
GORDON	GRDNGAXARP0	07328	01824	0395	446	AA BA DA GC
478/628(8000-8999)						GD GR TJ
GORDON	GRDNGAXARS1	07328	01824	0395	446	AA BA DA GC
478/628(0000-0999),628(1000-1999),628(2000-2999)						GD GR TJ
478/628(3000-3999),628(4000-4999),628(5000-5999)						
478/628(6000-6999),628(7000-7999),628(9000-9999)						
GRANTVILLE	GTVLGAMARS1	07399	02100	5192	438	BA DA G5 GQ
678/582(4000-5999),582(7000-7999)						GR PC PL SV
770/583(0000-4999),583(5000-7999),583(8000-8999)						T9 TJ XA
770/583(9000-9999)						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
GRAY	GRAYGAXARP0	07323	01870	4425	446	AA BA DA DD
478/936(7000-7999)						GC GD GI GR
						HD RC RD SV
						TJ
GRAY	GRAYGAXARS1	07323	01870	4425	446	AA BA DA DD
478/936(0000-0999),936(1000-1999),936(2000-2999)						GC GD GI GR
478/936(3000-3999),936(4000-4999),936(5000-5999)						HD RC RD SV
478/936(6000-6999),936(8000-8999),936(9000-9999),986						TJ
GREENSBORO	GNBOGAESRS1	07183	01876	5192	438	BA DA G4 GL
706/453(0000-5999),453(7000-9999),454						GQ GR PC PL
762/243(3000-3999)						SV TJ XA
GREENVILLE	GNVLGAMARS1	07427	02059	5192	438	BA DA G4 GL
706/672(0000-4999),672(9000-9999)						GQ GR PC PL
						TJ XA
GRIFFIN	GRFNGAMA22C	07344	02011	5192	438	BA DA GC GL
470/204(9000-9000)						GQ GR PC PL
678/688(1000-2999),688(5000-5999),688(7000-7999)						SV T9 TJ TK
770/227,228,229(0000-6999),229(8000-9999),233(0000-6999)						XA
770/233(8000-9999),412(0000-1999),412(4000-9999)						
770/467(0000-1999),467(4000-6999),467(8000-9999)						
GRIFFIN	GRFNGAMAK01	07344	02011	5192	438	DA GQ GR PC
/						PL T9 TJ TK
						UB UE UG UP
						XA ZY
HADDOCK	HDDCGAXARP0	07309	01856	4425	446	AA BA DA DD
478/932(6000-6999)						GC GD GI GR
						HD SV TJ
HADDOCK	HDDCGAXARS0	07309	01856	4425	446	AA BA DA DD
478/932(0000-0999),932(1000-1999),932(2000-2999)						GC GD GI GR
478/932(3000-3999),932(4000-4999),932(5000-5999)						HD SV TJ
478/932(7000-7999),932(8000-8999),932(9000-9999)						

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
HAHIRA 229/794	HAHRGAXADS0	07688	01626	4332	444	AA BA DA DD GC GI GR HB HD II RD SQ TJ
HAHIRA 229/201(9000-9999),658(9000-9999)	HAHRGAXAPS0	07688	01626	4332	444	AA BA DA DD GC GI GR HB HD II RD SQ TJ
HAMILTON 706/628	HMTNGAMARS1	07492	02056	5192	438	BA DA G5 GQ GR PC PL SV TJ XA
HAMPTON 770/707(0000-5999),707(7000-9999),897(0000-0999) 770/897(2000-2999),897(7000-9999),946(0000-0999) 770/946(3000-5999),946(7000-9999)	HMPNGAJW94A	07320	02028	5192	438	AA BA DA GC GL GQ GR PC PL PR PS SV T9 TJ UK XA
HARLEM 706/556(0000-3999),556(6000-6999),556(8000-9999)	HRLMGAMARS1	07133	01721	5192	442	BA DA GL GQ GR PC PL PR PU SV TJ XA
HARTWELL 706/376,377,856	HRWLGAXA37A	07014	01922	0368	438	AA BA DA GR HD OE PN T3 TJ TZ WE WH XG
HAWKINSVILLE /	HWVLGAXA02T	07454	01781	0369	446	GB
HAWKINSVILLE 478/783,892,893	HWVLGAXADS2	07454	01781	0369	446	DA G2 G3 GC GL GR HB HD IC ID IG OE SH SP SV T3 TJ TZ UB UG UM UT UW UZ XG

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
HAZLEHURST	HZHLGAMAWAA	07449	01595	3622	440	DA GR
912/699						
HAZLEHURST	HZLHGAMA37C	07449	01596	5192	440	BA DA GL GQ
912/206,375,379						GR PC PL SV
						TJ XA
HELEN	HELNGAXARP0	07022	02083	0386	438	AA BA BC DA
706/892(2000-2999)						DD G2 G7 GC
						GD GM GR HA
						HD IC II RA
						RN RO SM SP
						ST SU SV TJ
						UB UK UM UR
						UT UW UX UZ
HELEN	HELNGAXARS1	07022	02083	0386	438	AA BA BC DA
706/878(0000-5999),878(7000-9999),892(0000-0999)						DD G2 G7 GC
706/892(1000-1999),892(3000-3999)						GD GM GR HD
						IC II RA RH
						RN RO SM SP
						ST SU SV TJ
						UB UK UM UR
						UT UW UX UZ
HEPHZIBAH	HPHZGAESRS1	07131	01675	5192	442	AA BA DA GC
706/592(0000-7999),592(9000-9999)						GL GQ GR PC
						PL PR PU SV
						TJ XA
HIAWASSEE	HWSSGAXARP0	06977	02113	0386	438	AA BA BC DA
706/435(2000-2999)						DD G2 G7 GC
						GD GM GR HD
						IC II RA RH
						RN RO SJ SM
						SP ST SU SV
						TJ UB UK UM
						UR UT UW UX
						UZ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
HIAWASSEE	HWSSGAXARS1	06977	02113	0386	438	AA BA BC DA
706/435(0000-1999),435(3000-9999),896						DD G2 G7 GC
						GD GM GR HD
						IC II RA RH
						RN RO SJ SM
						SP ST SU SV
						TJ UB UK UM
						UR UT UW UX
						UZ
HIGH POINT	HGPNGAXARS5	07144	02353	0354	472	AA DA GR TJ
706/931						
HINESVILLE	HNVLGAXA02T	07359	01433	0356	440	G2 G3 GB HB
/						SH
HINESVILLE	HNVLGAXA87A	07359	01433	0356	440	AA BA DA GC
912/368,369,370,408,435,448,767,876,877						GD GE GN GR
						HD RA RC RD
						RL SJ SP SQ
						ST T7 TU
HOGANSVILLE	HGVLGAMARS1	07417	02106	5192	438	BA DA G5 GQ
706/637(0000-0999),637(4000-6999),637(8000-9999)						GR PC PL SV
						T9 TJ XA
HOMER	HOMRGAXARP0	07066	02006	0357	438	AA DA GC GD
706/677(9000-9999)						GI GL GN GR
						HB HD II RA
						RC RD RH SJ
						SQ TJ UG UM
						UP UU UW VA
HOMER	HOMRGAXARS1	07066	02006	0357	438	AA DA GC GD
706/677(0000-7999)						GI GL GN GR
						HB HD II RA
						RC RD RH SJ
						SQ TJ UG UM
						UP UU UW VA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
HOMERVILLE	HMVLGAXADS0	07620	01529	4425	440	AA BA DA DD
912/487(0000-0999),487(1000-1999),487(2000-2999)						GC GD GI GR
912/487(3000-3999),487(4000-4999),487(5000-5999)						HD RC RD SR
912/487(7000-7999),487(8000-8999),487(9000-9999)						TJ
HOMERVILLE	HMVLGAXAPS0	07620	01529	4425	440	AA BA DA DD
912/646(9000-9999)						GC GD GI GR
						HD RC RD SR
						TJ
IDEAL	IDELGAXARP0	07502	01906	4332	446	AA DA DD GC
478/949(8000-8999)						GI GR HB HD
						II SH SQ TJ
IDEAL	IDELGAXARS1	07502	01906	4332	446	AA DA DD GC
478/949(0000-0999),949(1000-1999),949(2000-2999)						GI GR HB HD
478/949(3000-3999),949(4000-4999),949(5000-5999)						II SH SQ TJ
478/949(6000-6999),949(7000-7999),949(9000-9999)						
ILA	ILA GAXARP0	07082	01957	0357	438	AA DA GC GD
706/789(8000-8999)						GI GM GR HB
						HD RA RC RD
						RH SQ TJ UM
						UP UU UW VA
ILA	ILA GAXARS1	07082	01957	0357	438	AA DA GC GD
706/789(0000-0999),789(1000-1999),789(2000-2999)						GI GM GR HB
706/789(3000-3999),789(4000-4999),789(5000-5999)						HD RA RC RD
706/789(6000-6999),789(7000-7999),789(9000-9999)						RH SQ TJ UM
						UP UU UW VA
IRON CITY	IRCYGAXARP0	07817	01863	4425	444	AA BA DA DD
229/774(3000-3999)						GC GD GI GR
						HD II SV TJ
IRON CITY	IRCYGAXARS0	07817	01863	4425	444	AA BA DA DD
229/774(0000-0999),774(1000-1999),774(2000-2999)						GC GD GI GR
229/774(4000-4999),774(5000-5999),774(6000-6999)						HD II SV TJ
229/774(7000-7999),774(8000-8999),774(9000-9999)						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
IRWINTON 478/943(4000-4999)	IRTNGAXARP0	07324	01791	0395	446	AA BA DA GB GC GD GR TJ
IRWINTON 478/943(0000-0999),943(1000-1999),943(2000-2999) 478/943(3000-3999),943(5000-5999),943(6000-6999) 478/943(7000-7999),943(8000-8999),943(9000-9999),946	IRTNGAXARS1	07324	01791	0395	446	AA BA DA GB GC GD GR TJ
IRWINVILLE 229/831(3000-3999)	IRVLGAXARP0	07565	01698	4332	444	AA BA DA DD GC GI GR HB HD II SH SQ TJ
IRWINVILLE 229/831(0000-2999),831(4000-9999)	IRVLGAXARS2	07565	01698	4332	444	AA BA DA DD GC GI GR HB HD II SH SQ TJ
JACKSON 678/752(0000-0999),752(9000-9999) 770/504(0000-2999),504(7000-9999),775	JCSNGAMARS1	07309	01968	5192	438	BA DA GL GQ GR PC PL PR PS TJ XA
JACKSONVILLE 229/833(3000-3999)	JCVLGAXARP0	07497	01652	4332	444	AA BA DA DD GC GI GR HB HD II SH TJ
JACKSONVILLE 229/833(0000-0999),833(1000-1999),833(2000-2999) 229/833(4000-4999),833(5000-5999),833(6000-6999) 229/833(7000-7999),833(8000-8999),833(9000-9999)	JCVLGAXARS0	07497	01652	4332	444	AA BA DA DD GC GI GR HB HD II SH TJ
JAKIN 229/793(3000-3999)	JAKNGAXARP0	07818	01899	4425	444	AA BA DA DD GC GD GI GR HD II SV TJ
JAKIN 229/793(0000-2999),793(4000-9999)	JAKNGAXARS0	07818	01899	4425	444	AA BA DA DD GC GD GI GR HD II SV TJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
JASPER /	JSPRGAADAMD	07127	02172	0360	438	BA GC GD GN GR IC ID TJ
JASPER 706/301(3000-3999)	JSPRGAXARP0	07129	02168	4332	438	AA BA DA DD GC GI GR HB HD II RD SQ TJ
JASPER 706/301(0000-2999),301(5000-5999),301(9000-9999),692	JSPRGAXARS1	07129	02168	4332	438	AA BA DA DD GC GI GR HB HD II RD SQ TJ
JEFFERSON 706/387(8000-8999)	JFSNGAXARP0	07118	01996	0357	438	AA DA GC GD GI GL GN GR HB HD II RA RC RD RH SJ SQ ST TJ UG UM UP UR UU UW VA
JEFFERSON 706/367,387(0000-0999),387(1000-1999),387(2000-2999) 706/387(3000-3999),387(4000-4999),387(5000-5999) 706/387(6000-6999),387(7000-7999),387(9000-9999)	JFSNGAXARS1	07118	01996	0357	438	AA DA GC GD GI GL GN GR HB HD II RA RC RD RH SJ SQ ST TJ UG UM UP UR UU UW VA
JEFFERSONVILLE 478/945(8000-8999)	JFVLGAXARP0	07366	01803	4425	446	AA BA DA DD GC GD GI GR HD SV TJ
JEFFERSONVILLE 478/945(0000-0999),945(1000-1999),945(2000-2999) 478/945(3000-3999),945(4000-4999),945(5000-5999) 478/945(6000-6999),945(7000-7999),945(9000-9999)	JFVLGAXARS0	07366	01803	4425	446	AA BA DA DD GC GD GI GR HD SV TJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
JEKYLL ISLAND	JKISGAMA63C	07486	01318	5192	440	BA DA GL GQ
912/635(0000-6999),635(8000-9999)						GR PC PL TJ
						XA
JESUP	JESPGAES42A	07431	01452	5192	440	BA DA GC GD
912/427,530,588						GQ GR PC PL
						SV TJ XA
JESUP	JESPGAESWAA	07430	01451	3622	440	DA GR
912/810						
JOHNSON CORNER	JHCRGAESRS1	07402	01582	5192	440	BA DA GC GD
912/565						GL GQ GR PC
						PL SV TJ XA
JONESBORO	JNBOGAMA47F	07301	02055	5192	438	BA DA GC GL
678/479,610						GQ GR PC PL
770/210,471,472,473,477,478,515(7000-7999),603						PR PS SV T9
						TJ TK XA
JONESBORO	MRRWGAMA96F	07287	02059	5192	438	BA DA G4 GC
678/422						GL GQ GR PC
770/960,961,968						PL PR PS SV
						T9 TJ TK XA
KELLER	KLLRGAXA727	07325	01379	0356	440	AA BA DA GE
912/727						GM GN GR HD
						RA RC RD SP
						SQ ST
KENSINGTON	KETNGAXADS0	07157	02347	4425	472	AA DA DD GC
706/539(0000-0999),539(1000-1999),539(2000-2999)						GD GI GR HD
706/539(3000-3999),539(9000-9999)						II SV TJ
KENSINGTON	KETNGAXAPS0	07157	02347	4425	472	AA DA DD GC
762/550(9000-9999)						GD GI GR HD
						II SV TJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
KINGSTON	KGTNGAMA33A	07218	02224	5192	438	BA DA GL GQ
770/336(0000-0999),336(5000-5999),336(9000-9999)						GR PC PL T9
						TJ XA
LA FAYETTE	LFYTGAXADS0	07159	02326	4425	472	AA BA D1 DA
706/638,639(0000-0999),639(1000-1999),639(2000-2999)						DD GC GD GI
706/639(3000-3999),639(4000-4999),639(9000-9999)						GR HB HD II
						RC RD SJ SV
						TJ
LAGRANGE	LGRNGAFNRS0	07453	02111	8332	438	DA
/						
LAGRANGE	LGRNGAMA88C	07453	02111	5192	438	AA BA DA GC
706/812(0000-2999),812(4000-9999),885(0000-1999)						GD GL GQ GR
706/885(5000-6999),885(9000-9999)						PC PL SV TJ
						UK XA
LAGRANGE	LGRNGAMARPA	07453	02111	5192	438	AA BA DA PC
334/982						PL
706/242,837,845,882,883,884						
LAGRANGE	LGRNGAMARS1	07453	02111	5192	438	AA BA DA GC
706/756(4000-4999),880(0000-0999),880(2000-2999)						GD GL GQ GR
706/880(3000-3999),880(4000-4999),880(5000-5999)						PC PL SV TJ
706/880(7000-9999)						UK XA
LAKE BLACKSHEAR	LKBLGAXARS1	07560	01821	0355	444	AA BA DA GM
229/853						GR OE RC RD
						RM SA TI TJ
						ZZ
LAKE PARK	LKPKGAMA55C	07727	01561	5192	444	AA BA DA G4
229/559						GL GQ GR PC
						PL SV TJ XA
LAKE SINCLAIR	LKSNGAXARP0	07277	01859	4425	446	AA BA DA DD
478/968(1000-1999)						GC GD GI GR
						HD SV TJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
LAKE SINCLAIR	LKSNGAXARS1	07277	01859	4425	446	AA BA DA DD
478/968(0000-0999),968(2000-2999)						GC GD GI GR
						HD SV TJ
LAKELAND	LKLDGAXADS0	07650	01583	4332	444	AA BA DA DD
229/482(0000-3999),482(5000-9999),503						GC GD GI GR
						HB HD II SH
						SQ TJ
LAKELAND	LKLDGAXAPS0	07650	01583	4332	444	AA BA DA DD
229/636(9000-9999)						GC GD GI GR
						HB HD II SH
						SQ TJ
LAKEWOOD	LKWDGAXARS0	07035	02186	0346	438	OE RC RD RM
706/374						SQ UD
LAVONIA	LAVNGAXADS0	07012	01958	4332	438	AA BA DA DD
706/356						GC GD GI GR
						HD II SH SQ
						TJ
LAVONIA	LAVNGAXAPS0	07012	01958	4332	438	AA BA DA DD
762/735(9000-9999)						GC GD GI GR
						HD II SH SQ
						TJ
LAWRENCEVILLE	LRVLGAOSDS1	07185	02044	5192	438	AA BA DA GC
470/325,564(1000-1999),564(2000-2999)						GL GQ GR PC
678/225(0000-0999),225(4000-5999),225(7000-7999)						PL PR PS SV
678/226(2000-2999),226(4000-4999),226(6000-6999)						T9 TJ TK XA
678/226(7000-7999),312,376,377,407,442,985						
770/236,237,277,338(0000-5999),338(7000-9999),339,513						
770/682,822,962,963,995						
LEARY	LERYGAMA79A	07700	01864	5192	444	BA DA G4 GE
229/792(0000-7999),792(9000-9999)						GL GQ GR PC
						PL TJ XA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
LEESBURG	LSBGGAMA75C	07623	01835	5192	444	BA DA G4 GC
229/759(0000-3999),759(6000-6999),759(8000-8999)						GL GQ GR PC
229/759(9000-9999)						PL PR PS SV
						TJ XA
LESLIE	LESLGAXADS1	07574	01845	0355	444	AA BA DA GM
229/874						GR OE RC RD
						RM SA TI TJ
						TZ XE ZZ
LEXINGTON	LXTNGAXARP0	07120	01901	0357	438	AA DA GC GD
706/743(1000-1999)						GI GN GR HB
						HD II RA RC
						RD RH SQ TJ
						UM UP UU UW
						VA
LEXINGTON	LXTNGAXARS1	07120	01901	0357	438	AA DA GC GD
706/743(0000-0999),743(2000-2999),743(3000-3999)						GI GN GR HB
706/743(4000-4999),743(5000-5999),743(7000-7999)						HD II RA RC
706/743(8000-8999),743(9000-9999)						RD RH SQ TJ
						UM UP UU UW
						VA
LILBURN	LLBNGAMADS1	07211	02060	5192	438	AA BA DA GC
678/245(3000-3999),245(5000-5999),380,924						GL GQ GR PA
770/279,381,564,638,717,806,921,923,925(0000-4999)						PJ PR PS QB
770/925(6000-9999),931,935						QF SV T9 TJ
						TK UK VG VK
						XA
LITHONIA	LTHNGAJS48C	07243	02035	5192	438	BA DA G4 GC
678/323(7000-8999),526(0000-2999),526(5000-9999)						GD GL GQ GR
770/482,484						PC PL PR PS
						SV T9 TJ TK
						UB XA ZY

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
LIZELLA 478/935	LZLLGAXA93A	07387	01894	0381	446	BA DA GC GR HD OE PN SQ T9 TJ TK
LOGANVILLE 770/466,554	LGVLGACSRS2	07199	02015	5192	438	AA BA DA GL GQ GR PC PL PR PS SV T9 TJ TK XA
LOUISVILLE 478/625	LSVLGAMARS1	07219	01690	5192	442	BA DA G4 GC GL GQ GR PC PL SV TJ XA
LUDOWICI 912/214(1000-1999),545	LDWCGAXADS0	07397	01443	4425	440	AA BA DA DD GC GD GI GR HD SV TJ
LULA 770/869(0000-0999),869(1000-1999),869(3000-3999) 770/869(7000-7999),869(9000-9999)	LULAGAMA86C	07076	02041	5192	438	BA DA G4 GC GL GQ GR PC PL TJ XA
LUMBER CITY 912/363	LMCYGAMA36C	07445	01617	5192	440	BA DA GC GD GL GQ GR PC PL TJ XA
LUMPKIN 229/838	LMKNGAMARS1	07619	01969	5192	444	BA DA GC GL GQ GR PC PL SV TJ XA
LUTHERSVILLE 770/927(0000-3999),927(6000-6999),927(9000-9999)	LTVLGACSRS1	07395	02083	5192	438	BA DA G4 GL GQ GR PC PL SV T9 TJ XA
LYERLY 706/895	LYRLGAXARS1	07227	02314	4332	438	AA BA DA GC GM GR HB SQ TJ
LYONS 912/524,642(5000-5999)	LYNSGAMA0MD	07361	01589	3622	440	DA GR

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
LYONS 912/526	LYNSGAMA52E	07361	01589	5192	440	BA DA GC GD GL GQ GR PC PL SV TJ XA
MACON /	MACNGA01GMD	07364	01866	8355	446	DA DD
MACON 478/781,784,785(0000-0999),785(1000-1999),785(2000-2999) 478/785(3000-3999),785(5000-5999),785(6000-6999) 478/785(8000-8999),785(9000-9999),788	MACNGAGP78C	07377	01865	5192	446	BA DA GC GL GQ GR PB PK PT SV TJ XA
MACON 478/216(5000-5999),225(2000-2999),225(6000-6999) 478/225(9000-9999),238(4000-4999),238(5000-5999) 478/238(6000-6999),254(2000-2999),254(3000-3999) 478/254(4000-4999),254(5000-5999),254(6000-6999) 478/254(7000-7999),254(8000-8999),257(6000-6999) 478/257(7000-7999),287(2000-2999),287(6000-6999) 478/293(1000-1999),293(4000-4999),302(5000-5999) 478/333(2000-2999),333(3000-3999),333(6000-6999) 478/352(2000-2999),352(3000-3999),352(4000-4999) 478/352(5000-5999),352(6000-6999),352(7000-7999) 478/352(8000-8999),359(6000-6999),449(8000-8999) 478/621(4000-4999),621(7000-7999),654(2000-2999) 478/654(6000-6999),812(8000-8999),832(6000-6999)	MACNGAHRGT0	07387	01858	612C	446	DA
MACON /	MACNGAMT04T	07364	01866	5192	446	DA G2 G3 G8 GB GQ GR PB PK PT QB QF T8 TJ XA XD
MACON /	MACNGAMT12T	07364	01866	5192	446	DA G8 GB GQ GR PT T8 TJ XA XD
MACON /	MACNGAMT61W	07364	01866	5192	446	DA G8 GQ GR PB PK PT T8 TB TJ XA XD

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
MACON                       MACNGAMT75A 07364 01866 5192  446 AA BA DA G8
   478/201(1000-6999),207(1000-1999),207(2000-2999)          GC GG GL GQ
   478/207(3000-3999),207(8000-8999),207(9000-9999),301      GR PB PK PT
   478/464(0000-3999),464(5000-5999),464(8000-8999)          QB QF RC RD
   478/621(0000-2999),621(5000-6999),633,646,722(0000-0999)  RE RF RG RH
   478/722(2000-2999),722(6000-6999),722(7000-7999)          SJ SV T8 TJ
   478/722(8000-8999),738(0000-0999),738(2000-2999)          XA XD
   478/738(3000-3999),738(5000-5999),738(8000-8999)
   478/738(9000-9999),741,742,743,744(0000-0999)
   478/744(2000-2999),744(4000-4999),744(5000-5999)
   478/744(6000-6999),744(7000-7999),744(8000-8999)
   478/744(9000-9999),745,746,749,750(0000-0999)
   478/750(1000-1999),750(2000-2999),750(3000-3999)
   478/750(4000-4999),750(5000-5999),750(7000-7999)
   478/750(8000-8999),750(9000-9999),751(0000-5999)
   478/751(6000-6999),751(7000-7999),751(9000-9999)
   478/752(0000-0999),752(1000-1999),752(3000-3999)
   478/752(5000-9999),755,765(0000-1999),765(3000-4999)
   478/765(7000-7999),765(8000-8999),765(9000-9999)
   478/779(2000-2999),779(3000-3999),779(4000-4999)
   478/779(5000-5999),779(6000-6999),779(7000-7999)
   478/779(8000-8999),779(9000-9999),796(6000-7999)
   478/841(7000-7999)
.......................................................................
MACON                       MACNGAMTBB0 07364 01866 5192  446 DA G8 GQ GR
      /                                                       PT T8 TD TG
                                                              TJ XA XD
.......................................................................
MACON                       MACNGAMTBB1 07364 01866 5192  446 DA G8 GQ GR
      /                                                       PB PK PT T8
                                                              TD TG TJ XA
                                                              XD
.......................................................................
MACON                       MACNGAMTBB2 07364 01866 5192  446 DA G8 GQ GR
      /                                                       PT T8 TD TG
                                                              TJ XA XD
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MACON	MACNGAMTBB3	07364	01866	5192	446	DA G8 GQ GR
/						PT T8 TG TJ
						XA XD
MACON	MACNGAMTBB5	07364	01866	5192	446	DA G8 GQ GR
/						PT T8 TD TG
						XA XD
MACON	MACNGAMTDS3	07364	01866	4498	446	DA
478/222,327,803,926						
MACON	MACNGAMTK01	07364	01866	5192	446	DA G4 G8 GQ
/						GR PB PK PT
						T8 TJ UB UE
						UG UP XA XD
						ZY
MACON	MACNGAMTLMD	07364	01866	8355	446	DA DD
/						
MACON	MACNGAMTX2X	07364	01866	4498	446	DA
478/273(5000-5999),602						
MACON	MACNGAVN47C	07364	01878	5192	446	AA BA DA GC
478/238(2000-2999),238(7000-7999),405,471,474,475,476						GL GQ GR PB
478/477,757						PK PT SV TJ
						XA
MACON	MACNGAVNAMD	07364	01878	7435	446	BA DA
478/220(3000-3999),236(3000-4999),247(1000-1999)						
478/257(3000-3999),257(5000-5999),257(9000-9999)						
478/316(3000-3999),333(4000-4999),387(7000-7999)						
478/410(3000-3999),607(8000-8999),654(3000-3999)						
478/721(3000-3999),795(3000-3999),919(2000-2999)						
478/992(7000-7999),997(3000-3999)						

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MADISON	MDSNGAMA34E	07206	01922	5192	438	BA DA G4 GL
706/342(0000-5999),342(7000-9999),343(0000-0999)						GQ GR PC PL
706/343(1000-1999),343(2000-2999),343(5000-6999)						SV TJ XA
706/752(0000-2999),752(4000-4999)						
MANCHESTER	MNCHGAXADS0	07451	02025	4332	438	AA BA DA DD
706/846(0000-0999),846(1000-1999),846(2000-2999)						GD GI GR HD
706/846(3000-3999),846(4000-4999),846(5000-5999)						II RD TJ
706/846(7000-7999),846(8000-8999),846(9000-9999)						
MANCHESTER	MNCHGAXAPS0	07451	02025	4332	438	AA BA DA DD
762/985(9000-9999)						GD GI GR HD
						II RD TJ
MARBLE HILL	MRHLGAXARS1	07127	02149	0375	438	BA BC DA GM
770/893(0000-0999),893(1000-1999),893(2000-2999)						GR OE TJ
770/893(3000-3999),893(4000-4999),893(5000-5999)						
770/893(6000-6999),894(4000-4999),894(5000-5999)						
770/894(6000-6999),894(8000-8999)						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE			
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--
MARIETTA	MRTTGA23DS0	07236	02119	7177	438	BA	DA	GI	GJ
470/205(8000-8999),252(3000-3999),327(3000-7999)						GL	GN	GQ	HA
470/441(3000-3999)						HD	IA	IB	II
678/202(0000-0999),202(1000-1999),202(2000-2999)						SH	SI	UA	UG
678/202(3000-3999),202(6000-6999),202(7000-7999)						UR	UU		
678/202(8000-8999),202(9000-9999),212(3000-3999)									
678/225(1000-3999),225(6000-6999),225(8000-8999)									
678/226(0000-0999),226(5000-5999),226(8000-8999)									
678/249(1000-1999),249(2000-2999),249(6000-6999)									
678/250(1000-1999),250(2000-2999),255(2000-2999)									
678/255(3000-3999),255(4000-4999),256(0000-1999)									
678/256(5000-5999),256(6000-6999),256(7000-7999)									
678/256(8000-8999),256(9000-9999),258(1000-1999)									
678/258(2000-2999),258(3000-3999),258(4000-4999)									
678/258(6000-6999),258(7000-7999),258(8000-8999)									
678/260(2000-2999),324(2000-2999),330(2000-2999)									
678/331(2000-2999),332(2000-2999),332(3000-3999)									
678/332(5000-5999),333(0000-0999),334(2000-2999)									
678/336(0000-0999),336(2000-4999),337(3000-3999)									
678/338(2000-2999),408(3000-3999),424(2000-3999)									
678/424(5000-5999),552(6000-6999),621(6000-6999)									
678/664(3000-3999),736(2000-2999),804(5000-5999)									
678/866(4000-4999),880(4000-4999),928(3000-3999)									
678/952(3000-3999),965(3000-3999)									
706/395(0000-0999),463(4000-4999),713(5000-5999)									
706/715(3000-3999),728(3000-3999),979(3000-3999)									
770/224(7000-7999),238(0000-0999),238(1000-1999)									
770/238(3000-3999),238(4000-4999),238(5000-5999)									
770/239(0000-0999),239(1000-1999),239(2000-2999)									
770/239(3000-3999),239(4000-4999),239(5000-5999)									
770/239(7000-7999),239(8000-8999),239(9000-9999)									
770/243(1000-1999),243(2000-2999),243(4000-4999)									
770/243(5000-5999),243(6000-6999),243(7000-7999)									
770/243(8000-8999),261(0000-8999),276(3000-3999)									
770/283(1000-1999),283(2000-2999),283(3000-3999)									
770/283(5000-5999),283(6000-6999),283(8000-8999)									
770/291(1000-8999),373(2000-2999),373(3000-3999)									
770/373(6000-6999),624(2000-2999),624(5000-5999)									
770/624(8000-8999),627(9000-9999),628(9000-9999)									

-------- Continued on next page --------

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

-------- Continued from previous page --------

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
770/865(0000-0999),871(2000-4999),871(7000-7999)						
MARIETTA	MRTTGAEADS1	07228	02123	5192	438	AA BA DA GC
678/403(4000-4999),560						GL GQ GR PB
770/321,509,565,578,579,971,973,977						PK PR PS SV
						T9 TJ TK VK
						XA
MARIETTA	MRTTGAMA42G	07237	02131	5192	438	AA BA DA GC
470/245,793						GL GQ GR PB
678/290,331(1000-1999),331(3000-3999),331(6000-6999)						PK PR PS QB
678/331(8000-8999),337(7000-7999),354,355(0000-6999)						RC RD SV T9
678/355(9000-9999),581,594(0000-0999),594(2000-2999)						TJ TK UK VG
678/594(4000-9999),655,797						VJ VK XA
770/218,419,420,421(0000-0999),421(1000-1999)						
770/421(2000-2999),421(3000-3999),421(6000-6999)						
770/421(7000-7999),421(8000-8999),421(9000-9999),422,423						
770/424,425,426,427,428,429,499,514,528,590,792,793,794						
770/795,857(5000-5999),919(0000-0999),919(1000-1999)						
770/919(2000-2999),919(7000-7999),919(8000-8999)						
770/919(9000-9999)						
MARIETTA	MRTTGAMA61W	07237	02131	5192	438	DA GQ GR PB
/						PK PR PS T9
						TJ TK TN UK
						XA
MARIETTA	MRTTGAMABB0	07237	02131	5192	438	DA GQ GR PR
/						PS T9 TD TG
						XA
MARIETTA	MRTTGAMABB1	07237	02131	5192	438	DA GQ GR PR
/						PS T9 TD TG
						XA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MARIETTA	MRTTGAMABB2	07237	02131	5192	438	DA GQ GR PR
/						PS T9 TD TG
						XA
MARIETTA	MRTTGAMABB3	07237	02131	5192	438	DA GQ GR PR
/						PS T9 TD TG
						XA
MARIETTA	MRTTGAMABB4	07237	02131	5192	438	DA GQ GR PR
/						PS T9 TG XA
MARIETTA	MRTTGAMABBA	07237	02131	5192	438	DA GQ GR PR
/						PS T9 TJ TK
						TU XA
MARIETTA	MRTTGAMABBC	07237	02131	5192	438	DA GQ GR PR
/						PS T9 TJ TK
						TU XA
MARIETTA	MRTTGAMABBE	07237	02131	5192	438	DA GQ GR PR
/						PS T9 TU XA
MARIETTA	MRTTGAMAK01	07237	02131	5192	438	DA GQ GR PB
/						PK PR PS T9
						TJ TK UB UE
						UG UK UP XA
						ZY
MARIETTA	MRTTGAMAK11	07237	02131	5192	438	DA GQ GR PR
/						PS T9 TJ TK
						UG UK VB XA
MARSHALLVILLE	MRVLGAXARS1	07464	01875	4332	446	DA GC GD GM
478/967						GR HD RD TJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
MAXEYS 706/759(1000-1999)	MXYSGAXARP0	07150	01885	0357	438	AA DA GC GD GI GN GR HB HD II RA RC RD RH SQ TJ UM UP UU UW VA
MAXEYS 706/759(0000-0999),759(2000-2999),759(3000-3999) 706/759(4000-4999),759(5000-5999),759(6000-6999) 706/759(7000-7999),759(8000-8999),759(9000-9999)	MXYSGAXARS1	07150	01885	0357	438	AA DA GC GD GI GN GR HB HD II RA RC RD RH SQ TJ UM UP UU UW VA
MAYSVILLE 706/652(4000-4999)	MYVLGAXARP0	07091	02008	0357	438	AA DA GC GD GI GM GR HB HD RA RC RD RH SQ TJ UM UP UU UW VA
MAYSVILLE 706/652(0000-0999),652(1000-1999),652(2000-2999) 706/652(3000-3999),652(5000-5999),652(6000-6999) 706/652(7000-7999),652(8000-8999),652(9000-9999)	MYVLGAXARS1	07091	02008	0357	438	AA DA GC GD GI GM GR HB HD RA RC RD RH SQ TJ UM UP UU UW VA
MCDONOUGH 678/432,583(0000-5999),583(6000-6999),583(8000-9999) 770/288(2000-4999),288(6000-8999),305(7000-9999) 770/320(7000-9999),898,914,954(0000-0999),954(1000-1999) 770/954(2000-2999),954(3000-3999),954(4000-4999) 770/954(9000-9999),957	MCDNGAGS95A	07296	02013	5192	438	AA DA G4 GL GQ GR PC PL PR PS RC RD SV T9 TJ TK XA
MCRAE /	MCRAGAXARP0	07442	01667	4332	444	DA GC GI GR HB HD RC RD TJ

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
MCRAE 229/868(0000-0999),868(1000-1999),868(2000-2999) 229/868(3000-3999),868(4000-4999),868(5000-5999) 229/868(7000-7999),868(9000-9999)	MCRAGAXARS1	07442	01667	4332	444	DA GC GI GR HB HD RC RD TJ
MEIGS 229/683(2000-2999)	MEGSGAXARP0	07740	01751	4332	444	AA BA DA GC GI HB HD II RA SH SQ TJ
MEIGS 229/683(0000-0999),683(1000-1999),683(3000-3999) 229/683(4000-4999),683(5000-5999),683(6000-6999) 229/683(7000-7999),683(8000-8999),683(9000-9999)	MEGSGAXARS4	07740	01751	4332	444	AA BA DA GC GI GR HB HD II SH SQ TJ
MENLO 706/862(9000-9999)	MENLGAXARP0	07217	02331	4332	438	AA BA DA GC GM GR HB HD RD SQ TJ
MENLO 706/862(0000-0999),862(2000-2999),862(6000-6999)	MENLGAXARS1	07217	02331	4332	438	AA BA DA GC GM GR HB HD RD SQ TJ
METTER 912/562,578,684,685	MTTRGAXADS0	07299	01570	0377	440	AA BA DA GR
MIDWAY 912/880,884	MDWYGAXA884	07349	01398	0356	440	AA BA DA GE GM GN GR HD RA RC RD SP SQ ST
MILAN 229/362(3000-3999)	MILNGAXARP0	07465	01687	4425	444	AA BA DA DD GC GD GI GR HD SV TJ
MILAN 229/362(0000-0999),362(1000-1999),362(2000-2999) 229/362(4000-4999),362(5000-5999),362(6000-6999) 229/362(7000-7999),362(8000-8999),362(9000-9999)	MILNGAXARS0	07465	01687	4425	444	AA BA DA DD GC GD GI GR HD SV TJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE				
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--	
MILLEDGEVILLE	MDVLGAXADS0	07279	01830	4332	446	AA	BA	DA	DD	(C)
478/414(0000-5999),414(7000-7999),414(9000-9999),445						GC	GD	GI	GR	(C)
478/451(0000-6999),451(8000-8999),452,453,454(0000-6999)						HD	II	RC	RD	(C)
478/454(9000-9999),457(0000-3999),457(8000-9999)						RM	SQ	TJ	XG	(C)
478/776(4000-4999),776(5000-5999),804(0000-0999)										(C)
478/804(4000-9999)										(C)
MILLEN	MLLNGAMARS1	07211	01594	5192	442	BA	DA	G4	GC	
478/982						GD	GL	GQ	GR	
						PC	PL	SV	TJ	
						XA				
MONROE	MONRGAXARP0	07191	01981	4332	438	AA	BA	DA	DD	
770/266(3000-3999)						GC	GD	GI	GR	
						HB	HD	II	RC	
						RD	SH	SQ	TJ	
MONROE	MONRGAXARS1	07191	01981	4332	438	AA	BA	DA	DD	
770/207,266(0000-2999),266(4000-4999),266(5000-5999)						GC	GD	GI	GR	
770/266(6000-6999),266(7000-7999),267						HB	HD	II	RC	
						RD	SH	SQ	TJ	
MONTEZUMA	MTZMGAXARP0	07502	01873	4332	446	AA	DA	GC	GD	
478/458(7000-7999)						GI	GR	HB	HD	
						II	RD	SH	SQ	
						TJ				
MONTEZUMA	MTZMGAXARS0	07502	01873	4332	446	AA	DA	GC	GD	
478/458(0000-0999),458(1000-1999),458(2000-2999)						GI	GR	HB	HD	
478/458(3000-3999),458(4000-4999),458(5000-5999)						II	RD	SH	SQ	
478/458(6000-6999),458(8000-8999),458(9000-9999),472						TJ				
MONTICELLO	MNTIGAMARS1	07281	01924	5192	438	BA	DA	G4	GL	
706/468(0000-2999),468(4000-9999)						GQ	GR	PC	PL	
						T9	TJ	XA		
MONTROSE	MTRSGAXARP0	07372	01761	4425	446	AA	BA	DA	DD	
478/376(1000-1999)						GD	GI	GR	HD	
						SV	TJ			

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MONTROSE	MTRSGAXARS1	07372	01761	4425	446	AA BA DA DD
478/376(0000-0999),376(2000-2999),376(3000-3999)						GD GI GR HD
478/376(4000-4999),376(5000-5999),376(6000-6999)						SV TJ
478/376(7000-7999),376(8000-8999),376(9000-9999)						
MORGAN	MRGNGAXARP0	07698	01884	4332	444	AA BA DA GC
229/849(6000-6999)						GI GR HD II
						TJ
MORGAN	MRGNGAXARS1	07698	01884	4332	444	AA BA DA GC
229/849(0000-0999),849(1000-1999),849(2000-2999)						GI GR HD II
229/849(3000-3999),849(4000-4999),849(5000-5999)						TJ
229/849(7000-7999),849(8000-8999),849(9000-9999)						
MORVEN	MRVNGAXARS1	07713	01639	4332	444	AA BA DA GC
229/775						GD GM GR HB
						HD TJ
MOULTRIE	MLTRGAXADS0	07693	01712	4332	444	AA BA DA DD
229/217,502(0000-7999),502(9000-9999),616,873(3000-3999)						GC GD GI GR
229/873(4000-4999),873(6000-6999),873(8000-8999)						HB HD II RC
229/873(9000-9999),890,891(0000-0999),891(2000-2999)						RD SH SQ TJ
229/891(3000-3999),891(4000-4999),891(7000-7999)						
229/891(9000-9999),985						
MOULTRIE	MLTRGAXADS1	07693	01712	4332	444	AA BA DA DD
229/899						GC GD GI GR
						HB HD II RC
						RD SH SQ
MOULTRIE	MLTRGAXAPS0	07693	01712	4332	444	AA BA DA DD
229/785(2000-2999)						GC GD GI GR
						HB HD II RC
						RD SH SQ TJ
MOUNT VERNON	MTVRGAXADS1	07389	01628	4332	440	AA BA DA GC
912/583						GD GM GR HD
						TJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
MOUNT VERNON 912/616(9000-9999)	MTVRGAXAPS0	07389	01628	4332	440	AA BA DA GC GD GM GR HD TJ
NAHUNTA 912/458,462,473,778	NHNTGAXADS2	07515	01423	0347	440	AA BA DA GD GR HD OE RC RD T9 TJ TK TZ
NASHVILLE 229/543,599,686	NSVLGAXADS0	07636	01629	4332	444	AA BA DA GC GD GI GR HB HD II RD SQ TJ
NASHVILLE 229/771(9000-9999)	NSVLGAXAPS0	07636	01629	4332	444	AA BA DA GC GD GI GR HB HD II RD SQ TJ
NELSON 770/735(0000-8999),737(0000-0999),737(2000-6999)	NLSNGAXADS1	07140	02150	0375	438	BA BC DA GC GD GR OE T7 TJ TU
NELSON 470/518(1000-1999)	NLSNGAXAGT0	07140	02150	0375	438	BA BC DA GC GD GR OE T7 TJ TU
NEWINGTON /	NWNTGAXA02T	07211	01501	0378	440	BA DA GB GR HB TJ
NEWINGTON 912/728,772,829,857,863	NWNTGAXADS1	07211	01501	0378	440	BA DA GQ GR HD IS OE TJ TZ
NEWNAN 678/870(0000-0999),870(1000-1999),870(2000-2999) 678/870(3000-3999),870(9000-9999) 770/683	NWNNGAFNRS0	07371	02107	8332	438	DA

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
NEWNAN	NWNNGAMA25C	07369	02110	5192	438	AA BA DA G4
470/241(7000-7999)						GC GL GQ GR
678/423						PC PL SV T9
770/251,252,253,254,304(0000-5999),304(7000-9999)						TJ TK XA
770/400(1000-2999),400(3000-4999),400(6000-7999)						
770/502(0000-4999),502(7000-9999)						
NEWTON	NWTNGAHDRS1	07716	01817	5192	444	BA DA G4 GC
229/734						GD GL GQ GR
						PC PL TJ XA
NICHOLLS	NCHLGAXARS0	07520	01565	0344	440	AA BA DA GD
912/345(0000-0999),345(1000-1999),345(2000-2999)						GL GN GR HD
912/345(4000-4999),345(5000-5999),345(6000-6999)						IC ID OE RC
912/345(7000-7999),345(8000-8999),345(9000-9999)						RD SP SQ TJ
						TK UG WE
NICHOLSON	NCSNGAXARP0	07105	01973	0357	438	AA DA GC GD
706/757(6000-6999)						GI GN GR HB
						HD II RA RC
						RD RH SQ TJ
						UM UP UU UW
						VA
NICHOLSON	NCSNGAXARS1	07105	01973	0357	438	AA DA GC GD
706/757(0000-0999),757(1000-1999),757(2000-2999)						GI GN GR HB
706/757(3000-3999),757(4000-4999),757(5000-5999)						HD II RA RC
706/757(7000-7999),757(8000-8999),757(9000-9999)						RD RH SQ TJ
						UM UP UU UW
						VA
NOBLE	NOBLGAXARS0	07149	02327	4425	472	AA DA DD GC
706/764(0000-0999),764(1000-1999),764(2000-2999)						GD GI GR HB
706/764(3000-3999),764(8000-8999),764(9000-9999)						HD II SV TJ
NORCROSS	NRCRGAMA01T	07209	02076	5192	438	BA DA GB GQ
/						GR PA PJ PR
						PS T8 T9 TJ
						TK UK XA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
NORCROSS /	NRCRGAMA02T	07209	02076	5192	438	BA DA GB GQ GR PA PJ PR PS T8 T9 TJ TK UK XA
NORCROSS 470/328(6000-8999),422(3000-4999) 678/245(7000-7999),245(8000-8999),248(7000-7999) 678/250(7000-7999),291,418(4000-4999),421(0000-3999) 678/421(5000-9999),728,966,969(0000-3999),969(5000-9999) 770/209,242,246,248,263,292(2000-6999),292(7000-7999) 770/300,326,368(0000-5999),368(7000-9999),409,416 770/417(0000-0999),417(1000-1999),417(2000-2999) 770/417(3000-3999),417(4000-4999),417(5000-5999) 770/417(6000-6999),417(7000-7999),417(9000-9999) 770/441(0000-3999),441(5000-9999),446,447,448 770/449(0000-1999),449(3000-9999),453,582,613,662 770/729(0000-0999),729(1000-1999),729(2000-2999) 770/729(3000-3999),729(5000-5999),729(6000-6999) 770/729(7000-7999),729(8000-8999),729(9000-9999) 770/734(0000-2999),734(4000-5999),734(7000-9999) 770/797(0000-4999),797(6000-9999),798(0000-4999) 770/798(6000-9999),825(0000-0999),825(4000-5999) 770/825(7000-9999),840(0000-4999),840(6000-9999) 770/847(1000-5999),849,903(0000-1999),903(3000-4999) 770/903(6000-9999)	NRCRGAMA84A	07209	02076	5192	438	AA BA DA GC GJ GL GQ GR PA PJ PR PS QB QF RC RD SV T8 T9 TJ TK UK VG VJ VK XA
NORCROSS /	NRCRGAMABBA	07209	02076	5192	438	DA GQ GR PR PS T8 T9 TJ TK TU XA
NORCROSS /	NRCRGAMAK01	07209	02076	5192	438	DA G4 GQ GR PA PJ PR PS T8 T9 TJ TK UB UE UG UK UP XA ZY

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
NORCROSS /	NRCRGAMAK11	07209	02076	5192	438	DA GQ GR PR PS T8 T9 TJ TK UG UK VB XA
NORCROSS /	NRCRGAMAOMD	07209	02076	7002	438	DA GR
NORCROSS 678/847(0000-0999),847(2000-2999),847(5000-5999) 678/847(6000-6999),847(9000-9999)	NRCRGAMAOMD	07209	02076	856A	438	DA GR
NORMAN PARK 229/769(2000-2999)	NRPKGAXARP0	07665	01706	4332	444	AA BA DA GC GM GR HB HD SQ TJ
NORMAN PARK 229/769(0000-1999),769(3000-9999)	NRPKGAXARS1	07665	01706	4332	444	AA BA DA GC GM GR HB HD SQ TJ
OCHLOCKNEE 229/574	OCHLGAXARS0	07755	01735	0364	444	AA BA DA GR HD TJ
OCILLA 229/468(6000-6999)	OCLLGAXARP0	07562	01671	4332	444	AA DA DD GC GD GI GR HB HD II RD SH SQ TJ
OCILLA 229/468(0000-0999),468(1000-1999),468(2000-2999) 229/468(3000-3999),468(4000-4999),468(5000-5999) 229/468(7000-7999),468(8000-8999),468(9000-9999)	OCLLGAXARS1	07562	01671	4332	444	AA DA DD GC GD GI GR HB HD II RD SH SQ TJ
ODUM 912/586(7000-7999)	ODUMGAXARP0	07433	01483	4425	440	AA BA DA DD GC GD GI GR HD SV TJ

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ODUM	ODUMGAXARS0	07433	01483	4425	440	AA BA DA DD
912/586(0000-0999),586(1000-1999),586(2000-2999)						GC GD GI GR
912/586(3000-3999),586(4000-4999),586(5000-5999)						HD SV TJ
912/586(6000-6999),586(8000-8999),586(9000-9999)						
OMEGA	OMEGGAXAGT0	07642	01699	0379	444	AA DA DD GN
229/528,535,546(0000-4999),546(6000-6999),546(9000-9999)						GQ GR OE T8
229/645						TJ TK TZ
PALMETTO	PLMTGAMA46C	07330	02104	5192	438	BA DA GL GQ
770/463(0000-6999),463(8000-9999)						GR PC PL PR
						PS SV T9 TJ
						XA
PANOLA	PANLGAMA98F	07251	02045	5192	438	BA DA G4 GC
678/418(0000-3999),418(5000-9999),518						GD GL GQ GR
770/322(0000-0999),322(1000-1999),322(2000-2999)						PC PL PR PS
770/322(3000-3999),322(5000-5999),322(6000-6999)						SV T9 TJ TK
770/322(7000-7999),322(8000-8999),322(9000-9999),323,593						UK XA
770/808,981,987						
PARROTT	PRRTGAXARS2	07623	01907	4332	444	DA GC GI GR
229/623						HD II SQ TJ
PATTERSON	PASNGAXARS0	07497	01470	0344	440	AA BA DA GD
912/647						GL GN GR HD
						IC ID OE RC
						RD SP SQ TJ
						TK UG WE
PAVO	PAVOGAXARP0	07741	01676	4332	444	AA DA DD GC
229/859(3000-3999)						GI GR HB HD
						II SH SQ TJ
PAVO	PAVOGAXARS0	07741	01676	4332	444	AA DA DD GC
229/859(0000-0999),859(1000-1999),859(2000-2999)						GI GR HB HD
229/859(4000-4999),859(5000-5999),859(6000-6999)						II SH SQ TJ
229/859(7000-7999),859(8000-8999),859(9000-9999)						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
PEARSON	PRSNGAXA0MD	07580	01574	0379	440	AA DA DD GN
912/422(0000-3999),422(6000-7999),422(9000-9999)						GP GQ GR OE
						T8 TJ TK TZ
PELHAM	PLHMGAMARS1	07735	01768	5192	444	BA DA G4 GC
229/294,295						GD GL GQ GR
						PC PL SV TJ
						XA
PEMBROKE	PMBRGAXA01T	07307	01470	0376	440	GB GR
/						
PEMBROKE	PMBRGAXADS1	07307	01470	0376	440	AA BA DA GR
912/626,653						OE RC RD T3
						TJ TZ
PENDERGRASS	PNDRGAXARP0	07119	02017	0357	438	AA DA GC GD
706/693(8000-8999)						GI GL GN GR
						HB HD II RA
						RC RD RH SJ
						ST UG UM UP
						UU UW VA
PENDERGRASS	PNDRGAXARS1	07119	02017	0357	438	AA DA GC GD
706/693(0000-7999),693(9000-9999)						GI GL GN GR
						HB HD II RA
						RC RD RH SJ
						ST TJ UG UM
						UP UU UW VA
PERRY	PRRYGAXADS0	07445	01842	4332	446	AA DA GC GD
478/218,987,988						GI GR HD II
						RD SQ TJ
PERRY	PRRYGAXAPS0	07445	01842	4332	446	AA DA GC GD
478/313(2000-2999)						GI GR HD II
						RD SQ TJ

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
PINE MOUNTAIN 706/663(0000-0999),663(2000-2999),663(4000-9999)	PNMTGAMARS1	07470	02064	5192	438	BA DA G5 GQ GR PC PL SV TJ XA
PINEVIEW 229/624(1000-1999)	PNVWGAXARP0	07489	01767	4425	444	AA BA DA DD GC GD GI GR HD SV TJ
PINEVIEW 229/624(0000-0999),624(2000-2999),624(3000-3999) 229/624(4000-4999),624(5000-5999),624(6000-6999) 229/624(7000-7999),624(8000-8999),624(9000-9999)	PNVWGAXARS0	07489	01767	4425	444	AA BA DA DD GC GD GI GR HD SV TJ
PITTS 229/648(8000-8999)	PITSGAXARP0	07524	01756	4425	444	AA BA DA DD GC GD GI GR HD SV TJ
PITTS 229/648(0000-0999),648(1000-1999),648(2000-2999) 229/648(3000-3999),648(4000-4999),648(5000-5999) 229/648(6000-6999),648(7000-7999),648(9000-9999)	PITSGAXARS0	07524	01756	4425	444	AA BA DA DD GC GD GI GR HD SV TJ
PLAINS 229/824	PLNSGAXARS1	07585	01902	0355	444	AA BA DA GM GR OE RC RD RM SA TI TJ ZZ
POOLER 912/330(0000-0999),330(7000-7999),330(8000-8999) 912/330(9000-9999),748,988(2000-2999)	POLRGAMA74E	07274	01409	5192	440	BA DA G4 GE GL GQ GR PC PL PR PS SV TJ XA
POWDER SPRINGS 678/384(0000-1999),567(0000-2999),567(5000-5999) 678/567(9000-9999) 770/222,439,943	PWSPGAAS94A	07266	02142	5192	438	AA BA DA G4 GC GL GQ GR PC PL PR PS SV T9 TJ TK XA

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
PRESTON 229/828	PSTNGAXADS0	07593	01929	4332	444	AA DA GC GI GR HD II RC RD SQ TJ
PRESTON 229/675(9000-9999)	PSTNGAXAPS0	07593	01929	4332	444	AA DA GC GI GR HD II RC RD SQ TJ
QUITMAN 229/263,605(0000-7999),605(9000-9999)	QTMNGAXADS0	07744	01634	4332	444	AA DA DD GC GD GI GR HB HD II TJ
QUITMAN 229/709(9000-9999)	QTMNGAXAPS0	07744	01634	4332	444	AA DA DD GC GD GI GR HB HD II TJ
RANGER 706/334	RNGRGAXADS0	07147	02215	0362	438	AA BA DA GR HD
RAY CITY 229/455	RYCYGAXBRS0	07655	01607	4332	444	AA DA DD GC GI GR HD II SH SQ TJ
REBECCA 229/643	RBCCGAXARS0	07545	01732	4425	444	AA BA DA DD GC GD GI GR HD SV TJ
REGISTER 912/488	RGSTGAXARS1	07288	01537	0387	440	AA DA DD GE GM GR RN RO SV UG UP UW
REIDSVILLE 912/553	RDVLGA340MD	07364	01544	3622	440	DA GR
REIDSVILLE 912/557(0000-0999),557(1000-1999),557(2000-2999) 912/557(3000-3999),557(4000-4999),557(5000-5999) 912/557(6000-6999),557(7000-7999),557(8000-8999)	RDVLGAXARS0	07364	01543	4425	440	AA BA DA DD GC GD GI GR HD II RC RD SV TJ

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
RENTZ	RNTZGA0100T	07390	01715	0380	446	DA GB
/						
RENTZ	RNTZGAXA98A	07390	01715	0380	446	AA BA DA HB
478/983(9000-9999),984(0000-5999),984(9000-9999)						HD OE T3 TJ
						TZ
REYNOLDS	RYNLGAXA01T	07459	01910	0381	446	HB
/						
REYNOLDS	RYNLGAXA84A	07459	01910	0381	446	AA BA DA GC
478/847						GR HD OE PN
						SD SQ T3 T9
						TJ TK TZ
REYNOLDSVILLE	RYVLGAXARP0	07844	01841	4425	444	AA BA DA DD
229/861(4000-4999)						GC GD GI GR
						HD II SV TJ
REYNOLDSVILLE	RYVLGAXARS0	07844	01841	4425	444	AA BA DA DD
229/861(0000-0999),861(1000-1999),861(2000-2999)						GC GD GI GR
229/861(3000-3999),861(5000-5999),861(6000-6999)						HD II SV TJ
229/861(7000-7999),861(8000-8999),861(9000-9999)						
RHINE	RHINGAXARP0	07483	01706	4425	444	AA BA DA DD
229/385(4000-4999)						GC GD GI GR
						HD SV TJ
RHINE	RHINGAXARS0	07483	01706	4425	444	AA BA DA DD
229/385(0000-0999),385(1000-1999),385(2000-2999)						GC GD GI GR
229/385(3000-3999),385(5000-5999),385(6000-6999)						HD SV TJ
229/385(7000-7999),385(8000-8999),385(9000-9999)						
RICHLAND	RCLDGAMARS1	07600	01952	5192	444	AA BA DA GC
229/887						GQ GR PC PL
						SV TJ XA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
RICHMOND HILL 912/315,459,756	RMHLGAXA756	07311	01401	0356	440	AA BA DA GE GM GN GR HD RA RC RD SJ SP SQ ST
RINCON 912/826	RNCNGAXADS0	07240	01426	4425	440	AA BA DA DD GC GD GI GR II SV TJ
RINCON 912/513(0000-0999)	RNCNGAXAPS0	07240	01426	4425	440	AA BA DA DD GC GD GI GR II SV TJ
RINGGOLD 706/935,937,965	RNGLGAXBDS2	07104	02321	0382	472	DA GC GM GR HD OE RC RD SQ T3 TK TZ
RISING FAWN 706/462	RSFWGAXADS1	07171	02371	0389	472	DA T9 TJ TK
RIVERDALE 678/254(6000-7999) 770/268(5000-6999),907,909,991,994,996,997	RVDLGAMADS1	07294	02073	5192	438	BA DA GC GL GQ GR PC PL PR PS RC RD SV T9 TJ TK UK VJ VK XA
ROBERTA 478/836	RBRTGAXA83A	07420	01914	0381	446	AA BA DA GC GR HD OE PN SQ T9 TJ TK
ROCHELLE 229/365,399	RCHEGAXADS0	07515	01742	4425	444	AA BA DA DD GC GD GI GR HD RC RD SV TJ
ROCHELLE 229/989(9000-9999)	RCHEGAXAPS0	07515	01742	4425	444	AA BA DA DD GC GD GI GR HD RC SV TJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ROCKMART	RCKMGAESRS1	07273	02215	5192	438	BA DA GQ GR
678/757(0000-2999),757(8000-9999)						PC PL SV TJ
770/684						XA
ROME	ROMEGATLDS1	07234	02261	5192	438	AA BA DA GC
706/232,233(0000-0999),233(4000-9999),234,235,236						GL GQ GR PC
706/238(4000-9999),290(0000-2999),290(5000-9999),291,292						PL RC RD RM
706/295,368,378,509(3000-6999),802(0000-1999)						SV TJ TK UK
706/802(3000-6999)						XA
762/235(1000-3999)						
ROME	ROMEGATLK01	07234	02261	5192	438	DA GQ GR PC
/						PL TJ TK UB
						UE UG UK UP
						XA ZY
ROOPVILLE	RPVLGAMA85C	07383	02170	5192	438	BA DA G4 GL
770/854(3000-9999)						GQ GR PC PL
						T9 TJ XA
ROSWELL	RSWLGAMA61W	07207	02108	5192	438	DA GQ GR PC
/						PL PR PS T9
						TA TJ TK XA
ROSWELL	RSWLGAMADS1	07207	02108	5192	438	AA BA DA G4
678/277,352,461,585(0000-0999),585(5000-5999)						GC GD GL GQ
678/585(7000-7999),585(8000-8999),585(9000-9999)						GR PC PL PR
678/795(0000-6999),795(8000-9999)						PS QB QF SV
770/518,552,587,594,640,641,642,643,645,649(0000-0999)						T9 TJ TK VJ
770/649(1000-1999),649(2000-2999),649(4000-4999)						VK XA
770/649(5000-5999),649(6000-6999),649(7000-7999)						
770/649(8000-8999),649(9000-9999),650,992,993,998						
ROYSTON	RYTNGAMA24A	07044	01942	5192	438	BA DA G4 GL
706/245,246(0000-4999),246(6000-9999)						GQ GR PC PL
						TJ XA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
RUTLEDGE	RTLGGAMARS1	07214	01948	5192	438	BA DA G4 GL
706/557(0000-5999),557(7000-9999)						GQ GR PC PL
						SV T9 TJ XA
SAINT GEORGE	STGRGAXARP0	07647	01358	4425	440	AA BA DA DD
912/843(3000-3999)						GC GD GI GR
						HD SV TJ
SAINT GEORGE	STGRGAXARS0	07647	01358	4425	440	AA BA DA DD
912/843(0000-0999),843(1000-1999),843(2000-2999)						GC GD GI GR
912/843(4000-4999),843(5000-5999),843(6000-6999)						HD SV TJ
912/843(7000-7999),843(8000-8999),843(9000-9999)						
SAINT SIMONS ISLAND	SSISGAESRS1	07460	01325	5192	440	AA BA DA GC
912/291,634,638						GQ GR PC PL
						SV XA
SANDERSVILLE-TENNILLE	SNVLGAESRS1	07262	01750	5192	446	BA DA GQ GR
478/240,552,553						PC PL SV TJ
						XA
SANDY SPRINGS	SNSPGARRRS1	07224	02102	5192	438	BA DA G4 GL
/						GQ GR PC PL
						XA
SARDIS	SRDSGAES56A	07164	01585	5192	442	AA BA DA G4
478/569(0000-0999),569(4000-4999),569(9000-9999)						GC GL GQ GR
						PC PL SV TJ
						XA
SASSER	SSSRGAXARP0	07641	01862	4332	444	DA GC GI GR
229/698(0000-0999),698(1000-1999)						HD II SQ TJ

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SASSER	SSSRGAXARS0	07641	01862	4332	444	DA GC GI GR
229/698(2000-2999),698(3000-3999),698(4000-4999)						HD II SQ TJ
229/698(5000-5999),698(6000-6999),698(7000-7999)						
229/698(8000-8999),698(9000-9999)						
912/698(0000-0999),698(1000-1999),698(2000-2999)						
912/698(3000-3999),698(4000-4999),698(5000-5999)						
912/698(6000-6999),698(7000-7999),698(8000-8999)						
SAVANNAH	SVNHGABS03T	07269	01379	5192	440	DA G2 G3 G8
/						GB GE GQ GR
						PB PK PR PS
						QB QF T8 TJ
						XA XD
SAVANNAH	SVNHGABS11T	07269	01379	5192	440	DA G8 GB GQ
/						GR PR PS T8
						TJ XA XD
SAVANNAH	SVNHGABS12T	07269	01379	5192	440	DA G8 GB GQ
/						GR PR PS T8
						TJ XA XD
SAVANNAH	SVNHGABS26Z	07269	01379	365B	440	GR
843/505(9000-9999),715(7000-7999),783(5000-5999)						
912/259(7000-7999),348(7000-7999),396(7000-7999)						
912/417(7000-7999),445(7000-7999),454(7000-7999)						
912/499(7000-7999),584(7000-7999),707(5000-5999)						
912/771(7000-7999)						
SAVANNAH	SVNHGABS61W	07269	01379	5192	440	DA G8 GQ GR
/						PB PK PR PS
						T8 TB TJ XA
						XD

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SAVANNAH	SVNHGABS65A	07269	01379	5192	440	BA DA G8 GC
912/201(0000-0999),201(2000-2999),201(4000-9999)						GE GL GQ GR
912/299(0000-0999),299(1000-1999),299(2000-2999)						PB PK PR PS
912/299(3000-3999),299(4000-4999),299(5000-5999)						QB QF RB RC
912/299(6000-6999),299(7000-7999),299(8000-8999)						RD RE RF RG
912/306(1000-3999),358(3000-4999),447(0000-2999)						RH SA SJ SV
912/447(4000-9999),644(1000-1999),644(2000-2999)						T8 TJ XA XD
912/644(3000-3999),644(4000-4999),644(5000-5999)						
912/644(6000-6999),644(7000-7999),644(8000-8999)						
912/650(2000-2999),650(4000-4999),650(5000-5999)						
912/650(6000-6999),650(7000-7999),650(8000-8999),651						
912/652(0000-0999),652(1000-1999),652(3000-3999)						
912/652(4000-4999),652(5000-5999),652(6000-6999)						
912/652(7000-7999),652(8000-8999),652(9000-9999),790,819						
912/819						
SAVANNAH	SVNHGABSBB0	07269	01379	5192	440	DA G8 GQ GR
/						PR PS T8 TD
						TG TJ XA XD
SAVANNAH	SVNHGABSBB1	07269	01379	5192	440	DA G8 GQ GR
/						PB PK PR PS
						T8 TD TG TJ
						XA XD
SAVANNAH	SVNHGABSBB2	07269	01379	5192	440	DA G8 GQ GR
/						PR PS T8 TD
						TG TJ XA XD

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
SAVANNAH                    SVNHGABSDS2 07269 01379 5192  440 BA DA G8 GC
   912/231(0000-0999),231(1000-1999),231(2000-2999)          GL GQ GR PB
   912/231(6000-6999),231(8000-8999),231(9000-9999),232,233  PK PR PS QB
   912/234,235(3000-3999),235(4000-4999),235(5000-5999)      QF RC RD RE
   912/235(7000-7999),235(8000-8999),235(9000-9999),236,238  RF RG RH SA
   912/239(1000-1999),239(2000-2999),239(3000-3999)          SJ SV T8 TJ
   912/239(9000-9999),273,341(0000-0999),341(1000-1999)      XA XD
   912/341(2000-2999),341(8000-8999),443(0000-0999)
   912/443(1000-1999),443(3000-3999),443(4000-4999)
   912/443(5000-5999),443(6000-6999),443(7000-7999)
   912/443(8000-8999),443(9000-9999),495(0000-0999)
   912/495(1000-1999),495(2000-2999),495(3000-3999)
   912/495(4000-4999),495(6000-6999),495(9000-9999)
   912/944(0000-0999),944(1000-1999),944(2000-2999)
   912/944(3000-3999),944(4000-4999),944(6000-6999),947
.......................................................................
SAVANNAH                    SVNHGABSDS4 07269 01379 4498  440 DA
   912/330(5000-5999),590(9000-9999),629,721(0000-0999)
   912/721(1000-2999),721(3000-3999),721(4000-4999)
   912/721(5000-5999),721(6000-6999),721(8000-9999)
   912/988(5000-5999)
.......................................................................
SAVANNAH                    SVNHGABSK01 07269 01379 5192  440 DA G4 G8 GQ
      /                                                     GR PB PK PR
                                                            PS T8 TJ UB
                                                            UE UG UP XA
                                                            XD ZY
.......................................................................
SAVANNAH                    SVNHGABSWAA 07269 01379 3622  440 DA GR
   912/252,362(6000-6999),549(6000-6999)
.......................................................................
SAVANNAH                    SVNHGABSX2X 07269 01379 8355  440 DA DD
      /
.......................................................................
SAVANNAH                    SVNHGABSX3Y 07269 01379 4498  440 DA
   912/290(7000-7999),350,358(5000-5999),386(3000-3999)
   912/388(5000-5999),434(5000-5999),472(5000-5999)
   912/580(4000-4999)
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SAVANNAH	SVNHGABSXXX	07269	01379	5192	440	DA G8 GQ GR
/						PB PK PR PS
						T8 TJ UC XA
						XD
SAVANNAH	SVNHGADE35C	07276	01374	5192	440	AA BA DA GC
912/303(0000-0999),303(1000-1999),303(3000-3999)						GL GQ GR PB
912/303(4000-4999),303(6000-6999),303(9000-9999)						PK PR PS SV
912/352(0000-4999),352(5000-5999),352(6000-9999)						XA
SAVANNAH	SVNHGADEPSA	07276	01374	5192	440	AA CA PB PK
912/351,353,354,355,356,691,692						PR PS
SAVANNAH	SVNHGAGC96A	07266	01395	5192	440	AA BA DA G4
912/395,963(0000-0999),963(2000-2999),963(3000-3999)						GC GE GL GQ
912/963(4000-4999),963(5000-5999),963(6000-6999)						GR PB PK PR
912/963(9000-9999),964,965,966						PS SV TJ XA
SAVANNAH	SVNHGAMBOMD	07274	01383	7435	440	BA DA
912/216(5000-5999),235(6000-6999),268(3000-3999)						
912/339(5000-5999),344(9000-9999),436(3000-3999)						
912/447(3000-3999),551(4000-4999),559(3000-3999)						
912/559(8000-8999),580(3000-3999),590(3000-3999)						
912/805(3000-3999),988(4000-4999),999(3000-3999)						
SAVANNAH	SVNHGASI59E	07292	01357	5192	440	AA BA DA G4
912/598(0000-0999),598(1000-1999),598(2000-2999)						GC GL GQ GR
912/598(3000-3999),598(4000-4999),598(5000-5999)						PB PK PR PS
912/598(7000-7999),598(8000-8999),598(9000-9999)						SV TJ XA
SAVANNAH	SVNHGAWB92C	07288	01375	5192	440	AA BA DA G4
912/344(2000-3999),920,921(0000-8000),925,927						GE GL GQ GR
912/961(0000-1999),961(3000-9999)						PB PK PR PS
						SV TJ XA
SAVANNAH	SVNHGAWI89A	07268	01355	5192	440	AA BA DA G4
912/897,898(0000-0999),898(1000-1999),898(2000-2999)						GL GQ GR PB
912/898(3000-3999),898(4000-4999),898(5000-5999)						PK PR PS SV
912/898(7000-7999),898(8000-8999),898(9000-9999)						TJ XA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SCREVEN	SCRVGAXARP0	07466	01461	4425	440	AA BA DA DD
912/579(7000-7999)						GC GD GI GR
						HD SV TJ
SCREVEN	SCRVGAXARS0	07466	01461	4425	440	AA BA DA DD
912/579(0000-0999),579(1000-1999),579(2000-2999)						GC GD GI GR
912/579(3000-3999),579(4000-4999),579(5000-5999)						HD SV TJ
912/579(6000-6999),579(8000-8999),579(9000-9999)						
SENOIA	SENOGAMA59C	07361	02062	5192	438	BA DA G4 GL
770/599(0000-1999),599(3000-3999),599(4000-4999)						GQ GR PC PL
770/599(6000-6999),599(8000-9999)						SV T9 TJ XA
SHELLMAN	SHMNGAXARP0	07658	01909	4332	444	DA GC GD GM
229/679(1000-1999)						GR HB HD TJ
SHELLMAN	SHMNGAXARS1	07658	01909	4332	444	DA GC GD GM
229/679(0000-0999),679(2000-2999),679(5000-5999)						GR HB HD TJ
229/679(9000-9999)						
SMITHVILLE	SMVLGAMARS1	07597	01866	5192	444	BA DA GC GQ
229/846(0000-8999)						GR PC PL PR
						PS SV TJ XA
SMYRNA	SMYRGAGPRS1	07238	02113	5192	438	AA BA DA G4
678/224(2000-2999),247(0000-0999),247(2000-2999)						GC GL GQ GR
678/247(7000-7999),260(3000-3999)						PA PJ RC RD
						SV XA
SMYRNA	SMYRGAMABBA	07246	02118	5192	438	DA GQ GR PR
/						PS T9 TJ TK
						TU XA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SMYRNA	SMYRGAMADS1	07246	02118	5192	438	AA BA DA GB
470/224(0000-0999),271(1000-6999),271(7000-7999)						GC GD GL GQ
470/271(8000-8999),320,324,340,425,438,459,675						GR PA PJ PR
470/689(7000-7999),689(8000-8999)						PS QB QF RC
678/305(0000-0999),305(1000-1999),305(2000-2999)						RD SK SV T9
678/305(3000-3999),305(4000-4999),305(5000-5999)						TJ TK UK VG
678/305(6000-6999),305(7000-7999),305(9000-9999),309						VJ VK XA
678/434(6000-7999),503(0000-1999),503(3000-3999)						
678/503(6000-6999),556(0000-4999),556(6000-9999)						
678/659(0000-8999),842(0000-0999),842(5000-5999)						
678/842(6000-6999),842(7000-7999),842(9000-9999)						
770/247,319,333,384(0000-6999),384(8000-9999),431,432						
770/433,434,435,436,437,438,444,801,803,805,812						
770/863(1000-4999),863(9000-9999)						
SMYRNA	SMYRGAMAK01	07246	02118	5192	438	DA GQ GR PA
/						PJ PR PS T9
						TJ TK UB UE
						UG UK UP XA
						ZY
SMYRNA	SMYRGAMAK11	07246	02118	5192	438	DA GQ GR PR
/						PS T9 TJ TK
						UG UK VB XA
SMYRNA	SMYRGAPF61W	07237	02113	5192	438	DA GQ GR PA
/						PJ PR PS T9
						TA TJ TK UK
						XA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE			
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--
SMYRNA	SMYRGAPF95C	07237	02113	5192	438	AA	BA	DA	GC
470/644,732,956						GL	GQ	GR	PA
678/224(3000-3999),293(3000-4999),295,396(4000-4999)						PJ	PR	PS	QB
678/396(6000-6999),419(0000-0999),419(1000-1999)						QF	RC	RD	SJ
678/419(2000-2999),419(3000-3999),419(4000-4999)						SV	T9	TJ	TK
678/419(5000-5999),419(6000-6999),419(7000-7999)						UK	VG	VJ	VK
678/419(8000-8999),529(2000-3999),589,627(0000-0999)						XA			
678/627(2000-2999),627(3000-3999),627(4000-8999)									
678/742(1000-6999),742(9000-9999),844									
770/221,226(0000-3999),226(5000-9999),249(1000-1999)									
770/249(4000-6999),249(9000-9999),272(0000-1999)									
770/272(7000-9999),303,370(6000-8999),541,563,612									
770/618(0000-0999),618(1000-1999),618(2000-2999)									
770/618(3000-3999),618(4000-4999),618(5000-5999)									
770/618(6000-6999),618(7000-7999),618(8000-8999),644									
770/657(6000-6999),661,690,763(0000-6999),818(0000-0999)									
770/818(1000-1999),818(2000-2999),818(3000-3999)									
770/818(4000-4999),818(5000-5999),818(7000-7999)									
770/818(8000-8999),818(9000-9999),835(0000-0999)									
770/835(1000-1999),835(2000-2999),835(3000-3999)									
770/835(6000-6999),835(7000-7999),835(8000-8999)									
770/835(9000-9999),850,852(1000-1999),852(2000-2999)									
770/852(3000-3999),852(4000-4999),852(6000-6999)									
770/852(7000-7999),852(9000-9999),857(0000-2999)									
770/857(4000-4999),857(6000-9999),858(0000-0999)									
770/858(1000-1999),858(2000-2999),858(3000-3999)									
770/858(4000-4999),858(6000-6999),858(9000-9999),859,916									
770/933,937,951,952,953,955,956,980,984,988(0000-0999)									
770/988(1000-1999),988(2000-2999),988(3000-3999)									
770/988(8000-8999),988(9000-9999),989(0000-0999)									
770/989(2000-9999),999(2000-2999),999(3000-3999)									
770/999(4000-4999),999(5000-5999),999(6000-6999)									
770/999(7000-7999),999(8000-8999)									
SMYRNA	SMYRGAPFK01	07237	02113	5192	438	DA	GQ	GR	PR
/						PS	T9	TJ	TK
						UB	UG	UK	UP
						XA	ZY		

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
SMYRNA /	SMYRGAPFK11	07237	02113	5192	438	DA GQ GR PR PS T9 TJ TK UG UK VB XA
SMYRNA /	SMYRGAPFK12	07237	02113	5192	438	DA GQ GR PR PS T9 TJ UG VB XA
SMYRNA /	SMYRGAPRK11	07237	02113	5192	438	DA GQ GR PC PL UG VB XA
SNELLVILLE 678/344 770/736,972,978,979,982,985	SNLVGAMA97F	07208	02038	5192	438	AA BA DA GC GL GQ GR PC PL PR PS SV T9 TJ TK XA
SOCIAL CIRCLE 770/464(0000-0999),464(1000-1999),464(2000-2999) 770/464(3000-3999),464(4000-4999),464(9000-9999)	SCCRGAMA46E	07217	01969	5192	438	BA DA G4 GL GQ GR PC PL PR PS T9 TJ XA
SOPERTON 912/529	SOTNGAXAGT0	07354	01651	0379	440	AA DA DD GN GQ GR OE T8 TJ TK TZ
SPARKS 229/549	SPRKGAMA54C	07661	01655	5192	444	BA DA G4 GC GL GQ GR PC PL SV TJ XA
SPARTA 706/444(0000-0999),444(1000-1999),444(3000-3999) 706/444(4000-4999),444(5000-5999),444(6000-6999) 706/444(7000-7999),444(8000-8999),444(9000-9999)	SPRTGAMARS1	07221	01810	5192	442	BA DA GL GQ GR PC PL SV TJ XA
SPRINGFIELD 912/754(5000-5999)	SPFDGAXARP0	07233	01446	4425	440	AA BA DA DD GC GD GI GR HD II RC RD SV TJ

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SPRINGFIELD	SPFDGAXARS1	07233	01446	4425	440	AA BA DA DD
912/754(0000-0999),754(1000-1999),754(2000-2999)						GC GD GI GR
912/754(3000-3999),754(4000-4999),754(6000-6999)						HD II RC RD
						SV TJ
ST MARYS	KGLDGABC0MD	07563	01302	3622	440	DA GR
912/522						
ST. MARY'S	STMYGAXA01T	07560	01308	0351	440	BA GB
/						
ST. MARY'S	STMYGAXADS1	07560	01308	0351	440	AA BA DA GC
912/510,573,576,673,729,882						GD GR HB HD
						OE RC RD SQ
						TJ TU TZ
ST. MARY'S	STMYGAXADS2	07560	01308	0351	440	AA BA DA GC
912/540(1000-1000)						GD GR HB HD
						OE RC RD SQ
						TJ TU TZ
STATESBORO	STBOGAXA02T	07264	01530	0387	440	BC D1 DA G2
/						G3 GC GD GE
						HB HD IB RP
						RQ SR UU ZX
STATESBORO	STBOGAXADS1	07264	01530	0387	440	AA DA DD GB
912/212(0000-4999),212(7000-9999),478,486(1000-2999)						GE GR RN RO
912/486(7000-9999),489,764						SV UG UP UW
						UX UZ
STATESBORO	STBOGAXBRS1	07258	01533	0387	440	AA DA DD GE
912/681,688(1000-3999),688(6000-8999),871						GM GR RN RO
						SV UG UP UW
						UX UZ

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
STOCKBRIDGE	STBRGANH47C	07286	02039	5192	438	AA BA DA GC
678/284(0000-0999),284(1000-1999),284(3000-3999)						GL GQ GR PC
678/284(4000-4999),284(5000-5999),284(6000-6999)						PL PR PS SV
678/284(7000-7999),284(8000-8999),284(9000-9999),289,565						T9 TJ TK XA
678/604(1000-5999)						
770/389,474,506,507						
STONE MOUNTAIN	SNMTGALRDS1	07233	02053	5192	438	AA BA DA GC
678/301(6000-7999),476(0000-1999),476(3000-3999)						GL GQ GR PC
678/476(6000-9999)						PL PR PS SV
770/413,465,469,498,879						T8 T9 TJ TK
						UK XA XD
SUCHES	SCHSGAXARS1	07051	02127	0386	438	AA BA BC DA
706/747						DD G2 G7 GC
						GD GM GR HD
						IC II RA RH
						RN RO SJ SM
						SP ST SU SV
						TJ UB UK UM
						UR UT UW UX
						UZ
SUMMERVILLE	SUVLGAXADS1	07207	02313	4332	438	AA BA DA DD
706/822,857,859						GC GD GI GR
						HD II RC RD
						SQ TJ
SUMMERVILLE	SUVLGAXAPS0	07207	02313	4332	438	AA BA DA DD
762/329(9000-9999)						GC GD GI GR
						HD II RD RL
						SQ TJ
SWAINSBORO	SWBOGAESRS1	07288	01634	5192	442	BA DA GC GQ
478/237,289						GR PC PL SV
						TJ XA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SYLVANIA	SYVNGAXARP0	07192	01540	4425	440	AA BA DA DD
912/564(4000-4999)						GC GD GI GR
						HD II RC RD
						SV TJ
SYLVANIA	SYVNGAXARS0	07192	01540	4425	440	AA BA DA DD
912/564(0000-0999),564(1000-1999),564(2000-2999)						GC GD GI GR
912/564(3000-3999),564(5000-5999),564(6000-6999)						HD II RC RD
912/564(7000-7999),564(8000-8999),564(9000-9999)						SV TJ
SYLVESTER	ALBYGAITAMD	07641	01787	7435	444	BA DA
229/207(3000-3999),212(6000-6999),223(5000-5999)						
229/279(4000-4999),335(3000-3999),340(3000-3999)						
229/345(3000-3999),352(3000-3999),352(4000-4999)						
229/352(9000-9999),355(3000-3999),359(3000-3999)						
229/367(3000-3999),368(0000-0999),374(3000-3999)						
229/379(3000-3999),383(5000-5999),394(3000-3999)						
229/415(7000-7999),444(6000-6999),463(3000-3999)						
229/495(6000-6999),514(3000-3999),520(3000-3999)						
229/632(3000-3999),636(3000-3999),778(3000-3999)						
229/814(3000-3999),989(3000-3999)						
SYLVESTER	SYLVGAES77A	07630	01758	5192	444	BA DA G4 GC
229/215,776,777(0000-0999),777(2000-9999)						GL GQ GR PC
						PL SV TJ XA
TALBOTTON	TLTNGAXA66A	07477	01994	0381	438	AA BA DA GC
706/665						GR HD OE PN
						SQ T9 TJ TK
TALLAPOOSA	TLLPGAES57F	07342	02227	5192	438	AA DA G4 GL
256/579(2000-2999)						GQ GR PC PL
770/574(0000-0999),574(2000-3999),574(5000-5999)						RA RF RG RH
770/574(7000-9999)						SF SQ T9 TJ
						XA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
TEMPLE	TMPLGAMA56A	07321	02185	5192	438	BA DA G4 GC
770/562(0000-5999),562(8000-9999)						GL GQ GR PC
						PL SV T9 TJ
						XA
THOMASTON	THTNGAXADS1	07418	01982	4425	438	AA BA DA GC
706/646,647						GD GI GJ GR
						HB HD RC RD
						SJ SV TJ XG
THOMASTON	THTNGAXAPSO	07418	01982	4425	438	AA BA DA GC
762/319(9000-9999)						GD GI GJ GR
						HB HD RC RD
						SJ SV TJ XG
THOMASTON	THTNGAXBRS1	07410	01988	4425	438	AA BA DA GD
706/648(0000-0999),648(1000-1999),648(2000-2999)						GI GR HB HD
706/648(3000-3999),648(4000-4999),648(5000-5999)						II RC RD SJ
706/648(6000-6999),648(7000-7999),648(9000-9999)						SV TJ XG
THOMASVILLE	THVLGAMA22C	07773	01708	5192	444	AA BA DA G4
229/225(0000-5999),225(9000-9999),226,227,228,551,558						GC GL GQ GR
229/558						PC PL SV TJ
						XA
THOMASVILLE	THVLGAMAK01	07773	01708	5192	444	DA GL GQ GR
/						PC PL TJ UB
						UE UG UP XA
						ZY
THOMSON	THSNGAMA59C	07140	01757	5192	442	BA DA G4 GC
706/595,597(0000-5999),597(7000-9999),843(9000-9999)						GL GQ GR PC
706/986(4000-4999)						PL PR PU SV
						TJ XA
TIFTON	TFTNGAMA38C	07613	01698	5192	444	AA BA DA G4
229/353,382,386,387,388,391,556						GC GL GQ GR
						PC PL SV TJ
						XA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
TIFTON	TFTNGAMAK01	07613	01698	5192	444	DA GQ GR PC
/						PL TJ UB UE
						UG UP XA ZY
TOCCOA	TOCCGAXA2MD	07008	02008	847G	438	AA DA
706/460(5000-5999),470,898(5000-7999),898(8000-8999)						
706/898(9000-9999),918(3000-3999),960(9000-9999)						
706/982(8000-8999)						
762/847(7000-9999)						
TOCCOA	TOCCGAXADS0	07008	02008	4332	438	AA BA DA DD
706/282,297(0000-0999),297(2000-2999),297(4000-7999)						GC GD GI GR
706/827(0000-2999),827(4000-4999),827(5000-5999)						HB HD II RC
706/827(7000-7999),827(8000-8999),827(9000-9999),886						RD SH SQ TJ
TOCCOA	TOCCGAXAPS0	07008	02008	4332	438	AA BA DA DD
706/827(3000-3999)						GC GD GI GR
						HB HD II RC
						RD SH SQ TJ
TOCCOA	TOCCGAXAPS1	07008	02008	4332	438	AA BA DA DD
762/348(9000-9999)						GC GD GI GR
						HB HD II RC
						RD SH SQ TJ
TOOMSBORO	TMBOGAXARP0	07317	01776	0395	446	AA BA DA GC
478/933(1000-1999)						GD GR
TOOMSBORO	TMBOGAXARS1	07317	01776	0395	446	AA BA DA GC
478/933(0000-0999),933(2000-9999)						GD GR
TRENTON	TRENGAXADS1	07148	02379	0389	472	DA OE T3 T9
706/657						TJ TK TZ
TRION	TRINGAXADS0	07193	02313	4332	438	AA BA DA GC
706/734						GI GM GR HD
						II SQ TJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
TRION 762/689(9000-9999)	TRINGAXAPS0	07193	02313	4332	438	AA BA DA GC GI GM GR HD II SQ TJ
TUCKER /	TUKRGAMABB0	07227	02069	5192	438	DA GQ GR PR PS T9 TD TG TJ TK UK XA XD
TUCKER /	TUKRGAMABB1	07227	02069	5192	438	DA GQ GR PR PS T9 TD TG TJ TK UK XA XD
TUCKER /	TUKRGAMABB3	07227	02069	5192	438	DA GQ GR PR PS T9 TD TG TJ TK UK XA XD
TUCKER /	TUKRGAMABB4	07227	02069	5192	438	DA GQ GR PR PS T9 TD TG TJ TK UK XA XD
TUCKER /	TUKRGAMABB5	07227	02069	5192	438	DA GQ GR PR PS T9 TD TG TJ TK XA XD
TUCKER /	TUKRGAMABB6	07227	02069	5192	438	DA GQ GR PR PS T9 TD TG XA XD
TUCKER /	TUKRGAMABB7	07227	02069	5192	438	DA GQ GR PR PS T9 TD TG XA XD
TUCKER /	TUKRGAMABB8	07227	02069	5192	438	DA GQ GR PR PS T9 TD TG XA XD

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
TUCKER	TUKRGAMABB9	07227	02069	5192	438	DA GQ GR PR
/						PS T9 TD TG
						XA XD
TUCKER	TUKRGAMABBA	07227	02069	5192	438	DA GQ GR PR
/						PS T7 T9 TJ
						TK TU XA XD
TUCKER	TUKRGAMABBC	07227	02069	5192	438	DA GQ GR PR
/						PS T9 TJ TK
						TU XA XD
TUCKER	TUKRGAMABBE	07227	02069	5192	438	DA GQ GR PR
/						PS T9 TU XA
						XD
TUCKER	TUKRGAMABBX	07227	02069	5192	438	DA GQ GR PR
/						PS T9 TD TG
						XA XD
TUCKER	TUKRGAMABBY	07227	02069	5192	438	DA GQ GR PR
/						PS T9 TD TG
						XA XD
TUCKER	TUKRGAMABBZ	07227	02069	5192	438	DA GQ GR PR
/						PS T9 TD TG
						XA XD
TUCKER	TUKRGAMADS2	07227	02069	5192	438	AA BA DA GC
678/406(0000-7999),406(9000-9999),534(0000-1999)						GL GQ GR PA
678/937(0000-2999),937(4000-5999),937(7000-9999)						PJ PR PS QB
770/270,414,491,492(0000-3999),492(5000-9999),493,496						QF SK SV T9
770/508(1000-1999),621,723,724,908,934,938,939						TJ TK UK VG
						VJ VK XA XD

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
TUCKER /	TUKRGAMAK01	07227	02069	5192	438	DA G4 GQ GR PA PJ PR PS T9 TJ TK UB UE UG UK UP XA XD ZY
TUCKER /	TUKRGAMAK12	07227	02069	5192	438	DA GQ GR PR PS T9 TJ TK UG UK VB XA XD
TUNNEL HILL 706/516(0000-0999),516(2000-2999),516(9000-9999) 706/673(0000-0999),673(1000-1999),673(2000-2999) 706/673(3000-3999),673(4000-4999),673(5000-5999) 706/673(6000-6999),673(7000-7999),673(9000-9999)	TNHLGAXARS1	07115	02301	4332	438	AA BA DA GI GR HB HD II SH SQ TJ
TWIN CITY 478/364,589,763	TWCYGAXADS0	07277	01603	0377	442	AA BA DA GR
TYBEE ISLAND 912/786	TBISGAMA78C	07256	01332	5192	440	BA DA G4 GC GL GQ GR PC PL PR PS TJ XA
UNADILLA 478/627(8000-8999)	UNADGAXARP0	07482	01821	4332	446	DA GC GD GM GR HD TJ
UNADILLA 478/627(0000-7999),627(9000-9999)	UNADGAXARS1	07482	01821	4332	446	DA GC GD GM GR HD TJ
UNION POINT 706/486(1000-1999)	UNPNGAXARP0	07166	01862	0357	438	AA DA GC GD GM GR HB HD RA RC RD RH SQ TJ UM UP UU UW VA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
UNION POINT	UNPNGAXARS1	07166	01862	0357	438	AA DA GC GD
706/486(0000-0999),486(2000-2999),486(4000-4999)						GM GR HB HD
706/486(6000-6999),486(7000-7999),486(8000-8999)						RA RC RD RH
706/486(9000-9999)						SQ TJ UM UP
						UU UW VA
UVALDA	UVLDGAXARP0	07409	01600	4425	440	AA BA DA DD
912/299(9000-9999),594(3000-3999)						GC GD GI GR
						HD RC RD SV
						TJ
UVALDA	UVLDGAXARS0	07409	01600	4425	440	AA BA DA DD
912/594(0000-0999),594(1000-1999),594(2000-2999)						GC GD GI GR
912/594(4000-4999),594(5000-5999),594(6000-6999)						HD RC RD SV
912/594(7000-7999),594(8000-8999),594(9000-9999)						TJ
VALDOSTA	VLDSGAMA02T	07709	01594	5192	444	DA GB GQ GR
/						TJ XA
VALDOSTA	VLDSGAMA03T	07709	01594	5192	444	DA GB GQ GR
/						TJ XA
VALDOSTA	VLDSGAMACMD	07709	01594	8355	444	DA DD
/						
VALDOSTA	VLDSGAMADS1	07709	01594	5192	444	AA BA DA G4
229/219,241,242,244,245,247,249,253,257,259,293,333,433						GB GC GL GQ
229/671						GR PC PL RC
						RD SV TJ XA
VALDOSTA	VLDSGAMAK01	07709	01594	5192	444	DA GQ GR TJ
/						UB UG UP XA
						ZY
VIDALIA	VDALGAMAK01	07367	01604	5192	440	DA GQ GR PC
/						PL TJ UB UE
						UG UP XA ZY

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
VIDALIA 912/277,537,538	VDALGAMARS1	07367	01604	5192	440	BA DA GC GD GQ GR PC PL RC RD SV TJ XA
VIENNA 229/268	VINNGAXADS1	07519	01812	0355	444	AA BA DA GM GR OE RC RD RM SA TI TJ UR WG WH ZZ
VILLA RICA 678/840(4000-6999),840(8000-8999) 770/456(0000-3999),456(4000-4999),456(6000-6999) 770/456(7000-9999),459	VLRCGAES45A	07312	02167	5192	438	AA BA DA G4 GC GL GQ GR PC PL PR PS SV T9 TJ XA
VILLANOW 706/397(1000-1999)	VLNWGAXARP0	07151	02296	4425	472	AA DA DD GC GD GI GR HB HD II SV TJ
VILLANOW 706/397(0000-0999),397(2000-2999),397(8000-8999) 706/397(9000-9999)	VLNWGAXARS1	07151	02296	4425	472	AA DA DD GC GD GI GR HB HD II SV TJ
WADLEY 478/252	WDLYGAMARS1	07244	01675	5192	442	BA DA G4 GC GD GL GQ GR PC PL SV TJ XA
WARM SPRINGS 706/655(0000-0999),655(1000-1999),655(2000-2999) 706/655(3000-3999),655(5000-5999),655(9000-9999)	WRSPGAXADS0	07449	02039	4332	438	AA BA DA DD GC GI GR HD II RD TJ
WARM SPRINGS 762/889(9000-9999)	WRSPGAXAPS0	07449	02039	4332	438	AA BA DA DD GC GI GR HD II RD TJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
WARNER ROBINS	WRRBGAMA92C	07403	01840	5192	446	AA BA DA GC
478/542(2000-2999),542(5000-9999),918(0000-2999)						GL GQ GR PC
478/918(8000-9999)						PL PT SV TJ
						XA
WARNER ROBINS	WRRBGAMAPSA	07403	01840	5192	446	AA BA CA PC
478/322,328,329,922,923,929,975						PL PT
WARRENTON	WRTNGAMARS1	07167	01775	5192	442	BA DA G5 GC
706/465						GL GQ GR PC
						PL SV TJ XA
WASHINGTON	WASHGAXA02T	07113	01823	0394	438	GB
/						
WASHINGTON	WASHGAXA678	07113	01823	0394	438	AA DA G1 GB
706/274,285,293,359,456,678(0000-7999),678(8000-8999)						GC GD GR HD
706/678(9000-9999)						OE SQ T3 TJ
WATKINSVILLE	WTVLGAES11T	07151	01942	5192	438	DA GB GQ GR
/						PR PS TJ XA
WATKINSVILLE	WTVLGAESDS1	07151	01942	5192	438	BA DA G4 GC
706/310(0000-0999),310(1000-1999),310(2000-2999)						GL GQ GR PC
706/310(3000-3999),310(7000-7999),310(9000-9999),769						PL PR PS SV
						TJ XA
WAVERLY HALL	WVHLGAXADS0	07492	02027	0392	438	DA GN GR HA
706/582						HD OE T3 TJ
						TZ
WAYCROSS	WYCRGAMA02T	07549	01486	5192	440	DA GB GQ GR
/						PC PL TJ XA
WAYCROSS	WYCRGAMAK01	07549	01486	5192	440	DA GQ GR PC
/						PL TJ UB UE
						UG UP XA ZY

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
WAYCROSS	WYCRGAMAPSA	07549	01486	5192	440	AA BA DA GC
912/283,284,285,287,338						GL GQ GR PC
						PL RC RD SV
						TJ XA
WAYCROSS	WYCRGAMARS1	07549	01486	3622	440	DA GR
912/490						
WAYNESBORO	WYBOGAES55A	07165	01638	5192	442	AA BA DA G4
706/437(0000-3999),437(6000-9999),554						GC GL GQ GR
						PC PL SV TJ
						XA
WEST BROW	WBRWGAXADS1	07127	02370	0389	472	DA T9 TJ TK
706/398						
WEST POINT	WSPNGAXA03T	07497	02117	0371	438	GB
/						
WEST POINT	WSPNGAXA64G	07497	02117	0371	438	AA BA DA GC
334/642,644						GD GR HD RA
706/501(5000-5999),501(6000-6999),501(7000-7999),634,643						RB RC RD SH
706/645,679,758,902						SM SR
WHIGHAM	WHGHGAXARP0	07797	01770	0364	444	AA BA DA GR
229/762(5000-5999)						HD TJ
WHIGHAM	WHGHGAXARS0	07797	01770	0364	444	AA BA DA GR
229/762(0000-0999),762(1000-1999),762(2000-2999)						HD TJ
229/762(3000-3999),762(4000-4999),762(6000-6999)						
229/762(7000-7999),762(8000-8999),762(9000-9999)						
WHITE PLAINS	WHPLGAXARP0	07182	01855	0357	438	AA DA GC GD
706/467(8000-8999)						GI GN GR HB
						HD II RA RC
						RD RH SQ ST
						TJ UM UP UU
						UW VA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
WHITE PLAINS	WHPLGAXARS1	07182	01855	0357	438	AA DA GC GD
706/467(0000-7999),467(9000-9999)						GI GN GR HB
						HD II RA RC
						RD RH SQ ST
						TJ UM UP UU
						UW VA
WILLACOOCHEE	WLCHGAXA53A	07591	01611	0379	440	GR OE
912/534						
WINDER	WNDRGAXA02T	07154	02005	4332	438	GB GR TJ
/						
WINDER	WNDRGAXADS0	07154	02005	4332	438	AA BA DA GC
678/219(0000-0999),219(1000-1999),219(2000-2999)						GD GI GR HD
678/219(4000-4999),219(5000-5999),219(6000-6999)						II RD SH SQ
678/219(7000-7999),219(8000-8999),219(9000-9999)						TJ
678/227(5000-7999),425(0000-0999),425(1000-1999)						
678/425(2000-2999),425(6000-6999),425(9000-9999)						
678/963(0000-0999),963(1000-1999),963(2000-2999)						
678/963(7000-7999),963(9000-9999)						
770/307(0000-5999),307(9000-9999),586(0000-0999)						
770/586(1000-1999),586(2000-2999),586(3000-3999)						
770/586(5000-5999),586(6000-6999),586(7000-7999)						
770/586(8000-8999),586(9000-9999),791,867,868(0000-5999)						
770/868(8000-8999)						
WINDER	WNDRGAXAPS0	07154	02005	4332	438	AA BA DA GC
470/429(2000-2999)						GD GI GR HD
678/219(3000-3999)						II RD SH SQ
770/586(4000-4999)						TJ
WINDER	WNDRGAXARS1	07154	02005	4332	438	AA BA CA GR
678/351						TJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
WINTERVILLE	WNVLGAXARP0	07119	01935	0357	438	AA DA GC GD
706/742(1000-1999)						GI GL GN GR
						HB HD II RA
						RC RD RH SJ
						SQ ST TJ UG
						UM UP UU UW
						VA
WINTERVILLE	WNVLGAXARS1	07119	01935	0357	438	AA DA GC GD
706/742(0000-0999),742(2000-2999),742(3000-3999)						GI GL GN GR
706/742(4000-4999),742(5000-5999),742(7000-7999)						HB HD II RA
706/742(8000-8999),742(9000-9999)						RC RD RH SJ
						SQ ST TJ UG
						UM UP UU UW
						VA
WOODBURY	WDBYGAES55A	07423	02033	5192	438	BA DA GL GQ
706/553(0000-0999),553(2000-3999),553(5000-5999)						GR PC PL TJ
706/553(9000-9999)						XA
WOODLAND	WDLDGAXARP0	07458	02009	4332	438	AA BA DA DD
706/674(3000-3999)						GC GI GR HD
						II TJ
WOODLAND	WDLDGAXARS0	07458	02009	4332	438	AA BA DA DD
706/674(0000-0999),674(1000-1999),674(2000-2999)						GC GI GR HD
706/674(4000-4999),674(5000-5999),674(6000-6999)						II TJ
706/674(7000-7999),674(8000-8999),674(9000-9999)						
WOODSTOCK	WDSTGACR92E	07210	02140	5192	438	AA BA DA GC
678/388(5000-7999),445,494						GL GQ GR PC
770/516,517,591,592,924,926,928						PL PR PS SV
						T9 TJ TK XA
WRENS	WRNSGAMARS1	07179	01710	5192	442	BA DA G4 GL
706/547						GQ GR PC PL
						SV TJ XA

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - GEORGIA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
WRIGHTSVILLE	WGVLGAES86C	07299	01709	5192	446	AA BA DA GL
478/864,866						GQ GR PC PL
						SV TJ XA
YATESVILLE	YTVLGAXARS1	07395	01975	4425	438	AA BA DA GC
706/472						GD GI GR HB
						HD SV TJ
YOUNG HARRIS	YNHRGAXARP0	06989	02127	0386	438	AA BA BC DA
706/379(7000-7999)						DD G2 G7 GC
						GD GM GR HD
						IC II RA RH
						RN RO SM SP
						ST SU SV TJ
						UB UK UM UR
						UT UW UX UZ
YOUNG HARRIS	YNHRGAXARS1	06989	02127	0386	438	AA BA BC DA
706/379(0000-6999),379(8000-9999)						DD G2 G7 GC
						GD GM GR HD
						IC II RA RH
						RN RO SM SP
						ST SU SV TJ
						UB UK UM UR
						UT UW UX UZ
ZEBULON	ZBLNGAMA56C	07380	02008	5192	438	BA DA GL GQ
770/567						GR PC PL TJ
						XA

END OF SECTION

WIRE CENTER INFORMATION
PENDING CHANGES
SECTION 23
HAWAII

EFFECTIVE: SEPTEMBER 01, 2017

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - HAWAII

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE	
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --	
HONOLULU	HNLLHIGSGT0	11592	15610	855C	834	BA DA	(C)
808/206(7000-7999),206(8000-8999),206(9000-9999)							(C)
808/212(0000-0999),212(9000-9999),213(0000-0999)							(C)
808/213(9000-9999),214(1000-1999),214(9000-9999)							(C)
808/215(0000-0999),215(9000-9999),217(8000-8999)							(C)
808/217(9000-9999),339(3000-3999),359(2000-2999)							(C)
808/377(4000-4999),377(6000-6999),426(2000-2999)							(C)
808/426(5000-5999),450(2000-3999),457(1000-1999)							(C)
808/600(2000-2999),638(2000-3999),638(4000-4999)							(C)
808/664(0000-1999),664(3000-3999),664(4000-7999)							(C)
808/664(9000-9999),672(2000-2999),769(6000-6999),786,787							(C)
808/789,794,800(3000-3999)							(C)
"	"	"	"	"	"	"	
808/206(7000-7999),206(8000-8999),206(9000-9999)						"	
808/212(0000-0999),212(9000-9999),213(0000-0999)						"	
808/213(9000-9999),214(1000-1999),214(9000-9999)						"	
808/215(0000-0999),215(9000-9999),217(8000-8999)						"	
808/217(9000-9999),339(3000-3999),359(2000-2999)						"	
808/377(4000-4999),377(6000-6999),426(2000-2999)						"	
808/426(5000-5999),450(2000-3999),457(1000-1999)						"	
808/600(2000-2999),638(2000-3999),638(4000-4999)						"	
808/664(0000-1999),664(3000-3999),664(4000-7999)						"	
808/664(9000-9999),672(2000-2999),769(6000-6999),786,787						"	
808/789,800(3000-3999)							

END OF REPORT

ISSUED: AUGUST 17, 2017 EFFECTIVE: SEPTEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - HAWAII

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
AIEA	AIEAHICODS1	11571	15622	3100	834	AA BA DA GC
808/484,485(0000-0999),485(1000-1999),485(2000-2999)						GD GE GG GN
808/485(3000-3999),485(4000-4999),485(5000-5999)						GR HB HD II
808/485(6000-6999),485(8000-8999),486,487,488						PA PJ RA RB
						RC RD SA TB
						TI TJ TU UG
						UR VM WD WE
						WF WG WH WI
						WJ
AIEA	AIEAHICORS2	11571	15622	3100	834	AA BA DA GC
808/483(1000-1999),483(2000-2999),483(3000-3999)						GD GG GM GN
808/483(4000-4999),483(5000-5999),483(6000-6999)						GR HB HD II
808/483(7000-7999),483(8000-8999),483(9000-9999)						PA PJ RA RB
						RC RD SA TB
						TI TJ TU UG
						UR VM WD WE
						WF WG WH WI
						WJ
AINA HAINA	ANHNHICORS0	11606	15588	3100	834	AA BA DA GC
808/373(1000-1999),373(2000-2999),373(3000-3999)						GD GE GG GM
808/373(4000-4999),373(5000-5999),373(7000-7999)						GN GR HB HD
808/373(8000-8999),373(9000-9999),377(1000-1999)						II PC PL RA
808/377(2000-2999),377(3000-3999),377(5000-5999)						RB RC RD SA
808/377(7000-7999),377(8000-8999),377(9000-9999)						SS TJ TU VM
ANAEHOOMALU	AHMLHIQARS0	12036	15238	3100	834	DA GN GR II
808/886						PB PK TU UG
ANAHOLA	ANHLHI01DS0	11304	15877	3021	834	DA DD GR HB
808/820						IA IB IC II
						OE TJ TZ

ISSUED: AUGUST 17, 2017 EFFECTIVE: SEPTEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - HAWAII

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
BARBERS POINT	BRPTHICORS0	11575	15654	3100	834	AA BA DA GC
808/682,690(8000-8999)						GD GE GG GM
						GN GR HB HD
						II PA PJ RA
						RB RC RD SA
						SS TU VM
BARBERS POINT	BRPTHICORS1	11575	15654	3100	834	AA BA DA GC
808/673(2000-2999),673(4000-4999),673(7000-7999)						GD GE GG GM
						GN GR HB HD
						II PA PJ RA
						RB RC RD SA
						TU VM
CAPEHART	CCAPHI49RS2	11536	15644	3100	834	AA BA DA GC
808/624,629(0000-0999),629(1000-1999),629(2000-2999)						GD GE GG GM
808/629(3000-3999),629(4000-4999),629(5000-5999)						GN GR HB HD
808/629(6000-6999),629(8000-8999)						II PB PK RA
						RB RC RD SA
						SS TU VM
CINCINNATI	CNCNOHFBDS0	06263	02680	6161	922	BA DA
859/379(3000-3999),394(0000-1999),394(6000-6999)						
859/394(9000-9999),429(9000-9999),568(1000-1999)						
859/568(6000-6999),568(9000-9999),592(3000-3999)						
859/592(9000-9999),692(2000-2999),692(9000-9999)						
859/813(3000-3999),814(0000-0999),814(2000-2999)						
859/951(5000-5999),960(3000-3999)						
EWA	EWA HICORS1	11573	15643	3100	834	AA BA DA GC
808/681(0000-0999),681(1000-1999),681(3000-3999)						GD GE GG GM
808/681(4000-4999),681(5000-5999),681(6000-6999)						GN GR HB HD
808/681(8000-8999),687(3000-3999),687(4000-4999)						II PC PL RA
808/687(9000-9999),699(2000-2999)						RB RC RD SA
						SS TU VM

ISSUED: AUGUST 17, 2017 EFFECTIVE: SEPTEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - HAWAII

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
EWA	EWA HIXARS0	11575	15642	3100	834	AA BA DA GG
808/683(0000-0999),683(1000-1999),683(3000-3999)						GM GN GR HB
808/683(4000-4999),685(0000-0999),685(1000-1999)						HD II PC PL
808/685(2000-2999),685(3000-3999),685(4000-4999)						TU VM
808/685(5000-5999),685(6000-6999),685(8000-8999)						
808/685(9000-9999)						
EWA BEACH	EWABHICODS1	11583	15639	3100	834	AA BA DA GD
808/689						GE GG GM GN
						GR HB HD II
						PB PK RA RC
						RD TB TU UG
						VM
HAIKU	HAKUHICORS1	11773	15302	3100	834	AA BA DA GD
808/575						GG GM GN GR
						HB HD II PC
						PL RA RC RD
						TU VM
HANA	HANAHICODS0	11830	15237	3100	834	AA BA DA GD
808/248						GG GM GN HB
						HD II PC PL
						RA RC RD TU
						VM
HANAPEPE	HNPEHICORS1	11342	15941	3100	834	AA BA DA GC
808/335						GD GE GG GM
						GN GR HB HD
						II PC PL RA
						RB RC RD SA
						SS TU VM
HILO	HILOHI05DS0	12128	15069	3021	834	DA DD GR HB
808/920						IA IB IC II
						OE TJ TZ
HILO	HILOHIAARL0	12123	15073	7454	834	GR HB UG UR
/						WE

ISSUED: AUGUST 17, 2017 EFFECTIVE: SEPTEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - HAWAII

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
HILO	HILOHIMN6MD	12121	15075	855C	834	BA DA
808/339(9000-9999),756(9000-9999)						
HILO	HILOHIMNAMD	12121	15075	855C	834	BA DA
/						
HILO	HILOHIMNDS2	12122	15074	3100	834	AA BA DA GC
808/925,932,933,934,935,961,969,974						GD GE GG GN
						GR HB HD II
						PB PK RA RB
						RC RD SA SS
						TD TJ TU UG
						VM
HONAUNAU	HNAUHICORS1	12151	15249	3100	834	AA BA DA GD
808/328						GG GM GN HB
						HD II PC PL
						RA RC RD VM
HONOKAA	HNKAHICORS1	12018	15145	3100	834	AA BA DA GD
808/775						GG GM GN GR
						HB HD II PC
						PL RA RC RD
						TU VM
HONOLULU	HNLLHIBSDS0	11592	15610	7454	834	GR HB UG UR
808/447(9000-9999)						WE

==========

ISSUED: AUGUST 17, 2017 EFFECTIVE: SEPTEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - HAWAII

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
HONOLULU                    HNLLHIGSGT0 11592 15610 855C  834 BA DA       (C)
   808/206(7000-7999),206(8000-8999),206(9000-9999)                       (C)
   808/212(0000-0999),212(9000-9999),213(0000-0999)                       (C)
   808/213(9000-9999),214(1000-1999),214(9000-9999)                       (C)
   808/215(0000-0999),215(9000-9999),217(8000-8999)                       (C)
   808/217(9000-9999),339(3000-3999),359(2000-2999)                       (C)
   808/377(4000-4999),377(6000-6999),426(2000-2999)                       (C)
   808/426(5000-5999),450(2000-3999),457(1000-1999)                       (C)
   808/600(2000-2999),638(2000-3999),638(4000-4999)                       (C)
   808/664(0000-1999),664(3000-3999),664(4000-7999)                       (C)
   808/664(9000-9999),672(2000-2999),769(6000-6999),786,787               (C)
   808/789,794,800(3000-3999)                                             (C)
.......................................................................
HONOLULU                    HNLLHIMN06T 11592 15608 3100  834 BA DA GB GR
   808/643,996                                                HB PA PJ SH
                                                              SN SQ TU
.......................................................................
HONOLULU                    HNLLHIMNDS1 11592 15608 3100  834 AA BA DA GC
   808/521,523,526,531,533,534,538,539,540,541(0000-0999)     GD GE GG GN
   808/541(1000-1999),541(2000-2999),541(3000-3999)           GR HD II PA
   808/541(4000-4999),541(5000-5999),541(6000-6999)           PJ RA RB RC
   808/541(8000-8999),541(9000-9999),550,599(1000-1999)       RD SA SS TB
   808/599(2000-2999),599(3000-3999),599(4000-4999)           TD TI TJ TU
   808/599(5000-5999),599(6000-6999),599(7000-7999)           UG UR VM WD
   808/599(8000-8999),599(9000-9999)                          WE WF WG WH
                                                              WI WJ
.......................................................................
HONOLULU                    HNLLHIMNDS2 11592 15608 3100  834 AA BA DA GC
   808/275(0000-2999),275(8000-9999),522,524,525,527,528      GD GE GG GN
   808/529,532,535,536,537,543,544,545,546(1000-1999)         GR HD II PA
   808/546(2000-2999),546(3000-3999),546(4000-4999)           PJ RA RB RC
   808/546(5000-5999),546(6000-6999),546(7000-7999)           RD SA TB TD
   808/546(8000-8999),547,548(0000-0999),548(2000-2999)       TI TJ TU UG
   808/548(3000-3999),548(4000-4999),548(5000-5999)           VM
   808/548(6000-6999),548(7000-7999),566,585(0000-0999)
   808/585(2000-2999),585(3000-3999),585(4000-4999)
   808/585(5000-5999),585(6000-6999),585(7000-7999)
   808/585(8000-8999),585(9000-9999),586,587,588
```

==========

ISSUED: AUGUST 17, 2017 EFFECTIVE: SEPTEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - HAWAII

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
HONOLULU	HNLLHIMNMMD	11591	15609	855C	834	BA DA
808/489(9000-9999),729(9000-9999)						
HONOLULU	HNLLHIMNPS1	11592	15608	3100	834	DA
/						
HONOLULU	HNLLHIMNQMD	11591	15609	855C	834	BA DA
/						
HONOMU	HNMUHICORS1	12084	15076	3100	834	AA BA DA GD
808/963						GG GM GN GR
						HB HD II PC
						PL RA RC RD
						TU VM
KAAAWA	KAAAHICORS1	11533	15599	3100	834	AA BA DA GD
808/237(1000-1999),237(7000-8999)						GG GM GN GR
						HB HD II PC
						PL RA RC RD
						TU UG VM
KAHALUU	KHLUHICODS1	11560	15597	3100	834	AA BA DA GC
808/239						GD GE GG GN
						GR II PC PL
						RA RB RC RD
						SA SS TI TU
						UG VM
KAHULUI	KLUIHIAKRL0	11770	15341	7454	834	GR HB UG UR
/						WE
KAHULUI	KLUIHICODS1	11773	15332	3100	834	AA BA DA GC
808/871,872,873,877,893						GD GE GG GN
						GR II PB PK
						RA RB RC RD
						SA SS TI TU
						UG VM

ISSUED: AUGUST 17, 2017 EFFECTIVE: SEPTEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - HAWAII

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
KAILUA	KAILHICODS1	11579	15581	3100	834	AA BA DA GC
808/230(2000-2999),230(8000-8999),257,261,262,263						GD GE GG GN
						GR HB HD II
						PB PK RA RB
						RC RD SA SS
						TD TI TJ TU
						UG UR VM WD
						WE WF WG WH
						WI WJ
KAILUA	KAILHICORS1	11579	15581	3100	834	AA BA DA GC
808/266(1000-1999),266(2000-2999),266(3000-3999)						GD GE GG GM
808/266(4000-4999),266(5000-5999),266(6000-6999)						GN GR HB HD
808/266(7000-7999),266(8000-8999),266(9000-9999)						II PB PK RA
						RB RC RD SA
						TI TJ TU UG
						UR VM WD WE
						WF WG WH WI
						WJ
KAIMUKI	KAIMHICODS1	11602	15597	3100	834	AA BA DA GC
808/732,734,735,737,738(0000-0999),738(1000-1999)						GD GG GN GR
808/738(3000-3999),738(4000-4999),738(5000-5999)						HB HD II PA
808/738(8000-8999),738(9000-9999),739						PJ RA RB RC
						RD SA SS TI
						TJ TU UG VM
KAIMUKI	KAIMHICORS1	11602	15597	3100	834	AA BA DA GC
808/397(2000-2999),397(5000-5999),733						GD GE GG GM
						GN GR HB HD
						II PA PJ RA
						RB RC RD SA
						TI TJ TU UG
						VM

ISSUED: AUGUST 17, 2017 EFFECTIVE: SEPTEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - HAWAII

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
KAKAAKO	HNLLHIXADS1	11596	15607	3100	834	AA BA DA GC
808/589(0000-0999),589(1000-1999),589(2000-2999)						GD GE GG GN
808/589(3000-3999),589(4000-4999),589(5000-5999),591,593						GR HB HD II
808/596,597(1000-1999),597(2000-2999),597(3000-3999)						PA PJ RA RB
808/597(5000-5999),597(8000-8999),597(9000-9999)						RC RD SA SS
						TB TI TU UG
						VM
KAKAAKO	HNLLHIXARS0	11596	15607	3100	834	AA BA DA GE
808/592,594(0000-0999),594(1000-1999),594(4000-4999)						GG GM GN GR
808/594(5000-5999)						HB HD II PA
						PJ TB TI TU
						UG VM
KALAHEO	KLHOHICORS1	11342	15929	3100	834	AA BA DA GD
808/332						GE GG GM GN
						GR HB HD II
						PC PL RA RC
						RD TU VM
KALAMAULA	KKAIHI01RS1	11690	15445	3021	834	IA IB IC II
808/560						OE TJ TZ
KALAOA	KLAOHICORS0	12078	15263	3100	834	AA BA DA GC
808/325						GD GE GG GM
						GN GR HB HD
						II PC PL RA
						RB RC RD SA
						SS VM
KALIHI	KLHIHICODS1	11586	15611	3100	834	AA BA DA GC
808/841,842,843,844(0000-0999),844(1000-1999)						GD GE GG GN
808/844(2000-2999),844(3000-3999),844(4000-4999)						GR HB HD II
808/844(5000-5999),844(6000-6999),844(7000-7999)						PA PJ RA RB
808/844(9000-9999),845,846,847,848,851,852(3000-3999)						RC RD SA SS
808/852(4000-4999),852(5000-5999),852(6000-6999)						TI TJ TU UG
808/853(1000-1999),853(2000-2999)						UR VM WD WE
						WF WG WH WI
						WJ

ISSUED: AUGUST 17, 2017 EFFECTIVE: SEPTEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - HAWAII

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
KALIHI	KLHIHICORS1	11586	15611	3100	834	AA BA DA GC
808/832						GD GE GG GM
						GN GR HB HD
						II PA PJ RA
						RB RC RD SA
						TI TJ TU UG
						UR VM WD WE
						WF WG WH WI
						WJ
KAMUELA	KMLAHICODS2	12020	15188	3100	834	AA BA DA GC
808/881,885,887						GD GE GG GN
						GR II PB PK
						RA RB RC RD
						SA SS TU UG
						VM
KANEOHE	KANHHICODS1	11570	15593	3100	834	AA BA DA GC
808/234(0000-0999),234(1000-1999),234(2000-2999)						GD GG GN GR
808/234(5000-5999),234(6000-6999),234(7000-7999),235,236						II PB PK RA
808/247						RB RC RD SA
						TI TJ TU UG
						UR VM WD WE
						WF WG WH WI
						WJ
KANEOHE	KANHHICORS1	11570	15593	3100	834	AA BA DA GC
808/233(0000-0999),233(1000-1999),233(2000-2999)						GD GE GG GM
808/233(3000-3999),233(4000-4999),233(5000-5999)						GN GR HB HD
808/233(6000-6999),233(7000-7999)						II PB PK RA
						RB RC RD SA
						TI TJ TU UG
						UR VM WD WE
						WF WG WH WI
						WJ

ISSUED: AUGUST 17, 2017 EFFECTIVE: SEPTEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - HAWAII

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
KAPAA 808/821,822,823	KPAAHICODS2	11320	15880	3100	834	AA BA DA GC GD GE GG GN GR HB HD II PB PK RA RB RC RD SA TU VM
KAUNAKAKAI 808/553	KKAIHIMNDS1	11692	15443	3100	834	AA BA DA GD GG GM GN GR HB HD II PC PL RA RC RD TU UG VM
KAWAIHAE 808/880,882	KHAEHICORS1	12014	15220	3100	834	AA BA DA GD GG GM GN GR HB HD II PC PL RA RC RD UG VM
KAWAILANI 808/959,981	KWLNHICODS1	12131	15074	3100	834	AA BA DA GC GD GE GG GN GR HB HD II PC PL RA RB RC RD SA SS TU VM
KEAAU 808/966,982	KEAUHICORS1	12147	15067	3100	834	AA BA DA GD GG GM GN GR HB HD II PC PL RA RC RD TU UG VM
KEAHI 808/499(0000-0999),499(1000-1999),499(2000-2999) 808/499(3000-3999),499(6000-6999)	KEHIHICORS1	11581	15631	3100	834	AA BA DA GD GG GM GN HB HD II PC PL RA RC RD TU VM

==========

ISSUED: AUGUST 17, 2017 EFFECTIVE: SEPTEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - HAWAII

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
KEALAKEKUA	KLKKHICORS0	12131	15256	3100	834	AA BA DA GC
808/323						GD GE GG GM
						GN HB HD II
						PC PL RA RB
						RC RD SA SS
						VM
KEAUHOU	KHOUHICODS1	12118	15258	3100	834	AA BA DA GC
808/322,324						GD GE GG GN
						II PC PL RA
						RB RC RD SA
						SS VM
KEKAHA	KKHAHICORS1	11320	15965	3100	834	AA BA DA GD
808/337						GE GG GM GN
						GR HB HD II
						PC PL RA RC
						RD TU VM
KEKAHA	KKHAHISIDS0	11317	15967	3021	834	DA DD GR HB
808/320(9000-9999)						IA IB IC II
						OE TJ TZ
KIHEI	KIHEHICODS1	11812	15333	3100	834	AA BA DA GC
808/874,875,879,891						GD GE GG GN
						HB HD II PB
						PK RA RB RC
						RD SA SS TI
						TJ TU UG VM
KILAUEA	KILAHICORS1	11282	15894	3100	834	AA BA DA GC
808/828						GD GE GG GM
						GN GR HB HD
						II PC PL RA
						RC RD TU VM

ISSUED: AUGUST 17, 2017 EFFECTIVE: SEPTEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - HAWAII

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
KOHALA	KHLAHICORS1	11964	15212	3100	834	AA BA DA GD
808/884,889						GE GG GM GN
						GR HB HD II
						PC PL RA RC
						RD TU VM
KOKO HEAD	KOKOHICODS1	11606	15573	3100	834	AA BA DA GC
808/393(2000-2999),394(0000-0999),394(1000-1999)						GD GE GG GN
808/394(2000-2999),394(3000-3999),394(4000-4999)						GR HB HD II
808/394(5000-5999),394(6000-6999),394(8000-8999)						PB PK RA RB
808/394(9000-9999),395,396						RC RD SA TB
						TI TJ TU UG
						UR VM WD WE
						WF WG WH WI
						WJ
KOLOA	KLOAHICORS1	11352	15917	3100	834	AA BA DA GC
808/742						GD GE GG GM
						GN GR HB HD
						II PC PL RA
						RB RC RD SA
						SS TU VM
KONA	KONAHICODS1	12093	15267	3100	834	AA BA DA GC
808/326,327,329,331,334						GD GE GG GN
						GR II PB PK
						RA RB RC RD
						SA SS VM
KUALAPUU	KLPUHICORS1	11677	15444	3100	834	AA BA DA GD
808/567						GG GM GN GR
						HB HD II PC
						PL RA RC RD
						TU UG VM

ISSUED: AUGUST 17, 2017 EFFECTIVE: SEPTEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - HAWAII

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
KULA 808/876,878	KULAHICORS1	11812	15309	3100	834	AA BA DA GD GG GM GN GR HB HD II PC PL RA RC RD TU VM
KULA 808/740(9000-9999)	KULAHISIDS0	11816	15311	3021	834	DA DD GR HB IA IB IC II OE TJ TZ
LAHAINA 808/661,662,667	LHNAHICODS1	11764	15377	3100	834	AA BA DA GC GD GE GG GN GR II PB PK RA RB RC RD SA SS TU VM
LAIE 808/232(0000-0999),232(2000-2999),293	LAIEHICORS0	11507	15611	3100	834	AA BA DA GC GD GE GG GM GN GR HB HD II PB PK RA RB RC RD SA SS TU VM
LAIOPUA 808/355	KLUAHISIDS0	12086	15267	3021	834	DA DD GR HB IA IB IC II OE TJ TZ
LANAI CITY 808/565	LNCYHIMNDS0	11761	15429	3100	834	AA BA DA GD GG GM GN GR HB HD II PC PL RA RC RD TU UG VM
LAUPAHOEHOE 808/962	LAUPHICORS1	12052	15099	3100	834	AA BA DA GC GD GE GG GM GN GR HB HD II PC PL RA RB RC RD SA SS TU VM

ISSUED: AUGUST 17, 2017 EFFECTIVE: SEPTEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - HAWAII

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
LIHUE	LHEUHIMN6MD	11340	15895	855C	834	BA DA
808/755(9000-9999),975(9000-9999)						
LIHUE	LHEUHIMNAMD	11340	15895	855C	834	BA DA
/						
LIHUE	LHUEHIASRL0	11340	15895	7454	834	GR HB UG UR
/						WE
LIHUE	LHUEHIMNDS0	11341	15895	3100	834	AA BA DA GC
808/241,245,246,274,632,654						GD GE GG GN
						GR II PB PK
						RA RB RC RD
						SA SS TD TU
						VM
MAKAHA	MKHAHICORS1	11534	15674	3100	834	AA BA DA GD
808/695(0000-0999),695(1000-1999),695(5000-5999)						GE GG GM GN
808/695(7000-7999),695(8000-8999),695(9000-9999)						GR HB HD II
						PA PJ RA RC
						RD TU VM
MAKAKILO	MKLOHICORS1	11569	15654	3100	834	AA BA DA GD
808/672(0000-0999),672(1000-1999),672(3000-3999)						GE GG GM GN
808/672(4000-4999),672(5000-5999),672(6000-6999)						GR HB HD II
808/672(7000-7999),672(8000-8999),672(9000-9999)						PC PL RA RC
						RD TU UA VM
MAKAWAO	MKWOHICODS1	11789	15301	3100	834	AA BA DA GC
808/572,573						GD GE GG GN
						GR II PB PK
						RA RB RC RD
						SA SS TU VM

ISSUED: AUGUST 17, 2017 EFFECTIVE: SEPTEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - HAWAII

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MANOA	MNOAHICORS0	11595	15598	3100	834	AA BA DA GC
808/988						GD GE GG GM
						GN GR HB HD
						II PC PL RA
						RB RC RD SA
						SS TU UA UG
						VM
MAUNALOA	MNLOHICORS1	11671	15481	3100	834	AA BA DA GD
808/552						GG GM GN GR
						HB HD II PC
						PL RA RC RD
						TU UG VM
MILILANI	MILNHICODS1	11547	15636	3100	834	AA BA DA GC
808/623,625,627(0000-0999),627(1000-1999),627(3000-3999)						GD GE GG GN
808/627(4000-4999),627(6000-6999),627(7000-7999)						GR HB HD II
808/627(8000-8999),627(9000-9999)						PB PK RA RB
						RC RD SA SS
						TI TJ TU UA
						UG UR VM WD
						WE WF WG WH
						WI WJ
MILILANI MAUKA	MILNHIXBRS0	11544	15632	3100	834	AA BA DA GE
808/626(0000-0999),626(1000-1999),626(2000-2999)						GG GN GR HB
808/626(3000-3999),626(4000-4999),626(6000-6999)						HD II PC PL
808/626(7000-7999),626(8000-8999),626(9000-9999)						TU UG VM
808/630(2000-2999)						
MOANALUA	MLUAHICODS1	11579	15615	3100	834	AA BA DA GC
808/433,833,834,835,836,837,838(0000-0999)						GD GE GG GN
808/838(1000-1999),838(2000-2999),838(3000-3999)						GR HB HD II
808/838(4000-4999),838(5000-5999),838(6000-6999)						PA PJ RA RB
808/838(7000-7999),838(8000-8999),839,840(1000-1999)						RC RD SA TB
808/840(2000-2999),840(4000-4999),840(5000-5999)						TI TJ TU UG
808/840(6000-6999),840(8000-8999)						UR VM WD WE
						WF WG WH WI
						WJ

ISSUED: AUGUST 17, 2017 EFFECTIVE: SEPTEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - HAWAII

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MOANALUA	MLUAHICORS1	11579	15615	3100	834	AA BA DA GC
808/831,861(8000-8999)						GD GE GG GM
						GN GR HB HD
						II PA PJ RA
						RB RC RD SA
						TB TI TJ TU
						UG UR VM WD
						WE WF WG WH
						WI WJ
MOKAPU	MKPUHICORS1	11572	15582	3100	834	AA BA DA GC
808/253(0000-0999),253(2000-2999),253(3000-3999)						GD GE GG GM
808/253(4000-4999),253(5000-5999),253(6000-6999)						GN GR HB HD
808/253(7000-7999),254						II PB PK RA
						RB RC RD SA
						SS TU VM
MT. VIEW	MTVWHICORS1	12162	15084	3100	834	AA BA DA GD
808/968						GG GM GN GR
						HB HD II PC
						PL RA RC RD
						TU VM
NAALEHU	NLHUHICORS1	12254	15196	3100	834	AA BA DA GD
808/929,939						GG GM GN GR
						HB HD II PC
						PL RA RC RD
						VM
NANAKULI	NANAHIAJDS0	11557	15661	3021	834	DA DD GR HB
808/620(9000-9999),628(4000-4999)						IA IB IC II
						OE TJ TZ
NANAKULI	NANAHICODS1	11558	15665	3100	834	AA BA DA GC
808/664(2000-2999),668						GD GE GG GN
						GR II PA PJ
						RA RB RC RD
						SA SS TU VM

ISSUED: AUGUST 17, 2017 EFFECTIVE: SEPTEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - HAWAII

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
NAPILI	NPLIHICORS0	11738	15372	3100	834	AA BA DA GC
808/665,669						GD GE GG GM
						GN GR HB HD
						II PB PK RA
						RB RC RD SA
						SS TU VM
PAAUILO	PAAUHICORS1	12031	15127	3100	834	AA BA DA GD
808/776						GE GG GM GN
						GR HB HD II
						PC PL RA RC
						RD TU VM
PAHALA	PHLAHICORS1	12226	15169	3100	834	AA BA DA GC
808/928						GD GE GG GM
						GN GR HB HD
						II PC PL RA
						RB RC RD SA
						SS TU VM
PAHOA	PHOAHICORS2	12183	15050	3100	834	AA BA DA GC
808/965						GD GE GG GM
						GN GR HB HD
						II PC PL RA
						RB RC RD SA
						SS TU VM
PAIA	PAIAHICORS1	11774	15312	3100	834	AA BA DA GD
808/579						GG GM GN GR
						HB HD PC PL
						RA RC RD TU
						VM
PAPAIKOU	PPKUHICORS1	12106	15075	3100	834	AA BA DA GD
808/964						GG GM GN GR
						HB HD II PC
						PL RA RC RD
						TU VM

ISSUED: AUGUST 17, 2017 EFFECTIVE: SEPTEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - HAWAII

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
PAPAKOLEA	PPKLHI01RS0	11591	15604	3021	834	IA IB IC II
808/520(2000-2999),520(8000-8999),520(9000-9999)						OE TJ TZ
PEARL CITY	PRLCHICODS1	11564	15628	3100	834	AA BA DA GC
808/454(0000-0999),454(1000-1999),454(2000-2999)						GD GG GN GR
808/454(4000-4999),454(5000-5999),454(6000-6999)						HB HD II PA
808/454(8000-8999),454(9000-9999),455,456						PJ RA RB RC
						RD SA TI TJ
						TU UG VM
PEARL CITY	PRLCHICORS1	11564	15628	3100	834	AA BA DA GC
808/453(1000-1999),453(2000-2999),453(3000-3999)						GD GE GG GM
808/453(4000-4999),453(5000-5999),453(6000-6999)						GN GR HB HD
808/453(7000-7999),453(8000-8999),453(9000-9999)						II PA PJ RA
						RB RC RD SA
						TI TJ TU UG
						VM
PRINCEVILLE	PRCVHICODS1	11277	15912	3100	834	AA BA DA GC
808/826,827						GD GE GG GN
						GR II PC PL
						RA RB RC RD
						SA SS TU VM
PUNAHOU	PNHOHICODS1	11598	15602	3100	834	AA BA DA GC
808/954(3000-3999),979(0000-0999),979(2000-2999)						GD GE GG GN
808/979(3000-3999),979(7000-7999),979(8000-8999)						GR HB HC HD
808/979(9000-9999)						II PA PJ RA
						RB RC RD SA
						TB TD TI TJ
						TU UG UR VM
						WD WE WF WG
						WH WI WJ

ISSUED: AUGUST 17, 2017 EFFECTIVE: SEPTEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - HAWAII

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
PUNAHOU	PNHOHICODS2	11598	15602	3100	834	AA BA DA GC
808/941,942,943,944,945,946,947,948,949,951,952						GD GG GN GR
808/953(1000-1999),953(2000-2999),953(3000-3999)						HB HD II PA
808/953(6000-6999),955,956,957,983(0000-0999)						PJ RA RB RC
808/983(1000-1999),983(2000-2999),983(3000-3999)						RD SA TB TD
808/983(4000-4999),983(5000-5999),983(6000-6999)						TI TJ TU UG
808/983(7000-7999),983(8000-8999)						UR VM WD WE
						WF WG WH WI
						WJ
PUNAHOU	PNHOHICORS1	11598	15602	3100	834	AA BA DA GG
808/973						GM GN GR HB
						HD II PA PJ
						TB TI TJ TU
						UG UR VM WD
						WE WF WG WH
						WI WJ
PUU KAPOLEI	PKAPHIXADS1	11565	15635	3100	834	AA BA DA GC
808/674(0000-0999),674(1000-1999),674(2000-2999)						GD GE GG GN
808/674(3000-3999),674(4000-4999),674(5000-5999)						GR HB HD II
808/674(6000-6999),674(8000-8999),674(9000-9999)						PC PL RA RB
808/692(4000-4999),692(5000-5999),692(7000-7999)						RC RD SA SS
808/692(8000-8999),692(9000-9999),693(0000-0999)						TB TI TU UG
808/693(1000-1999),693(2000-2999),693(3000-3999)						VM
808/693(4000-4999),693(7000-7999),693(8000-8999)						
808/693(9000-9999)						
PUUKAPU	PKPUHI01DS0	12022	15186	3021	834	DA DD GR HB
808/890						IA IB IC II
						OE TJ TZ

ISSUED: AUGUST 17, 2017 EFFECTIVE: SEPTEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - HAWAII

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
PUULOA	PLOAHICODS1	11579	15623	3100	834	AA BA DA GC
808/421(0000-0999),421(1000-1999),421(2000-2999)						GD GE GG GN
808/421(3000-3999),421(4000-4999),421(5000-5999)						GR HB HD II
808/421(6000-6999),422,423,424,428(2000-2999),438,448						PA PJ RA RB
808/449,471,472,473,474,477						RC RD SA SS
						TI TU UG UR
						VM WD WE WF
						WG WH WI WJ
PUUNUI	PNUIHICORS1	11588	15605	3100	834	AA BA DA GC
808/590(2000-2999),595						GD GE GG GM
						GN GR HB HD
						II PC PL RA
						RB RC RD SA
						SS TU UA VM
SUNSET BEACH	SSBHHICORS1	11498	15638	3100	834	AA BA DA GC
808/638(0000-0999),638(5000-5999),638(6000-6999)						GD GE GG GM
808/638(7000-7999),638(8000-8999),638(9000-9999)						GN GR HB HD
						II PC PL RA
						RB RC RD SA
						SS TU VM
UALAPUE	ULPEHICORS1	11709	15404	3100	834	AA BA DA GD
808/558						GG GM GN GR
						HB HD II PC
						PL RA RC RD
						TU UG VM
VOLCANO	VOLCHICORS1	12184	15111	3100	834	AA BA DA GD
808/967,985						GG GM GN GR
						HB HD II PC
						PL RA RC RD
						TU UG VM

==========

ISSUED: AUGUST 17, 2017 EFFECTIVE: SEPTEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - HAWAII

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
WAHIAWA	WAHWHIMNDS1	11537	15636	3100	834	AA BA DA GC
808/434,621,622,628(9000-9999),653,655,656,659						GD GG GN GR
						HB HD II PA
						PJ RA RB RC
						RD SA TU UG
						VM
WAIALUA	WLUAHICORS0	11513	15653	3100	834	AA BA DA G3
808/636(2000-2999),637						GC GD GE GG
						GM GN GR HB
						HD II PB PK
						RA RB RC RD
						SA SS TU VM
WAIANAE	WNAEHICORS1	11539	15672	3100	834	AA BA DA GC
808/696,697(0000-0999),697(1000-1999),697(3000-3999)						GD GE GG GM
808/697(4000-4999),697(7000-7999),697(8000-8999)						GN GR HB HD
808/697(9000-9999)						II PA PJ RA
						RB RC RD SA
						SS TU VM
WAIEHU	WAHUHI01DS0	11760	15339	3021	834	DA DD GR HB
808/760,770						IA IB IC II
						OE TJ TZ
WAIKIKI	WKKIHICODS1	11602	15602	3100	834	AA BA DA GC
808/921,922,923,924,926,931(1000-1999),931(2000-2999)						GD GE GG GN
808/931(3000-3999),931(4000-4999),931(5000-5999)						GR HB HD II
808/931(6000-6999),931(7000-7999),931(8000-8999)						PA PJ RA RB
						RC RD SA SS
						TI TU UG VM
WAIKIKI	WKKIHICORS1	11602	15602	3100	834	AA BA DA GC
808/971(0000-0999),971(2000-2999),971(3000-3999)						GD GE GG GM
808/971(4000-4999),971(5000-5999),971(6000-6999)						GN GR HB HD
808/971(7000-7999),971(8000-8999),971(9000-9999)						II PA PJ RA
						RB RC RD SA
						TI TU UG VM

ISSUED: AUGUST 17, 2017 EFFECTIVE: SEPTEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - HAWAII

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
WAIKOLOA	WKLOHICORS1	12037	15219	3100	834	AA BA DA GC
808/883						GD GE GG GM
						GN GR HB HD
						II PC PL RA
						RB RC RD SA
						SS TU UG VM
WAILUKU	WLKUHIMNDS0	11771	15340	3100	834	AA BA DA GC
808/242,243,244,249,984,986						GD GE GG GN
						GR HB HD II
						PB PK RA RB
						RC RD SA SS
						TD TU UG VM
WAILUKUHI	WLKUHIMNAMD	11771	15340	855C	834	BA DA
/						
WAILUKUHI	WLKUHIMNBMD	11771	15340	855C	834	BA DA
808/419(9000-9999),757(9000-9999)						
WAIMANALO	WMLOHIADDS0	11596	15574	3021	834	DA DD GR HB
808/426(1000-1999),426(9000-9999)						IA IB IC II
						OE TJ TZ
WAIMANALO	WMLOHICORS0	11594	15575	3100	834	AA BA DA GD
808/259(0000-0999),259(2000-2999),259(3000-3999)						GE GG GM GN
808/259(4000-4999),259(5000-5999),259(6000-6999)						GR HB HD II
808/259(7000-7999),259(8000-8999),259(9000-9999)						PC PL RA RC
						RD TU UA UG
						VM
WAIMEA	WMEAHICORS0	11325	15956	3100	834	AA BA DA GC
808/338						GD GE GG GM
						GN GR HB HD
						II PC PL RA
						RB RC RD SA
						SS TU VM

ISSUED: AUGUST 17, 2017 EFFECTIVE: SEPTEMBER 01, 2017

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - HAWAII

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
WAIPAHU	WPHUHICODS1	11566	15637	3100	834	AA BA DA GC
808/671,676,677,678,679(0000-0999),679(3000-3999)						GD GE GG GN
808/679(4000-4999),680,684,686,691(1000-1999)						GR HC II PA
808/691(2000-2999),691(3000-3999),691(4000-4999)						PJ RA RB RC
808/691(5000-5999),691(6000-6999),691(7000-7999)						RD SA SS TD
808/691(8000-8999)						TI TJ TU UG
						UR VM WD WE
						WF WG WH WI
						WJ
WAIPAHU	WPHUHICORS1	11566	15637	3100	834	AA BA DA GC
808/675(0000-0999),675(7000-7999),675(9000-9999)						GD GE GG GM
						GN GR HB HD
						II PA PJ RA
						RB RC RD SA
						TI TJ TU UG
						UR VM WD WE
						WF WG WH WI
						WJ
WAIPAHU	WPHUHIXBRS0	11560	15642	3100	834	AA BA DA GE
808/688(0000-0999),688(1000-1999),688(2000-2999)						GG GN GR HB
808/688(9000-9999)						HD II PA PJ
						TU UG VM

END OF SECTION

WIRE CENTER INFORMATION
PENDING CHANGES
SECTION 24
IDAHO

EFFECTIVE: JANUARY 01, 2018

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - IDAHO

```
LOCALITY                   CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
BOISE                      BOISIDPZDS0 XXXXX XXXXX XXXX XXX  XX XX XX XX (D)
     /                                                                   (D)
.......................................................................
BOISE                      BOISIDPZPS0 XXXXX XXXXX XXXX XXX  XX XX XX XX (D)
     /                                                                   (D)
.......................................................................
LEWISTON                   LSTNIDAKDS1 06507 08084 3052  676 BC GR HB IA (C)
     /                                                        IC IE IH PN (C)
                                                              SH SQ UG WE (C)
 "                          "           "     "     "     "        "
   208/298(0000-1999),298(3000-3999),621,717(0000-0999)            "
   208/748(0000-4999),848(0000-2999),848(7000-9999)
.......................................................................
LEWISTON                   LSTNIDAKDS1 06507 08084 7340  676 BA DA GE GJ (C)
     /                                                        GR HB IB RC (C)
                                                              RD SH SQ T1 (C)
                                                              T2 UG UP UR (C)
                                                              US          (C)
 "                          "           "     "     "     "        "
   509/254(0000-0999),254(2000-2999),295(0000-0999)                "
   509/295(5000-5999),769(0000-0999),769(5000-5999)                "
   509/769(6000-6999)
```

END OF REPORT

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - IDAHO

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ABERDEEN	ABRDIDXCDS0	07141	07315	4427	652	BA DA G2 GC
208/397(0000-7999),397(9000-9999)						GD GR HJ RC
						RD RM SQ
ALBION	ALBNIDXCDS0	07280	07409	2213	652	AA BA DA GN
208/349,638,645,673,824						HD OE T3 T9
435/827						TJ TK TZ XE
AMERICAN FALLS	AMFLIDMARS1	07177	07310	5103	652	AA BA DA G4
208/226(1000-1999),226(2000-2999),226(3000-3999)						GC GD GE GG
208/226(5000-5999),226(7000-7999),226(9000-9999)						GN GR HD IB
						IC ID IH II
						SH SP SQ TH
						WE
ARBON	ARBNIDXCRS1	07237	07251	2232	652	AA BA DA GC
208/335(0000-0999),335(1000-9999)						GD GM RC RD
						SP SQ TJ UP
						UR WD WE WG
						WH
ARCO	ARCOIDXCDS0	07010	07416	2213	652	AA BA DA GC
208/527,554,588,767						OE T3 T9 TJ
						TK TZ WE XE
BANCROFT	BNCRIDMARS1	07160	07155	5103	652	AA BA DA G4
208/648(0000-0999),648(7000-7999)						GC GD GE GG
						GN GR HD IB
						IC ID IH II
						SH SP SQ TH
						TL WE
BAYVIEW	BYVWIDXXDS1	06158	08062	4321	960	AA BA DA GE
208/683(0000-6999),683(9000-9999)						GG GN GR HB
						HD II RC RD
						RF RM SP SQ
						TU

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - IDAHO

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
BLACKFOOT	BLFTIDMADS0	07073	07248	5103	652	AA BA DA G4
208/782(0000-0999),782(1000-1999),782(2000-2999)						GC GD GE GG
208/782(3000-3999),782(9000-9999),785						GN GR HB HD
						IB IC ID IH
						II SH SP SQ
						TH TL VC WE
BLACKFOOT	RVSDIDMARS1	07077	07269	5103	652	AA BA DA G4
208/684(3000-3999),684(4000-4999),684(5000-5999)						GC GD GE GG
208/684(9000-9999)						GN GR HD IB
						IC ID IH II
						SH SP SQ TH
						TL WE
BLISS	BLSSIDMARS1	07210	07646	5103	652	AA BA DA G4
208/352(1000-1999),352(4000-4999)						GC GD GE GG
						GN GR HD IB
						IC ID IH II
						SH SP SR WE
BOISE	BOISID376MD	07099	07866	898G	652	DA
/						
BOISE	BOISID81DS0	07071	07879	4032	652	DA
208/229						
BOISE	BOISIDMA01T	07094	07866	5103	652	BA DA G2 G3
/						GB GC HD SN
						SQ WE
BOISE	BOISIDMABB2	07094	07866	5103	652	TU
/						
BOISE	BOISIDMADS0	07094	07866	5103	652	AA BA DA GC
208/332,334,364,393,396						GE PG SN SQ
						TA TD WE

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - IDAHO

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
BOISE	BOISIDMADS1	07094	07866	5103	652	AA BA DA G4
208/348(0000-1999),348(3000-4999),348(7000-7999)						GC GD GE GG
208/348(9000-9999)						GN GR HB HD
						IB IC ID IH
						II PG SH SP
						SQ TA TD TL
						VC WE
BOISE	BOISIDMADS3	07094	07866	5103	652	AA BA DA G4
208/302,331,333(0000-3999),333(7000-9999),336,338,341						GC GD GE GG
208/342,343,344,345,348(2000-2999),363,367,368,381,383						GJ GN GQ GR
208/384,385,386(1000-9999),387,388,389(0000-7999)						HB HD IB IC
208/389(9000-9999),395,422(0000-3999),422(5000-6999)						IH II PG SH
208/422(8000-9999),424,426,429,433,492						SP SQ TA TD
						TL VC WE
BOISE	BOISIDMADS6	07095	07864	233D	652	DA
/						
BOISE	BOISIDMADSH	07094	07866	5103	652	TD WE
/						
BOISE	BOISIDMADSJ	07094	07866	5103	652	TD WE
/						
BOISE	BOISIDMADSK	07094	07866	5103	652	TD WE
/						
BOISE	BOISIDMADSL	07094	07866	5103	652	TD WE
/						
BOISE	BOISIDMADSM	07094	07866	5103	652	TD WE
/						
BOISE	BOISIDMADSN	07094	07866	5103	652	TD WE
/						
BOISE	BOISIDMAK01	07094	07866	5103	652	UE WE
/						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - IDAHO

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
BOISE                       BOISIDMAKXX 07094 07866 5103  652 WE ZZ
      /
.......................................................................
BOISE                       BOISIDMAXPX 07094 07866 917E  652 GR
   208/218(7000-7999),225(7000-7999),271(7000-7999)
   208/325(2000-2999),328(7000-7999),347(7000-7999)
   208/405(7000-7999),408(7000-7999),432(3000-3999)
   208/462(7000-7999),482(3000-3999),482(5000-5999)
   208/487(9000-9999),519(5000-5999),584(7000-7999)
   208/606(7000-7999),614(6000-6999),628(7000-7999)
   208/644(7000-7999),646(7000-7999),647(7000-7999)
   208/690(7000-7999),696(7000-7999),701(7000-7999)
   208/715(2000-2999),718(7000-7999),722(3000-3999)
   208/742(7000-7999),745(4000-4999),759(6000-6999)
   208/764(6000-6999),768(5000-5999),781(7000-7999)
   208/806(7000-7999),810(7000-7999),823(7000-7999)
   208/839(7000-7999),844(7000-7999),856(5000-5999)
   208/896(3000-3999),985(7000-7999),990(7000-7999)
   307/392(6000-6999)
   541/262(7000-7999),293(7000-7999),473(7000-7999)
.......................................................................
BOISE                       BOISIDMAXTX 07095 07864 678B  652 BA DA
   208/244(3000-3999),244(5000-5999),272(9000-9999)
   208/488(3000-3999),488(6000-6999),497(3000-3999)
   208/501(7000-7999),515(3000-3999),519(2000-2999)
   208/546(3000-3999),572(3000-3999),690(3000-3999)
   208/696(3000-3999),715(3000-3999),754(3000-3999)
   208/779(3000-3999),806(3000-3999),813(7000-7999)
   208/821(3000-3999),901(3000-3999),944(3000-3999)
   208/963(4000-4999),999(3000-3999)
   541/293(3000-3999),823(5000-5999),920(9000-9999)
.......................................................................
BOISE                       BOISIDMAXXX 07094 07866 5103  652 QA QE RM UC
      /                                                       WE
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - IDAHO

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE				
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--	
BOISE	BOISIDNWDS0	07084	07880	5103	652	AA	BA	DA	G4	
208/853,854(0000-0999),854(1000-1999),854(2000-2999)						GC	GD	GE	GG	
						GJ	GN	GQ	GR	
						HB	HD	IB	IC	
						ID	IH	II	SH	
						SP	SQ	TA	TH	
						TL	VC	WE		
BOISE	BOISIDPZDS0	XXXXX	XXXXX	XXXX	XXX	XX	XX	XX	XX	(D)
/										(D)
BOISE	BOISIDPZPS0	XXXXX	XXXXX	XXXX	XXX	XX	XX	XX	XX	(D)
/										(D)
BOISE	BOISIDSWDS0	07112	07878	5103	652	AA	BA	DA	G4	
208/362,562(0000-0999),562(1000-1999),562(5000-5999)						GC	GD	GE	GG	
208/562(6000-6999),562(8000-8999)						GJ	GN	GQ	GR	
						HB	HD	IB	IC	
						ID	IH	II	SH	
						SP	SQ	TH	TL	
						VC	WE			
BOISE	BOISIDWEDS0	07096	07881	5103	652	AA	BA	DA	GC	
208/321,322,323,327,373,375,376,377,378,658,672						GD	HD	RA	RB	
208/685(0000-0999),685(1000-1999),685(2000-2999)						RC	RD	RE	RF	
208/685(3000-3999),685(4000-4999),685(5000-5999)						RG	RH	RJ	RK	
208/685(6000-6999),685(7000-7999),685(8000-8999)						SN	SQ	TA	TH	
						WE				
BOISE	BOISIDZXDS0	07094	07866	2979	652	BA	DA	DD	GB	
208/227(5000-5999),258(8000-8999),318(0000-2999)						GC	GD	GE	GJ	
208/318(7000-7999),318(9000-9999),319(0000-3999)						GL	GN	GP	GR	
208/319(5000-5999),319(7000-9999),401(0000-3999)						HB	HJ	IA	IB	
208/401(7000-7999),401(9000-9999),402(0000-0999)						IC	ID	IE	IF	
208/402(2000-2999),402(7000-7999),402(9000-9999)						IG	IH	II	QA	
208/419(4000-4999),425(5000-5999),538(2000-2999)						QB	QE	RS	SI	
208/656(6000-6999),917(5000-5999)						SJ	SP	SQ	UA	
						UF	UG	UK	UR	

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - IDAHO

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
BOISE	BOITIDGD02T	07105	07866	5869	652	GB
/						
BOISE	EAGLIDNMDS0	07081	07893	5103	652	AA BA DA GC
208/348(8000-8999),938,939						GD SN SQ TA
						TH
BONNERS FERRY	BNFYIDXXDS1	06000	08048	4321	960	AA BA DA GE
208/267						GG GN GR HB
						HD II RC RD
						RF RM SP SQ
COMPANY: 4321 HAS A PRESENCE ON THIS SWITCH						
BOVILL	BOVLIDXXRS1	06398	08003	4321	960	AA BA DA GG
208/826(3000-3999)						GM GN HB HD
						II RC RD RF
						RM SP SQ
BRUNEAU	BRUNIDXCRS0	07244	07778	4437	652	AA DA GR HD
208/845(2000-2999)						RA RB RC RD
BUHL	BUHLIDMARS1	07274	07603	5103	652	AA BA DA G4
208/543(0000-0999),543(2000-2999),543(4000-4999)						GC GD GE GG
208/543(5000-5999),543(6000-6999),543(8000-8999)						GN GR HD IB
208/543(9000-9999)						IC ID IH II
						SH SP SQ TH
						TL WE
BURLEY	BRLYIDMADS0	07259	07448	5103	652	AA BA DA GC
208/677,678						GD RA RB RC
						RD RE RF RG
						RH RJ RK SN
						SQ TU WE

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - IDAHO

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
BURLEY	DECLIDMARS2	07258	07421	5103	652	AA BA DA G4
208/654(2000-2999),654(4000-4999),654(9000-9999)						GC GD GE GG
						GN GQ GR HD
						IB IC ID IH
						II SJ SP SQ
						WE
CALDWELL	CLWLIDMADS0	07096	07945	5103	652	AA BA DA GC
208/453(0000-0999),453(1000-1999),453(2000-2999)						GD HD SN SQ
208/453(3000-3999),453(4000-4999),453(5000-5999)						TD WE
208/453(8000-8999),453(9000-9999),454,455,459						
CALDWELL	CLWLIDMADSH	07096	07945	5103	652	TD WE
/___						
CAMBRIDGE	CMBRIDXCDS0	06898	07971	2215	652	AA BA DA GC
208/253,256,257,259(0000-8999),259(9000-9999)						GN HD OE T3
						T7 TJ TK TU
						TZ WE XE XF
CAREY	CARYIDXCDS0	07098	07502	4427	652	BA DA G2 GC
208/823(0000-0999),823(4000-4999),823(9000-9999)						GD GR HJ RC
						RD RM SQ
CASCADE	CSCDIDXCDS0	06894	07874	4427	652	BA DA G5 GC
208/382(0000-0999),382(1000-1999),382(2000-2999)						GD GR HJ RC
208/382(3000-3999),382(4000-4999),382(5000-5999)						RD RM
208/382(6000-6999),382(7000-7999),382(9000-9999)						
CASTLEFORD	CSFRIDMARS1	07295	07618	5103	652	AA BA DA G4
208/537(6000-6999),537(9000-9999)						GC GD GE GG
						GN GR HD IB
						IC ID IH II
						RA RC RD SH
						SP SQ TH WE

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - IDAHO

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
CHALLIS 208/879	CHLSIDXCDS0	06851	07593	2218	652	AA BA DA GC GD IP OE PN SD SE SP SR T3 T9 TJ TK TZ XE XF
CLARK FORK 208/266(0000-0999),266(1000-1999)	CLFKIDXXRS1	06115	08011	4321	960	AA BA DA GE GG GM GN HB HD II RC RD RF RM SP SQ TU
CLAYTON 208/838	CYTNIDXCRS1	06905	07608	2218	652	AA BA DA GD OE T9 TJ
COERDALENE 208/209(4000-4999),277(9000-9999),295(3000-3999) 208/400(3000-3999),618(5000-5999),987(4000-4999) 208/997(3000-3999)	CRALIDXXUMD	06225	08086	678B	960	BA DA
COEUR D ALENE /	CRALIDXXXJX	06225	08086	898G	960	DA
COEUR D'ALENE /	CRALIDXX03T	06225	08086	4321	960	BA DA DD GB GC GD HB SJ SP SQ TU
COEUR D'ALENE 208/664,665,666,667,676(0000-0999),676(1000-1999) 208/676(2000-2999),676(7000-7999),676(8000-8999) 208/676(9000-9999),765,769	CRALIDXXCG0	06225	08086	4321	960	AA BA DA DD GC GD GE GG GN HB HD II RC RD RF RL RM TD TI TU UB UG
COEUR D'ALENE 208/916(9000-9999)	CRALIDXXPS0	06225	08086	4321	960	DA IP

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - IDAHO

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
COEUR DALENE                CRALIDXX0MD 06225 08086 3052  960 BA DA GE GJ
   208/209(0000-2999),209(6000-6999),209(8000-8999)          GR HB IB RC
   208/262(0000-0999),262(2000-2999),292(0000-0999)          RD SH SQ T1
   208/292(1000-1999),292(2000-2999),292(3000-3999)          T2 UG UP UR
   208/292(5000-5999),415(0000-0999),415(5000-5999)          US
   208/416(0000-0999),416(4000-4999),446(0000-2999)
   208/561(0000-0999),561(2000-2999),618(0000-0999)
   208/619(0000-0999),619(2000-5999),683(8000-8999)
   208/686(2000-2999),712(0000-2999),763(0000-0999)
   208/763(3000-3999),783(3000-4999)
.......................................................................
COEUR DALENE                CRALIDXXGT0 06225 08086 3052  960 BA DA GE GJ
   208/216(2000-4999),277(1000-3999),416(5000-6999)          GR HB IB RC
   208/512(8000-8999),561(4000-4999),561(6000-8999)          RD SH SQ T1
   208/620(2000-3999),620(4000-5999),625(2000-2999)          T2 UG UP UR
   208/625(3000-3999),625(4000-6999),635(1000-3999)          US
   208/635(4000-4999),635(6000-6999),686(4000-4999)
   208/686(8000-8999),712(5000-5999),712(6000-7999)
   208/784(4000-4999),902(0000-0999),902(1000-1999)
   208/902(2000-2999),902(3000-3999),902(9000-9999)
   208/929(3000-4999),987(3000-3999)
.......................................................................
COEUR DALENE                CRALIDXXW09 06225 08086 3052  960 BA DA GE GJ
      /                                                          GR HB IB RC
                                                                 RD SH SQ T1
                                                                 T2 UG UP UR
                                                                 US
.......................................................................
COTTONWOOD                  CTWDID01DS0 06571 07970 5162  676 AA BA DA G4
   208/962(2000-2999),962(3000-3999),962(5000-5999)          GC GD GE GG
   208/962(7000-7999),962(9000-9999)                         GN GQ GR HB
                                                             HD IB IC ID
                                                             IH II SH SP
                                                             SQ WE
.......................................................................
COUER D-ALENE               CRALIDXXUMD 06225 08086 7274  960 BA DA
   509/330(5000-5999)
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - IDAHO

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
CRAIGMONT	CRGMID01DS0	06533	07994	5162	676	AA BA DA G4
208/924(0000-0999),924(5000-9999)						GC GD GE GG
						GN GQ GR HB
						HD IB IC ID
						IH II SH SP
						SQ TH WE
DEARY	DERYIDXXDS1	06414	08024	4321	960	AA BA DA GG
208/877(1000-1999)						GN HB HD II
						RC RD RF RM
						SP SQ
DONNELLY	DNLYIDXCDS0	06850	07885	4427	652	BA DA G5 GC
208/325(1000-1999),325(3000-3999),325(4000-4999)						GR HJ RC RD
208/325(8000-8999),325(9000-9999)						RM
DOWNEY	DWNYIDMARS1	07229	07178	5103	652	BA DA GC SQ
208/897(5000-5999)						WE
DRIGGS	DRGSIDMADS0	06919	07081	2214	652	BA DA GC HD
208/354,456(0000-0999),456(2000-2999),483(2000-2999)						OE SQ TJ TK
208/483(3000-3999),574,787						TZ WE WG
307/353,576						
DUBOIS	DUBSIDXCDS0	06860	07273	2227	652	DA RD XE
208/374						
EDEN	EDHZIDMARS1	07256	07516	5103	652	AA BA DA G4
208/825(4000-4999),825(5000-5999),829(4000-4999)						GC GD GE GG
208/829(5000-5999)						GN GR HD IB
						IC ID IH II
						SH SP SQ TH
ELK BEND	EKBNIDXCRS1	06761	07569	2218	652	AA BA DA GD
208/894						OE T9 TJ
ELK CITY	EKCYIDXADS0	06598	07825	4427	676	BA DA G2 GD
208/842(0000-0999),842(2000-2999),842(5000-5999)						HJ RC RD RM
208/842(9000-9999)						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - IDAHO

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
EMMETT	EMMTIDMADS0	07045	07921	5103	652	AA BA DA G4
208/365(0000-7999),365(9000-9999),398(7000-7999)						GC GD GE GG
208/398(8000-8999),477(0000-0999),477(2000-2999)						GN GR HB HD
						IB IC ID IH
						II SH SP SQ
						TH TL VC
FAIRFIELD	FRFDIDXCDS0	07115	07635	4427	652	BA DA G2 GC
208/764(0000-0999),764(2000-2999),764(3000-3999)						GD HJ RC RD
208/764(7000-7999),764(9000-9999)						RM SQ
FILER	FILRIDAADS0	07275	07578	4435	652	AA BA DA IS
208/326						OE RA RB RC
						RD SQ T3 TJ
						TU TZ
FRUITLAND	FRLDIDXXDS1	07027	07991	2221	652	DA GN HB HD
208/452(1000-1999),452(2000-2999),452(3000-3999)						IC II OE SH
208/452(4000-4999),452(5000-5999),452(6000-6999)						SW T3 TJ TK
208/452(7000-7999),452(8000-8999),452(9000-9999),674,707						TZ UP WE WG
208/707						WH
GARDEN VALLEY	GRVYIDXCRS0	06986	07844	4427	652	BA DA G2 GR
208/462(1000-6999),462(8000-9999)						HJ RC RD RM
GENESEE	GENSIDXXRS1	06476	08072	4321	960	AA BA DA GE
208/285(0000-0999),285(1000-1999)						GG GM GN HB
						HD II RC RD
						RF RM SP SQ
GLENNS FERRY	GLFYIDCODS0	07215	07703	4404	652	DA OE TZ
208/653(0000-8999),653(9000-9999),796(0000-8999)						
208/796(9000-9999),864(0000-8999),864(9000-9999)						
208/868(0000-8999),868(9000-9999)						
775/488						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - IDAHO

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
GLENNS FERRY	GLFYIDMARS1	07214	07702	5103	652	AA BA DA G4
208/366(2000-2999),366(3000-3999),366(7000-7999)						GC GD GE GG
						GN GR HD IB
						IC ID IH II
						SH SP SQ TL
						WE
GOODING	GDNGIDMARS1	07199	07608	5103	652	AA BA DA G4
208/732(4000-4999),934(4000-4999),934(5000-5999)						GC GD GE GG
208/934(8000-8999),934(9000-9999)						GN GR HD IB
						IC ID IH II
						SH SP SQ TH
GRACE	GRACIDMARS1	07185	07125	5103	652	AA BA DA G4
208/425(3000-3999),425(9000-9999),852(5000-5999)						GC GD GE GG
						GN GR HD IB
						IC ID IH II
						SH SP SQ WE
GRACE	THTCIDMARS1	07220	07117	5103	652	AA BA DA G4
208/427(6000-6999)						GC GD GE GG
						GN GR HD IB
						IC ID IH II
						SH SP SQ TL
						WE
GRAND VIEW	GRVWIDXCDS0	07227	07828	4437	652	AA DA GC GR
208/759(3000-3999),834(2000-2999),834(5000-5999)						HD RA RB RC
						RD ZZ
GRANGEVILLE	GAVLID01DS0	06594	07933	5162	676	AA BA DA G4
208/983						GC GD GE GG
						GN GQ GR HB
						HD IB IC ID
						IH II SH SP
						SQ WE

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - IDAHO

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
HAGERMAN	HGMNIDMARS1	07233	07633	5103	652	AA BA DA G4
208/837(4000-4999),837(6000-6999),837(9000-9999)						GC GD GE GG
						GN GR HD IB
						IC ID IH II
						SH SP SQ TH
HAILEY	HALYIDMADS1	07063	07568	5103	652	BA DA GC SN
208/578(0000-3999),578(5000-5999),578(7000-7999)						SQ TU WE
208/578(9000-9999),788						
HAMER	HAMRIDXCRS1	06911	07261	2227	652	DA GM
208/662						
HARRISON	HRSNIDXARS1	06277	08078	4321	960	AA BA DA GC
208/689(3000-3999),689(9000-9999)						GD GE GG GM
						GN HB HD II
						RC RD RF RM
						SP SQ TU
HAYDEN LAKE	HYLKIDXXDS0	06211	08085	4321	960	AA BA DA GE
208/762,772						GG GN GR HB
						HD II RC RD
						RF RM SP SQ
						TU UG
HOLLISTER	HLSTIDXCRS1	07322	07564	4435	652	AA BA DA OE
208/655						RA RB RC RD
						TJ
HOMEDALE	HMDLIDXCDS0	07112	07981	4427	652	BA DA G2 GC
208/337(0000-0999),337(3000-6999),337(9000-9999)						GD GR HJ RC
						RD RM SQ
HOPE	HOPEIDXXDS1	06096	08031	4321	960	AA BA DA GE
208/264(0000-0999),264(5000-5999)						GG GN HB HD
						II RC RD RF
						RM SP SQ TU

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - IDAHO

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
HORSESHOE BEND	HRBNIDXCDS0	07029	07875	4427	652	BA DA G2 GR
208/793(2000-2999),793(3000-3999),793(4000-4999)						HJ RC RD RM
208/793(9000-9999)						
IDAHO	STATIDMADS0	06887	07182	7870	652	BA DA GC GR
208/372,496(0001-0999),612						OE SQ T3 T9
						TJ WE XF
IDAHO CITY	IDCYIDMARS1	07040	07817	5103	652	AA BA DA G4
208/392(4000-4999),392(6000-6999),392(9000-9999)						GC GD GE GG
						GN GR HD IB
						IC ID IH II
						SH SP SQ TH
						TL WE
IDAHO FALLS	IDFLIDMADS0	06998	07214	5103	652	AA BA DA G4
208/534(0000-0999)						GC GD GE GG
						GN GR HB HD
						IB IC ID IH
						II PG SH SP
						SQ TD TU
IDAHO FALLS	IDFLIDMADS1	06998	07214	5103	652	AA BA DA ID
208/227(0000-2999),227(9000-9999),522,523,524,525,526						PG TU WE
208/528,529,533,534(2000-4999),535,542,552						
208/557(0000-0999),557(2000-2999),557(5000-5999)						
208/557(6000-6999),557(7000-7999)						
IDAHO FALLS	IDFLIDMADSH	06998	07214	5103	652	TD TU WE
/						
IDAHO FALLS	IDFLIDMAKXX	06998	07214	5103	652	TU WE ZZ
/						
IDAHO FALLS	IDFLIDMAXXX	06998	07214	5103	652	QA QE TU WE
/						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - IDAHO

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
JEROME	JERMIDNMDS0	07240	07570	5103	652	AA BA DA GC
208/324,644(1000-1999),644(2000-2999),644(6000-6999)						GD SN SQ TH
208/644(9000-9999)						WE
JULIAETTA	JLTTIDXA0MD	06468	08034	2230	676	OE TJ UD
208/276(2000-8999)						
KAMIAH	KAMHID01DS0	06525	07928	5162	676	AA BA DA G4
208/935(0000-0999),935(1000-1999),935(2000-2999)						GC GD GE GG
208/935(4000-4999),935(7000-7999),935(9000-9999)						GN GQ GR HB
						HD IB IC ID
						IH II SH SP
						SQ WE
KELLOGG	KLLGIDXXDS1	06245	07984	4321	960	AA BA DA GE
208/783(0000-0999),783(1000-1999),783(2000-2999)						GG GN GR HB
208/784(0000-0999),784(1000-1999),786(6000-6999)						HD II RC RD
208/786(7000-7999)						RF RM SP SQ
						TU
KENDRICK	KNDRIDXXDS0	06449	08043	2230	676	AA BA DA GR
208/289(2000-8999)						OE TJ TU TZ
KENDRICK	KNDRIDXXGT0	06449	08043	2230	676	DA GR OE TJ
208/500						TU TZ
KETCHUM	KTCHIDBCGT0	07030	07583	941D	652	DA
208/928(4000-4999),928(6000-6999),928(7000-7999)						
KETCHUM	KTCHIDMADS1	07030	07583	5103	652	AA BA DA G4
208/622,725(0000-0999),725(1000-1999),725(2000-2999)						GC GD GE GG
208/725(4000-4999),725(5000-5999),726,727(0000-2999)						GN GR HB HD
208/727(5000-6999),727(8000-9999)						IB IC ID IH
						II RA RB RC
						RD RE RF RG
						RH RJ RK SH
						SN SP SQ TL
						TU VC WE

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - IDAHO

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
KILGORE	KLGRIDXCRS1	06833	07225	2227	652	DA GM
208/778						
KIMBERLY	KMBRIDMARS1	07275	07539	5103	652	AA BA DA G4
208/423(4000-4999),423(5000-5999),423(6000-6999)						GC GD GE GG
208/423(9000-9999),738(2000-2999)						GN GR HD IB
						IC ID IH II
						SH SP SQ TH
						TL
KOOSKIA	KOSKID01DS0	06542	07917	5162	676	AA BA DA G4
208/926(0000-0999),926(4000-4999),926(7000-7999)						GC GD GE GG
208/926(8000-8999)						GN GQ GR HB
						HD IB IC ID
						IH II SH SP
						SQ WE
KUNA	KUNAIDMARS1	07126	07896	5103	652	AA BA DA G4
208/893(0000-0999),922(1000-1999),922(2000-2999)						GC GD GE GG
208/922(3000-3999),922(4000-4999),922(5000-5999)						GN GR HD IB
208/922(9000-9999)						IC ID IH II
						SH SP SQ TA
						TH TL WE
LAKEVIEW	LKVWIDXCDS0	06154	08028	4439	960	DA GN HA HK
208/222						IC II UG UL
						UM UP UR WE
LAPWAI	LAPWID01DS0	06505	08049	5162	676	AA BA DA G4
208/843(2000-2999),843(5000-5999),843(7000-7999)						GC GD GE GG
208/843(9000-9999)						GN GQ GR HB
						HD IB IC ID
						IH II SH SP
						SQ TH WE

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - IDAHO

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE				
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--	
LAVA HOT SPRINGS	LHSPIDMARS1	07183	07170	5103	652	AA	BA	DA	G4	
208/776(5000-5999)						GC	GD	GE	GG	
						GN	GR	HD	IB	
						IC	ID	IH	II	
						SH	SP	SQ	TH	
						TL	WE			
LEADORE	LEDRIDXCRS1	06787	07468	2225	652	AA	DA	GR	HD	
208/768(2000-2999)						PN	RA	RC	TJ	
						WE				
LENORE	LENRIDXADS0	06498	08021	4441	676	AA	BA	DA	HD	
208/836(0000-0999),836(2000-2999),836(4000-4999)						OE	TJ	TZ	XF	
208/836(5000-5999),836(9000-9999)										
LEWISTON	LSTNIDAKDS1	06507	08084	3052	676	BC	GR	HB	IA	(C)
/						IC	IE	IH	PN	(C)
						SH	SQ	UG	WE	(C)
LEWISTON	LSTNIDAKDS1	06507	08084	7340	676	BA	DA	GE	GJ	(C)
/						GR	HB	IB	RC	(C)
						RD	SH	SQ	T1	(C)
						T2	UG	UP	UR	(C)
						US				(C)
LEWISTON	LSTNIDSHDS0	06508	08082	5162	676	AA	BA	DA	G4	
208/743,746,750(0000-4999),750(7000-7999),750(9000-9999)						GC	GD	GE	GG	
208/792(0000-0999),792(2000-3999),792(5000-5999)						GJ	GN	GQ	GR	
208/798(0000-8999),799						HB	HD	IB	IC	
						ID	IH	II	RC	
						RD	RE	RF	RH	
						RM	SH	SP	TL	
						VC	WE			
LEWISTON	LSTNIDSHDSH	06508	08082	5162	676	TD	WE			
/										

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - IDAHO

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MALAD	MLCYIDXCDS0	07284	07189	2213	652	BA DA GC OE
208/698,766(0000-2999),766(4000-5999),766(7000-9999)						SQ T3 T9 TJ
						TK TZ WE XE
MARSING	MRNGIDXCRS0	07123	07959	4427	652	BA DA G2 GC
208/896(0000-0999),896(4000-4999),896(5000-5999)						GD GR HJ RC
208/896(6000-6999),896(7000-7999),896(9000-9999)						RD RM SQ
MAY	MAY IDXCRS1	06819	07550	2218	652	AA BA DA GD
208/876						OE T9 TJ
MCCALL	MCCLIDXCDS0	06812	07895	4427	652	BA DA DD G5
208/630(0000-0999),630(2000-2999),630(5000-5999)						GB GC GD GR
208/630(7000-9999),634						HJ RC RD RM
						SQ
MCCAMMON	MCCMIDMARS1	07184	07200	5103	652	AA BA DA G4
208/254(3000-3999),254(9000-9999)						GC GD GE GG
						GN GR HD IB
						IC ID IH SH
						SP SQ TH TL
						WE
MELBA	MELBIDMARS1	07154	07909	5103	652	AA BA DA G4
208/495(1000-1999),495(2000-2999),495(9000-9999)						GC GD GE GG
						GN GR HD IB
						IC ID IH II
						SH SP SQ TH
						TL WE
MERIDIAN	MRDNIDMADS0	07101	07896	5103	652	AA BA DA G4
208/288,706,822,846,855,884,887,888,893(1000-9999),895						GC GD GE GG
208/898(0000-3999),898(5000-9999)						GJ GN GQ GR
						HB HD IB IC
						ID IH II SH
						SN SP SQ TA
						TH TL VC WE

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - IDAHO

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MIDDLETON	MDTNIDMARS1	07084	07935	5103	652	AA BA DA G4
208/585(0000-0999),585(2000-3999),585(5000-6999)						GC GD GE GG
208/585(9000-9999)						GN GR HD IB
						IC ID IH II
						SH SN SP SQ
						TH TL WE
MIDVALE	MDVAIDXCDS0	06923	07977	4439	652	DA GN HA HK
208/355						IC II T3 TJ
						UG UL UM UP
						UR UY WE WG
						XE
MONTEVIEW	MNVWIDXCRS1	06909	07313	2227	652	DA GM
208/657						
MONTPELIER	MTPLIDMARS1	07223	07045	5103	652	AA BA DA G4
208/547(9000-9999),847(0000-4999)						GC GD GE GG
307/849						GN GR HD IB
						IC ID IH II
						SH SP SQ TL
						WE
MOSCOW	MSCWIDXXDS1	06439	08087	4321	960	AA BA DA DD
208/882,883,892(0000-0999),892(1000-1999),892(2000-2999)						GC GD GE GG
208/892(3000-3999),892(5000-5999),892(6000-6999)						GN GR HB HD
208/892(7000-7999),892(8000-8999)						II PA PJ RC
509/872(3000-3999)						RD RF RM SP
						SQ UG
MOSCOW	MSCWIDXXRS0	06439	08087	4321	960	AA BA DA GC
208/874(1000-1999),885						GD GM GR PB
						RC RD

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - IDAHO

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
MOUNTAIN HOME               MTHOIDMADS0 07185 07770 5103  652 AA BA DA G4
   208/580(0000-0999),580(1000-1999),580(2000-2999)          GC GD GE GG
   208/580(5000-5999),580(6000-6999),580(9000-9999),587      GN GR HB HD
                                                             IB IC ID IH
                                                             II RA RB RC
                                                             RD RE RF RG
                                                             RH RJ RK SE
                                                             SH SN SP SQ
                                                             TL VC WE
.......................................................................
MOUNTAIN HOME               MTHOIDSORS1 07206 07793 5103  652 AA BA DA G4
   208/832(1000-1999),832(2000-2999),832(3000-3999)          GC GD GE GG
   208/832(4000-4999),832(5000-5999),832(7000-7999)          GN GR HD IB
   208/832(9000-9999)                                        IC ID IH II
                                                             SH SN SP SQ
                                                             TL WE
.......................................................................
MULLAN                      MLLNIDXXRS1 06252 07935 4321  960 AA BA DA GE
   208/744(1000-1999)                                        GG GM GN GR
                                                             HB HD II RC
                                                             RD RF RM SP
                                                             SQ TU
.......................................................................
MURTAUGH                    MRTGIDMARS1 07280 07505 5103  652 AA BA DA G4
   208/432(5000-5999),432(6000-6999)                         GC GD GE GG
                                                             GN GR HD IB
                                                             IC ID IH II
                                                             SH SN SP SQ
                                                             TH WE
.......................................................................
NAMPA                       NMPAIDMADS0 07110 07921 5103  652 AA BA DA GC
   208/205(0000-6999),442,461,463,465,466,467,468            GD HD RA RB
   208/505(2000-2999)                                        RC RD RE RF
                                                             RG RH RJ RK
                                                             SN SQ TH WE
.......................................................................
NEW MEADOWS                 NWMDIDXCRS1 06802 07924 4427  652 BA DA G5 GC
   208/347(0000-0999),347(2000-2999),347(3000-3999)          GD GR HJ RC
   208/347(4000-4999),347(9000-9999)                         RD RM

=======================================================================
```

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - IDAHO

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
NEW PLYMOUTH	NPMOIDMARS1	07033	07974	5103	652	AA BA DA G4
208/278(0000-0999),278(3000-3999),278(5000-5999)						GC GD GE GG
208/278(9000-9999)						GN GR HD IB
						IC ID IH II
						SH SP SQ TH
						TL WE
NEZPERCE	NZPRID01DS0	06529	07959	5162	676	AA BA DA G4
208/937(0000-2999),937(9000-9999)						GC GD GE GG
						GN GQ GR HB
						HD IB IC ID
						IH II SH SP
						SQ WE
NORTH FORK	NFRKIDXCRS1	06649	07594	2225	652	AA DA GR HD
208/865(2000-2999)						PN RA RC TJ
						WE
ONTARIO	BOISIDMAXPX	07094	07866	923E	652	GR
458/224(7000-7999)						
OROFINO	ORFNIDXCDS0	06476	07970	4321	960	AA BA DA GG
208/476(0000-0999),476(3000-3999),476(4000-4999)						GN HB HD II
208/476(5000-5999),476(7000-7999),476(8000-8999)						RC RD RF RM
208/476(9000-9999)						SP SQ
PARIS	PARSIDXCRS2	07246	07057	2232	652	AA BA DA GC
208/945						GD HA RC RD
						SP SQ TA TB
						TJ UP UR WD
						WE WG WH
PARMA	PARMIDXCDS0	07076	07988	4427	652	BA DA G2 GC
208/722(5000-5999),722(6000-6999),722(7000-7999)						GD GR HJ RA
208/722(8000-8999),722(9000-9999)						RC RD SQ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - IDAHO

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
PAYETTE	PYTTIDMARS1	07013	07996	5103	652	AA BA DA G4
208/642						GC GD GE GG
						GN GR HD IB
						IC ID IH II
						RA RB RC RD
						RE RF RG RH
						RJ RK SH SP
						SQ TH TL WE
PECK	PECKIDXXRS1	06482	07994	4321	960	AA BA DA GG
208/486(6000-6999)						GM GN HB HD
						II RC RD RF
						RM SP SQ
PIERCE	PIRCIDXXRS0	06463	07902	4321	960	AA BA DA GE
208/464(1000-1999),464(2000-2999)						GG GM GN HB
						HD II RC RD
						RF RM SP SQ
PINEHURST	PNHRIDXADS1	06247	08001	4321	960	AA BA DA GE
208/682(2000-2999),682(3000-3999),682(4000-4999)						GG GN GR HB
208/682(9000-9999)						HD II RC RD
						RF RM SP SQ
						TU
PLUMMER-WORLEY	PLMRIDXXDS1	06301	08090	4321	960	AA BA DA GE
208/686(0000-0999),686(1000-1999),686(5000-5999)						GG GN GR HB
208/686(6000-6999),686(9000-9999)						HD II RC RD
						RF RM SP SQ
						TU
POCATELLO	INKMIDMARS1	07155	07217	5103	652	AA BA DA G4
208/775(3000-3999),775(4000-4999)						GC GD GE GG
						GN GR HD IB
						IC ID IH II
						SH SP SQ TH
						TL WE

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - IDAHO

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
POCATELLO	PCTLIDMABB1	07148	07250	5103	652	TU
/__						
POCATELLO	PCTLIDMADS0	07148	07250	5103	652	AA BA DA G4
208/242(0000-0999),242(1000-1999),242(5000-5999)						GC GD GE GG
						GN GR HB HD
						IB IC ID IH
						II SH SP SQ
						TD TL VC WE
POCATELLO	PCTLIDMADS1	07148	07250	5103	652	AA BA DA GC
208/232,233,234,235,236,239,282,478						GD RA RB RC
						RD RE RF RG
						RH RJ RK SE
						SN SQ TD WE
POCATELLO	PCTLIDMADSH	07148	07250	5103	652	TD WE
/__						
POCATELLO	PCTLIDMAKXX	07148	07250	5103	652	WE ZZ
/__						
POCATELLO	PCTLIDMAXXX	07148	07250	5103	652	RM UC WE
/__						
POCATELLO	PCTLIDNODS0	07136	07255	5103	652	AA BA DA G4
208/237,238,637(0000-0999),637(1000-1999),637(2000-2999)						GC GD GE GG
208/637(6000-6999),637(8000-8999)						GN GR HB HD
						IB IC ID IH
						II SH SN SP
						SQ TH TL VC
						WE
POCATELLO	PCTLIDNORS0	07136	07255	5103	652	GR
208/427(7000-7999)						

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - IDAHO

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
POST FALLS	PSFLIDXXDS0	06224	08109	4321	960	AA BA DA GE
208/457(0000-0999),457(1000-1999),457(8000-8999)						GG GN GR HB
208/457(9000-9999),773,777(0000-0999),777(1000-1999)						HD II RC RD
208/777(2000-2999),777(3000-3999),777(4000-4999)						RF RM SP SQ
208/777(6000-6999),777(7000-7999),777(8000-8999)						TU UG
208/777(9000-9999)						
POST FALLS	PSFLIDXXDS1	06224	08109	4321	960	AA DA TU
208/274(2000-2999)						
POTLATCH	PTLTIDXXDS1	06395	08079	4321	960	AA BA DA GE
208/875(0000-0999),875(1000-1999),875(8000-8999)						GG GN HB HD
						II RC RD RF
						RM SP SQ
PRESTON	DYTNIDMARS1	07295	07144	5103	652	AA BA DA G4
208/747(3000-3999)						GC GD GE GG
						GN GR HD IB
						IC ID IH II
						SH SP SQ TL
						WE
PRESTON	FKLNIDMARS1	07306	07110	5103	652	BA DA GC WE
208/646(2000-2999)						
PRESTON	PSTNIDMARS1	07291	07125	5103	652	AA BA DA G4
208/852(0000-4999),852(7000-7999),852(9000-9999)						GC GD GE GG
						GN GR HD IB
						IC ID IH II
						SH SP SQ TL
						TU WE
PRIEST LAKE	PRLKIDXXDS1	06039	08132	4321	960	AA BA DA GC
208/443(0000-0999),443(2000-2999),443(3000-3999)						GD GE GG GN
208/443(6000-6999)						HB HD II RC
						RD RF RM SP
						SQ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - IDAHO

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
PRIEST RIVER	PRRVIDXXDS1	06123	08118	4321	960	AA BA DA GE
208/428(0000-0999),448(0000-0999),448(1000-1999)						GG GN GR HB
208/448(2000-2999),448(4000-4999)						HD II RC RD
						RF RM SP SQ
						TU
RATHDRUM	RTHDIDXXDS0	06201	08104	4321	960	AA BA DA GE
208/687(0000-0999),687(1000-1999),687(2000-2999)						GG GM GN GR
208/687(3000-3999),687(4000-4999),687(5000-5999)						HB HD II RC
208/687(6000-6999),687(8000-8999),687(9000-9999)						RD RF RM SP
						SQ TU
REXBURG	RXBGIDMADS0	06921	07191	5103	652	AA BA DA G4
208/356,359,496(8000-8999),656(0000-0999),656(8000-8999)						GC GD GE GG
208/656(9000-9999)						GJ GN GQ GR
						HB HD IB IC
						ID IH II SH
						SP SQ TH TL
						VC WE
RICHFIELD	RCFDIDXCDS0	07158	07525	4437	652	AA DA GR HD
208/487(2000-2999),487(3000-3999)						RA RB RC RD
						ZZ
RIGBY	LSMNIDMARS1	06954	07215	5103	652	AA BA DA G4
208/754(0000-0999),754(4000-4999),754(8000-8999)						GC GD GE GG
208/754(9000-9999)						GN GR HD IB
						IC ID IH II
						SH SP SQ TH
						TL WE
RIGBY	RGBYIDMARS1	06957	07203	5103	652	AA BA DA G4
208/745(0000-0999),745(1000-1999),745(5000-5999)						GC GD GE GG
208/745(6000-6999),745(7000-7999),745(8000-8999)						GN GR HD IB
208/745(9000-9999)						IC ID IH II
						SH SP SQ TH
						TL TU WE

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - IDAHO

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
RIGGINS	RGNSIDXCDS1	06707	07944	4427	652	BA DA G2 GR
208/628(0000-0999),628(2000-2999),628(3000-3999)						HJ RC RD RM
208/628(4000-4999),628(8000-8999),628(9000-9999)						
RIRIE	RIRIIDMARS1	06961	07180	5103	652	AA BA DA G4
208/538(5000-5999),538(6000-6999),538(7000-7999)						GC GD GE GG
						GN GR HD IB
						IC ID IH II
						SH SP SQ TH
						TL WE
ROBERTS	RBRTIDMARS2	06955	07239	5103	652	AA BA DA G4
208/228(2000-2999),228(3000-3999),228(4000-4999)						GC GD GE GG
208/228(6000-6999)						GN GQ GR HD
						IB IC ID IH
						II SJ SP SQ
						TH TL VC WE
ROCKLAND	RKLDIDXCDS1	07222	07305	2232	652	AA BA DA GC
208/548						GD GM RC RD
						SP SQ TA TB
						TJ UP UR WD
						WE WG WH XE
						XF
RUPERT	RPRTIDXCDS1	07238	07433	2231	652	AA DA HD OE
208/434(2000-2999),434(4000-4999),434(5000-5999)						SQ TJ TK TZ
208/434(7000-9999),436(0000-4999),436(5000-8999)						XF
208/436(9000-9999),438(0000-0009),438(0010-9999)						
208/531(0000-0009),531(0010-9999),532(0000-0009)						
208/532(0010-9999),862(0000-0009),862(0010-9999)						
SAINT ANTHONY	STATIDMADS0	06887	07182	2222	652	BA DA GC GR
208/458,558,624,652						OE SQ T3 T9
						TJ WE XF

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - IDAHO

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SAINT MARIES	STMRIDXXDS1	06303	08042	4321	960	AA BA DA GG
208/245						GN GR HB HD
						II RC RD RF
						RM SP SQ TU
SALMON	SLMNIDXCDS0	06697	07570	2225	652	AA DA GB GC
208/756(1000-1999),756(2000-2999),756(3000-3999)						GD GR HD PN
208/756(4000-4999),756(5000-5999),756(6000-6999)						RA RC RD T3
208/756(8000-8999)						TJ WE
SANDPOINT	SNPNIDXXCG0	06094	08069	4321	960	AA BA DA DD
208/255(1000-5999),255(7000-7999),263,265,920(2000-2999)						GC GD GE GG
208/920(4000-4999)						GN HB HD II
						RC RD RF RM
						SP SQ TI TU
						UG
SHELLEY	FRTHIDMARS1	07044	07228	5103	652	AA BA DA G4
208/346(4000-4999),346(5000-5999),346(6000-6999)						GC GD GE GG
208/346(9000-9999)						GN GR HD IB
						IC ID IH II
						SH SP SQ TH
						TL WE
SHELLEY	SHLYIDMARS1	07028	07223	5103	652	AA BA DA G4
208/357(0000-0999),357(1000-1999),357(2000-2999)						GC GD GE GG
208/357(3000-3999),357(5000-5999),357(7000-7999)						GN GR HD IB
						IC ID IH II
						SH SP SQ TL
						WE
SHOSHONE	SHSHIDMARS1	07190	07560	5103	652	AA BA DA G4
208/544(2000-2999),544(7000-7999),886(2000-2999)						GC GD GE GG
208/886(7000-7999),886(9000-9999)						GN GR HD IB
						IC ID IH II
						SH SP SQ TH
						TU WE

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - IDAHO

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
SHOUP 208/394	SHOPIDXCDS0	06657	07593	4404	652	BA DA OE
SODA SPRINGS 208/547(0000-4999)	SDSPIDMARS1	07162	07108	5103	652	AA BA DA G4 GC GD GE GG GN GR HD IB IC ID IH II SH SP SQ TL WE
SOUTH MOUNTAIN 208/583	SOMTIDXCRS1	07269	07969	4488	652	AA BA DA GM GN GQ GR II OE RC RD RM TJ UG UX
SPIRIT LAKE 208/623(2000-2999),623(3000-3999),623(4000-4999) 208/623(5000-5999),623(6000-6999)	SPLKIDXXRS0	06168	08106	4321	960	AA BA DA GE GG GM GN GR HB HD II RC RD RF RM SP SQ TU
SPRINGFIELD 208/328(0000-0999),328(2000-2999),328(9000-9999)	SPFDIDXCRS0	07108	07294	4427	652	BA DA G2 GC GD GR HJ RC RD RM SQ
STANLEY 208/774	STNLIDXCDS0	06931	07691	4439	652	DA GN HA HK IC II TJ UG UL UM UP UR UY WE WG
STAR 208/286(0000-0999),286(7000-7999),286(9000-9999) 208/348(5000-5999),898(4000-4999)	STARIDNMRS2	07085	07915	5103	652	AA BA DA G4 GC GD GE GG GN GR HD IB IC ID IH II SH SP SQ TA TH TL WE
STAR /	STARIDNMRS2	07085	07915	5162	652	GR

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - IDAHO

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
STAR	STARIDNMRS4	07085	07915	5101	652	GR
/						
SWEET	SWETIDXCRS1	07020	07898	4427	652	BA DA G2 GR
208/584(0000-0999),584(3000-3999),584(9000-9999)						HJ RC RD RM
TERRETON	TRTNIDXCRS1	06938	07292	2227	652	DA GM RD
208/663						
THREE CREEK	THCKIDXCDS0	07399	07652	4404	652	BA DA OE T3
208/857						T4 T5 T6 T9
						TJ XG
TROY	TROYIDXX0MD	06434	08058	2230	676	OE TJ UD
208/835(2000-8999)						
TWIN FALLS	TWFLIDMADS0	07275	07557	5103	652	AA BA DA G4
208/732(0000-0999),732(1000-1999),732(3000-3999)						GC GD GE GG
208/732(5000-5999),732(6000-6999),732(7000-7999)						GJ GN GQ GR
208/732(8000-8999),733,734,735,736,737						HB HD IB IC
						ID IH II RA
						RB RC RD RE
						RF RG RH RJ
						RK SE SH SN
						SP SQ TL VC
						WE
TWIN FALLS	TWFLIDMADS1	07275	07557	5103	652	AA BA DA G4
208/738(0000-1999)						GC GD GE GG
						GN GR HB HD
						IB IC ID IH
						II SH SP SQ
						TD TU WE
TWIN FALLS	TWFLIDMADSH	07275	07557	5103	652	TD TU WE
/						
TWIN FALLS	TWFLIDMADSJ	07275	07557	5103	652	TD WE
/						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - IDAHO

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
TWIN FALLS	TWFLIDMAKXX	07275	07557	5103	652	TU WE ZZ
/						
TWIN FALLS	TWFLIDMAXXX	07275	07557	5103	652	RM TU WE
/						
WALLACE	WLLCIDXXDS1	06254	07953	4321	960	AA BA DA GE
208/556(0000-0999),556(1000-1999),556(5000-5999)						GG GN GR HB
208/752(1000-1999),753(0000-0999)						HD II RC RD
						RF RM SP SQ
						TU
WARM LAKE	WRLKIDXCDS0	06855	07818	4439	652	DA GN HA HK
208/632						IC II TJ UG
						UL UM UP WE
WARREN	WRRNIDAADS0	06726	07841	4439	652	DA GN HK IC
208/636						II TJ UG UL
						UM UP WE
WEIPPE	WEPPIDXXRS1	06492	07919	4321	960	AA BA DA GE
208/435(4000-4999)						GG GM GN HB
						HD II RC RD
						RF RM SP SQ
WEISER	WESRIDMARS1	06976	08007	5103	652	AA BA DA G4
208/549(0000-0999),549(1000-1999),549(2000-2999)						GC GD GE GG
208/549(3000-3999),549(4000-4999),549(8000-8999)						GN GR HD IB
						IC ID IH II
						SH SP SQ TH
						TL WE
WENDELL	WNDLIDMARS1	07235	07601	5103	652	AA BA DA G4
208/536(1000-1999),536(2000-2999),536(4000-4999)						GC GD GE GG
208/536(5000-5999),536(6000-6999),536(9000-9999)						GN GR HD IB
						IC ID IH II
						SH SN SP SQ
						TH WE

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - IDAHO

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE			
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--
WHITE BIRD	WHBRIDXXRS1	06632	07952	4427	652	BA	DA	G2	GR
208/839(2000-2999),839(9000-9999)						HJ	RC	RD	RM
WILDER	WLDRIDXCRS0	07098	07979	4427	652	BA	DA	G2	GC
208/482(0000-0999),482(4000-4999),482(6000-6999)						GD	GR	HJ	RC
208/482(7000-7999),482(9000-9999)						RD	RM	SQ	
YELLOW PINE	YLPNIDXCDS0	06785	07804	4439	652	DA	GN	HK	IC
208/633						II	TJ	UG	UL
						UM	UP	WE	

END OF SECTION

WIRE CENTER INFORMATION
PENDING CHANGES
SECTION 25
ILLINOIS

EFFECTIVE: JANUARY 01, 2018

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE				
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--	
ALHAMBRA	ALHBILXEDS0	06721	03437	0978	520	DA	OE	TJ	TK	(C)
618/488,675						TZ	XE	XF		(C)
"	"	"	"	"	"	DA				
618/488										
CARBONDALE	CRDLILXE01W	XXXXX	XXXXX	XXXX	XXX	XX	XX	XX	XX	(D)
/										(D)
CARBONDALE	CRDLILXE03W	XXXXX	XXXXX	XXXX	XXX	XX	XX	XX	XX	(D)
/										(D)
CARBONDALE	CRDLILXE51T	06907	03246	1015	362	G2	GB	HB		(C)
/										(C)
"	"	"	"	"	"	G2	GB	HB	HC	
" / "										
CARBONDALE	CRDLILXEDS0	06907	03246	1015	362	AA	BA	DA	GC	(C)
618/351,453,457,529,536,549						GD	GE	GG	GJ	(C)
						GN	GR	HB	HD	(C)
						II	PA	PJ	RC	(C)
						RD	RF	RM	SC	(C)
						SD	SE	SQ	TD	(C)
						TH	TJ	UG		(C)
"	"	"	"	"	"	AA	BA	DA	GC	
" / "						GD	GE	GG	GJ	
						GN	GR	HB	HC	
						HD	II	PA	PJ	
						RC	RD	RF	RM	
						SC	SD	SE	SQ	
						TD	TH	TJ	UG	

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE				
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--	
CHICAGO	WDDLILCBDS0	05993	03483	7056	358	BA	DA	GE	GJ	(C)
224/232(0000-0999),238(5000-5999),267(7000-7999)						GR	HB	IB	RC	(C)
224/293(8000-8999),330(4000-4999),333(9000-9999)						RD	SH	SQ	T1	(C)
224/345(3000-3999),345(5000-5999),345(7000-7999)						T2	UG	UP	UR	(C)
224/361(0000-0999),366(5000-6999),402(6000-7999)						US				(C)
224/515(3000-4999),538(5000-5999),563(0000-0999)										(C)
224/603(6000-6999),612(8000-9999),725(1000-2999)										(C)
224/757(1000-1999),766(3000-5999),766(7000-8999)										(C)
224/805(4000-5999),993(1000-1999)										(C)
312/204(6000-6999),204(7000-7999),204(8000-8999)										(C)
312/212(4000-5999),212(7000-7999),239(7000-7999)										(C)
312/244(3000-4999),254(8000-8999),260(7000-7999),377										(C)
312/445(2000-3999),462(9000-9999),488(5000-7999)										(C)
312/528(2000-2999),604(0000-3999),604(4000-4999)										(C)
312/604(5000-5999),604(7000-9999),624(6000-7999)										(C)
312/650(7000-8999),794(1000-1999),794(6000-8999)										(C)
312/863(3000-3999),863(5000-8999)										(C)
331/465(0000-0999)										(C)
630/206(6000-7999),216(0000-1999),282(7000-7999)										(C)
630/286(6000-8999),344(0000-1999),344(6000-8999)										(C)
630/345(9000-9999),348(0000-0999),348(6000-6999)										(C)
630/366(3000-4999),371(0000-7999),371(9000-9999)										(C)
630/376(0000-2999),376(3000-5999),376(7000-8999)										(C)
630/379(0000-0999),379(5000-5999),388(0000-1999)										(C)
630/388(5000-5999),390(1000-1999),390(2000-2999)										(C)
630/390(3000-3999),390(7000-7999),412(5000-5999)										(C)
630/413(0000-3999),413(6000-8999),426(5000-5999)										(C)
630/429(9000-9999),439(0000-0999),439(1000-1999)										(C)
630/439(2000-2999),454(0000-0999),454(3000-3999)										(C)
630/458(6000-6999),463(5000-5999),468(6000-7999)										(C)
630/468(9000-9999),504(3000-3999),600(4000-5999)										(C)
630/600(9000-9999),613(4000-4999),618(3000-3999)										(C)
630/633(0000-0999),633(4000-4999),658(2000-2999)										(C)
630/659(0000-0999),706(6000-9999),723(0000-0999)										(C)
630/735(0000-2999),735(4000-5999),741(0000-0999)										(C)
630/741(3000-3999),754(0000-0999),754(2000-3999)										(C)
630/754(5000-5999),785(9000-9999),806(8000-8999)										(C)
630/818(2000-2999),821(4000-4999),823(2000-2999)										(C)
630/884(3000-3999),925(0000-0999),925(2000-3999)										(C)

-------- Continued on next page --------

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE	TYPE			
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--	

-------- Continued from previous page --------

630/925(5000-6999),925(8000-9999),946(5000-5999)	(C)
630/981(0000-0999),981(2000-2999),981(3000-3999)	(C)
630/981(5000-5999),981(6000-6999),981(8000-8999)	(C)
630/981(9000-9999),995(4000-4999),995(7000-7999)	(C)
708/213(7000-7999),213(9000-9999),221(0000-2999)	(C)
708/221(6000-7999),231(9000-9999),235(9000-9999)	(C)
708/248(1000-1999),253(0000-1999),253(4000-4999)	(C)
708/255(0000-0999),255(7000-7999),277(0000-2999)	(C)
708/290(4000-4999),292(1000-1999),303(5000-5999)	(C)
708/317(0000-0999),317(1000-2999),321(6000-6999)	(C)
708/350(0000-1999),350(8000-8999),360(0000-0999)	(C)
708/360(9000-9999),364(5000-5999),365(7000-7999)	(C)
708/367(9000-9999),377(0000-1999),394(8000-8999)	(C)
708/395(0000-2999),395(6000-6999),405(0000-1999)	(C)
708/405(2000-2999),405(3000-4999),405(7000-7999)	(C)
708/406(0000-1999),406(4000-4999),416(0000-1999)	(C)
708/416(2000-2999),416(4000-4999),416(5000-5999)	(C)
708/432(0000-1999),432(4000-4999),434(6000-6999)	(C)
708/444(9000-9999),469(0000-1999),469(2000-2999)	(C)
708/475(6000-6999),486(0000-2999),486(3000-9999)	(C)
708/497(7000-7999),564(0000-0999),564(1000-1999)	(C)
708/576(6000-6999),587(9000-9999),589(0000-1999)	(C)
708/589(3000-3999),590(0000-1999),590(3000-3999)	(C)
708/653(4000-4999),658(0000-1999),658(5000-5999)	(C)
708/768(0000-0999),827(0000-1999),827(4000-4999)	(C)
708/827(6000-6999),887(0000-1999),887(5000-6999)	(C)
708/946(7000-7999),983(0000-2999)	(C)
773/243(0000-5999),243(8000-8999),249(0000-0999)	(C)
773/249(1000-1999),257(9000-9999),410(5000-5999)	(C)
773/435(0000-3999),435(7000-7999),453(0000-1999)	(C)
773/453(3000-3999),466(0000-1999),466(3000-3999)	(C)
773/470(0000-2999),470(4000-4999),634(1000-1999)	(C)
773/634(3000-4999),701(4000-5999),724(2000-4999)	(C)
773/751(0000-1999),751(2000-2999),751(3000-4999)	(C)
773/751(5000-6999),787(0000-1999),787(2000-2999)	(C)
773/787(4000-4999),822(0000-0999),823(2000-2999)	(C)
773/830(0000-0999),830(1000-1999),830(7000-7999)	(C)

-------- Continued on next page --------

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --

-------- Continued from previous page --------

773/830(8000-8999),830(9000-9999),992(1000-1999)							(C)
773/992(3000-4999),992(9000-9999)							(C)
815/261(5000-5999),271(4000-4999),321(6000-8999)							(C)
815/349(0000-2999),642(7000-7999),823(0000-1999)							(C)
815/828(0000-2999),828(9000-9999),839(0000-0999)							(C)
815/839(1000-1999),839(4000-5999),880(0000-0999)							(C)
815/880(2000-3999)							(C)
847/201(5000-5999),232(9000-9999),235(4000-4999)							(C)
847/235(7000-7999),235(9000-9999),241(0000-0999)							(C)
847/241(3000-3999),241(6000-9999),264(6000-6999)							(C)
847/278(5000-6999),307(0000-0999),316(9000-9999)							(C)
847/324(0000-1999),324(2000-2999),325(0000-1999)							(C)
847/332(0000-0999),349(0000-1999),349(6000-6999)							(C)
847/371(0000-0999),378(6000-6999),388(4000-4999)							(C)
847/416(5000-5999),430(5000-5999),434(3000-3999)							(C)
847/434(9000-9999),453(2000-2999),461(0000-0999)							(C)
847/474(0000-0999),474(3000-3999),481(0000-1999)							(C)
847/483(2000-2999),495(4000-4999),495(7000-7999)							(C)
847/510(0000-1999),512(0000-0999),515(9000-9999)							(C)
847/572(0000-1999),580(4000-4999),585(0000-1999)							(C)
847/603(6000-6999),620(0000-1999),631(8000-8999)							(C)
847/649(0000-1999),654(0000-1999),656(0000-2999)							(C)
847/656(7000-7999),709(0000-2999),709(4000-4999)							(C)
847/709(5000-5999),728(1000-2999),739(0000-0999)							(C)
847/750(0000-2999),756(8000-8999),760(0000-1999)							(C)
847/770(4000-4999),779(4000-5999),779(9000-9999)							(C)
847/787(5000-5999),793(9000-9999),829(3000-3999)							(C)
847/850(4000-4999),856(5000-5999),861(8000-8999)							(C)
847/881(0000-1999),890(6000-7999),905(7000-7999)							(C)
847/930(0000-0999),932(5000-5999),939(1000-1999)							(C)
847/939(8000-8999),954(0000-0999),954(1000-1999)							(C)
847/954(2000-2999),960(4000-4999),960(6000-6999)							(C)
847/993(0000-1999),993(9000-9999),996(7000-8999)							(C)
847/999(5000-5999)							(C)
"	"	"	"	"	"	"	
224/232(0000-0999),238(5000-5999),267(7000-7999)						"	
224/293(8000-8999),330(4000-4999),333(9000-9999)						"	

-------- Continued on next page --------

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE	TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- --	-- --

-------- Continued from previous page --------

224/345(3000-3999),345(7000-7999),361(0000-0999)							"
224/366(5000-6999),402(6000-7999),515(3000-4999)							"
224/538(5000-5999),563(0000-0999),603(6000-6999)							"
224/612(8000-9999),725(1000-2999),757(1000-1999)							"
224/766(3000-5999),766(7000-8999),805(4000-5999)							"
224/993(1000-1999)							"
312/204(6000-6999),204(7000-7999),204(8000-8999)							"
312/212(4000-5999),212(7000-7999),239(7000-7999)							"
312/244(3000-4999),254(8000-8999),260(7000-7999),377							"
312/445(2000-3999),462(9000-9999),488(5000-7999)							"
312/528(2000-2999),604(0000-3999),604(4000-4999)							"
312/604(5000-5999),604(7000-9999),624(6000-7999)							"
312/650(7000-8999),794(1000-1999),794(6000-8999)							"
312/863(3000-3999),863(5000-8999)							"
331/465(0000-0999)							"
630/206(6000-7999),216(0000-1999),282(7000-7999)							"
630/286(6000-8999),344(0000-1999),344(6000-8999)							"
630/345(9000-9999),348(0000-0999),348(6000-6999)							"
630/366(3000-4999),371(0000-7999),371(9000-9999)							"
630/376(0000-2999),376(3000-5999),376(7000-9999)							"
630/379(0000-0999),379(5000-5999),388(0000-1999)							"
630/388(5000-5999),390(1000-1999),390(2000-2999)							"
630/390(3000-3999),390(7000-7999),412(5000-5999)							"
630/413(0000-3999),413(6000-8999),426(5000-5999)							"
630/429(9000-9999),439(0000-0999),439(1000-1999)							"
630/439(2000-2999),454(0000-0999),454(3000-3999)							"
630/458(6000-6999),463(5000-5999),468(6000-7999)							"
630/468(9000-9999),504(3000-3999),600(4000-5999)							"
630/600(9000-9999),613(4000-4999),618(3000-3999)							"
630/633(0000-0999),633(4000-4999),658(2000-2999)							"
630/659(0000-0999),706(6000-9999),723(0000-0999)							"
630/735(0000-2999),735(4000-5999),741(0000-0999)							"
630/741(3000-3999),754(0000-0999),754(2000-3999)							"
630/754(5000-5999),785(9000-9999),806(8000-8999)							"
630/818(2000-2999),821(4000-4999),823(2000-2999)							"
630/884(3000-3999),925(0000-0999),925(2000-3999)							"
630/925(5000-6999),925(8000-9999),946(5000-5999)							"

-------- Continued on next page --------

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE	TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- --	-- --

-------- Continued from previous page --------

630/981(0000-0999),981(2000-2999),981(3000-3999)							"
630/981(5000-5999),981(6000-6999),981(8000-8999)							"
630/981(9000-9999),995(4000-4999),995(7000-7999)							"
708/213(7000-7999),213(9000-9999),221(0000-2999)							"
708/221(6000-7999),231(9000-9999),235(9000-9999)							"
708/248(1000-1999),253(0000-1999),253(4000-4999)							"
708/255(0000-0999),255(7000-7999),277(0000-2999)							"
708/290(4000-4999),292(1000-1999),303(5000-5999)							"
708/317(0000-0999),317(1000-2999),321(6000-6999)							"
708/350(0000-1999),350(8000-8999),360(0000-0999)							"
708/360(9000-9999),364(5000-5999),365(7000-7999)							"
708/367(9000-9999),377(0000-1999),394(8000-8999)							"
708/395(0000-2999),395(6000-6999),405(0000-1999)							"
708/405(2000-2999),405(3000-4999),405(7000-7999)							"
708/406(0000-1999),406(4000-4999),416(0000-1999)							"
708/416(2000-2999),416(4000-4999),416(5000-5999)							"
708/432(0000-1999),432(4000-4999),434(6000-6999)							"
708/444(9000-9999),469(0000-1999),469(2000-2999)							"
708/475(6000-6999),486(0000-2999),486(3000-9999)							"
708/497(7000-7999),564(0000-0999),564(1000-1999)							"
708/576(6000-6999),587(9000-9999),589(0000-1999)							"
708/589(3000-3999),590(0000-1999),590(3000-3999)							"
708/653(4000-4999),658(0000-1999),658(5000-5999)							"
708/768(0000-0999),827(0000-1999),827(4000-4999)							"
708/827(6000-6999),887(0000-1999),887(5000-6999)							"
708/946(7000-7999),983(0000-2999)							"
773/243(0000-5999),243(8000-8999),249(0000-0999)							"
773/249(1000-1999),257(9000-9999),410(5000-5999)							"
773/435(0000-3999),435(7000-7999),453(0000-1999)							"
773/453(3000-3999),466(0000-1999),466(3000-3999)							"
773/470(0000-2999),470(4000-4999),634(1000-1999)							"
773/634(3000-4999),701(4000-5999),724(2000-4999)							"
773/751(0000-1999),751(2000-2999),751(3000-4999)							"
773/751(5000-6999),787(0000-1999),787(2000-2999)							"
773/787(4000-4999),822(0000-0999),823(2000-2999)							"
773/830(0000-0999),830(1000-1999),830(7000-7999)							"
773/830(8000-8999),830(9000-9999),992(1000-1999)							"

-------- Continued on next page --------

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE	TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- --	-- --
-------- Continued from previous page --------							
773/992(3000-4999),992(9000-9999)							"
815/261(5000-5999),271(4000-4999),321(6000-8999)							"
815/349(0000-2999),642(7000-7999),823(0000-1999)							"

==========

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE				
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--	
CHICAGO ZONE	CHCHILLEDS0	05986	03426	8950	358	D1	DA	DD	GB	(C)
224/676(2000-2999)						GE	GJ	GL	GN	(C)
312/205,252(0000-5999),252(8000-9999),253(0000-2999)						HB	HJ	IA	IB	(C)
312/253(4000-4999),253(7000-9999),254(0000-5999)						IC	ID	IG	II	(C)
312/254(9000-9999),256(0000-0999),256(2000-2999)						UG				(C)
312/256(9000-9999),262(0000-1999),262(9000-9999),275,276										(C)
312/277										(C)
331/457(4000-4999)										(C)
630/412(2000-2999),445(4000-4999),446(4000-4999)										(C)
630/475(3000-3999),522(0000-2999),522(4000-6999)										(C)
630/522(9000-9999),559(0000-3999),559(7000-9999)										(C)
630/596(0000-2999),596(4000-4999),596(8000-9999)										(C)
630/597(0000-0999),597(2000-2999),597(4000-4999)										(C)
630/597(7000-7999),597(9000-9999),598(0000-4999)										(C)
630/598(9000-9999),599(0000-4999),599(6000-6999)										(C)
630/599(9000-9999),622(0000-4999),622(9000-9999)										(C)
630/823(4000-4999)										(C)
708/215(8000-8999),290(8000-8999),459(5000-5999)										(C)
708/645(8000-8999),775(0000-0999),775(6000-9999)										(C)
708/776(0000-0999),776(4000-8999),777(0000-0999)										(C)
708/777(4000-9999),842(0000-0999),842(2000-2999)										(C)
708/842(5000-5999),842(8000-9999),843(0000-0999)										(C)
708/843(5000-9999),844(0000-4999),844(9000-9999)										(C)
708/850(0000-2999),850(4000-4999),850(8000-9999)										(C)
708/851(0000-4999),851(9000-9999)										(C)
773/245(5000-5999),303(0000-5999),303(8000-9999)										(C)
773/304(0000-5999),304(9000-9999),305(0000-5999)										(C)
773/305(7000-9999),313(0000-2999),313(4000-4999)										(C)
773/313(8000-9999),314(0000-2999),314(4000-5999)										(C)
773/314(8000-9999),337,341(7000-7999),345,346(0000-8999)										(C)
773/347(0000-6999),365(0000-0999),365(3000-8999)										(C)
773/389(0000-0999),389(1000-1999),423(0000-1999)										(C)
773/423(3000-5999),423(8000-9999),672(7000-7999)										(C)
773/789(6000-6999),948(3000-3999)										(C)
847/239(6000-7999),268(8000-8999),276(3000-3999)										(C)
847/281(8000-8999),282(1000-1999),305(5000-5999)										(C)
847/325(4000-4999),348(3000-3999),378(3000-3999)										(C)
847/410(0000-0999),425(4000-4999),434(0000-0999)										(C)
847/457(2000-2999),597(7000-7999),600(3000-3999)										(C)

-------- Continued on next page --------

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE	TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- --	-- --

-------- Continued from previous page --------

847/621(6000-6999),637(1000-2999),660(2000-2999)							(C)
847/701(2000-3999),713(4000-4999),716(6000-6999)							(C)
847/750(8000-8999),775(8000-8999),789(0000-4999)							(C)
847/789(7000-9999),790(3000-3999),801(3000-3999)							(C)
847/837(5000-5999),859(3000-3999),901(4000-4999)							(C)
847/908(0000-2999),908(6000-6999),908(9000-9999)							(C)
847/983(7000-7999)							(C)
"	"	"	"	"	"	"	
224/676(2000-2999)						"	
312/205,252(0000-5999),252(8000-9999),253(0000-2999)						"	
312/253(4000-4999),253(7000-9999),254(0000-5999)						"	
312/254(9000-9999),256(0000-0999),256(2000-2999)						"	
312/256(9000-9999),262(0000-1999),262(9000-9999),275,276						"	
312/277						"	
331/457(4000-4999)						"	
630/412(2000-2999),445(4000-4999),446(4000-4999)						"	
630/475(3000-3999),522(0000-2999),522(4000-6999)						"	
630/522(9000-9999),559(0000-3999),559(7000-9999)						"	
630/596(0000-2999),596(4000-4999),596(8000-9999)						"	
630/597(0000-0999),597(2000-2999),597(4000-4999)						"	
630/597(7000-7999),597(9000-9999),598(0000-4999)						"	
630/598(9000-9999),599(0000-4999),599(6000-6999)						"	
630/599(9000-9999),622(0000-4999),622(9000-9999)						"	
630/823(4000-4999)						"	
708/215(8000-8999),290(8000-8999),459(5000-5999)						"	
708/645(8000-8999),775(0000-0999),775(6000-9999)						"	
708/776(0000-0999),776(4000-8999),777(0000-0999)						"	
708/777(4000-9999),842(0000-0999),842(2000-2999)						"	
708/842(5000-5999),842(8000-9999),843(0000-0999)						"	
708/843(5000-9999),844(0000-4999),844(9000-9999)						"	
708/850(0000-2999),850(4000-4999),850(8000-9999)						"	
708/851(0000-4999),851(9000-9999)						"	
773/245(5000-5999),303(0000-5999),303(8000-9999)						"	
773/304(0000-5999),304(9000-9999),305(0000-5999)						"	
773/305(7000-9999),313(0000-2999),313(4000-4999)						"	
773/313(8000-9999),314(0000-2999),314(4000-5999)						"	
773/314(8000-9999),337,341(7000-7999),345,346(0000-8999)						"	

-------- Continued on next page --------

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
    -------- Continued from previous page --------

   773/347(0000-6999),365(0000-0999),365(3000-8999)                "
   773/389(1000-1999),423(0000-1999),423(3000-5999)                "
   773/423(8000-9999),672(7000-7999),789(6000-6999)                "
   773/948(3000-3999)                                              "
   847/239(6000-7999),268(8000-8999),276(3000-3999)                "
   847/281(8000-8999),282(1000-1999),305(5000-5999)                "
   847/325(4000-4999),348(3000-3999),378(3000-3999)                "
   847/410(0000-0999),425(4000-4999),434(0000-0999)                "
   847/457(2000-2999),597(7000-7999),600(3000-3999)                "
   847/621(6000-6999),637(1000-2999),660(2000-2999)                "
   847/701(2000-3999),713(4000-4999),716(6000-6999)                "
   847/750(8000-8999),775(8000-8999),789(0000-4999)                "
   847/789(7000-9999),790(3000-3999),801(3000-3999)                "
   847/837(5000-5999),859(3000-3999),901(4000-4999)                "
   847/908(0000-2999),908(6000-6999),908(9000-9999)                "
   847/983(7000-7999)
.......................................................................
GRANTFORK                   GRNTILXERS0 06727 03422 0978  520 DA          (C)
     /                                                                    (C)
 "                           "           "     "     "     "        "
   618/675
.......................................................................
LINCOLN                     LNCLILXC01W XXXXX XXXXX XXXX XXX  XX XX XX XX (D)
     /                                                                    (D)
.......................................................................
MARION                      MARNILXEDS0 06883 03201 1015  362 AA DA GC GD (C)
   618/993,997,998(0000-0999),998(1000-1999),998(2000-2999)  GE GG GN HB (C)
   618/998(3000-3999),998(4000-4999),998(5000-5999)          HD II PA PJ (C)
   618/998(7000-7999),998(8000-8999),998(9000-9999)          RC RD RF RM (C)
                                                             SC SD SE SH (C)
                                                             SM SQ       (C)
 "                           "           "     "     "     "  AA DA GC GD
   "  /   "                                                  GE GG GN HB
   "  /   "                                                  HC HD II PA
                                                             PJ RC RD RF
                                                             RM SC SD SE
                                                             SH SM SQ
                                END OF REPORT
=======================================================================
```

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ABINGDON	ABNGILXDRS0	06400	03722	1183	977	AA BA DA GD
309/462						GG GM GN GR
						HB HD II PC
						PL RC RD RF
						RM SQ
ADDIEVILLE	ADVLILXERS0	06799	03352	1183	520	AA BA DA GM
618/424(0000-2999),424(4000-9999)						GN GR II
ALBANY	ALBYILXDRS0	06196	03791	1183	634	BA DA GE GJ
309/887						GM GN GR II
ALBERS	ALBRILXERS0	06783	03383	1036	520	AA BA DA GM
618/248(1000-1999),248(5000-5999),248(9000-9999)						GN GR II
ALBION	ALBNILXERS2	06690	03133	1015	978	AA BA DA GD
618/445(2000-2999),445(3000-3999),445(4000-4999)						GG GM GN HB
618/445(5000-5999),445(9000-9999)						HD II PC PL
						RC RD RF RM
						SD SE TU
ALEDO	ALEDILXDDS0	06349	03812	1183	634	BA DA GC GN
309/582(0000-0999),582(1000-1999),582(2000-2999)						GR II
309/582(3000-3999),582(5000-5999),582(7000-7999)						
309/582(8000-8999),582(9000-9999)						
ALEXANDER	ALXNILXGRS0	06583	03565	1015	376	AA BA DA GG
217/478(2000-2999)						GM GN HB HD
						II PC PL RC
						RD RF RM TU
ALEXIS	ALXSILXDRS0	06361	03770	1183	634	BA DA GC GM
309/482						GN GR II
ALGONQUIN	ALGNILAQDS0	05981	03551	5070	358	AA BA DA GC
847/458(0000-2999),458(4000-9999),532(6000-7999),658,854						GQ GR II OR
847/960(7000-7999)						PO PQ PR PU
						SJ ST SX VE

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
ALHAMBRA                    ALHBILXEDS0 06721 03437 0978  520 DA OE TJ TK (C)
   618/488,675                                                 TZ XE XF    (C)
.......................................................................
ALLENDALE                   ALDLILXERS0 06634 03095 1015  978 AA DA GC GD
   618/299(1000-1999),299(2000-2999),299(3000-3999)            GE GG GM GN
                                                               HB HD II PC
                                                               PL RC RD RF
                                                               RM TU
.......................................................................
ALPHA                       ALPHIL01RS0 06321 03758 1091  634 AA BA DA GC
   309/629                                                     HB HD
                       COMPANY:  3760 HAS A PRESENCE ON THIS SWITCH
.......................................................................
ALPHA                       ALPHILXDRS0 06323 03757 1183  634 AA BA DA GM
   309/529                                                     GN GR II
.......................................................................
ALTAMONT                    ALMTILXEDS0 06613 03305 1183  520 AA BA DA GC
   618/483                                                     GN GR II
.......................................................................
ALTON                       ALTNILAKDS0 06750 03502 5070  520 AA BA DA GC
   618/433(0000-0999),433(2000-2999),433(4000-4999)            GQ GR II PD
   618/433(6000-6999),433(7000-7999),462,463,465               PM PT RC RD
   618/474(0000-8999)                                          SK ST SV ZX
.......................................................................
ALTON                       ELSHILESRS0 06754 03536 5070  520 AA BA DA GQ
   618/374(1000-1999),374(2000-2999),374(4000-4999)            GR II PO PQ
   618/374(5000-5999),374(9000-9999)                           SJ ST SV SX
.......................................................................
ALTON                       GDFYILANDS0 06748 03511 5070  520 AA BA DA GC
   618/466,467(0000-0999),467(1000-1999),467(2000-2999)        GQ GR II PO
   618/467(3000-3999),467(4000-4999),467(5000-5999)            PQ PT RC RD
   618/467(7000-7999),468(2000-7999)                           SK SV ZX
.......................................................................
ALVIN                       ALVNILXCRS1 06284 03261 1036  370 BA DA GM GN
   217/765(2000-2999)                                          GR II
.......................................................................
AMBOY                       AMBYILXARS0 06146 03654 1036  364 BA DA GC GE
   815/857(0000-0999),857(2000-2999),857(3000-3999)            GJ GM GN II
   815/857(4000-4999),857(9000-9999)                           TU

=======================================================================
```

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ANDOVER	ANDVILXDRS0	06297	03754	1183	634	BA DA GM GN
309/476						GR II QF
ANNA	ANNAILXEDS0	06961	03224	1015	362	AA DA GC GD
618/833(1000-9999)						GE GG GN GR
						HB HD II PB
						PK RC RD RF
						RM SC SD SE
						SQ
ANNAPOLIS	ANNPILXERL0	06524	03173	1036	978	BA DA GM GN
/						GR II TU
ANNAPOLIS	ANNPILXERS0	06524	03173	1036	978	BA DA GM GN
618/569(3000-4999)						GR II TU
ANNAPOLIS	ANNPILXERS1	06524	03173	1036	978	TU
/						
ANNAWAN	ANWNILXDDS0	06250	03707	1029	634	DA HD RC
309/934,935						
ANTIOCH	ANTCILACDS0	05908	03554	5070	358	AA BA DA GC
262/396(4000-4999),396(9000-9999)						GQ GR II OR
847/395,838						PO PQ PR PU
						SJ ST SX VE
APPLE CANYON	ACLKILXARS0	06065	03846	1036	360	BA DA GM GN
815/492(0000-0999),492(2000-2999),492(9000-9999)						GR II
APPLE RIVER	APRVILXARS0	06049	03842	1036	360	BA DA GE GJ
608/596(2000-2999)						GM GN GR II
815/594(2000-2999),594(9000-9999)						
ARCOLA	ARCLILXCRS0	06453	03304	1037	976	AA BA DA DD
217/268						GC GD GM GR
						HD RD

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ARENZVILLE	ARVLILXCDS0	06578	03630	1055	376	AA BA DA DD
217/997(0000-2999),997(5000-9999)						G2 GC GD GN
						GR IC IE SQ
ARGENTA	ARGTILXCRS0	06441	03408	1015	374	AA CA GG GM
217/795(2000-2999),795(4000-4999)						GN HB HD II
						PC PL RC RD
						RF RM TU
ARLINGTON HEIGHTS	ARLHILAHDS0	05974	03497	5070	358	AA BA DA GQ
847/222(0000-2999),222(4000-9999),481(2000-4999)						GR HA II OH
847/481(7000-7999)						OR PC PR PU
						SJ SP ST SV
						UR US VE WD
						WE WG WH
ARLINGTON HEIGHTS	ARLHILAHDS1	05974	03497	5070	358	AA BA DA GC
224/232(2000-4999),232(6000-6999),625(1000-9999)						GQ GR HA II
847/253,255,259,342,368,385(5000-7999),392,394,398						PC PK PL PR
847/463(4000-4999),463(8000-8999),483(0000-0999)						PU RB RC RD
847/483(6000-7999),483(9000-9999),506,577,590,618,632						RF SJ ST SV
847/670,754(2000-2999),788,797(0000-3999),797(5000-9999)						SX UR US WD
847/818,870						WE WG WH
ARMSTRONG	ARMSILXCRS0	06306	03300	1000	370	AA BA DA GM
217/569(2000-2999),569(5000-5999)						GN HD II
ARROWSMITH	ARRWILXDRS2	06337	03426	1015	366	AA BA DA GG
309/727(1000-1999)						GM GN HB HD
						II PC PL RC
						RD RF RM SQ
						TU
ARTHUR	ARTHILXCRS0	06466	03329	1037	976	AA BA DA DD
217/543						GC GD GM GR
						HD RD

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ASHKUM	ASHKILXARS0	06202	03370	1015	358	AA BA DA GD
815/698(2000-2999)						GG GM GN HB
						HD II PC PL
						RC RD RF RM
						SQ
ASHLEY	ASHYILXERS0	06788	03300	1183	520	BA DA GC GM
618/485						GN GR II
ASHMORE	ASMRILXCRS0	06466	03244	1037	976	AA BA DA DD
217/349						GC GD GM GR
						HD
ASHTON	ASTNILXARS0	06108	03653	1036	364	BA DA GE GJ
815/453(2000-2999),453(7000-7999)						GM GN II TU
ASSUMPTION	ASMPILXCRS0	06548	03396	1037	976	AA BA DA DD
217/226						GC GD GM GR
						HD RD
ASTORIA	ASTRILXDRS1	06509	03661	1015	977	AA DA GG GM
309/329(1000-1999),329(2000-2999),329(9000-9999)						GN HB HD II
						PC PL RC RD
						RF RM TU
ATHENS	ATHNILANRS0	06513	03540	5070	374	AA BA DA GC
217/636(7000-7999),636(8000-8999)						GQ GR II OR
						PO PQ PR PS
						SV SX
ATKINSON	ATSNILXDDS0	06253	03726	1029	634	DA HD RC
309/936						
ATLANTA	ATLNILXCRS0	06418	03497	1015	366	AA BA DA GG
217/648(2000-2999),648(5000-5999)						GM GN HB HD
						II PC PL RC
						RD RF RM SQ
						TU

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ATWOOD	ATWDILXCRS0	06449	03336	1037	976	AA BA DA DD
217/578						GC GD GM GR
						HD RD
AUBURN	AUBNILXCRS0	06587	03508	1015	374	AA DA GC GD
217/438(2000-2999),438(3000-3999),438(4000-4999)						GE GG GM GN
217/438(5000-5999),438(6000-6999),438(9000-9999)						GR HB HD II
						PC PL RC RD
						RF RM SQ TU
AURORA	AURRILAEDS0	06060	03507	5070	358	AA BA DA GC
630/236,375,499,518(3000-3999),585,692(0000-2999)						GQ GR HA II
630/692(4000-8999),820,851,862(2000-3999),898,978						OR PD PM PR
						PU RF SJ ST
						SX VE
AURORA	AURRILARDS0	06062	03511	5070	358	AA BA DA GC
630/256(2000-6999),264,301(5000-7999),723(2000-2999),801						GE GQ GR II
630/844,859,892,896,897,906,966						OH OR PD PM
						PR PU RB RC
						RD SK ST VF
						VP ZX
AURORA	AURRILARK18	06062	03511	5070	358	PR PU UE
/						
AURORA	AURRILAWRS0	06062	03522	5070	358	AA BA DA GQ
630/907(0000-6999),907(8000-9999)						GR II PO PQ
						PR PU SJ ST
						SX VE
AVA	AVA ILXERS0	06897	03304	1015	362	AA DA GG GM
618/426(1000-1999),426(3000-3999),426(9000-9999)						GN HB HD II
						PC PL RC RD
						RF RM

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
AVISTON 618/228(7000-7999)	AVTNILAVRS0	06766	03391	5070	520	AA BA DA GQ GR II PO PQ PT SK ST SV SX
AVON 309/465	AVONILXDRS0	06430	03714	1057	977	AA BA DA GD PC PN QB QF RA RC SA SI UB UG UM
BALDWIN 618/774,785	BLDWILXEDS0	06866	03386	1003	362	AA DA GC GD HD II OE TJ TK TZ
BARRINGTON 224/512(1000-3999),512(5000-6999) 847/248,765,898(0000-8999)	BNTOILAGDS0	05988	03515	5070	358	AA BA DA GQ GR HA II OR PD PM PR PU SJ ST SX
BARRINGTON ___/___	BNTOILBA01W	05972	03525	5070	358	HC PR PU
BARRINGTON 847/277,304,381,382,620(3000-4999),620(6000-8999) 847/713(2000-2999),756(2000-2999),756(4000-4999) 847/756(6000-6999),842	BNTOILBADS0	05972	03525	5070	358	AA BA DA GC GQ GR HA II OH OR PD PM PR PU SK ST VF VP ZX
BARRINGTON ___/___	BNTOILBAK19	05972	03525	5070	358	PR PU UE
BARRY 217/335(1000-1999),335(2000-2999),335(3000-3999)	BARYILXCRS0	06662	03713	1015	376	AA BA DA GG GM GN HB HD II PC PL RC RD RF RM SQ TU
BARTELSO 618/765(1000-1999),765(2000-2999),765(9000-9999)	BTLSILXERS0	06769	03363	1183	520	AA BA DA GM GN GR II

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
BARTLETT                    BRTLILBTDS0 06007 03516 5070  358 AA BA DA GC
   630/213,289,372,483,540(0000-0999),540(1000-1999)         GQ GR HA II
   630/540(2000-2999),540(4000-4999),540(5000-5999)          OR PD PM PR
   630/540(7000-7999),540(9000-9999),736,830,837             PU SJ ST SX
   847/798(1000-1999),798(3000-3999),798(7000-9999)          VE
.......................................................................
BASCO                       BASCILXCRS0 06550 03795 1183  977 BA DA GM GN
   217/743(0000-0999),743(1000-1999),743(5000-5999)          GR II
   217/743(6000-6999),743(7000-7999),743(8000-8999)
   217/743(9000-9999)
.......................................................................
BATAVIA                     BATVILFLRS0 06043 03514 5070  358 AA BA DA GE
   630/454(2000-2999),840(0000-8999)                         GQ GR II OR
                                                             PO PQ PR PU
                                                             SJ ST SX VE
.......................................................................
BATCHTOWN                   BTTWILXERS0 06763 03592 1183  520 AA BA DA GM
   618/396                                                   GN GR II
.......................................................................
BATH                        BATHILXDDS0 06500 03625 1183  368 BA DA GN GR
   309/546                                                   II
.......................................................................
BAYLIS                      BYLSILXCRS0 06646 03696 1015  376 AA BA DA GG
   217/336(4000-4999)                                        GM GN HB HD
                                                             II PC PL RC
                                                             RD RF RM TU
.......................................................................
BEARDSTOWN                  BDTWILBDRS0 06555 03652 5070  376 AA BA DA GC
   217/323(1000-6999),323(9000-9999)                         GQ GR II PO
                                                             PQ RC RD SK
                                                             ST SV SX
.......................................................................
BEASON                      BESNILXCRS0 06438 03479 1000  366 AA BA DA GM
   217/447(1000-1999),447(3000-3999)                         HD TU
.......................................................................
BEAVERVILLE                 BVVLILXARS0 06165 03334 1015  358 AA BA DA GG
   815/435(2000-2999)                                        GM GN HB HD
                                                             II PC PL RC
                                                             RD RF RM SQ
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
BECKEMEYER	BCKMILBMRS0	06753	03364	5070	520	AA BA DA GQ
618/227(8000-8999)						GR II PO PQ
						PT SK ST SV
						SX
BEECHER	BCHRILBCDS0	06089	03370	5070	358	AA BA DA GC
708/946(0000-3999),946(4000-4999),946(6000-6999)						GQ GR II OR
708/946(9000-9999)						PO PQ PR PU
						SJ ST SX VE
BEECHER CITY	BCCYILXERS0	06596	03325	1183	520	AA BA DA GM
618/487(0000-2999),487(5000-9999)						GN GR II
BELLEVILLE	BLVLILADDS0	06813	03440	5070	520	AA BA DA GC
618/220(0000-0999),220(1000-1999),220(2000-2999)						GQ GR II PD
618/220(3000-3999),220(4000-4999),220(5000-5999)						PM PT RC RD
618/220(6000-6999),220(7000-7999),220(8000-8999)						SK ST SV VP
618/220(9000-9999),222,229,233,234,235,236,239,256,257						ZX
618/277,355,641(0000-0999),641(2000-2999),641(4000-4999)						
618/641(5000-5999),641(6000-6999),767(2000-2999)						
618/767(3000-3999),767(7000-7999),825(0000-0999)						
618/825(2000-2999),825(3000-3999),825(4000-4999)						
618/825(5000-5999),825(6000-6999),825(7000-7999)						
BELLEVILLE	BLVLILPXRS0	06803	03421	5070	520	AA BA DA GQ
618/744(9000-9999),746(4000-4999)						GR II PO PQ
						PT RC RD SJ
						ST SV SX
BELLFLOWER	BLFLILXDRS2	06349	03400	1015	366	AA BA DA GM
309/722(3000-3999),722(9000-9999)						PC PL RC RD
						RF RM SQ TU
BELLMONT	BEMTILXERS2	06674	03102	1015	978	AA BA DA GM
618/298(1000-1999),298(2000-2999)						PC PL RC RD
						RF RM TU

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
BELLWOOD                    BLWDILBWDS0 06002 03459 5070  358 AA BA DA GC
   708/216,327,338,343,344,345,410(0000-8999),450            GD GQ GR HA
   708/493(0000-0999),493(1000-1999),493(2000-2999)          II OH OR PC
   708/493(9000-9999),531(5000-5999),531(7000-7999)          PL PR PU RB
   708/538(4000-7999),544,547,615(0000-0999),615(6000-6999)  RC RD RF SJ
   708/615(8000-9999),617(3000-7999),649(2000-9999),681      ST SV SX UR
   708/786(2000-8999),865                                    VE WD WE WG
                                                             WH
.......................................................................
BELVIDERE                   BLVDILXADS0 06005 03637 1015  360 AA DA GC GD
   815/323(1000-1999),544,547                                GJ GN HB HD
                                                             II PB PK RC
                                                             RD RF RM SQ
                                                             TI TU UG
.......................................................................
BEMENT                      BMNTILXCRS0 06434 03364 1015  370 AA BA DA GE
   217/678(2000-2999),678(3000-3999),678(4000-4999)          GG GM GN HB
   217/678(5000-5999),678(7000-7999),678(8000-8999)          HD II PC PL
                                                             RC RD RF RM
                                                             SQ TU
.......................................................................
BENLD                       BNLDILXCRS0 06687 03468 1183  976 AA DA GG GM
   217/835(0000-0999),835(1000-1999),835(2000-2999)          GN GR HB HD
   217/835(4000-4999),835(6000-6999),835(7000-7999)          PC PL RC RD
   217/835(9000-9999)                                        RF RM
.......................................................................
BENSENVILLE                 BNSVILBVDS0 05995 03477 5070  358 AA BA DA GC
   630/227,238,250,285,350(0000-5999),350(7000-9999)         GE GQ GR HA
   630/438(5000-6999),467(0000-4999),467(6000-8999)          II OR PB PK
   630/521(0000-2999),521(8000-9999),595,616,694             PR PU SJ ST
   630/760(3000-4999),766,773,775(0000-3999),775(5000-7999)  SV SX UR VE
   630/775(9000-9999),787,860,875,948(6000-6999)             WD WE WG WH
   847/957(0000-0999),957(2000-2999),957(5000-5999)
.......................................................................
BENSON                      BNSNILXDRS0 06296 03538 1015  368 AA DA GG GM
   309/394(1000-1999),394(2000-2999)                         GN HB HD PC
                                                             PL RC RD RF
                                                             RM SQ TU
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
BENTON	BNTNILXEDS0	06831	03226	1015	362	AA DA GC GD
618/435(2000-2999),435(3000-3999),435(4000-4999)						GE GG GN HB
618/435(5000-5999),435(6000-6999),435(8000-8999)						HD II PB PK
618/438(0000-0999),438(2000-2999),438(3000-3999)						RC RD RF RM
618/438(4000-4999),438(5000-5999),438(6000-6999)						SN SQ
618/438(7000-7999),438(8000-8999),439(0000-0999)						
618/439(2000-2999),439(3000-3999),439(4000-4999)						
618/439(5000-5999),439(6000-6999),439(7000-7999)						
618/439(8000-8999),439(9000-9999)						
BETHALTO	BTHLILBORS0	06741	03486	5070	520	AA BA DA GC
618/377						GQ GR II PO
						PQ PT RC RD
						SJ ST SV SX
BETHANY	BTHNILXCRS2	06499	03362	1015	374	AA DA GE GG
217/665(2000-2999),665(3000-3999)						GM GN HB HD
						II PC PL RC
						RD RF RM
BIG ROCK	BGRKILBGRS0	06078	03545	5070	358	AA BA DA GQ
630/556(3000-3999),556(4000-4999),556(9000-9999)						GR II OR PO
						PQ PR PU SJ
						ST SX VE
BIGGSVILLE	BGVLILXDRS1	06425	03796	1183	977	AA DA GE GM
309/627(0000-0999),627(1000-1999),627(2000-2999)						GR PC PL RC
309/627(6000-6999),627(7000-7999),627(8000-8999)						RD RF RM SQ
309/627(9000-9999)						
BIRDS	BRDSILXERS1	06571	03120	1036	978	AA BA DA GM
618/928(2000-2999)						GN II TU
BISMARCK	BSMRILXCRS1	06294	03257	1036	370	BA DA GM GN
217/759(7000-7999),759(8000-8999)						GR II
BLOOMINGTON	BLTNILXD50T	06358	03483	1015	366	GB HB TU
/						

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
BLOOMINGTON	BLTNILXDDS0	06358	03483	1015	366	AA DA GC GD
309/336(5000-5999),336(6000-6999),556,557(0000-0999)						GE HB PA PJ
309/557(1000-1999),557(2000-2999),557(3000-3999)						RC RD RF RM
309/557(4000-4999),557(5000-5999),557(6000-6999)						SC SD SE SF
309/557(7000-7999),557(8000-8999),622(5000-5999),766,820						SN SQ TD TJ
309/821,823,827,828,829,831(1000-4999),994						TU
BLOOMINGTON	BLTNILXDPSO	06358	03483	1015	366	DA IP
309/831(0000-0999)						
BLOOMINGTON	BLTNILXDTMD	06358	03483	2978	366	DA
309/834						
BLOOMINGTON	BLTNILXDWMD	06358	03483	7196	366	BA DA
217/570(3000-3999),828(3000-3999)						
309/319(9000-9999),490(3000-3999),585(3000-3999)						
309/585(6000-6999),726(3000-3999)						
779/804(3000-3999)						
815/510(3000-3999),854(3000-3999)						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
BLOOMINGTON                 BLTNILXDXZX 06358 03483 7807  366 GR
   217/307(7000-7999),308(7000-7999),376(7000-7999)
   217/410(7000-7999),445(7000-7999),570(7000-7999)
   217/633(7000-7999),651(7000-7999),878(7000-7999)
   217/941(7000-7999)
   309/205(7000-7999),305(7000-7999),376(7000-7999)
   309/377(7000-7999),379(7000-7999),468(7000-7999)
   309/485(7000-7999),487(7000-7999),488(7000-7999)
   309/490(7000-7999),491(7000-7999),498(7000-7999)
   309/503(7000-7999),504(7000-7999),722(7000-7999)
   309/723(9000-9999),724(7000-7999),725(5000-5999)
   309/727(7000-7999),893(7000-7999)
   815/249(7000-7999),253(5000-5999),336(6000-6999)
   815/365(7000-7999),368(7000-7999),452(7000-7999)
   815/510(5000-5999),567(7000-7999),635(7000-7999)
   815/647(7000-7999),657(6000-6999),686(7000-7999)
   815/688(7000-7999),692(0000-0999),702(7000-7999)
   815/743(4000-4999),796(5000-5999),853(9000-9999)
   815/854(7000-7999),863(7000-7999),867(9000-9999)
   815/869(6000-6999),934(7000-7999),945(9000-9999)
   815/949(7000-7999),998(7000-7999)
.......................................................................
BLOOMINGTON                 BLTNILXN50T 06352 03484 1015  366 G2 GB TU
      /
.......................................................................
BLOOMINGTON                 BLTNILXNDS0 06352 03484 1015  366 AA DA GD GE
   309/268,433(9000-9999),434(2000-2999),434(6000-6999),436  GJ GR HB PA
   309/438,451,452,454,622(6000-6999),622(7000-7999)         PJ RC RD RF
   309/622(8000-8999),622(9000-9999),735,763,862,888         RM SQ TJ TU
.......................................................................
BLOOMINGTON                 BLTNILXTDS0 06356 03476 1015  366 AA DA GC GD
   309/662,663,664,665(0000-0999),665(3000-3999)             GE HB PA PJ
   309/665(4000-4999),665(5000-5999)                         TJ TU
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
BLUE ISLAND	BLISILBIDS0	06032	03410	5070	358	AA BA DA GC
708/239,272(4000-6999),293,371,385,388,389,396,489,597						GQ GR HA II
708/824(0000-6999),824(9000-9999)						OH OR PD PM
						PR PU RB RC
						RD RF SJ ST
						SV SX VE
BLUE MOUND	BLMNILXCRS0	06518	03425	1037	374	AA CA GC GR
217/692						HD
BLUFFS	BLFSILXCRS0	06614	03642	1015	376	AA BA DA GM
217/754(1000-1999),754(3000-3999)						PC PL RC RD
						RF RM TU
BLUFORD	BUFDILBLRS0	06752	03229	5070	520	AA BA DA GQ
618/732(6000-6999),732(8000-8999)						GR II PO PQ
						SJ ST SV SX
BONDVILLE	BDVLILXCRS0	06382	03353	1000	370	AA BA DA GN
217/863(2000-2999),863(5000-5999)						GR HD
BOWEN	BOWNILXCRS0	06559	03767	1183	977	BA DA GM GN
217/842(0000-0999),842(1000-1999),842(5000-5999)						GR II
217/842(7000-7999),842(8000-8999),842(9000-9999)						
BRADFORD	BRFRILXARS0	06274	03649	1015	368	AA DA GG GM
309/897(1000-1999),897(2000-2999),897(7000-7999)						GN GR HB HD
309/897(8000-8999)						II PC PL RC
						RD RF RM SQ
BRAIDWOOD	BRWDILBRRS0	06148	03447	5070	358	AA BA DA GQ
815/417(2000-4999),458(0000-0999),458(2000-4999)						GR II OR PO
815/458(6000-7999),458(9000-9999)						PQ PR PU SJ
						SX VE
BREESE	BRESILBSDS0	06760	03379	5070	520	AA BA DA GQ
618/526(0000-0999),526(1000-1999),526(2000-2999)						GR II PO PQ
618/526(3000-3999),526(4000-4999),526(5000-5999)						PT SK ST SV
618/526(7000-7999),526(8000-8999)						ZX

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
BRIDGEPORT	BRPTILXERS0	06603	03120	1015	978	AA BA DA GD
618/945(3000-3999),945(5000-5999),945(7000-7999)						GE GG GM GN
618/945(8000-8999),945(9000-9999)						HB HD II PC
						PL RC RD RF
						RM SQ TU
BRIGHTON	BITNILBHRS0	06723	03514	5070	520	AA BA DA GQ
618/372(0000-0999),372(3000-4999),372(7000-8999)						GR II PO PQ
						SK ST SV ZX
BRIMFIELD	BMFDILXDRS0	06355	03650	1015	368	AA BA DA GG
309/446(3000-3999),446(9000-9999)						GM GN GR HB
						HD II PC PL
						RC RD RF RM
						TU
BROADLANDS	BRLDILXCRS0	06392	03277	1015	370	AA DA GE GG
217/834(3000-3999)						GM GN HB HD
						II PC PL RC
						RD RF RM SQ
BROCTON	BRTNILXCRS0	06424	03249	1015	938	AA DA GG GM
217/385(2000-2999)						GN HB HD II
						PC PL RC RD
						RF RM
BROOKPORT	BKPTILXERS0	06975	03095	1015	362	AA BA DA GM
618/564(2000-2999),564(3000-3999),564(9000-9999)						PC PL RC RD
						RF RM
BROWNSTOWN	BRTWILXERS0	06641	03330	1183	520	AA BA DA GM
618/427(0000-3999),427(5000-5999),427(8000-9999)						GN GR II
BRUSSELS	BRSLILXERS0	06774	03573	1183	520	AA BA DA GM
618/883(0000-0999),883(1000-1999),883(2000-2999)						GN GR II
618/883(3000-3999),883(4000-4999),883(9000-9999)						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
BUCKLEY 217/394(2000-2999)	BCKLILXCRS1	06263	03353	1015	370	AA BA DA GG GM GN GR HB HD PC PL RC RD RF RM
BUDA 309/895(1000-1999),895(2000-2999)	BUDAILXDRS0	06246	03667	1015	368	AA DA GC GD GE GG GM GN HB HD II PC PL RC RD RF RM SQ
BUFFALO 217/364(4000-4999),364(5000-5999),364(9000-9999)	BFLOILBFRS0	06511	03482	5070	374	AA BA DA GC GQ GR II PO PQ PR PS SV SX
BUNKER HILL 618/585(1000-1999),585(3000-3999),585(4000-4999) 618/585(5000-5999),585(6000-6999),585(9000-9999)	BNHLILXERS0	06708	03486	1183	520	AA DA GG GM GN GR HB HD PB PK RC RD RF RM
BUREAU 815/659(1000-1999),659(3000-3999)	BUREILXARS0	06227	03618	1015	368	AA DA GD GG GM GN HB HD II PC PL RC RD RF RM SQ
BURNT PRAIRIE 618/896(5000-5999)	BRPRILXERS0	06734	03157	1015	978	AA DA GE GG GM GN HB HD II PC PL RC RD RF RM TU
BURTON 217/885(3000-3999)	BRTOILBURS0	06641	03789	5070	376	AA BA DA GQ GR II PO PQ RC RD RF RM SJ ST SV SX

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
BUSHNELL	BSHNILXDRS0	06457	03714	1015	977	AA BA DA GD
309/772(2000-2999),772(3000-3999),772(8000-8999)						GG GM GN HB
309/772(9000-9999)						HD II PC PL
						RC RD RF RM
						SQ TU
BYRON	BYRNILXADS0	06061	03684	1015	360	AA DA GC GD
815/234(2000-2999),234(3000-3999),234(4000-4999)						GE GG GN HB
815/234(5000-5999),234(6000-6999),234(7000-7999)						HD II PB PK
815/234(8000-8999),406(2000-4999)						RC RD RF RM
						SQ TU
CABERY	CBRYILXARS0	06199	03418	1015	366	AA BA DA GG
815/949(1000-1999)						GM GN GR HB
						HD II PC PL
						RC RD RF RM
						SQ
CAIRO	CAIRILCFDS0	07042	03167	5070	362	AA BA DA GC
618/734(0000-2999),734(4000-4999),734(9000-9999)						GQ GR II PO
						PQ RC RD SK
						ST SV SX
CALHOUN	CLHNILXERS0	06637	03158	1036	978	AA BA DA GM
618/863(2000-2999)						GN II TU
CALUMET CITY	CMCYILCCDS0	06031	03384	5070	358	AA BA DA GC
708/418,474,730(0000-1999),730(5000-5999),730(8000-9999)						GQ GR HA II
708/832(0000-4999),832(9000-9999),862,868,891,895						OR PD PM PR
						PU RM SJ ST
						SV SX VE
CALUMET CITY	CMCYILCCDS1	06031	03384	5070	358	AA BA DA GQ
708/889(0000-2999),889(9000-9999)						GR II PD PM
						PR PU SJ SP
						ST SV
CAMBRIDGE	CMBRILXDDS0	06288	03740	0983	634	DA HD IS OE
309/937						RC

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
CAMERON	CMRNILXDRS0	06393	03748	1057	977	AA BA DA GD
309/563(0000-0999),563(1000-1999),563(2000-2999)						PC PN QB QF
309/563(3000-3999),563(4000-4999),563(5000-5999)						RA RC SA SI
309/563(6000-6999),563(7000-7999),563(9000-9999)						UB UG UM
CAMP GROVE	CMGVILXERS1	06291	03635	1015	368	AA BA DA GE
309/493(1000-1999),493(5000-5999),493(7000-7999)						GM PC RC RD
						RF RM SQ
CAMP POINT	CMPNILXCRS0	06596	03749	1015	376	AA BA DA GG
217/593(6000-6999),593(7000-7999)						GM GN HB HD
						II PC RC RD
						RF RM TU
CAMPUS	CMPSILXARS1	06202	03436	1015	366	AA BA DA GG
815/567(3000-3999)						GM GN GR HB
						HD II PC RC
						RD RF RM SQ
CANTON	CNTNILCNDS0	06422	03645	5070	368	AA BA DA GC
309/647,649(1000-1999),649(3000-3999),649(5000-5999)						GQ GR II PO
309/649(6000-6999),649(8000-8999)						PQ RC RD SK
						ST SV SX
CANTON	STDVILCSRS0	06435	03640	5070	368	AA BA DA GQ
309/668(2000-2999),668(3000-3999)						GR II PO PQ
						SJ ST SV SX
CANTRALL	CNTRILCTRS0	06514	03531	5070	374	AA BA DA GC
217/487(7000-7999)						GQ GR II OR
						PO PQ PR PS
						SV SX
CAPRON	CPRNILXARS0	05970	03637	1015	360	AA BA DA GG
815/569(1000-1999),569(2000-2999),569(9000-9999)						GM GN HB HD
						II PC RC RD
						RF RM SQ TU

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
CARBONDALE                  CRDLILXE01W XXXXX XXXXX XXXX XXX  XX XX XX XX (D)
     /                                                                     (D)
.......................................................................
CARBONDALE                  CRDLILXE03W XXXXX XXXXX XXXX XXX  XX XX XX XX (D)
     /                                                                     (D)
.......................................................................
CARBONDALE                  CRDLILXE51T 06907 03246 1015  362 G2 GB HB    (C)
     /                                                                     (C)
.......................................................................
CARBONDALE                  CRDLILXEDS0 06907 03246 1015  362 AA BA DA GC (C)
   618/351,453,457,529,536,549                                GD GE GG GJ (C)
                                                              GN GR HB HD (C)
                                                              II PA PJ RC (C)
                                                              RD RF RM SC (C)
                                                              SD SE SQ TD (C)
                                                              TH TJ UG    (C)
.......................................................................
CARBONDALE                  CRDLILXEMMD 06907 03245 7287  362 BA DA
   618/331(9000-9999)
.......................................................................
CARLINVILLE                 CRVLILXCDS0 06657 03498 1183  976 AA DA GD GE
   217/854                                                    GG GN GR HB
                                                              HD II PB PK
                                                              RC RD RF RM
.......................................................................
CARLOCK                     CRLCILXDRS0 06349 03513 1015  366 AA DA GC GD
   309/376(2000-2999),376(3000-3999),376(4000-4999)           GE GG GM GN
                                                              HB HD II PC
                                                              RC RD RF RM
                                                              SQ TU
.......................................................................
CARLYLE                     CRLYILCLRS0 06747 03355 5070  520 AA BA DA GQ
   618/594(0000-0999),594(2000-2999),594(3000-3999)           GR II PO PQ
   618/594(4000-4999),594(7000-7999),594(8000-8999)           PT SK ST SV
                                                              ZX
.......................................................................
CARMI                       CARMILXE50T 06754 03120 1015  978 GB HB TU
     /
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
CARMI	CARMILXEDS0	06754	03120	1015	978	AA DA GC GD
618/382(2000-2999),382(3000-3999),382(4000-4999)						GE GG GN HB
618/382(5000-5999),382(7000-7999),382(8000-8999)						HD II PC RC
618/384(2000-2999),384(3000-3999),384(4000-4999)						RD RF RM SD
618/384(5000-5999)						SE SQ TU
CARRIERS MILLS	CRMLILXERS0	06868	03151	1015	362	AA DA GG GM
618/994(2000-2999),994(4000-4999)						GN HB HD II
						PC RC RD RF
						RM SQ
CARROLLTON	CRTNILXCRS0	06692	03579	1015	376	AA DA GC GD
217/942(3000-3999),942(5000-5999),942(6000-6999)						GE GG GM GN
217/942(9000-9999)						HB HD II PC
						RC RD RF RM
						SQ TU
CARTERVILLE	CARVILXEDS0	06889	03227	1015	362	AA DA GC GD
618/985(1000-1999),985(2000-2999),985(3000-3999)						GE GG GN GR
618/985(4000-4999),985(5000-5999),985(6000-6999)						HB HD II PB
618/985(8000-8999),985(9000-9999)						PK PL RC RD
						RF RM
CARTHAGE	CRTHILXCDS0	06529	03795	1183	977	AA BA DA GN
217/357(0000-0999),357(2000-2999),357(3000-3999)						GR II QF SR
217/357(6000-6999),357(8000-8999),357(9000-9999)						
CARY	CARYILCADS0	05970	03546	5070	358	AA BA DA GC
847/462(0000-3999),462(5000-5999),462(8000-9999),516,639						GQ GR II OR
847/829(5000-5999)						PO PQ PR PU
						ST SX VE
CASEY	CASYILXCDS0	06508	03215	1000	976	AA BA DA GC
217/932(2000-2999),932(4000-4999),932(5000-5999)						GE GJ GN HD
217/932(6000-6999),932(9000-9999)						II RA RD TU

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
CASTLETON	CSTNILXDRS0	06288	03650	1015	368	AA DA GC GD
309/479(2000-2999)						GE GG GM GN
						HB HD II PC
						RC RD RF RM
CATLIN	CTLNILCBRS0	06339	03250	5070	370	AA DA GQ GR
217/427(2000-2999),427(5000-5999)						II OR PO PQ
						SJ SV SX
CEDAR POINT	CDPNILXARS0	06217	03579	1036	358	BA DA GM GN
815/446(4000-4999)						II TU
CEDARVILLE	CDVLILXARS1	06040	03764	1036	360	BA DA GC GE
815/563(4000-4999),563(9000-9999)						GJ GM GN GR
						II
CENTRALIA	CENLILCE01W	06745	03311	5070	520	HC
/						
CENTRALIA	CENLILCE51T	06745	03311	5070	520	GB GQ GR HB
/						SJ SV SX
CENTRALIA	CENLILCEDS0	06745	03311	5070	520	AA DA GC GQ
618/436(5000-8999),532,533,545(0000-1999),545(3000-3999)						GR HB II PD
618/545(6000-6999)						PM RB RC RD
						SK SS ST VP
						ZX
CERRO GORDO	CRGRILXCRS0	06452	03385	1015	374	AA DA GD GG
217/763(6000-6999)						GM GN HB HD
						II PC RC RD
						RF RM SQ TU
CHADWICK	CHWKILXARS0	06128	03765	1183	364	BA DA GM GN
815/684						GR II
CHAMPAIGN URBANA	CHMPILCP01W	06371	03335	5070	370	HC PR PS SW
/						VP VQ ZY

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
CHAMPAIGN URBANA /	CHMPILCP51T	06371	03335	5070	370	GB GQ GR HB PR PS
CHAMPAIGN URBANA 217/351,352,353,355,356,359,363,366,372(2000-3999),373 217/378,398,403(0000-8999),591,693(0000-0999)	CHMPILCPDS0	06371	03335	5070	370	AA DA GC GQ GR HB II OH PC PL PR PS RC RD SL SP ST
CHAMPAIGN URBANA /	CHMPILCPK48	06371	03335	5070	370	PR PS SV UE
CHAMPAIGN URBANA 217/244,255(1000-1999),255(4000-4999),255(5000-5999) 217/255(6000-6999),255(7000-7999),255(8000-8999) 217/255(9000-9999),265,278(2000-8999),326,328,332,333 217/337,344,365,367,383(1000-1999),383(2000-2999) 217/383(3000-3999),383(4000-4999),383(5000-5999) 217/383(6000-6999),383(7000-7999),383(8000-8999) 217/383(9000-9999),384,902(5000-9999),904(7000-7999)	CHMPILCUDS0	06372	03333	5070	370	AA BA DA GE GQ GR II OR PC PL PR PS SJ ST SV SX
CHAMPAURBN 217/213(3000-3999),215(3000-3999),402(8000-8999) 217/402(9000-9999),579(3000-3999),693(6000-6999)	CHMPILCPX6X	06371	03335	7196	370	BA DA

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
CHAMPAURBN                  CHMPILCPXOX 06371 03335 7807  370 GR
   217/200(7000-7999),207(6000-6999),215(7000-7999)
   217/247(6000-6999),284(7000-7999),286(7000-7999)
   217/288(7000-7999),339(7000-7999),375(7000-7999)
   217/386(7000-7999),387(7000-7999),388(6000-6999)
   217/394(7000-7999),395(7000-7999),396(7000-7999)
   217/397(7000-7999),427(7000-7999),485(7000-7999)
   217/489(7000-7999),495(7000-7999),548(7000-7999)
   217/559(7000-7999),564(7000-7999),568(5000-5999)
   217/569(7000-7999),574(6000-6999),579(7000-7999)
   217/582(7000-7999),583(6000-6999),590(3000-3999)
   217/595(7000-7999),598(7000-7999),599(7000-7999)
   217/601(7000-7999),631(7000-7999),643(5000-5999)
   217/678(6000-6999),680(7000-7999),681(7000-7999)
   217/684(6000-6999),687(3000-3999),688(6000-6999)
   217/694(7000-7999),745(7000-7999),749(7000-7999)
   217/759(5000-5999),765(7000-7999),769(7000-7999)
   217/776(7000-7999),806(7000-7999),834(7000-7999)
   217/837(7000-7999),846(7000-7999),863(3000-3999)
   217/867(7000-7999),896(6000-6999),897(3000-3999)
   217/987(7000-7999),996(7000-7999)
.......................................................................
CHAPIN                      CHAPILXCRS0 06601 03623 1015  376 AA DA GC GD
   217/472(3000-3999)                                           GE GG GM GN
                                                                HB HD II PC
                                                                RC RD RF RM
                                                                SQ TU
.......................................................................
CHARLESTON                  CHTNILXCDS0 06486 03262 1037  976 AA D1 DA GC
   217/345,348,581,639                                          GR HD RD RK
                                                                SC SD SE SF
.......................................................................
CHATHAM                     CHHMILXCDS0 06567 03508 1015  374 AA DA GC GD
   217/483(1000-1999),483(2000-2999),483(3000-3999)             GE GG GN GR
   217/483(4000-4999),483(5000-5999),483(6000-6999)             HB HD II PB
   217/483(7000-7999),483(8000-8999),483(9000-9999)             PK RC RD RF
                                                                RM SQ TU
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
CHATSWORTH	CHWOILXARS0	06252	03406	1015	366	AA DA GD GG
815/635(1000-1999),635(3000-3999),635(4000-4999)						GM GN GR HB
						HD II PC RC
						RD RF RM SQ
						TU
CHAUNCEY	CHNCILXERS0	06587	03150	1036	978	AA BA DA GM
618/947(2000-2999)						GN II TU
CHCZ 1	CHCGILCADS0	05991	03421	5070	358	AA BA DA GE
312/326,328,528(0000-0999),528(1000-1999),528(4000-4999)						GQ GR HA II
312/528(5000-5999),528(6000-6999),528(8000-8999),567,570						OR PD PM PR
312/674(0000-5999),674(8000-8999),674(9000-9999),791,808						PU SJ SP ST
312/945(0000-0999),945(3000-4999)						SV VE
CHCZ 1	CHCGILCADS1	05991	03421	5070	358	AA BA DA GC
312/225,842,881(3000-3999),949						GQ GR II PD
						PM PR PU SJ
						ST SV SX
CHCZ 1	CHCGILCLDS0	05987	03426	5070	358	AA BA DA GC
312/258,441,463(0000-8999),474,627(0000-8999)						GQ GR HA II
312/632(1000-2999),715(0000-3999),715(5000-6999)						OR PA PJ PR
312/715(9000-9999),756(1000-6999),756(8000-8999)						PU RC RD RF
312/768(2000-2999),876,879(0000-8999),887(3000-8999)						SK ST TB UR
312/928(0000-8999),993						VF VP WD WE
						WG WH ZX

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
CHCZ 1                      CHCGILCLDS3 05987 03426 5070  358 BA DA GC GQ
   312/207(0000-8999),234(1000-9999),308(0000-3999)          GR HA II OR
   312/308(5000-9999),380(2000-3999),380(7000-8999),382,430  PA PJ PR PU
   312/436(3000-9999),454,466,496(0000-2999),496(4000-5999)  RC RD RF SK
   312/496(8000-9999),526(0000-2999),526(4000-5999)          SP ST TB UR
   312/526(7000-8999),537(0000-5999),537(7000-9999)          VP WD WE WG
   312/544(1000-7999),559,568(0000-0999),568(8000-8999),575  WH
   312/589(1000-1999),589(9000-9999),612(3000-8999)
   312/614(6000-8999),648(0000-5999),648(7000-9999)
   312/651(0000-3999),651(7000-9999),655,669(1000-3999)
   312/669(5000-9999),672(0000-0999),672(3000-8999)
   312/681(1000-8999),707,714(1000-1999),716,775(0000-0999)
   312/775(3000-3999),775(5000-9999),798(0000-8999),831
   312/869(3000-3999),869(5000-8999),875,902,906(0000-6999)
   312/906(8000-9999),930,954,985(2000-4999),985(8000-8999)
   872/825
.......................................................................
CHCZ 1                      CHCGILCLTDS 05987 03426 5070  358 PA PR PU UR
      /                                                     WD WE WG WH
                                                            ZZ
.......................................................................
CHCZ 1                      CHCGILFRDS0 05986 03426 5070  358 AA BA DA EA
   312/201,220(0000-0999),220(1000-1999),220(3000-7999)      GE GQ GR HA
   312/220(9000-9999),230(0000-0999),230(1000-1999)          OH OR PA PJ
   312/230(2000-2999),230(3000-3999),230(4000-4999)          PR PU ST UR
   312/230(5000-5999),230(6000-6999),230(7000-7999)          US VL WD WE
   312/230(9000-9999),251,267(3000-3999),267(5000-5999)      WG WH ZY
   312/267(6000-6999),267(7000-7999),267(8000-8999),325,357
   312/368,395(1000-4999),443(0000-1999),443(3000-9999)
   312/444(1000-7999),444(9000-9999),541,553,556,557
   312/574(2000-2999),574(4000-4999),574(9000-9999),592,603
   312/606,629,630,641,759,797,812,849,855,857(0000-2999)
   312/857(7000-7999),857(9000-9999),899(0000-5999)
   312/899(7000-9999),984
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
CHCZ 1                      CHCGILFRDS1 05986 03426 5070  358 AA BA DA GE
   312/214,223,244(1000-2999),244(5000-8999),309,338         GQ GR HA II
   312/384(1000-8999),394(1000-8999),409(2000-2999)          OE PA PJ PR
   312/409(6000-6999),424,458(0000-0999),458(1000-1999)      PU SL SP ST
   312/458(2000-2999),458(3000-3999),458(4000-4999)          UR US WD WE
   312/458(6000-6999),458(7000-7999),458(8000-8999)          WG WH
   312/458(9000-9999),460(0000-2999),460(4000-4999)
   312/460(8000-9999),574(5000-8999),634,683(0000-3999)
   312/683(4000-4999),683(5000-5999),683(7000-8999)
   312/696(0000-8999),793,814,862,870(8000-8999),904
   312/905(0000-2999),905(6000-9999),992
.......................................................................
CHCZ 1                      CHCGILFRDS2 05986 03426 5070  358 AA BA DA GQ
   312/220(2000-2999),220(8000-8999),727                     GR PA PJ PR
                                                             PU SL SS ST
                                                             UR VQ WD WE
                                                             WG WH ZY
.......................................................................
CHCZ 1                      CHCGILFRDS3 05986 03426 5070  358 AA BA DA GE
   312/252(6000-7999),263,269,298(2000-8999),324(1000-2999)  GQ GR HA PA
   312/324(8000-9999),332,336,345,381,407,419,422,425        PJ PR PU SL
   312/429(3000-3999),460(5000-7999),499,516,558,578         SP SS ST UR
   312/609(0000-8999),621,658,701(0000-1999),701(5000-9999)  US WD WE WG
   312/726,739,750,781,807,827,845,846(2000-2999),917,920    WH
   312/960,977
.......................................................................
CHCZ 1                      CHCGILFRDS4 05986 03426 5070  358 AA BA DA GC
   312/236,281(3000-3999),346,364,372,456,462(2000-2999)     GE GQ GR II
   312/462(5000-8999),476(5000-7999),507(0000-0999)          PA PJ PR PU
   312/507(2000-8999),551,580,652,693,704,737,762,782,795    RC RD RF RM
   312/853,884(6000-6999),931(1000-3999),931(6000-6999)      SL SP SS ST
   312/931(8000-9999),936                                    UR WD WE WG
                                                             WH
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
CHCZ 1 312/442(1000-1999),442(3000-9999)	CHCGILFRDS6	05986	03426	5070	358	AA BA DA GE GQ GR HA PA PJ PR PU SL SP SS ST UR US WD WE WG WH
CHCZ 1 /	CHCGILFRK38	05986	03426	5070	358	PA PR PU UE UR VP WD WE WG WH
CHCZ 1 /	CHCGILID71T	05984	03426	5070	358	GB GQ GR HB PR PU
CHCZ 1 312/222,229(2000-3999),229(8000-8999),245,321 312/379(4000-4999),379(6000-7999),396,464,527,595,742 312/744,755,817,822,828,832,836,840,923,970(2000-3999) 312/970(5000-5999),970(8000-8999)	CHCGILIDDS0	05984	03426	5070	358	AA BA DA GQ GR HA II OH OR PB PK PR PU SJ SP ST SV UR VE WD WE WG WH
CHCZ 1 312/329,379(1000-1999),410,467,494,644,645 312/661(0000-1999),661(3000-4999),661(7000-9999),670	CHCGILIDDS2	05984	03426	5070	358	AA BA DA GQ GR HA II OE PB PK PR PU SJ ST SV SX UR WD WE WG WH
CHCZ 1 312/228,233(0000-1999),233(3000-9999),240,297 312/374(0000-0999),374(7000-7999),374(9000-9999),472,540 312/552,565,616,653,729,819,856(0000-0999) 312/856(1000-1999),856(8000-8999),856(9000-9999),861,938 312/946	CHCGILLRDS0	05985	03424	5070	358	AA BA DA GC GE GQ GR II OR PB PK PR PU SJ ST SV SX UR VE WD WE WG WH

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
CHCZ 1                      CHCGILMODS0 05989 03429 5070  358 AA BA DA GC
   312/421,433(0000-8999),491,572(1000-5999),633(0000-1999)  GE GQ GR HA
   312/633(3000-8999),738,829,850,948(1000-2999)             II OH OR PD
                                                             PM PR PU SJ
                                                             ST SV SX UR
                                                             VE WD WE WG
                                                             WH
.......................................................................
CHCZ 1                      CHCGILMODS1 05989 03429 5070  358 AA BA DA GQ
   312/226,243,355,361(2000-2999),361(6000-6999),413,432     GR HA II OE
   312/455,492(0000-3999),492(5000-9999),563,569(5000-8999)  PD PM PR PU
   312/633(2000-2999),633(9000-9999),666,710,733,743,746     SJ SP ST SV
   312/770(1000-9999),864,942,947,996,997(0000-0999)         UR WD WE WG
   312/997(1000-1999),997(2000-2999),997(3000-3999)          WH
   312/997(4000-4999),997(6000-6999),997(7000-7999)
   312/997(8000-8999),997(9000-9999)
.......................................................................
CHCZ 1                      CHCGILSUDS0 05984 03426 5070  358 AA BA DA GE
   312/335,417,440,469(3000-4999),534,587,654,751,790,867    GQ GR HA II
   312/932(0000-4999),932(8000-9999),979                     OH OR PC PL
                                                             PR PU SJ ST
                                                             SV SX UR VE
                                                             WD WE WG WH
.......................................................................
CHCZ 1                      CHCGILSUDS1 05984 03426 5070  358 AA BA DA GC
   312/981(6000-6999)                                        GQ GR HA II
                                                             PC PL PR PU
                                                             RF RM SJ SP
                                                             ST SV UR WD
                                                             WE WG WH
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
CHCZ 1                      CHCGILSUDS2 05984 03426 5070  358 AA BA DA GQ
   312/202(0000-1999),202(4000-9999),204(0000-5999),227      GR II PC PL
   312/255(0000-6999),255(8000-9999),266,268(3000-3999),274  PR PU SJ SP
   312/278(6000-6999),278(8000-8999),280,302,306,337,397     ST SV UR WD
   312/469(2000-2999),475,482,573,640,642,649,664            WE WG WH
   312/694(0000-2999),694(4000-4999),694(6000-9999),695,703
   312/712,787,799(2000-2999),799(3000-3999),799(4000-4999)
   312/799(5000-5999),799(6000-6999),799(8000-8999),908,915
   312/921,926,943,944,951(0000-0999),951(1000-1999)
   312/951(2000-2999),951(4000-4999),951(5000-5999)
   312/951(6000-6999),951(7000-7999),951(8000-8999)
   312/951(9000-9999),970(7000-7999),981(1000-3999)
   312/981(4000-4999),988(1000-9999)
.......................................................................
CHCZ 1                      CHCGILWB12T 05987 03424 5070  358 GB GQ GR HA
      /                                                       PA PC PJ PR
                                                              PU SJ SP ST
                                                              SV TB TJ UR
                                                              WD WE WG WH
.......................................................................
CHCZ 1                      CHCGILWB3AD 05987 03424 5070  358 PA PC PJ PR
      /                                                       PU UF UR WD
                                                              WE WG WH
.......................................................................
CHCZ 1                      CHCGILWB4CD 05987 03424 5070  358 HB PA PJ PR
      /                                                       PU UR WD WE
                                                              WG WH
.......................................................................
CHCZ 1                      CHCGILWB50T 05987 03424 5070  358 G1 G2 G3 GR
   773/210                                                    HB PC PR PU
.......................................................................
CHCZ 1                      CHCGILWB55T 05987 03424 5070  358 G1 G2 G3 GR
   312/591                                                    HB PC PR PU
   630/591
   708/591
   773/591
   847/591
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
CHCZ 1                      CHCGILWBDS0 05987 03424 5070  358 AA BA DA GE
   312/353,362,385(1000-1999),385(2000-2999),385(3000-3999)  GG GQ GR HA
   312/385(4000-4999),385(5000-5999),385(6000-6999)          HC II OH OR
   312/385(7000-7999),385(8000-8999),408,427,435             PA PJ PR PU
   312/554(0000-4999),554(7000-8999),582(3000-3999)          SL SS ST TJ
   312/582(5000-9999),692(0000-0999),692(2000-2999)          UR US VL WD
   312/692(3000-3999),692(4000-4999),692(5000-5999)          WE WG WH ZY
   312/692(6000-6999),692(7000-7999),692(8000-8999)
   312/697(0000-0999),697(2000-8999),732,789(0000-3999)
   312/789(6000-9999),823(1000-1999),886,913(8000-8999),939
   312/983(1000-1999),983(4000-4999),983(5000-5999)
   312/983(6000-6999),983(7000-7999),983(8000-8999)
   312/983(9000-9999)
.......................................................................
CHCZ 1                      CHCGILWBDS2 05987 03424 5070  358 AA BA DA GG
   312/212(1000-2999),212(6000-6999),235(0000-0999)          GQ GR HA HC
   312/235(7000-8999),291(0000-0999),292(2000-4999),293,360  II PA PJ PR
   312/386(1000-4999),386(9000-9999),447(0000-0999),461      PU SL SS ST
   312/566(0000-0999),566(2000-2999),566(5000-5999)          TJ UR US VQ
   312/566(9000-9999),583(0000-6999),583(8000-9999)          WD WE WG WH
   312/588(0000-2999),588(4000-5999),662(1000-1999)          ZY
   312/675(0000-0999),745,747,765(0000-2999),765(6000-6999)
   312/765(8000-8999),788(3000-3999),788(5000-5999)
   312/834(0000-0999),880(0000-0999),880(2000-3999)
   312/880(5000-6999),957(0000-3999),957(9000-9999),974,987
   312/987
.......................................................................
CHCZ 1                      CHCGILWBDS3 05987 03424 5070  358 AA BA DA GC
   312/294,322,341,344(4000-9999),347,356,369(1000-8999)     GE GG GQ GR
   312/431,542,663,786,913(0000-7999),913(9000-9999),922     HC II PA PJ
   312/935,986                                               PR PU RC RD
                                                             RF SS ST TJ
                                                             UR US WD WE
                                                             WG WH
.......................................................................
CHCZ 1                      CHCGILWBK37 05987 03424 5070  358 PA PR PU TJ
      /                                                      UE UR WD WE
                                                             WG WH
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
CHCZ 10	CHCGILBEDS0	06021	03413	5070	358	AA BA DA GC
773/233,238,239,298,429,445,779,881,980(2000-2999)						GQ GR HA II
						OR PD PM PR
						PU SJ ST SV
						SX VE
CHCZ 10	CHCGILPUDS0	06023	03404	5070	358	AA BA DA GC
773/260(3000-9999),264,291,468,546(0000-7999),568,660						GQ GR HA II
773/785,821,928,982(3000-3999),995						OR PD PM PR
						PU SJ ST SV
						SX VE
CHCZ 11	CHCGILOHDS0	05991	03469	5070	358	AA BA DA GC
773/462(0000-3999),462(5000-9999),601,686,894						GQ GR II OR
						PC PL PR PU
						RB RF SJ ST
						SV SX UR VE
						WD WE WG WH
CHCZ 2	CHCGILEDDS0	05971	03440	5070	358	AA BA DA GC
773/271,275,293(0000-5999),293(8000-9999),334,506,561						GQ GR HA OR
773/728,769(0000-6999),769(8000-9999),784,878,907,989						PD PG PM PR
773/989						PU RC RD RF
						SJ ST SV SX
						VE
CHCZ 2	CHCGILIRDS0	05978	03444	5070	358	AA BA DA GC
773/267,279(0000-4999),279(6000-9999),442(4000-6999)						GQ GR HA II
773/442(8000-8999),463,478,509,539,583,588,604,730,866						OR PD PM PR
773/961(0000-3999)						PU SJ ST SV
						SX UR VE WD
						WE WG WH
CHCZ 2	CHCGILRPDS0	05966	03444	5070	358	AA BA DA GC
773/262,274,338,381,465,508,743,761,764,973						GQ GR HA II
						OR PD PM PR
						PU SJ ST SV
						SX VE

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
CHCZ 3                      CHCGILKIDS0 05982 03450 5070  358 AA BA DA GC
   773/202(0000-0999),202(1000-1999),202(2000-2999)          GQ GR HA II
   773/202(3000-3999),202(4000-4999),202(5000-5999)          OH OR PD PM
   773/202(7000-7999),202(8000-8999),202(9000-9999),205,282  PR PU SJ ST
   773/283,286,427,481,545,685,725,736,777,794               SV SX UR VE
                                                             WD WE WG WH
.......................................................................
CHCZ 3                      CHCGILNE20T 05978 03460 5070  358 GB GQ GR HB
     /                                                       PR PU
.......................................................................
CHCZ 3                      CHCGILNE50T 05978 03460 5070  358 GB GQ GR HB
     /                                                       PR PU
.......................................................................
CHCZ 3                      CHCGILNEDS0 05978 03460 5070  358 AA BA DA GC
   224/601(2000-2999)                                        GE GQ GR HA
   708/457(0000-5999),457(8000-8999),667(3000-3999),867      II OR PC PL
   773/467(0000-5999),467(8000-9999),594,631,763,774,775     PR PU RC RD
   773/792,990(1000-8999)                                    RF SJ ST SV
   847/588,600(0000-2999),600(5000-8999),647                 SX VE
.......................................................................
CHCZ 4                      CHCGILHBDS0 05985 03439 5070  358 AA BA DA GQ
   773/289(3000-4999),328(7000-7999),645(1000-3999)          GR II OH OR
   773/645(5000-5999),645(7000-8999)                         PD PM PR PU
                                                             SJ ST SV SX
                                                             UR VE WD WE
                                                             WG WH
.......................................................................
CHCZ 4                      CHCGILHBDS1 05985 03439 5070  358 AA BA DA GC
   773/227,235,252,269(2000-2999),276,278,292,342,384        GQ GR HA II
   773/394(2000-2999),394(5000-5999),394(6000-6999)          PD PM PR PU
   773/394(7000-7999),394(8000-8999),395,486,489,772         RF SJ SP ST
   773/782(1000-4999),782(8000-8999),862                     SV UR WD WE
                                                             WG WH
.......................................................................
CHCZ 4                      CHCGILLWDS0 05975 03435 5070  358 AA BA DA GE
   773/244,296,325,388,404,477,528,529,665,697(2000-2999)    GQ GR HA II
   773/697(6000-6999),755,770(7000-7999),832,871,929         OH OR PD PM
   872/843                                                   PR PU UR WD
                                                             WE WG WH
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
CHCZ 4                      CHCGILLWDS1 05975 03435 5070  358 AA BA DA GC
   773/248,281,327,348,472,525,549,868(0000-0999)            GQ GR HA II
   773/868(1000-1999),868(2000-2999),868(3000-3999)          PD PM PR PU
   773/868(4000-4999),868(5000-5999),868(6000-6999)          SJ ST SV SX
   773/868(8000-8999),868(9000-9999),880,883,935,975         UR VE WD WE
                                                             WG WH
.......................................................................
CHCZ 5                      CHCGILAURP0 05994 03443 5070  358 AA BA DA GC
   773/261(0000-0999),261(1000-1999),261(2000-2999)          GQ GR HA II
   773/261(3000-3999),261(4000-4999),261(5000-5999)          OR PO PQ PR
   773/261(6000-6999),261(7000-7999),261(8000-8999),287      PU RC RD RF
   773/378(0000-0999),378(1000-1999),378(2000-2999)          SJ ST SV SX
   773/378(3000-3999),378(4000-4999),378(5000-5999)          UR VE WD WE
   773/378(6000-6999),378(7000-7999),378(8000-8999),379,473  WG WH
   773/626,854,921
.......................................................................
CHCZ 5                      CHCGILMEDS0 05989 03449 5070  358 AA BA DA GC
   773/237,385,479,622,637,745,804(0000-7999)                GQ GR HA II
   773/804(9000-9999),836(0000-5999),836(7000-9999),889      OR PD PM PR
                                                             PU RF SJ ST
                                                             SV SX UR VE
                                                             WD WE WG WH
.......................................................................
CHCZ 6                      CHCGILKEDS0 05993 03437 5070  358 AA BA DA GC
   773/265,533,638(0000-0999),638(1000-1999),638(2000-2999)  GQ GR HA II
   773/638(3000-3999),638(4000-4999),638(5000-5999)          OR PO PQ PR
   773/638(6000-6999),638(7000-7999),638(8000-8999),722,826  PU SJ ST SV
   773/826                                                   SX UR VE WD
                                                             WE WG WH
.......................................................................
CHCZ 6                      CHCGILLADS0 06000 03426 5070  358 AA BA DA GC
   773/247,254,376,523,534,535,553(1000-8999),579            GQ GR II OR
   773/648(4000-4999),650,674,801(2000-2999),843,847         PC PL PR PU
   773/869(1000-1999),869(8000-8999),869(9000-9999),890,927  RC RD RF SJ
   773/927                                                   ST SV SX UR
                                                             VE WD WE WG
                                                             WH
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
CHCZ 6                      CHCGILLDDS0 05997 03434 5070  358 AA BA DA GC
   773/257(0000-2999),257(4000-6999),257(8000-8999),277,521  GQ GR HA II
   773/522,542(0000-2999),542(4000-9999),762(0000-0999)      OR PO PQ PR
   773/762(1000-1999),762(2000-2999),762(3000-3999)          PU SJ ST SV
   773/762(4000-4999),762(5000-5999),762(6000-6999)          SX UR VE WD
   773/762(7000-7999),762(8000-8999)                         WE WG WH
.......................................................................
CHCZ 7                      CHCGILDODS0 06001 03410 5070  358 AA BA DA GC
   773/241(5000-5999),241(6000-6999),241(7000-7999)          GQ GR HA II
   773/256(0000-0999),256(1000-1999),256(2000-2999)          OR PD PM PR
   773/256(3000-3999),256(4000-4999),256(5000-5999)          PU RF SJ ST
   773/256(6000-6999),288(0000-0999),288(1000-1999)          SV SX VE
   773/288(2000-2999),288(3000-3999),288(4000-4999)
   773/288(5000-5999),288(6000-6999),288(7000-7999)
   773/288(8000-8999),324,363,493(0000-0999),493(1000-1999)
   773/493(2000-2999),493(3000-3999),493(5000-5999)
   773/493(6000-6999),493(7000-7999),493(8000-8999)
   773/493(9000-9999),643,667,684,702,752,753,795,926
   773/947(0000-3999),947(5000-9999),955
   872/247
.......................................................................
CHCZ 7                      CHCGILOKDS0 05997 03415 5070  358 AA BA DA GC
   773/268,285(0000-0999),285(1000-1999),285(2000-2999)      GQ GR HA II
   773/285(3000-3999),285(4000-4999),285(5000-5999)          OR PO PQ PR
   773/285(7000-7999),285(8000-8999),285(9000-9999)          PU RM SJ ST
   773/373(0000-4999),373(6000-8999),451(0000-4999)          SV SX VE
   773/536(0000-0999),536(2000-3999),536(5000-5999)
   773/536(8000-8999),538(0000-2999),538(4000-6999)
   773/538(8000-9999),548(1000-1999),548(3000-9999),624,924
   773/924
.......................................................................
CHCZ 7                      CHCGILST55T 06010 03412 5070  358 GB GQ GR HB
      /                                                      PR PU VP ZX
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
CHCZ 7                      CHCGILSTDS0 06010 03412 5070  358 AA BA DA GQ
   773/224,361,371(0000-0999),371(2000-2999),371(3000-3999)  GR HA II OH
   773/371(4000-4999),371(6000-6999),371(7000-7999)          OR PC PL PR
   773/371(8000-8999),483,487(0000-0999),487(1000-1999)      PU ST VF
   773/487(3000-3999),487(4000-4999),487(5000-5999)
   773/487(6000-6999),487(7000-7999),487(8000-8999)
   773/487(9000-9999),602(0000-0999),602(4000-9999),834
   773/873(0000-0999),873(1000-1999),873(2000-2999)
   773/873(3000-3999),873(4000-4999),873(5000-5999)
   773/873(8000-8999),873(9000-9999),892(0000-0999)
   773/892(3000-3999)
.......................................................................
CHCZ 7                      CHCGILSTDS1 06010 03412 5070  358 AA BA DA GC
   773/488,602(1000-3999),651,723,783,846(1000-9999),874     GR HA II PC
   773/962(0000-0999),962(2000-6999),962(9000-9999),994      PL PR PU RC
                                                             RD RF SK SP
                                                             SR ST
.......................................................................
CHCZ 7                      CHCGILSTK29 06010 03412 5070  358 PC PL PR PU
      /                                                      UE
.......................................................................
CHCZ 8                      CHCGILPMDS0 06013 03430 5070  358 AA BA DA GC
   773/284,581,582,585,735,767,838,884,948(5000-6999)        GQ GR II OR
                                                             PD PM PR PU
                                                             SJ ST SV SX
                                                             UR VE WD WE
                                                             WG WH
.......................................................................
CHCZ 8                      CHCGILPRDS0 06009 03422 5070  358 AA BA DA GC
   773/434,436,471,476,737,776,778,863(0000-1999)            GQ GR HA OR
   773/863(4000-9999),918(0000-1999),918(3000-4999)          PD PM PR PU
   773/918(6000-8999),925                                    SJ ST SV SX
                                                             VE
.......................................................................
CHCZ 9                      CHCGILMHRS0 06022 03391 5070  358 AA BA DA GC
   773/646                                                   GQ GR II OR
                                                             PO PQ PR PU
                                                             SJ ST SV SX
                                                             VE

=======================================================================
```

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
CHCZ 9	CHCGILSCDS0	06009	03400	5070	358	AA BA DA GC
773/221,356,359(5000-5999),374,375,721,731,734,768,933						GQ GR HA II
773/967(1000-6999),978						OR PD PM PR
						PU RF SJ ST
						SV SX VE
CHEBANSE	CHBNILXARS0	06176	03376	1015	358	AA BA DA GG
815/697(2000-2999),697(3000-3999)						GM GN HB HD
						II PC RC RD
						RF RM SQ
CHENEYVILLE	CYVLILXCRS1	06252	03274	1000	370	AA BA DA GM
217/339(2000-2999)						GN GR HD II
CHENOA	CHENILXARS0	06287	03468	1015	366	AA DA GE GG
815/945(2000-2999),945(3000-3999),945(4000-4999)						GJ GM GN HB
815/945(5000-5999),945(7000-7999)						HD II PC RC
						RD RF RM SQ
						TU
CHERRY VALLEY	CHVYILXARS0	06013	03652	1015	360	AA BA DA GC
815/332(1000-9999)						GD GE GG GJ
						GM GN HB HD
						II PB PK RC
						RD RF RM SQ
						TU
CHESTER	CHESILXEDS0	06916	03357	1015	362	AA DA GD GG
618/826(1000-1999),826(2000-2999),826(3000-3999)						GN GR HB HD
618/826(4000-4999),826(5000-5999)						II PB PK RC
						RD RF RM
CHESTERFIELD-ROCKBRIDGE	CHFDILXERS0	06675	03523	1183	520	AA BA DA GM
618/753(0000-0999),753(1000-1999),753(2000-2999)						GN GR II
618/753(3000-3999),753(9000-9999)						
CHESTNUT	CHSTILXCRS0	06455	03469	1061	374	AA BA DA DD
217/796						G2 GC GD GN
						GR IC IE SQ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE			
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--
CHICAGO	BNSVILDGDS0	05991	03480	7287	358	BA	DA	GI	GJ
224/278(2000-6999),300(5000-5999),351,352(3000-3999)						GL	GN	GQ	HA
224/352(4000-4999),399(4000-4999),551(4000-4999),568						HD	IA	IB	II
224/656(8000-8999),699(6000-6999),699(7000-7999)						SH	SI	UA	UG
224/699(8000-8999),737,789(4000-4999),880(7000-8999),940						UR	UU		
224/948									
312/260(0000-6999),260(8000-9999),270(2000-2999),279									
312/288(0000-0999),288(2000-4999),288(7000-7999)									
312/319(3000-3999),379(2000-2999),470(0000-5999)									
312/470(7000-9999),471(3000-5999),517(3000-3999)									
312/517(4000-4999),525(2000-9999),585(3000-4999),594,601									
312/619(3000-3999),702(3000-3999),702(4000-4999)									
312/763(4000-5999),792(2000-2999),792(3000-3999)									
312/801(7000-7999),809(3000-3999),809(4000-4999)									
312/821(0000-8999),824(2000-4999),894(0000-8999)									
312/897(2000-2999),897(3000-3999),897(4000-4999)									
312/973(3000-3999),973(4000-4999)									
630/259(1000-1999),259(4000-4999),259(9000-9999)									
630/276(0000-2999),276(4000-5999),315(2000-2999)									
630/315(9000-9999),317(1000-3999),317(9000-9999)									
630/324(9000-9999),382(0000-0999),382(1000-1999)									
630/382(2000-2999),382(3000-3999),382(4000-4999)									
630/382(5000-5999),382(6000-6999),382(7000-7999)									
630/382(9000-9999),395(0000-6999),395(8000-8999)									
630/433(5000-5999),433(9000-9999),438(1000-1999)									
630/438(2000-2999),438(3000-3999),438(7000-9999)									
630/446(1000-1999),446(9000-9999),463(9000-9999)									
630/475(1000-1999),475(4000-5999),475(7000-7999)									
630/475(9000-9999),647(3000-3999),696(9000-9999)									
630/791(7000-7999),797(9000-9999),818(1000-1999)									
630/818(9000-9999),821(2000-3999),821(5000-5999)									
630/821(9000-9999),823(0000-0999),823(9000-9999)									
708/215(2000-2999),215(9000-9999),290(2000-2999)									
708/290(9000-9999),297(2000-3999),297(9000-9999)									
708/303(9000-9999),316(2000-2999),316(4000-4999)									
708/318(2000-3999),318(5000-6999),318(9000-9999)									
708/330(3000-3999),330(9000-9999),391(2000-2999)									
708/391(9000-9999),402(9000-9999),459(6000-6999)									
708/459(9000-9999),483(5000-5999),551(1000-1999)									

-------- Continued on next page --------

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY CLLI WCV WCH CC LATA OFFICE TYPE
---------NPA/NXX---------- ---------- ----- ----- ---- ---- -- -- -- --

-------- Continued from previous page --------

708/551(2000-2999),551(3000-3999),551(9000-9999)
708/566(9000-9999),608(2000-2999),608(9000-9999)
708/622(9000-9999),625(0000-0999),625(3000-3999)
708/625(9000-9999),627(3000-3999),629(3000-3999)
708/657(9000-9999),678(9000-9999),682(3000-3999)
708/740(9000-9999),816(9000-9999),883(8000-9999)
708/892(3000-3999)
773/250(0000-2999),250(8000-9999),272(0000-0999)
773/272(3000-4999),272(9000-9999),289(1000-1999)
773/289(5000-5999),289(9000-9999),295(9000-9999)
773/299(6000-6999),299(9000-9999),344(9000-9999)
773/349(9000-9999),358(4000-4999),358(9000-9999)
773/359(8000-9999),634(2000-2999),681(5000-5999)
773/681(9000-9999),756(0000-4999),756(9000-9999)
773/799(3000-3999),799(9000-9999),887(9000-9999)
773/893(1000-1999),893(2000-2999),893(6000-6999)
773/893(7000-7999),893(8000-8999),893(9000-9999)
773/896(9000-9999),948(9000-9999),967(9000-9999)
773/981(9000-9999),985(0000-0999),985(9000-9999)
779/903(5000-5999)
815/357(2000-2999),596(3000-3999),785(4000-4999)
847/221(0000-1999),221(9000-9999),320(0000-0999)
847/320(2000-2999),320(8000-8999),371(2000-2999)
847/371(3000-3999),371(4000-5999),371(6000-6999)
847/371(7000-7999),371(9000-9999),378(0000-2999)
847/378(5000-5999),378(9000-9999),383(3000-3999)
847/385(9000-9999),388(9000-9999),403(2000-2999)
847/403(6000-6999),403(9000-9999),423(1000-1999)
847/423(3000-3999),423(7000-7999),423(9000-9999)
847/430(1000-2999),430(9000-9999),442,447(8000-9999)
847/448(1000-1999),448(3000-3999),448(7000-7999)
847/448(9000-9999),460(1000-1999),460(3000-4999)
847/460(6000-6999),460(9000-9999),549(2000-2999),575
847/596(3000-3999),596(9000-9999),597(2000-2999)
847/597(4000-5999),597(6000-6999),597(9000-9999)
847/598(1000-4999),598(7000-7999),598(9000-9999)
847/713(3000-3999),713(5000-7999),713(9000-9999)

-------- Continued on next page --------

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --

-------- Continued from previous page --------

847/716(3000-3999),716(9000-9999),717(1000-2999)
847/717(9000-9999),719(8000-8999),719(9000-9999)
847/739(1000-1999),739(9000-9999),748(9000-9999),771
847/783(7000-7999),783(9000-9999),790(0000-1999)
847/790(5000-5999),790(9000-9999),793(3000-3999)
847/796(4000-4999),810(8000-8999),876(1000-1999)
847/876(6000-6999),876(9000-9999),892(9000-9999)
847/904(1000-1999),904(9000-9999),906(6000-6999)
847/906(9000-9999),943(4000-4999),943(5000-5999)
847/943(8000-8999)

CHICAGO	CHCGIL24DS6	05988	03425	505B	358	DA DD GE GL
/						GN GP GR IA
						IB
CHICAGO	CHCGIL24DS8	05988	03425	505B	358	DA DD GE GL
/						GN GP GR IA
						IB
CHICAGO	CHCGILBLDS0	05985	03425	8285	358	DA DD G2 GD
/						GE GJ GN GQ
						HB HC IA IB
						IC IE IF IG
						IH II QA
CHICAGO	CHCGILCP06T	05987	03424	493D	358	D1 DA
/						

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE	TYPE		
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--
CHICAGO	CHCGILCPDS5	05987	03424	4717	358	DA	DD	GJ	GL
224/222(2000-4999),252(7000-7999),321(1000-1999)						GN	GQ	GR	HB
224/323(7000-7999),338(1000-1999),345(2000-2999)						HJ	IA	IB	IC
224/361(8000-8999),406(9000-9999),442(5000-5999)						ID	IE	IG	II
224/442(6000-6999),444(7000-7999),513(2000-2999)						SH	SP	SQ	UG
224/534(2000-2999),542(1000-1999),543(7000-7999)						UP	UR	UU	WE
224/552(1000-1999),585(2000-2999),623(8000-8999)						WF	WG	WH	WJ
224/770(2000-2999),788(2000-2999),789(2000-2999)									
224/990(7000-7999)									
312/216(8000-8999),229(9000-9999),235(3000-3999)									
312/237(3000-3999),253(3000-3999),283(2000-2999)									
312/298(1000-1999),340(6000-6999),450(6000-6999)									
312/465(7000-7999),477(5000-5999),496(6000-7999)									
312/506(5000-5999),506(8000-8999),521(4000-4999)									
312/523(0000-0999),523(2000-2999),537(6000-6999)									
312/568(1000-1999),568(7000-7999),572(6000-6999)									
312/572(7000-7999),572(8000-8999),588(3000-3999)									
312/588(7000-8999),589(6000-6999),646(6000-7999)									
312/753(6000-7999),768(1000-1999),775(1000-1999)									
312/775(4000-4999),924,929(1000-1999),966(3000-3999)									
312/966(4000-4999)									
331/465(3000-3999),472(5000-5999),684(9000-9999)									
331/803(2000-2999)									
630/246(3000-3999),315(7000-7999),328(8000-8999)									
630/339(7000-7999),354(0000-0999),354(1000-1999)									
630/354(2000-5999),354(7000-7999),403(1000-1999)									
630/403(9000-9999),410(6000-6999),447(6000-6999)									
630/457(3000-3999),485(2000-2999),489(0000-0999)									
630/523(7000-7999),544(2000-2999),570(2000-2999)									
630/570(7000-7999),607(7000-7999),625(7000-7999)									
630/631(0000-0999),647(1000-1999),647(7000-7999)									
630/729(6000-6999),780(1000-1999),785(4000-4999)									
630/796(3000-3999),809(3000-3999),824(9000-9999)									
630/908(1000-1999),925(7000-7999),937(5000-5999)									
630/937(8000-8999),948(1000-1999),949(0000-0999)									
630/949(9000-9999),998(2000-2999)									
708/237(8000-8999),263(1000-1999),323(3000-3999)									
708/329(7000-7999),483(4000-4999),498(1000-1999)									
708/546(5000-5999),566(8000-8999),613(2000-2999)									

-------- Continued on next page --------

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE	TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	--	-- -- --

-------- Continued from previous page --------

708/617(9000-9999),629(7000-7999),675(4000-4999)
708/794(1000-1999),801(3000-3999),801(4000-4999)
708/818(0000-0999),818(9000-9999),827(8000-8999)
708/843(4000-4999),853(4000-4999),872(1000-1999)
708/885(3000-3999),995(3000-3999)
773/225(3000-3999),249(5000-5999),299(7000-7999)
773/309(0000-0999),309(9000-9999),321(1000-5999)
773/358(7000-7999),362(0000-0999),362(8000-8999)
773/362(9000-9999),364(7000-9999),409(0000-3999)
773/409(5000-5999),409(7000-9999),423(2000-2999)
773/439(1000-2999),439(5000-8999),449(5000-5999)
773/482(6000-9999),496(0000-3999),496(6000-8999)
773/496(9000-9999),516(5000-6999),639(3000-3999)
773/654(2000-2999),816(5000-5999),829(0000-0999)
773/829(8000-9999),867(1000-1999),938(8000-8999)
773/966(1000-1999)
779/435(1000-1999)
815/207(7000-7999),290(4000-4999),321(4000-4999)
815/404(2000-2999),407(4000-4999),412(3000-3999)
815/417(1000-1999),418(2000-2999),424(1000-1999)
815/506(4000-4999),513(1000-1999),528(1000-1999)
815/596(7000-7999),614(1000-1999),617(3000-3999)
815/733(7000-7999),887(3000-3999)
847/235(3000-3999),258(7000-7999),260(2000-2999)
847/264(5000-5999),268(9000-9999),377(9000-9999)
847/378(7000-7999),430(0000-0999),462(6000-6999)
847/510(6000-6999),527(6000-6999),539(0000-0999)
847/592(2000-2999),592(9000-9999),649(2000-2999)
847/663(4000-4999),715(2000-2999),716(5000-5999)
847/719(7000-7999),728(4000-4999),745(5000-5999)
847/752(3000-3999),794(7000-7999),841(4000-4999)
847/859(0000-0999),859(7000-7999),865(7000-7999)
847/930(3000-3999),930(5000-5999),943(2000-2999)
847/947(3000-3999),990(1000-1999),994(7000-7999)

CHICAGO	CHCGILTODS2	05988	03425	7196	358	BA	DA

/

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE	TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- --	-- --
CHICAGO	CHCGILWUDS0	05987	03424	7765	358	BA DA	GB GC
224/265(1000-1999),293(1000-1999),304(5000-5999)						GD GE	GJ GL
224/321(5000-5999),323(4000-4999),323(5000-5999)						GN IA	IB IC
224/372(6000-6999),512(7000-7999),513(7000-7999)						ID IE	IF IG
224/520(5000-5999),532(4000-4999),534(8000-8999)						IH II	QA SH
224/554(8000-8999),577(4000-4999),585(5000-5999)						SI SP	SQ UF
224/676(5000-5999),764(3000-3999),777(5000-5999)						UG UK	UR
224/855(2000-2999),855(8000-8999),856(4000-4999)							
312/229(1000-1999),229(4000-4999),229(5000-5999)							
312/229(6000-6999),229(7000-7999),239(1000-1999)							
312/292(5000-5999),379(0000-0999),379(5000-5999)							
312/428(2000-2999),564(7000-7999),564(8000-8999)							
312/589(2000-2999),589(3000-3999),589(4000-4999)							
312/765(4000-4999),765(5000-5999),863(2000-2999)							
312/863(4000-4999),880(4000-4999),881(5000-5999)							
312/884(0000-0999),884(5000-5999),884(8000-8999)							
312/948(0000-0999),948(5000-5999),948(8000-8999)							
312/981(0000-0999),981(5000-5999),981(7000-7999)							
312/981(8000-8999),985(5000-5999),994(0000-0999)							
312/994(1000-1999),994(3000-3999),994(4000-4999)							
312/994(5000-5999),994(8000-8999),994(9000-9999)							
331/725(5000-5999)							
630/219(2000-2999),233(0000-0999),233(1000-1999)							
630/233(2000-2999),233(6000-6999),296(3000-3999)							
630/317(0000-0999),366(8000-8999),397(2000-2999)							
630/397(4000-4999),397(5000-5999),410(7000-7999)							
630/437(5000-5999),445(2000-2999),468(5000-5999)							
630/485(5000-5999),487(2000-2999),496(0000-0999)							
630/522(7000-7999),522(8000-8999),523(5000-5999)							
630/523(6000-6999),532(5000-5999),532(6000-6999)							
630/534(5000-5999),544(3000-3999),544(5000-5999)							
630/550(5000-5999),560(3000-3999),560(7000-7999)							
630/570(5000-5999),570(6000-6999),576(4000-4999)							
630/576(5000-5999),580(3000-3999),580(5000-5999)							
630/580(6000-6999),581(4000-4999),593(5000-5999)							
630/594(1000-1999),594(5000-5999),607(1000-1999)							
630/625(4000-4999),625(5000-5999),631(5000-5999)							
630/633(5000-5999),639(5000-5999),657(5000-5999)							
630/657(8000-8999),696(4000-4999),708(5000-5999)							

-------- Continued on next page --------

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY CLLI WCV WCH CC LATA OFFICE TYPE
---------NPA/NXX---------- ---------- ----- ----- ---- ---- -- -- -- --

-------- Continued from previous page --------

630/723(5000-5999),741(4000-4999),755(7000-7999)
630/797(3000-3999),806(7000-7999),812(5000-5999)
630/823(5000-5999),824(0000-0999),824(1000-1999)
630/824(2000-2999),824(4000-4999),825(0000-0999)
630/825(1000-1999),827(0000-0999),866(4000-4999)
630/883(5000-5999),909(0000-0999),909(1000-1999)
630/909(2000-2999),925(4000-4999),940(0000-0999)
630/940(1000-1999),946(0000-0999),946(1000-1999)
630/947(0000-0999),947(1000-1999),947(7000-7999)
630/947(8000-8999),957(5000-5999),994(3000-3999)
708/224(0000-0999),224(2000-2999),228(5000-5999)
708/263(2000-2999),292(5000-5999),294(5000-5999)
708/321(5000-5999),360(5000-5999),362(5000-5999)
708/365(1000-1999),365(5000-5999),375(5000-5999)
708/390(5000-5999),394(5000-5999),407(7000-7999)
708/428(8000-8999),455(1000-1999),477(0000-0999)
708/483(0000-0999),522(0000-0999),529(2000-2999)
708/632(5000-5999),637(2000-2999),637(5000-5999)
708/653(3000-3999),653(5000-5999),669(2000-2999)
708/669(5000-5999),680(5000-5999),683(5000-5999)
708/698(5000-5999),713(2000-2999),714(3000-3999)
708/714(5000-5999),725(2000-2999),725(3000-3999)
708/725(5000-5999),731(2000-2999),731(4000-4999)
708/731(5000-5999),741(4000-4999),741(5000-5999)
708/745(5000-5999),761(3000-3999),761(5000-5999)
708/762(5000-5999),768(5000-5999),779(5000-5999)
708/793(4000-4999),793(5000-5999),832(5000-5999)
708/832(8000-8999),844(5000-5999),845(5000-5999)
708/874(5000-5999),898(5000-5999),966(5000-5999)
708/985(2000-2999)
773/245(4000-4999),344(3000-3999),355(5000-5999)
773/364(2000-2999),364(3000-3999),364(4000-4999)
773/364(5000-5999),382(5000-5999),396(5000-5999)
773/474(5000-5999),482(4000-4999),482(5000-5999)
773/496(5000-5999),526(5000-5999),557(1000-1999)
773/577(2000-2999),577(5000-5999),596(2000-2999)
773/596(5000-5999),627(5000-5999),640(5000-5999)

-------- Continued on next page --------

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY CLLI WCV WCH CC LATA OFFICE TYPE
---------NPA/NXX---------- ---------- ----- ----- ---- ---- -- -- -- --

-------- Continued from previous page --------

773/648(2000-2999),649(0000-0999),654(5000-5999)
773/661(0000-0999),661(5000-5999),664(0000-0999)
773/673(5000-5999),696(3000-3999),697(0000-0999)
773/697(5000-5999),726(5000-5999),729(5000-5999)
773/733(5000-5999),770(0000-0999),770(1000-1999)
773/770(2000-2999),786(0000-0999),786(2000-2999)
773/786(4000-4999),786(5000-5999),840(5000-5999)
773/840(6000-6999),888(5000-5999),896(2000-2999)
773/916(4000-4999),957(0000-0999),957(1000-1999)
773/967(7000-7999),969(4000-4999),977(0000-0999)
773/977(1000-1999)
779/220(5000-5999)
815/271(6000-6999),320(7000-7999),423(4000-4999)
815/552(4000-4999),553(0000-5999),553(7000-9999)
815/556(3000-3999),614(2000-2999),614(5000-5999)
815/806(6000-6999)
847/214(0000-0999),214(5000-5999),214(9000-9999)
847/241(2000-2999),241(5000-5999),243(0000-2999)
847/243(9000-9999),257(0000-0999),257(1000-1999)
847/257(4000-4999),260(0000-0999),268(0000-0999)
847/268(1000-1999),281(0000-0999),281(1000-1999)
847/281(2000-2999),307(4000-4999),315(9000-9999)
847/324(4000-4999),324(5000-5999),325(5000-5999)
847/349(5000-5999),350(3000-3999),353(0000-0999)
847/387(6000-6999),388(5000-5999),406(4000-4999)
847/406(5000-5999),415(1000-1999),415(5000-5999)
847/415(6000-6999),415(8000-8999),434(1000-1999)
847/434(5000-5999),434(7000-7999),440(0000-0999)
847/447(4000-4999),454(0000-0999),454(1000-1999)
847/454(2000-2999),454(8000-8999),457(3000-3999)
847/457(9000-9999),461(5000-5999),481(5000-5999)
847/483(5000-5999),499(9000-9999),504(0000-0999)
847/504(1000-1999),504(4000-4999),504(5000-5999)
847/510(2000-2999),512(5000-5999),544(5000-5999)
847/563(7000-7999),572(5000-5999),579(5000-5999)
847/579(7000-7999),580(0000-0999),580(1000-1999)
847/580(2000-2999),580(6000-6999),592(5000-5999)

-------- Continued on next page --------

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE	TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- --	-- --

-------- Continued from previous page --------

847/592(6000-6999),620(5000-5999),621(0000-0999)
847/621(1000-1999),621(3000-3999),626(0000-0999)
847/626(1000-1999),627(5000-5999),636(5000-5999)
847/643(0000-0999),649(5000-5999),701(0000-0999)
847/701(1000-1999),704(5000-5999),716(1000-1999)
847/739(2000-2999),739(4000-4999),739(5000-5999)
847/750(7000-7999),760(4000-4999),760(5000-5999)
847/760(7000-7999),760(8000-8999),770(6000-6999)
847/775(2000-2999),775(3000-3999),784(5000-5999)
847/794(5000-5999),796(3000-3999),796(5000-5999)
847/802(5000-5999),805(0000-0999),805(1000-1999)
847/805(5000-5999),832(5000-5999),859(4000-4999)
847/861(2000-2999),890(4000-4999),893(8000-8999)
847/897(5000-5999),897(6000-6999),901(0000-0999)
847/901(1000-1999),901(2000-2999),901(8000-8999)
847/905(1000-1999),916(5000-5999),932(4000-4999)
847/939(5000-5999),944(8000-8999),972(5000-5999)
847/979(6000-6999),983(6000-6999),993(8000-8999)
847/999(1000-1999)

==========

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE				
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--	
CHICAGO	WDDLILCBDS0	05993	03483	7056	358	BA	DA	GE	GJ	(C)
224/232(0000-0999),238(5000-5999),267(7000-7999)						GR	HB	IB	RC	(C)
224/293(8000-8999),330(4000-4999),333(9000-9999)						RD	SH	SQ	T1	(C)
224/345(3000-3999),345(5000-5999),345(7000-7999)						T2	UG	UP	UR	(C)
224/361(0000-0999),366(5000-6999),402(6000-7999)						US				(C)
224/515(3000-4999),538(5000-5999),563(0000-0999)										(C)
224/603(6000-6999),612(8000-9999),725(1000-2999)										(C)
224/757(1000-1999),766(3000-5999),766(7000-8999)										(C)
224/805(4000-5999),993(1000-1999)										(C)
312/204(6000-6999),204(7000-7999),204(8000-8999)										(C)
312/212(4000-5999),212(7000-7999),239(7000-7999)										(C)
312/244(3000-4999),254(8000-8999),260(7000-7999),377										(C)
312/445(2000-3999),462(9000-9999),488(5000-7999)										(C)
312/528(2000-2999),604(0000-3999),604(4000-4999)										(C)
312/604(5000-5999),604(7000-9999),624(6000-7999)										(C)
312/650(7000-8999),794(1000-1999),794(6000-8999)										(C)
312/863(3000-3999),863(5000-8999)										(C)
331/465(0000-0999)										(C)
630/206(6000-7999),216(0000-1999),282(7000-7999)										(C)
630/286(6000-8999),344(0000-1999),344(6000-8999)										(C)
630/345(9000-9999),348(0000-0999),348(6000-6999)										(C)
630/366(3000-4999),371(0000-7999),371(9000-9999)										(C)
630/376(0000-2999),376(3000-5999),376(7000-8999)										(C)
630/379(0000-0999),379(5000-5999),388(0000-1999)										(C)
630/388(5000-5999),390(1000-1999),390(2000-2999)										(C)
630/390(3000-3999),390(7000-7999),412(5000-5999)										(C)
630/413(0000-3999),413(6000-8999),426(5000-5999)										(C)
630/429(9000-9999),439(0000-0999),439(1000-1999)										(C)
630/439(2000-2999),454(0000-0999),454(3000-3999)										(C)
630/458(6000-6999),463(5000-5999),468(6000-7999)										(C)
630/468(9000-9999),504(3000-3999),600(4000-5999)										(C)
630/600(9000-9999),613(4000-4999),618(3000-3999)										(C)
630/633(0000-0999),633(4000-4999),658(2000-2999)										(C)
630/659(0000-0999),706(6000-9999),723(0000-0999)										(C)
630/735(0000-2999),735(4000-5999),741(0000-0999)										(C)
630/741(3000-3999),754(0000-0999),754(2000-3999)										(C)
630/754(5000-5999),785(9000-9999),806(8000-8999)										(C)
630/818(2000-2999),821(4000-4999),823(2000-2999)										(C)
630/884(3000-3999),925(0000-0999),925(2000-3999)										(C)

-------- Continued on next page --------

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE	
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --	

-------- Continued from previous page --------

630/925(5000-6999),925(8000-9999),946(5000-5999)	(C)
630/981(0000-0999),981(2000-2999),981(3000-3999)	(C)
630/981(5000-5999),981(6000-6999),981(8000-8999)	(C)
630/981(9000-9999),995(4000-4999),995(7000-7999)	(C)
708/213(7000-7999),213(9000-9999),221(0000-2999)	(C)
708/221(6000-7999),231(9000-9999),235(9000-9999)	(C)
708/248(1000-1999),253(0000-1999),253(4000-4999)	(C)
708/255(0000-0999),255(7000-7999),277(0000-2999)	(C)
708/290(4000-4999),292(1000-1999),303(5000-5999)	(C)
708/317(0000-0999),317(1000-2999),321(6000-6999)	(C)
708/350(0000-1999),350(8000-8999),360(0000-0999)	(C)
708/360(9000-9999),364(5000-5999),365(7000-7999)	(C)
708/367(9000-9999),377(0000-1999),394(8000-8999)	(C)
708/395(0000-2999),395(6000-6999),405(0000-1999)	(C)
708/405(2000-2999),405(3000-4999),405(7000-7999)	(C)
708/406(0000-1999),406(4000-4999),416(0000-1999)	(C)
708/416(2000-2999),416(4000-4999),416(5000-5999)	(C)
708/432(0000-1999),432(4000-4999),434(6000-6999)	(C)
708/444(9000-9999),469(0000-1999),469(2000-2999)	(C)
708/475(6000-6999),486(0000-2999),486(3000-9999)	(C)
708/497(7000-7999),564(0000-0999),564(1000-1999)	(C)
708/576(6000-6999),587(9000-9999),589(0000-1999)	(C)
708/589(3000-3999),590(0000-1999),590(3000-3999)	(C)
708/653(4000-4999),658(0000-1999),658(5000-5999)	(C)
708/768(0000-0999),827(0000-1999),827(4000-4999)	(C)
708/827(6000-6999),887(0000-1999),887(5000-6999)	(C)
708/946(7000-7999),983(0000-2999)	(C)
773/243(0000-5999),243(8000-8999),249(0000-0999)	(C)
773/249(1000-1999),257(9000-9999),410(5000-5999)	(C)
773/435(0000-3999),435(7000-7999),453(0000-1999)	(C)
773/453(3000-3999),466(0000-1999),466(3000-3999)	(C)
773/470(0000-2999),470(4000-4999),634(1000-1999)	(C)
773/634(3000-4999),701(4000-5999),724(2000-4999)	(C)
773/751(0000-1999),751(2000-2999),751(3000-4999)	(C)
773/751(5000-6999),787(0000-1999),787(2000-2999)	(C)
773/787(4000-4999),822(0000-0999),823(2000-2999)	(C)
773/830(0000-0999),830(1000-1999),830(7000-7999)	(C)

-------- Continued on next page --------

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY CLLI WCV WCH CC LATA OFFICE TYPE
---------NPA/NXX---------- ---------- ----- ----- ---- ---- -- -- -- --

-------- Continued from previous page --------

773/830(8000-8999),830(9000-9999),992(1000-1999) (C)
773/992(3000-4999),992(9000-9999) (C)
815/261(5000-5999),271(4000-4999),321(6000-8999) (C)
815/349(0000-2999),642(7000-7999),823(0000-1999) (C)
815/828(0000-2999),828(9000-9999),839(0000-0999) (C)
815/839(1000-1999),839(4000-5999),880(0000-0999) (C)
815/880(2000-3999) (C)
847/201(5000-5999),232(9000-9999),235(4000-4999) (C)
847/235(7000-7999),235(9000-9999),241(0000-0999) (C)
847/241(3000-3999),241(6000-9999),264(6000-6999) (C)
847/278(5000-6999),307(0000-0999),316(9000-9999) (C)
847/324(0000-1999),324(2000-2999),325(0000-1999) (C)
847/332(0000-0999),349(0000-1999),349(6000-6999) (C)
847/371(0000-0999),378(6000-6999),388(4000-4999) (C)
847/416(5000-5999),430(5000-5999),434(3000-3999) (C)
847/434(9000-9999),453(2000-2999),461(0000-0999) (C)
847/474(0000-0999),474(3000-3999),481(0000-1999) (C)
847/483(2000-2999),495(4000-4999),495(7000-7999) (C)
847/510(0000-1999),512(0000-0999),515(9000-9999) (C)
847/572(0000-1999),580(4000-4999),585(0000-1999) (C)
847/603(6000-6999),620(0000-1999),631(8000-8999) (C)
847/649(0000-1999),654(0000-1999),656(0000-2999) (C)
847/656(7000-7999),709(0000-2999),709(4000-4999) (C)
847/709(5000-5999),728(1000-2999),739(0000-0999) (C)
847/750(0000-2999),756(8000-8999),760(0000-1999) (C)
847/770(4000-4999),779(4000-5999),779(9000-9999) (C)
847/787(5000-5999),793(9000-9999),829(3000-3999) (C)
847/850(4000-4999),856(5000-5999),861(8000-8999) (C)
847/881(0000-1999),890(6000-7999),905(7000-7999) (C)
847/930(0000-0999),932(5000-5999),939(1000-1999) (C)
847/939(8000-8999),954(0000-0999),954(1000-1999) (C)
847/954(2000-2999),960(4000-4999),960(6000-6999) (C)
847/993(0000-1999),993(9000-9999),996(7000-8999) (C)
847/999(5000-5999) (C)

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
CHICAGO HEIGHTS 708/709,754,755,756	CHHGILCHDS0	06059	03387	5070	358	AA BA DA GC GQ GR II OR PD PM PR PU RB RC RD RF SK SR ST VF VP ZX
CHICAGO HEIGHTS /	CHHGILCHK36	06059	03387	5070	358	PR PU UE
CHICAGO HEIGHTS 708/753(0000-0999),753(1000-1999),753(2000-2999) 708/753(5000-5999),757,758	ECHGILEHDS0	06054	03380	5070	358	AA BA DA GC GQ GR II OR PO PQ PR PU SJ ST SV SX VE
CHICAGO HEIGHTS 708/283,481,503,679(0000-3999),679(5000-9999),747,748 708/748	PKFSILPFDS0	06066	03392	5070	358	AA BA DA GC GQ GR HA II OH OR PD PM PR PU SJ ST SX VE

==========

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE				
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--	
CHICAGO ZONE	CHCHILLEDS0	05986	03426	8950	358	D1	DA	DD	GB	(C)
224/676(2000-2999)						GE	GJ	GL	GN	(C)
312/205,252(0000-5999),252(8000-9999),253(0000-2999)						HB	HJ	IA	IB	(C)
312/253(4000-4999),253(7000-9999),254(0000-5999)						IC	ID	IG	II	(C)
312/254(9000-9999),256(0000-0999),256(2000-2999)						UG				(C)
312/256(9000-9999),262(0000-1999),262(9000-9999),275,276										(C)
312/277										(C)
331/457(4000-4999)										(C)
630/412(2000-2999),445(4000-4999),446(4000-4999)										(C)
630/475(3000-3999),522(0000-2999),522(4000-6999)										(C)
630/522(9000-9999),559(0000-3999),559(7000-9999)										(C)
630/596(0000-2999),596(4000-4999),596(8000-9999)										(C)
630/597(0000-0999),597(2000-2999),597(4000-4999)										(C)
630/597(7000-7999),597(9000-9999),598(0000-4999)										(C)
630/598(9000-9999),599(0000-4999),599(6000-6999)										(C)
630/599(9000-9999),622(0000-4999),622(9000-9999)										(C)
630/823(4000-4999)										(C)
708/215(8000-8999),290(8000-8999),459(5000-5999)										(C)
708/645(8000-8999),775(0000-0999),775(6000-9999)										(C)
708/776(0000-0999),776(4000-8999),777(0000-0999)										(C)
708/777(4000-9999),842(0000-0999),842(2000-2999)										(C)
708/842(5000-5999),842(8000-9999),843(0000-0999)										(C)
708/843(5000-9999),844(0000-4999),844(9000-9999)										(C)
708/850(0000-2999),850(4000-4999),850(8000-9999)										(C)
708/851(0000-4999),851(9000-9999)										(C)
773/245(5000-5999),303(0000-5999),303(8000-9999)										(C)
773/304(0000-5999),304(9000-9999),305(0000-5999)										(C)
773/305(7000-9999),313(0000-2999),313(4000-4999)										(C)
773/313(8000-9999),314(0000-2999),314(4000-5999)										(C)
773/314(8000-9999),337,341(7000-7999),345,346(0000-8999)										(C)
773/347(0000-6999),365(0000-0999),365(3000-8999)										(C)
773/389(0000-0999),389(1000-1999),423(0000-1999)										(C)
773/423(3000-5999),423(8000-9999),672(7000-7999)										(C)
773/789(6000-6999),948(3000-3999)										(C)
847/239(6000-7999),268(8000-8999),276(3000-3999)										(C)
847/281(8000-8999),282(1000-1999),305(5000-5999)										(C)
847/325(4000-4999),348(3000-3999),378(3000-3999)										(C)
847/410(0000-0999),425(4000-4999),434(0000-0999)										(C)
847/457(2000-2999),597(7000-7999),600(3000-3999)										(C)

-------- Continued on next page --------

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE	
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --	
-------- Continued from previous page --------							
847/621(6000-6999),637(1000-2999),660(2000-2999)							(C)
847/701(2000-3999),713(4000-4999),716(6000-6999)							(C)
847/750(8000-8999),775(8000-8999),789(0000-4999)							(C)
847/789(7000-9999),790(3000-3999),801(3000-3999)							(C)
847/837(5000-5999),859(3000-3999),901(4000-4999)							(C)
847/908(0000-2999),908(6000-6999),908(9000-9999)							(C)
847/983(7000-7999)							(C)
CHICAGO ZONE	CHCHILLEDS1	05986	03426	8950	358	D1 DA DD GB	
/						GE GJ GL GN	
						HB HJ IA IB	
						IC ID IG II	
						UG	

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
CHICGOZN01	CHCGILDT8MD	05990	03421	7807	358	GR

219/209(7000-7999),215(7000-7999),225(7000-7999)
219/237(7000-7999),302(7000-7999),370(7000-7999)
219/401(7000-7999),515(7000-7999),558(6000-6999)
219/660(7000-7999),802(7000-7999),804(7000-7999)
224/228(7000-7999),240(7000-7999),242(7000-7999)
224/302(7000-7999),304(7000-7999),307(7000-7999)
224/318(4000-4999),337(7000-7999),352(7000-7999)
224/404(7000-7999),408(7000-7999),410(3000-3999)
224/432(1000-1999),501(7000-7999),505(7000-7999)
224/541(7000-7999),601(7000-7999),603(3000-3999)
224/650(5000-5999),701(7000-7999),732(7000-7999)
224/777(4000-4999),801(7000-7999),802(7000-7999)
224/813(5000-6999),813(7000-7999),813(8000-8999)
224/814(7000-7999),888(7000-7999),901(7000-7999)
224/990(5000-5999)
262/435(7000-7999)
312/517(9000-9999),631(7000-7999),788(6000-6999)
312/934(2000-2999),998(4000-4999)
331/200(6000-6999),207(7000-7999),209(7000-7999)
331/210(7000-7999),216(6000-6999),229(4000-4999)
331/234(2000-2999),236(7000-7999),250(7000-7999)
331/251(7000-7999),303(7000-7999),703(7000-7999)
331/803(7000-7999)
630/332(7000-7999),394(7000-7999),425(7000-7999)
630/447(3000-3999),463(7000-7999),474(7000-7999)
630/477(7000-7999),480(5000-5999),519(7000-7999)
630/716(4000-4999),716(5000-5999),861(5000-5999)
630/884(7000-7999),919(7000-7999)
708/304(7000-7999),314(2000-2999),397(7000-7999)
708/416(7000-7999),427(7000-7999),467(7000-7999)
708/540(7000-7999),541(7000-7999),571(7000-7999)
708/576(7000-7999),607(7000-7999),622(7000-7999)
708/627(7000-7999),637(7000-7999),701(7000-7999)
708/713(7000-7999),716(7000-7999),719(7000-7999)
708/730(7000-7999),787(7000-7999),794(7000-7999)
708/802(0000-0999),803(7000-7999),820(7000-7999)
708/827(3000-3999),831(7000-7999),858(7000-7999)
708/871(7000-7999),874(6000-6999),888(6000-6999)

-------- Continued on next page --------

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY CLLI WCV WCH CC LATA OFFICE TYPE
---------NPA/NXX---------- ---------- ----- ----- ---- ---- -- -- -- --

-------- Continued from previous page --------

708/949(7000-7999)
773/377(7000-7999)
779/213(6000-6999),216(7000-7999),218(7000-7999)
779/223(7000-7999),225(1000-1999),228(7000-7999)
779/235(6000-6999),429(7000-7999),444(7000-7999)
779/529(7000-7999),548(7000-7999),706(7000-7999)
779/800(7000-7999),803(7000-7999),999(7000-7999)
815/201(7000-7999),269(7000-7999),287(1000-1999)
815/290(2000-2999),322(4000-4999),339(4000-4999)
815/348(3000-3999),373(7000-7999),374(6000-6999)
815/408(7000-7999),418(8000-8999),426(8000-8999)
815/427(7000-7999),428(6000-6999),429(2000-2999)
815/435(7000-7999),446(7000-7999),447(6000-6999)
815/457(4000-4999),458(8000-8999),466(7000-7999)
815/473(6000-6999),475(6000-6999),486(6000-6999)
815/495(7000-7999),498(7000-7999),552(7000-7999)
815/581(7000-7999),617(7000-7999),627(5000-5999)
815/648(5000-5999),649(7000-7999),661(7000-7999)
815/662(2000-2999),682(7000-7999),687(7000-7999)
815/694(7000-7999),697(7000-7999),698(7000-7999)
815/733(4000-4999),769(8000-8999),783(7000-7999)
815/792(7000-7999),862(7000-7999),884(7000-7999)
815/887(7000-7999),889(7000-7999),923(6000-6999)
815/984(2000-2999)
847/306(7000-7999),447(7000-7999),582(5000-5999)
847/643(2000-2999),777(4000-4999),780(5000-5999)
847/786(7000-7999),796(7000-7999),993(6000-6999)
872/207(7000-7999),208(4000-4999),210(3000-3999)
872/215(7000-7999),239(7000-7999),256(7000-7999)
872/356(3000-3999),666(2000-2999)

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE			
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--
CHICGOZN01	CHCGILTCDS0	05984	03424	7056	358	BA	DA	GE	GJ
224/286(5000-5999)						GR	HB	IB	RC
312/327,628						RD	SH	T1	T2
773/371(1000-1999),371(5000-5999),371(9000-9999)						UG	UP	UR	US
773/382(2000-2999),449(6000-6999),573(1000-1999)									
773/595(3000-4999)									
815/221(5000-5999),230(1000-1999),733(2000-2999)									
847/728(7000-7999)									

==========

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE			
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--
CHICGOZN01	CHCGILTCDS4	05984	03424	7056	358	BA	DA	GE	GJ
224/202(8000-9999),218(2000-3999),218(5000-5999)						GR	HB	IB	RC
224/229(3000-6999),286(7000-9999),310(3000-4999)						RD	SH	SQ	T1
224/323(8000-9999),324(8000-8999),330(1000-3999)						T2	UG	UP	UR
224/333(5000-7999),357(9000-9999),366(2000-4999)						US			
224/387(0000-0999),512(9000-9999),538(2000-4999)									
224/567(4000-5999),587(1000-1999),603(8000-9999)									
224/632(1000-1999),632(8000-9999),678(0000-0999)									
224/757(7000-9999),764(5000-5999),764(7000-7999)									
224/765(6000-8999),778(7000-9999),795(4000-4999)									
224/795(6000-6999),848(6000-8999),855(1000-1999)									
224/855(6000-7999),855(9000-9999),993(5000-7999)									
312/284,291(3000-4999),361(5000-5999),361(9000-9999)									
312/428(3000-3999),448(2000-2999),459(5000-5999)									
312/480(2000-4999),488(2000-4999),488(8000-8999)									
312/489(2000-2999),526(6000-6999),526(9000-9999)									
312/528(7000-7999),529(7000-7999),546(0000-0999)									
312/546(7000-9999),554(6000-6999),582(4000-4999)									
312/589(7000-7999),610(4000-7999),614(2000-2999)									
312/614(5000-5999),622(9000-9999),674(7000-7999)									
312/681(0000-0999),681(9000-9999),701(2000-3999)									
312/777(9000-9999),929(0000-0999),931(4000-4999)									
312/945(5000-5999),983(3000-3999),999(1000-6999)									
331/208(6000-7999),251(2000-2999),462(1000-1999)									
331/465(7000-8999),998(4000-4999)									
630/206(0000-2999),216(5000-6999),230(3000-5999)									
630/239(5000-5999),239(7000-8999),246(6000-7999)									
630/296(8000-8999),345(3000-3999),345(5000-5999)									
630/348(1000-1999),396(2000-2999),396(5000-5999)									
630/396(9000-9999),405(0000-2999),485(3000-3999)									
630/485(6000-7999),489(2000-3999),496(7000-9999)									
630/633(7000-9999),658(0000-0999),658(7000-7999)									
630/685(1000-1999),735(6000-6999),735(8000-8999)									
630/754(1000-1999),994(5000-5999)									
708/240(5000-5999),240(8000-8999),249(0000-0999)									
708/249(2000-2999),274(1000-1999),279(0000-0999)									
708/286(6000-6999),310(3000-4999),310(6000-6999)									
708/316(5000-5999),350(4000-4999),367(5000-5999)									
708/375(0000-0999),382(2000-2999),394(0000-0999)									

-------- Continued on next page --------

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY CLLI WCV WCH CC LATA OFFICE TYPE
---------NPA/NXX---------- ---------- ----- ----- ---- ---- -- -- -- --

-------- Continued from previous page --------

708/394(4000-4999),433(1000-2999),564(2000-2999)
708/576(2000-2999),576(5000-5999),589(6000-6999)
708/589(9000-9999),620(5000-5999),645(9000-9999)
708/667(4000-5999),680(0000-0999),745(3000-3999)
708/745(6000-7999),746(6000-6999),781(1000-1999)
708/880(3000-4999),910(2000-3999),933(3000-4999)
708/946(8000-8999),961(2000-2999),983(7000-7999)
773/260(0000-1999),437(6000-6999),437(8000-8999)
773/526(7000-7999),634(5000-5999),634(7000-8999)
773/765(5000-5999),943(3000-6999),943(8000-8999)
779/205(7000-7999)
815/271(7000-8999),280(0000-0999),321(0000-0999),461
815/526(7000-9999),531(0000-1999),642(5000-5999)
815/714(6000-6999),839(7000-7999),839(8000-8999)
815/880(7000-9999)
847/261(0000-0999),261(9000-9999),346(0000-0999)
847/346(1000-1999),346(3000-3999),378(4000-4999)
847/386(1000-1999),391(8000-8999),474(4000-4999)
847/478(3000-3999),485(5000-5999),531(1000-1999)
847/531(4000-4999),531(9000-9999),586(0000-0999)
847/586(9000-9999),713(0000-0999),720(5000-6999)
847/720(9000-9999),725(3000-3999),728(5000-6999)
847/739(7000-7999),756(1000-1999),795(4000-4999)
847/810(0000-0999),871(2000-2999),892(0000-0999)
847/892(3000-3999),892(5000-5999),961(1000-1999)
847/961(3000-3999),961(9000-9999),972(6000-8999)
847/984(1000-1999),984(9000-9999),996(2000-2999)
872/213(2000-4999),888(1000-1999)

.....

CHICGOZN01 CHCGILTCRS1 05984 03424 7056 358 BA DA GE GJ
779/303(0000-0999) GR HB IB RA
RC RD SH SQ
T1 T2 UG UP
US

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
CHILLICOTHE                 CHLCILXDDS0 06314 03598 1015  368 AA DA GC GD
   309/274(1000-1999),274(2000-2999),274(3000-3999)          GE GG GN GR
   309/274(4000-4999),274(5000-5999),274(6000-6999)          HB HD II PB
   309/274(8000-8999),274(9000-9999)                         PK RC RD RF
                                                             RM SQ TU
.......................................................................
CHRISMAN                    CHRSILXCRS0 06387 03220 1015  938 AA DA GG GM
   217/269(2000-2999),269(3000-3999)                         GN HB HD II
                                                             PC RC RD RF
                                                             RM
.......................................................................
CHRISTOPHER                 CHRTILXERS0 06846 03244 1015  362 AA BA DA GD
   618/724(1000-1999),724(2000-2999),724(4000-4999)          GG GM GN HB
   618/724(7000-7999),724(9000-9999)                         HD II PC RC
                                                             RD RF RM
.......................................................................
CICERO                      CICRILCIDS0 06005 03442 5070  358 AA BA DA GQ
   708/222(0000-6999),222(8000-9999),442,443(5000-5999),447  GR HA II OH
   708/484,652,656,749,780,788,795,863                       OR PD PM PR
   773/242(1000-1999)                                        PU SJ ST SV
                                                             SX UR VE WD
                                                             WE WG WH
.......................................................................
CISCO                       CISCILXCRS0 06428 03396 1015  374 AA DA GE GG
   217/669(2000-2999)                                        GM GN HB HD
                                                             II PC RC RD
                                                             RF RM TU
.......................................................................
CISSNA PARK                 CSPKILXARS0 06258 03329 1000  358 AA BA DA G1
   815/457(2000-2999),457(3000-3999)                         GN GR HD II
                                                             RD
.......................................................................
CLAREMONT                   CLMTILXERS0 06617 03154 1015  978 AA DA GG GM
   618/869(2000-2999)                                        GN HB HD PC
                                                             RC RD RF RM
                                                             SQ TU
.......................................................................
CLARKSVILLE                 CLVLILXC889 06464 03202 0990  938 CA
   217/889
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
CLAY CITY	CYCYILXERS0	06656	03207	1015	978	DA GC GD GE
618/676(1000-1999)						GG GM GN HB
						HD II PC RC
						RD RF RM SQ
						TU
CLAYTON	CYTNILXCRS0	06591	03733	1015	376	AA BA DA GG
217/894(2000-2999),894(6000-6999),894(7000-7999)						GM GN HB HD
						II PC RC RD
						RF RM TU
CLIFTON	CFTNILXADS0	06190	03372	1015	358	AA BA DA GG
815/694(2000-2999),694(3000-3999)						GN HB HD II
						PC RC RD RF
						RM SQ
CLINTON	CLTNILXCDS0	06419	03445	1015	366	AA DA GC GD
217/935,937(1000-1999),937(2000-2999),937(3000-3999)						GE GG GN HB
217/937(4000-4999)						HD II PB PK
						RC RD RF RM
						SD SE SF TU
COAL CITY	CLCYILCGRS0	06151	03458	5070	358	AA BA DA GQ
815/634(0000-0999),634(2000-2999),634(3000-3999)						GR OR PO PQ
815/634(4000-4999),634(5000-5999),634(8000-8999)						ST SX VE
815/634(9000-9999)						
COBDEN	CBDNILXERS0	06947	03232	1015	362	AA DA GG GM
618/893(1000-1999),893(2000-2999),893(4000-4999)						GN GR HB HD
						II PC PL RC
						RD RF RM SQ
COFFEEN	COFNILXCRS0	06656	03405	1183	976	AA DA GG GM
217/534(0000-0999),534(1000-1999),534(2000-2999)						GN GR HB HD
217/534(5000-5999),534(6000-6999),534(7000-7999)						PC RC RD RF
217/534(9000-9999)						RM

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
COLCHESTER                  CLCHILXDDS0 06502 03745 1047  977 DA HD T3 TJ
   217/449,755
   309/254,257,325,456,652,653,746,769,774,776
.......................................................................
COLETA                      COLTILXARS0 06143 03741 1183  364 BA DA GC GM
   815/336(0000-0999),336(1000-1999),336(2000-2999)          GN GR II
   815/336(7000-7999),336(8000-8999),336(9000-9999)
.......................................................................
COLFAX                      CLFXILXDRS0 06313 03436 1015  366 AA BA DA GG
   309/723(2000-2999),723(3000-3999),723(4000-4999)          GM GN HB HD
   309/723(5000-5999),723(6000-6999)                         II PC RC RD
                                                             RF RM SQ TU
.......................................................................
COLLINSVILLE                COVLILCQ50T 06783 03456 5070  520 GB GQ GR HB
      /                                                      PT SK VQ ZY
.......................................................................
COLLINSVILLE                COVLILCQDS0 06783 03456 5070  520 AA BA DA GC
   618/343(0000-4999),343(6000-9999),344,345,346,858         GQ GR II PC
                                                             PL PT RC RD
                                                             SL ST VP ZX
.......................................................................
COLLINSVILLE                COVLILCQK50 06783 03456 5070  520 PT UE ZZ
      /
.......................................................................
COLLINSVILLE                COVLILCQLMD 06783 03456 3377  520 DA GN GR HA
   618/205(4000-4999),206(3000-3999),206(4000-4999)          HK IA IC ID
   618/208(2000-2999),208(8000-8999),212(1000-1999)
   618/212(4000-4999),213(4000-4999),215(4000-4999)
   618/215(8000-8999),216(4000-4999),219(4000-4999)
   618/301(4000-4999),307(1000-2999),374(8000-8999)
   618/501(6000-6999)
.......................................................................
COLLINSVILLE                COVLILCQZMD 06783 03456 8285  520 BA DA
      /
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
COLLINSVL                   COVLILCQX1X 06783 03456 7196  520 BA DA
   618/205(7000-7999),206(5000-5999),206(7000-7999)
   618/207(2000-2999),212(3000-3999),213(3000-3999)
   618/215(7000-7999),219(7000-7999),221(3000-3999)
   618/381(9000-9999),433(3000-3999),471(3000-3999)
   618/494(3000-3999),505(6000-6999),582(3000-3999)
   618/606(9000-9999),659(5000-5999),693(3000-3999)
   618/703(3000-3999),709(5000-5999),744(3000-3999)
   618/808(3000-3999),844(3000-3999),857(6000-6999)
.......................................................................
COLLISON                    CLSNILXCRS0 06316 03281 1000  370 AA BA DA GM
   217/776(2000-2999)                                         GN HD II
.......................................................................
COLUMBIA                    CLMAILXEDS0 06843 03466 1026  520 AA BA DA GC
   618/281                                                    GN HB HD
.......................................................................
COLUMBUS                    CLMBILCORS0 06612 03757 5070  376 AA DA GQ GR
   217/334(5000-5999)                                         II PO PQ SK
                                                              ST SV SW SX
.......................................................................
COMPTON                     CMTNILXARS0 06131 03616 1015  368 AA DA GC GD
   815/497(1000-1999),497(2000-2999),497(9000-9999)           GE GG GM GN
                                                              HB HD II PC
                                                              RC RD RF RM
                                                              TU
.......................................................................
CONCORD                     CNCRILXCRS0 06590 03624 1055  376 AA BA DA DD
   217/457                                                    G2 GC GD GN
                                                              GR IC IE SQ
.......................................................................
CONGERVILLE                 CGVLILXDRS0 06347 03527 1000  368 AA BA DA GM
   309/448(1000-1999),448(2000-2999)                          GN II TU
.......................................................................
COOKSVILLE                  CKVLILXDRS0 06325 03448 1038  366 AA BA DA DD
   309/725(0000-0999),725(1000-1999),725(3000-3999)           G2 GC GD GN
   309/725(6000-6999),725(7000-7999),725(8000-8999)           GR IC IE SQ
   309/725(9000-9999)
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
CORDOVA	CRDVILXDRS0	06220	03795	1183	634	BA DA GC GE
309/227,654						GJ GM GN GR
						II
CORNELL	CRNLILXADS0	06240	03494	1009	366	DA GR HB HD
815/358						OE T3 TJ TZ
						XF
COULTERVILLE	CTVLILXERS0	06847	03349	1015	362	AA BA DA GG
618/758(1000-1999),758(2000-2999),758(3000-3999)						GM GN GR HB
						HD II PC RC
						RD RF RM SQ
COWDEN	CWDNILXCRS0	06585	03341	1037	976	AA BA DA DD
217/783						GC GD GM GR
						HD
CREAL SPRINGS	CLSPILXERS0	06896	03172	1015	362	AA BA DA GG
618/996(2000-2999),996(3000-3999),996(8000-8999)						GM GN HB HD
						II PC RC RD
						RF RM
CRESCENT CITY	CRCYILCCRS0	06216	03345	5070	358	AA BA DA GQ
815/683(2000-2999),683(9000-9999)						GR II PO PQ
						SJ ST SX VE
CRESTON	CETNILXARS0	06077	03622	1036	364	BA DA GE GJ
815/384(3000-3999),384(5000-5999)						GM GN II TU
CRETE	CRETILCMDS0	06067	03377	5070	358	AA BA DA GC
708/367(0000-2999),367(4000-4999),367(8000-8999),672						GQ GR II OR
						PO PQ PR PU
						SJ ST SX VE
CROPSEY	CRPSILXDRS0	06295	03420	1015	366	AA DA GC GD
309/377(2000-2999),377(3000-3999)						GE GG GM GN
						HB HD II PC
						RC RD RF RM
						TU

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
CROSSVILLE	CSVLILXEDS0	06732	03112	0993	978	AA DA HB T3
618/966						TK
CROWNPOINT	CHCGILDT8MD	05990	03421	7578	358	GR
219/323(7000-7999)						
CRYSTAL LAKE	CRLKILCKDS0	05972	03563	5070	358	AA BA DA GC
815/356,444,455,459,477,479,788(0000-3999)						GQ GR II OR
815/788(5000-5999),788(7000-9999)						PD PM PR PU
						RB RC RD SJ
						ST SX VE
CUBA	CUBAILXDDS0	06445	03662	1015	368	AA DA GG GM
309/785(5000-5999),785(8000-8999)						GN HB HD II
						PC RC RD RF
						RM SQ TU
CULLOM	CLLMILXADS0	06227	03416	1038	366	AA BA DA DD
815/689						G2 GC GD GM
						GN GR IC IE
						SQ
CYPRESS	CYPRILXERS0	06961	03179	1015	362	AA DA GG GM
618/657(2000-2999)						GN GR HB HD
						PC RC RD RF
						RM
DAHLGREN	DHLGILXEDS0	06774	03209	1024	978	BA DA GM GN
618/647,648,728,736,756,757,773						HB IS OE T3
						T7 TJ TU TZ
DAKOTA	DAKTILXARS1	06030	03749	1036	360	BA DA GC GE
815/449(2000-2999),449(9000-9999)						GJ GM GN II
DALLAS CITY	DLCYILXCRS0	06488	03821	1183	977	BA DA GM GN
217/852						GR II

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
DALTON CITY 217/874(2000-2999)	DTCYILXCRS2	06492	03378	1015	374	AA DA GE GG GM GN HB HD II PC RC RD RF RM
DANFORTH 815/269(2000-2999)	DNFTILXARS0	06216	03367	1000	358	AA BA DA GN GR HD II
DANVERS 309/963	DNVSILXDDS0	06363	03514	1038	366	AA BA DA DD G2 GC GD GN GR IC IE SQ
DANVILLE /	DAVLILDA01W	06321	03246	5070	370	HC
DANVILLE 217/213(0000-0999),431,442,443,444,446,477 217/554(0000-8999)	DAVLILDADS1	06321	03246	5070	370	AA DA GC GQ GR II OR PO PQ RC RD RM SK ST SW VP
DAVENPORT 309/207(7000-7999),302(7000-7999),374(6000-6999) 309/430(2000-2999),464(4000-4999),514(7000-7999) 309/515(7000-7999),537(6000-6999),551(7000-7999) 309/559(7000-7999),574(7000-7999),584(7000-7999) 309/586(3000-3999),587(6000-6999),600(7000-7999) 309/602(7000-7999),623(7000-7999),626(7000-7999) 309/729(3000-3999),771(7000-7999),795(7000-7999) 309/843(7000-7999),848(7000-7999),865(7000-7999) 309/872(7000-7999),987(7000-7999) 608/748(3000-3999) 779/248(7000-7999) 815/554(7000-7999)	RCISILRIX0X	06276	03816	7807	634	GR
DAVIS 815/865(5000-5999),865(9000-9999)	DAVSILXARS0	06015	03736	1036	360	BA DA GE GJ GM GN II TU

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
DE KALB                     DKLBILXAYMD 06061 03592 7196  364 BA DA
   779/222(3000-3999)
   815/286(2000-2999),517(9000-9999),595(3000-3999)
   815/888(3000-3999)
.......................................................................
DE LAND                     DELDILXCRS0 06401 03395 1015  374 AA DA GG GM
   217/664(3000-3999)                                         GN HB HD II
                                                              PC RC RD RF
                                                              RM TU
.......................................................................
DE SOTO                     DESTILXERS0 06890 03256 1015  362 AA DA GG GM
   618/867(2000-2999),867(3000-3999)                          GN HB HD II
                                                              PC RC RD RF
                                                              RM
.......................................................................
DECATUR                     DCTRILDC51T 06478 03414 5070  374 GB GQ GR HB
      /                                                       PR PS VP ZX
.......................................................................
DECATUR                     DCTRILDCDS0 06478 03414 5070  374 AA DA GQ GR
   217/362,420(1000-9999),421,422,423,424,425,428,429         HB II PD PM
   217/450(0000-0999),450(2000-6999),450(8000-8999)           PR PS SK ST
   217/451(2000-9999),462(0000-0999),462(1000-1999)           SV SX
   217/462(2000-2999),462(3000-3999),462(4000-4999)
   217/462(5000-5999),464(1000-8999),475(0000-0999)
   217/475(2000-9999)
.......................................................................
DECATUR                     DCTRILDN01W 06469 03418 5070  374 HC PR PS VM
      /                                                       ZW
.......................................................................
DECATUR                     DCTRILDNDS0 06469 03418 5070  374 AA DA GC GQ
   217/872(0000-8999),875,876,877                             GR II PD PM
                                                              PR PS SK ST
                                                              SV SX
.......................................................................
DEER CREEK                  DRCKILXDRS0 06355 03547 1000  368 AA BA DA GM
   309/447(1000-1999),447(6000-6999)                          GN II TU
.......................................................................
DEERFIELD                   DRFDILDF01W 05948 03485 5070  358 HC PR PU
      /
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
DEERFIELD                   DRFDILDFDS0 05948 03485 5070  358 AA BA DA GC
   224/632(2000-2999),632(3000-3999)                          GQ GR HA II
   847/236(0000-0999),236(1000-1999),236(3000-3999)           OH OR PD PM
   847/236(4000-4999),236(5000-5999),236(6000-6999)           PR PU SJ ST
   847/236(7000-7999),236(8000-8999),236(9000-9999),267       SX UR VE WD
   847/282(2000-2999),282(5000-5999),282(6000-6999)           WE WG WH
   847/315(1000-8999),317,374,405(0000-2999),405(4000-9999)
   847/444(0000-8999),527(2000-5999),572(4000-4999)
   847/572(6000-7999),579(0000-1999),579(3000-3999)
   847/579(8000-8999),580(7000-8999),831,914(0000-5999)
   847/914(7000-9999),940,945,948,964(4000-4999)
   847/964(6000-8999)
.......................................................................
DEKALB                      DKLBILXA50T 06061 03592 1036  364 GB HB TU
      /
.......................................................................
DEKALB                      DKLBILXADS0 06061 03592 1036  364 AA BA DA G2
   815/748,752,753,754,756(1000-1999),756(2000-2999)          GC GE GJ GN
   815/756(3000-3999),756(4000-4999),756(5000-5999)           HB II QF SH
   815/756(6000-6999),756(7000-7999),756(8000-8999)           SR TD TH TI
   815/756(9000-9999),758,787                                 TJ TU UG
.......................................................................
DELAVAN                     DLVNILDERS0 06421 03554 5070  368 AA BA DA GC
   309/244(0000-0999),244(7000-7999),244(8000-8999)           GQ GR II PO
   309/244(9000-9999)                                         PQ PT PU SJ
                                                              SV SX
.......................................................................
DEPUE                       DEPUILXADS0 06218 03612 0998  358 AA BA DA DD
   815/447(0000-0999),447(1000-1999),447(2000-2999)           G2 GC GD GN
   815/447(7000-7999),447(8000-8999),447(9000-9999)           GR IC IE SQ
                                                              T7 TJ TU
.......................................................................
DES PLAINES                 DSPLILXLDS0 05975 03478 5070  358 AA BA DA DD
   224/361(7000-7999)                                         GC GQ GR OH
   773/694(0000-0999),694(6000-6999),741(8000-8999)           OR PB PK PN
   847/294(0000-2999),294(4000-9999),376(4000-4999)           PR PU QB QF
   847/376(6000-6999),390,493(3000-3999),544(3000-4999)       RA RC SA SI
   847/553(2000-2999),635,699,768,795(0000-3999)              TB UB UG UH
   847/795(5000-9999)                                         UJ UM

=======================================================================
```

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
DES PLAINES	DSPLILXLDS1	05975	03478	5070	358	AA BA DA DD
773/825(1000-1999),825(4000-4999),825(7000-7999)						GC GQ GR PB
847/296,297,298,299,321(2000-2999),321(4000-4999)						PK PN PR PU
847/321(6000-6999),375,391(0000-7999),391(9000-9999)						QB QF RA RC
847/460(7000-7999),493(0000-2999),493(4000-6999)						SA SI SJ SV
847/553(3000-3999),627(3000-3999),759(0000-3999)						SX UB UG UH
847/759(5000-9999),803,824,827,953						UJ UM VE VM
DIETERICH	DTRCILXCDS0	06584	03250	1058	976	DA DD GC GD
217/925						GN HD RD T3
						TJ
DIVERNON	DVRNILXCRS0	06585	03492	1015	374	AA DA GC GD
217/628(1000-1999),628(3000-3999),628(9000-9999)						GE GG GM GN
						GR HB HD II
						PC RC RD RF
						RM SQ TU
DIXON	DIXNILXA50T	06132	03689	1057	364	GB
/						
DIXON	DIXNILXADS0	06132	03689	1057	364	AA BA DA GC
815/284,285,288						GD HB PC PN
						QB QF RA RC
						SA SH SI T7
						TU UB UG UM
						ZX

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
DIXON                       DIXNILXAEMD 06132 03689 7807  364 GR
   779/222(7000-7999),251(7000-7999),382(7000-7999)
   779/545(7000-7999)
   815/208(6000-6999),251(9000-9999),283(7000-7999)
   815/286(5000-5999),359(1000-1999),384(7000-7999)
   815/393(8000-8999),396(7000-7999),400(7000-7999)
   815/438(8000-8999),453(6000-6999),456(6000-6999)
   815/493(4000-4999),522(7000-7999),542(5000-5999)
   815/593(7000-7999),595(7000-7999),652(1000-1999)
   815/718(7000-7999),824(7000-7999),825(7000-7999)
   815/827(8000-8999),849(7000-7999),855(7000-7999)
   815/857(6000-6999),864(7000-7999),888(8000-8999)
   815/897(7000-7999),906(7000-7999),913(7000-7999)
   815/946(7000-7999),948(5000-5999),989(7000-7999)
   815/996(5000-5999)
.......................................................................
DONGOLA                     DONGILXERS0 06973 03201 1015  362 AA DA GE GG
   618/827(3000-3999),827(4000-4999)                           GM GN GR HB
                                                               HD II PC RC
                                                               RD RF RM SQ
.......................................................................
DONNELLSON                  DNSNILXCRS0 06674 03412 1183  976 AA DA GG GM
   217/537(0000-0999),537(1000-1999),537(3000-3999)            GN GR HB HD
   217/537(4000-4999),537(9000-9999)                           PC RC RD RF
                                                               RM
.......................................................................
DONOVAN                     DNVNILXARS0 06175 03321 1015  358 AA BA DA GG
   815/486(7000-7999)                                          GM GN HB HD
                                                               II PC RC RD
                                                               RF RM SQ
.......................................................................
DORCHESTER                  DRCHILXERS0 06695 03480 1055  520 AA BA DA DD
   618/362(0000-0999),362(1000-1999),362(6000-6999)            G2 GC GD GN
   618/362(9000-9999)                                          GR IC IE SQ
.......................................................................
DOVER                       DOVRILXARS1 06204 03636 1015  368 AA BA DA GG
   815/643(1000-1999),643(2000-2999)                           GM GN HB HD
                                                               II PC RC RD
                                                               RF RM SQ TU

=======================================================================
```

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
DOW                         DOW ILXERS0 06743 03542 1183  520 AA DA GG GM
   618/885(1000-1999),885(2000-2999),885(5000-5999)          GN GR HB HD
   618/885(9000-9999)                                        II PC RC RD
                                                             RF RM
.......................................................................
DOWNERS GROVE               DWGVILDGDS0 06031 03471 5070  358 AA BA DA GE
   630/241,271,275,322,324(3000-3999),434,435                GQ GR HA II
   630/437(2000-4999),437(6000-9999),493,598(6000-8999),663  OH OR PB PK
   630/769,795(0000-5999),795(7000-8999),991(4000-5999)      PR PU SJ ST
                                                             SV SX VE
.......................................................................
DOWNERS GROVE               DWGVILDGDS1 06031 03471 5070  358 AA BA DA GC
   630/353,512(0000-0999),512(2000-6999),512(8000-9999),515  GQ GR HA II
   630/719,724(0000-6999),724(8000-9999),725(0000-7999)      PB PK PR PU
   630/725(9000-9999),737(0000-0999),737(1000-1999)          RF SJ SP ST
   630/737(2000-2999),737(3000-3999),737(4000-4999)          SV
   630/737(5000-5999),737(6000-6999),737(7000-7999)
   630/737(8000-8999),810,824(5000-6999),829,852,960,963
   630/964,968,969,971
.......................................................................
DOWNS                       DWNSILXDRS0 06365 03456 1015  366 AA DA GE GG
   309/378(1000-1999),378(2000-2999),378(3000-3999)          GM GN HB HD
   309/378(4000-4999)                                        II PC RC RD
                                                             RF RM SQ TU
.......................................................................
DU BOIS                     DUBSILXERS0 06810 03293 1183  520 AA BA DA GM
   618/787(0000-2999),787(4000-9999)                         GN GR II
.......................................................................
DU QUOIN                    DUQNILXEDS0 06853 03276 1015  362 AA DA GC GD
   618/542(1000-1999),542(2000-2999),542(3000-3999)          GE GG GN GR
   618/542(4000-4999),542(5000-5999),542(6000-6999)          HB HD II PC
   618/542(8000-8999),542(9000-9999)                         RC RD RF RM
                                                             SD SE
.......................................................................
DUNDAS                      DNDSILXERS0 06605 03183 1036  978 AA BA DA GM
   618/754(3000-3999)                                        GN GR II TU
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
DUNDEE                      EDNDILDUDS0 05993 03540 5070  358 AA BA DA GC
   224/293(3000-3999),484(2000-2999),484(4000-5999)          GQ GR II OR
   847/426,428,551(1000-1999),551(3000-4999),551(8000-9999)  PD PM PR PU
   847/649(3000-3999),783(0000-0999),783(2000-2999)          SJ ST SX VE
   847/783(4000-6999),836,844(1000-2999),844(3000-4999)
   847/844(6000-6999),844(7000-9999),851(8000-8999)
.......................................................................
DUNLAP                      DNLPILXDDS0 06336 03612 1015  368 AA DA GC GD
   309/243(1000-1999),243(2000-2999),243(3000-3999)          GE GG GN GR
   309/243(5000-5999),243(7000-7999),243(8000-8999)          HB HD II PC
   309/243(9000-9999)                                        RC RD RF RM
                                                             SQ TU
.......................................................................
DUPO                        DUPOILXERS0 06829 03475 1026  520 AA BA DA GM
   618/286                                                   GN
.......................................................................
DURAND                      DRNDILXARS1 06007 03725 1036  360 BA DA GC GE
   815/248(2000-2999),248(3000-3999),248(4000-4999)          GJ GM GN II
   815/248(9000-9999)                                        TU
.......................................................................
DWIGHT                      DWGHILDHRS0 06198 03460 5070  358 AA BA DA GQ
   815/584(1000-4999),584(9000-9999)                         GR II PO PQ
                                                             SJ ST SX VE
.......................................................................
EARLVILLE                   ERVLILXARS0 06139 03582 1015  358 AA BA DA GG
   815/246(4000-4999),246(6000-6999),246(7000-7999)          GM GN HB HD
   815/246(8000-8999),246(9000-9999)                         II PC RC RD
                                                             RF RM TU
.......................................................................
EAST DUBUQUE                EDBQILXSDS0 06088 03915 1183  634 BA DA GC GN
   608/748(0000-0999),748(1000-1999),748(4000-4999)          GR II
   608/748(5000-5999),748(6000-6999),748(7000-7999)
   608/748(8000-8999),748(9000-9999)
   815/747
.......................................................................
EAST LYNN                   ELYNILXCRS0 06270 03306 1000  370 AA BA DA GM
   217/375(4000-4999)                                        GN GR HD II
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
EAST MOLINE	EMLNILEMDS0	06265	03797	5070	634	AA BA DA GC
309/751(0000-3999),751(6000-6999),751(9000-9999)						GQ GR II PD
309/752(0000-2999),752(4000-7999),752(9000-9999),755						PM PT RC RD
						RM SK SP SR
						ST
EAST MOLINE	EMLNILEMRS0	06265	03797	5070	634	BA DA GC GQ
/						GR II PD PM
						PT RC RD RM
						SJ ST SV SX
EAST MOLINE	GRRKILESDS0	06268	03788	5070	634	AA BA DA GQ
309/281(2000-6999),748(0000-0999),748(2000-2999)						GR II PD PM
309/748(4000-5999),748(6000-6999),748(8000-8999)						PT SK ST SV
309/748(9000-9999),749(0000-4999),765(0000-1999)						SX
309/765(2000-2999),765(4000-5999),765(6000-6999)						
309/765(8000-9999),792,796						
EAST ST. LOUIS	CAHKILAADS0	06817	03473	5070	520	AA BA DA GC
618/332(0000-8999),337						GQ GR II PO
						PQ PT RM SJ
						ST SV SX
EAST ST. LOUIS	ESLSILBRDS0	06805	03476	5070	520	AA BA DA GC
618/261,271,274,482,583,646(0000-0999),646(1000-1999)						GQ GR II PD
618/646(2000-2999),646(3000-3999),646(5000-5999)						PM PT RF SK
618/646(6000-6999),646(7000-7999),646(8000-8999)						ST SV ZX
618/874(0000-3999),874(5000-8999),875(0000-5999)						
618/875(7000-9999)						
EASTON	ESTNILXDRS0	06470	03585	0984	368	AA BA DA GM
309/562						GN HB IB
EDELSTEIN	EDLSILXDRS0	06317	03622	1015	368	AA DA GC GD
309/249(2000-2999),249(3000-3999)						GE GG GM GN
						GR HB HD II
						PC RC RD RF
						RM SQ TU

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
EDGEMONT                    EDMTILEXDS0 06804 03458 5070  520 AA BA DA GC
   618/293(0000-2999),293(4000-9999),394,397,398,399         GQ GR II PD
   618/489(2000-2999)                                        PM PT RC RD
                                                             SJ ST SV SX
.......................................................................
EDGEWOOD                    EDWDILXERS0 06633 03279 1183  520 BA DA GN GR
   618/238(0000-1999),238(4000-9999)                         II
.......................................................................
EDGINGTON                   EDTNILENRS0 06312 03832 5070  634 AA BA DA GQ
   309/791(0000-0999),791(5000-5999),791(7000-7999)          GR II PO PQ
   309/791(8000-8999),795(0000-0999),795(1000-1999)          PT SJ ST SV
   309/795(2000-2999),798(2000-2999),798(5000-5999)          SX
.......................................................................
EDINBURG                    EDBGILXCRS0 06547 03460 1037  976 AA BA DA DD
   217/623                                                   GC GD GM GR
                                                             HD
.......................................................................
EDWARDSVILLE                EWVLILER01W 06754 03464 5070  520 HC PT SJ SV
      /                                                      SX
.......................................................................
EDWARDSVILLE                EWVLILERDS0 06754 03464 5070  520 AA BA DA GC
   618/296,650(0000-7999),655(0000-0999),655(1000-1999)      GQ GR II PD
   618/655(2000-2999),655(6000-6999),655(7000-7999)          PM PT RC RD
   618/655(9000-9999),656,659(0000-0999),659(1000-1999)      SK SR ST VP
   618/659(2000-2999),659(3000-3999),659(4000-4999)          ZX
   618/659(6000-6999),659(8000-8999),659(9000-9999)
   618/692(0000-0999),692(1000-1999),692(2000-2999)
   618/692(3000-3999),692(4000-4999),692(6000-6999)
   618/692(7000-7999),692(8000-8999),692(9000-9999)
.......................................................................
EFFINGHAM                   EFHMILXCRS0 06586 03280 1037  976 AA DA GC GR
   217/342,347,540                                           HD RD SC SD
                                                             SE SF
.......................................................................
EL PASO                     ELPSILXDDS0 06310 03512 1004  366 AA DA GC GD
   309/527                                                   GR HB OE SQ
                                                             T3 TJ TZ XF
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
ELBURN                      ELBNILEURS0 06048 03547 5070  358 AA BA DA GC
   630/365(0000-0999),365(1000-1999),365(2000-2999)          GQ GR II OR
   630/365(3000-3999),365(4000-4999),365(5000-5999)          PO PQ PR PU
   630/365(6000-6999),365(8000-8999),365(9000-9999)          SJ ST SX VE
.......................................................................
ELDORADO                    ELRDILXEDS0 06829 03135 1015  362 DA GC GD GE
   618/273(1000-9999)                                        GG GN HB HD
                                                             II PC RC RD
                                                             RF RM SQ
.......................................................................
ELDRED                      ELDDILXCRS0 06705 03600 1015  376 AA DA GG GM
   217/983(2000-2999)                                        GN HB HD II
                                                             PC RC RD RF
                                                             RM SQ TU
.......................................................................
ELGIN                       ELGNILEL01W 06005 03534 5070  358 HC PR PU
      /
.......................................................................
ELGIN                       ELGNILELDS0 06005 03534 5070  358 AA BA DA GC
   224/783                                                   GE GG GQ GR
   630/497(0000-2999),497(8000-9999)                         HA HC II OH
   847/214(2000-3999),214(8000-8999),289,429(0000-1999)      OR PD PM PR
   847/429(4000-7999),429(9000-9999),468(0000-3999)          PU RB RC RD
   847/468(6000-9999),488,531(5000-8999),608,622             RF SK ST VF
   847/628(6000-6999),695,697,717(0000-0999),717(3000-6999)  VP ZX
   847/741,742,760(2000-3999),760(6000-6999),841(1000-1999)
   847/841(5000-7999),841(8000-8999),857(2000-4999),888,931
   847/931
.......................................................................
ELIZA                       ELIZILXDRS0 06337 03855 1183  634 BA DA GM GN
   309/537(0000-0999),537(1000-1999),537(2000-2999)          GR II
   309/537(3000-3999),537(7000-7999),537(8000-8999)
   309/537(9000-9999)
.......................................................................
ELIZABETH                   ELZBILXARS0 06093 03842 1036  360 BA DA GM GN
   815/858(2000-2999),858(3000-3999),858(9000-9999)          II
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
ELK GROVE                   EGVGILEGDS0 05984 03490 5070  358 AA BA DA GE
   847/238(0000-0999),238(4000-4999),238(5000-5999)          GQ GR HA II
   847/238(9000-9999),250(3000-3999),262(2000-2999),290      OR PB PG PK
   847/350(0000-0999),350(2000-2999),350(4000-4999)          PR PU SL SS
   847/350(5000-5999),357,427(0000-6999),427(8000-9999)      ST TB UR US
   847/434(8000-8999),545(1000-1999),545(2000-2999)          VL VQ WD WE
   847/545(3000-3999),545(4000-4999),545(5000-5999)          WG ZY
   847/545(6000-6999),545(7000-7999),545(8000-8999)
   847/545(9000-9999),595(2000-2999),595(6000-6999)
   847/595(7000-7999),616(4000-4999),616(7000-7999),734
   847/766(3000-3999),766(6000-6999),773(3000-3999)
   847/787(0000-0999),787(4000-4999),806,860(5000-5999)
   847/979(2000-3999)
.......................................................................
ELK GROVE                   EGVGILEGDS1 05984 03490 5070  358 AA BA DA GC
   224/404(8000-8999)                                        GQ GR II PB
   847/228,264(2000-2999),354(7000-7999),364,434(4000-4999)  PG PK PR PU
   847/437,439,472(1000-9999),593,640,690,700                RB SS ST TB
   847/709(7000-8999),718,758,871(1000-1999),871(5000-6999)  UR US WD WE
   847/952,956,981                                           WG ZY
.......................................................................
ELK GROVE                   EGVGILEGK21 05984 03490 5070  358 PG PR PU UE
      /                                                      UR WD WE WG
                                                             WH
.......................................................................
ELK GROVE                   EGVGILEGTDS 05984 03490 5070  358 PB PJ PR PU
      /                                                      UR WD WE WG
                                                             WH
```

==========

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ELK GROVE	EGVGILIFDS0	05990	03485	7196	358	BA DA

224/205(5000-6999),205(8000-8999),222(5000-9999),270
224/338(3000-3999),347(3000-3999),473,509(3000-3999)
224/577(2000-2999),601(3000-3999),643(5000-5999)
312/821(9000-9999)
630/378(8000-8999)
708/251(3000-3999),263(6000-6999),300(3000-3999)
708/321(2000-2999),326(6000-6999),360(4000-4999)
708/392(5000-5999),401(0000-1999),428(2000-2999)
708/441(6000-6999),864(5000-5999),918(9000-9999)
708/929(9000-9999),966(3000-3999)
773/442(0000-0999),442(1000-1999),442(3000-3999)
773/442(9000-9999),455(9000-9999),458(1000-2999)
773/584(0000-0999),584(9000-9999),598(1000-2999)
773/632(0000-3999),917(2000-2999),917(9000-9999)
779/220(3000-3999),231,252(3000-3999),429(3000-3999)
779/704(3000-3999),707(3000-3999)
815/214(2000-2999),215(2000-2999),221(4000-4999)
815/261(9000-9999),267(2000-2999),267(9000-9999)
815/271(9000-9999),272(2000-2999),272(9000-9999)
815/277(4000-4999),308(2000-2999),313(2000-2999)
815/318(2000-2999),410(3000-3999),478(2000-2999)
815/521(6000-6999),860(3000-3999),905(7000-7999)
815/907(2000-2999)
847/227(0000-4999),227(6000-6999),227(9000-9999)
847/270(8000-8999),273(0000-3999),273(5000-5999)
847/273(7000-7999),273(9000-9999),400(0000-3999)
847/400(9000-9999),416(3000-3999),443(8000-8999)
847/447(1000-1999),462(7000-7999),463(1000-1999)
847/463(5000-5999),463(9000-9999),497(2000-2999)
847/603(3000-3999),631(0000-4999),631(7000-7999)
847/631(9000-9999),653(0000-2999),653(4000-4999)
847/653(5000-5999),653(9000-9999),665(3000-3999)
847/745(0000-1999),756(9000-9999),777(0000-0999)
847/777(2000-3999),841(0000-0999),841(9000-9999)
847/915(3000-3999),916(1000-1999),916(4000-4999)
847/916(9000-9999),990(9000-9999)

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
ELK GROVE                   EGVGILIFDS1 05990 03485 7196  358 BA DA
   224/777(3000-3999)
   312/348(2000-7999),416,453,486,577,610(8000-8999)
   312/780(0000-8999),803,873(0000-6999),873(9000-9999)
   331/212(3000-3999),321(2000-2999),333(4000-4999)
   331/333(7000-7999),643(4000-4999),701(3000-3999)
   331/702(3000-5999),702(6000-6999),757(4000-4999)
   331/775(9000-9999),777(3000-3999),777(6000-6999)
   331/777(8000-8999),803(3000-3999)
   630/203(0000-6999),203(8000-9999),228(6000-6999)
   630/239(2000-2999),282(0000-2999),282(8000-9999)
   630/300(0000-2999),300(5000-7999),300(9000-9999)
   630/343(4000-4999),378(7000-7999),383(7000-7999)
   630/477(0000-3999),477(9000-9999),481(0000-0999)
   630/518(9000-9999),526(5000-5999),589(0000-1999)
   630/589(5000-5999),589(8000-8999),634(4000-4999)
   630/647(6000-6999),672(1000-2999),672(9000-9999)
   630/708(4000-4999),861(2000-2999),864(4000-4999)
   630/864(5000-6999),874(0000-3999),874(5000-9999)
   630/884(6000-6999),934(7000-7999),944,945(9000-9999)
   630/998(9000-9999)
   815/770(4000-4999)
   847/802(3000-3999)
.......................................................................
ELKHART                     EKHTILXCRS0 06484 03510 1015  366 AA BA DA GG
   217/947(2000-2999)                                           GM GN HB HD
                                                                II PC RC RD
                                                                RF RM SQ TU
.......................................................................
ELKVILLE                    EKVLILXERS0 06872 03266 1015  362 AA DA GE GG
   618/568(1000-1999),568(2000-2999)                            GM GN GR HB
                                                                HD II PC RC
                                                                RD RF RM
.......................................................................
ELLIOTT                     ELLTILXCRS1 06307 03374 1015  370 AA BA DA GG
   217/749(2000-2999)                                           GM GN GR HB
                                                                HD II PC RC
                                                                RD RF RM TU
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
ELLIOTTSTOWN 217/739	ELTWILXCRS0	06607	03252	1058	976	DA DD GC GD GM HD TJ
ELLIS GROVE 618/859(3000-3999)	ELLGILXERS0	06905	03379	1015	362	DA GC GD GE GG GM GN GR HB HD II PC RC RD RF RM
ELLSWORTH 309/724(8000-8999)	ELWOILXDRS0	06346	03441	1015	366	AA BA DA GG GM GN HB HD II PC RC RD RF RM SQ TU
ELMHURST 331/221 630/279,415(3000-3999),501(2000-3999),516,530 630/617(0000-0999),617(2000-9999),758,782,832,833,834 630/941,956(5000-5999),956(7000-7999),956(9000-9999),993 630/993	EMHRILETDS0	06006	03471	5070	358	AA BA DA GC GE GQ GR HA II OE OH OR PD PM PR PU SJ ST SV SX UR VE WD WE WG WH
ELMIRA 309/896(3000-3999),896(4000-4999)	EMIRILXDRS1	06286	03675	1015	368	AA BA DA GG GM GN GR HB HD II PC RC RD RF RM SQ
ELMWOOD 309/742(2000-2999),742(3000-3999),742(4000-4999) 309/742(7000-7999),742(8000-8999)	EMWDILXDRS0	06373	03655	1015	368	AA BA DA GD GG GM GN GR HB HD II PC RC RD RF RM TU
ELVASTON 217/845(0000-0999),845(1000-1999),845(3000-3999) 217/845(4000-4999),845(7000-7999),845(8000-8999) 217/845(9000-9999)	ELTNILXCRS0	06540	03810	1183	977	BA DA GC GM GN GR II

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ELWIN	ELWNILXCRS2	06490	03413	1015	374	AA DA GE GG
217/767(2000-2999),865(2000-2999),865(3000-3999)						GM GN HB HD
						II PC RC RD
						RF RM TU
ELWOOD	ELWDILAWRS0	06114	03445	5070	358	AA BA DA GQ
815/423(1000-2999),423(5000-6999),423(9000-9999)						GR II PO PQ
815/424(0000-0999),424(2000-3999)						PR PU SJ SX
						VE
ELWOOD	ELWDILEWRS0	06114	03446	5070	358	BA DA GQ GR
/						II OR PO PQ
						PR PU SJ ST
						SX
EMDEN	EMDNILXCRS0	06431	03537	1000	366	AA BA DA GM
217/376(1000-1999),376(3000-3999)						GN HD TU
EMINGTON	EMTNILXARS1	06216	03438	1015	366	AA BA DA GG
815/934(5000-5999)						GM GN GR HB
						HD II PC RC
						RD RF RM SQ
						TU
ENFIELD	ENFDILXERS0	06765	03147	1015	978	AA BA DA GD
618/963(2000-2999),963(6000-6999),963(8000-8999)						GG GM GN HB
						HD II PC RC
						RD RF RM SQ
						TU
ERIE	ERIEILXDRS0	06211	03757	1183	634	BA DA GE GJ
309/659						GM GN GR II
EUREKA	EURKILXDDS0	06333	03547	1015	368	AA DA GC GD
309/467(2000-2999),467(3000-3999),467(4000-4999)						GE GG GN HB
309/467(5000-5999),467(6000-6999),467(7000-7999)						HD II PB PK
309/467(9000-9999)						RC RD RF RM
						SQ TU

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
EVANSTON                    EVTNILEVDS0 05958 03449 5070  358 AA BA DA GC
   224/364                                                    GQ GR II OH
   773/273(2000-2999),273(3000-3999),273(4000-4999)           OR PD PM PR
   847/316(2000-8999),328,332(1000-9999),424,425(1000-3999)   PU SJ ST SV
   847/425(6000-9999),448(8000-8999),467,475,491,492,570      SX UR VE WD
   847/733,859(8000-8999),864,866,869,905(3000-3999)          WE WG WH
   847/905(4000-5999)
.......................................................................
EVANSVILLE                  EVVLILXERS0 06891 03392 1015  362 AA BA DA GG
   618/853(2000-2999),853(4000-4999)                          GM GN GR HB
                                                              HD II PC RC
                                                              RD RF RM
.......................................................................
EWING                       EWNGILXERS0 06811 03230 1015  362 AA DA GE GG
   618/629(1000-1999),629(2000-2999)                          GM GN HB HD
                                                              II PC RC RD
                                                              RF RM SQ
.......................................................................
FAIRBURY                    FRBRILXADS0 06270 03438 1015  366 AA BA DA GD
   815/692(2000-2999),692(3000-3999),692(4000-4999)           GG GN GR HB
   815/692(6000-6999)                                         HD II PC RC
                                                              RD RF RM SQ
                                                              TU
.......................................................................
FAIRFIELD                   FRFDILXEDS0 06714 03178 1015  978 AA DA GC GD
   618/842(2000-2999),842(3000-3999),842(4000-4999)           GE GG GN HB
   618/842(5000-5999),842(6000-6999),842(7000-7999)           HD II PC RC
   618/842(9000-9999),847(4000-4999),847(5000-5999)           RD RF RM SD
   618/847(7000-7999),847(8000-8999)                          SE SQ TU
.......................................................................
FAIRMOUNT                   FAMTILFARS0 06352 03269 5070  370 AA DA GQ GR
   217/733(2000-2999)                                         II OR PO PQ
                                                              SJ SV SX
.......................................................................
FARINA                      FARNILXERS0 06659 03287 1183  520 AA BA DA GM
   618/245(0000-0999),245(2000-2999),245(3000-3999)           GN GR II
   618/245(6000-6999),245(9000-9999)
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
FARMER CITY	FMCYILXDDS0	06377	03407	1015	366	AA DA GC GD
309/928(2000-2999),928(3000-3999),928(5000-5999)						GE GG GN HB
309/928(9000-9999)						HD II PB PK
						RC RD RF RM
						SQ TU
FARMERSVILLE	FRVLILXCRS0	06608	03478	1037	976	AA DA DD GC
217/227						GM GR HD
FARMINGTON	FRTNILFMRS0	06392	03654	5070	368	AA BA DA GQ
309/245(2000-2999),245(4000-4999),245(9000-9999)						GR II PO PQ
						RD SJ ST SV
						SX
FAYETTEVILLE	FYVLILXERS0	06825	03398	1036	520	AA BA DA GE
618/677(2000-2999),677(9000-9999)						GJ GM GN GR
						II
FERRIS	FRRSILXCRS0	06521	03805	1183	977	BA DA GC GM
217/746(2000-2999),746(3000-3999),746(5000-5999)						GN GR II
217/746(8000-8999),746(9000-9999)						
FIATT	FIATILFIRS0	06431	03666	5070	368	AA BA DA GQ
309/789(2000-2999),789(6000-6999)						GR II PO PQ
						SJ SV SX
FIELDON	FLDNILXERS0	06736	03575	1183	520	AA BA DA GC
618/376(1000-1999),376(3000-3999),376(4000-4999)						GN GR II
618/376(9000-9999)						
FILLMORE	FLMRILXCRS0	06642	03391	1183	976	AA DA GG GM
217/538						GN GR HB HD
						PC RC RD RF
						RM
FINDLAY	FNDYILXCDS0	06525	03352	1011	976	AA BA DA DD
217/756						G2 GC GD GN
						GR IC IE SQ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
FISHER	FSHRILXCRS0	06340	03371	1000	370	AA BA DA GC
217/897(1000-1999),897(6000-6999),897(7000-7999)						GN GR HD II
						TU
FITHIAN	FTHNILFTRS0	06343	03280	5070	370	AA DA GQ GR
217/548(2000-2999)						II PO PQ SJ
						SV SX
FLANAGAN	FLNGILXADS0	06272	03502	1073	366	AA BA DA DD
815/796(0000-0999),796(1000-1999),796(2000-2999)						G2 GC GD GN
815/796(3000-3999),796(4000-4999),796(7000-7999)						GR IC IE SQ
815/796(8000-8999),796(9000-9999)						
FLAT ROCK	FLRKILXEDS0	06559	03127	1012	978	DA GL GN HB
618/584						HD OE RC SQ
						TJ TK TZ
FLATVILLE	FLVLILXCRS0	06334	03320	1000	370	AA BA DA GE
217/694(4000-4999),694(5000-5999)						GJ GM GN HD
						II
FLORA	FLORILXEDS0	06667	03227	1015	978	AA DA GC GD
618/662						GE GG GN HB
						HD II PC RC
						RD RF RM SD
						SE TU
FOOSLAND	FSLDILXCRS1	06339	03387	1000	370	AA BA DA G1
217/846(3000-3999)						GM GN GR HD
						II RD TU
FOREST CITY	FRCYILXDRS0	06441	03595	1057	368	AA BA DA DD
309/597(0000-0999),597(1000-1999),597(2000-2999)						GD PC PN QB
309/597(3000-3999),597(4000-4999),597(5000-5999)						QF RA RC SA
309/597(6000-6999),597(7000-7999),597(9000-9999)						SI UB UG UM
FORREST	FRSTILFODS0	06262	03424	5070	366	AA DA GQ GR
815/657(0000-0999),657(7000-7999),657(8000-8999)						II PO PQ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
FORREST	FRSTILFODS3	06262	03424	5070	366	SV
/___						
FORRESTON	FSTNILXARS0	06084	03731	1036	360	BA DA GE GJ
815/938(2000-2999),938(3000-3999),938(9000-9999)						GM GN II SH
						TU
FOWLER	FWLRILFWRS0	06617	03775	5070	376	AA BA DA GQ
217/434(8000-8999)						GR II PO PQ
						SJ ST SV SX
FOX LAKE	FXLKILFKDS0	05928	03554	5070	358	AA BA DA GC
847/497(3000-4999),497(9000-9999),587,973(0000-0999)						GQ GR II OR
847/973(1000-1999),973(2000-2999),973(3000-3999)						PO PQ PR PU
847/973(4000-4999),973(8000-8999),973(9000-9999)						SJ ST SX VE
FRANKFORT	FRFTILFBDS0	06072	03414	5070	358	AA BA DA GC
708/720						GQ GR II OR
815/464,469,806(0000-4999),806(8000-9999)						PO PQ PR PU
						SJ ST SX VE
FRANKLIN	FKLNILXCRS0	06603	03555	1015	376	AA BA DA GG
217/675(2000-2999)						GM GN HB HD
						II PC RC RD
						RF RM TU
FRANKLIN GROVE	FNGVILXARS0	06119	03662	1036	364	BA DA GE GJ
815/456(0000-0999),456(2000-2999),456(3000-3999)						GM GN II TU
FREEBURG	FEBGILLXRS0	06824	03420	5070	520	AA BA DA GQ
618/539(0000-0999),539(3000-6999),539(9000-9999)						GR II PO PQ
						PT SK ST SV
						ZX
FREEPORT	FRPTILXA50T	06055	03754	1036	360	GB HB
/___						

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
FREEPORT	FRPTILXADS0	06055	03754	1036	360	AA BA DA GC
815/232,233,235,266(0000-0999),266(2000-8999)						GE GJ GN GR
815/297(0000-1999),297(6000-6999),297(8000-9999)						HB II SH SR
815/599(0000-0999),599(3000-3999),599(4000-4999)						TD TH TI UG
815/599(5000-5999),599(6000-6999),599(7000-7999)						
815/599(8000-8999)						
FREEPORT	FRPTILXAPS0	06055	03754	1036	360	DA IP
/						
FULTON	FLTNILXADS0	06176	03789	1183	364	AA BA DA GN
815/589						GR HD II PC
GALENA	GALNILGADS1	06090	03882	5070	634	AA BA DA GQ
815/776(0000-0999),776(1000-1999),776(5000-5999)						GR II PO PQ
815/776(7000-7999),776(9000-9999),777						SJ ST SV SX
GALESBURG	GLBGILXD50T	06370	03732	1057	977	GB
/						
GALESBURG	GLBGILXDDS0	06370	03732	1057	977	AA BA DA GC
309/341,342,343,345,973(2000-2999)						GD HB PC PN
						QB QF RA RC
						SA SH SI ST
						T7 TU UB UG
						UM ZX
GALESBURG NORTH	GLBGILXNRS0	06366	03736	1057	977	AA BA DA GD
309/344						PC PN QB QF
						RA RC SA SH
						SI ST UG UM
GALVA	GALVILXDDS0	06304	03705	1036	368	BA DA GN GR
309/932(2000-2999),932(3000-3999),932(8000-8999)						II
309/932(9000-9999)						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
GARDEN PRAIRIE	GRPRILXARS0	05997	03620	1015	360	AA DA GC GD
815/597(1000-1999)						GE GG GM GN
						HB HD II PC
						RC RD RF RM
						TU
GARDNER	GRNRILGDRS0	06170	03453	5070	358	AA BA DA GQ
815/237(0000-0999),237(2000-2999),237(8000-8999)						GR II PO PQ
						SJ ST SX VE
GAYS	GAYSILXCRS0	06517	03307	1037	976	AA DA DD GC
217/752						GM GR HD
GENESEO	GENSILXD00T	06257	03749	1016	634	DA GB HD RC
/						SH SQ
GENESEO	GENSILXDDS1	06257	03749	1016	634	DA HD IS OE
309/944(0000-0999),944(1000-1999),944(2000-2999)						RC SH SQ
309/944(3000-3999),944(4000-4999),944(5000-5999)						
309/944(6000-6999),944(8000-8999),944(9000-9999)						
309/945(0000-0999),945(1000-1999),945(4000-4999)						
309/945(9000-9999),946						
GENEVA	GENVILGNDS0	06036	03523	5070	358	AA BA DA GC
630/208,232,262,313(7000-7999),345(1000-1999)						GQ GR HA II
630/345(7000-7999),377,406,443,444(0000-6999)						OR PD PM PR
630/444(8000-9999),463(3000-3999),482(2000-2999)						PU SK ST VF
630/482(3000-3999),482(4000-4999),482(5000-5999)						ZX
630/482(7000-7999),482(9000-9999),513,584,587						
630/761(0000-4999),761(6000-6999),761(8000-9999),762						
630/797(4000-4999),845,879						
GENOA	GENOILXARS1	06025	03600	1036	364	BA DA GE GJ
815/784(2000-2999),784(3000-3999),784(4000-4999)						GM GN II
815/784(5000-5999),784(6000-6999),784(7000-7999)						
815/784(8000-8999),784(9000-9999)						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
GEORGETOWN	GRTWILGTRS1	06351	03231	5070	370	AA BA DA GQ
217/662(2000-2999),662(6000-6999),662(8000-8999)						GR II PO PQ
						SJ ST SV SX
GERMAN VALLEY	GRVYILXARS1	06060	03725	1036	360	BA DA GC GE
815/362(2000-2999),362(9000-9999)						GJ GM GN II
GERMANTOWN	GTWCILGTRS0	06771	03376	5070	520	AA BA DA GQ
618/523(4000-4999),523(8000-8999)						GR II PO PQ
						PT SJ ST SV
						SX
GERMANTOWN HILLS	GTHLILXDDS0	06338	03581	1053	368	DA GC GD GL
309/383						GN HB HD
GIBSON CITY	GBCYILGBDS0	06314	03390	5070	370	AA BA DA GC
217/784(0000-0999),784(1000-1999),784(2000-2999)						GQ GR II OR
217/784(4000-4999),784(5000-5999),784(8000-8999)						PO PQ ST SV
						SX
GIFFORD	GFFRILXCRS1	06317	03322	1000	370	AA BA DA GE
217/568(7000-7999)						GM GN HD II
GILA	GILAILXCRS0	06565	03237	1058	976	DA DD GC GD
217/683						GM HD TJ
GILLESPIE	GLLSILXCRS0	06682	03473	1183	976	AA BA DA GD
217/839(0000-0999),839(1000-1999),839(2000-2999)						GG GM GN GR
217/839(3000-3999),839(4000-4999)						HB HD II PC
						RC RD RF RM
GILMAN	GLMNILGMRS0	06227	03364	5070	358	AA BA DA GQ
815/265(4000-4999),265(7000-7999),265(9000-9999)						GR II PO PQ
						SJ ST SX VE
GIRARD	GRRDILXCRS0	06617	03499	1015	374	AA BA DA GG
217/627(2000-2999),627(3000-3999),627(9000-9999)						GM GN GR HB
						HD II PC RC
						RD RF RM TU

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
GLASFORD	GLFDILXDDS0	06404	03612	1017	368	BA DA HB HD
309/389						OE T3 TJ TZ
						XE XF
GLEN CARBON	GLCRILGCRS0	06767	03462	5070	520	AA BA DA GQ
618/288,391(5000-5999),391(6000-6999)						GR II PO PQ
						PT SJ ST SV
						SX
GLEN ELLYN	GLELILGEDS0	06020	03488	5070	358	AA BA DA GC
630/469,534(4000-4999),534(6000-8999),545,790,858,942						GQ GR II OR
630/942						PD PM PR PU
						SJ ST SX VE
GLENN	GLNNILXE0MD	06920	03309	1003	362	DA GM HD II
618/763						
GLENVIEW	GLVWILGVDS0	05963	03470	5070	358	AA BA DA GC
224/521(4000-4999),521(8000-8999),661(7000-9999)						GE GQ GR HA
847/486,503(1000-8999),646,657,724,729,832(0000-4999)						II OR PB PK
847/832(6000-9999),834(6000-7999),901(5000-6999)						PR PU SK ST
847/904(4000-4999),904(7000-7999),998						UR US VF WD
						WE WG WH ZX
GOLCONDA	GLCNILXEDS1	06918	03097	1015	362	AA BA DA GC
618/683(2000-2999),683(3000-3999),683(4000-4999)						GD GG GN GR
618/683(5000-5999),683(9000-9999)						HB HD II PC
						RC RD RF RM
GOLDEN	GLDNILXC51T	06580	03751	0976	376	D1 DA GB
/						
GOLDEN	GLDNILXCDS0	06580	03751	0976	376	AA BA DA GC
217/289,327,338,392,455,647,667,696,936,938,964,985						GE GN HB HD
						OE SH SQ T3
						TJ TZ
GOODFIELD	GDFDILABRS0	06350	03538	1000	368	AA BA DA GM
309/965(2000-2999),965(3000-3999)						GN HD II TU

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
GOREVILLE	GRVLILXERS0	06921	03190	1015	362	AA DA GC GD
618/995(1000-1999),995(2000-2999),995(9000-9999)						GE GG GM GN
						HB HD II PC
						RC RD RF RM
						SQ
GRAFTON HILLS	GFTNILACDS0	06754	03551	1020	520	BA DA GC GD
618/786						HB TJ XE
GRAND DETOUR	GRDTILXARS0	06127	03686	1057	364	AA BA DA GC
815/652(0000-0999),652(2000-2999),652(3000-3999)						GD PC PN QB
815/652(4000-4999),652(5000-5999),652(6000-6999)						QF RA RC SA
815/652(7000-7999),652(8000-8999),652(9000-9999)						SH SI UB UG
						UM
GRAND RIDGE	GDRGILXARS0	06200	03534	1015	366	AA DA GG GM
815/249(5000-5999),249(6000-6999)						GN HB HD II
						PC RC RD RF
						RM TU
GRANDVIEW	GDVWILXCCG0	06450	03219	1021	938	CA GM
217/946						
GRANITE CITY	GRCYILTADS0	06789	03482	5070	520	AA BA DA GC
618/225(4000-6999),225(8000-8999),451,452,512(2000-3999)						GQ GR II PD
618/512(5000-9999),798(2000-9999),876(0000-8999),877						PM PT RC RD
						SJ ST SV SX
GRANITE CITY	PNBHILSYDS0	06777	03474	5070	520	AA DA GC GQ
618/797(0000-0999),797(1000-1999),797(2000-2999)						GR II PO PQ
618/797(3000-3999),797(4000-4999),797(5000-5999)						PT RC RD SJ
618/797(6000-6999),797(7000-7999),797(9000-9999),931						ST SV SX
GRANT PARK	GRPKILGPRS1	06110	03362	5070	358	AA BA DA GQ
815/465(2000-2999),465(6000-6999),466(0000-0999)						GR II OR PO
						PQ SJ ST SX
						VE

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
GRANTFORK                   GRNTILXERS0 06727 03422 0978  520 DA          (C)
     /                                                                      (C)
.......................................................................
GRANVILLE                   GRVIILXADS0 06225 03594 1036  358 BA DA GN II
   815/339(2000-2999),339(6000-6999),339(9000-9999)
.......................................................................
GRAYMONT                    GRMTILXARS0 06265 03490 1073  366 AA BA DA DD
   815/743(0000-0999),743(1000-1999),743(5000-5999)          G2 GC GD GN
   815/743(6000-6999),743(7000-7999),743(8000-8999)          GR IC IE SQ
   815/743(9000-9999)
.......................................................................
GRAYSLAKE                   GYLKILGLDS0 05927 03528 5070  358 AA BA DA GC
   224/541(1000-1999)                                        GQ GR II OR
   847/223,231(4000-6999),543(0000-0999),543(1000-1999)      PC PL PR PU
   847/543(2000-2999),543(3000-3999),543(4000-4999)          SJ ST SX VE
   847/543(5000-6999),543(7000-7999),543(8000-8999)
   847/543(9000-9999),548,665(2000-2999),752(2000-2999)
.......................................................................
GRAYVILLE                   GYVLILXERS0 06708 03111 1015  978 AA BA DA GE
   618/375(2000-7999),375(9000-9999)                         GG GM GN HB
                                                             HD II PC RC
                                                             RD RF RM SQ
                                                             TU
.......................................................................
GREEN RIVER                 GNRVILXDDS0 06268 03773 1016  634 DA HD RC RL
   309/949
.......................................................................
GREEN RIVER                 GNRVILXNDS0 06252 03763 1016  634 DA HD RC
   309/441
.......................................................................
GREEN VALLEY                GNVYILXDRS0 06421 03572 1057  368 AA BA DA DD
   309/352                                                   GC GD PC PN
                                                             QB QF RA RC
                                                             SA SI UB UG
                                                             UM
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
GREENFIELD	GNFDILXCRS0	06671	03553	1015	376	AA DA GC GD
217/368(2000-2999),368(3000-3999)						GE GG GM GN
						HB HD II PC
						RC RD RF RM
						TU
GREENUP	GNUPILXCRS0	06532	03236	1000	976	AA BA DA GE
217/923(0000-0999),923(3000-3999),923(5000-5999)						GJ GM GN HD
						II TU
GREENVIEW	GNVWILXCRS0	06490	03554	1183	374	AA DA GG GM
217/968						GN GR HB HD
						II PC RC RD
						RF RM SN SQ
GREENVILLE	GNVLILGRRS0	06696	03389	5070	520	AA DA GQ GR
618/664(0000-7999),664(9000-9999),690(3000-3999)						II PO PQ SK
						ST SV ZX
GRIDLEY	GRDLILXDDS0	06299	03492	1023	366	AA DA GC GD
309/747						GN HB HD OE
						SQ T3 TJ TK
						TZ
GRIGGSVILLE	GGVLILXCRS0	06637	03667	1015	376	AA BA DA GD
217/833(1000-1999),833(2000-2999)						GG GM GN HB
						HD II PC RC
						RD RF RM TU
GROVELAND	GVLDILXDRS1	06377	03573	1015	368	AA BA DA GD
309/387(2000-2999),387(6000-6999)						GG GM GN HB
						HD II PC RC
						RD RF RM TU
GULFPORT	GLPTILXDRS0	06443	03817	1183	977	AA CA GG GM
309/873(0000-0999),873(1000-1999),873(2000-2999)						GN GR HB HD
309/873(6000-6999),873(7000-7999),873(8000-8999)						II PC RC RD
309/873(9000-9999)						RF RM SQ UG

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
HAMBURG	HBGCILXERS0	06729	03619	1183	520	AA DA GG GM
618/232(0000-0999),232(1000-1999),232(3000-3999)						GN GR HB HD
618/232(5000-5999),232(7000-7999),232(8000-8999)						II PC RC RD
618/232(9000-9999)						RF RM
HAMEL	HAMLILXERS0	06730	03454	1049	520	BA DA GM TI
618/633						TJ
HAMILTON	HMTNILXCDS0	06548	03823	1183	977	BA DA GN GR
217/847						II
HAMMOND	HMNDILXCRS0	06459	03355	1015	374	AA DA GG GM
217/262(3000-3999)						GN GR HB HD
						II PC RC RD
						RF RM SQ
HAMPSHIRE	HMPSILHSRS0	06012	03576	5070	358	AA BA DA GQ
847/683(0000-2999),683(3000-5999),683(7000-7999)						GR II OR PO
847/683(8000-8999),683(9000-9999),792(3000-3999)						PQ PR PU SJ
						ST SX VE
HAMPTON	HMPNILXD7MD	06253	03793	7196	634	BA DA
309/203(4000-4999),302(9000-9999),517(2000-2999)						
309/581(3000-3999),749(6000-6999),948(2000-2999)						
779/214(3000-3999)						
HAMPTON	HMPNILXDDS0	06253	03793	1183	634	BA DA GN GR
309/496						II
HANNA CITY	HNCYILHCRS0	06378	03627	5070	368	AA BA DA GQ
309/565(4000-4999),565(7000-7999),565(9000-9999)						GR II PO PQ
						PT PU SK ST
						SV SX
HANOVER	HNVRILXARS0	06110	03845	1036	360	AA BA DA GM
815/591(2000-2999),591(3000-3999),591(9000-9999)						GN II

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
HARDIN                      HRDNILXERS0 06736 03598 1183  520 AA DA GG GM
   618/576(0000-0999),576(1000-1999),576(2000-2999)          GN GR HB HD
   618/576(8000-8999),576(9000-9999)                         II PB PK RC
                                                             RD RF RM
.......................................................................
HARDING                     HDNGILHGRS0 06148 03564 5070  358 AA BA DA GQ
   815/792(8000-8999)                                        GR II PO PQ
                                                             SJ ST SX VE
.......................................................................
HARDINVILLE                 HAVLILXERS0 06569 03153 1036  978 AA BA DA GM
   618/557(3000-3999)                                        GN GR II RC
                                                             RD RF RM TU
.......................................................................
HARMON                      HRMNILXARS0 06161 03687 1057  364 AA BA DA GD
   815/359(0000-0999),359(2000-2999),359(3000-3999)          PC PN QB QF
   815/359(4000-4999),359(5000-5999),359(6000-6999)          RA RC SA SI
   815/359(7000-7999),359(8000-8999),359(9000-9999)          UB UG UM
.......................................................................
HARMONY                     HRMJILHMRS0 06742 03247 5070  520 AA DA GQ GR
   618/360(0000-0999),755(0000-0999),755(4000-4999)          II PO PQ RC
   618/755(9000-9999)                                        RD SJ ST SV
                                                             SX
.......................................................................
HARRISBURG                  HRBGILXEDS0 06851 03142 1015  362 AA DA GC GD
   618/252(0000-8999),253(0000-0999),253(1000-1999)          GE GG GN HB
   618/253(2000-2999),253(3000-3999),253(4000-4999)          HD II PB PK
   618/253(5000-5999),253(6000-6999),253(7000-7999)          RC RD RF RM
   618/253(8000-8999)                                        SD SE
.......................................................................
HARRISTOWN                  HRTWILHTRS0 06486 03434 5070  374 AA DA GQ GR
   217/963(1000-1999),963(2000-2999)                         II PO PQ PR
                                                             PS SK ST SV
                                                             SX
.......................................................................
HARTSBURG                   HTBGILXCRS0 06436 03526 1000  366 AA BA DA GM
   217/642(1000-1999),642(5000-5999)                         GN HD TU
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
HARVARD	HRVRILHVRS0	05957	03621	5070	358	AA BA DA GQ
815/943						GR II PO PQ
						PR PU SJ ST
						SX VE
HARVEY	HRVYILHA61T	06039	03400	5070	358	G1 G2 G3 GR
/___						HB PR PU
HARVEY	HRVYILHADS0	06039	03400	5070	358	AA BA DA GC
708/210,225,232(4000-5999),331,333,339,596						GQ GR II OH
708/877(1000-1999),877(2000-2999),877(3000-3999)						OR PD PM PR
708/877(4000-4999),877(5000-5999),877(6000-6999)						PU SL SS ST
708/877(7000-7999),915(1000-8999)						VL VQ ZY
HARVEY	HRVYILHAK33	06039	03400	5070	358	PR PU SV SX
/___						UE
HAVANA	HAVNILXDRS0	06473	03624	1057	368	AA BA DA DD
309/543(0000-0999),543(1000-1999),543(2000-2999)						GC GD PC PN
309/543(3000-3999),543(4000-4999),543(6000-6999)						QB QF RA RC
309/543(7000-7999),543(8000-8999)						SA SI UB UG
						UM
HEBRON	HBRNILXARS0	05934	03600	1015	358	AA DA GD GE
815/648(1000-1999),648(2000-2999),648(4000-4999)						GG GM GN HB
						HD II PC RC
						RD RF RM TU
HECKER	HCKRILXEDS0	06854	03421	1036	520	AA BA DA GN
618/473(2000-2999),473(3000-3999),473(9000-9999)						GR II
HENNEPIN	HNPNILXBRS0	06233	03609	1015	368	AA BA DA GD
815/925(2000-2999),925(7000-7999),925(9000-9999)						GG GM GN HB
						HD II PC RC
						RD RF RM SQ
HENNING	HNNGILXCRS1	06293	03274	1036	370	AA BA DA GM
217/286(3000-3999)						GN GR II

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
HENRY	HNRYILXDRS2	06263	03599	1015	368	DA GD GE GG
309/364(2000-2999),364(3000-3999),364(4000-4999)						GM GN GR HB
309/364(5000-5999),364(9000-9999)						HD II PC RC
						RD RF RM SQ
						TU
HERRICK	HRCKILXEDS0	06600	03356	1055	520	AA BA DA DD
618/428(0000-3999),428(5000-5999),428(7000-9999)						G2 GC GD GN
						GR IC IE SQ
HERRIN	HRRNILXEDS0	06876	03224	1015	362	AA DA GC GD
618/942(2000-2999),942(3000-3999),942(4000-4999)						GE GG GN HB
618/942(5000-5999),942(6000-6999),942(7000-7999)						HD II PB PK
618/942(8000-8999),988(1000-1999),988(6000-6999)						RC RD RF RM
618/988(8000-8999),988(9000-9999)						SQ
HERSCHER	HRSCILHRRS1	06181	03408	5070	358	AA BA DA GQ
815/421(0000-0999),426(2000-2999),426(6000-6999)						GR II OR PD
						PM SJ SX VE
HETTICK	HTTCILXERS0	06654	03529	1183	520	AA BA DA GM
618/778(0000-0999),778(1000-1999),778(2000-2999)						GN GR II
618/778(4000-4999),778(5000-5999),778(7000-7999)						
618/778(9000-9999)						
HEYWORTH	HYWOILXDRS0	06389	03463	1015	366	AA BA DA GE
309/473(2000-2999),473(3000-3999),473(9000-9999)						GG GM GN HB
						HD II PC RC
						RD RF RM
HICKORY HILLS	HCHLILHHDS0	06031	03435	5070	358	BA DA GC GQ
708/233,237(0000-1999),237(3000-6999),430,598,599,974						GR HA II OR
708/974						PD PM PR PU
						SJ ST SV SX
						VE

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
HIGHLAND                    HGLDILXEDS0 06746 03415 1015  520 AA DA GC GD
   618/651(0000-0999),651(1000-1999),651(2000-2999)          GE GG GN GR
   618/651(3000-3999),651(8000-8999),651(9000-9999),654      HB HD II PB
                                                             PK RC RD RF
                                                             RM SQ
.......................................................................
HIGHLAND PARK               HGPKILHPDS0 05941 03481 5070  358 AA BA DA GC
   224/765(1000-1999),765(2000-2999)                         GQ GR HA II
   847/266,432,433,681(0000-0999),681(1000-1999)             OR PO PQ PR
   847/681(2000-2999),681(4000-4999),681(5000-5999)          PU SA SJ ST
   847/681(6000-6999),681(8000-9999),926(0000-1999)          SX UR VE WD
   847/926(4000-6999),926(8000-9999)                         WE WG WH
.......................................................................
HILLSBORO                   HLBOILXCRS0 06651 03428 1037  976 AA DA DD GC
   217/532                                                   GM GR HD RD
                                                             SC SD SE SF
.......................................................................
HILLSDALE                   HLDLILXDRS0 06227 03767 1183  634 BA DA GC GE
   309/658                                                   GJ GM GN GR
                                                             II
.......................................................................
HILLSIDE                    HLSDILHDDS0 06009 03464 5070  358 AA BA DA GC
   708/202(1000-1999),202(2000-2999),202(3000-3999)          GE GQ GR HA
   708/202(4000-4999),202(5000-5999),202(6000-6999)          II OR PD PM
   708/202(7000-7999),202(8000-8999),236,384(5000-5999),409  PR PU SJ ST
   708/449,492(0000-0999),492(1000-1999),492(3000-3999)      SV SX UR VE
   708/492(4000-4999),492(6000-7999),531(0000-4999)          WD WE WG WH
   708/531(6000-6999),531(8000-9999),562,836,947(0000-5999)
   708/947(7000-9999)
.......................................................................
HILLVIEW                    HLVWILXCRS0 06673 03615 1015  376 AA DA GG GM
   217/945(6000-6999)                                        GN HB HD II
                                                             PC RC RD RF
                                                             RM SQ TU
.......................................................................
HINCKLEY                    HNCKILXARS0 06083 03560 1036  364 BA DA GE GJ
   815/286(3000-3999),286(7000-7999),286(9000-9999)          GM GN II TU
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
HINSDALE                    HNDLILHIDS0 06024 03460 5070  358 AA BA DA GC
   630/230(0000-0999),230(9000-9999),286(4000-5999),321,323  GE GQ GR HA
   630/325,455,468(4000-4999),468(8000-8999),570(3000-3999)  II OE OH OR
   630/570(8000-8999),654,655,734,789,794,850(1000-9999)     PB PK PR PU
   630/856,887,920,986                                       RB RC RD RF
                                                             SL SS ST TB
                                                             UR VL VQ WD
                                                             WE WG WH ZY
.......................................................................
HINSDALE                    HNDLILHIK23 06024 03460 5070  358 PB PK PR PU
      /                                                      SS UE UR WD
                                                             WE WG WH ZY
.......................................................................
HINSDALE                    HNDLILHNTDS 06020 03461 5070  358 PO PQ ZZ
      /
.......................................................................
HOFFMAN                     HFMNILXERS0 06753 03332 1183  520 AA BA DA GM
   618/495(0000-0999),495(2000-2999),495(6000-6999)          GN GR II
   618/495(9000-9999)
.......................................................................
HOFFMAN ESTATES             HFESILWL50T 05989 03510 5070  358 G1 G2 G3 GR
      /                                                      HB PR PU
.......................................................................
HOFFMAN ESTATES             HFESILWLDS1 05989 03510 5070  358 AA BA DA GC
   224/653(1000-6999)                                        GE GQ GR II
   630/872(0000-0999),872(4000-4999),872(8000-8999)          OH OR PD PM
   847/252(2000-2999),252(4000-4999),252(5000-5999)          PR PU RC RD
   847/252(6000-6999),252(7000-7999),252(8000-8999)          RF RM SJ ST
   847/285(3000-8999),303,310,348(5000-5999),348(7000-7999)  SX UR WD WE
   847/397,490,519,536,755,781,839,843,880,882,884,885,925   WG WH
   847/925
.......................................................................
HOMER                       HOMRILXCRS0 06365 03285 1015  370 AA DA GE GG
   217/896(2000-2999),896(3000-3999)                         GM GN HB HD
                                                             II PC RC RD
                                                             RF RM SQ
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
HOMEWOOD                    HMWDILHODS0 06050 03397 5070  358 AA BA DA GC
   708/206,213(0000-0999),213(1000-1999),213(2000-2999)      GQ GR II OR
   708/213(3000-3999),213(4000-4999),213(5000-5999)          PD PM PR PU
   708/213(8000-8999),335(0000-6999),335(9000-9999),647,798  SJ ST SV SX
   708/799,922,957                                           VE
.......................................................................
HOOPESTON                   HPTNILXCRS0 06259 03286 1000  370 AA BA DA GN
   217/283(0000-0999),283(4000-4999),283(5000-5999)          GR HD
   217/283(6000-6999),283(7000-7999),283(8000-8999)
   217/283(9000-9999)
.......................................................................
HOOPPOLE                    HPPLILXERS1 06225 03720 1183  364 AA BA DA GM
   815/948(0000-0999),948(1000-1999),948(2000-2999)          GN GR II
   815/948(6000-6999),948(7000-7999),948(8000-8999)
   815/948(9000-9999)
.......................................................................
HOPEDALE                    HPDLILXDRS2 06401 03539 1015  368 AA BA DA GG
   309/449(3000-3999),449(4000-4999),449(5000-5999)          GM GN HB HD
   309/449(6000-6999)                                        II PC RC RD
                                                             RF RM TU
.......................................................................
HOYLETON                    HYTNILXEDS0 06773 03324 1183  520 AA BA DA GC
   618/493(0000-0999),493(6000-6999),493(7000-7999)          GN GR II
   618/493(9000-9999)
.......................................................................
HUDSON                      HDSNILXDRS0 06333 03495 1015  366 DA GC GD GE
   309/726(1000-1999),726(2000-2999)                         GG GM GN HB
                                                             HD II PC RC
                                                             RD RF RM SQ
                                                             TU
.......................................................................
HULL                        HULLILAARS0 06667 03739 1015  376 AA DA GD GE
   217/432(1000-1999),432(5000-5999),432(8000-8999)          GG GM GN HB
                                                             HD II PC RC
                                                             RD RF RM SQ
.......................................................................
HUMBOLDT                    HMBLILXCRS0 06475 03295 1037  976 AA BA DA DD
   217/856                                                   GC GD GM GR
                                                             HD

=======================================================================
```

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
HUNTLEY                     HNTLILHODS0 05991 03568 5070  358 AA BA DA GQ
   224/569(2000-2999),569(3000-3999),569(4000-4999)          GR II OR PO
   224/569(6000-6999),654(0000-0999),654(2000-2999)          PQ PR PU SJ
   847/515(1000-3999),515(7000-8999),659(1000-1999)          SX VE
   847/659(3000-4999),659(6000-6999),659(8000-8999),669
   847/802(7000-7999),961(5000-5999),961(6000-6999)
.......................................................................
HURST                       HRSTILXERS0 06881 03244 1015  362 AA BA DA GG
   618/987(2000-2999),987(7000-7999)                         GM GN HB HD
                                                             II PC RC RD
                                                             RF RM SQ
.......................................................................
HUTSONVILLE                 HTSVILXEDS0 06518 03146 1036  978 BA DA GN GR
   618/563(1000-1999),563(4000-4999),563(9000-9999)          II TU
.......................................................................
ILLIOPOLIS                  ILPLILXCRS0 06498 03458 1015  374 AA BA DA GG
   217/486(2000-2999),486(5000-5999),486(6000-6999)          GM GN GR HB
                                                             HD II PC RC
                                                             RD RF RM SQ
                                                             TU
.......................................................................
INA                         INA ILXERS0 06800 03239 1183  520 AA BA DA GM
   618/437(0000-2999),437(4000-9999)                         GN GR
.......................................................................
INDIANOLA                   INDNILINRS1 06368 03242 5070  370 AA DA GQ GR
   217/284(3000-3999)                                        II PO PQ ST
                                                             SV SX
.......................................................................
IPAVA                       IPAVILIPRS0 06482 03668 5070  368 AA BA DA GQ
   309/753(8000-8999)                                        GR II PO PQ
                                                             SJ ST SV SX
.......................................................................
IRVING                      IRNGILXCRS0 06636 03418 1037  976 AA DA DD GC
   217/533                                                   GM GR HD
.......................................................................
IRVINGTON                   IVTNILXERS0 06765 03307 1183  520 AA BA DA GC
   618/249(0000-0999),249(6000-6999),249(8000-9999)          GM GN GR II
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
IUKA	IUKAILIURS1	06701	03268	5070	520	AA DA GQ GR
618/323(6000-6999),323(9000-9999)						II PO PQ SJ
						ST SV SX
IVESDALE	IVDLILXCRS0	06420	03349	1000	370	AA BA DA GM
217/564(2000-2999)						GN GR HD II
						TU
JACKSONVILLE	JCVLILXC50T	06596	03594	1015	376	GB HB TU
/						
JACKSONVILLE	JCVLILXCDS0	06596	03594	1015	376	AA DA GC GD
217/243,245,291(0000-0999),291(1000-1999),291(2000-2999)						GE GG GN HB
217/479,869(0000-0999)						HD II PA PJ
						RC RD RF RM
						SH SQ TD TH
						TU UG
JACKSONVILLE	JCVLILXCDS1	06596	03594	1015	376	DA TD TH TU
/						
JACKSONVILLE	JCVLILXCYMD	06596	03594	7196	376	BA DA
217/204(9000-9999),407(3000-3999),506(3000-3999)						
217/577(2000-2999),730(3000-3999),942(7000-7999)						
JERSEYVILLE	JRVLILXADS0	06723	03548	1854	520	AA BA DA GC
618/639						GD HB HJ II
						UG UP UR XE
						XF
JERSEYVILLE	JRVLILXEDS0	06722	03550	1183	520	AA BA DA GD
618/498(1000-1999),498(2000-2999),498(3000-3999)						GG GN GR HB
618/498(4000-4999),498(5000-5999),498(6000-6999)						HD II PA PJ
618/498(7000-7999),498(8000-8999),498(9000-9999)						RC RD RF RM
JOHNSTON CITY	JHCYILXERS0	06866	03209	1015	362	AA BA DA GG
618/983(3000-8999)						GM GN HB HD
						II PC RC RD
						RF RM SQ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
JOLIET	JOLTILJO20T	06088	03454	5070	358	GB GQ GR HB
/						PR PU
JOLIET	JOLTILJODS1	06088	03454	5070	358	AA BA DA GC
779/435(6000-6999),435(7000-7999),435(8000-8999)						GQ GR II OH
815/722,723,724,726,727,740,768(8000-8999),774						OR PD PM PR
815/802(0000-5999),802(7999-9999)						PU RC RD RF
						VF
JOLIET	JOLTILJOK32	06088	03454	5070	358	PD PM PR PU
/						SK SR ST UE
						VP ZX
JOLIET	JOLTILJWDS0	06090	03459	5070	358	AA BA DA GC
815/207(4000-5999),725,729,730,741,744,773						GQ II OR PD
						PM PR PU SJ
						ST VE VM ZW
JOPPA	JOPPILXERS2	06977	03136	1015	362	AA BA DA GG
618/543(3000-3999),543(6000-6999),543(7000-7999)						GM GN HB HD
618/543(9000-9999)						II PC RC RD
						RF RM
JOY	JOY ILXDRS0	06358	03831	1183	634	BA DA GM GN
309/584(0000-0999),584(1000-1999),584(2000-2999)						GR II
309/584(3000-3999),584(4000-4999),584(8000-8999)						
309/584(9000-9999)						
KAMPSVILLE	KMVLILAARS0	06708	03611	1183	520	AA BA DA GD
618/653(0000-0999),653(1000-1999),653(4000-4999)						GG GM GN GR
618/653(7000-7999),653(9000-9999)						HB HD II PC
						RC RD RF RM
KANEVILLE	KAVLILKARS0	06062	03549	5070	358	AA BA DA GQ
630/557(0000-0999),557(2000-2999)						GR II OR PO
						PQ PR PU SJ
						ST SX VE

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
KANKAKEE /	KNKKILKKDS0	06149	03381	5070	358	GQ GR HB II OH OR PO PQ SK VF VP
KANKAKEE 815/614(4000-4999),614(6000-7999),928,929,932,933,935 815/936,937,939	KNKKILKKDS1	06149	03381	5070	358	AA BA DA GC GQ GR II OH PO RB RC RD SK ST VP ZX
KANKAKEE /	KNKKILKKK24	06149	03381	5070	358	UE
KANSAS 217/948(0000-0999),948(5000-5999)	KNSSILXCRS0	06455	03233	1000	976	AA BA DA GM GN HD II
KARNAK 618/634(2000-2999),634(3000-3999),634(9000-9999)	KRNKILXERS0	06971	03165	1015	362	AA DA GG GM GN GR HB HD PC RC RD RF RM
KEITHSBURG 309/374(0000-0999),374(1000-1999),374(2000-2999) 309/374(7000-7999),374(8000-8999),374(9000-9999)	KTBGILXDRS0	06382	03831	1183	634	BA DA GM GN GR II
KELL/DIX 618/266(6000-6999),266(7000-7999),266(9000-9999) 618/822(6000-6999)	KELLILKLRS0	06735	03273	5070	520	AA DA GQ GR II PO PQ SJ SV SX
KEMPTON 815/253(0000-0999),253(1000-1999),253(6000-6999) 815/253(7000-7999),253(8000-8999),253(9000-9999)	KMTNILXARS0	06213	03417	1038	366	AA BA DA DD G2 GC GD GN GR IC IE SQ
KENNEY 217/944(2000-2999)	KNNYILXCRS0	06439	03459	1015	366	AA DA GC GD GE GG GM GN HB HD II PC RC RD RF RM TU

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
KEWANEE	KEWNILXD50T	06280	03695	1015	368	GB HB
/						
KEWANEE	KEWNILXDDS0	06280	03695	1015	368	AA DA GC GD
309/852(0000-0999),852(2000-2999),852(3000-3999)						GE GG GN HB
309/852(4000-4999),852(5000-5999),852(6000-6999)						HD II PB PK
309/852(7000-7999),852(9000-9999),853(1000-1999)						RC RD RF RM
309/853(2000-2999),853(3000-3999),853(4000-4999)						SD SE SN SQ
309/853(5000-5999),853(6000-6999),853(8000-8999)						
309/853(9000-9999),854(0000-0999),854(1000-1999)						
309/854(5000-5999),854(6000-6999),854(7000-7999)						
309/854(9000-9999),856(5000-5999),856(6000-6999)						
309/856(7000-7999),856(8000-8999)						
KEYESPORT	KYPTILXERS0	06715	03354	1183	520	AA BA DA GC
618/749(0000-0999),749(2000-2999),749(5000-5999)						GM GN GR II
618/749(9000-9999)						
KILBOURNE	KLBRILXDRS0	06497	03602	1183	368	AA BA DA GM
309/538						GN GR II
KINCAID	KNCDILXCRS0	06562	03458	1037	976	AA BA DA DD
217/237						GC GD GM GR
						HD
KINMUNDY	KMNDILKYRS0	06676	03291	5070	520	AA DA GQ GR
618/547(3000-3999),547(7000-7999),547(9000-9999)						II PO PQ SV
						SX
KINSMAN	KNMNILXADS0	06190	03491	1041	358	DA GM GN HB
815/392						OE T7 TJ TU
						TZ
KIRKLAND	KRLDILXARS0	06037	03622	1036	364	BA DA GE GJ
815/522(2000-2999),522(3000-3999),522(6000-6999)						GM GN II TU
815/522(9000-9999)						
KIRKSVILLE	KKVLILXCRS0	06509	03344	1011	976	AA BA DA GR
217/797						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
KIRKWOOD	KRWDILXDRS0	06413	03781	1183	977	AA DA GG GM
309/768						GN GR HB HD
						II PC RC RD
						RF RM SQ
KNOXVILLE	KNVLILXDRS0	06371	03715	1057	977	AA BA DA GD
309/289(0000-0999),289(2000-2999),289(3000-3999)						PC PN QB QF
309/289(4000-4999),289(5000-5999),289(6000-6999)						RA RC SA SI
309/289(7000-7999),289(8000-8999),289(9000-9999)						UB UG UM
LA GRANGE	LGRCILLG01W	06017	03453	5070	358	HC PR PU
/						
LA GRANGE	LGRCILLG50T	06017	03453	5070	358	GB GQ GR HB
/						PR PU UR WD
						WE WG WH
LA GRANGE	LGRCILLG55T	06017	03453	5070	358	G1 G2 G3 GR
/						HB PR PU
LA GRANGE	LGRCILLGDS0	06017	03453	5070	358	AA BA DA GC
630/662(0000-0999),662(5000-5999)						GQ GR II OH
708/245,246,352,354,387,482,485,579,588,639(9000-9999)						OR PC PL PR
708/688(7000-8999),783,784(0000-3999),784(9000-9999)						PU RB RC RD
						RF RM SJ ST
						SV SX UR VE
						WD WE WH
LA HARPE	LHRPILXCDS1	06484	03786	1043	977	BA DA GC GD
217/654,659						GN HB HD IC
						ID II OE T3
						T7 TJ TU TZ
						UP UR US UW
						VA VC WE
LA MOILLE	LAMLILXARS0	06178	03628	1015	368	AA DA GG GM
815/638(1000-1999),638(2000-2999),638(3000-3999)						GN HB HD II
						PC RC RD RF
						RM TU

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
LA PLACE	LAPLILXCRS0	06468	03374	1015	374	AA DA GE GG
217/677(2000-2999)						GM GN HB HD
						II PC RC RD
						RF RM SQ TU
LA ROSE	LARSILXDRS0	06280	03568	1015	368	AA DA GC GD
309/399(1000-1999),399(7000-7999)						GE GG GM GN
						HB HD II PC
						RC RD RF RM
						SQ TU
LA SALLE	LSLLILLSDS0	06202	03581	5070	358	AA BA DA GC
815/220(0000-0999),220(1000-1999),220(2000-2999)						GQ GR HA II
815/220(3000-3999),220(4000-4999),220(7000-7999)						PD PM RB RC
815/220(8000-8999),223,224						RD SK ST VF
						ZX
LACON	LACNILXDRS0	06285	03598	1057	368	AA BA DA DD
309/246						GC GD PC PN
						QB QF RA RC
						SA SI UB UG
						UM
LADD	LADDILXADS0	06201	03605	1015	368	AA BA DA GG
815/894(2000-2999),894(3000-3999),894(9000-9999)						GN HB HD II
						PC RC RD RM
						SQ TU
LAKE FOREST	LKFRILLFDS0	05931	03493	5070	358	AA BA DA GC
224/212(2000-2999),212(3000-3999),212(4000-4999)						GQ GR HA II
224/212(5000-5999),212(6000-6999),212(7000-7999)						OR PD PM PR
224/544(2000-4999),544(6000-6999),544(7000-7999)						PU SJ ST SV
224/552(2000-4999),552(6000-7999),552(8000-9999)						SX UR VE WD
224/880(2000-4999)						WE WG WH
847/234,283(0000-6999),283(8000-9999),295,482,535						
847/582(2000-2999),582(7000-7999),582(8000-8999)						
847/604(1000-2999),604(5000-9999),615,735,810(3000-6999)						
847/810(3000-6999)						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
LAKE VILLA	LKVLILLKDS0	05916	03536	5070	358	AA BA DA GC
224/444(1000-1999),643(2000-2999)						GQ GR II OR
847/245(3000-4999),245(6000-8999),265,356						PO PQ PR PU
						SJ ST SX VE
LAKE ZURICH	LKZRILLZDS0	05960	03523	5070	358	AA BA DA GC
847/307(2000-2999),438,540,550(0000-2999),550(5000-9999)						GQ GR II OR
847/719(1000-5999),726,862						PD PM PR PU
						SJ ST SX VE
LANARK	LNRKILXADS0	06108	03765	1183	364	BA DA GC GN
815/493(0000-2999),493(6000-6999),493(8000-9999)						GR II
LATHAM	LTHMILXCRS0	06470	03457	1061	374	AA BA DA DD
217/674						G2 GC GD GN
						GR IC IE SQ
LAWRENCEVILLE	LRVLILXEDS0	06594	03111	1015	978	AA DA GC GD
618/943(1000-8999)						GE GG GN HB
						HD II PB PK
						RC RD RF RM
						SD SE SQ TU
LE ROY	LROYILXDRS0	06366	03435	1015	366	AA DA GC GD
309/962(2000-2999),962(3000-3999),962(4000-4999)						GE GG GM GN
309/962(5000-5999),962(6000-6999),962(7000-7999)						HB HD II PC
309/962(8000-8999),962(9000-9999)						RC RD RF RM
						SQ TU
LEAF RIVER	LFRVILXADS0	06072	03706	1045	364	AA BA DA TJ
815/738						TK XE
LEBANON	LBNNILKGRS0	06783	03422	5070	520	AA BA DA GQ
618/537(2000-4999),537(6000-6999),537(8000-9999)						GR II PO PQ
						PT SJ ST SV
						SX

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
LELAND	LELDILXBRS0	06125	03567	1015	358	AA BA DA GG
815/495(2000-2999),495(3000-3999),495(4000-4999)						GM GN HB HD
815/495(9000-9999)						II PC RC RD
						RF RM TU
LEMONT	BGBKILBKDS0	06059	03475	5070	358	AA BA DA GC
630/226,312(2000-7999),378(0000-6999),378(9000-9999)						GQ GR II OR
630/633(3000-3999),679,759,771,914(2000-2999)						PD PM PR PU
						SJ ST VE VM
						ZW
LEMONT	LEMTILLEDS0	06054	03457	5070	358	AA BA DA GC
630/243(0000-3999),243(6000-6999),243(7000-7999)						GQ GR II OR
630/243(8000-8999),243(9000-9999),257,914(1000-1999)						PO PQ PR PU
						RB SJ ST SX
						VE
LEMONT	LEMTILLNDS0	06047	03462	5070	358	AA BA DA GC
630/252,427(0000-3999),427(9000-9999),739,783,910,972						GQ GR II OR
630/985						PD PM PR PU
						RC RD SJ ST
						SX VE
LENA	LENAILXARS0	06053	03791	1036	360	BA DA GE GJ
815/369(2000-2999),369(3000-3999),369(4000-4999)						GM GN II
815/369(5000-5999),369(9000-9999)						
LEONORE	LENRILXADS0	06221	03551	1046	366	AA BA DA HA
815/856						T3 TJ XE
LEWISTOWN	LWTWILLTRS0	06461	03647	5070	368	AA BA DA GQ
309/547(1000-3999),547(5000-7999)						GR II PO PQ
						SK ST SV SW
						SX
LEXINGTON	LXTNILXDRS0	06311	03468	1015	366	AA BA DA GG
309/365(2000-2999),365(3000-3999),365(7000-9999)						GM GN HB HD
						II PC RC RD
						RF RM TU

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
LIBERTY	LBRTILLBRS0	06630	03742	5070	376	AA DA GQ GR
217/645(3000-3999)						II PO PQ SK
						ST SV SX
LIBERTYVILLE	LBVLILAQRS0	05935	03521	5070	358	AA BA DA GQ
847/523						GR II PO PQ
						PR PU
LIBERTYVILLE	LBVLILLIDS0	05933	03513	5070	358	AA BA DA GE
224/832(6000-8999),931(1000-1999),931(5000-7999)						GQ GR HA II
847/247,281(4000-4999),281(9000-9999),327(2000-2999)						OH OR PD PM
847/327(4000-7999),327(9000-9999),362,367,388(2000-2999)						PR PU SK ST
847/522,549(0000-1999),549(4000-9999),566,573						UR VF VP WD
847/643(3000-4999),680,816,837(0000-4999),837(7000-7999)						WE WG WH ZX
847/837(8000-8999),837(9000-9999),918,932(2000-3999),949						
847/968(2000-5999),968(7000-7999),970(3000-7999)						
847/970(9000-9999),984(4000-4999),984(8000-8999)						
847/990(2000-5999),990(6000-6999),996(4000-5999)						
LIBERTYVILLE	LBVLILLIK25	05933	03513	5070	358	PR PU UE UR
/						WD WE WG WH
LIBERTYVILLE	VNHLILCKDS0	05942	03516	2320	358	DA OE
224/206(2000-2999),214(1000-1999),246(9000-9999)						
224/279(2000-2999),300(2000-2999),406(8000-8999)						
224/513(3000-3999),541(2000-2999),541(3000-3999)						
224/543(1000-1999),543(8000-8999),543(9000-9999)						
224/544(1000-1999)						
847/276(2000-2999),282(3000-3999),282(8000-8999)						
847/388(3000-3999),388(6000-6999),499(3000-3999)						
847/504(8000-8999),505(1000-1999),505(7000-7999)						
847/513(6000-6999),579(4000-4999),582(1000-1999)						
847/597(1000-1999),643(7000-7999),775(0000-1999)						
847/775(7000-7999),850(5000-5999),861(5000-5999)						
847/986(1000-1999),986(2000-2999),986(3000-3999)						
847/986(7000-7999),996(0000-1999),996(3000-3999)						
847/996(6000-6999)						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
LINCOLN                     LNCLILXC01W XXXXX XXXXX XXXX XXX  XX XX XX XX (D)
     /                                                                    (D)
.......................................................................
LINCOLN                     LNCLILXC50T 06450 03505 1015  366 GB HB TU
     /
.......................................................................
LINCOLN                     LNCLILXCDS0 06450 03505 1015  366 AA DA GC GD
   217/605(5000-5999),605(6000-6999),732(1000-1999)          GE GG GN HB
   217/732(2000-2999),732(3000-3999),732(4000-4999)          HD II PB PK
   217/732(5000-5999),732(6000-6999),732(7000-7999)          RC RD RF RM
   217/732(8000-8999),732(9000-9999),735(1000-1999)          SD SE SQ TU
   217/735(2000-2999),735(3000-3999),735(4000-4999)
   217/735(5000-5999),735(6000-6999),735(7000-7999)
   217/735(9000-9999),838(0000-0999)
.......................................................................
LISBON                      LSBNILLBRS0 06127 03507 5070  358 AA BA DA GQ
   815/736(6000-6999)                                        GR II PO PQ
                                                             SJ ST SX VE
.......................................................................
LITCHFIELD                  LTFDILXCRS0 06660 03454 1037  976 AA D1 DA GA
   217/324                                                   GC GR HD RC
                                                             RD SC SD SE
                                                             SF
.......................................................................
LITERBERRY                  LTRBILXCRS0 06570 03601 1015  376 AA DA GC GD
   217/886(2000-2999)                                        GE GG GM GN
                                                             HB HD II PC
                                                             RC RD RF RM
                                                             SQ TU
.......................................................................
LITTLE YORK                 LTYRILXDRS0 06385 03793 1183  634 DA GM GN GR
   309/729(0000-0999),729(1000-1999),729(4000-4999)
   309/729(5000-5999),729(6000-6999),729(7000-7999)
   309/729(8000-8999),729(9000-9999)
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
LIVINGSTON 618/637	LVNMILXERS0	06709	03450	1049	520	AA BA DA GC GD PC PN QB QF RA RC SA SI TI TJ UB UG UM
LOAMI 217/624(2000-2999),624(3000-3999)	LOAMILXCRS0	06578	03531	1015	374	AA DA GE GG GM GN GR HB HD II PC RC RD RF RM TU
LOCKPORT 815/552(5000-5999),588(0000-0999),588(1000-1999) 815/588(2000-2999),588(3000-3999),588(6000-6999) 815/588(7000-7999),588(8000-8999),834(0000-2999) 815/834(4000-6999),834(8000-9999),836(0000-0999) 815/836(2000-3999),836(5000-5999),836(7000-8999),838	LCPTILLPDS0	06075	03457	5070	358	AA BA DA GC GQ GR II OR PO PQ PR PU RC RD SJ ST SX VE
LOCKPORT 815/293(0000-4999),372(0000-4999),372(9000-9999) 815/407(0000-0999),407(1000-1999),407(3000-3999) 815/407(5000-5999),886	RMVLILRMDS0	06066	03465	5070	358	AA BA DA GC GQ GR HA II OR PO PQ PR PU RC RD SJ ST SX VE VM
LODA 217/386(2000-2999),386(9000-9999)	LODAILXCRS1	06281	03350	1015	370	AA BA DA GG GM GN GR HB HD II PC RC RD RF RM TU
LOMBARD /	LBRDILLM20T	06014	03481	5070	358	GB GQ GR HB PR PU
LOMBARD 630/261(0000-4999),261(7000-9999),268,576(6000-8999) 630/678(0000-6999),678(8000-9999),792,916	LBRDILLMDS0	06014	03481	5070	358	AA BA DA GE GQ GR II OH OR PC PL PR PU SK SP ST VF

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
LOMBARD	LBRDILLMDS1	06014	03481	5070	358	AA BA DA GC
630/424,458(0000-5999),458(7000-9999),495,543						GQ GR HA II
630/576(2000-2999),620,627,628,629,652(0000-0999)						PC PL PR PU
630/652(1000-1999),652(2000-2999),652(3000-3999)						RC RD RF SK
630/652(4000-4999),652(6000-6999),652(7000-7999)						ST
630/652(8000-8999),652(9000-9999),691,693,705						
630/827(4000-6999),889,932,953(0000-3999),953(6000-9999)						
630/953(6000-9999)						
LOMBARD	LBRDILLMK26	06014	03481	5070	358	PC PR PU UE
/						VP ZX
LONDON MILLS	LNMLILXDRS0	06408	03694	1183	977	AA CA GG GM
309/486						GN GR HB HD
						II PC RC RD
						RF RM
LONG POINT	LGPNILXARS0	06249	03520	1015	366	AA DA GG GM
815/854(2000-2999),854(9000-9999)						GN HB HD II
						PC RC RD RF
						RM TU
LOSTANT	LSTNILXARS0	06236	03558	1015	366	AA DA GG GM
815/368(1000-1999),368(3000-3999)						GN HB HD II
						PC RC RD RF
						RM SQ TU
LOUISVILLE	LSVLILXEDS0	06649	03240	1088	978	D1 DA GB GL
618/446,665,673,678,686,835,854,897,898						GN HB HD OE
						RC RD SQ TJ
						TZ
LOVINGTON	LGTNILXC00T	06478	03353	1060	374	GB
/						
LOVINGTON	LGTNILXCDS0	06478	03353	1060	374	DA GN GQ HB
217/873						HD HJ IB IC
						II TK XE

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
LUDLOW	LDLWILXCRS0	06310	03345	1000	370	AA BA DA GE
217/396(0000-0999),396(5000-5999),396(8000-8999)						GM GN HD II
						TU
LYNDON	LYNDILXADS0	06188	03741	1183	364	AA BA DA GL
815/778						GN GR HD II
						PC
MACKINAW	MCKNILXDRS2	06374	03541	1015	368	AA BA DA GD
309/359(3000-3999),359(4000-4999),359(5000-5999)						GG GM GN HB
309/359(6000-6999),359(8000-8999),359(9000-9999)						HD II JB JD
						PC RC RD RF
						RM SQ TU
MACOMB	GLBGILXDAMD	06370	03732	7807	977	GR
217/219(7000-7999),448(2000-2999),505(7000-7999)						
217/551(7000-7999),658(7000-7999),736(7000-7999)						
217/743(4000-4999),746(7000-7999),842(6000-6999)						
217/845(6000-6999),980(7000-7999)						
309/209(7000-7999),237(7000-7999),289(1000-1999)						
309/329(7000-7999),536(7000-7999),548(7000-7999)						
309/563(8000-8999),598(7000-7999),599(7000-7999)						
309/627(5000-5999),775(7000-7999),784(0000-0999)						
309/801(7000-7999),832(7000-7999),873(5000-5999)						
309/975(7000-7999)						
727/619(5000-5999)						
863/913(7000-7999)						
MACOMB	MCMBILXD50T	06487	03729	1015	977	G2 GB HB TU
/						
MACOMB	MCMBILXD7MD	06487	03729	7196	977	BA DA
309/313(9000-9999)						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MACOMB	MCMBILXDDS0	06487	03729	1015	977	AA DA GC GD
309/295(1000-1999),295(8000-8999),298,833(1000-1999)						GE GG GJ GN
309/833(2000-2999),833(3000-3999),833(4000-4999)						HB HD II PA
309/833(5000-5999),833(6000-6999),833(7000-7999)						PJ RC RD RF
309/836(1000-1999),836(2000-2999),836(3000-3999)						RM SN TU
309/836(4000-4999),836(5000-5999),836(6000-6999)						
309/836(7000-7999),836(8000-8999),836(9000-9999)						
309/837(0000-0999),837(1000-1999),837(2000-2999)						
309/837(3000-3999),837(4000-4999),837(5000-5999)						
309/837(6000-6999),837(7000-7999),837(9000-9999)						
MACON	MACNILXCRS2	06507	03407	1015	374	AA DA GD GE
217/764(3000-3999),764(5000-5999)						GG GM GN HB
						HD II PC RC
						RD RF RM
MAGNOLIA	MGNLILXARS0	06252	03575	1015	366	AA DA GG GN
815/869(1000-1999),869(3000-3999)						HB HD II PC
						RC RD RF RM
						SQ TU
MAHOMET	MHMTILXCDS0	06367	03363	1015	370	AA DA GC GD
217/586(1000-1999),586(2000-2999),586(3000-3999)						GE GG GN GR
217/586(4000-4999),586(5000-5999),586(6000-6999)						HB HD II PB
217/586(7000-7999),586(8000-8999),590(2000-2999)						PK RC RD RF
						RM SQ TU
MALTA	MALTILXARS0	06070	03608	1036	364	BA DA GE GJ
815/825(2000-2999),825(9000-9999)						GM GN II TU
MANCHESTER	MNCHILXCRS0	06640	03591	1015	376	AA DA GG GM
217/587(1000-1999),587(2000-2999),587(3000-3999)						GN HB HD II
						PC RC RD RF
						RM TU

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MANHATTAN	MNHTILMARS0	06101	03430	5070	358	AA BA DA GQ
815/478(0000-0999),478(3000-7999),478(9000-9999)						GR II OR PO
						PQ PR PU RC
						RD SJ ST SX
						VE
MANITO	MANTILXDRS0	06427	03594	1057	368	AA BA DA DD
309/968(0000-0999),968(1000-1999),968(2000-2999)						GC GD PC PN
309/968(3000-3999),968(4000-4999),968(5000-5999)						QB QF RA RC
309/968(6000-6999),968(7000-7999),968(9000-9999)						SA SI UB UG
						UM
MANLIUS	MNLSILXARS0	06220	03678	1015	368	AA DA GE GG
815/445(2000-2999),445(3000-3999)						GM GN HB HD
						II PC RC RD
						RF RM SQ
MANSFIELD	MNFDILXCRS0	06373	03383	1015	370	AA DA GD GG
217/489(1000-1999),489(2000-2999),489(4000-4999)						GM GN GR HB
217/489(5000-5999),489(9000-9999)						HD II PC RC
						RD RF RM SQ
						TU
MANTENO	MNTNILMTRS0	06123	03390	5070	358	AA BA DA GC
815/468(0000-4999),468(6000-9999)						GQ GR II OR
						PO PQ SJ ST
						SX VE
MAPLE PARK	MAPKILXARS0	06054	03567	1036	364	BA DA GE GJ
815/827(3000-3999),827(4000-4999),827(5000-5999)						GM GN II TU
815/827(9000-9999)						
MARENGO	MRNGILMRRS0	05990	03603	5070	358	AA BA DA GQ
815/568						GR II PO PQ
						PR PU SJ ST
						SX VE

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE	
MARINE 618/887(4000-4999)	MRINILMJRS0	06745	03435	5070	520	AA BA DA GQ GR II PO PQ PT SK ST SV ZX	
MARION 618/993,997,998(0000-0999),998(1000-1999),998(2000-2999) 618/998(3000-3999),998(4000-4999),998(5000-5999) 618/998(7000-7999),998(8000-8999),998(9000-9999)	MARNILXEDS0	06883	03201	1015	362	AA DA GC GD GE GG GN HB HD II PA PJ RC RD RF RM SC SD SE SH SM SQ	(C) (C) (C) (C) (C) (C)
MARION 618/964(1000-1999),964(2000-2999),964(9000-9999)	MARNILXSRS0	06898	03197	1015	362	AA DA GE GG GM GN HB HD II PC RC RD RF RM SQ	
MARISSA 618/295(1000-1999),295(2000-2999),295(3000-3999)	MRSSILXERS0	06847	03378	1015	362	AA BA DA GG GM GN GR HB HD II PC RC RD RF RM SQ	
MAROA 217/794(2000-2999),794(3000-3999),794(5000-5999)	MAROILXCRS0	06441	03433	1015	374	AA CA GG GM GN HB HD II PC RC RD RF RM SQ TU	
MARSEILLES 815/746,794(0000-0999),794(7000-9999),795(1000-6999) 815/795(8000-9999)	MRSLILXADS0	06173	03525	1050	358	DA GC GD GL GN HB HD	
MARSHALL 217/826(1000-1999),826(2000-2999),826(3000-3999) 217/826(5000-5999),826(6000-6999),826(7000-7999) 217/826(8000-8999),826(9000-9999)	MRSHILXCDS0	06468	03180	1015	938	AA DA GD GG GM GN HB HD II PB PK RC RD RF RM SQ TU	

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MARTINSVILLE	MTVIILXCDS1	06493	03203	1065	976	AA DA GC GM
217/382						GR HD OE RD
						T3 TJ TZ XF
MARTINTON	MTTNILXARS0	06178	03341	1015	358	AA BA DA GG
815/428(7000-7999)						GM GN HB HD
						II PC RC RD
						RF RM SN SQ
MASCOUTAH	MSCTILXEDS0	06804	03410	1036	520	AA BA DA GE
618/566(2000-2999),566(3000-3999),566(4000-4999)						GJ GN GR II
618/566(5000-5999),566(7000-7999),566(8000-8999)						
618/566(9000-9999)						
MASON CITY	MSCYILXCDS0	06465	03560	1183	374	BA DA GN GR
217/482						II
MASSBACH	MSBCILXARS0	06100	03821	1036	360	BA DA GE GJ
815/598(3000-3999),598(9000-9999)						GM GN II
MATHERVILLE	MTVLILXDRS0	06327	03797	1183	634	BA DA GM GN
309/754						GR II
MATTOON	MTONILXC51T	06503	03291	1037	976	D1 DA GB HB
/						
MATTOON	MTONILXCDS0	06503	03291	1037	976	AA DA G1 GA
217/234,235,238,258,956,957						GC GR HD RC
						RD SC SD SE
						SF
MATTOON	MTONILXCNMD	06503	03291	7196	976	BA DA
217/929(9000-9999)						
MATTOON	MTONILXCPS1	06503	03291	911E	976	IP
217/205(0000-0999),205(2000-2999),205(3000-3999)						
217/288(2000-2999),703(3000-3999),729(7000-7999)						
217/784(7000-7999)						

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MAUNIE	MAUNILXERS0	06755	03096	1015	978	AA BA DA GG
618/968(2000-2999)						GM GN HB HD
						II PC RC RD
						RF RM SQ TU
MAZON	MAZNILMZRS0	06169	03475	5070	358	AA BA DA GQ
815/448(2000-2999),448(5000-5999)						GR II PO PQ
						RC RD SJ ST
						SX VE
MC CONNELL	MCCNILXARS1	06035	03783	1036	360	BA DA GC GE
815/868(2000-2999),868(9000-9999)						GJ GM GN GR
						II
MC LEAN	MCLNILXDRS2	06404	03492	1015	366	AA DA GE GG
309/874(2000-2999),874(3000-3999)						GJ GM GN HB
						HD II PC RC
						RD RF RM TU
MC LEANSBORO	MCBOILXEDS0	06782	03177	1015	978	AA DA GC GD
618/643(2000-2999),643(3000-3999),643(4000-4999)						GE GG GN HB
618/643(5000-5999)						HD II PC RC
						RD RF RM SQ
						TU
MCHENRY	MCHNILMYDS0	05945	03563	5070	358	AA BA DA GC
815/344,363,385,578,759						GQ GR II OR
						PD PM PR PU
						SJ ST SX VE
MCNABB	MCNBILXADS0	06240	03583	1048	358	AA BA DA GN
815/882						OE TJ TZ XE
MEDORA	MEDRILXERS0	06698	03527	1183	520	AA BA DA GM
618/729(0000-0999),729(1000-1999),729(2000-2999)						GN GR II
618/729(3000-3999),729(4000-4999),729(9000-9999)						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MELVIN	MLVNILXCRS1	06284	03382	1015	370	AA BA DA GG
217/388(2000-2999),388(7000-7999)						GM GN GR HB
						HD II PC RC
						RD RF RM TU
MENDOTA	MNDTILXADS0	06162	03607	1015	368	AA DA GC GD
815/538(1000-1999),538(2000-2999),538(3000-3999)						GE GG GN HB
815/538(4000-4999),538(5000-5999),538(6000-6999)						HD II PB PK
815/538(7000-7999),539(1000-1999),539(2000-2999)						RC RD RF RM
815/539(3000-3999),539(5000-5999),539(6000-6999)						TU
815/539(7000-7999),539(9000-9999)						
MEREDOSIA	MRDSILXCRS0	06600	03653	1015	376	AA BA DA GG
217/584(1000-1999),584(2000-2999),584(7000-7999)						GM GN HB HD
						II PC RC RD
						RF RM SQ TU
METAMORA	MTMOILXDDS1	06326	03568	1053	368	DA GC GD GL
309/366,367						GN HB HD
METCALF	MTCFILXCRS0	06398	03238	1015	938	AA DA GG GM
217/887(2000-2999)						GN HB HD II
						PC RC RD RF
						RM
METROPOLIS	MTRPILXEDS2	06980	03114	1015	362	AA DA GC GD
618/524(1000-1999),524(2000-2999),524(3000-3999)						GE GG GN HB
618/524(4000-4999),524(5000-5999),524(6000-6999)						HD II PB PK
618/524(7000-7999),524(8000-8999),524(9000-9999)						RC RD RF RM
						SD SE
MILFORD	MLFRILXADS0	06231	03306	1000	358	AA BA DA GC
815/889(4000-4999),889(5000-5999),889(9000-9999)						GN GR HD II
MILLEDGEVILLE	MDVLILXADS0	06130	03743	1183	364	BA DA GN GR
815/225						II

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MILLSTADT	MLSTILXERS0	06825	03456	1036	520	AA BA DA GE
618/476(1000-1999),476(3000-3999),476(7000-7999)						GJ GM GN GR
618/476(9000-9999)						II
MILLSTADT	MLSTILXERS2	06825	03456	1036	520	DA GR
618/538(5000-5999),538(7000-7999),538(9000-9999)						
MILTON	MLTNILXCRS0	06659	03641	1015	376	AA DA GG GM
217/723(4000-4999)						GN HB HD PC
						RC RD RF RM
						SQ TU
MINERAL	MNRLILXDRS1	06247	03696	1015	368	AA BA DA GG
309/288(1000-1999),288(3000-3999)						GM GN GR HB
						HD II PC RC
						RD RF RM
MINIER ARMINGTON	MINRILXDRS0	06392	03525	1015	366	AA BA DA GG
309/392(1000-1999),392(2000-2999),392(3000-3999)						GM GN HB HD
						II PC RC RD
						RF RM SQ TU
MINONK	MNNKILXDRS0	06280	03530	1015	368	AA DA GG GM
309/432(1000-1999),432(2000-2999),432(3000-3999)						GN HB HD PC
						RC RD RF RM
						SQ TU
MINOOKA	MINKILMKDS0	06117	03472	5070	358	AA BA DA GC
815/290(7000-7999),467,521(0000-5999),521(7000-7999)						GQ GR II OR
815/521(9000-9999)						PO PQ PR PU
						RC RD SJ ST
						SX VE
MODESTO	MDSTILXCDS0	06626	03532	1055	374	AA BA DA DD
217/439(0000-0999),439(1000-1999),439(5000-5999)						G2 GC GD GN
217/439(7000-7999),439(9000-9999)						GR IC IE SQ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
MOKENA                      MOKNILMERS1 06070 03428 5070  358 AA BA DA GC
   708/326(3000-4999),478(0000-0999),478(1000-1999)          GQ GR II OR
   708/478(2000-2999),478(3000-3999),478(4000-4999)          PO PQ PR PU
   708/478(5000-5999),478(6000-6999),478(7000-7999)          SJ ST SX VE
   708/478(8000-8999),479
.......................................................................
MOLINE                      CLVYILCVRS0 06279 03795 5070  634 AA BA DA GQ
   309/799(1000-1999),799(3000-3999),799(4000-4999)          GR II PO PQ
   309/799(5000-5999),799(7000-7999),799(8000-8999)          PT SJ ST SV
                                                             SX
.......................................................................
MOLINE                      MOLNILMLDS0 06272 03806 5070  634 AA BA DA GC
   309/524(1000-1999),524(2000-2999),736,743,757(0000-0999)  GQ GR II PD
   309/757(1000-1999),757(3000-3999),757(4000-4999)          PM PT RC RD
   309/757(5000-5999),757(6000-6999),757(7000-7999)          RF SL SP SS
   309/757(8000-8999),757(9000-9999),762,764,797             ST
.......................................................................
MOLINE                      MOLNILMLRS0 06272 03806 5070  634 AA BA DA GC
   309/748(1000-1999),748(3000-3999),748(7000-7999)          GQ GR PD PM
   309/765(3000-3999),765(7000-7999)                         PT RC RD RF
                                                             SL ST SV SX
.......................................................................
MOMENCE                     HPPKILMBRS0 06137 03335 5070  358 AA BA DA GQ
   815/944(5000-5999),944(8000-8999)                         GR II PO PQ
                                                             SJ ST SX VE
.......................................................................
MOMENCE                     MMNCILMMRS0 06125 03356 5070  358 AA BA DA GC
   815/472(0000-0999),472(2000-4999),472(6000-6999)          GQ GR II OR
                                                             PO PQ SJ ST
                                                             SX VE
.......................................................................
MONEE                       MONEILGKRS0 06083 03394 5070  358 AA BA DA GC
   708/235(0000-4999),235(6000-8999),534                     GQ GR II OR
                                                             PD PM PR PU
                                                             SJ ST SX VE
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MONMOUTH	MNMOILXDDS0	06397	03769	1183	977	AA DA GC GD
309/457,734						GE GG GJ GN
						GR HB HD II
						PB PK RC RD
						RF RM SN SQ
MONROE CENTER	MNCTILXARS0	06052	03640	1036	364	BA DA GE GJ
815/393(0000-0999),393(3000-3999),393(4000-4999)						GM GN II TU
MONTICELLO	MNTIILXCDS0	06414	03375	1015	370	AA DA GD GE
217/762(1000-9999)						GG GN HB HD
						II PB PK RC
						RD RF RM SQ
						TU
MONTROSE	MTRSILXCRS0	06564	03260	1058	976	DA DD GC GD
217/924						GM HD TJ
MORRIS	MRRSILMSDS0	06146	03486	5070	358	AA BA DA GC
815/416(0000-0999),416(1000-1999),416(2000-2999)						GQ GR HA II
815/416(3000-3999),416(4000-4999),941,942						OR PD PM RC
						RD SK ST VF
						VP ZX
MORRIS	MRRSILMSK27	06146	03486	5070	358	UE VP ZX
/						
MORRISON	MRSNILXADS0	06173	03753	1183	364	AA BA DA GL
815/772						GN GR HD II
						PB
MORRISONVILLE	MRSVILXCRS0	06597	03447	1037	976	AA DA DD GC
217/526						GM GR HD

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MORTON	MRTNILXDDS2	06369	03565	1015	368	AA DA GC GD
309/263,266,284(0000-0999),284(1000-1999),284(2000-2999)						GE GG GJ GN
309/284(3000-3999),284(4000-4999),284(5000-5999)						HB HD II PA
309/284(6000-6999),284(7000-7999),284(8000-8999)						PJ RC RD RF
309/866(0000-0999)						RM SN SQ TI
						TU UG
MOSSVILLE	MSVLILXDRS0	06329	03602	1015	368	AA DA GC GD
309/572,576(0000-0999),576(1000-1999),576(2000-2999)						GE GG GM GN
309/576(4000-4999),576(5000-5999),576(6000-6999)						GR HB HD II
309/576(7000-7999),576(8000-8999),576(9000-9999),577,578						PC RC RD RF
309/579(2000-2999),579(3000-3999),579(8000-8999)						RM SQ TU
MOUND CITY	MDCYILAARS0	07026	03174	5070	362	AA DA GQ GR
618/748(9000-9999)						PO PQ SK ST
						SV SX
MOUND CITY	OLMSILOMRS0	07002	03172	5070	362	AA BA DA GQ
618/742(6000-6999)						GR II PO PQ
						SJ ST SV SX
MOUNDS	MNDSILAARS0	07023	03183	5070	362	AA DA GQ GR
618/745(6000-6999),745(9000-9999)						PO PQ SV SX
MOUNT AUBURN	MABNILXCRS0	06517	03451	1037	374	AA DA DD GC
217/676						GM GR HD
MOUNT CARMEL	MTCRILXEDS2	06662	03093	1015	978	AA BA DA GD
618/262(2000-2999),262(4000-4999),262(5000-5999)						GE GG GJ GN
618/262(7000-7999),262(8000-8999),263(3000-3999)						HB HD II PB
618/263(4000-4999),263(5000-5999),263(6000-6999)						PK RC RD RF
						RM TU
MOUNT CARROLL	MTCAILXARS0	06118	03786	1057	364	AA BA DA GC
815/244						GD PC PN QB
						QF RA RC SA
						SH SI UB UG
						UM

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MOUNT MORRIS	MTMRILXARS0	06089	03701	1036	364	BA DA GC GE
815/734(0000-0999),734(1000-1999),734(4000-9999)						GJ GM GN II
						SH TU
MOUNT OLIVE	MTOLILXCDS0	06685	03454	1183	976	AA DA GC GD
217/999(0000-7999),999(9000-9999)						GE GG GN GR
						HB HD II PC
						RC RD RF RM
MOUNT PULASKI	MTPSILXCDS0	06471	03480	1061	374	AA BA DA DD
216/792(7000-9999)						G2 GC GD GN
217/580(0000-2999),580(7000-9999),792(0000-5999)						GR IC IE SQ
MOUNT STERLING	MTSTILXCRS0	06586	03700	1015	376	AA BA DA GD
217/773(2000-2999),773(3000-3999),773(4000-4999)						GG GM GN HB
217/773(9000-9999)						HD II PC RC
						RD RF RM TU
MOUNT VERNON	MTVRILMVDS0	06768	03255	5070	520	AA DA GC GQ
618/241(1000-9999),242,244,246(1000-9999)						GR II PD PM
						RC RD SK ST
						SV ZX
MOUNT ZION	MTZNILXCDS2	06482	03396	1015	374	AA DA GC GD
217/864(0000-0999),864(2000-2999),864(3000-3999)						GE GG GN HB
217/864(4000-4999),864(5000-5999),864(6000-6999)						HD II PB PK
217/864(9000-9999)						RC RD RF RM
						TU
MOWEAQUA	MOWQILXCDS0	06525	03402	1038	374	AA BA DA DD
217/768(0000-5999),768(7000-9999)						G2 GC GD GN
						GR IC IE SQ
MULBERRY GROVE	MLGVILXERS0	06679	03371	1183	520	BA DA GC GM
618/326(0000-0999),326(3000-3999),326(7000-7999)						GN GR II
618/326(8000-8999),326(9000-9999)						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
MURPHYSBORO                 MRBOILXEDS0 06909 03268 1015  362 AA DA GC GD
   618/565(1000-1999),565(2000-2999),565(8000-8999)          GE GG GN HB
   618/684(1000-1999),684(2000-2999),684(3000-3999)          HD II PB PK
   618/684(4000-4999),684(5000-5999),684(6000-6999)          RC RD RF RM
   618/684(8000-8999),687(1000-1999),687(2000-2999)          SQ
   618/687(3000-3999),687(4000-4999),687(5000-5999)
   618/687(7000-7999),687(9000-9999)
.......................................................................
MURRAYVILLE                 MUVLILXCRS1 06625 03583 1015  376 AA DA GC GD
   217/882(2000-2999),882(3000-3999),882(4000-4999)          GE GG GM GN
                                                             HB HD II PC
                                                             RC RD RF RM
                                                             SQ TU
.......................................................................
NAPERVILLE                  NPVLILBJRS0 06038 03491 5070  358 AA BA DA GE
   630/224                                                   GQ GR II PC
                                                             PL PR PU
.......................................................................
NAPERVILLE                  NPVLILNADS0 06046 03489 5070  358 AA BA DA GC
   331/332(1000-9999)                                        GE GQ GR HA
   630/305,355,357,369,388(2000-4999),416,420,428,527,548    II OH OR PC
   630/579,637,646,717,718,753,778,798,813,848(0000-8999)    PL PR PU SJ
   630/904,922,961,983                                       ST SV SX VE
.......................................................................
NAPERVILLE                  NPVLILNEDS0 06038 03487 5070  358 AA BA DA EA
   331/281(2000-9999)                                        GE GQ GR HA
   630/245(0000-0999),245(1000-1999),245(2000-2999)          II OR PC PL
   630/245(4000-4999),245(5000-5999),245(6000-6999)          PR PU SJ ST
   630/245(7000-7999),245(8000-8999),245(9000-9999),505      SV SX VE
   630/577(0000-6999),577(8000-9999),649(5000-7999),713,799
   630/857(1000-2999),857(4000-5999),857(7000-7999)
   630/955(0000-6999),955(8000-9999),979
.......................................................................
NAPERVILLE                  NPVLILSWRS0 06068 03487 5070  358 OR PO PQ PR
      /                                                      PU UD
.......................................................................
NASHVILLE                   NSVLILNVRS0 06800 03331 5070  520 AA DA GQ GR
   618/327(2000-2999),327(3000-3999),327(4000-4999)          II PO PQ SJ
   618/327(5000-5999),327(8000-8999),327(9000-9999)          ST SV SX
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
NAUVOO	NAUVILXCRS0	06520	03844	1183	977	BA DA GM GN
217/453						GR II
NELSON	NLSNILXARS0	06150	03701	1057	364	AA BA DA DD
815/251(0000-0999),251(1000-1999),251(2000-2999)						GD PC PN QB
815/251(3000-3999),251(4000-4999),251(5000-5999)						QF RA RC SA
815/251(6000-6999),251(7000-7999),251(8000-8999)						SI UB UG UM
NEOGA	NEOGILXCRS1	06539	03286	1000	976	AA BA DA GN
217/895(2000-2999),895(3000-3999),895(5000-5999)						HD II TU
NEPONSET	NPNSILXDDS0	06260	03680	1015	368	AA BA DA GG
309/594(2000-2999)						GN GR HB HD
						II PC RC RD
						RF RM SQ
NEW ATHENS	NWATILGYRS0	06842	03404	5070	520	AA BA DA GQ
618/475(2000-2999),475(3000-3999),475(9000-9999)						GR II PO PQ
						PT SJ ST SV
						SX
NEW BADEN	NWBDILXERS0	06787	03397	1036	520	AA BA DA GC
618/588(2000-2999),588(3000-3999),588(4000-4999)						GE GJ GM GN
618/588(7000-7999),588(9000-9999)						GR II
NEW BERLIN	NWBLILXCRS0	06573	03546	1015	374	AA BA DA GG
217/488(2000-2999),488(3000-3999),488(6000-6999)						GM GN GR HB
217/488(7000-7999)						HD II PC RC
						RD RF RM TU
NEW BOSTON	NBTNILXDRS0	06372	03846	1183	634	BA DA GM GN
309/587(0000-0999),587(1000-1999),587(2000-2999)						GR
309/587(3000-3999),587(7000-7999),587(8000-8999)						
309/587(9000-9999)						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
NEW CANTON 217/426(2000-2999)	NCTNILXCRS0	06678	03716	1015	376	AA DA GC GD GE GG GM GN HB HD II PC RC RD RF RM TU
NEW DOUGLAS 217/456(0000-0999),456(1000-1999),456(2000-2999) 217/456(6000-6999),456(7000-7999),456(8000-8999) 217/456(9000-9999)	NWDGILXCRS0	06700	03435	1183	976	AA DA GC GD GE GG GM GN GR HB HD II PC RC RD RF RM
NEW HAVEN 618/265(3000-3999),265(9000-9999)	NWHNILXEDS0	06785	03104	1036	978	BA DA GC GN GR II
NEW HOLLAND 217/445(2000-2999)	NHLDILXCRS0	06468	03536	1015	366	AA DA GE GG GM GN HB HD II PC RC RD RF RM TU
NEW LENOX 815/300,462,463(0000-2999),463(4000-5999),463(8000-9999) 815/485	NWLNILNLDS0	06083	03436	5070	358	AA BA DA GC GQ GR II OR PO PQ PR PU SJ ST SX VE
NEW MILFORD 815/873(0000-0999),873(1000-1999),873(3000-3999) 815/873(4000-4999),873(5000-5999),873(8000-8999) 815/873(9000-9999),874	NMFRILXADS0	06033	03662	1015	360	AA BA DA GC GD GE GG GJ GN HB HD II PB PK RC RD RF RM SQ TI TU UG
NEW MINDEN 618/478(0000-2999),478(5000-9999)	NWMDILXERS0	06781	03338	1183	520	AA BA DA GM GN GR II
NEW WINDSOR 309/667	NWWNILXDDS0	06326	03767	1062	634	AA BA DA GC GD T3 TJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
NEWARK	NWRKILNWRS0	06124	03528	5070	358	AA BA DA GQ
815/695(1000-1999),695(3000-3999),695(5000-5999)						GR II OR PO
815/695(8000-8999),695(9000-9999)						PQ SJ ST SX
						VE
NEWMAN	NWMNILXCRS0	06412	03265	1015	370	AA DA GE GG
217/837(2000-2999)						GM GN HB HD
						II PC RC RD
						RF RM
NEWTON	NWTNILXEDS0	06581	03210	1015	978	AA DA GC GD
618/783(0000-0999),783(2000-2999),783(3000-3999)						GE GG GN HB
618/783(4000-4999),783(5000-5999),783(8000-8999)						HD II PC RC
						RD RF RM SQ
						TU
NIANTIC	NINTILXCRS0	06492	03447	1015	374	AA CA GG GM
217/668(2000-2999),668(9000-9999)						GN HB HD II
						PC RC RD RF
						RM SQ TU
NIOTA	NIOTILXCRS0	06500	03837	1183	977	BA DA GC GM
217/448(0000-0999),448(1000-1999),448(4000-4999)						GN GR II
217/448(5000-5999),448(6000-6999),448(7000-7999)						
217/448(8000-8999),448(9000-9999)						
NOBLE	NOBLILXERS0	06642	03190	1015	978	AA BA DA GG
618/723(2000-2999)						GM GN HB HD
						II PC RC RD
						RF RM TU
NOKOMIS	NKMSILXCRS0	06607	03410	1037	976	AA BA DA DD
217/563						GC GD GM GR
						HD RD
NORRIS CITY	NRCYILXEDS0	06788	03134	1036	978	BA DA GN GR
618/378(2000-2999),378(3000-3999)						II

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
NORTH HENDERSON             NHNDILXDRS0 06350 03761 1183  634 BA DA GM GN
   309/464(0000-0999),464(1000-1999),464(5000-5999)          GR
   309/464(6000-6999),464(7000-7999),464(8000-8999)
   309/464(9000-9999)
.......................................................................
NORTH PEKIN                 NPKNILXNRS0 06379 03589 1057  368 AA BA DA DD
   309/382(0000-0999),382(1000-1999),382(2000-2999)          GC GD PC PN
   309/382(3000-3999),382(4000-4999),382(5000-5999)          QB QF RA RC
   309/382(6000-6999),382(7000-7999),382(9000-9999)          SA SI UB UG
                                                             UM
.......................................................................
NORTHBROOK                  NBRKILNBDS0 05954 03479 5070  358 AA BA DA GC
   847/205,272,291,313(4000-4999),313(6000-7999)             GE GQ GR II
   847/400(5000-5999),400(8000-8999),412(0000-7999)          OH OR PB PK
   847/412(9000-9999),418(2000-3999),480,498,504(2000-3999)  PR PU RB SJ
   847/509,559,562(0000-4999),562(7000-9999),564(0000-5999)  ST SX UR VE
   847/564(7000-9999),656(8000-8999),664(1000-4999)          WD WE WG WH
   847/664(6000-8999),714(0000-1999),714(8000-9999),753
   847/849(2000-2999),849(4000-4999)
.......................................................................
NORTHBROOK                  NBRKILNT52T 05961 03484 5070  358 GB GQ GR HB
      /                                                      PR PU UR WD
                                                             WE WG WH
.......................................................................
NORTHBROOK                  NBRKILNT55T 05961 03484 5070  358 BA DA GB GQ
      /                                                      GR HB PR PU
.......................................................................
NORTHBROOK                  NBRKILNTDS0 05961 03484 5070  358 AA BA DA GQ
   847/326,402,513(0000-0999),513(5000-5999),667             GR HA II OR
                                                             PB PK PR PU
                                                             SL SS ST UR
                                                             US VL VQ WD
                                                             WE WG WH ZY
.......................................................................
NORTHBROOK                  NBRKILNTK28 05961 03484 5070  358 PR PU UE UR
      /                                                      WD WE WG WH
.......................................................................
NORTHBROOK                  NBRKILNTTDS 05961 03484 5070  358 PR PU UR WD
      /                                                      WE WG WH

=======================================================================
```

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
O FALLON	COVLILCQXEX	06783	03456	7807	520	GR
618/208(5000-5999),216(7000-7999),221(7000-7999)						
618/224(4000-4999),227(3000-3999),228(6000-6999)						
618/230(7000-7999),232(2000-2999),238(3000-3999)						
618/243(4000-4999),247(6000-6999),248(7000-7999)						
618/249(7000-7999),266(5000-5999),278(7000-7999)						
618/323(7000-7999),326(6000-6999),328(7000-7999)						
618/347(5000-5999),349(5000-5999),356(7000-7999)						
618/362(7000-7999),366(7000-7999),367(7000-7999)						
618/368(7000-7999),370(7000-7999),371(7000-7999)						
618/376(2000-2999),389(7000-7999),390(7000-7999)						
618/391(2000-2999),400(7000-7999),405(7000-7999)						
618/413(7000-7999),414(7000-7999),423(6000-6999)						
618/424(3000-3999),425(7000-7999),427(6000-6999)						
618/428(6000-6999),432(6000-6999),437(3000-3999)						
618/461(7000-7999),464(7000-7999),471(7000-7999)						
618/472(7000-7999),478(4000-4999),479(7000-7999)						
618/481(7000-7999),487(4000-4999),493(5000-5999)						
618/494(7000-7999),495(7000-7999),507(7000-7999)						
618/523(6000-6999),538(8000-8999),547(6000-6999)						
618/582(7000-7999),588(1000-1999),607(7000-7999)						
618/653(6000-6999),655(4000-4999),661(7000-7999)						
618/669(6000-6999),677(7000-7999),690(7000-7999)						
618/693(7000-7999),701(7000-7999),706(7000-7999)						
618/710(7000-7999),722(7000-7999),732(5000-5999)						
618/749(7000-7999),753(7000-7999),755(7000-7999)						
618/762(7000-7999),765(7000-7999),778(6000-6999)						
618/787(3000-3999),802(7000-7999),803(7000-7999)						
618/808(6000-6999),822(7000-7999),836(6000-6999)						
618/844(6000-6999),874(4000-4999),881(7000-7999)						
618/883(7000-7999),934(6000-6999)						
O'FALLON	OFLNILMQDS0	06793	03436	5070	520	AA BA DA GC
618/622(0000-6999),622(8000-9999),624,628,632						GQ GR II PD
						PM PT RC RD
						SJ ST SV SX

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
OAK LAWN                    OKLWILOLDS0 06026 03425 5070  358 AA BA DA GC
   708/229,346(0000-3999),346(6000-9999),422,423,424,425     GQ GR II OR
   708/499,520,636,684,857(1000-5999),857(7000-9999)         PD PM PR PU
   708/952(0000-1999),952(3000-5999),952(7000-9999)          RF SJ ST SV
                                                             SX VE
.......................................................................
OAK PARK                    OKPKILOPRP0 05997 03449 5070  358 AA BA DA GC
   708/209(1000-4999),358(0000-0999),358(1000-1999)          GQ GR HA OR
   708/358(2000-2999),358(3000-3999),358(5000-5999)          PD PM PR PU
   708/358(8000-8999),366,383,386,445,488(0000-0999)         RF RM SJ ST
   708/488(1000-1999),488(2000-2999),488(3000-3999)          SV SX UR VE
   708/488(4000-4999),488(5000-5999),488(8000-8999)          WD WE WG WH
   708/488(9000-9999),524,660(0000-0999),660(1000-1999)
   708/660(2000-2999),660(3000-3999),660(4000-4999)
   708/660(5000-5999),660(6000-6999),660(7000-7999)
   708/660(9000-9999),763,771,848
.......................................................................
OAKBROOK                    OKBRILOADS0 06016 03467 5070  358 AA BA DA GE
   630/218,368,472,537(2000-6999),571,572,573,574,575,586    GQ GR HA II
   630/623,645,684,706(2000-5999),722,891(4000-7999),928     OR PB PK PR
   630/954(0000-8999),990                                    PU SJ ST SV
                                                             SX UR US VE
                                                             VM WD WE WG
                                                             WH
.......................................................................
OAKFORD                     OKFRILOFRS0 06504 03590 5070  374 AA BA DA GC
   217/635(5000-5999)                                        GQ GR II OR
                                                             PO PQ PR PS
                                                             SV SX
.......................................................................
OAKLAND                     OKLDILXCRS0 06443 03257 1037  976 AA BA DA DD
   217/346                                                   GC GD GM GR
                                                             HD RD
.......................................................................
OAKWOOD                     OKWDILOWRS0 06335 03266 5070  370 AA DA GQ GR
   217/354(2000-2999),354(3000-3999),354(4000-4999)          II PD PM SJ
                                                             SV SX
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
OBLONG	OBLNILXEDS0	06558	03173	1065	978	AA DA GC GM
618/592						GR HD OE RD
						T3 TJ TZ XF
OCONEE	OCNEILXCRS0	06597	03382	1055	976	AA BA DA DD
217/539						G2 GC GD GN
						GR IC IE SQ
ODELL	ODLLILXARS0	06222	03466	1015	366	AA DA GG GM
815/998(2000-2999)						GN GR HB HD
						II PC RC RD
						RF RM TU
ODIN	ODINILXEDS0	06722	03308	1065	520	DA GL GM GN
618/775(0000-0999),775(1000-1999),775(2000-2999)						GR HD OE T3
618/775(3000-3999),775(5000-5999),775(6000-6999)						T8 TJ TZ XF
618/775(7000-7999),775(8000-8999),775(9000-9999)						
OGDEN	OGDNILXCRS0	06350	03293	1000	370	AA BA DA GE
217/582(2000-2999)						GM GN HD II
OGLESBY	OGLSILOGRS0	06207	03574	5070	358	AA BA DA GQ
815/883(3000-3999),883(5000-5999),883(7000-7999)						GR II PO PQ
815/883(8000-8999),883(9000-9999)						SJ ST SX VE
OHIO	OHIOILXARS0	06185	03658	1015	368	AA DA GC GD
815/376(2000-2999),376(4000-4999),376(5000-5999)						GE GG GM GN
815/376(7000-7999)						HB HD II PC
						RC RD RF RM
						SQ TU
OKAWVILLE	OKVLILXERS1	06795	03365	1036	520	AA BA DA GM
618/243(1000-1999),243(5000-5999),243(6000-6999)						GN GR II
618/243(9000-9999)						
OLIVE BRANCH	OLBRILOBRS0	07025	03217	5070	362	AA DA GQ GR
618/776(5000-5999),776(6000-6999)						II PO PQ SV
						SX

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
OLNEY                       OLNYILXE51T 06624 03172 1015  978 GB HB TU
     /
.......................................................................
OLNEY                       OLNYILXEDS0 06624 03172 1015  978 AA BA DA GC
   618/392,393(2000-2999),393(3000-3999),393(4000-4999)      GD GE GG GN
   618/393(5000-5999),393(6000-6999),393(7000-7999)          HB HD II PB
   618/395(1000-1999),395(2000-2999),395(3000-3999)          PK RC RD RF
   618/395(4000-4999),395(5000-5999),395(6000-6999)          RM SC SD SE
   618/395(7000-7999),395(8000-8999),395(9000-9999)          SF SQ TD TH
   618/879(0000-0999)                                        TU
.......................................................................
OMAHA                       OMAHILXERS0 06803 03121 1036  978 BA DA GM GN
   618/962(3000-3999),962(9000-9999)                         GR II
.......................................................................
ONARGA                      ONRGILONRS0 06238 03361 5070  358 AA BA DA GQ
   815/268(4000-4999),268(7000-7999)                         GR II PO PQ
                                                             SJ ST SX VE
.......................................................................
ONEIDA                      ONEDILXDDS0 06334 03723 1066  977 DA HB OE T3
   309/483                                                   TJ TZ
.......................................................................
OQUAWKA                     OQWKILXDRS0 06415 03817 1183  634 BA DA GC GM
   309/867                                                   GN GR II
.......................................................................
ORANGEVILLE                 OGVLILXARS0 06023 03774 1036  360 BA DA GM GN
   815/789(3000-3999),789(4000-4999),789(9000-9999)          II
.......................................................................
OREANA                      ORENILXCRS0 06453 03410 1015  374 AA BA DA GG
   217/468(2000-2999)                                        GM GN GR HB
                                                             HD II PC RC
                                                             RD RF RM TU
.......................................................................
OREGON                      ORGNILXARS1 06087 03684 1036  364 BA DA GC GE
   815/732(0000-0999),732(1000-1999),732(2000-2999)          GJ GM GN II
   815/732(3000-3999),732(4000-4999),732(5000-5999)          SH SQ TU
   815/732(6000-6999),732(7000-7999),732(9000-9999)
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ORION	ORINILXDDS0	06292	03773	1067	634	AA BA DA GC
309/526						GD GL GM GN
						GR IC IH
ORION	ORINILXNRS0	06279	03785	1067	634	AA BA DA GC
309/234						GD GL GM GN
						GR IC
ORLAND	ORPKILORDS0	06054	03430	5070	358	AA BA DA GC
708/226,349,364(0000-4999),364(6000-9999),403,460,873						GQ GR HA II
708/873						OR PD PM PR
						PU SJ ST SV
						SX VE
ORLAND	ORPKILOWDS0	06060	03444	5070	358	AA BA DA GC
708/301,645(0000-3999),645(7000-7999)						GQ GR II OR
						PO PQ PR PU
						SJ ST SV SX
						VE
OSCO	OSCOILXDDS0	06286	03758	0983	634	DA HD RC
309/521,522						
OSWEGO	OSWGILOSDS0	06079	03508	5070	358	AA BA DA GC
630/551(0000-4999),551(7000-7999),554,636(5000-5999)						GQ GR II OR
						PO PQ SJ ST
						SX
OTTAWA	OTWAILOTDS0	06180	03547	5070	358	AA BA DA GC
815/431(0000-5999),431(8000-9999),433,434						GQ GR HA II
						PD PM SJ ST
						SX
OWANECO	OWNCILXCRS0	06565	03414	1037	976	AA BA DA DD
217/879						GC GD GM GR
						HD

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
PALATINE	PALTILPADS0	05974	03508	5070	358	AA BA DA GC
224/836(2000-2999),836(8000-8999)						GQ GR II OR
847/202,221(2000-5999),221(7000-7999),358,359						PD PM PR PU
847/485(2000-2999),654(4000-4999),705,776,934,963,991						RA SJ ST SV
847/991						SX UR US VE
						WD WE WG WH
PALATINE	SCBGILRSDS0	05984	03503	5070	358	AA BA DA GE
847/435,538,576,761,907(2000-2999),907(6000-6999)						GQ GR HA II
847/907(7000-7999),907(8000-8999)						OR PB PK PR
						PU SJ ST SX
						VE
PALESTINE	PLSTILXEDS0	06535	03129	1036	978	DA GC GN GR
618/586(2000-2999),586(5000-5999),586(9000-9999)						II TU
PALMYRA	PLMYILXCRS0	06635	03530	1015	374	AA BA DA GG
217/436(2000-2999)						GM GN GR HB
						HD II PC RC
						RD RF RM TU
PALOS PARK	PLPKILPPDS0	06042	03432	5070	358	AA BA DA GC
708/361,448,671(0000-3999),671(5000-5999),671(9000-9999)						GE GQ GR HA
708/923						II OR PO PQ
						PR PU SJ ST
						SV SX VE
PANA	PANAILXCRS0	06576	03388	1037	976	AA BA DA DD
217/562						GC GD GR HD
						RD
PARIS	PARSILXCDS0	06425	03203	1015	938	AA DA GC GD
217/463,465,466						GE GG GN HB
						HD II PB PK
						RC RD RF RM
						SQ

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
PARK RIDGE                  PRRGILXLDS0 05977 03467 5070  358 AA BA DA DD
   773/380,399(0000-8999),557(4000-4999),864(1000-9999)      GC GD GQ GR
   773/867(0000-0999),867(2000-5999),867(7000-8999)          OR PC PL PN
   847/268(6000-6999),318(0000-2999),318(4000-9999),384      PR PU QB QF
   847/653(7000-7999),698,939(4000-4999),939(7000-7999)      RA RC SA SI
                                                             UB UG UH UJ
                                                             UM
.......................................................................
PARK RIDGE                  PRRGILXLDS1 05977 03467 5070  358 AA BA DA DD
   773/444(0000-6999),693(0000-0999),693(1000-1999)          GC GD GQ GR
   773/693(3000-3999),693(4000-4999),693(5000-5999)          PC PL PN PR
   773/693(6000-6999),693(7000-7999),693(8000-8999)          PU QB QF RA
   773/693(9000-9999),695,714                                RC SA SI SJ
   847/292,518(0000-4999),518(6000-9999),685(0000-0999)      SV SX UB UG
   847/685(1000-1999),685(2000-2999),685(3000-3999)          UH UJ UM VE
   847/685(5000-5999),685(6000-6999),685(7000-7999)          VM
   847/685(8000-8999),685(9000-9999),692,696(0000-4999)
   847/696(9000-9999),723,823,825,993(3000-5999)
.......................................................................
PARKERSBURG                 PRBGILXERL0 06650 03154 1036  978 BA DA GC GM
   618/442(5000-5999),442(9000-9999)                         GN GR II TU
.......................................................................
PATOKA                      PATKILXERS0 06699 03327 1183  520 AA BA DA GM
   618/432(0000-0999),432(5000-5999),432(7000-7999)          GN GR II
   618/432(9000-9999)
.......................................................................
PATTERSON                   PASNILXCRS0 06662 03607 1015  376 AA DA GG GM
   217/927(4000-4999)                                        GN HB HD II
                                                             PC RC RD RF
                                                             RM SQ TU
.......................................................................
PAULTON                     PLTNILXERS1 06867 03186 1036  362 BA DA GC GM
   618/982(1000-1999),982(2000-2999),982(9000-9999)          GN GR II
.......................................................................
PAW PAW                     PWPWILXARS0 06125 03601 1015  358 AA BA DA GG
   815/627(2000-2999),627(3000-3999),627(8000-8999)          GM GN HB HD
   815/627(9000-9999)                                        II PC RC RD
                                                             RF RM TU
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
PAWNEE                      PAWNILXCRS0 06574 03483 1015  374 AA BA DA GG
   217/625(2000-2999),625(3000-3999),625(4000-4999)          GM GN GR HB
   217/625(5000-5999),625(7000-7999),625(8000-8999)          HD II PC RC
                                                             RD RF RM SQ
                                                             TU
.......................................................................
PAXTON                      PXTNILXCRS0 06294 03348 1015  370 AA BA DA GD
   217/379(2000-2999),379(3000-3999),379(4000-4999)          GG GN GR HB
   217/379(5000-5999),379(6000-6999),379(9000-9999)          HD II PB PK
                                                             RC RD RF RM
                                                             TU
.......................................................................
PAYSON                      PYSNILPYRS0 06653 03755 5070  376 AA BA DA GQ
   217/656(3000-3999),656(4000-4999)                         GR II PO PQ
                                                             SJ ST SV SX
.......................................................................
PEARL                       PERLILXCRS0 06677 03628 1015  376 AA DA GG GM
   217/829(4000-4999)                                        GN HB HD PC
                                                             RC RD RF RM
                                                             TU
.......................................................................
PEARL CITY                  PLCYILXARS0 06075 03780 1036  360 AA BA DA GE
   815/443(2000-2999),443(9000-9999)                         GJ GM GN II
.......................................................................
PECATONICA                  PCTNILXARS0 06032 03717 1036  360 BA DA GC GE
   815/239(1000-1999),239(2000-2999),239(9000-9999)          GJ GM GN II
                                                             TU
.......................................................................
PEKIN                       PEKNILXDDS0 06390 03588 1057  368 AA BA DA DD
   309/346,347,353,477,478                                   GC GD PC PN
                                                             QB QF RA RC
                                                             SA SI T7 TU
                                                             UB UG UM ZX
.......................................................................
PENFIELD                    PNFDILXCRS0 06312 03311 1000  370 AA BA DA GE
   217/595(5000-5999)                                        GM GN HD II
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
PEORIA                      BNVLILBNRS0 06380 03599 5070  368 AA BA DA GQ
   309/633(0000-0999),633(1000-1999),633(2000-2999)          GR II OR PO
   309/633(3000-3999),633(4000-4999),633(5000-5999)          PQ PT PU SK
   309/633(6000-6999),633(7000-7999),633(8000-8999)          ST SV SX TB
   309/634(0000-0999),634(2000-2999),634(3000-3999)
   309/634(4000-4999),634(7000-7999),697
.......................................................................
PEORIA                      EPERILPEDS0 06366 03586 5070  368 AA BA DA GC
   309/427(1000-1999),427(2000-2999),427(3000-3999)          GQ GR II PD
   309/427(4000-4999),427(5000-5999),427(6000-6999)          PM PT PU RC
   309/427(7000-7999),427(8000-8999),694,698,699             SJ ST SV SX
.......................................................................
PEORIA                      PEORILPB01W 06358 03594 5070  368 HC PT PU
      /
.......................................................................
PEORIA                      PEORILPBDS0 06358 03594 5070  368 AA BA DA GC
   309/566(1000-8999),679(0000-6999),679(8000-9999)          GQ GR II PD
   309/681(0000-4999),681(6000-9999),682,685,686             PM PT PU RC
   309/687(1000-8999),688                                    RD RF SJ ST
                                                             SV SX TB
.......................................................................
PEORIA                      PEORILPJ01W 06362 03592 5070  368 HC PT PU VP
      /                                                      ZX
.......................................................................
PEORIA                      PEORILPJ52T 06362 03592 5070  368 GB GQ GR HB
   309/470                                                   PC PT PU VQ
                                                             ZY
.......................................................................
PEORIA                      PEORILPJDS0 06362 03592 5070  368 GQ GR HB II
      /                                                      PD PM PT PU
.......................................................................
PEORIA                      PEORILPJDS1 06362 03592 5070  368 AA BA DA GC
   309/494,495,497,624,636,637,655,669(0000-5999),671,672    GQ GR II OH
   309/673,674,675,676,677,680(0000-4999),680(6000-9999)     PD PM PT PU
   309/992(2000-2999),992(3000-3999),992(4000-4999)          RC RD RF RM
   309/992(5000-5999),992(6000-6999),992(7000-7999)          SK ST TB
   309/999(0000-0999),999(1000-1999),999(2000-2999)
   309/999(3000-3999),999(4000-4999),999(5000-5999)
   309/999(6000-6999),999(8000-8999),999(9000-9999)

=======================================================================
```

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
PEORIA	PEORILPJK51	06362	03592	5070	368	PT PU SL SS
/						UE ZZ
PEORIA	PEORILPJTDS	06362	03592	5070	368	PT PU UE ZZ
/						
PEORIA	PEORILPJX1Z	06362	03592	7807	368	GR

309/220(7000-7999),226(7000-7999),228(3000-3999)
309/240(7000-7999),244(6000-6999),247(2000-2999)
309/249(7000-7999),288(7000-7999),291(7000-7999)
309/300(7000-7999),301(7000-7999),354(7000-7999)
309/356(7000-7999),362(5000-5999),382(8000-8999)
309/393(7000-7999),395(7000-7999),396(7000-7999)
309/398(7000-7999),425(6000-6999),432(7000-7999)
309/440(7000-7999),442(7000-7999),443(7000-7999)
309/448(7000-7999),455(7000-7999),463(7000-7999)
309/466(7000-7999),471(7000-7999),480(7000-7999)
309/481(7000-7999),492(7000-7999),505(7000-7999)
309/512(7000-7999),535(6000-6999),540(7000-7999)
309/543(9000-9999),547(8000-8999),554(7000-7999)
309/580(7000-7999),595(7000-7999),597(8000-8999)
309/603(7000-7999),606(7000-7999),739(7000-7999)
309/741(7000-7999),753(6000-6999),785(4000-4999)
309/884(6000-6999),885(7000-7999),889(7000-7999)
309/894(7000-7999),896(7000-7999),898(7000-7999)
309/921(7000-7999),929(6000-6999),932(6000-6999)
309/965(7000-7999),968(8000-8999),977(7000-7999)
779/239(7000-7999),717(7000-7999)
815/340(7000-7999),376(3000-3999),379(7000-7999)
815/437(7000-7999),454(7000-7999),497(7000-7999)
815/615(7000-7999),628(6000-6999),643(7000-7999)
815/646(7000-7999),699(5000-5999),760(7000-7999)
815/799(7000-7999),894(6000-6999),925(6000-6999)

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
PEORIA                      PEORILPJX2Y 06362 03592 7196  368 BA DA
   309/304(3000-3999),326(3000-3999),407(3000-3999)
   309/407(7000-7999),481(3000-3999),518(2000-2999)
   309/550(9000-9999),567(4000-4999),567(5000-5999)
   309/567(6000-6999),567(7000-7999),579(4000-4999)
   309/643(6000-6999),866(3000-3999)
   815/615(3000-3999),719(8000-8999)
.......................................................................
PEORIA                      PEORILPJXJX 06362 03592 2978  368 AA BC DA DD
   309/272                                                  G2
.......................................................................
PEORIA                      PEORILPNDS0 06351 03603 5070  368 AA BA DA GC
   309/308(0000-0999),308(2000-9999),589,683,689            GQ GR II OR
   309/690(1000-7999),690(9000-9999),691,692,693            PD PM PT PU
                                                            RC RD RF RM
                                                            SJ ST SV SX
.......................................................................
PEOTONE                     PETNILPTRS0 06103 03392 5070  358 AA BA DA GQ
   708/258(0000-0999),258(3000-3999),258(6000-6999)         GR II OR PO
   708/258(9000-9999)                                       PQ PR PU SJ
                                                            SX VE
.......................................................................
PERCY                       PERCILXEDS0 06881 03335 1015  362 AA BA DA GG
   618/497(2000-2999),497(8000-8999),965(2000-2999)         GN HB HD II
   618/965(3000-3999),965(9000-9999)                        PC RC RD RF
                                                            RM SQ
.......................................................................
PERRY                       PRRYILXDRS0 06623 03676 1015  376 AA DA GE GG
   217/236(3000-3999)                                       GM GN HB HD
                                                            PC RC RD RF
                                                            RM TU
.......................................................................
PESOTUM                     PSTMILXCRS0 06412 03319 1000  370 AA BA DA GM
   217/867(2000-2999)                                       GN GR HD II
.......................................................................
PETERSBURG                  PTBGILPGRS0 06513 03564 5070  374 AA BA DA GC
   217/632(0000-0999),632(2000-5999),632(7000-7999)         GQ GR II PO
                                                            PQ PR PS RC
                                                            RD ST SV SX
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
PHILO	PHILILXCRS0	06385	03312	1000	370	AA BA DA GM
217/684(1000-1999),684(2000-2999),684(5000-5999)						GN GR HD II
PINCKNEYVILLE	PYVLILXEDS0	06852	03305	1015	362	AA DA GC GD
618/357(2000-2999),357(3000-3999),357(5000-5999)						GE GG GN GR
618/357(6000-6999),357(8000-9999)						HB HD II PC
						RC RD RF RM
PIPER CITY	PPCYILXARS0	06244	03392	1015	366	AA DA GG GM
815/686(2000-2999),686(8000-8999),686(9000-9999)						GN GR HB HD
						II PC RC RD
						RF RM SQ TU
PITTSBURG	PSBGILXERS0	06686	03359	1183	520	AA BA DA GM
618/425(0000-0999),425(3000-3999),425(9000-9999)						GN GR II
PITTSFIELD	PTFDILXCDS0	06662	03669	1015	376	AA DA GC GD
217/285(1000-1999),285(2000-2999),285(4000-4999)						GE GG GN HB
217/285(5000-5999),285(6000-6999),285(9000-9999)						HD II PC RC
						RD RF RM SD
						SE TU
PLAINFIELD	PLFDILPLDS0	06082	03480	5070	358	AA BA DA GC
815/230(2000-4999),254,267(3000-3999),267(4000-4999)						GQ GR II OR
815/267(7000-8999),436,439,577,609,731						PD PM PR PU
						RC RD SJ ST
						SX VE
PLANO	PLANILPORS0	06097	03534	5070	358	AA BA DA GQ
630/552(0000-4999),552(7000-9999)						GR II OR PO
						PQ SJ ST SX
						VE
PLATO CENTER	PLCTILPRRS0	06019	03555	5070	358	AA BA DA GQ
847/464(0000-1999),464(4000-5999)						GR II OR PO
						PQ PR PU SJ
						SX

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
PLATTVILLE	PTVLILPVRS0	06084	03520	5070	358	AA BA DA GQ
815/475(4000-4999),475(7000-7999)						GR II OR PO
						PQ SJ ST SX
						VE
PLEASANT HILL	PLHLILXCRS0	06699	03663	1015	376	AA DA GG GM
217/734(1000-1999),734(2000-2999),734(9000-9999)						GN HB HD II
						PC RC RD RF
						RM SQ TU
PLEASANT PLAINS	PLPLILXCRS0	06544	03554	1015	374	AA BA DA GG
217/626(1000-1999),626(2000-2999)						GM GN GR HB
						HD II PC RC
						RD RF RM TU
PLYMOUTH	PLMOILXD0MD	06537	03751	0976	977	AA BA DA GE
309/458						GN HD OE SH
						SQ TJ
POCAHONTAS	PCHNILXEDS0	06719	03402	1055	520	AA BA DA DD
618/669(2000-2999),669(3000-3999),669(7000-7999)						G2 GC GD GN
618/669(9000-9999)						GR IC IE SQ
POLO	POLOILXADS0	06111	03717	1183	364	BA DA GN GR
815/946(0000-0999),946(1000-1999),946(2000-2999)						II
815/946(3000-3999),946(4000-4999),946(8000-8999)						
815/946(9000-9999)						
PONTIAC	PNTCILXADS0	06254	03469	1015	366	AA DA GC GD
815/842(0000-0999),842(1000-1999),842(2000-2999)						GE GG GN HB
815/842(3000-3999),842(4000-4999),842(5000-5999)						HD II PB PK
815/842(6000-6999),842(8000-8999),842(9000-9999)						RC RD RF RM
815/844(1000-1999),844(2000-2999),844(3000-3999)						SC SD SE SQ
815/844(4000-4999),844(5000-5999),844(6000-6999)						TU
815/844(7000-7999)						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
POPLAR CREEK	HFESILPCDS0	05993	03531	5070	358	AA BA DA GQ
847/286,396(1000-5999),396(7000-7999),645(0000-0999)						GR II OR PD
847/645(1000-1999),645(3000-3999),645(4000-4999)						PM PR PU SJ
847/645(5000-5999),645(6000-6999),645(7000-7999)						ST SX VE
847/645(8000-8999),645(9000-9999),747,783(3000-3999)						
POPLAR GROVE	PPGVILXARS0	05983	03645	1015	360	AA DA GC GD
815/765(0000-0999),765(1000-1999),765(2000-2999)						GE GG GM GN
815/765(3000-3999),765(9000-9999)						HB HD II PC
						RC RD RF RM
						SQ TU
PORT BYRON	PTBYILXDDS0	06240	03790	1183	634	DA GC GE GJ
309/523						GN GR II
POTOMAC	PTMCILXCRS0	06300	03289	1000	370	AA BA DA GE
217/987(5000-5999),987(6000-6999)						GJ GM GN HD
						II
PRAIRIE CITY	PRCYILXDRS1	06440	03714	1015	977	AA DA GG GM
309/775(1000-1999),775(4000-4999)						GN HB HD II
						PC RC RD RF
						RM SQ TU
PRAIRIE DU ROCHER	PRDRILXERS0	06906	03414	1026	520	AA BA DA GM
618/284						GN
PRAIRIETOWN	PATWILXERS0	06721	03474	1049	520	BA DA GM TI
618/888						TJ
PREEMPTION	PRMPILXDRS0	06313	03796	1183	634	BA DA GM GN
309/534						GR II
PRINCETON	PRTNILXA50T	06222	03640	1015	368	GB HB
/						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
PRINCETON	PRTNILXADS0	06222	03640	1015	368	AA DA GC GD
815/875(1000-1999),875(2000-2999),875(3000-3999)						GE GG GN HB
815/875(4000-4999),875(5000-5999),875(6000-6999)						HD II PB PK
815/875(8000-8999),875(9000-9999),876(1000-1999)						RC RD RF RM
815/876(2000-2999),876(3000-3999),876(5000-5999)						SN SQ
815/876(8000-8999),879(0000-0999),879(1000-1999)						
815/879(2000-2999),879(3000-3999),879(4000-4999)						
815/879(5000-5999),879(7000-7999),879(8000-8999)						
815/879(9000-9999)						
PRINCEVILLE	PRNVILXDRS0	06328	03640	1015	368	AA DA GE GG
309/385(1000-1999),385(2000-2999),385(4000-4999)						GM GN GR HB
						HD II PC RC
						RD RF RM SQ
PROPHETSTOWN	PPTWILXADS0	06199	03738	1183	364	BA DA GN GR
815/537						II
PUTNAM	PTNMILXDDS0	06252	03619	1036	368	BA DA GN II
815/437(2000-2999),437(9000-9999)						
QUINCY	QNCYILQYDS0	06642	03791	5070	376	AA DA GC GQ
217/221,222,223,224,228,231(0000-0999),231(2000-5999)						GR II PD PM
217/231(8000-9999),277,592(0000-0999),592(1000-1999)						RC RD SK ST
217/592(3000-3999),592(4000-4999),592(5000-5999)						SV VP ZX
217/592(7000-7999)						
RALEIGH	RLGHILXEDS0	06834	03151	1036	362	BA DA GC GN
618/268(4000-4999),268(6000-6999),268(9000-9999)						GR II
RAMSEY	RMSYILXEDS0	06625	03368	1183	520	AA DA GG GM
618/423(0000-3999),423(7000-9999)						GN GR HB HD
						PC RC RD RF
						RM
RANKIN	RNKNILXCRS0	06278	03319	1000	370	AA DA GE GJ
217/397(2000-2999)						GM GN GR HD
						II

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
RANSOM 815/586	RNSMILXARS0	06203	03500	1009	366	DA GR HB HD OE T3 TJ TZ XF
RANTOUL 217/612,892(1000-1999),892(3000-9999),893	RNTLILXCDS0	06327	03342	1000	370	AA BA DA GC GE GN GR HD II RA TU
RAYMOND 217/229	RYMNILXCRS0	06626	03456	1037	976	AA BA DA DD GC GD GM GR HD RD
RED BUD 618/282	RDBDILXERS0	06872	03412	1026	520	AA BA DA GM GN
REDDICK 815/365(2000-2999),365(4000-4999)	RDDCILXARS0	06179	03434	1015	366	AA BA DA GG GM GN GR HB HD II PC RC RD RF RM SQ
REDMON 217/884(2000-2999),884(4000-4999)	RDMNILXCRS0	06432	03231	1015	938	AA DA GG GM GN HB HD II PC RC RD RF RM
RENAULT 618/458	RNLTILXERS0	06881	03439	1026	520	AA BA DA GN
REYNOLDS 309/372	RYNLILXDDS0	06317	03813	1075	634	BA DA HB HD OE T9 TJ TK TZ
RICE 618/329,336,768,824	RICEILXE0MD	06828	03317	1003	520	AA DA GM HD II
RICHMOND 815/678(0000-0999),678(1000-1999),678(2000-2999) 815/678(3000-3999),678(4000-4999),678(6000-6999) 815/678(7000-7999)	RCMDILXARS0	05923	03582	1015	358	AA DA GD GE GG GM GN HB HD II PC RC RD RF RM TU

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
RIDGE FARM	RGFMILRFRS1	06367	03225	5070	370	AA DA GQ GR
217/247(2000-2999)						II PO PQ SJ
						ST
RIDGWAY	RGWYILXERS0	06817	03105	1015	362	AA BA DA GG
618/272(3000-5999),272(7000-8999)						GM GN HB HD
						II PC RC RD
						RF RM SQ
RIO	RIO ILXDRS0	06341	03751	1183	634	BA DA GM GN
309/872(0000-0999),872(1000-1999),872(2000-2999)						GR II
309/872(3000-3999),872(4000-4999),872(5000-5999)						
309/872(8000-8999),872(9000-9999)						
RIVER GROVE	RVGVILRGDS0	05993	03460	5070	358	AA BA DA GQ
708/452,453,456,583,697(5000-6999)						GR II OR PD
773/589(0000-3999),589(5000-9999),625						PM PR PU RF
847/261(1000-1999),261(3000-3999),288,451,455						SJ ST SV SX
						UR VE WD WE
						WG WH
RIVERDALE	RVDLILRD01W	06030	03399	5070	358	HC PR PU
/						
RIVERDALE	RVDLILRDDS0	06030	03399	5070	358	AA BA DA GC
708/201,841,849						GQ GR HA II
						OR PD PM PR
						PU SJ ST SV
						SX VE
RIVERTON	RVTNILRVRS0	06521	03502	5070	374	AA BA DA GQ
217/629(7000-7999),629(8000-8999),629(9000-9999)						GR II PO PQ
						PR PS RO SV
						SX
ROANOKE	RONKILXDDS0	06313	03544	1015	368	AA DA GG GM
309/923(7000-7999),923(9000-9999)						GN HB HD II
						PC RC RD RF
						RM SQ TU

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ROBERTS	RBRTILXCRS1	06271	03376	1015	370	AA BA DA GG
217/395(2000-2999)						GM GN GR HB
						HD II PC RC
						RD RF RM TU
ROBINSON	RBSNILXEDS0	06544	03148	1015	978	AA DA GC GD
618/469(5000-6999),544(2000-2999),544(3000-3999)						GE GG GN HB
618/544(4000-4999),544(5000-5999),544(7000-7999)						HD II PB PK
618/544(8000-8999),544(9000-9999),546(0000-0999)						RC RD RF RM
618/546(1000-1999),546(2000-2999),546(5000-5999)						SD SE SQ TU
ROCHELLE	RCHEILXADS0	06086	03637	1036	364	AA BA DA GC
815/561(0000-3999),561(8000-8999),561(9000-9999),562						GE GJ GN II
						SH SQ TU
ROCHESTER	ROCHILRCRS0	06540	03491	5070	374	AA BA DA GQ
217/498(0000-0999),498(2000-2999),498(6000-9999)						GR II OR PO
						PQ PR PS SV
						SX
ROCK CUT	RCKTILXARS0	05996	03662	1015	360	AA DA GC GD
815/885(1000-1999),885(2000-2999),885(3000-3999)						GE GG GM GN
815/885(4000-4999),885(9000-9999)						HB HD II PC
						RC RD RF RM
						SQ TU
ROCK ISLAND	MILNILMIDS0	06287	03810	5070	634	BA DA GQ GR
309/756(0000-0999),756(1000-1999),756(2000-2999)						II PO PQ PT
309/756(3000-3999),756(4000-4999),756(5000-5999),787						SK ST SV SX
ROCK ISLAND	RCISILRI51T	06276	03816	5070	634	GB GQ GR HB
/						PT
ROCK ISLAND	RCISILRIDS0	06276	03816	5070	634	GQ GR HB II
/						PD PM PT SJ
						SV SX

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
ROCK ISLAND                 RCISILRIDS1 06276 03816 5070  634 AA BA DA GQ
   309/206(1000-2999),558(2000-2999),558(3000-3999)          GR II PD PM
   309/644(5000-8999),732(0000-5999),732(7000-9999)          PT RC RD SL
   309/779(0000-7999),779(9000-9999),782,786,788,793,794     SP SS ST VQ
   309/794
.......................................................................
ROCK ISLAND                 RCISILRIKA1 06276 03816 5070  634 PT UE
      /
.......................................................................
ROCKFORD                    LVPKILRNDS0 06004 03675 5070  360 AA BA DA GC
   815/282,633,636,637,639,654,877,921                       GQ GR II OH
                                                             OR PD PM PR
                                                             PS RC RD RM
                                                             SJ ST SV SX
.......................................................................
ROCKFORD                    MHPKIL02DS0 05997 03675 8760  360 DA
   815/986
.......................................................................
ROCKFORD                    MHPKILBU0MD 05996 03674 2320  360 DA OE
   779/221(3000-3999),771(5000-5999),771(7000-7999)
   779/772(8000-8999),774(1000-2999)
   815/312(5000-5999),316,847(6000-7999),977(6000-6999)
.......................................................................
ROCKFORD                    RCFRILREDS0 06021 03668 5070  360 AA BA DA GC
   815/226,227(0000-6999),227(8000-9999),229,231(0000-5999)  GQ GR II OH
   815/231(7000-7999),231(9000-9999),381,387,391(1000-2999)  OR PD PM PR
   815/391(5000-9999),394(0000-8999),395,397,398,399         PS RC RD SK
   815/484(0000-2999),484(4000-9999)                         ST SV SX
.......................................................................
ROCKFORD                    RCFRILRT52T 06021 03675 5070  360 GB GQ GR HB
   815/470                                                   PC PR PS VQ
                                                             ZY
.......................................................................
ROCKFORD                    RCFRILRTDS1 06021 03675 5070  360 AA BA DA GC
   815/315(6000-6999),319(4000-4999),319(6000-6999)          GQ GR II OH
   815/489(0000-2999),489(4000-9999),490,516(2000-2999),720  OR PC PL PR
   815/961,962,963,964,965,966,967,968,969,971,972,987       PS RC RD RF
                                                             SL SP ST
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
ROCKFORD                    RCFRILRTK01 06021 03675 5070  360 PR PS ZZ
     /
.......................................................................
ROCKFORD                    RCFRILRTPMD 06021 03675 7196  360 BA DA
   779/208(3000-3999),368(3000-3999),552(3000-3999)
   815/239(5000-5999),270(2000-2999),335(8000-8999)
   815/580(3000-3999),618(3000-3999),865(3000-3999)
   815/977(9000-9999)
.......................................................................
ROCKFORD                    RCFRILRTTDS 06021 03675 5070  360 PR PS UE ZZ
     /
.......................................................................
ROCKFORD                    RCFRILRTXRX 06021 03675 7807  360 GR
   608/596(7000-7999),677(7000-7999)
   779/368(7000-7999),513(7000-7999),552(1000-1999)
   815/239(3000-3999),240(7000-7999),247(7000-7999)
   815/248(7000-7999),270(7000-7999),335(0000-0999)
   815/362(8000-8999),367(7000-7999),369(7000-7999)
   815/406(7000-7999),443(7000-7999),449(7000-7999)
   815/563(7000-7999),569(7000-7999),580(5000-5999)
   815/591(7000-7999),594(7000-7999),597(7000-7999)
   815/598(7000-7999),618(7000-7999),629(7000-7999)
   815/645(4000-4999),745(7000-7999),789(7000-7999)
   815/800(7000-7999),845(7000-7999),865(7000-7999)
   815/868(7000-7999),938(7000-7999),947(7000-7999)
   815/957(7000-7999)
.......................................................................
ROCKPORT                    RCPTILXCRS0 06691 03693 1015  376 AA DA GC GD
   217/437(2000-2999)                                         GE GG GM GN
                                                              HB HD II PC
                                                              RC RD RF RM
                                                              SQ TU
.......................................................................
ROCKTON                     RCTNILXARS0 05984 03690 1015  360 AA DA GC GD
   815/624(0000-2999),624(4000-4999),624(5000-5999)           GE GG GM GN
   815/624(6000-6999),624(7000-7999),624(8000-8999)           HB HD II PB
                                                              PK RC RD RF
                                                              RM SQ TU
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
ROODHOUSE                   RDHSILXCRS0 06654 03592 1015  376 AA DA GG GM
   217/589(1000-1999),589(4000-4999),589(5000-5999)          GN HB HD II
                                                             PC RC RD RF
                                                             RM SQ TU
.......................................................................
ROSCOE                      ROSCILXADS0 05986 03678 1015  360 AA DA GC GD
   815/623(1000-1999),623(2000-2999),623(3000-3999)          GE GG GN HB
   815/623(5000-5999),623(6000-6999),623(7000-7999)          HD II PB PK
   815/623(8000-8999),623(9000-9999)                         RC RD RF RM
                                                             SQ TU
.......................................................................
ROSE HILL                   RSHLILXERS0 06558 03219 1015  978 AA BA DA GG
   618/793(2000-2999)                                        GM GN HB HD
                                                             II PC RC RD
                                                             RF RM TU
.......................................................................
ROSELLE                     RSLLILRZDS0 06000 03500 5070  358 AA BA DA GC
   630/259(7000-7999),295,307,314,351,529,539,582,603,612    GQ GR II OR
   630/671(0000-0999),671(1000-1999),671(2000-2999)          PD PM PR PU
   630/671(3000-3999),671(4000-4999),671(5000-5999)          RA RF SJ ST
   630/671(6000-6999),671(8000-8999),671(9000-9999),893,894  SX UR VE WD
   630/905,924,980                                           WE WG WH
   847/301(0000-3999),301(5000-9999),352,524,534(0000-0999)
   847/534(1000-1999),534(2000-2999),534(3000-3999)
   847/534(4000-4999),534(6000-6999),534(9000-9999)
   847/584(0000-0999),584(4000-7999),584(9000-9999),891,895
   847/923,985
.......................................................................
ROSEVILLE                   RSVLILXDRS1 06433 03754 1183  977 AA DA GG GM
   309/426                                                   GN GR HB HD
                                                             II PC RC RD
                                                             RF RM SQ
.......................................................................
ROSICLARE                   RSCLILXEDS0 06895 03082 1025  362 AA DA GN HD
   618/264,275,276,285,287,289,672,695,949                   OE TJ TK TZ
.......................................................................
ROSSVILLE                   ROVLILXCRS0 06276 03277 1036  370 BA DA GC GN
   217/748(4000-4999),748(6000-6999),748(9000-9999)          GR II
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ROUND LAKE	RNLKILRLDS0	05930	03540	5070	358	AA BA DA GC
847/201(1000-1999),201(7000-8999),270(0000-0999)						GQ GR II OR
847/270(2000-6999),270(9000-9999),546,740						PO PQ PR PU
						SK ST VF
ROYAL	ROYLILXCRS0	06335	03303	1000	370	AA BA DA GE
217/583(3000-3999)						GJ GM GN HD
						II
ROYALTON	RYTNILXERS0	06869	03245	1015	362	AA BA DA GG
618/984(2000-2999),984(7000-7999)						GM GN HB HD
						II PC RC RD
						RF RM SQ
RUSHVILLE	RUVLILXCDS0	06544	03682	1079	376	AA BA DA GC
217/322(0000-6999),322(9000-9999)						GD GL GR
RUTLAND	RTLDILXARS0	06265	03539	1015	366	AA DA GG GM
815/863(1000-1999),863(5000-5999)						GN HB HD II
						PC RC RD RF
						RM SQ TU
SADORUS	SDRSILXCRS0	06408	03335	1000	370	AA BA DA GM
217/598(2000-2999)						GN GR HD II
						TU
SAILOR SPRINGS	SLSPILXERL0	06640	03216	1036	978	BA DA GM GN
618/689(3000-3999)						GR II TU
SAINT ANNE	STANILSARS1	06156	03350	5070	358	AA BA DA GQ
815/422(0000-0999),427(6000-6999),427(8000-8999)						GR II PO PQ
						SJ ST SX VE
SAINT ELMO	STEMILXERS0	06628	03318	1183	520	AA BA DA GM
618/829						GN GR II

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SAINT FRANCISVILLE	SFVLILXERS0	06617	03092	1015	978	AA BA DA GG
618/948(2000-2999)						GM GN HB HD
						II PC RC RD
						RF RM TU
SAINT JOSEPH	STJSILSHRS0	06357	03305	5070	370	AA DA GC GQ
217/469(0000-0999),469(2000-2999),469(7000-7999)						GR II PO PQ
217/469(8000-8999),469(9000-9999)						PR PS SJ SV
						SX
SAINT PETER	STPRILXERS0	06658	03302	1183	520	AA BA DA GC
618/349(0000-2999),349(6000-9999)						GM GN GR II
SALEM	SALMILSERS0	06711	03292	5070	520	AA DA GC GQ
618/548						GR II PO PQ
						RC RD SJ ST
						SV SX
SAN JOSE	SNJSILSSRS0	06438	03556	5070	368	AA BA DA GQ
309/247(3000-3999)						GR II PO PQ
						SJ SV SX
SANDOVAL	SNDVILXEDS0	06727	03317	1183	520	AA BA DA GC
618/247(0000-0999),247(3000-3999),247(8000-8999)						GN GR II
618/247(9000-9999)						
SANDWICH	SNDWILXADS0	06106	03544	1015	358	AA DA GC GD
815/786(1000-3999),786(6000-9999)						GE GG GN HB
						HD II PB PK
						RC RD RF RM
						SQ TU
SAUNEMIN	SNMNILXARS0	06234	03437	1038	366	AA BA DA DD
815/832						G2 GC GD GN
						GR IC IE SQ

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SAVANNA	SVNNILXARS0	06132	03810	1057	364	AA BA DA DD
815/273						GC GD PC PN
						QB QF RA RC
						SA SI UB UG
						UM
SAYBROOK	SYBKILXDRS0	06333	03409	1015	366	AA DA GC GD
309/475(2000-2999),475(6000-6999),475(9000-9999)						GE GG GM GN
						HB HD II PC
						RC RD RF RM
						SQ TU
SCALES MOUND	SCMNILXARS0	06064	03861	1036	360	BA DA GE GJ
815/845(2000-2999),845(9000-9999)						GM GN II
SCHAUMBURG	SCBGILCODS0	05986	03500	5070	358	AA BA DA GE
224/698(3000-6999),698(8000-8999)						GQ GR HA II
847/240,273(8000-8999),330,407(2000-2999),407(4000-7999)						OH OR PB PK
847/413,517,585(4000-7999),592(1000-1999),592(3000-3999)						PR PU SJ ST
847/598(6000-6999),605,619,706,762(0000-0999)						SX UR VE WD
847/762(1000-1999),762(3000-3999),762(4000-4999)						WE WG WH
847/762(5000-5999),762(6000-6999),762(7000-7999)						
847/762(8000-8999),762(9000-9999),874(1000-2999)						
847/944(2000-2999),944(3000-3999),944(4000-4999)						
847/944(5000-5999),944(6000-6999),944(7000-7999)						
847/969(0000-4999),969(6000-9999),995						
SCHILLER PARK	SCPKILSPDS0	05991	03466	5070	358	AA BA DA GC
773/992(2000-2999),992(5000-5999)						GE GQ GR HA
847/233(0000-0999),233(2000-2999),233(3000-3999)						II OR PD PM
847/233(4000-4999),233(5000-5999),233(6000-6999)						PR PU SJ ST
847/233(7000-7999),233(9000-9999),349(7000-7999),671,678						SV SX UR VE
847/928,994(5000-6999)						WD WE WG WH
SCOTTVILLE	SCVLILXCRS0	06635	03551	1055	374	AA BA DA DD
217/484(0000-0999),484(1000-1999),484(6000-6999)						G2 GC GD GN
217/484(9000-9999)						GR IC IE SQ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SEATON	SETNILXDRS0	06371	03810	1183	634	BA DA GC GM
309/586(0000-0999),586(1000-1999),586(4000-4999)						GN GR II
309/586(5000-5999),586(6000-6999),586(7000-7999)						
309/586(8000-8999),586(9000-9999)						
SECOR	SECRILXDRS0	06318	03529	1000	368	AA BA DA GM
309/744(1000-1999),744(2000-2999)						GN II TU
SEFTON	SFTNILXERS0	06626	03338	1055	520	AA BA DA DD
618/347(0000-2999),347(6000-9999)						G2 GC GD GN
						GR IC IE SQ
SENECA	SENCILSNRS0	06169	03510	5070	358	AA BA DA GQ
815/357(1000-1999),357(5000-5999),357(6000-6999)						GR II PO PQ
815/357(8000-8999),415(2000-2999),415(3000-3999)						SJ ST SX VE
815/415(4000-4999)						
SESSER	SSSRILXERS0	06823	03256	1015	362	AA BA DA GG
618/625(2000-2999),625(3000-3999),625(5000-5999)						GM GN HB HD
618/625(6000-6999)						II PC RC RD
						RF RM SF SN
SEWARD	SWRDILXARS0	06047	03709	1036	360	BA DA GE GJ
815/247(8000-8999),247(9000-9999)						GM GN II TU
SEYMOUR	SYMRILXCRS1	06387	03361	1000	370	AA BA DA GM
217/687(2000-2999),687(4000-4999)						GN GR HD II
						TU
SHABBONA	SHBNILXARS0	06098	03597	1036	364	AA BA DA GE
815/824(2000-2999),824(8000-8999),824(9000-9999)						GJ GM GN II
						TU
SHANNON	SHNNILXARS0	06090	03756	1183	364	BA DA GC GM
815/864(2000-2999),864(3000-3999),864(9000-9999)						GN GR II
SHATTUC	SHTCILXERS0	06734	03328	1183	520	AA BA DA GC
618/226(0000-0999),226(3000-3999),226(9000-9999)						GM GN GR II

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SHAWNEETOWN	SHTWILXERS0	06828	03086	1015	362	AA BA DA GG
618/269(3000-3999),269(4000-4999)						GM GN HB HD
						II PC RC RD
						RF RM SQ
SHEFFIELD	SHFDILXARS0	06245	03678	1015	368	AA DA GD GG
815/454(2000-2999)						GM GN GR HB
						HD II PC RC
						RD RF RM
SHELBYVILLE	SHVLILXCRS0	06550	03348	1037	976	AA DA DD GC
217/774						GR HD RD SC
						SD SE SF
SHELDON	SHLNILXARS0	06194	03301	1015	358	AA BA DA GD
815/429(3000-3999),429(4000-4999)						GG GM GN HB
						HD II PC RC
						RD RF RM
SHERIDAN	SHRDILXARS0	06133	03541	1015	358	AA BA DA GG
815/496(1000-3999),496(9000-9999)						GM GN HB HD
						II PC RC RD
						RF RM TU
SHERMAN	SHMNILXCRS0	06517	03515	1015	374	AA BA DA GG
217/496(2000-2999),496(3000-3999),496(9000-9999)						GM GN GR HB
						HD II PC RC
						RD RF RM TU
SHERRARD	SHRRILXDDS0	06308	03788	1183	634	AA BA DA GM
309/593						GN GR II
SHIPMAN	SPMNILXEDS0	06700	03507	1055	520	BA DA DD G2
618/836(0000-0999),836(1000-1999),836(5000-5999)						GC GD GN GR
618/836(7000-7999),836(9000-9999)						IC IE SQ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SHIRLAND	SHLDILXARS0	05995	03707	1015	360	AA DA GG GM
815/629(1000-1999),629(2000-2999),629(9000-9999)						GN HB HD II
						PC RC RD RF
						RM SQ TU
SHOBONIER	SBNRILXEDS0	06731	03456	1065	520	DA GL GM GN
618/846						GR HD TJ
SHUMWAY	SHWYILXCDS0	06588	03299	1183	976	BA DA GN GR
217/868						II
SIBLEY	SBLYILXCRS1	06291	03403	1015	370	AA DA GD GG
217/745(1000-1999),745(2000-2999)						GM GN GR HB
						HD II PC RC
						RD RF RM TU
SIDELL	SDLLILXCRS0	06378	03251	1015	370	AA DA GE GG
217/288(1000-1999),288(9000-9999)						GM GN HB HD
						II PC RC RD
						RF RM
SIDNEY	SDNYILXCRS0	06376	03301	1015	370	AA DA GE GG
217/688(2000-2999),688(3000-3999)						GM GN HB HD
						II PC RC RD
						RF RM SQ
SIGEL	SIGLILXCRS0	06562	03283	1037	976	AA BA DA DD
217/844						GC GD GM GR
						HD
SKOKIE	MRGVILMGDS0	05968	03464	5070	358	AA BA DA GQ
847/470,581(0000-4999),581(8000-9999),583,663(0000-3999)						GR II OR PD
847/663(5000-9999),929(2000-2999),965,966,967						PM PR PU SJ
						ST SV SX UR
						VE WD WE WG
						WH

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SKOKIE	SKOKILSKDS0	05967	03458	5070	358	AA BA DA GC
224/251(1000-5999),592(2000-3999)						GQ GR II OR
847/213(7000-8999),324(8000-8999),329,568,673,674,675						PD PM PR PU
847/676,677,679,745(3000-4999),763,933,982(0000-6999)						RB RC RD RF
847/982(9000-9999)						SJ ST SV SX
						UR VE WD WE
						WG WH
SMITHFIELD	SMFDILXDDS0	06455	03675	1054	368	AA DA GC GD
309/293,358,758,759,778,783,926						GL GN GQ HB
						HD II IS OE
						T9 TJ TK TZ
SOMONAUK	SMNKILXARS0	06113	03552	1015	358	AA DA GC GD
815/498(1000-1999),498(2000-2999),498(3000-3999)						GE GG GM GN
815/498(4000-4999),498(9000-9999)						HB HD II PB
						PK RC RD RF
						RM SQ TU
SORENTO	SRNTILXCRS0	06688	03424	1183	976	AA DA GG GM
217/272(0000-0999),272(1000-1999),272(4000-4999)						GN GR HB HD
217/272(9000-9999)						PC RC RD RF
						RM
SOUTH PEKIN	SPKNILXSRS0	06405	03581	1057	368	AA BA DA DD
309/348						GC GD PC PN
						QB QF RA RC
						SA SI UB UG
						UM
SPARLAND	SPLDILXDRS0	06286	03603	1015	368	AA DA GE GG
309/469(1000-1999),469(2000-2999)						GM GN GR HB
						HD II PC RC
						RD RF RM SQ
						TU
SPARTA	SPRTILXE50T	06867	03359	1015	362	GB HB

/

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SPARTA	SPRTILXEDS0	06867	03359	1015	362	AA DA GC GD
618/443(1000-6999),443(9000-9999)						GE GG GN GR
						HB HD II PC
						RC RD RF RM
						SD SE SQ
SPINGFLD	SPFDILES0MD	06540	03513	7196	374	BA DA
217/330(5000-5999),331(6000-6999),331(7000-7999)						
217/462(7000-7999),496(7000-7999),697(3000-3999)						
217/801(9000-9999)						
SPRING GROVE	SPGVILXARS0	05924	03569	1015	358	AA DA GC GD
815/675(0000-0999),675(1000-1999),675(2000-2999)						GE GG GM GN
815/675(3000-3999),675(4000-4999),675(6000-6999)						HB HD II PB
815/675(7000-7999),675(9000-9999)						PK RC RD RF
						RM TU
SPRING VALLEY	SPVYILXARS0	06211	03597	1015	368	AA DA GC GD
815/663(0000-6999),664(1000-2999),664(4000-4999)						GE GG GM GN
815/664(5000-5999),664(7000-7999),664(9000-9999)						HB HD II PB
						PK RC RD RF
						RM SQ TU
SPRINGBAY	SPBYILSBRS0	06331	03594	5070	368	AA BA DA GQ
309/822(0000-0999),822(8000-8999)						GR II PO PQ
						PT PU SJ SV
						SX
SPRINGFIELD	SPFDILES52T	06540	03513	5070	374	GB GQ GR HB
217/470						PD PR PS VQ
						ZY
SPRINGFIELD	SPFDILESDS1	06540	03513	5070	374	AA BA DA GE
217/263,381(1000-1999),524,545,557,558,782,785						GQ GR HA II
						OH PB PK PR
						PS SL SS ST
						TB US VP ZX

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
SPRINGFIELD                 SPFDILESDS2 06540 03513 5070  374 AA BA DA GC
   217/467,492(1000-7999),492(9000-9999),522,523,525,527     GE GQ GR II
   217/528,535(0000-8999),541(0000-4999),541(6000-9999)      PB PK PR PS
   217/544(0000-1999),544(7000-9999),588(2000-7999),744      RC RD RF RM
   217/747(0000-1999),747(4000-9999),753,757(0000-3999)      SL SP ST TB
   217/757(5000-9999),761(1000-3999),788,789,814(4000-5999)  US
   217/814(7000-8999),993(0000-0999)
.......................................................................
SPRINGFIELD                 SPFDILESK47 06540 03513 5070  374 PR PS UE ZZ
      /
.......................................................................
SPRINGFIELD                 SPFDILGIDS0 06540 03513 7393  374 BA DA DD GB
   217/233,239,241,298(5000-5999),298(6000-6999)             GC GD GE GJ
   217/298(7000-7999),298(8000-8999),298(9000-9999),300      GL GN GP GR
   217/305(8000-8999),305(9000-9999),321,329(0000-1999)      HB HJ IA IB
   217/329(3000-3999),329(6000-7999),391,480(8000-9999),531  IC ID IE IF
   217/542(0000-3999),560(0000-1999),560(3000-6999)          IG IH II QA
   217/560(8000-8999),641(0000-7999),641(9000-9999)          QB QE RS SI
   217/689(3000-3999),689(5000-7999),689(9000-9999)          SJ SP SQ SU
   217/693(3000-3999),693(4000-4999),693(5000-5999)          UF UG UK UR
   217/718(7000-7999),751(1000-1999),819(3000-3999)          VC
   217/819(4000-4999),819(5000-5999),866(2000-9999)
   217/903(0000-1999),903(6000-9999),954(2000-2999)
   217/954(3000-3999),954(4000-4999),954(5000-7999)
   217/974(1000-4999),974(6000-6999),974(8000-9999)
   309/222(2000-2999),282,323(6000-6999),550(5000-5999)
   309/550(7000-7999),621(4000-4999)
   517/718(8000-8999)
.......................................................................
SPRINGFIELD                 SPFDILSLDS0 06549 03504 5070  374 AA BA DA GC
   217/529,585                                               GQ GR II PO
                                                             PQ PR PS RC
                                                             RD RF ST SV
                                                             SX
.......................................................................
SPRINGFIELD                 SPFDILSLRS0 06549 03504 5070  374 AA BA DA GQ
   217/206(1000-4999),206(6000-9999),786(0000-7999)          GR II OR PO
   217/786(9000-9999)                                        PR PS
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
SPRINGFIELD /	SPFDILSW01W	06543	03520	5070	374	HC PR PS VP ZX
SPRINGFIELD 217/546,547,698,726,787,793,843(9000-9999) 217/862(0000-2999),862(5000-7999),862(9000-9999)	SPFDILSWDS0	06543	03520	5070	374	AA BA DA GC GQ GR II OR PD PM PR PS RC RD RF SK ST
ST. JACOB 618/644	SJCBILXEDS0	06757	03426	1032	520	AA BA DA HD IS OE TJ TK TZ
STANFORD 309/379(2000-2999),379(3000-3999),379(4000-4999)	STFRILXDRS0	06384	03511	1015	366	AA DA GC GD GE GG GM GN HB HD II PC RC RD RF RM SQ TU
STAUNTON 618/635	STTNILXEDS0	06702	03458	1049	520	AA BA DA GC GD OE PC PN QB QF RA RC SA SI TI TJ TZ UB UG UM UR
STELLE 815/256	STLEILXADS0	06204	03406	1092	358	CA GM
STERLING 815/535(0000-0999),535(2000-2999),535(4000-5999) 815/535(9000-9999),548,564(0000-1999),564(4000-6999) 815/564(9000-9999),622(0000-7999),622(9000-9999),625,626 815/631(0000-0999),631(7000-7999),631(9000-9999) 815/632(0000-2999),632(4000-6999)	STNGILSIDS0	06158	03715	5070	364	AA DA GC GQ GR II PD PM RC RD RM SK ST SV SX VP
STEWARD 815/396(0000-0999),396(2000-2999)	STWRILXARS0	06097	03621	1036	364	BA DA GE GJ GM GN II TU

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
STEWARDSON	STSNILXCRS0	06565	03308	1037	976	AA BA DA DD
217/682						GC GD GM GR
						HD
STILLMAN VALLEY	STVYILXARS0	06058	03671	1015	360	AA DA GC GD
815/645(1000-1999),645(2000-2999),645(8000-8999)						GE GG GM GN
						HB HD II PC
						RC RD RF RM
						SQ TU
STOCKLAND	STLDILXARS1	06225	03290	1000	358	AA BA DA GM
815/682(4000-4999)						GN GR HD
STOCKTON	SKTNILXARS0	06072	03814	1036	360	BA DA GC GE
815/947(2000-2999),947(3000-3999),947(6000-6999)						GJ GM GN II
815/947(9000-9999)						
STONEFORT	STFTILXERS0	06888	03156	1015	362	AA DA GC GD
618/777(0000-0999),777(2000-2999)						GE GG GM GN
						HB HD II PC
						RC RD RF RM
						SQ
STONINGTON	SGTNILXCRS0	06535	03429	1037	976	AA BA DA DD
217/325						GC GD GM GR
						HD RD
STRASBURG	STBGILXCRS0	06547	03314	1037	976	AA BA DA DD
217/644						GC GD GM GR
						HD
STRAWN	STRWILXARS0	06280	03413	1015	366	AA DA GG GM
815/688(3000-3999)						GN GR HB HD
						II PC RC RD
						RF RM TU

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
STREATOR	STRTILXADS0	06223	03522	1015	366	AA DA GC GD
815/672(1000-9999),673(1000-6999)						GE GG GN HB
						HD II PB PK
						RC RD RF RM
						SC SD SE SQ
						TU
STRONGHURST	STRNILXDRS0	06448	03793	1183	977	AA DA GE GG
309/924						GJ GM GN GR
						HB HD II PC
						RC RD RF RM
						SQ
SUBLETTE	SBLTILXARS0	06152	03632	1036	364	BA DA GE GJ
815/849(5000-5999),849(9000-9999)						GM GN II TU
SUGAR GROVE	SGGVILSVDS0	06070	03530	5070	358	AA BA DA GC
630/466						GQ GR II OR
						PO PQ PR PU
						SK ST VF
SULLIVAN	SLLVILXCRS2	06499	03338	1015	374	AA DA GD GE
217/728(2000-2999),728(3000-3999),728(4000-4999)						GG GM GN HB
217/728(7000-9999)						HD II PC RC
						RD RF RM
SUMMERFIELD	SRFDILXERS0	06779	03412	1036	520	BA DA GE GJ
618/934(3000-3999),934(5000-5999),934(9000-9999)						GM GN GR II
SUMMIT	SMMTILSMDS0	06019	03440	5070	358	AA BA DA GC
708/458,467(0000-0999),467(2000-2999),467(3000-3999)						GQ GR II OR
708/467(4000-4999),467(5000-5999),496,563,594						PD PM PR PU
708/728(0000-4999),728(6000-9999),839,924						RM SJ ST SV
773/229,586,788(0000-1999),788(3000-4999),788(7000-7999)						SX UR VE WD
773/788(9000-9999)						WE WG WH

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SUMNER	SMNRILXERS0	06610	03137	1015	978	AA BA DA GG
618/936(2000-2999),936(9000-9999)						GM GN HB HD
						II PC RC RD
						RF RM SQ TU
SUNNYLAND	SNLDILXDDS0	06353	03575	1015	368	AA DA GC GD
309/745(1000-1999),745(3000-3999),745(5000-5999)						GE GG GN HB
309/745(8000-8999),745(9000-9999),819(0000-0999)						HD II PC RC
309/819(9000-9999)						RD RF RM SQ
						TU
SUTTER	STTRILXCRS0	06570	03813	1183	977	BA DA GC GM
217/658(0000-0999),658(1000-1999),658(3000-3999)						GN GR II
217/658(4000-4999),658(8000-8999),658(9000-9999)						
SYCAMORE	SYCMILXADS0	06045	03588	1036	364	AA BA DA GE
815/895,899						GJ GN HA II
						SH SQ TJ TU
TALBOTT	TLBTILXDRS0	06412	03603	1057	368	AA BA DA DD
309/545(0000-0999),545(1000-1999),545(2000-2999)						GC GD PC PN
309/545(3000-3999),545(5000-5999),545(6000-6999)						QB QF RA RC
309/545(7000-7999),545(8000-8999),545(9000-9999)						SA SI UB UG
						UM
TALLULA	TALLILTLRS0	06532	03571	5070	374	AA BA DA GC
217/634(4000-4999)						GQ GR II OR
						PO PQ PR PS
						ST SV SX
TAMAROA	TAMRILXERS0	06828	03287	1183	520	AA BA DA GM
618/496(0000-0999),496(1000-1999),496(3000-3999)						GN GR II
618/496(5000-5999),496(8000-8999),496(9000-9999)						
TAMMS	TMMSILTMRS0	07005	03205	5070	362	AA DA GQ GR
618/747(2000-2999),747(9000-9999)						II PO PQ SJ
						ST SV SX

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
TAMPICO	TMPCILXADS0	06195	03712	1183	364	BA DA GC GN
815/438(0000-0999),438(1000-1999),438(2000-2999)						GR II
815/438(3000-3999),438(4000-4999),438(5000-5999)						
815/438(6000-6999),438(7000-7999),438(9000-9999)						
TAYLORVILL	TYVLILXCYMD	06560	03436	7196	976	BA DA
217/713(9000-9999)						
TAYLORVILLE	TYVLILXC50T	06560	03436	1037	976	D1 DA GB HB
/						
TAYLORVILLE	TYVLILXCDS0	06560	03436	1037	976	AA DA GA GC
217/287,824						GR HD RC RD
						SC SD SE SF
TEUTOPOLIS	TTPLILXDDS0	06579	03272	1183	976	AA DA GD GG
217/857						GN GR HB HD
						II PC RC RD
						RF RM SQ
THAWVILLE	TWVLILXCRS1	06254	03373	1015	370	AA BA DA GG
217/387(2000-2999)						GM GN GR HB
						HD II PC RC
						RD RF RM TU
THEBES	THBSILTHRS0	07023	03233	5070	362	AA DA GQ GR
618/764(2000-2999)						II PO PQ SJ
						ST SV SX
THOMAS	THMSILXARS0	06218	03707	1183	364	AA BA DA GM
815/542(0000-0999),542(1000-1999),542(6000-6999)						GN GR II
815/542(7000-7999),542(8000-8999),542(9000-9999)						
THOMASBORO	THBOILXCRS0	06342	03339	1000	370	AA BA DA GN
217/643(2000-2999),643(7000-7999)						GR HD II TU

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
THOMPSONVILLE	TPVLILXERS0	06834	03194	1015	362	AA BA DA GG
618/627(2000-2999),627(4000-4999)						GM GN HB HD
						II PC RC RD
						RF RM SQ
THOMSON	THSNILXARS0	06154	03790	1057	364	AA BA DA DD
815/259						GC GD PC PN
						QB QF RA RC
						SA SI UB UG
						UM
TILDEN	TLDNILXERS0	06848	03364	1015	362	AA DA GC GD
618/587(1000-1999),587(2000-2999)						GE GG GM GN
						GR HB HD II
						PC RC RD RF
						RM SQ
TINLEY PARK	TNPKILTPDS0	06056	03415	5070	358	AA BA DA GC
708/342,429,444(0000-0999),444(1000-1999),444(2000-2999)						GE GQ GR HA
708/444(3000-3999),444(4000-4999),444(5000-5999)						II OH OR PD
708/444(6000-6999),444(7000-7999),444(8000-8999),532,535						PM PR PU RF
708/560(0000-0999),560(2000-2999),560(7000-9999),614,633						SJ ST SV SX
708/687,802(5000-9999),845(3000-4999)						VE
TISKILWA	TSKLILXARS0	06240	03639	1015	368	AA BA DA GG
815/646(1000-1999),646(4000-4999)						GM GN HB HD
						II PC RC RD
						RF RM
TOLEDO	TOLDILXCRS0	06533	03251	1000	976	AA BA DA GN
217/849(2000-2999),849(3000-3999),849(5000-5999)						GR HD II TU
TOLONO	TLONILXCDS0	06397	03324	1000	370	AA BA DA GC
217/485(3000-3999),485(5000-5999)						GN GR HD II
TOLUCA	TOLCILXARS0	06268	03555	1015	366	AA DA GD GG
815/452(1000-2999)						GM GN HB HD
						II PC RC RD
						RF RM TU

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
TONICA	TONCILXADS0	06222	03566	1086	358	BA DA GN GR
815/442						HA IC SH SP
						TJ XE
TOPEKA	TPKAILXDRS0	06453	03607	1057	368	AA BA DA DD
309/535(0000-0999),535(1000-1999),535(2000-2999)						GC GD PC PN
309/535(3000-3999),535(4000-4999),535(5000-5999)						QB QF RA RC
309/535(7000-7999),535(8000-8999),535(9000-9999)						SA SI UB UG
						UM
TOULON	TOLNILXDRS0	06305	03672	1015	368	AA DA GD GG
309/286(2000-2999),286(6000-6999),286(7000-7999)						GM GN GR HB
						HD II PC RC
						RD RF RM SQ
TOWANDA	TWNDILXDDS0	06335	03477	1038	366	AA BA DA DD
309/728						G2 GC GD GN
						GR IC IE SQ
TOWER HILL	TWHLILXCRS0	06566	03370	1037	976	AA BA DA DD
217/567						GC GD GM GR
						HD
TREMONT	TRMTILXDRS0	06387	03560	1015	368	AA BA DA GE
309/925(2000-2999),925(3000-3999),925(4000-4999)						GG GJ GM GN
309/925(5000-5999),925(7000-7999),925(9000-9999)						HB HD II PC
						RC RD RF RM
						TU
TRENTON	TRENILTRRS0	06772	03402	5070	520	AA BA DA GQ
618/224(2000-2999),224(7000-7999),224(9000-9999)						GR II PO PQ
						PT SJ ST SV
						SX
TRIVOLI	TRIVILTIRS0	06385	03636	5070	368	AA BA DA GQ
309/362(2000-2999)						GR II PD PM
						PT PU SJ ST
						SV SX

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
TROY	TROYILTYRS0	06764	03445	5070	520	AA BA DA GQ
618/667						GR II PO PQ
						PT SK ST SV
						ZX
TUSCOLA	TSCLILXCDS0	06435	03310	1015	370	DA GD GE GG
217/253(1000-1999),253(2000-2999),253(3000-3999)						GN HB HD II
217/253(4000-4999),253(5000-5999),253(6000-6999)						PC RC RD RF
217/253(9000-9999)						RM SD SE SQ
ULLIN	ULLNILXERS0	06991	03196	1015	362	DA GC GD GE
618/845(3000-3999),845(9000-9999)						GG GM GN GR
						HB HD II PC
						RC RD RF RM
						SQ
UNION	UNINILUNRS0	05987	03591	5070	358	AA BA DA GQ
815/923(2000-2999),923(4000-4999),923(7000-7999)						GR II PO PQ
						PR PU SJ ST
						SX VE
UTICA	UTICILUTRS0	06194	03570	5070	358	AA BA DA GQ
815/667(4000-4999),667(5000-5999),667(7000-7999)						GR II PO PQ
815/667(9000-9999)						SJ ST SX VE
VALMEYER	VLMYILXERS0	06875	03465	1026	520	AA BA DA GM
618/935						GN
VANDALIA	VANDILVARS0	06659	03347	5070	520	AA DA GC GQ
618/283(0000-5999),283(7000-9999)						GR II PO PQ
						RC RD SJ SR
						ST SY
VARNA	VARNILXDRS0	06269	03572	1015	368	AA BA DA GG
309/463(1000-1999),463(2000-2999)						GM GN HB HD
						II PC RC RD
						RF RM SQ TU

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
VERMILION	VRMLILXCRS0	06423	03184	1015	938	AA DA GG GM
217/275(3000-3999)						GN HB HD II
						PC RC RD RF
						RM
VERMONT	VRMTILXDRS0	06501	03678	1015	977	AA DA GC GD
309/784(2000-2999),784(8000-8999)						GE GG GJ GM
						GN HB HD II
						PC RC RD RF
						RM TU
VERONA	VRNAILVERS0	06180	03484	5070	358	AA BA DA GQ
815/287(2000-2999)						GR II PO PQ
						SJ ST SX VE
VERSAILLES	VRSLILXCRS0	06596	03673	1015	376	AA DA GE GG
217/225(3000-3999)						GM GN HB HD
						II PC RC RD
						RF RM TU
VICTORIA	VCTAILXDRS0	06333	03700	1054	977	AA DA GC GD
309/484,639,875,876,879,927,995						GL GN GQ HB
						HD II IS OE
						T7 T9 TJ TK
						TU TZ XF
VIENNA	VINNILXERS0	06941	03165	1015	362	AA DA GC GD
618/658(1000-9999)						GE GG GM GN
						HB HD II PB
						PK RC RD RF
						RM SQ
VILLA GROVE	VLGVILXCRS0	06413	03298	1015	370	AA DA GD GE
217/832(2000-2999),832(3000-3999),832(4000-4999)						GG GM GN HB
217/832(5000-5999),832(6000-6999),832(7000-7999)						HD II PC RC
217/832(8000-8999),832(9000-9999)						RD RF RM SQ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
VILLA RIDGE	VLRGILXERS0	07014	03187	1015	362	AA BA DA GE
618/342(6000-6999)						GG GM GN GR
						HB HD II PC
						RC RD RF RM
VIOLA	VIOLILXDDS0	06336	03788	1087	634	BA DA GC GD
309/596						HB HD OE T9
						TJ TK TZ
VIRDEN	VRDNILXCDS0	06605	03502	1015	374	AA DA GC GD
217/965(1000-1999),965(3000-3999),965(4000-4999)						GE GG GN GR
217/965(5000-5999),965(9000-9999)						HB HD II PC
						RC RD RF RM
						SQ TU
VIRGINIA	VRGNILXCDS1	06552	03612	0984	374	AA BA DA GC
217/452,458,476						GD GN HB IB
						OE TZ
WALNUT	WLNTILXADS0	06196	03677	1015	368	AA BA DA GG
815/379(2000-2999),379(9000-9999)						GN HB HD II
						PC RC RD RF
						RM SQ
WALTONVILLE	WTVLILXERS0	06799	03266	1183	520	AA BA DA GM
618/279						GN GR II
WARREN	WRRNILXARS0	06042	03826	1036	360	BA DA GE GJ
815/745(2000-2999),745(3000-3999)						GM GN GR II
WARRENSBURG	WRBGILXCRS0	06469	03437	1015	374	AA CA GD GG
217/672(3000-3999),672(8000-8999)						GM HB HD II
						PC RC RD RF
						RM TU
WARRENVILLE	WNVLILWVDS0	06040	03498	5070	358	AA BA DA GC
630/393,657(2000-4999),821(7000-7999),836						GQ GR II OR
						PD PM PR PU
						ST SX VE

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
WARSAW	WRSWILXCRS0	06561	03834	1183	977	BA DA GC GM
217/256						GN GR II
WASHBURN	WSBNILXDRS0	06297	03570	1015	368	AA DA GG GM
309/248(7000-7999),248(9000-9999),443(5000-5999)						GN HB HD II
309/443(9000-9999)						PC RC RD RF
						RM SQ TU
WASHINGTON	WASHILXDRS3	06347	03567	1015	368	AA BA DA GC
309/444(1000-1999),444(2000-2999),444(3000-3999)						GD GE GG GJ
309/444(4000-4999),444(5000-5999),444(7000-7999)						GM GN HB HD
309/444(8000-8999),444(9000-9999),886(2000-2999)						II PB PK RC
309/886(4000-4999)						RD RF RM SQ
						TU
WATAGA	WATGILXDRS0	06348	03726	1057	977	AA BA DA GD
309/375						PC PN QB QF
						RA RC SA SI
						UB UG UM
WATERLOO	WTRLILXEDS0	06860	03448	1026	520	AA BA DA GC
618/938,939						GN HB HD
WATERMAN	WTMNILXARS0	06094	03579	1036	364	BA DA GE GJ
815/264(0000-0999),264(3000-3999),264(7000-7999)						GM GN II TU
815/264(8000-8999),264(9000-9999)						
WATSEKA	WTSKILWTDS0	06205	03327	5070	358	AA BA DA GC
815/432(0000-0999),432(2000-9999)						GQ GR II PO
						PQ RC RD SK
						ST VF
WATSON	WTSNILXCDS0	06607	03275	1183	976	AA BA DA GN
217/536(0000-0999),536(1000-1999),536(5000-5999)						GR II
217/536(6000-6999),536(8000-9999)						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
WAUCONDA                    WCNDILWUDS0 05952 03536 5070  358 AA BA DA GC
   847/469(6000-6999),487,526                                GQ GR II OR
                                                             PO PQ PR PU
                                                             SJ ST SX VE
.......................................................................
WAUKEGAN                    GURNILAARS0 05916 03524 5070  358 AA BA DA GC
   847/855,856(0000-0999),856(1000-1999),856(2000-2999)      GQ GR HA II
   847/856(3000-3999),856(4000-4999),856(6000-6999)          OR PO PQ PR
   847/856(8000-8999)                                        PU RB RC RD
                                                             RF RM SJ SX
                                                             VE
.......................................................................
WAUKEGAN                    NCHCILNC20T 05919 03502 5070  358 GB GQ GR HB
      /                                                      PR PU
.......................................................................
WAUKEGAN                    NCHCILNCDS0 05919 03502 5070  358 AA BA DA GC
   224/302(5000-5999),399(2000-2999),399(3000-3999)          GQ GR HA II
   224/572(6000-6999),610(1000-5999),610(7000-8999),665,667  OR PD PM PR
   224/668,772(2000-2999)                                    PU SJ ST SX
   847/473(0000-0999),473(1000-1999),473(2000-2999)          UR VE WD WE
   847/473(3000-3999),473(4000-4999),473(5000-5999)          WG WH
   847/473(7000-7999),473(8000-8999),473(9000-9999),578,689
   847/775(4000-6999),785(0000-8999),887(0000-8999),935,936
   847/937,938
.......................................................................
WAUKEGAN                    NCHCILNCDS1 05919 03502 5070  358 AA BA DA GC
   847/688                                                   GQ GR HA II
                                                             PD PM PR PU
                                                             SJ ST SX UR
                                                             VE WD WE WG
                                                             WH
.......................................................................
WAUKEGAN                    WKGNILWKDS0 05910 03503 5070  358 AA BA DA GC
   847/244,249,263,336,360,406(2000-3999),415(2000-4999)     GE GQ GR HA
   847/596(2000-2999),596(4000-5999),599,623,625,662,782     II OH OR PD
   847/782                                                   PM PR PU RB
                                                             RC RD RF RM
                                                             SK ST VF
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
WAVERLY	WVRLILXCRS0	06602	03539	1015	374	AA BA DA GG
217/435(2000-2999),435(3000-3999),435(5000-5999)						GM GN GR HB
217/435(7000-7999),435(9000-9999)						HD II PC RC
						RD RF RM TU
WAYNE CITY	WYCYILXERS0	06738	03210	1015	978	AA BA DA GD
618/895(1000-1999),895(2000-2999),895(3000-3999)						GG GM GN HB
						HD II PC RC
						RD RF RM TU
WAYNESVILLE	WYVLILXCRS0	06415	03479	1015	366	AA DA GD GE
217/949(1000-1999),949(5000-5999)						GG GM GN HB
						HD II PC RC
						RD RF RM TU
WELDON	WLDNILXCRS0	06409	03411	1015	366	AA DA GG GM
217/736(0000-0999),736(1000-1999),736(2000-2999)						GN HB HD PC
						RC RD RF RM
						TU
WELLINGTON	WGTNILXARS0	06247	03295	1000	358	AA BA DA GN
815/984(4000-4999)						GR HD II
WENDELIN	WNDNILXEDS0	06620	03211	1036	978	BA DA GN GR
618/752(5000-5999)						II TU
WENONA	WENNILXARS0	06252	03548	1015	366	AA DA GD GG
815/853(0000-0999),853(4000-4999)						GM GN HB HD
						II PC RC RD
						RF RM TU
WEST BROOKLYN	WBRKILXARL0	06136	03625	1015	368	AA DA GE GG
815/628(3000-3999)						GM GN HB HD
						II PC RC RD
						RF RM TU

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
WEST CHICAGO	WCHCILWCDS0	06029	03508	5070	358	AA BA DA GC
630/231,293,562(0000-5999),562(7000-9999),876						GE GQ GR HA
						II OR PD PM
						PR PU SJ ST
						SX VE
WEST FRANKFORT	WFFTILXEDS0	06851	03218	1015	362	AA DA GD GE
618/932(2000-2999),932(3000-3999),932(6000-6999)						GG GN HB HD
618/932(8000-8999),937(1000-1999),937(2000-2999)						II PC RC RD
618/937(3000-3999),937(4000-4999),937(6000-6999)						RF RM SQ
WEST SALEM	WSLMILXEDS0	06658	03139	1036	978	BA DA GC GN
618/456(2000-2999),456(3000-3999),456(8000-8999)						GR II TU
WEST UNION	WUNNILXCRS0	06499	03158	1015	938	AA DA GG GM
217/279(3000-3999)						GN HB HD II
						PC RC RD RF
						RM TU
WESTERVELT	WVLTILXCRS0	06541	03364	1037	976	AA BA DA DD
217/738						GC GD GM GR
						HD
WESTFIELD	WSFDILXCRS0	06478	03232	1000	976	AA BA DA GM
217/967(5000-5999)						GN HD II TU
WESTPORT	WSPTILXERL0	06580	03132	1015	978	AA DA GC GD
618/884(1000-1999)						GG GM GN HB
						HD II PC TU
WESTVILLE	WSTVILWERS1	06338	03238	5070	370	AA DA GQ GR
217/267(2000-2999),267(3000-3999),267(7000-7999)						II OR PO PQ
217/267(9000-9999)						SJ ST SV SX

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
WHEATON                     WHTNILWHDS0 06025 03492 5070  358 AA BA DA GC
   630/260,384(3000-3999),384(4000-4999),384(5000-5999)      GE GQ GR II
   630/407(2000-2999),407(5000-6999),407(8000-8999),462,510  OH OR PD PM
   630/517(1000-1999),517(7000-7999),580(2000-2999),588,653  PR PU RB RC
   630/665,668,681,682,690,765(6000-6999),765(8000-8999)     RD RF UR WD
   630/784,871,909(4000-8999),933                            WE WG WH
.......................................................................
WHEATON                     WHTNILWHRS0 06025 03492 5070  358 AA BA DA GE
   630/221,407(0000-0999),752                                GQ GR II PD
                                                             PM PR PU SJ
                                                             ST SX VE
.......................................................................
WHEELING                    LNSRILABRS0 05948 03501 5070  358 AA BA DA GC
   847/793(0000-0999),793(2000-2999),793(4000-8999),883      GE GQ GR II
                                                             OR PO PQ PR
                                                             PU SJ ST SX
                                                             UR VE WD WE
                                                             WG WH
.......................................................................
WHEELING                    WLNGILWGDS0 05958 03492 5070  358 AA BA DA GC
   224/542(2000-7999)                                        GE GQ GR HA
   847/215,229,279,325(2000-3999),353(2000-8999)             II OH OR PB
   847/383(8000-8999),419,459,465,478(0000-2999)             PK PR PU SJ
   847/478(4000-9999),520,537,541,552,554,617,634            ST SX UR VE
   847/777(5000-6999),808,821(0000-5999),821(7000-9999)      WD WE WG WH
   847/850(3000-3999),876(3000-5999),913,941(3000-6999)
   847/941(7000-8999),947(4000-4999),947(7000-7999),955
.......................................................................
WHITE HALL                  WHHAILXCRS0 06665 03592 1015  376 AA DA GG GM
   217/374(1000-1999),374(2000-2999),374(6000-6999)          GN HB HD II
                                                             PC RC RD RF
                                                             RM SQ TU
.......................................................................
WILLIAMSVILLE               WSVLILXCRS0 06501 03514 1015  374 AA BA DA GG
   217/566(2000-2999),566(3000-3999),566(9000-9999)          GM GN GR HB
                                                             HD II PC RC
                                                             RD RF RM TU
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
WILLOW HILL	WWHLILXERS0	06569	03189	1015	978	AA BA DA GG
618/455(3000-3999)						GM GN HB HD
						II PC RC RD
						RF RM TU
WILMETTE	WLMTILWIDS0	05954	03456	5070	358	AA BA DA GC
847/251,256,853,920(0000-0999),920(1000-1999)						GQ GR HA II
847/920(2000-2999),920(9000-9999)						OR PO PQ PR
						PU SJ ST SV
						SX UR VE WD
						WE WG WH
WILMINGTON	WLMGILWMRS0	06135	03441	5070	358	AA BA DA GC
815/476(0000-2999),476(4000-7999),476(9000-9999)						GQ GR II OR
						PO PQ PR PU
						SJ SX VE
WINCHESTER	WNCHILXCRS0	06632	03618	1015	376	AA DA GD GG
217/742(0000-0999),742(1000-1999),742(3000-3999)						GM GN HB HD
217/742(5000-5999),742(8000-8999),742(9000-9999)						II PC RC RD
						RF RM SQ TU
WINDSOR	WNDSILXCRS0	06528	03320	1037	976	AA BA DA DD
217/459						GC GD GM GR
						HD RD
WINNEBAGO	WNNBILXARS1	06032	03696	1015	360	AA DA GD GG
815/335(1000-1999),335(2000-2999),335(3000-3999)						GM GN HB HD
815/335(7000-7999)						II PC RC RD
						RF RM SQ TU
WINNETKA	WNTKILWNDS0	05951	03463	5070	358	AA BA DA GC
847/242(0000-0999),242(6000-6999),242(9000-9999),441,446						GQ GR II OR
847/501(1000-9999),784(0000-0999),784(1000-1999)						PD PM PR PU
847/784(2000-2999),784(3000-3999),784(6000-9999),835						SJ ST SV SX
847/881(2000-2999)						UR VE WD WE
						WG WH

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
WINSLOW	WNSLILXARS1	06028	03798	1036	360	AA BA DA GC
815/367(2000-2999),367(9000-9999)						GE GJ GM GN
						II
WITT	WITTILXCRS0	06622	03415	1037	976	AA BA DA DD
217/594						GC GD GM GR
						HD
WONDER LAKE	WNLKILXADS0	05944	03578	1015	358	AA DA GC GD
815/653(0000-0999),653(1000-1999),653(2000-2999)						GE GG GN HB
815/653(3000-3999),653(4000-4999),653(5000-5999)						HD II PB PK
815/653(6000-6999),653(7000-7999),653(9000-9999)						RC RD RF RM
815/728(0000-0999),728(1000-1999),728(2000-2999)						TU
815/728(4000-4999),728(8000-8999),728(9000-9999)						
WOOD RIVER	RSHTILWDDS0	06748	03489	5070	520	AA BA DA GC
618/258,259						GQ GR II PO
						PQ PT RC RD
						SJ ST SV SX
WOOD RIVER	WDRVILWRRS0	06754	03490	5070	520	AA BA DA GC
618/251(0000-0999),251(2000-6999),251(9000-9999),254						GQ GR II PO
618/255(1000-1999),255(2000-2999),255(3000-3999)						PQ PT RC RD
618/255(4000-4999),255(5000-5999),255(6000-6999)						SJ ST SV SX
WOODBURN	WDBNILXERS0	06711	03495	1055	520	AA BA DA DD
618/278(0000-0999),278(1000-1999),278(4000-4999)						G2 GC GD GN
618/278(9000-9999)						GR IC IE SQ
WOODHULL	WDHUILXDDS0	06321	03746	1091	634	AA BA DA GC
309/334						HB HD OE T3
						TJ TZ
WOODLAND	WDLDILXARS0	06217	03320	1000	358	AA BA DA GM
815/473(4000-4999)						GN GR HD II
WOODLAWN	WDLWILXEDS0	06776	03276	1183	520	AA BA DA GC
618/735						GN GR II

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
WOODSON	WDSNILXGRS0	06615	03583	1015	376	AA BA DA GG
217/673(3000-3999),673(4000-4999),673(5000-5999)						GM GN HB HD
						II PC RC RD
						RF RM TU
WOODSTOCK	WDSTILWSDS0	05964	03587	5070	358	AA BA DA GC
815/206(0000-0999),206(1000-1999),206(2000-2999)						GQ GR II OR
815/206(3000-3999),206(4000-4999),206(5000-5999)						PD PM PR PU
815/206(6000-6999),206(7000-7999),334(0000-6999)						RB RC RD SK
815/334(8000-9999),337,338						ST VF
WOODSTOCK	WDSTILWSK31	05964	03587	5070	358	PR PU UE VP
/						ZX
WORDEN	WRDNILXE1AW	06721	03458	1049	520	HC
/						
WORDEN	WRDNILXERS0	06721	03458	1049	520	BA DA GC GD
618/459						HB HD TI TJ
						XG
WYANET	WYNTILXARS0	06231	03656	1015	368	AA DA GG GM
815/699(1000-1999),699(2000-2999),699(7000-7999)						GN HB HD II
						PC RC RD RF
						RM SQ
WYOMING	WYNGILXDRS0	06304	03655	1015	368	DA GC GD GE
309/695(2000-2999),695(3000-3999),695(4000-4999)						GG GM GN HB
309/695(5000-5999),695(6000-6999),770(0000-0999)						HD II PC RC
						RD RF RM SQ
YORKVILLE	YRVLILYORS0	06094	03519	5070	358	AA BA DA GC
630/381(2000-3999),385(3000-3999),553,882(6000-6999)						GQ GR II OR
630/882(8000-8999)						PO PQ ST SX
						VE

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - ILLINOIS

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ZEIGLER	ZGLRILXFRS1	06859	03237	1015	362	AA DA GE GG
618/596(2000-2999),596(4000-4999),596(6000-6999)						GM GN HB HD
618/596(8000-8999)						II PC RC RD
						RF RM
ZION	ZIONILZNDS0	05894	03515	5070	358	AA BA DA GC
847/379(2000-4999),731,746,872						GQ GR II OE
						OH OR PO PQ
						PR PU RD ST
						SX VE

END OF SECTION

WIRE CENTER INFORMATION
PENDING CHANGES
SECTION 26
INDIANA

EFFECTIVE: JANUARY 01, 2018

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE	
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --	
FORT WAYNE	FTWYINXA35T	05942	02983	0772	334	G2 GB HB TU	(C)
/						UA	(C)
"	"	"	"	"	"	G2 GB HB HC	
" / "						TU UA	
FORT WAYNE	FTWYINXADS1	05942	02983	0772	334	AA DA GC GD	(C)
260/420(1000-6999),420(8000-9999),421,422,423(1000-1999)						GE GG GN GR	(C)
260/423(2000-2999),423(3000-3999),423(4000-4999)						HB HD II RA	(C)
260/423(5000-5999),423(6000-6999),423(7000-7999)						RC RD RF RM	(C)
260/423(8000-8999),423(9000-9999),424,425(1000-1999)						SA SC SD SE	(C)
260/425(2000-2999),425(3000-3999),425(4000-4999)						SH SQ TD TH	(C)
260/425(6300-9999),426,428,429,460(1000-6999)						TI TJ TU UA	(C)
260/460(8000-9999),461(0000-1999),461(3800-5699)						UG VM WJ ZZ	(C)
260/461(5900-9999),467(1000-1999),467(2000-2999)							(C)
260/467(4000-4999),467(5000-5999),467(6000-6999)							(C)
260/467(7000-7999),467(8000-8999)							(C)
"	"	"	"	"	"	AA DA GC GD	
" / "						GE GG GN GR	
" / "						HB HC HD II	
" / "						RA RC RD RF	
" / "						RM SA SC SD	
" / "						SE SH SQ TD	
" / "						TH TI TJ TU	
" / "						UA UG VM WJ	
" / "						ZZ	
" / "							

==========

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
FORT WAYNE                  FTWYINXADS3 05942 02983 0772  334 AA DA GC GD (C)
   260/425(5000-6299),427(0000-0999),427(1000-1999)          GE GJ GR HB (C)
   260/427(2000-2999),427(4000-4999),427(5000-5999)          RA RC RD RF (C)
   260/427(6000-6999),427(7000-7999),427(8000-8999)          RM SA SC SD (C)
   260/427(9000-9999),431(0000-0999),431(2000-2999),439      SE SH SQ TD (C)
   260/442(0000-0999),443(0000-0999),444(0000-0999)          TH TU UA UR (C)
   260/445(1000-1999),446(0000-0999),449(2000-4999)          WD WE WF WG (C)
   260/449(7000-8999),455,461(2000-3799),619(2000-2999)      WH WI WJ ZZ (C)
   260/676(9000-9999)                                                    (C)
 "                          "           "     "     "     "  AA DA GC GD
   "  /   "                                                  GE GJ GR HB
   "  /   "                                                  HC RA RC RD
   "  /   "                                                  RF RM SA SC
   "  /   "                                                  SD SE SH SQ
   "  /   "                                                  TD TH TU UA
   "  /   "                                                  UR WD WE WF
   "  /   "                                                  WG WH WI WJ
                                                             ZZ
.......................................................................
GARRETT                     GRRTINXA01W XXXXX XXXXX XXXX XXX  XX XX XX XX (D)
      /                                                                   (D)
.......................................................................
GARRETT                     GRRTINXARS0 05891 03012 0772  334 AA DA GC GD (C)
   260/357(0000-1999),357(3000-6999)                         GE GG GM GN (C)
                                                             GR HB HD II (C)
                                                             RC RD RF RM (C)
                                                             TU UA VM    (C)
 "                          "           "     "     "     "  AA DA GC GD
   "   /   "                                                 GE GG GM GN
                                                             GR HB HC HD
                                                             II RC RD RF
                                                             RM TU UA VM
```

==========

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE	TYPE	
---------NPA/NXX----------	----------	-----	-----	----	----	-- --	-- --	
WALDRON	WDRNINXA1MD	06292	02886	0778	336	OE TJ	TZ	(C)
765/525(0000-0999),525(1000-1999),525(4000-4999)								(C)
765/525(5000-5999),525(6000-6999),525(7000-7999)								(C)
765/525(9000-9999)								(C)
"	WDRNINXADS1	"	"	"	"	AA BA	DA GR	
" / "						OE RA	RB RC	
" / "						RD TJ	TU TZ	

END OF REPORT

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ACTON	ACTNIN01DS0	06273	02960	5080	336	AA BA DA GC
317/527(2000-2999),862						GD GQ GR II
						OH OR PO PQ
						PR PU RA RF
						RH RJ RK SH
						SV UB VD ZX
AKRON	AKRNINXADS0	06021	03107	0772	336	AA DA GC GD
574/893(1000-1999),893(4000-4999),893(7000-7999)						GG GN GR HB
						HD II RC RD
						RF RM TU VM
ALBANY	ALBYIN01RS3	06098	02915	5080	336	AA BA DA GC
765/789(4000-4999),789(6000-6999),789(8000-8999)						GD GM GQ GR
						II OH OR PO
						PQ PR PS RA
						RF RH RJ RK
						SV UB VD
ALBION	ALBNINXARS0	05905	03058	0772	334	AA DA GC GD
260/636(1000-1999),636(2000-2999),636(3000-3999)						GE GG GM GN
260/636(4000-4999),636(5000-5999),636(6000-6999)						GR HB HD II
260/636(7000-7999)						RC RD RF RM
						SC SD SE SQ
						TU VM
ALEXANDRIA	ALXNIN01DS9	06139	02974	5080	336	AA BA DA GC
765/724(0000-5999),724(7000-9999)						GD GQ GR II
						OH OR PO PQ
						PR PU RA RF
						RH RJ RK SV
						UB VD
AMBOY	CNVRIN01RSA	06097	03039	5080	336	AA BA DA GC
765/395						GD GM GQ GR
						II OH OR PO
						PQ PT RA RF
						RH RJ RK SV
						UB VD

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
ANDERSON                    ARSNIN01DS0 06170 02957 5080  336 AA BA DA GC
   765/298(1000-6999),608(0000-6999),608(8000-8999)          GD GE GQ GR
   765/609(3000-3999),609(4000-4999),609(5000-5999)          HB II OH OR
   765/609(6000-6999),619,622,640,641(0000-0999)             PD PM PR PU
   765/641(1000-1999),641(2000-2999),641(3000-3999)          RA RC RD RE
   765/641(4000-4999),641(6000-6999),641(7000-7999)          RF RH RJ RK
   765/641(8000-8999),641(9000-9999),642,643,644             SK SR TA UB
   765/646(0000-0999),646(1000-1999),646(2000-2999)          UE VD VP ZX
   765/646(3000-3999),646(5000-5999),646(6000-6999)
   765/646(7000-7999),646(8000-8999),646(9000-9999),648,649
   765/683
.......................................................................
ANDREWS                     ANDRIN01RSC 06021 03026 5080  334 AA BA DA GC
   260/786(1000-1999),786(3000-3999)                         GD GE GM GQ
                                                             II PO PQ PT
                                                             RA RF RH RJ
                                                             RK SV UB VD
.......................................................................
ANGOLA                      ANGLINXADS0 05826 03024 0772  334 AA DA GC GD
   260/624(2000-3999),665,667(2000-2999),667(5000-5999)      GE GG GN GR
   260/667(6000-6999),668(1000-1999),668(3000-5999)          HB HD II RC
   260/668(7000-8999)                                        RD RF RM SC
                                                             SD SE SQ TU
                                                             VM
.......................................................................
ARCOLA                      ARCLINXARS2 05950 03009 0832  332 AA BA DA GI
   260/625                                                   GK GR HD PB
                                                             PK PN RC RD
                                                             SA SH SP SQ
                                                             TJ TW UP UR
                                                             WE WG WJ
.......................................................................
ARGOS                       ARGSINXARS1 06001 03159 0832  332 AA BA DA GI
   574/892(5000-6999),892(9000-9999)                         GK GR HD PC
                                                             PL PN RC RD
                                                             SA SH SP SQ
                                                             TJ TW UP UR
                                                             WE WG WJ
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ARLINGTON	ARTNINXARS0	06249	02893	0772	937	AA DA GG GM
765/663(2000-2999)						GN HB HD RC
						RD RF RM VM
ASHLEY	ASHYINXADS0	05852	03022	0832	334	AA BA DA GI
260/587(0000-0999),587(1000-1999),587(2000-2999)						GK GR HD PC
260/587(3000-3999),587(4000-4999),587(6000-6999)						PL PN RC RD
260/587(7000-7999),587(9000-9999)						SA SH SP SQ
						TJ TW UP UR
						WE WG WJ
ATTICA	ATTCIN01DS0	06261	03206	5080	336	AA BA DA GC
765/762(0000-4999),762(6000-7999),762(9000-9999)						GD GQ GR II
765/764(1000-1999),764(4000-4999)						PO PQ PT RA
						RF RH RJ RK
						SK SV UB VD
ATWOOD	ATWDINXARS0	05974	03128	0772	332	AA DA GG GM
574/858(0000-0999),858(1000-1999),858(2000-2999)						GN GR HB HD
574/858(3000-3999),858(4000-4999),858(5000-5999)						II RC RD RF
574/858(8000-8999),858(9000-9999)						RM TU VM
AUBURN	AUBNIN01DS3	05882	03003	5080	334	AA BA DA GC
260/920(1000-1999),920(2000-2999),920(3000-3999)						GD GQ GR II
260/920(6000-6999),925,927						PD PM PT RA
						RC RD RE RF
						RH RJ RK SK
						SR SY UB VD
						VP
AURORA	AURRINXARS1	06304	02731	0832	922	AA BA DA GI
812/926(0000-0999),926(1000-1999),926(2000-2999)						GK GR HD PB
812/926(3000-3999),926(4000-4999),926(5000-5999)						PK PN RC RD
812/926(6000-6999),926(8000-8999),926(9000-9999)						SA SH SP SQ
						TJ TW UP UR
						WE WG WJ
AUSTIN	AUSTINXARS0	06437	02832	0779	338	AA DA GE GJ
812/794(0000-4999),794(6000-6999),794(8000-9999)						GM GN II

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
AVILLA	AVLLINXADS0	05896	03029	0832	334	AA BA DA GI
260/897(0000-0999),897(2000-4999),897(8000-9999)						GK GR HD PB
						PK PN RC RD
						SA SH SP SQ
						TJ TW UP UR
						WE WG WJ
BANDON	BNDNINXA0MD	06624	02884	0807	330	AA BA BC DA
812/843(0000-0999),843(3000-3999),843(4000-4999)						G3 G5 GJ GL
812/843(5000-5999),843(9000-9999)						GN GQ GR HB
						HJ IB IC ID
						IG II OE SH
						SQ SX TI TJ
						UG UR UU UW
						UX VA VE
BARGERSVILLE	BRVLINXARS1	06320	02967	0832	336	AA BA DA GI
317/422(0000-5999),422(7000-9999)						GK GR HD PC
						PL PN RC RD
						SA SH SP SQ
						TJ TW UP UR
						WE WG WJ
BATESVILLE	BTVLINXARSM	06285	02805	0779	338	AA DA GE GJ
812/931,933(0000-1999),933(3000-3999),933(5000-6999)						GM GN II SQ
812/933(9000-9999),934						TJ
BATTLE GROUND	BTLGINXADS0	06187	03169	0747	336	AA BA DA GR
765/567(0000-0999),567(1000-1999),567(2000-2999)						HB RA RC RD
765/567(3000-3999),567(4000-4999),567(5000-5999)						TJ VA WE XG
765/567(6000-6999),567(7000-7999),567(9000-9999)						
BEDFORD	BDFRIN01DS0	06471	02946	5080	338	AA BA DA GC
812/275(0000-8999),276(0000-2999),276(4000-4999)						GD GE GQ GR
812/277(0000-5999),277(7000-9999),278(2000-3999)						II PO PQ PT
812/278(5000-5999),278(8000-9999),279						RA RC RD RE
						RF RH RJ RK
						SV UB VD

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
BELLMORE	BLMRIN01RSC	06350	03130	5080	336	AA BA DA GC
765/344(0000-0999),344(1000-1999)						GD GE GM GQ
						GR II PO PQ
						PT RA RF RH
						RJ RK SV UB
						VD
BERNE	BERNINXARS1	06007	02912	0832	334	AA BA DA GI
260/589(0000-4999),589(7000-9999)						GK GR HD PC
						PL PN RC RD
						SA SH SP SQ
						TJ TW UP UR
						WE WG WJ
BICKNELL	BCKNINXARS0	06555	03060	0779	338	AA BA DA GM
812/735(0000-0999),735(2000-5999),735(8000-8999)						GN II TU
BIPPUS	BPPSINXARS0	06002	03036	0772	334	AA DA GE GG
260/344(1000-1999),344(3000-3999)						GM GN GR HB
						HD II RC RD
						RF RM SN SQ
						TU UA VM
BIRDSEYE	BRDSINXARS0	06592	02924	0779	330	AA DA GE GJ
812/389(1000-2999),389(9000-9999)						GM GN II TU
BLOOMFIELD	BLFDIN01RSA	06476	03030	5080	338	AA BA DA GC
812/384(0000-0999),384(2000-5999),384(8000-9999)						GD GE GM GQ
						GR II PO PQ
						PT RA RF RH
						RJ RK SJ SV
						UB VD
BLOOMINGDALE	BLDLINXADS1	06348	03161	0742	336	AA BA DA TJ
765/498						XE
BLOOMINGTON	BLTNIN0102W	06417	02984	5080	338	HC PR PS SL
/						SS VD VQ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
BLOOMINGTON	BLTNIN0110T	06417	02984	5080	338	GB GQ GR HC
/						PR PS VD
BLOOMINGTON	BLTNIN011CD	06417	02984	5080	338	DC G1 GQ PB
/						PJ PR PS QB
						SY VD
BLOOMINGTON	BLTNIN01DS0	06417	02984	5080	338	AA BA DA GB
812/323,330,331,332,333,334,335(0000-8999),336						GC GD GE GQ
812/337(0000-8999),339,349(0000-7999),349(9000-9999)						GR HB II PB
812/353(0000-0999),353(1000-1999),353(2000-2999)						PK PR PS QB
812/353(3000-3999),353(4000-4999),353(5000-5999)						RA RC RD RE
812/353(6000-6999),353(7000-7999),353(9000-9999),355,855						RF RH RJ RK
812/856,857						SH SV TA UB
						UE US VD
BLOOMINGTON	BLTNIN01XWY	06417	02984	7951	338	GR
812/200(7000-7999),203(7000-7999),274(7000-7999)						
812/291(7000-7999),302(7000-7999),324(6000-6999)						
812/363(7000-7999),392(7000-7999),408(7000-7999)						
812/409(7000-7999),410(7000-7999),413(6000-6999)						
812/458(7000-7999),472(7000-7999),497(7000-7999)						
812/502(7000-7999),508(7000-7999),509(7000-7999)						
812/513(7000-7999),565(7000-7999),579(0000-0999)						
812/591(1000-1999),636(3000-3999),648(6000-6999)						
812/652(7000-7999),654(9000-9999),665(7000-7999)						
812/666(7000-7999),672(7000-7999),674(7000-7999)						
812/690(7000-7999),693(7000-7999),703(8000-8999)						
812/726(6000-6999),730(7000-7999),733(7000-7999)						
812/741(7000-7999),750(7000-7999),755(7000-7999)						
812/762(3000-3999),769(6000-6999),770(9000-9999)						
812/785(7000-7999),793(4000-4999),803(7000-7999)						
812/808(7000-7999),809(7000-7999),832(7000-7999)						
812/846(7000-7999),889(6000-6999),919(7000-7999)						
812/953(7000-7999),957(7000-7999),966(7000-7999)						
812/992(7000-7999),995(7000-7999)						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
BLOOMINGTON	BLTNIN01XXX	06417	02984	7440	338	BA DA
812/200(4000-4999),203(3000-3999),271(3000-3999) 812/292(7000-7999),312(3000-3999),314(7000-7999) 812/316(3000-3999),404(3000-3999),410(3000-3999) 812/414(3000-3999),502(3000-3999),512(3000-3999) 812/578(3000-3999),609(3000-3999),610(3000-3999) 812/654(0000-0999),703(4000-4999),778(3000-3999) 812/778(7000-7999),778(9000-9999),789(4000-4999) 812/791(3000-3999),792(5000-5999),799(4000-4999) 812/904(3000-3999),919(3000-3999),928(3000-3999) 812/953(4000-4999),992(3000-3999)						
BLOOMINGTON	BLTNINIURS1	06417	02984	5080	338	CA PO PQ PR
/						PS
BLOOMINGTON	BMTPIN01DS0	06417	02989	8366	338	DA
812/961						
BLOUNTSVILLE	BUVLINXBRS0	06143	02889	0772	937	AA DA GC GD
765/774(3000-3999),774(4000-4999)						GE GG GM GN
						HB HD II RC
						RD RF RM SQ
						VM
BLUFFTON	BFTNIN01RSA	06009	02952	5080	334	AA BA DA GC
260/824,827(0000-0999),827(2000-2999),827(3000-3999)						GD GE GM GQ
260/827(5000-5999)						GR II PO PQ
						PT RA RF RH
						RJ RK SV UB
						VD
BOONVILLE	BNVLIN01RSC	06690	02980	5080	330	AA BA DA GC
812/897(0000-8999)						GD GM GQ GR
						II PO PQ PR
						PU RA RF RH
						RJ RK SJ SV
						UB VD

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
BOSWELL	BSWLIN01RSA	06227	03250	5080	336	AA BA DA GC
765/869(5000-5999)						GD GM GQ GR
						II PO PQ PT
						RA RF RH RJ
						RK SV UB VD
BOURBON	BRBNINXADS0	05979	03147	0772	332	AA DA GG GN
574/342(0000-6999),342(8000-8999)						GR HB HD II
						RC RD RF RM
						SQ TU VM
BRAZIL	BRZLINXBDS0	06397	03109	0772	938	AA DA GC GD
812/442(0000-2999),442(5000-5999),442(6000-6999)						GE GG GN HB
812/442(7000-7999),442(8000-8999),442(9000-9999)						HD II RA RC
812/443(0000-8999),446,448(1000-3999),448(5000-6999)						RD RF RM SN
812/448(8000-9999)						SQ TU VM
BREMEN	BRMNINXARS1	05955	03170	0832	332	AA BA DA GI
574/546(0000-5999),546(8000-8999)						GK GR HD PB
						PK PN RC RD
						SA SH SP SQ
						TJ TW UP UR
						WE WG WJ
BRISTOL	BRSTINXARS0	05875	03149	0772	332	AA DA GE GG
574/848(0000-0999),848(1000-1999),848(2000-2999)						GM GN GR HB
574/848(4000-4999),848(5000-5999),848(7000-7999)						HD II RC RD
574/848(9000-9999)						RF RM SQ VM
BROOK	BROKINXARS1	06160	03282	0832	332	AA BA DA GI
219/275(0000-0999),275(1000-1999),275(2000-2999)						GK GR HD PC
219/275(3000-3999),275(4000-4999),275(5000-5999)						PL PN RC RD
219/275(6000-6999)						SA SH SP SQ
						TJ TW UP UR
						WE WG WJ
BROOKSTON	BKTNINXARS0	06171	03182	0747	336	AA DA GQ GR
765/563(0000-0999),563(3000-3999),563(6000-6999)						HB RA RC RD
						TJ WE

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
BROOKVILLE	BKVLINXARS1	06244	02787	0772	937	AA DA GE GG
765/647(0000-0999),647(1000-1999),647(2000-2999)						GM GN HB HD
765/647(3000-3999),647(4000-4999),647(5000-5999)						RC RD RF RM
765/647(6000-6999),647(7000-7999)						VM
BROWNSBURG	BRBGIN01DS0	06278	03034	5080	336	AA BA DA GC
317/852,858						GD GQ GR II
						OH OR PO PQ
						PR PU RA RF
						RH RJ RK SV
						UB VD
BROWNSTOWN	BRTWINXARS1	06432	02881	0779	338	AA DA GC GD
812/358(0000-6999),358(8000-9999)						GE GJ GM GN
						II
BRUCEVILLE	BCVLIN01RSC	06565	03074	5080	338	AA DA GC GD
812/324(2000-2999)						GM GQ GR II
						PO PQ PT RA
						RC RD RE RF
						RH RJ RK SJ
						SV UB VD
BRYANT	BRYNINXARS1	06031	02899	0832	334	AA BA DA GI
260/997(0000-1999),997(6000-6999),997(8000-8999)						GK GR HD PC
						PL PN RC RD
						SA SH SP SQ
						TJ TW UP UR
						WE WG WJ
BUCK CREEK	BCCKIN01DS0	06184	03156	5080	336	AA BA DA GQ
765/589(0000-0999),589(3000-3999),589(7000-7999)						GR II PO PQ
765/589(8000-8999)						RA RF RH RJ
						RK SV TA UB
						VD

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
BUFFALO	BFLOINXADS0	06109	03193	0813	332	BA BC DA G3
574/278						GC GL GN GQ
						GR HB IC IG
						II SK SP ST
						SV T8 TJ UG
						UK UL UM UP
						UU VM WE
BUNKER HILL	BNHLIN01RSA	06099	03086	5080	336	AA BA DA GC
765/688(2000-2999),688(3000-3999),688(4000-4999)						GD GM GQ GR
765/688(8000-8999),688(9000-9999),689(0000-0999)						II OH OR PO
765/689(5000-5999),689(7000-9999)						PQ PT RA RF
						RH RJ RK SV
						UB VD
BURKET	BRKTINXADS0	05994	03111	0772	332	DA GG GN GR
574/491(1000-9999)						HB HD II RC
						RD RF RM TU
						VM
BURLINGTON	BURLIN01RSA	06156	03101	5080	336	AA BA DA GC
765/566(2000-2999),566(3000-3999)						GD GM GQ GR
						II OH OR PO
						PQ PT RA RF
						RH RJ RK SV
						UB VD
BURNETTSVILLE	BSVLINXARL1	06119	03160	0832	332	AA BA DA GI
574/826(2000-4999)						GK GM GR HD
						PC PL PN RC
						RD SA SH SP
						SQ TJ TW UP
						UR WE WG WJ
BURROWS	BRRWINXARS2	06129	03138	0744	336	GR OE TJ
574/652						

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
BUTLER	BTLRINXARS0	05855	02984	0772	334	AA DA GE GG
260/868(0000-2999),868(5000-6999),868(8000-8999)						GM GN GR HB
260/868(9000-9999)						HD II RC RD
						RF RM SQ TU
						VM
BUTLERVILLE	BTVIINXARS0	06359	02819	0779	338	AA DA GE GJ
812/458(6000-6999),458(8000-8999)						GM GN II
CADIZ	CADZINXARSW	06183	02913	0775	336	UD
/						
CAMBRIDGE CITY	CMCYINXARS1	06184	02852	0772	937	AA DA GE GG
765/312(0000-0999),478(3000-3999),478(4000-4999)						GM GN HB HD
765/478(5000-5999),478(6000-6999),478(9000-9999)						RC RD RF RM
						SN SQ VM
CAMDEN	CMDNINXADS1	06144	03136	0744	336	DA GR OE TJ
574/686						TU TZ
CAMPBELLSBURG	CMBGINXARS0	06499	02887	0779	338	AA DA GM GN
812/755(1000-1999),755(4000-5999),755(9000-9999)						II TU
CANAAN	CANNINXARS1	06371	02769	0819	338	AA AB BA BC
812/839						DA DD G7 GC
						GL GN HD HG
						IC IG II SH
						UL UM UR US
						VC
CARLISLE	CRLSINXARSL	06526	03093	0779	338	DA GN II TU
812/398(2000-6999),398(9000-9999)						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
CARMEL                      CRMLIN01DS0 06239 03008 5080  336 AA BA DA GC
   317/208(1000-9999),428(0000-0999),566(0000-3999)          GD GE GQ GR
   317/566(5000-9999),569,571,573,574,575,580,581            HB II OH OR
   317/582(0000-5999),582(7000-9999),587,705,706(0000-3999)  PB PK PR PU
   317/706(5000-9999),815,816,817,818,843(0000-5999)         QB RA RF RH
   317/843(7000-9999),844,846,848                            RJ RK SK SR
                                                             TA UB US VD
                                                             VP ZX
.......................................................................
CARTHAGE                    CRTHINXARS0 06230 02902 0772  937 AA DA GG GM
   765/565(1000-1999),565(6000-6999),565(7000-7999)          GN HB HD RC
                                                             RD RF RM VM
.......................................................................
CAYUGA                      CAYGIN01RSC 06343 03202 5080  336 AA BA DA GM
   765/492(3000-3999),492(4000-4999),492(5000-5999)          GQ GR II PO
   765/492(7000-7999),492(9000-9999)                         PQ RA RF RH
                                                             RJ RK SV UB
                                                             VD
.......................................................................
CEDAR LAKE                  CDLKINCZRSA 06067 03343 5080  358 AA BA DA GC
   219/374(2000-9999)                                        GD GM GQ GR
                                                             II OR PO PQ
                                                             SV SX UB VD
.......................................................................
CENTER POINT                CTPNINXARS0 06413 03091 0772  938 AA DA GE GG
   812/835(1000-5999)                                        GM GN HB HD
                                                             II RC RD RF
                                                             RM SQ TU VM
.......................................................................
CENTERVILLE                 CNVLINXARS0 06168 02827 0772  937 AA BA DA GG
   765/855(1000-1999),855(2000-2999),855(3000-3999)          GM GN HB HD
   765/855(5000-5999)                                        II RC RD RF
                                                             RM SQ UG VM
.......................................................................
CENTRAL                     CENTINXARS0 06591 02816 0779  462 AA DA GC GD
   812/732(1000-1999),732(4000-5999),732(8000-8999)          GE GJ GM GN
                                                             II TU
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
CHANDLER	CHNDIN01RSE	06699	02995	5080	330	AA BA DA GC
812/925(3000-3999),925(4000-4999),925(6000-6999)						GD GM GQ GR
812/925(7000-7999),925(8000-8999)						II PO PQ PR
						PU RA RF RH
						RJ RK SJ SV
						UB VD
CHARLESTOWN	CHTWIN01RSA	06483	02779	5080	462	AA BA DA GM
812/256,503(0000-0999)						GQ GR II PO
						PQ PR PS RA
						RF RH RJ RK
						SV UB VD
CHESTERFIELD	CHFDIN01DS9	06162	02946	5080	336	AA BA DA GC
765/378(0000-8999)						GD GQ GR II
						OH OR PO PQ
						PR PU RA RF
						RH RJ RK SV
						UB VD
CHESTERTON	CHTNINXADS0	05994	03314	0772	332	AA DA GC GD
219/395(0000-3999),395(5000-5999),395(7000-9999)						GE GG GN GR
219/921(0000-2999),921(5000-5999),921(7000-8999),926						HB HD II RC
219/928(0000-2999),928(4000-5999),928(7000-7999)						RD RG RM SN
219/928(9000-9999),929(0000-6999),929(9000-9999)						SQ TJ TU UG
219/983(0000-1999),983(3000-9999)						VM
CHRISNEY	CHRSIN01RSH	06678	02940	5080	330	AA BA DA GC
812/362(6000-6999),362(7000-7999),362(8000-8999)						GD GM GQ GR
						II PO PQ PT
						RA RF RH RJ
						RK SJ SV UB
						VD

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
CHURUBUSCO	CHRBINXARS0	05928	03026	0772	334	AA DA GC GD
260/693(0000-0999),693(1000-1999),693(2000-2999)						GE GG GM GN
260/693(3000-3999),693(5000-5999),693(6000-6999)						GR HB HD II
260/693(9000-9999)						RC RD RF RM
						SC SD SE SQ
						TU UA VM
CICERO	CICRINXARS0	06191	03010	0772	336	AA DA GC GD
317/984(1000-9999)						GE GG GM GN
						GR HB HD II
						RC RD RF RM
						SQ VM
CLARKS HILL	CLHLINXARSA	06227	03130	0828	336	AA DA GR
765/523(2000-3999),523(5000-5999),523(9000-9999)						
CLAY CITY	CYCYINXARS0	06443	03082	0772	938	AA DA GG GM
812/939(0000-3999)						GN HB HD II
						RC RD RF RM
						SQ TU VM
CLAYPOOL	CLPLINXARS0	05992	03095	0772	334	AA DA GG GM
574/566(2000-2999),566(3000-3999)						GN GR HB HD
						II RC RD RF
						RM SQ TU VM
CLAYTON	CYTNINXAGT0	06317	03037	0776	336	AA BA DA DD
317/539(2000-2999),539(4000-4999),539(5000-5999)						GR OE RC RD
317/539(6000-6999),539(7000-7999),539(8000-8999)						TJ TZ XD
317/539(9000-9999)						
CLEARSPRING	CLSPINXARL0	06437	02911	0779	338	AA DA GC GD
812/995(2000-3999),995(8000-8999)						GE GJ GM GN
						II

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
CLINTON	CLTNIN01DS0	06393	03164	5080	336	AA BA DA GC
765/828(0000-3999),832						GD GQ GR II
						PO PQ RA RF
						RH RJ RK SV
						TA UB VD
CLOVERDALE	CODLINXADS0	06373	03059	0753	336	AA AB DA HB
317/996(0000-0999),996(2000-2999),996(3000-3999)						OE T9 TJ TZ
317/996(4000-4999),996(6000-6999)						
765/292(0000-0999),292(2000-2999),386(0000-0999)						
765/386(2000-2999),386(5000-5999),386(6000-6999)						
765/386(7000-7999),526(0000-0999),526(2000-2999)						
765/528(0000-0999),528(2000-2999),672(0000-0999)						
765/672(4000-4999),672(8000-8999),795(0000-0999)						
765/795(2000-2999),795(3000-3999),795(4000-4999)						
765/795(5000-5999),795(6000-6999),795(7000-7999)						
765/795(8000-8999),795(9000-9999)						
812/859(0000-0999),859(3000-3999),859(4000-4999)						
812/986(0000-0999),986(2000-2999),986(3000-3999)						
COLFAX	CLFXINXA0MD	06233	03111	0830	336	OE UD
765/324						
COLUMBIA CITY	CBCYINXARS1	05956	03042	0832	332	AA BA DA GC
260/244(0000-7999),244(9000-9999),248(2000-6999)						GD GI GK GR
260/248(8000-9999)						HD PA PJ PN
						RC RD SA SH
						SP SQ TJ TW
						UP UR WE WG
						WJ
COLUMBUS	CLMBIN0102W	06360	02898	5080	338	HC PT VD
/						
COLUMBUS	CLMBIN0110T	06360	02898	5080	338	GQ GR HC PT
/						SK SR SY VD
						VP

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
COLUMBUS                    CLMBIN01DS0 06360 02898 5080  338 AA BA DA GB
   812/314(0000-0999),314(2000-2999),314(3000-3999)          GC GD GE GR
   812/314(4000-4999),314(6000-6999),314(8000-8999),348,372  HB II OH PO
   812/373(0000-0999),373(1000-1999),373(2000-2999)          PQ PT QB RA
   812/373(3000-3999),373(4000-4999),373(5000-5999)          RC RD RE RF
   812/373(7000-7999),373(8000-8999),373(9000-9999)          RH RJ RK UB
   812/374(0000-0999),374(1000-1999),374(5000-5999)          UE US VD
   812/375(0000-3999),375(5000-9999),376,377,378
   812/379(0000-2999),379(4000-7999),379(9000-9999)
.......................................................................
COLUMBUS                    CLMBIN02RSF 06375 02903 5080  338 AA BA DA GC
   812/341(2000-2999),341(3000-3999),342                     GD GE GM GQ
                                                             GR II PO PQ
                                                             PT RA RF RH
                                                             RJ RK SJ SV
                                                             UB VD
.......................................................................
CONNERSVILLE                CSVLINXADS0 06213 02829 0772  937 AA DA GC GD
   765/825,827                                               GE GG GN HB
                                                             HD RC RD RF
                                                             RM SN SQ VM
.......................................................................
CORUNNA                     CRNNINXADS0 05875 03023 0832  334 AA BA DA GI
   260/281(0000-0999),281(2000-2999),281(9000-9999)          GK GR HD PC
                                                             PL PN RC RD
                                                             SA SH SP SQ
                                                             TJ TW UP UR
                                                             WE WG WJ
.......................................................................
CORY                        CORYINXARL0 06430 03106 0772  938 AA DA GG GJ
   812/864(2000-2999)                                        GM GN HB HD
                                                             II RC RD RF
                                                             RM SQ TU VM
.......................................................................
CORYDON                     CYDNINXADS0 06566 02824 0779  462 AA DA GC GD
   812/734(0000-3999),738                                    GE GK GM II
                                                             RC RD SQ TU
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
COVINGTON	CVTNIN01RSE	06300	03213	5080	336	AA BA DA GC
765/793(0000-5999),793(7000-7999)						GD GM GQ GR
						II PO PQ PT
						RA RF RH RJ
						RK SV UB VD
CRAIGVILLE	CGVIINXADS1	05996	02944	0756	334	DA HB OE T3
260/565						TJ TK TZ XF
CRANDALL	CRNDINXARS0	06546	02823	0779	462	AA DA GC GD
812/366(3000-4999),366(8000-8999)						GE GJ GM GN
						II TU
CRANE	CRANINXARL0	06500	03012	0779	338	AA DA GM GN
812/713(8000-8999),854(0000-8999)						GR II TU
CRAWFORDSVILLE	CFVLIN0104T	06280	03129	5080	336	DA GQ GR PT
/						SK SR SY VD
						VP
CRAWFORDSVILLE	CFVLIN01DS0	06280	03129	5080	336	AA BA DA GB
765/359(0000-0999),359(1000-1999),359(2000-2999)						GC GD GE GQ
765/359(3000-3999),359(4000-4999),359(5000-5999),361,362						GR HB II PD
765/364						PM PT QB RA
						RC RD RE RF
						RH RJ RK SH
						SV UB UE VD
						ZX
CROMWELL	CRWLINXARS1	05920	03086	0832	332	AA BA DA GI
260/856(2000-5999)						GK GR HD PC
						PL PN RC RD
						SA SH SP SQ
						TJ TW UP UR
						WE WG WJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
CROSS PLAINS	CRPLINXADS0	06345	02761	0819	338	AA AB BA BC
812/667(0000-0999),667(1000-1999),667(2000-2999)						DA DD G7 GC
812/667(3000-3999),667(4000-4999),667(5000-5999)						GL GN HA HD
812/667(6000-6999),667(7000-7999),667(8000-8999)						HG IC IG II
						OE SH TJ UL
						UM UR US VC
CROTHERSVILLE	COVLINXARS0	06430	02843	0779	338	AA DA GM GN
812/793(1000-3999),793(8000-9999)						II
CROWN POINT	CRPNINCX10T	06054	03339	5080	358	GB GQ GR HC
/						VD
CROWN POINT	CRPNINCXDS0	06054	03339	5080	358	AA DA GB GC
219/226(0000-2999),226(9000-9999),661(0000-5999)						GD GE GQ GR
219/661(8000-9999),662,663						HB II OE OH
						OR PD PM RA
						RC RD RE RF
						RH RJ RK SK
						SR UB UE VD
						VP ZX
CULVER	CLVRIN01RSA	06018	03183	5080	332	AA BA DA GC
574/842(2000-5999),842(7000-8999)						GD GM GQ GR
						II PO PQ PR
						PS RA RF RH
						RJ RK SV VD
CUTLER	CTLRINXARS0	06168	03120	0831	336	AA BA DA GM
765/268(2000-2999)						GN GR HD II
						TU
CYNTHIANA	CYNTINXARS0	06699	03060	0779	330	AA DA GC GD
812/845(2000-3999),845(8000-8999)						GE GJ GM GN
						II TU

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
DALE	DALEIN01RSN	06644	02950	5080	330	AA BA DA GC
812/937(2000-2999),937(3000-3999),937(4000-4999)						GD GM GQ GR
812/937(5000-5999),937(7000-7999),937(9000-9999)						II PO PQ PT
						RA RF RH RJ
						RK SV UB VD
DANA	DANAIN01RSA	06372	03193	5080	336	AA BA DA GC
765/665(3000-3999)						GD GM GQ II
						PO PQ RA RF
						RH RJ RK SV
						UB VD
DANVILLE	DAVLIN01DS0	06304	03045	5080	336	AA BA DA GC
317/718(0000-2999),718(4000-9999),745						GD GE GQ GR
						HB II OH OR
						PO PQ PR PU
						RA RF RH RJ
						RK SV UB VD
DARLINGTON	DRTNIN01RSA	06257	03118	5080	336	AA BA DA GE
765/794(0000-0999),794(2000-2999),794(4000-4999)						GM GQ GR II
						PO PQ PT RA
						RF RH RJ RK
						SV UB VD
DECATUR	DCTRINXADS0	05971	02926	0832	334	AA BA DA GC
260/724,728(2000-2999),728(3000-3999),728(4000-4999)						GI GK GR HD
260/728(5000-5999),728(6000-6999),728(7000-7999)						PA PJ PN RC
260/728(8000-8999),728(9000-9999)						RD RM SA SH
						SP SQ T1 TH
						TJ TW UP UR
						WE WG WJ
DECKER	DCKRINXARS0	06620	03066	0779	338	AA DA GE GJ
812/769(2000-3999),769(5000-5999)						GM GN II TU
DEER CREEK	DRCKINXARS2	06132	03114	0744	336	GR OE TJ
574/859						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
DELPHI	DLPHINXADS0	06158	03153	0831	336	AA BA DA GN
765/564(1000-1999),564(2000-2999),564(3000-3999)						GR HD II TU
765/564(4000-4999),564(5000-5999),564(6000-6999)						
765/564(7000-7999),564(8000-8999),564(9000-9999)						
DENVER	DNVRINXADS0	06058	03096	0832	336	AA BA DA GI
765/985(0000-0999),985(2000-3999),985(9000-9999)						GK GM GR HD
						PC PL PN RC
						RD SA SH SP
						SQ TW UP UR
						WE WG WJ
DILLSBORO	DLBOINXARS1	06324	02750	0832	922	AA BA DA GI
812/432(0000-0999),432(3000-3999),432(5000-6999)						GK GR HD PC
812/432(9000-9999)						PL PN RC RD
						SA SH SP SQ
						TJ TW UP UR
						WE WG WJ
DUBOIS	DUBSINXARS1	06577	02950	0779	330	AA DA GC GD
812/678(2000-6999)						GE GJ GM GN
						II TU
DUGGER	DGGRIN01RSE	06494	03082	5080	338	AA BA DA GC
812/648(2000-2999),648(3000-3999)						GD GM GQ GR
						II PO PQ RA
						RC RD RE RF
						RH RJ RK SV
						UB VD
DUNKIRK	DNKRINXARS0	06081	02918	0772	937	AA DA GE GG
765/768(1000-1999),768(5000-5999),768(6000-6999)						GM GN HB HD
765/768(7000-7999)						II RC RD RF
						RM SQ TU VM

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
DUNLAP	DNLPINXARS0	05900	03155	0772	332	AA DA GC GD
574/875(0000-0999),875(1000-1999),875(3000-3999)						GE GG GM GN
574/875(4000-4999),875(5000-5999),875(6000-6999)						GR HB HD II
574/875(7000-7999),875(8000-8999),875(9000-9999)						RC RD RF SN
						SP SQ VM
DYER	SCVLINDYDS0	06050	03364	5080	358	AA BA DA GC
219/322,864(0000-5999),864(7000-9999),865						GD GE GQ HB
						II OE OH OR
						PD PM RA RF
						RH RJ RK SJ
						SV SX UB VD
EAST CHICAGO	ECHCINECDS0	06021	03375	5080	358	AA BA DA GC
219/378(1000-3999),378(7000-7999),378(9000-9999),391						GD GE GQ GR
219/392(0000-8999),397,398(0000-7999),398(9000-9999),399						HB II OE OH
219/703						OR PD PM RA
						RC RD RE RF
						RH RJ RK SJ
						SV SX UB VD
EAST ENTERPRISE	EENTINXARS1	06345	02724	0832	922	AA BA DA GI
812/534(0000-0999),534(2000-3999)						GK GR HD PC
						PL PN RC RD
						SA SH SP SQ
						TJ TW UP UR
						WE WG WJ
EATON	EATNIN01RS4	06099	02935	5080	336	AA DA GC GD
765/396(3000-3999),396(9000-9999)						GM GQ GR II
						OH OR PO PQ
						PR PS RA RF
						RH RJ RK SV
						UB VD

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
EDINBURG	EDBGIN01RSH	06336	02920	5080	338	AA BA DA GC
812/526						GD GE GM GQ
						GR II PO PQ
						RA RC RD RE
						RF RH RJ RK
						SV UB VD
ELBERFELD	ELBRINXARS0	06683	03017	0779	330	AA DA GC GD
812/983(2000-5999),983(9000-9999)						GE GJ GM GN
						II TU
ELIZABETH	ELZBINXARS1	06570	02791	0779	462	AA DA GC GD
812/969(2000-3999),969(6000-7999),969(9000-9999)						GE GJ GM GN
						II
ELIZABETHTOWN	EZTWIN01RSA	06362	02873	5080	338	AA BA DA GC
812/579(5000-5999),579(6000-6999),579(9000-9999)						GD GE GM GQ
						GR II PO PQ
						PT RA RF RH
						RJ RK SJ SV
						UB VD
ELKHART	EKHTIN01RS0	05895	03167	8366	332	DA
/						
ELKHART	EKHTINXA15T	05894	03168	0772	332	GB HB
/						
ELKHART	EKHTINXADS0	05894	03168	0772	332	AA DA GC GD
574/293,294,295,296,389(0000-0999),389(1000-1999)						GE GG GJ GN
574/389(2000-2999),389(3000-3999),389(4000-4999)						GR HB HD II
574/389(5000-5999),389(7000-7999),389(8000-8999)						RC RD RF RM
574/389(9000-9999),522,523						SA SN SQ TD
						TH TI TJ UG
						VM WJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ELKHART	EKHTINXADS1	05894	03168	0772	332	DA GR HA TB
574/524(1000-1999),524(2000-2999),524(3000-3999)						TD TH
574/524(4000-4999),524(7000-7999),524(8000-8999)						
574/524(9000-9999),821(0000-0999),821(1000-1999)						
574/891(2000-2999)						
ELKHART NORTH	EKHTINXBDS0	05892	03168	0772	332	AA DA GC GD
574/206(0000-2999),206(7000-9999),262,264,266						GE GG GN GR
						HB HD II RC
						RD RF RM SQ
						TI TJ UG VM
						WJ
ELLETTSVILLE	ELVLINXA10T	06412	03005	0818	338	GB HB
/						
ELLETTSVILLE	ELVLINXADS0	06412	03005	0818	338	AA DA GL GN
812/876						GQ HB HD HJ
						II SQ
ELLETTSVILLE	ELVLINXADS1	06412	03005	0818	338	AA DA GB GL
812/935						GN GQ HB HD
						HJ SQ TI
ELNORA	ELNRINXARS0	06517	03037	0809	338	AA BA DA GM
812/692(0000-1999),692(3000-3999),692(5000-5999)						OE RA RB RC
812/692(7000-7999)						RD TJ XG
ELWOOD	ELWDIN01DS1	06150	02999	5080	336	AA DA GC GD
765/552,557(0000-0999),557(2000-2999),557(3000-3999)						GQ GR II PO
765/557(9000-9999)						PQ PR PU RA
						RF RH RJ RK
						SV UB VD
ENGLISH	ENGLINXBRS0	06565	02887	0779	330	AA BA DA GE
812/338(2000-4999),338(9000-9999)						GJ GM GN II
						TU

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ETNA	ETNAINXARS2	05938	03066	0832	332	AA BA DA GI
260/799(0000-0999),799(4000-5999),799(9000-9999)						GK GR HD PC
						PL PN RC RD
						SA SH SP SQ
						TJ TW UP UR
						WE WG WJ
EVANSVILLE	EVVLIN02DS0	06725	03009	5080	330	AA BA DA GC
812/228(2000-3999),469(1000-8999),471,473,474(0000-0999)						GD GQ GR II
812/474(1000-1999),474(2000-2999),474(3000-3999)						PD PM PR PU
812/474(4000-4999),474(5000-5999),474(6000-6999)						RA RF RH RJ
812/474(7000-7999),474(9000-9999),475(0000-0999)						RK SJ SV UB
812/475(1000-1999),475(2000-2999),475(3000-3999)						VD
812/475(4000-4999),475(6000-6999),475(7000-7999)						
812/475(8000-8999),475(9000-9999),476,477,479						
812/485(1000-1999),485(2000-2999),485(3000-3999)						
812/485(4000-4999),485(5000-5999),485(6000-6999)						
812/485(7000-7999),485(8000-8999),488						
EVANSVILLE	EVVLIN0311T	06728	03018	5080	330	GB GQ GR HC
/						SK SR SY VD
						VP
EVANSVILLE	EVVLIN03DS0	06728	03018	5080	330	AA DA GB GC
812/456(2000-2999),456(3000-3999),456(4000-4999)						GD GQ GR HB
812/456(7000-7999),461(2000-2999),461(3000-3999)						II PB PK PR
812/461(4000-4999),461(5000-5999),461(9000-9999),464						PU RA RC RD
812/465(0000-1999),465(3000-9999),468(0000-3999)						RE RF RH RJ
812/468(5000-5999),468(6000-6999),468(7000-7999)						RK SL SS UB
812/468(8000-8999),484(0000-0999)						US VD VQ ZX
EVANSVILLE	EVVLIN03DS1	06728	03018	5080	330	AA DA GB GC
812/421,422,423,424,425,426(0000-2999),426(4000-9999)						GD GQ GR II
812/428,429,433,434(0000-0999),434(2000-9999),435						PB PK RA RC
812/436(0000-0999),436(2000-9999),450,451,452						RD RE RF RH
812/463(0000-1999),463(4000-9999),467						RJ RK SJ SV
						TA UB UC UE
						VD ZX

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
EVANSVILLE                  EVVLIN03OMD 06728 03018 7440  330 BA DA
   812/214(3000-3999),393(4000-4999),566(3000-3999)
   812/616(3000-3999),635(3000-3999),641(3000-3999)
   812/643(3000-3999),649(7000-7999),684(3000-3999)
   812/749(7000-7999),758(3000-3999),768(3000-3999)
   812/774(4000-4999),774(9000-9999),777(3000-3999)
   812/781(3000-3999),783(3000-3999),817(3000-3999)
.......................................................................
EVANSVILLE                  EVVLIN03XIX 07654 07042 7951  330 GR
   812/315(7000-7999),326(7000-7999),338(7000-7999)
   812/351(7000-7999),359(2000-2999),362(9000-9999)
   812/370(6000-6999),389(6000-6999),393(7000-7999)
   812/419(7000-7999),505(7000-7999),506(6000-6999)
   812/608(7000-7999),612(6000-6999),615(7000-7999)
   812/616(7000-7999),635(7000-7999),643(7000-7999)
   812/646(4000-4999),649(3000-3999),678(1000-1999)
   812/684(7000-7999),706(7000-7999),709(7000-7999)
   812/721(6000-6999),781(5000-5999),782(7000-7999)
   812/783(6000-6999),795(7000-7999),901(7000-7999)
   812/922(7000-7999),978(7000-7999),982(7000-7999)
   812/985(6000-6999),993(7000-7999),998(7000-7999)
   812/999(7000-7999)
.......................................................................
EVANSVILLE                  KNTPIN01DS0 06715 03006 8366  330 DA
   812/962
.......................................................................
FAIRBANKS                   FRBNINXARS0 06486 03137 0779  938 AA DA GE GJ
   812/394(2000-2999),394(5000-5999)                        GM GN II TU
.......................................................................
FAIRLAND                    FRLDIN01DS0 06283 02929 5080  336 AA DA GC GD
   317/835(0000-0999),835(2000-2999),835(4000-4999)         GQ GR II OH
   317/835(7000-7999)                                       OR PO PQ PR
                                                            PU RA RF RH
                                                            RJ RK SV UB
                                                            VD ZX
.......................................................................
FAIRMOUNT                   FAMTINXADS0 06109 02986 0750  336 AA BA DA GN
   765/948(3000-7999),948(9000-9999)                        GR HB HH T3
                                                            TJ UW VA WE
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
FARMERSBURG	FMBGINXARS0	06468	03120	0779	938	AA DA GE GJ
812/696(0000-0999),696(1000-1999),696(2000-2999)						GM GN II TU
812/696(5000-5999),696(8000-8999)						
FARMLAND	FMLDINXADS0	06111	02892	0772	937	AA DA GC GD
765/468(1000-1999),468(3000-3999),468(4000-4999)						GE GG GN HB
765/468(6000-6999),468(7000-7999),468(8000-8999)						HD II RC RD
765/468(9000-9999)						RF RM SN SQ
						VM
FERDINAND	FDNDINXARS0	06624	02936	0779	330	AA DA GE GJ
812/367(0000-3999),367(7000-8999)						GM GN II TU
FILLMORE	FLMRINXA0MD	06339	03069	0776	336	OE TJ UD
765/246(5000-6999)						
FISHERS	FSHRIN0101W	06237	02990	5080	336	HC PR PU VD
/						
FISHERS	FSHRIN01988	06237	02990	5080	336	BA DA GC GD
/						HB PR PU QB
						RA RF RH RJ
						RK SH SV TA
						UB US VD ZY
FISHERS	FSHRIN01DS0	06237	02990	5080	336	AA BA DA GC
317/521,570,576(0000-1999),576(5000-9999),577,578						GD GR HB II
317/579(0000-0999),579(1000-1999),579(2000-2999)						OE OH OR PB
317/579(3000-3999),579(4000-4999),579(6000-6999)						PK PR PU QB
317/579(7000-7999),579(8000-8999),579(9000-9999),585,594						RA RF RH RJ
317/595,596,598(0000-4999),598(6000-9999),621,841,842						RK SX TA UB
317/845(0000-5999),845(7000-9999),849,913,915						US VD
FISHERS	FSHRIN01RS1	06237	02990	5080	336	AA BA DA GC
317/588(5000-5999),588(7000-7999)						GD GE GM II
						PB PK PR PU
						QB RA RF RH
						RJ RK SK SR
						SY VD VP

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
FISHERS	FSHRINFCDS0	06230	02990	6158	336	BA DA DD GB
217/709(0000-3999),709(5000-6999),709(8000-9999)						GC GD GE GJ
317/268(0000-1999),268(7000-7999),268(9000-9999)						GL GN GP GR
317/520(5000-5999),527(5000-5999),674(0000-1999)						HB HJ IA IB
317/674(7000-7999),674(9000-9999),677(0000-1999)						IC ID IE IF
317/677(7000-7999),677(9000-9999),732(2000-2999)						IG IH II QA
317/855(6000-6999)						QB QE RS SI
574/222(1000-1999)						SJ SP SQ SU
765/405(3000-3999),442(0000-2999),442(4000-7999)						UF UG UK UR
765/442(9000-9999),557(5000-5999),587(0000-1999)						VC
765/587(5000-5999),587(7000-7999),587(9000-9999)						
765/626(0000-1999),626(7000-7999),626(9000-9999)						
765/733(0000-1999),733(7000-7999),733(9000-9999)						
812/565(5000-5999),668(1000-1999)						
FLAT ROCK	FLRKIN01RSC	06322	02901	5080	338	AA BA DA GC
812/587(5000-5999)						GD GE GM GQ
						GR II PO PQ
						PR PU RA RF
						RH RJ RK SV
						UB VD
FLORA	FLORINXARS1	06154	03127	0832	332	AA BA DA GI
574/967						GK GR HD PC
						PL PN RC RD
						SA SH SP SQ
						TJ TW UP UR
						WE WG WJ
FORT BRANCH	FTBRINXARS0	06677	03046	0779	330	AA DA GC GD
812/753(1000-5999),768(0000-0999),768(5000-6999)						GE GJ GM GN
812/768(9000-9999)						II TU UA
FORT WAYNE	FTWYIN074MD	05937	02991	213F	334	DA
/						
FORT WAYNE	FTWYIN07DS0	05937	02991	213F	334	DA
260/407,408,624(1000-1999),797(0000-0999),901(2000-2999)						
260/901(2000-2999)						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
FORT WAYNE                  FTWYINXA35T 05942 02983 0772  334 G2 GB HB TU (C)
     /                                                      UA          (C)
.......................................................................
FORT WAYNE                  FTWYINXA40W 05942 02983 0772  334 HC
     /
.......................................................................
FORT WAYNE                  FTWYINXADS1 05942 02983 0772  334 AA DA GC GD (C)
   260/420(1000-6999),420(8000-9999),421,422,423(1000-1999)  GE GG GN GR (C)
   260/423(2000-2999),423(3000-3999),423(4000-4999)          HB HD II RA (C)
   260/423(5000-5999),423(6000-6999),423(7000-7999)          RC RD RF RM (C)
   260/423(8000-8999),423(9000-9999),424,425(1000-1999)      SA SC SD SE (C)
   260/425(2000-2999),425(3000-3999),425(4000-4999)          SH SQ TD TH (C)
   260/425(6300-9999),426,428,429,460(1000-6999)             TI TJ TU UA (C)
   260/460(8000-9999),461(0000-1999),461(3800-5699)          UG VM WJ ZZ (C)
   260/461(5900-9999),467(1000-1999),467(2000-2999)                      (C)
   260/467(4000-4999),467(5000-5999),467(6000-6999)                      (C)
   260/467(7000-7999),467(8000-8999)                                     (C)
.......................................................................
FORT WAYNE                  FTWYINXADS3 05942 02983 0772  334 AA DA GC GD (C)
   260/425(5000-6299),427(0000-0999),427(1000-1999)          GE GJ GR HB (C)
   260/427(2000-2999),427(4000-4999),427(5000-5999)          RA RC RD RF (C)
   260/427(6000-6999),427(7000-7999),427(8000-8999)          RM SA SC SD (C)
   260/427(9000-9999),431(0000-0999),431(2000-2999),439      SE SH SQ TD (C)
   260/442(0000-0999),443(0000-0999),444(0000-0999)          TH TU UA UR (C)
   260/445(1000-1999),446(0000-0999),449(2000-4999)          WD WE WF WG (C)
   260/449(7000-8999),455,461(2000-3799),619(2000-2999)      WH WI WJ ZZ (C)
   260/676(9000-9999)                                                    (C)
.......................................................................
FORT WAYNE                  FTWYINXAPS0 05942 02983 474E  334 DA
     /
.......................................................................
FORT WAYNE                  FTWYINXAPS1 05942 02983 0772  334 DA IP
   260/440(5000-5999)
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
FORT WAYNE	FTWYINXARMD	05942	02983	7440	334	BA DA
260/202(3000-3999),245(4000-4999),247(3000-4999)						
260/247(7000-7999),247(9000-9999),274(5000-5999)						
260/412(3000-3999),498(8000-8999),508(3000-3999)						
260/544(3000-3999),553(3000-3999),623(7000-7999)						
260/633(4000-4999),676(3000-3999),702(3000-3999)						
260/702(8000-8999),706(5000-5999),905(3000-3999)						
FORT WAYNE NORTH	FTWYINXFDS0	05934	02986	0772	334	AA DA GC GD
260/266(0000-0999),266(1000-1999),266(2000-2999)						GG GN GR HB
260/266(3000-3999),266(4000-4999),266(5000-5999)						HD II RC RD
260/266(6000-6999),266(7000-7999),266(8000-8999)						RF RM SH SQ
260/266(9000-9999),373,461(5700-5899),470,471,480,481						TI TJ TU UA
260/482,483,484,496						UG UR VM WD
						WE WF WG WH
						WI WJ
FORT WAYNE NORTH	FTWYINXFRS9	05934	02986	0772	334	AA DA GC GD
260/452(1000-1999),452(2000-2999),452(3000-3999)						GE GJ GM GR
						RA RC RD RF
						RM SA SC SD
						SE SH SQ TU
						UA ZZ
FORT WAYNE NORTHEAST	FTWYINXGDS2	05926	02979	0772	334	AA DA GC GD
260/485,486,492(0000-0999),492(1000-1999),492(2000-2999)						GE GG GJ GN
260/492(4000-4999),492(5000-5999),492(6000-6999)						GR HB HD II
260/492(7000-7999),492(8000-8999),492(9000-9999)						RC RD RF RM
						SQ TB TI TJ
						TU UA UG VM
						WJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
FORT WAYNE NORTHWEST        FTWYINXBDS0 05931 02995 0772  334 AA DA GC GD
   260/416(0000-0999),416(3000-3999),416(5000-5999),451      GE GG GJ GN
   260/487(0000-0999),487(2000-2999),487(3000-3999)          GR HB HD II
   260/487(4000-4999),487(5000-5999),487(6000-6999)          RC RD RF RM
   260/487(7000-7999),487(8000-8999),487(9000-9999),489,490  TI TJ TU UA
   260/497                                                   UG UR VM WD
                                                             WE WF WG WH
                                                             WI WJ
.......................................................................
FORT WAYNE SOUTH            FTWYINXCDS0 05946 02981 0772  334 AA BA DA GC
   260/456,458(0000-0999),458(2000-2999),458(3000-3999)      GD GE GG GN
   260/458(5000-5999),458(6000-6999),458(8000-8999)          GR HB HD II
   260/458(9000-9999),744,745(0000-0999),745(1000-1999)      RA RC RD RF
   260/745(2000-2999),745(3000-3999),745(4000-4999)          RM SQ TI TJ
   260/745(5000-5999),745(7000-7999),745(8000-8999)          TU UA UG UR
   260/745(9000-9999)                                        VM WD WE WF
                                                             WG WH WI WJ
.......................................................................
FORT WAYNE SOUTHEAST        FTWYINXDDS0 05949 02971 0772  334 AA DA GC GD
   260/441(0000-0999),441(1000-1999),441(2000-2999)          GE GG GN GR
   260/441(3000-3999),441(4000-4999),441(5000-5999)          HB HD II RC
   260/441(7000-7999),441(8000-8999),441(9000-9999),447      RD RF RM SQ
                                                             TI TU UA UG
                                                             UR VM WD WE
                                                             WF WG WH WI
                                                             WJ
.......................................................................
FORT WAYNE TRAINING CTR     FTWYINXQDS2 05933 02982 0772  334 DA TU
      /
.......................................................................
FORT WAYNE WAYNEDALE        FTWYINXEDS0 05955 02982 0772  334 AA DA GC GD
   260/478,479(1000-1999),479(2000-2999),479(3000-3999)      GE GG GN GR
   260/479(4000-4999),479(6000-6999),747                     HB HD II RC
                                                             RD RF RM SQ
                                                             TI TJ TU UA
                                                             UG UR VM WD
                                                             WE WF WG WH
                                                             WI WJ
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
FORT WAYNE WEST	FTWYINXLDS0	05952	02992	0772	334	AA DA GC GD
260/432,434,435(1000-1999),435(2000-2999),435(3000-3999)						GE GG GN GR
260/435(4000-4999),435(5000-5999),435(6000-6999)						HB HD II RC
260/435(7000-7999),435(8000-8999),436,459						RD RF RM SN
						SQ TI TJ TU
						UA UG UR VM
						WD WE WF WG
						WH WI WJ
FORTVILLE	FTVLINXADS0	06217	02967	0832	336	AA BA DA GI
317/485(0000-8999)						GK GR HD PC
						PL PN RC RD
						SA SH SP SQ
						TJ TW UP UR
						WE WG WJ
FORTVILLE	VETPIN01RL0	06216	02964	7459	336	DA DD GR TJ
317/482(0000-0999),482(1000-1999),482(2000-2999)						
317/482(3000-3999),482(4000-4999),482(5000-5999)						
317/482(6000-6999),482(8000-8999),482(9000-9999)						
FOUNTAIN CITY	FNCYINXARS0	06135	02831	0772	937	AA DA GG GM
765/847(1000-1999),847(2000-2999),847(5000-5999)						GN HB HD II
						RC RD RF RM
						SQ VM
FOWLER	FWLRIN01RSF	06203	03251	5080	336	AA BA DA GC
765/884(0000-0999),884(1000-1999),884(2000-2999)						GD GM GQ GR
765/884(3000-3999),884(8000-8999)						II PO PQ PT
						RA RF RH RJ
						RK SV UB VD
FRANCESVILLE	FRVLINXARS1	06099	03225	0832	332	AA BA DA GI
219/567(0000-0999),567(2000-2999),567(9000-9999)						GK GR HD PC
						PL PN RC RD
						SA SH SP SQ
						TJ TW UP UR
						WE WG WJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
FRANCISCO	FRNCINXARS0	06650	03035	0779	330	AA DA GC GD
812/782(3000-3999),782(9000-9999)						GE GJ GM GN
						II TU
FRANKFORT	FRFTIN01DS0	06204	03098	5080	336	AA DA GC GD
765/654,656(0000-0999),656(1000-1999),656(2000-2999)						GQ GR HB II
765/656(3000-3999),659						PO PQ PT RA
						RC RD RE RF
						RH RJ RK SV
						UB VD
FRANKLIN	FKLNINXADS0	06319	02947	0832	336	AA BA DA GC
317/346(0000-7999),346(9000-9999),736,738						GI GK GR HD
						PA PJ PN RC
						RD SA SH SP
						SQ T1 TH TJ
						TW UP UR WE
						WG WJ
FRANKTON	FRTNINXARS0	06156	02984	0772	336	AA DA GG GM
765/754(1000-1999),754(3000-3999),754(7000-7999)						GN HB HD RA
765/754(8000-8999)						RC RD RF RM
						VM
FREDERICKSBURG	FRBGINXBRL0	06527	02857	0779	338	AA BA DA GM
812/472(3000-3999),472(8000-9999)						GN II TU
FREELANDVILLE	FNVLINXARS3	06537	03069	0779	338	AA DA GE GJ
812/328(1000-2999),328(6000-6999)						GM GN II TU
FREETOWN	FRTWINXARS0	06421	02904	0779	338	AA DA GE GJ
812/497(0000-0999),497(2000-3999)						GM GN II UA
FREMONT	FRMTINXARS0	05803	03024	0772	334	AA DA GE GG
260/495						GM GN GR HB
						HD II RC RD
						RF RM SQ TU
						VM

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
FRENCH LICK                 FRLCINXADS0 06543 02932 0818  338 AA DA GL GN
   812/936,938(0000-0999),938(1000-1999),938(2000-2999)      GQ HB HD HJ
   812/938(8000-8999),938(9000-9999)                         II SQ TI
.......................................................................
FRITCHTON                   FTTNINXARS0 06582 03067 0779  338 AA DA GE GJ
   812/726(1000-2999),726(4000-5999)                         GM GN II TU
                                                             UA
.......................................................................
FULTON                      FLTNINXBRS0 06057 03131 0772  336 AA DA GG GM
   574/857(2000-2999),857(3000-3999)                         GN GR HB HD
                                                             II RC RD RF
                                                             RM TU VM
.......................................................................
GALENA                      GALNIN01DS0 06524 02810 5080  462 AA BA DA GM
   812/923                                                   GQ GR II PO
                                                             PQ PR PS RA
                                                             RF RH RJ RK
                                                             SH SV UB VD
.......................................................................
GALVESTON                   GLTNINXARS0 06124 03085 0772  336 AA DA GE GG
   574/699(0000-1999),699(6000-7999)                         GM GN GR HB
                                                             HD II RC RD
                                                             RF RM TU VM
.......................................................................
GARRETT                     GRRTINXA01W XXXXX XXXXX XXXX XXX  XX XX XX XX (D)
      /                                                                   (D)
.......................................................................
GARRETT                     GRRTINXARS0 05891 03012 0772  334 AA DA GC GD (C)
   260/357(0000-1999),357(3000-6999)                         GE GG GM GN (C)
                                                             GR HB HD II (C)
                                                             RC RD RF RM (C)
                                                             TU UA VM    (C)
.......................................................................
GARY                        GARYINGMDS0 06012 03344 5080  358 AA BA DA GC
   219/938,939(0000-0999),939(2000-3999),939(6000-6999)      GD GQ GR HB
   219/939(8000-9999)                                        II OR PO PQ
                                                             RA RC RD RE
                                                             RF RH RJ RK
                                                             SJ SV SX VD
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
GARY	GARYINGO10T	06018	03354	5080	358	GB GQ GR HC
/						VD
GARY	GARYINGODS0	06018	03354	5080	358	AA DA GB GC
219/880(0000-0999),880(1000-1999),880(2000-2999)						GD GE GQ GR
219/880(4000-4999),881(0000-7999),881(9000-9999),882						HB II OH OR
219/883(0000-4999),883(7000-8999),885(0000-7999),886						PC PL QB RA
219/888(1000-7999)						RC RD RE RF
						RH RJ RK SK
						SR TA UB UE
						VD VP ZX
GARY	GARYINGRDS0	06029	03352	5080	358	AA BA DA GC
219/884,887,980,981(1000-6999),981(8000-9999)						GD GQ GR HB
219/985(0000-1999),985(6000-9999)						II OH OR PD
						PM RA RF RH
						RJ RK SJ SV
						SX UB VD
GARY	GARYINGWDS0	06024	03361	5080	358	AA BA DA GC
219/944,949,977(0000-2999),977(4000-9999)						GD GE GQ GR
						HB II OR PO
						PQ RA RF RH
						RJ RK SJ SV
						SX UB VD
GASTON	GSTNIN01RS2	06116	02954	5080	336	AA DA GC GD
765/358(3000-3999),358(4000-4999),358(8000-8999)						GM GQ GR II
						OH OR PO PQ
						PR PS RA RF
						RH RJ RK SV
						UB VD
GEETINGSVILLE	GTVLINXADS0	06172	03101	0771	336	OE T3 TJ TZ
765/258(0000-0999)						UD XE XF
GEETINGSVILLE	MLBYINXA1MD	06204	03125	0771	336	AA BA DA HB
765/258(1000-9999)						HD

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
GENEVA	GENVINXARS1	06019	02905	0832	334	AA BA DA GI
260/368(0000-1999),368(7000-7999),368(9000-9999)						GK GR HD PC
						PL RC RD SA
						SH SP SQ TJ
						TW UP UR WE
						WG WJ
GEORGETOWN	GRTWINXARS0	06538	02809	0779	462	AA DA GC GD
812/951(0000-3999)						GE GJ GM GN
						II
GLENWOOD	GLWDINXARS0	06229	02851	0772	937	AA DA GG GM
765/679(1000-1999),679(5000-5999)						GN HB HD RC
						RD RF RM VM
GOODLAND	GDLDINXARS1	06174	03262	0832	332	AA BA DA GI
219/297(0000-0999),297(2000-4999)						GK GR HD PC
						PL PN RC RD
						SA SH SP SQ
						TJ TW UP UR
						WE WG WJ
GOSHEN	GSHNINXADS0	05902	03138	0772	332	AA DA GC GD
574/364(1000-4999),533,534,535(0000-2999),535(6000-7999)						GE GG GN GR
574/535(9000-9999),537						HB HD II RC
						RD RF RM SN
						SQ TB TI TJ
						TU UG VM WJ
GOSHEN	GSHNINXARS0	05902	03138	0772	332	DA GM GR TU
574/538(0000-0999),538(5000-6999)						
GOSPORT	GSPTINXARSA	06393	03023	0818	338	AA DA GL GN
812/879(0000-0999),879(1000-1999),879(3000-3999)						GQ HD HJ II
812/879(4000-4999),879(5000-5999),879(6000-6999)						SQ TI
812/879(7000-7999),879(8000-8999),879(9000-9999)						

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
GRAYSVILLE	GYVLINXARS0	06509	03131	0772	938	AA DA GC GD
812/382(4000-4999)						GE GG GM GN
						HB HD II RC
						RD RF RM SQ
						TU VM
GREENCASTLE	GNCSINXADS0	06353	03083	0772	336	AA DA GC GD
765/653,655(1000-1999),655(2000-2999),655(9000-9999)						GG GN HB HD
765/658(1000-1999),658(2000-2999),658(3000-3999)						II RC RD RF
765/658(4000-4999),658(5000-5999),658(6000-6999)						RM SQ TU VM
765/658(7000-7999),658(8000-8999),658(9000-9999)						
GREENFIELD	GNFDIN01DS0	06238	02937	5080	336	AA BA DA GC
317/462,467(0000-0999),467(1000-1999),467(2000-2999)						GD GQ GR II
317/467(3000-3999),467(4000-4999),467(6000-6999)						OH OR PD PM
317/467(7000-7999),467(8000-8999),467(9000-9999)						PR PU RA RF
317/468(0000-0999),468(1000-1999),468(4000-4999)						RH RJ RK SV
317/468(6000-6999),936(5000-5999)						UB VD
GREENFIELD	GNFDIN03RL0	06238	02937	7459	336	DA DD GR TJ
317/325(0000-0999),325(1000-1999),325(2000-2999)						
317/325(3000-3999),325(4000-4999),325(5000-5999)						
317/325(6000-6999),325(7000-7999),325(9000-9999),477						
GREENSBURG	GNBGINXBRSC	06298	02845	0779	338	AA DC GE GJ
812/527(0000-0999),527(2000-3999),527(8000-8999)						GM GN II RC
812/662(0000-3999),662(6000-9999),663						RD SQ
GREENSFORK	GRFKINXARS0	06151	02844	0772	937	AA DA GG GM
765/886(1000-1999),886(4000-4999),886(5000-5999)						GN HB HD II
765/886(6000-6999)						RC RD RF RM
						SQ VM
GREENTOWN	GNTWIN01RSA	06122	03039	5080	336	AA BA DA GC
765/628(0000-0999),628(2000-2999),628(3000-3999)						GD GM GQ GR
765/628(7000-7999)						II OH OR PO
						PQ PR PS RA
						RF RH RJ RK
						SV UB VD

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
GREENWOOD                   GNWDIN01DS0 06296 02971 5080  336 AA BA DA GC
   317/497(6000-6999),528(1000-8999),859,865,881,882         GD GE GQ GR
   317/883(0000-0999),883(1000-1999),883(2000-2999)          HB II OH OR
   317/883(3000-3999),883(4000-4999),883(5000-5999)          PD PM PR PU
   317/883(8000-8999),884(0000-0999),884(1000-1999)          RA RF RH RJ
   317/884(2000-2999),884(3000-3999),884(4000-4999)          RK SK SR VD
   317/884(5000-5999),885,887,888,889                        VP ZX
.......................................................................
GRIFFIN                     GRFNINXADS0 06711 03093 0818  330 AA DA GL GN
   812/851(0000-0999),851(1000-1999),851(2000-2999)          GQ HB HD HJ
   812/851(3000-3999),851(5000-5999),851(9000-9999)          SQ
.......................................................................
GUILFORD                    GUFDINXARS1 06284 02745 0832  922 AA BA DA GI
   812/487(2000-2999)                                        GK GR HD PC
                                                             PL PN RC RD
                                                             SA SH SP SQ
                                                             TJ TW UP UR
                                                             WE WG WJ
.......................................................................
HAGERSTOWN                  HGTWINXARS0 06164 02861 0772  937 AA BA DA GG
   765/489(1000-1999),489(3000-3999),489(4000-4999)          GM GN HB HD
   765/489(5000-5999),489(6000-6999)                         II RC RD RF
                                                             RM SN SQ VM
.......................................................................
HAMILTON                    HMTNINXARS0 05839 03001 0772  334 AA BA DA GG
   260/488(1000-1999),488(2000-2999),488(3000-3999)          GM GN GR HB
   260/488(4000-4999)                                        HD II RC RD
                                                             RF RM SQ TU
                                                             VM
.......................................................................
HAMLET                      HMLTINXARS0 05999 03223 0832  332 AA BA DA GI
   574/867                                                   GK GM GR HD
                                                             PC PL PN RC
                                                             RD SA SH SP
                                                             SQ TJ TW UP
                                                             UR WE WG WJ
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
HAMMOND	HMNDINHEDS0	06030	03370	5080	358	AA BA DA GC
219/554(0000-0999),554(1000-1999),554(2000-2999)						GD GQ GR HB
219/554(4000-4999),838,844,845,923,972,989(0000-5999)						II OH OR PD
219/989(7000-9999)						PM RA RC RD
						RE RF RH RJ
						RK SJ SV SX
						TA UB VD
HAMMOND	HMNDINHWDS0	06028	03383	5080	358	AA BA DA GC
219/513(0000-0999),513(1000-1999),513(2000-2999),836						GD GE GQ GR
219/852(0000-6999),853,931,932,933,937(0000-6999)						II OE OH OR
219/937(8000-9999)						PC PL QB RA
						RC RD RE RF
						RH RJ RK SK
						SV UB VD ZX
HANNA	HANNINXARS0	06010	03254	0772	332	AA DA GC GD
219/797(2000-2999),797(3000-3999),797(4000-4999)						GE GG GM GN
219/797(5000-5999)						GR HB HD II
						RC RD RF RM
						SQ TU VM
HANOVER	HNVRINXARS1	06416	02778	0779	338	AA BA DA GE
812/313(0000-0999),866(1000-9999)						GJ GM GN II
HARLAN	HRLNINXARS0	05902	02965	0772	334	AA BA DA GG
260/657(1000-1999),657(3000-3999),657(5000-5999)						GM GN GR HB
						HD II RC RD
						RF RM SQ TU
						UA UG VM
HARTFORD CITY	HRCYIN01DS9	06079	02949	5080	336	AA BA DA GC
765/331(0000-0999),331(2000-2999),331(9000-9999),348						GD GQ GR II
						OH OR PO PQ
						PT RA RF RH
						RJ RK SV UB
						VD

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
HAYSVILLE	HYVLINXARS1	06584	02970	0779	330	AA DA GC GD
812/695(2000-9999)						GE GJ GM GN
						GR II TU
HAZLETON	HZTNINXARS0	06627	03066	0779	338	AA DA GE GJ
812/784(1000-2999),784(4000-4999)						GM GN II TU
HEBRON	HBRNINXH01T	06061	03306	0800	358	GB
/						
HEBRON	HBRNINXHDS0	06061	03306	0800	358	AA BA D1 DA
219/345,394,987,988,996						DD GB HB OE
HELTONVILLE	HLVLIN01RSC	06448	02934	5080	338	AA BA DA GC
812/834(5000-5999),834(6000-6999)						GD GE GM GQ
						GR II PO PQ
						PT RA RF RH
						RJ RK SV UB
						VD
HENRYVILLE	HEVLINXARS1	06473	02805	0779	462	AA DA GE GJ
812/294(1000-1999),294(3000-4999),294(7000-7999)						GM GN II
HIGHLAND	HGLDINHLDS0	06039	03366	5080	358	AA BA DA GC
219/922,924,934(0000-6999),934(8000-9999)						GD GQ GR HB
						II OE OH OR
						PD PM RA RC
						RD RE RF RH
						RJ RK SJ SV
						SX UB VD
HIGHLAND SPRINGS	HLSPINXARSW	06223	02973	0775	336	UD
/						
HILLSBORO	HLBOINXA0MD	06288	03175	0788	336	OE TJ UD
765/798(0000-0999),798(2000-2999),798(4000-6999)						

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
HOBART	HBRTINXADS0	06025	03337	0772	332	AA DA GC GD
219/942,945(0000-0999),945(1000-1999),945(4000-4999)						GE GG GN GR
219/945(5000-5999),947						HB HD II RC
						RD RF RM SN
						SQ TJ TU VM
HOLLAND	HLLDINXA0MD	06633	02965	0807	330	AA BA BC DA
812/536(0000-0999),536(2000-2999),536(3000-3999)						G3 G5 GJ GL
812/536(4000-4999),536(5000-5999),536(9000-9999)						GN GQ GR HB
						HJ IB IC ID
						IG II OE SH
						SQ SX TI TJ
						UG UR UU UW
						UX VA VE
HOPE	HOPEIN01RSJ	06330	02885	5080	338	AA BA DA GB
812/546(0000-0999),546(4000-4999),546(5000-5999)						GC GD GE GM
812/546(6000-6999)						GQ GR II PO
						PQ PT RA RC
						RD RE RF RH
						RJ RK SV UB
						VD
HOWE	HOWEINXARS1	05844	03093	0832	332	AA BA DA GI
260/562						GK GR HD PB
						PK PN RC RD
						SA SH SP SQ
						TJ TW UP UR
						WE WG WJ
HUNTERTOWN	HNTWINXARS0	05918	03004	0772	334	AA DA GC GD
260/338(0000-0999),338(1000-1999),338(5000-5999),637						GE GG GM GN
						GR HB HD II
						RC RD RF RM
						SQ TU UA VM
HUNTINGBURG	HGBGINXADS0	06618	02957	0779	330	AA DA GN GR
812/683						II TU

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
HUNTINGTON	HNTNIN01DS0	06008	03013	5080	334	AA BA DA GC
260/355(0000-0999),355(2000-2999),355(3000-3999)						GD GE GQ GR
260/355(4000-4999),356,358(0000-4999),358(5000-5999)						II PD PM PT
260/358(8000-9999),359(0000-4999),359(6000-7999)						RA RC RD RE
260/359(9000-9999)						RF RH RJ RK
						SK SR SY UB
						UE VD VP
HYMERA	HYMRINXADS0	06474	03101	0818	938	AA DA GL GN
812/383(0000-0999),383(4000-4999),383(5000-5999)						HB HD HJ SQ
812/383(6000-6999),383(7000-7999),383(8000-8999)						
812/383(9000-9999)						
IDAVILLE	IDVLINXARS0	06124	03167	0831	332	AA BA DA GM
574/943(3000-3999)						GN GR HD II
						TU
INDIANAPOLIS	IPLSIN0110T	06272	02992	5080	336	GB GQ GR HC
/						PR PU VD
INDIANAPOLIS	IPLSIN0123E	06272	02992	5080	336	GB GC GD GL
317/239						GQ HA PA PJ
						PR PU QB RA
						RC RD RE RF
						RH RJ RK RM
						SH SV SW TA
						UB UC US VD
						ZX
INDIANAPOLIS	IPLSIN014CD	06272	02992	5080	336	DC G1 GQ PA
/						PJ QB VD

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
INDIANAPOLIS                IPLSIN01DS0 06272 02992 5080  336 AA DA GB GC
   317/232,233,234,237,238(1000-2999),238(4000-7999)         GD GE GQ GR
   317/263(0000-0999),263(2000-3999),263(5000-9999)          HB II OE OH
   317/264(0000-8999),274,276,277,278,285(1000-7999)         OR PA PJ PR
   317/383(2000-5999),383(8000-8999),433,444(2000-8999)      PU QB RA RC
   317/453(2000-6999),453(8000-8999),464(0000-2999)          RD RE RF RH
   317/464(4000-6999),464(8000-8999),488(2000-6999)          RJ RK RM SL
   317/583(0000-1999),583(8000-9999),615(1000-1999)          SS TA UB UC
   317/615(2000-2999),615(4000-7999),630,633,651,655         UE VD VQ ZX
   317/656(2000-6999),656(8000-8999),692(0000-0999)
   317/692(2000-8999)
.......................................................................
INDIANAPOLIS                IPLSIN01DS1 06272 02992 5080  336 AA DA GB GC
   317/221(0000-8999),226,229(0000-4999),229(7000-9999)      GD GE GQ GR
   317/231(0000-0999),231(1000-1999),231(2000-2999)          HB II PA PJ
   317/231(3000-3999),231(4000-4999),231(6000-6999)          PR PU QB RA
   317/231(7000-7999),231(8000-8999),231(9000-9999)          RC RD RE RF
   317/236(0000-7999),261(0000-0999),261(2000-9999),262      RH RJ RK RM
   317/266(0000-8999),267(0000-4999),267(6000-8999)          SH SV TA UB
   317/269(0000-6999),269(8000-9999),321,327,592             UC UE VD ZX
   317/615(3000-3999),639,673,681(1000-1999),681(5000-8999)
   317/684(0000-8999),693(1000-3999),693(5000-8999)
   317/724(7000-7999),756(0000-0999),756(1000-1999)
   317/756(2000-2999),756(3000-3999),756(4000-4999)
   317/756(5000-5999),756(6000-6999),756(9000-9999),761
   317/767(0000-0999),767(2000-3999),767(6000-8999),971,977
   317/977
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
INDIANAPOLIS	IPLSIN01DS2	06272	02992	5080	336	AA BA DA G1
317/222(2000-2999),265,306(2000-4999),306(7000-7999),423						GB GC GD GE
317/624(0000-1999),624(3000-9999),631,632,634,635,636						GQ GR HB II
317/637,638,682(2000-2999),682(5000-6999),685(0000-0999)						PA PJ PR PU
317/685(1000-1999),685(2000-2999),685(3000-3999)						QB RA RC RD
317/685(4000-4999),685(5000-5999),685(6000-6999)						RE RF RH RJ
317/685(7000-7999),685(8000-8999),686,687(0000-3999)						RK RM SK SR
317/687(5000-9999),822(0000-0999),822(2000-6999)						SW SY TA UB
317/822(8000-9999),880,916,917,929(0000-0999)						UC UE VD VP
317/929(2000-8999),940,945(1000-1999),951,955,962,963						
317/964(2000-2999),964(4000-8999),968(1000-8999),972						
317/974(0000-8999),988(0000-5999),988(9000-9999)						

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
INDIANAPOLIS	IPLSIN01XDZ	06272	02992	7951	336	GR
217/666(6000-6999)						
317/343(7000-7999),350(7000-7999),360(7000-7999)						
317/434(7000-7999),458(7000-7999),483(6000-6999)						
317/530(7000-7999),561(7000-7999),572(6000-6999)						
317/593(7000-7999),597(7000-7999),604(4000-4999)						
317/606(7000-7999),623(6000-6999),647(7000-7999)						
317/649(7000-7999),668(5000-5999),718(3000-3999)						
317/720(6000-6999),729(9000-9999),746(7000-7999)						
317/747(6000-6999),763(7000-7999),794(7000-7999)						
317/830(7000-7999),878(3000-3999),900(5000-5999)						
317/933(7000-7999),942(7000-7999),975(7000-7999)						
317/978(7000-7999),991(7000-7999)						
463/221(5000-5999)						
574/382(7000-7999),598(7000-7999),626(7000-7999)						
574/643(8000-8999),664(8000-8999),701(7000-7999)						
574/725(7000-7999),857(7000-7999),889(6000-6999)						
765/221(0000-0999),231(7000-7999),234(7000-7999)						
765/239(7000-7999),248(7000-7999),249(6000-6999)						
765/268(7000-7999),279(2000-2999),291(7000-7999)						
765/300(7000-7999),323(7000-7999),326(7000-7999)						
765/329(7000-7999),358(2000-2999),360(7000-7999)						
765/371(7000-7999),372(7000-7999),379(7000-7999)						
765/380(7000-7999),385(6000-6999),388(7000-7999)						
765/390(7000-7999),391(2000-2999),399(3000-3999)						
765/400(7000-7999),416(7000-7999),435(6000-6999)						
765/436(4000-4999),484(7000-7999),487(7000-7999)						
765/508(7000-7999),523(7000-7999),534(6000-6999)						
765/536(7000-7999),537(6000-6999),544(7000-7999)						
765/548(7000-7999),558(7000-7999),560(2000-2999)						
765/562(7000-7999),563(7000-7999),567(8000-8999)						
765/571(7000-7999),577(7000-7999),582(7000-7999)						
765/590(7000-7999),605(7000-7999),607(7000-7999)						
765/613(7000-7999),627(7000-7999),633(7000-7999)						
765/636(7000-7999),665(7000-7999),684(6000-6999)						
765/688(6000-6999),705(3000-3999),722(7000-7999)						
765/727(7000-7999),734(6000-6999),737(7000-7999)						
765/739(7000-7999),754(0000-0999),769(7000-7999)						
765/779(6000-6999),789(1000-1999),790(7000-7999)						

-------- Continued on next page --------

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY CLLI WCV WCH CC LATA OFFICE TYPE
---------NPA/NXX---------- ---------- ----- ----- ---- ---- -- -- -- --

-------- Continued from previous page --------

765/820(7000-7999),822(7000-7999),836(6000-6999)
765/862(7000-7999),869(7000-7999),885(7000-7999)
765/889(7000-7999),893(7000-7999),919(7000-7999)
765/934(7000-7999),945(6000-6999),946(7000-7999)
765/947(3000-3999),986(7000-7999),997(4000-4999)
765/999(7000-7999)

.....

INDIANAPOLIS IPLSIN02DS0 06256 02987 5080 336 AA BA DA GC
317/212,377(0000-3999),377(5000-9999),541,542(0000-1999) GD GQ GR HB
317/542(4000-9999),543(0000-6999),543(8000-9999) II OH OR PD
317/544(2000-4999),545,546,547,549(0000-4999) PM PR PU QB
317/549(6000-9999),562(1000-1999),562(2000-2999) RA RF RH RJ
317/562(3000-3999),562(4000-4999),562(5000-5999) RK SK SR SY
317/562(6000-6999),562(7000-7999),562(8000-8999) TA UB VD
317/562(9000-9999),568,591(0000-8999)

.....

INDIANAPOLIS IPLSIN03DS0 06265 02979 5080 336 AA BA DA GB
317/308(2000-3999),308(5000-6999),322,351,352(0000-1999) GC GD GQ GR
317/352(4000-4999),352(7000-9999),353(0000-2999) HB II OH OR
317/353(6000-6999),353(8000-9999),354(0000-0999) PD PM PR PU
317/354(1000-1999),354(2000-2999),354(4000-4999) QB RA RF RH
317/354(8000-8999),356,357,358(0000-2999),358(4000-4999) RJ RK SK SR
317/358(8000-8999),359,375(0000-4999),375(6000-9999) SY TA UB VD

.....

INDIANAPOLIS IPLSIN04DS0 06254 03000 5080 336 AA BA DA GC
317/202(0000-0999),202(2000-2999),202(3000-3999) GD GQ GR HB
317/202(4000-4999),202(6000-6999),202(7000-7999) II OH OR PC
317/202(8000-8999),202(9000-9999),205(0000-0999) PL PR PU QB
317/205(2000-2999),205(3000-3999),205(8000-8999) RA RF RH RJ
317/205(9000-9999),251,252(1000-2999),252(4000-9999),253 RK SK SR SY
317/254,255,257,259,465,466,470,475(0000-7999) TA VD VM VP
317/475(9000-9999),479(0000-5999),479(7000-9999)
317/722(0000-6999),722(8000-8999),726(0000-5999)
317/726(8000-8999),731(0000-0999),731(1000-1999)

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
INDIANAPOLIS                IPLSIN06DS0 06264 02996 5080  336 AA BA DA GC
   317/283(0000-8999),920,921(0000-5999),921(7000-9999),923  GD GQ GR HB
   317/924,925,926,927(0000-1999),927(3000-4999)             II OH OR PD
   317/927(6000-7999),927(9000-9999),931(0000-7999)          PM PR PU RA
   317/937(3000-3999),941(2000-2999),941(4000-4999)          RF RH RJ RK
                                                             SK SR SY TA
                                                             UB VD
.......................................................................
INDIANAPOLIS                IPLSIN07DS0 06266 03014 5080  336 AA BA DA GC
   317/216,280(0000-2999),280(4000-6999),280(8000-9999),290  GD GQ GR HB
   317/291,293,295(0000-1999),295(3000-9999),297,298,299     II OH OR PC
   317/328,329,347,387,388(0000-4999),388(6000-9999)         PL PR PU QB
                                                             RA RF RH RJ
                                                             RK VD ZX
.......................................................................
INDIANAPOLIS                IPLSIN0801W 06282 03003 5080  336 HC PR PU SL
      /                                                      SP SS VD
.......................................................................
INDIANAPOLIS                IPLSIN0820T 06282 03003 5080  336 GB GQ GR HC
      /                                                      PR PU SK SR
                                                             SY VD VM VP
.......................................................................
INDIANAPOLIS                IPLSIN08DS0 06282 03003 5080  336 AA DA GB GC
   317/227(0000-8999),240,241,242(0000-7999),243,244         GD GE GR HB
   317/246(1000-1999),246(2000-2999),246(3000-3999)          II OH OR PB
   317/246(4000-4999),246(5000-5999),246(6000-6999)          PK PR PU QB
   317/246(7000-7999),247,248,260(2000-2999),260(4000-4999)  RA RC RD RE
   317/260(5000-5999),270(1000-1999),270(5000-5999)          RF RH RJ RK
   317/270(6000-6999),270(9000-9999),282(1000-9999)          RM SP TA UB
   317/381(0000-0999),381(2000-2999),381(3000-3999)          UC UE US VD
   317/381(4000-4999),381(6000-6999),381(7000-7999)
   317/381(8000-8999),381(9000-9999),390(0000-3999)
   317/390(5000-9999),481,484(0000-6999),484(8000-9999)
   317/486(0000-2999),486(4000-9999),487(0000-8999)
   317/492(2000-2999),492(4000-6999),492(8000-8999)
   317/757(0000-0999),757(4000-4999),757(7000-7999)
   317/988(6000-8999)
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
INDIANAPOLIS	IPLSIN09DS0	06280	02984	5080	336	AA BA DA GC
317/780,781,782(0000-4999),782(6000-9999),783,784,786						GD GQ GR HB
317/787,788,789(0000-4999),789(9000-9999),791						II OH OR PD
317/803(5000-5999)						PM PR PU QB
						RA RF RH RJ
						RK SJ SV UB
						VD ZY
INDIANAPOLIS	IPLSIN10DS0	06253	02970	5080	336	AA BA DA GC
317/869(0000-1999),869(4000-4999),890,891(0000-3999)						GD GQ GR HB
317/891(6000-9999),894,895,897,898,899(0000-8999)						II OH OR PD
317/927(2000-2999)						PM PR PU RA
						RF RH RJ RK
						SK SR VD VP
						ZX
INDIANAPOLIS	IPLSIN18DS0	06285	03018	5080	336	AA DA GC GD
317/209(0000-0999),209(1000-1999),209(2000-2999)						GQ GR II OH
317/209(3000-3999),209(8000-8999),209(9000-9999)						OR PD PM PR
317/217(2000-2999),217(3000-3999),217(7000-7999),271,272						PU RA RF RH
317/273(0000-2999),273(4000-8999),544(1000-1999)						RJ RK SV UB
317/544(5000-6999)						VD
INDIANAPOLIS	IPLSIN21DS0	06251	03017	5080	336	AA BA DA GC
317/228(0000-6999),228(8000-9999),334(0000-4999)						GD GQ GR HA
317/334(6000-9999),337,338,415(0000-2999),415(4000-9999)						II OH OR PB
317/471(0000-0999),471(1000-1999),471(2000-2999)						PK PR PU QB
317/471(3000-3999),471(4000-4999),471(5000-5999)						RA RF RH RJ
317/471(6000-6999),471(8000-8999),583(2000-7999)						RK SL SP SS
317/704(0000-3999),704(5000-9999),802(0000-0999)						TA VD VP
317/802(2000-6999),802(8000-9999),824(0000-8999)						
317/870(0000-0999),870(2000-2999),870(4000-9999)						
317/871(0000-0999),871(2000-3999),871(5000-9999),872						
317/874(0000-0999),874(1000-1999),874(2000-2999)						
317/874(3000-3999),874(4000-4999),874(9000-9999)						
317/875(0000-0999),875(3000-9999),876,879(0000-4999)						
317/879(7000-9999),956(1000-1999),956(5000-5999)						
317/956(8000-8999)						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
INDIANAPOLIS /	IPLSIN74DS0	06275	02993	8286	336	DA DD G2 GD GE GJ GN GQ HB HC IA IB IC IE IF IG IH II QA
INDIANAPOLIS 317/355	IPLSINCMRSA	06262	02981	5080	336	AA BA DA GC GD GE GQ GR II PO PQ PR PU RA RC RD RE RF RH RJ RK RM SH SV UC VD ZZ
INDIANAPOLIS 317/469(0000-0999),469(2000-2999),469(4000-5999) 317/469(7000-7999),735(0000-0999)	IPLSINMNRSF	06243	03001	5080	336	AA BA DA GC GD GE GQ GR II OH OR PO PQ PR PU RA RF RH RJ RK SH SV VD
INDIANAPOLIS 317/217(1000-1999),396,454(7000-7999),454(8000-8999) 317/622(5000-5999),708(8000-8999),803(2000-4999) 317/803(7000-9999),807(0000-5999),807(7000-9999),808 317/813(0000-8999),819,860	IPLTINMYW02	06276	02993	6158	336	BA DA DD GB GC GD GE GJ GL GN GP GR HB HJ IA IB IC ID IE IF IG IH II QA QB QE RS SI SJ SP SQ SU UF UG UK UR VC

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
INDIANAPOLIS	IPLUINJGDS0	06239	02989	7440	336	BA DA
317/203(6000-6999),214(6000-6999),215(6000-6999)						
317/238(3000-3999),238(8000-8999),268(3000-3999)						
317/308(4000-4999),308(7000-7999),350(6000-6999)						
317/352(2000-2999),352(5000-5999),352(6000-6999)						
317/378(8000-8999),386(6000-6999),395(2000-2999)						
317/399(8000-8999),406(8000-8999),419(5000-5999)						
317/456(5000-5999),468(7000-7999),491(1000-1999)						
317/494(4000-4999),530(3000-3999),534(6000-6999)						
317/539(3000-3999),564(2000-2999),564(3000-3999)						
317/567(2000-2999),567(6000-6999),567(8000-8999)						
317/572(1000-4999),572(9000-9999),584(0000-0999)						
317/599(3000-3999),599(4000-4999),616(0000-7999)						
317/616(9000-9999),618(8000-9999),620(6000-6999)						
317/622(3000-3999),664(5000-5999),664(8000-8999)						
317/732(4000-4999),735(3000-3999),747(9000-9999)						
317/769(1000-1999),798(3000-3999),810(0000-0999)						
317/810(2000-2999),810(4000-4999),810(5000-5999)						
317/810(6000-6999),810(7000-7999),810(8000-8999)						
317/810(9000-9999),829(0000-0999),829(2000-2999)						
317/829(5000-9999),853(7000-7999),855(9000-9999)						
317/857(3000-3999),864(5000-5999),868(3000-3999)						
317/892(8000-8999),975(2000-2999),981(4000-4999)						
317/982(3000-3999)						
463/203(4000-4999)						
574/737(4000-4999)						
765/203(2000-2999),205(7000-7999),206(3000-3999)						
765/206(8000-8999),216(3000-3999),216(4000-4999)						
765/221(2000-2999),225(2000-2999),233(5000-5999)						
765/237(3000-3999),250(4000-4999),252(2000-2999)						
765/330(3000-3999),341(2000-2999),358(6000-6999)						
765/387(8000-8999),487(3000-3999),508(5000-5999)						
765/518(2000-2999),577(3000-3999),650(3000-3999)						
765/681(3000-3999),701(4000-4999),764(8000-8999)						
765/801(3000-3999),885(3000-3999),894(8000-8999)						
765/919(3000-3999)						
812/590(4000-4999)						

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
INDIANAPOLIS                IPLWIN75DS5 06275 02993 097D  336 DA DD GE GL
     /                                                          GN GP GR IA
                                                                IB
.......................................................................
INDIANAPOLIS IN             IPLWIN758MD 06275 02993 3292  336 DA
   317/210(6000-6999),214(4000-4999),218(8000-8999)
   317/456(9000-9999),527(3000-3999),586(6000-6999)
   317/683(1000-2999),703(2000-2999),732(6000-6999)
   765/388(5000-5999)
.......................................................................
INDIANAPOLIS IN             IPLWIN75DS0 06275 02993 3292  336 DA GN GR HA
   317/215(2000-2999),215(8000-8999),217(5000-5999)           HK IA IC ID
   317/218(0000-2999),222(7000-7999),279(2000-2999)
   317/279(3000-3999),284(0000-0999),284(5000-5999)
   317/284(6000-6999),284(7000-7999),284(8000-8999)
   317/288(6000-6999),300(2000-2999),333(0000-0999)
   317/333(5000-5999),333(8000-8999),375(5000-5999)
   317/386(5000-5999),429(4000-4999),429(5000-5999)
   317/436(5000-6999),472(0000-5999),472(6000-6999)
   317/472(7000-7999),472(8000-9999),495(7000-7999)
   317/522(2000-2999),548(7000-7999),608(4000-4999)
   317/644(7000-8999),723(8000-8999),822(7000-7999)
   317/853(1000-1999),853(5000-5999),947(9000-9999)
.......................................................................
JAMESTOWN                   JMTWINXADS1 06280 03077 0832  336 AA BA DA GI
   765/676(0000-0999),676(4000-6999),676(9000-9999)           GK GR HD PC
                                                              PL PN RC RD
                                                              SA SH SP SQ
                                                              TJ TW UP UR
                                                              WE WG WJ
.......................................................................
JASONVILLE                  JSVLIN01RSF 06471 03083 5080  338 AA DA GC GD
   812/665(2000-2999),665(3000-3999),665(9000-9999)           GM GQ GR II
                                                              PO PQ PT RA
                                                              RC RD RE RF
                                                              RH RJ RK SH
                                                              SV UB VD
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
JASPER	JSPRINXA02T	06597	02964	0779	330	GB HB TU
/___						
JASPER	JSPRINXADS0	06597	02964	0779	330	AA BA DA GC
812/481,482,634(0000-7999),634(9000-9999),817(2000-2999)						GD GE GJ GN
812/817(2000-2999)						HB II SQ TJ
						TU
JEFFERSONVILLE	JFVLIN01DS0	06522	02772	5080	462	AA BA DA GC
812/218,258(0000-0999),258(2000-4999),280,282,283,284						GD GQ GR HB
812/285,288						II PD PM PR
						PS RA RC RD
						RE RF RH RJ
						RK SJ SV UB
						VD
KEMPTON	KMTNINXADS0	06180	03057	0747	336	AA DA GQ GR
765/947(0000-0999),947(1000-1999),947(2000-2999)						HB RA RC RD
765/947(5000-5999)						TJ WE
KENDALLVILLE	KDVLIN01DS0	05884	03041	5080	334	BA DA GQ GR
/___						II PO PQ PT
						RA RF RH RJ
						RK SH SV UB
						VD
KENDALLVILLE	KDVLIN01DS1	05884	03041	5080	334	AA BA DA GQ
260/343(0000-0999),343(2000-3999),343(9000-9999),347						GR II PO PT
260/349(0000-3999),349(6000-7999),349(9000-9999)						RA RF RH RJ
260/599(0000-0999),599(3000-3999)						RK SH SV UB
						VD
KENTLAND	KNLDINXARS1	06184	03284	0832	332	AA BA DA GI
219/474(0000-0999),474(3000-6999),474(8000-9999)						GK GR HD PC
						PL PN RC RD
						SA SH SP SQ
						TJ TW UP UR
						WE WG WJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
KEWANNA	KWNNINXARS1	06056	03160	0832	332	AA BA DA GI
574/653(0000-0999),653(2000-3999),653(9000-9999)						GK GM GR HD
						PC PL PN RC
						RD SA SH SP
						SQ TJ TW UP
						UR WE WG WJ
KIMMELL	KMMLINXARS0	05916	03076	0772	334	AA DA GC GD
260/635(1000-1999),635(2000-2999)						GE GG GM GN
						GR HB HD II
						RC RD RF RM
						SQ TU VM
KINGMAN	KGMNIN01RSC	06321	03179	5080	336	AA BA DA GC
765/397(3000-3999),397(8000-8999)						GD GM GQ GR
						II PO PQ PT
						RA RF RH RJ
						RK SH SV UB
						VD
KIRKLIN	KRKLIN01RSA	06208	03066	5080	336	AA BA DA GC
765/279(5000-5999),279(8000-8999)						GD GM GQ GR
						II PO PQ PT
						RA RF RH RJ
						RK SH SV VD
KNIGHTSTOWN	KNTWINXADS0	06216	02902	0832	336	AA BA DA GI
765/345(0000-3999),345(5000-7999),345(9000-9999)						GK GR HD PB
						PK PN RC RD
						SA SH SP SQ
						TJ TW UP UR
						WE WG WJ
KNIGHTSTOWN	WTWPIN01RLO	06218	02903	7459	336	DA DD GR TJ
765/445						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
KNOX	KNOXINXARS0	06019	03220	0832	332	AA BA DA GI
574/772						GK GM GR HD
						PB PK PN RC
						RD RM SA SH
						SP SQ TJ TW
						UP UR WE WG
						WJ
KOKOMO	KOKMIN0106T	06134	03064	5080	336	GB GQ GR HC
/						PR PS SK SR
						SY VD VP
KOKOMO	KOKMIN01DS0	06134	03064	5080	336	AA BA DA GB
765/236(0000-2999),236(4000-4999),236(8000-8999),451,452						GC GD GQ HB
765/454,456(0000-7999),457,459(0000-0999),459(3000-6999)						II OE OH OR
765/459(8000-9999),854,868						PC PL PR PS
						RA RC RD RE
						RF RH RJ RK
						SH SV TA UB
						UE VD ZY
KOKOMO	KOKMIN02DS0	06142	03058	5080	336	AA BA DA GC
765/453,455,864,865(2000-4999),865(6000-6999)						GD GQ GR HB
765/865(9000-9999)						II OH OR PD
						PM PR PS QB
						RA RC RD RE
						RF RH RJ RK
						SH SV UB VD
						ZX
KOUTS	KOTSINXARS0	06047	03279	0772	332	AA BA DA GE
219/766(0000-0999),766(2000-2999),766(3000-3999)						GG GM GN HB
						HD II RC RD
						RF RM SQ TU
						VM

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
LA CROSSE	LACRINXARS0	06037	03261	0772	332	AA DA GG GM
219/754(1000-1999),754(2000-2999)						GN HB HD RC
						RD RF RM SQ
						TU VM
LA FONTAINE	LAFNINXARS1	06066	03024	0832	336	AA BA DA GI
765/981(0000-0999),981(2000-2999),981(4000-4999)						GK GM GR HD
765/981(9000-9999)						PC PL PN RC
						RD SA SH SP
						SQ TJ TW UP
						UR WE WG WJ
LA PORTE	LAPTINXCDS0	05968	03267	0772	332	AA DA GC GD
219/324,325,326,362						GE GG GN GR
						HB HD II RA
						RC RD RF RM
						SN SQ TJ TU
						VM
LA PORTE SOUTH	LAPTINXBRS1	05982	03255	0772	332	AA DA GE GG
219/393(1000-1999),393(2000-2999),393(3000-3999)						GM GN GR HB
219/393(5000-5999),393(6000-6999),393(7000-7999)						HD II RC RD
						RF RM TU VM
LA PORTE SOUTHEAST	LAPTINXDRS1	05967	03257	0772	332	AA DA GE GG
219/369(1000-1999),369(8000-9999)						GM GN GR HB
						HD II RC RD
						RF RM TU VM
LACONIA	LACNINXARS0	06596	02799	0779	462	AA DA GC GD
812/737(1000-2999)						GE GJ GM GN
						II
LADOGA	LADGIN01RSC	06296	03102	5080	336	AA BA DA GC
765/942(2000-2999)						GD GE GM GQ
						GR II PO PQ
						PT RA RF RH
						RJ RK SH SV
						UB VD

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
LAFAYETTE	LFYTINXA15T	06207	03167	0772	336	GB HB TU
/						
LAFAYETTE	LFYTINXADS0	06207	03167	0772	336	AA DA GC GD
765/420,423,428(1000-1999),428(2000-2999),428(3000-3999)						GE GG GN HB
765/428(4000-4999),428(5000-5999),428(6000-6999)						HD II RC RD
765/428(7000-7999),428(8000-8999),428(9000-9999)						RF RM SA SC
765/429(0000-0999),429(1000-1999),429(2000-2999)						SD SE SF SH
765/429(3000-3999),429(4000-4999),429(5000-5999)						SQ TD TI TJ
765/429(6000-6999),429(8000-8999),742						TU UG VM
LAFAYETTE	LFYTINXARS0	06207	03167	0772	336	DA GC GD GJ
765/476(2000-2999),476(4000-4999),476(5000-5999)						RC RD RF RM
765/476(7000-7999),476(8000-8999)						SA SC SD SE
						SF SH SQ TD
						TU
LAFAYETTE EAST	LFYTINXCDS0	06205	03163	0772	336	AA DA GC GD
765/446(0000-0999),446(1000-1999),446(2000-2999)						GE GG GN HB
765/446(3000-3999),446(4000-4999),446(5000-5999)						HD II RC RD
765/446(6000-6999),446(7000-7999),446(8000-8999)						RF RM SQ TI
765/446(9000-9999),447,448,449(0000-5999),449(7000-9999)						TJ TU UG VM
765/449(7000-9999)						
LAFAYETTE EAST	LFYTINXCRS0	06205	03163	0772	336	AA DA GC GD
765/771(1000-1999),771(2000-2999),771(3000-3999)						GJ GM RC RD
765/771(4000-4999),771(5000-5999),771(6000-6999)						RF RM SQ TU
765/771(8000-8999)						
LAFAYETTE NORTHWEST	LFYTINXDDS0	06202	03176	0772	336	AA DA GC GD
765/463,464(0000-0999),464(1000-1999),464(2000-2999)						GE HA RC RD
765/464(3000-3999),464(5000-5999),464(7000-7999)						RF RM SQ TJ
765/464(8000-8999),497						TU

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
LAFAYETTE NORTHWEST	LFYTINXDRS1	06202	03176	0772	336	AA DA GC GD
765/775(1000-1999),775(2000-2999),775(4000-4999)						GG GJ GM GN
765/775(5000-5999)						HB HD II RC
						RD RF RM SQ
						TI TJ TU UG
						VM
LAFAYETTE SOUTH	LFYTINXFDS0	06212	03162	0772	336	AA DA GC GD
765/471,474,477						GE GG GJ GN
						HB HD II RC
						RD RF RM TI
						TJ TU UG VM
LAFAYETTE SOUTH	LFYTINXFDS1	06212	03162	0772	336	AA DA GC GD
765/449(6000-6999)						GJ HA RC RD
						RF RM SQ TU
LAFAYETTE WEST	LFYTINXBDS0	06208	03170	0772	336	AA DA GC GD
765/269(5000-5999),493,494,495,496,501,502,503,743						GE GG GN GR
765/746(0000-0999),746(1000-1999),746(2000-2999)						HB HD II RC
765/746(3000-3999),746(4000-4999),746(5000-5999)						RD RF RM SA
765/746(8000-8999),772(1000-4999),772(7000-7999)						SC SD SE SF
765/772(9000-9999)						SH SQ TI TJ
						TU UG VM
LAGRANGE	LGRNINXARS1	05858	03084	0832	332	AA BA DA GC
260/463(0000-0999),463(2000-5999),463(7000-9999)						GI GK GR HD
260/499(2000-6999),499(8000-9999)						PB PK PN RC
						RD RM SA SH
						SP SQ TJ TW
						UP UR WE WG
						WJ
LAGRO	LAGRIN01RSD	06035	03042	5080	334	AA BA DA GC
260/782(0000-0999),782(2000-2999)						GD GE GM GQ
						GR II PO PQ
						PT RA RF RH
						RJ RK SH SV
						UB VD

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
LAKE MONROE	LKMNINXARSA	06431	02953	0818	338	AA DA GL GN
812/837(0000-0999),837(1000-1999),837(8000-8999)						GQ HD HJ II
812/837(9000-9999)						SQ TI
LAKE STATION	LKSTINXADS0	06015	03337	0772	332	AA DA GC GD
219/962,963(0000-0999),963(1000-1999),963(2000-2999)						GE GG GN HB
219/963(3000-3999),963(4000-4999),963(5000-5999)						HD II RC RD
219/963(7000-7999),963(9000-9999)						RF RM SN SQ
						TJ TU VM
LAKE VILLAGE	LKVGIN01RS1	06114	03322	5080	358	AA BA DA GM
219/992(2000-2999),992(3000-3999),992(9000-9999)						GQ GR II OR
						PO PQ PT RA
						RF RH RJ RK
						SH SV SX UG
						VD
LANESVILLE	LNVLINXARS0	06549	02806	0779	462	AA DA GC GD
812/952(0000-3999),952(8000-8999)						GE GJ GM GN
						II
LAPAZ	LAPZINXARS1	05964	03191	0832	332	AA BA DA GI
574/784(0000-0999),784(2000-3999),784(8000-9999)						GK GR HD PC
						PL PN RC RD
						SA SH SP SQ
						TJ TW UP UR
						WE WG WJ
LAPEL	LAPLINXADS0	06191	02978	0832	336	AA BA DA GI
765/534(0000-0999),534(3000-5999)						GK GR HD PC
						PL PN RC RD
						SA SH SP SQ
						TJ TW UP UR
						WE WG WJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
LARWILL	LRWLINXARS1	05962	03064	0832	332	AA BA DA GI
260/327(0000-0999),327(3000-3999)						GK GR HD PC
						PL PN RC RD
						SA SH SP SQ
						TJ TW UP UR
						WE WG WJ
LAUD	CBCYINBCRS0	05973	03024	0832	332	AA BA DA GI
260/396(0000-0999),396(2000-2999)						GK GM GR HD
						PC PL PN RC
						RD SA SH SP
						SQ TW UP UR
						WE WG WJ
LAUREL	LARLINXARS0	06244	02821	0772	937	AA DA GG GM
765/698(1000-1999),698(2000-2999),698(3000-3999)						GN HB HD II
						RC RD RF RM
						SQ VM
LAWRENCEBURG	LRBGINXADS0	06293	02729	0832	922	AA BA DA GC
812/532(1000-8999),537,539						GI GK GR HD
						PA PJ PN RC
						RD RM SA SH
						SP SQ TH TJ
						TW UP UR WE
						WG WJ
LEAVENWORTH	LVWOINXARS1	06586	02856	0779	462	AA DA GC GD
812/739(2000-2999),739(4000-4999)						GE GJ GM GN
						II TU
LEBANON	LBNNIN01DS0	06244	03067	5080	336	AA DA GC GD
765/482,483,485(0000-0999),485(2000-2999),485(3000-3999)						GQ GR HB II
765/485(8000-8999)						PD PM PR PU
						RA RC RD RE
						RF RH RJ RK
						SH SV UB VD

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
LEESBURG	LSBGINXARS1	05951	03112	0832	332	AA BA DA GI
574/453(0000-0999),453(2000-5999),453(9000-9999)						GK GR HD PC
574/526(5000-5999)						PL RC RD SA
						SH SP SQ TJ
						TW UP UR WE
						WG WJ
LEO	LEO INXARS3	05904	02981	0772	334	AA CA GE GG
260/627(0000-0999),627(2000-2999),627(3000-3999)						GJ GM GN GR
260/627(5000-5999),627(6000-6999),627(7000-7999)						HB HD II RC
260/627(8000-8999)						RD RF RM SC
						SD SE SQ TU
						UA UG VM
LEWIS	LEWSINXARS0	06458	03102	0772	938	AA DA GC GD
812/495(5000-6999)						GE GG GM GN
						HB HD II RC
						RD RF RM SQ
						TU VM
LEXINGTON	LXTNINXARS1	06444	02800	0779	338	AA DA GE GJ
812/889(2000-4999)						GM GN II
LIBERTY	LBRTINXARS0	06196	02798	0772	937	AA BA DA GG
765/458(0000-0999),458(1000-1999),458(5000-5999)						GM GN HB HD
765/458(6000-6999),458(7000-7999),458(9000-9999)						II RC RD RF
						RM SQ UG VM
LIBERTY CENTER	LBCTINXARS1	06026	02961	0751	334	AA BA DA GM
260/694						GN HB TJ XE
LIGONIER	LGNRINXADS2	05904	03091	0783	332	DA GN GR OE
260/894						TJ TK TZ
LINDEN	LNDNINXA1MD	06252	03145	0830	336	OE TZ UD
765/339(0000-0999),339(3000-7999)						

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
LINN GROVE 260/334(5000-5999)	GENVINAARS1	06020	02922	0832	334	AA BA DA GI GK GR HD PC PL PN RC RD SA SH SP SQ TW UP UR WE WG WJ
LINTON 812/847(0000-0999),847(2000-9999)	LNTNIN01RSG	06493	03065	5080	338	AA BA DA GC GD GM GQ GR II PO PQ PT RA RC RD RE RF RH RJ RK SJ SV UB VD
LIZTON 317/994	LZTNINXADS0	06280	03061	0818	336	AA DA GL GN GQ HB HD HJ SQ
LOGANSPORT /	LGPTINXA15T	06102	03125	0772	336	GB GG GN HB HD II TU VM
LOGANSPORT 574/722,725(3000-3999),732(0000-0999),732(1000-1999) 574/732(2000-2999),732(3000-3999),732(5000-5999) 574/735(0000-0999),735(2000-2999),735(3000-3999) 574/735(6000-6999),737(2000-2999),737(3000-3999) 574/737(7000-7999),737(8000-8999),739(0000-0999) 574/739(1000-1999),739(2000-2999),739(6000-6999) 574/739(7000-7999),739(8000-8999),753	LGPTINXADS0	06102	03125	0772	336	AA DA GC GD GE GG GN GR HB HD II RC RD RF RM TU VM
LOOGOOTEE 812/295(1000-5999),295(7000-9999)	LOGTINXADS1	06541	02991	0779	330	AA DA GN GR II TU
LOWELL 219/690(0000-0999),690(1000-1999),690(4000-4999),696	LWLLIN01DS0	06082	03334	5080	358	AA BA DA GC GD GQ GR II OR PO PQ RA RF RH RJ RK SJ SV SX UB VD

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
LOWELL	SLBYINCCRS2	06099	03322	5080	358	AA DA GC GD
219/552(0000-0999),552(9000-9999)						GQ GR II OR
						PO PQ RA RF
						RH RJ RK SJ
						SV SX UB VD
LUCERNE	LCRNINXBRS0	06084	03143	0772	336	AA DA GC GD
574/889(2000-2999),889(4000-4999)						GE GG GM GN
						GR HB HD II
						RC RD RF RM
						TU VM
LYNN	LYNNINXARS0	06120	02844	0772	937	AA DA GD GE
765/874(1000-1999),874(2000-2999),874(9000-9999)						GG GM GN HB
						HD II RC RD
						RF RM SQ VM
LYNNVILLE	LYVLINXARS1	06664	02999	0779	330	AA DA GC GD
812/922(0000-1999),922(3000-3999),922(5000-5999)						GE GJ GM GN
812/922(8000-8999)						II TU
LYONS	LYNSINXADS0	06496	03049	0818	338	AA DA GL GN
812/658(0000-0999),658(1000-1999),658(2000-2999)						GQ HB HD HJ
812/658(3000-3999),658(4000-4999),658(8000-8999)						II SQ TI
812/658(9000-9999),659						
MACKEY	MCKYINXARS0	06661	03019	0779	330	AA DA GC GD
812/795(2000-2999),795(4000-4999)						GE GJ GM GN
						II TU
MACY	MACYINXADS0	06044	03114	0772	336	AA DA GG GN
574/382(2000-2999),382(3000-3999),382(4000-4999)						GR HB HD II
574/382(5000-5999)						RC RD RF RM
						TU VM
MADISON	MDSNINXARS0	06404	02768	0779	338	AA BA DA GC
812/265,273						GD GE GJ GM
						GN II SQ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MARENGO	MRNGINXARS1	06554	02873	0779	462	AA DA GC GD
812/365(2000-3999),365(9000-9999)						GE GJ GM GN
						II TU
MARIETTA	MRTTINXARS1	06313	02918	0832	336	AA BA DA GI
317/729(0000-0999),729(1000-1999),729(2000-2999)						GK GR HD PC
317/729(3000-3999),729(4000-4999),729(5000-5999)						PL PN RC RD
317/729(6000-6999),729(7000-7999),729(8000-8999)						SA SH SP SQ
						TJ TW UP UR
						WE WG WJ
MARION	MARNIN02DS0	06094	02995	5080	336	AA BA DA GC
765/674,677						GD GE GQ GR
						II OH OR PO
						PQ PT RA RF
						RH RJ RK SK
						SV UB VD ZX
MARION	MARNIN03DS0	06083	03003	5080	336	AA BA DA GC
765/651,662,664,668,669(5000-9999),671(0000-7999)						GD GQ GR II
765/671(9000-9999),673(0000-0999),673(1000-1999)						OH OR PD PM
765/673(2000-2999),673(3000-3999),673(4000-4999)						PT RA RC RD
765/673(5000-5999),673(6000-6999),673(7000-7999)						RE RF RH RJ
						RK SH SR SY
						TA UB UE VD
						VP
MARKLE	MRKLINXARS0	06006	02985	0831	334	AA BA DA GN
260/758(2000-2999),758(3000-3999),758(8000-8999)						GR HD II TU
260/758(9000-9999)						
MARKLEVILLE	MRVLINXARSW	06190	02936	0775	336	BA DA GM GR
765/531,533						HD OE TJ TK
						TZ UG WE

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
MARSHALL 765/597(2000-2999)	MRSHIN01RSE	06340	03151	5080	336	AA BA DA GC GD GM GQ GR II PO PQ PT RA RF RH RJ RK SH SV UB VD
MARTINSVILLE 765/342,349,352(0000-0999),352(1000-1999),352(2000-2999) 765/352(4000-4999),352(9000-9999)	MTVIIN01DS0	06360	02996	5080	336	AA BA DA GC GD GQ GR II OH OR PO PQ PR PU RA RF RH RJ RK SH SV TA UB VD
MAXWELL 317/323,326	MXWLINXARSW	06221	02945	0775	336	BA DA GM GR HD OE TJ TK TZ UG WE
MAYS 765/645(5000-5999)	MAYSINXARS0	06218	02882	0772	937	AA DA GG GM GN HB HD RC RD RF RM VM
MCCORDSVILLE /	MCCRINXA02T	06230	02971	0775	336	D1 DA GB GL GN GQ HB HD SH SQ WE
MCCORDSVILLE 317/335,336	MCCRINXADS1	06230	02971	0775	336	BA DA GL GN GQ GR HA HD IB OE SH SQ TJ TK TZ UG UR WE
MCCORDSVILLE /	MCCRINXADS2	06230	02971	7459	336	DA

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MCCUTCHANVILLE	MCCTIN01RSA	06707	03020	5080	330	AA DA GC GD
812/867,868(0000-0999),868(1000-1999),868(2000-2999)						GM GQ GR II
812/868(5000-5999),868(6000-6999),868(8000-8999)						PO PQ PR PU
						RA RF RH RJ
						RK SJ SV UB
						VD
MECHANICSBURG	MCBHINXARS0	06179	02929	0772	336	AA DA GE GG
765/779(0000-0999),779(4000-4999),779(5000-5999)						GJ GM GN HB
						HD II RC RD
						RF RM SQ VM
MECHANICSBURG (BOONE CO.)	MCBBIN01RSA	06223	03071	5080	336	AA DA GC GD
765/325(2000-2999)						GQ GR II OH
						OR PO PQ PR
						PU RA RF RH
						RJ RK SH SV
						UB VD
MEDARYVILLE	MDVLINXARS1	06080	03236	0832	332	AA BA DA GI
219/843(0000-0999),843(1000-1999),843(2000-2999)						GK GR HD PC
219/843(3000-3999),843(4000-4999),843(5000-5999)						PL PN RC RD
219/843(7000-7999),843(8000-8999)						SA SH SP SQ
						TJ TW UP UR
						WE WG WJ
MEDORA	MEDRINXARS0	06453	02895	0779	338	AA DA GC GD
812/966(0000-0999),966(2000-2999),966(8000-8999)						GE GJ GM GN
						II
MELLOTT	MLLTIN01RSG	06271	03182	5080	336	AA BA DA GC
765/295(2000-2999)						GD GM GQ GR
						II PO PQ PT
						RA RF RH RJ
						RK SH SV UB
						VD

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
MENTONE                     MNTNINXBDS0 05996 03122 0772  332 AA DA GG GN
   574/353(1000-1999),353(7000-7999),353(9000-9999)          GR HB HD II
                                                             RC RD RF RM
                                                             TU VM
.......................................................................
MEROM                       MERMINXARS0 06521 03119 0779  938 AA DA GE GJ
   812/356(4000-4999)                                        GM GN II TU
.......................................................................
MERRILLVILLE                EGVGILIFDS0 05990 03485 7440  358 BA DA
   219/227(3000-3999),228(2000-2999),247(3000-3999)
   219/310(2000-2999),323(2000-2999),354(2000-2999)
   219/370(3000-3999),370(8000-8999),407(6000-6999)
   219/472(2000-2999),484(2000-2999),513(4000-4999)
   219/513(5000-5999),627(5000-5999),629(8000-8999)
   219/649(7000-7999),655(7000-7999),695(3000-3999)
   219/796(8000-8999)
.......................................................................
MERRILLVILLE                MEVLINMXDS0 06042 03346 5080  358 AA BA DA GC
   219/641(0000-1999),641(6000-9999),644(0000-3999)          GD GE GQ GR
   219/647(0000-2999),647(4000-9999),648(1000-1999)          HB II OR PC
   219/648(3000-9999),649(5000-6999),650(0000-0999)          PL RA RC RF
   219/650(1000-1999),650(2000-2999),650(3000-3999)          RH RJ RK SJ
   219/650(4000-4999),650(5000-5999),650(7000-7999)          SV SX UB VD
   219/650(8000-8999),650(9000-9999),660(0000-6999)
   219/680(1000-5999),680(7000-7999),681(6000-6999)
   219/681(9000-9999),682(9000-9999),685(0000-1999)
   219/685(5000-6999),685(8000-9999),736,738,751,752,755
   219/756(0000-8999),757,769,783,791,793(0000-1999)
   219/793(7000-9999),794(1000-3999),794(7000-8999)
   219/795(1000-1999),795(3000-9999),796(1000-5999)
   219/796(9000-9999)
.......................................................................
MICHIGAN CITY               MCCYIN01DS0 05962 03303 5080  332 AA BA DA GC
   219/861(0000-8999),871(0000-4999),871(6000-8999),872      GD GQ GR PD
   219/873(0000-3999),873(5000-5999),873(7000-9999),874      PM PT RA RC
   219/877(0000-3999),877(6000-7999),877(9000-9999)          RD RE RF RH
   219/878(0000-2999),878(4000-9999),879                     RJ RK SJ SV
                                                             UB VD
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MICHIGANTOWN	MCTWIN01RSA	06184	03083	5080	336	AA BA DA GC
765/249(2000-2999),249(5000-5999)						GD GM GQ GR
						II PO PQ PT
						RA RF RH RJ
						RK SH SV UB
						VD
MIDDLEBURY	MDLBINXARS0	05875	03128	0772	332	DA GC GD GE
574/825						GG GM GN GR
						HB HD II RC
						RD RF RM TU
						VM
MIDDLETOWN	MDTWIN01DS9	06167	02931	5080	336	AA BA DA GC
765/354(0000-0999),354(2000-4999),354(9000-9999)						GD GQ GR II
						OH OR PO PQ
						PT RA RF RH
						RJ RK SH SV
						UB VD
MILAN	MILNINXARS0	06311	02772	0779	338	AA DA GM GN
812/654(1000-4999),654(8000-8999)						II
MILFORD	MLFRINXARS1	05937	03120	0832	332	AA BA DA GI
574/658						GK GR HD PB
						PK PN RC RD
						SA SH SP SQ
						TJ TW UP UR
						WE WG WJ
MILLERSBURG	MLBGINXARS1	05903	03111	0832	332	AA BA DA GI
574/642						GK GR HD PB
						PK PN RC RD
						SA SH SP SQ
						TW UP UR WE
						WG WJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MILLTOWN	MLTWINXARS1	06553	02860	0779	462	AA DA GC GD
812/633(1000-2999),633(4000-4999),633(7000-7999)						GE GJ GM GN
						II TU
MILLWOOD	MLWDINXBRS0	05961	03143	0772	332	AA DA GG GM
574/646(1000-1999),646(2000-2999),646(3000-3999)						GN GR HB HD
574/646(9000-9999)						II RC RD RF
						RM TU VM
MILROY	MLRYINXBRS1	06268	02862	0772	937	AA DA GE GG
765/629(0000-0999),629(2000-2999)						GM GN HB HD
						II RC RD RF
						RM VM
MISHAWAKA	MSHWIN02DS0	05915	03194	5080	332	AA BA DA GC
574/252(0000-0999),252(2000-2999),252(3000-3999)						GD GQ GR II
574/252(4000-4999),252(5000-5999),252(7000-7999)						PD PM PR PS
574/252(8000-8999),254,255,256(0000-7999),256(9000-9999)						QB RA RF RH
574/257,258,259						RJ RK SJ SV
						UB VD ZX
MITCHELL	MTCHINXADS0	06495	02931	0779	338	AA DA GN GR
812/849						II TU
MODOC	MODCINXARS0	06135	02871	0772	937	AA DA GG GM
765/853(5000-5999),853(6000-6999)						GN HB HD II
						RC RD RF RM
						SQ VM
MOHAWK	MHWKINXARSW	06233	02953	0775	336	UD
/						
MONGO	MONGINXARS1	05836	03064	0832	332	AA BA DA GI
260/367(0000-0999),367(2000-9999)						GK GR HD PC
						PL PN RC RD
						SA SH SP SQ
						TJ TW UP UR
						WE WG WJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MONON	MONNINXADS0	06123	03210	0790	332	AA DA GC GD
219/253						GK GL GN GR
						HB HD IA IB
						IP IS OE T3
						T9 TJ TK TZ
						UY
MONROE	MONRINXARS1	05988	02918	0832	334	AA BA DA GI
260/692(0000-1999),692(3000-4999),692(6000-6999)						GK GR HD PC
						PL PN RC RD
						SA SH SP SQ
						TJ TW UP UR
						WE WG WJ
MONROE CITY	MNCYINXARS0	06589	03050	0779	338	AA DA GE GJ
812/743(1000-2999),743(5000-5999),743(8000-9999)						GM GN II TU
MONROEVILLE	MOVLINXARS0	05940	02934	0772	334	AA BA DA GG
260/623(2000-2999),623(3000-3999),623(6000-6999)						GM GN GR HB
						HD II RC RD
						RF RM SC SD
						SE SQ TU UA
						VM
MONTEREY	MTRYINXARS1	06035	03180	0832	332	AA BA DA GI
574/542(2000-2999),542(4000-4999),542(9000-9999)						GK GR HD PC
						PL PN RC RD
						SA SH SP SQ
						TJ TW UP UR
						WE WG WJ
MONTEZUMA	MTZMIN01RSF	06365	03173	5080	336	AA BA DA GM
765/245(2000-2999)						GQ GR II PO
						PQ PT RA RF
						RH RJ RK SH
						SV UB VD
MONTGOMERY	MTGMINXBDS1	06554	03009	0759	338	AA DA HB HD
812/388,444(0000-8999),486(0000-4999),644,687						OE TJ TZ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MONTICELLO	MNTIINXADS0	06135	03183	0832	332	AA BA DA GC
574/583						GI GK GR HD
						PB PK PN RC
						RD RM SA SH
						SP SQ TH TJ
						TW UP UR WE
						WG WJ
MONTPELIER	MTPLIN01DS9	06053	02947	5080	336	AA DA GC GD
765/728(0000-0999),728(2000-2999),728(5000-5999)						GQ GR II OH
765/728(8000-8999)						OR PO PQ PT
						RA RF RH RJ
						RK SH SV UB
						VD
MOORELAND	MRLDINXARS0	06155	02883	0772	937	AA DA GG GM
765/766(5000-5999),766(6000-6999)						GN HB HD II
						RC RD RF RM
						SQ VM
MOORES HILL	MSHLINXADS0	06308	02766	0819	338	AA AB BA BC
812/744(0000-0999),744(1000-1999),744(2000-2999)						DA DD G7 GC
812/744(3000-3999),744(4000-4999),744(5000-5999)						GL GN HA HD
812/744(6000-6999),744(7000-7999),744(8000-8999)						HG IC IG II
						OE SH TJ UL
						UM UR US VC
MOORESVILLE	MRVIIN01DS0	06320	03007	5080	336	AA DA GC GD
317/831,834(0000-6999),834(8000-9999)						GQ GR II OH
						OR PO PQ PR
						PU RA RF RH
						RJ RK SH SV
						UB VD ZX
MORGANTOWN	MGTWIN01RSE	06357	02966	5080	338	AA BA DA GC
812/597(0000-0999),597(4000-4999),597(5000-5999)						GD GE GM GQ
						GR II PO PQ
						RA RF RH RJ
						RK SJ SV VD

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
MOROCCO	MRCCIN01RS1	06151	03304	5080	358	AA BA DA GM
219/285(0000-0999),285(2000-2999),285(6000-6999)						GQ GR II OR
						PO PQ PT SJ
						SV SX UB VD
MORRISTOWN	HNTPIN01RL0	06252	02913	7459	937	DA DD GR TJ
765/818(1000-1999)						
MORRISTOWN	MRTWINXARS0	06254	02914	0772	937	AA BA DA GG
765/763(0000-0999),763(6000-6999),763(7000-7999)						GM GN GR HB
765/763(8000-8999)						HD II RC RD
						RF RM SQ VM
MORTON	MRTNINXARS0	06342	03107	0772	336	AA DA GC GD
765/739(6000-6999),739(8000-8999)						GG GM GN HB
						HD II RC RD
						RF RM SQ TU
						VM
MOUNT VERNON	MTVRIN01RS1	06763	03063	5080	330	AA DA GC GD
812/833(2000-2999),833(3000-3999),833(5000-5999)						GQ II PO PQ
812/838(0000-6999),838(8000-9999)						PR PU RA RC
						RD RE RF RH
						RJ RK SJ SV
						UB VD
MOUNT VERNON	MTVRINABRS1	06763	03063	5080	330	AA BA DA GC
812/831(4000-4999),831(6000-6999),831(7000-7999)						GD GQ GR II
						PO PQ PR PU
						RA RC RD RE
						RF RH RJ RK
						SH SV UB VD
MT COMFORT	BCTPIN01RL0	06256	02961	7459	336	DA DD GR TJ
317/866						
MULBERRY	MLBYINXADS0	06204	03125	0792	336	AA BA DA OE
765/296						TJ TK TZ XF

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY ---------NPA/NXX----------	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
MUNCIE /	MUNCIN0105T	06129	02924	5080	336	GB GQ GR HC PR PS SK SR SY VD VP
MUNCIE 765/213(0000-6999),213(8000-8999),214,254(0000-6999) 765/254(8000-9999),281,282,284,285,286,287(0000-4999) 765/287(8000-9999),288,289,741,747,751	MUNCIN01DS0	06129	02924	5080	336	AA DA GB GC GD GQ GR HB II OE OH OR PC PL PR PS QB RA RC RD RE RF RH RJ RK SH SV TA UB UE VD ZX
NAPPANEE 574/773(0000-5999),773(6000-6999),773(7000-7999) 574/773(9000-9999)	NPPNINXARS1	05943	03146	0832	332	AA BA DA GI GK GR HD PB PK PN RC RD SA SH SP SQ TJ TW UP UR WE WG WJ
NASHVILLE 812/988	NSVLIN01DS1	06386	02946	5080	338	AA BA DA GC GD GQ GR II PO PQ PT RA RF RH RJ RK SJ SV UB VD
NEW ALBANY /	NWALIN0111T	06526	02786	5080	462	DA GB GQ GR PR PS SL SP SS VD VQ
NEW ALBANY 812/542(0000-4999),542(6000-6999),542(9000-9999),941,944 812/945,948,949,981	NWALIN01DS0	06526	02786	5080	462	AA BA DA GB GC GD GQ GR HB II OH PD PM PR PS RA RC RD RE RF RH RJ RK SK SR UB UE VD ZY

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
NEW ALBANY                  NWALIN01XAX 06526 02786 7951  462 GB GR
   812/248(5000-5999),252(5000-5999),347(7000-7999)
   812/364(7000-7999),365(7000-7999),366(6000-6999)
   812/596(7000-7999),628(7000-7999),633(6000-6999)
   812/732(7000-7999),737(7000-7999),739(7000-7999)
   812/800(7000-7999),850(7000-7999),921(7000-7999)
   812/952(5000-5999),968(7000-7999),969(5000-5999)
.......................................................................
NEW ALBANY                  NWALIN01YMD 06526 02786 7440  462 BA DA
   812/503(3000-3999),590(7000-7999),590(9000-9999)
   812/734(8000-8999),748(4000-4999),984(3000-3999)
.......................................................................
NEW CARLISLE                NWCRINXARS1 05933 03246 0832  332 AA BA D1 DA
   574/654                                                      GI GK GR HD
                                                                PB PK PN RC
                                                                SA SH SP SQ
                                                                TJ TW UP UR
                                                                WE WG WJ
.......................................................................
NEW CASTLE                  NWCSIN01DS0 06178 02893 5080  336 AA BA DA GC
   765/515,519,521,527(0000-6999),529,593(0000-0999)            GD GE GQ GR
   765/593(2000-4999),593(6000-7999),599(1000-1999)             II OH OR PD
   765/599(2000-2999),599(3000-3999),599(4000-4999)             PM PT RA RC
   765/599(9000-9999),836(4000-4999),836(5000-5999)             RD RE RF RH
                                                                RJ RK SH SV
                                                                UB VD
.......................................................................
NEW HARMONY                 NWHRIN01RS3 06728 03088 5080  330 AA BA DA GM
   812/682(3000-3999),682(4000-4999)                            GQ II PO PQ
                                                                PR PU RA RF
                                                                RH RJ RK SJ
                                                                SV UB VD
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
NEW HAVEN                   FTWYINXAXLY 05942 02983 7951  334 GR
   260/200(7000-7999),201(7000-7999),202(7000-7999)
   260/204(7000-7999),209(7000-7999),216(7000-7999)
   260/218(7000-7999),230(7000-7999),231(7000-7999)
   260/235(7000-7999),236(7000-7999),238(7000-7999)
   260/245(7000-7999),277(6000-6999),281(7000-7999)
   260/286(6000-6999),297(6000-6999),306(7000-7999)
   260/323(7000-7999),376(6000-6999),468(6000-6999)
   260/475(6000-6999),488(9000-9999),508(7000-7999)
   260/527(5000-5999),543(7000-7999),544(7000-7999)
   260/553(8000-8999),560(7000-7999),577(1000-1999)
   260/587(8000-8999),597(6000-6999),623(9000-9999)
   260/626(7000-7999),632(6000-6999),635(6000-6999)
   260/638(5000-5999),639(5000-5999),645(6000-6999)
   260/687(5000-5999),706(7000-7999),708(7000-7999)
   260/761(8000-8999),774(7000-7999),782(7000-7999)
   260/786(8000-8999),802(7000-7999),818(7000-7999)
   260/823(6000-6999),829(5000-5999),849(7000-7999)
   260/909(7000-7999),919(7000-7999),960(7000-7999)
   260/994(7000-7999),997(7000-7999)
   574/566(6000-6999)
.......................................................................
NEW HAVEN                   NWHNINXADS0 05935 02967 0772  334 AA DA GC GD
   260/493,748(4000-4999),748(5000-5999),748(6000-6999)      GE GG GN GR
   260/748(7000-7999),749                                    HB HD II RC
                                                             RD RF RM SQ
                                                             TI TJ TU UA
                                                             UG VM WJ
.......................................................................
NEW LISBON                  NWLSINXADS0 06182 02870 0796  336 AA BA DA GN
   765/332                                                   HA OE T3 TJ
                                                             TZ
.......................................................................
NEW MARKET                  NWMRIN01RSA 06299 03124 5080  336 AA BA DA GC
   765/866(0000-0999),866(1000-1999),866(8000-8999)          GD GE GM GQ
                                                             GR II PO PQ
                                                             PT RA RF RH
                                                             RJ RK SH SV
                                                             UB VD
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
NEW MIDDLETOWN	NWMLINXARS0	06568	02808	0779	462	AA DA GC GD
812/968(0000-0999),968(3000-3999)						GE GJ GM GN
						II
NEW PALESTINE	NWPLIN01DS0	06260	02948	5080	336	AA BA DA GC
317/861(0000-6999),861(8000-9999)						GD GQ GR II
						PO PQ PR PU
						RA RF RH RJ
						RK SH SV UB
						VD ZX
NEW PARIS	NWPRINXADS2	05918	03127	0797	332	AA DA GC GD
574/831,832						GN HB HD RC
						RD UW
NEW ROSS	NWRSINXA0MD	06280	03094	0776	336	OE TJ UD
765/723(1000-1999),723(4000-4999)						
NEW WASHINGTON	NWTNIN01RSE	06450	02773	5080	462	AA BA DA GM
812/289(1000-1999),293(3000-3999),293(4000-4999)						GQ GR II PO
						PQ PR PS RA
						RF RH RJ RK
						SH SV UB VD
NEWBURGH	NWBRIN01DS0	06721	02990	5080	330	AA BA DA GC
812/842(0000-0999),842(2000-2999),842(3000-3999)						GD GQ GR II
812/842(4000-4999),853,858						PO PQ PR PU
						RA RF RH RJ
						RK SJ SV UB
						VD
NINEVEH	NNVHINXARS1	06346	02939	0832	336	AA BA DA GI
317/933(0000-0999),933(2000-3999),933(9000-9999)						GK GR HD PC
						PL PN RC RD
						SA SH SP SQ
						TJ TW UP UR
						WE WG WJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
NOBLESVILLE	NBVLIN01DS0	06209	03000	5080	336	AA BA DA GC
317/770,773,774(0000-0999),774(1000-1999),774(2000-2999)						GD GQ GR II
317/774(3000-3999),774(7000-7999),774(8000-8999)						OH OR PD PM
317/774(9000-9999),776						PR PU QB RA
						RC RD RE RF
						RH RJ RK SH
						SV UB VD ZX
NORTH JUDSON	NJSNINXARS2	06047	03234	0832	332	AA BA DA GI
574/896(0000-0999),896(2000-6999)						GK GM GR HD
						PC PL PN RC
						RD SA SH SP
						SQ TJ TW UP
						UR WE WG WJ
NORTH LIBERTY	NLBTINXARL1	05959	03216	0832	332	AA BA DA GI
574/656						GK GR HD PC
						PL PN RC RD
						SA SH SP SQ
						TJ TW UP UR
						WE WG WJ
NORTH MANCHESTER	NMCHINXADS0	06008	03065	0772	334	AA DA GE GG
260/901(7000-7999),901(8000-8999),982						GN GR HB HD
						II RC RD RF
						RM SC SD SE
						SN SQ TU VM
NORTH VERNON	NVRNINXADS0	06374	02833	0779	338	AA DA GE GJ
812/346,352(0000-2999),352(4000-5999),352(8000-9999)						GN II
NORTH WEBSTER	NWBSINXARS1	05941	03090	0832	332	AA BA DA GI
574/834(0000-5999),834(7000-7999)						GK GR HD PC
						PL PN RC RD
						SA SH SP SQ
						TJ TW UP UR
						WE WG WJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
OAKLAND CITY	OKCYINXARS0	06641	03021	0779	330	AA DA GC GD
812/749(0000-1999),749(3000-4999),749(6000-6999)						GE GJ GM GN
812/749(8000-9999)						II TU
OAKLANDON	OKLNIN01DS0	06239	02975	5080	336	AA BA DA GC
317/823,826						GD GE GQ GR
						HB II OH OR
						PO PQ PR PU
						RA RF RH RJ
						RK SH SV UB
						VD ZX
OAKTOWN	OKTWINXBRS0	06546	03089	0779	338	AA DC GN II
812/513(0000-0999),745(2000-4999),745(9000-9999)						TU
ODON	ODONINXADS0	06516	03019	0801	338	AA BA DA GQ
812/636(0000-0999),636(4000-4999),636(7000-8999)						GR HB RA RC
						RD TJ VA WE
						XG
ORLAND	ORLDINXARS0	05822	03059	0772	334	AA DA GE GG
260/829(1000-1999),829(6000-6999)						GM GN GR HB
						HD II RC RD
						RF RM SQ TU
						VM
ORLEANS	ORLNINXARS0	06506	02920	0779	338	AA DA GM GN
812/865(1000-4999),865(7000-8999)						II TU
OSCEOLA	OSCLIN01DS0	05907	03179	5080	332	AA BA DA GC
574/651(0000-6999),674,675(0000-0999),675(2000-5999)						GD GQ GR HB
574/675(7000-9999),679						II PO PQ PR
						PS RA RF RH
						RJ RK SJ SV
						UB VD
OSSIAN	OSSIINXARS0	05982	02966	0831	334	AA BA DA GL
260/622(1000-1999),622(2000-2999),622(4000-4999)						GN GR HD II
260/622(6000-6999),622(7000-7999),622(9000-9999)						TU

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
OTTERBEIN	OTRBIN01RSH	06210	03205	5080	336	AA BA DA GC
765/441(0000-0999),583(0000-0999),583(2000-2999)						GD GM GQ GR
765/583(3000-3999),583(4000-4999)						II PO PQ PT
						RA RF RH RJ
						RK SH SV UB
						VD
OWENSBURG	OWBGINXBRSA	06479	02989	0818	338	AA DA GL GN
812/862(0000-0999),862(1000-1999),862(2000-2999)						GQ HD HJ II
812/862(7000-7999),862(8000-8999),862(9000-9999),863						SQ TI
OWENSVILLE	OWVLINXARS0	06681	03066	0779	330	AA DA GC GD
812/724(2000-4999),729(7000-7999)						GE GJ GM GN
						II TU
OXFORD	OXFRIN01RSJ	06217	03230	5080	336	AA BA DA GC
765/385(0000-0999),385(2000-2999),385(5000-5999)						GD GM GQ GR
						II PO PQ PT
						RA RF RH RJ
						RK SH SV UB
						VD
PALMYRA	PLMYINXARS1	06527	02842	0779	462	AA DA GC GD
812/364(0000-1999),364(4000-4999),364(6000-6999)						GE GJ GM GN
						II TU
PAOLI	PAOLINXADS0	06528	02911	0779	338	AA DA GN GR
812/723(0000-5999),723(7000-7999),723(9000-9999)						II TU
PARAGON	PRGNIN01RS2	06376	03012	5080	336	AA DA GC GD
765/537(2000-2999),537(9000-9999)						GM GQ GR II
						OH OR PO PQ
						PR PU RA RF
						RH RJ RK SH
						SV UB VD
PATOKA	PATKINXARS0	06647	03063	0779	330	AA DA GC GD
812/779(2000-3999),779(5000-5999),779(8000-9999)						GE GJ GM GN
						II TU

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
PATRICKSBURG	PRBGINXADS0	06432	03060	0753	338	DA OE TJ
/						
PATRIOT	PATRINXARS1	06338	02700	0832	922	AA BA DA GI
812/594(0000-0999),594(2000-2999)						GK GR HD PC
						PL PN RC RD
						SA SH SP SQ
						TJ TW UP UR
						WE WG WJ
PEKIN	PEKNINXADS0	06502	02834	0834	462	BC DA DD G7
812/967						GK GL GN GQ
						HB HD IC OE
						SX TJ TL TZ
						VC XF
PENDLETON	PNTNINXADS0	06195	02955	0772	336	AA DA GE GG
765/221(6000-6999),221(7000-7999),778						GJ GN GR HB
						HD II RC RD
						RF RM SQ UG
						VM
PENNVILLE	PNVLINXARS1	06053	02922	0832	334	AA BA DA GI
260/731(0000-0999),731(2000-2999),731(4000-4999)						GK GR HD PC
260/731(9000-9999)						PL PN RC RD
						SA SH SP SQ
						TJ TW UP UR
						WE WG WJ
PERKINSVILLE	PKVLINXBRS0	06178	02988	0772	336	AA DA GE GG
765/734(1000-1999)						GM GN HB HD
						II RC RD RF
						RM VM

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
PERU	PERUIN01DS0	06079	03083	5080	336	AA BA DA GC
765/472,473(0000-0999),473(2000-9999),475(0000-0999)						GD GQ GR HB
765/475(2000-2999),475(8000-8999)						II PO PQ PT
						RA RC RD RE
						RF RH RJ RK
						SH SV UB VD
PETERSBURG	PTBGINXBDS0	06606	03026	0779	338	AA DA GE GJ
812/354(0000-3999),354(5000-9999),380(2000-2999)						GN II RC RD
812/380(9000-9999),789(0000-2999),789(5000-5999)						SQ TU
812/789(8000-9999)						
PETROLEUM	PTRLINXARS1	06032	02935	0832	334	AA BA DA GI
260/346(0000-0999),346(2000-2999)						GK GR HD PC
						PL PN RC RD
						SA SH SP SQ
						TJ TW UP UR
						WE WG WJ
PIERCETON	PCTNINXARS1	05965	03078	0832	332	AA BA DA GI
574/594						GK GR HD PC
						PL PN RC RD
						SA SH SP SQ
						TJ TW UP UR
						WE WG WJ
PITTSBORO	PTBOINXA0MD	06279	03047	0777	336	OE TJ UD
317/892(1000-1999),892(2000-2999),892(3000-3999)						
317/892(4000-4999),892(5000-5999),892(6000-6999)						
317/892(7000-7999)						
PLAINFIELD	PLFDIN01DS0	06303	03019	5080	336	AA BA DA GC
317/406(2000-2999),837,838,839						GD GQ GR II
						OH OR PD PM
						PR PU RA RF
						RH RJ RK SV
						UB VD

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
PLEASANT LAKE	PLLKINXARS0	05839	03019	0772	334	AA DA GE GG
260/475(1000-1999),475(5000-5999)						GM GN GR HB
						HD II RC RD
						RF RM SM TU
						VM
PLEASANT MILLS	PLMLINXARS1	05975	02908	0832	334	AA BA DA GI
260/592						GK GR HD PC
						PL PN RC RD
						SA SH SP SQ
						TJ TW UP UR
						WE WG WJ
PLYMOUTH	PLMOINXA03T	05987	03179	0832	332	GB
/						
PLYMOUTH	PLMOINXADS0	05987	03179	0832	332	AA BA DA G2
574/935,936,941(0000-7999),948(0000-0999),948(2000-9999)						G3 GC GI GK
574/948(2000-9999)						GR HD PA PJ
						PN RC RD RM
						SA SH SP SQ
						T7 TH TJ TU
						TW UP UR WE
						WG WJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
PLYMOUTH	PLMOINXAXMD	05987	03179	7951	332	GR
219/202(7000-7999),203(7000-7999),204(7000-7999)						
219/206(7000-7999),212(7000-7999),214(9000-9999)						
219/220(7000-7999),224(7000-7999),233(7000-7999)						
219/234(7000-7999),250(7000-7999),261(7000-7999)						
219/304(7000-7999),307(7000-7999),344(4000-4999)						
219/544(7000-7999),654(7000-7999),733(5000-5999)						
219/747(7000-7999),766(8000-8999),767(7000-7999)						
219/778(7000-7999),797(1000-1999),816(7000-7999)						
219/841(8000-8999),940(2000-2999)						
260/208(7000-7999),212(7000-7999),214(7000-7999)						
260/272(7000-7999),303(2000-2999),327(7000-7999)						
260/351(7000-7999),361(7000-7999),365(7000-7999)						
260/535(7000-7999),593(7000-7999),616(7000-7999)						
260/691(6000-6999),799(7000-7999),993(7000-7999)						
574/200(7000-7999),203(7000-7999),207(7000-7999)						
574/212(7000-7999),227(7000-7999),228(7000-7999)						
574/230(7000-7999),241(7000-7999),244(7000-7999)						
574/248(7000-7999),263(7000-7999),275(7000-7999)						
574/279(7000-7999),281(7000-7999),285(7000-7999)						
574/313(7000-7999),327(7000-7999),328(6000-6999)						
574/329(7000-7999),330(7000-7999),348(7000-7999)						
574/353(6000-6999),358(7000-7999),363(7000-7999)						
574/364(7000-7999),376(7000-7999),380(7000-7999)						
574/401(7000-7999),526(7000-7999),622(7000-7999)						
574/633(3000-3999),635(8000-8999),678(7000-7999)						
574/688(7000-7999),704(7000-7999),797(7000-7999)						
574/804(7000-7999),808(7000-7999),862(5000-5999)						
574/891(7000-7999),943(7000-7999)						
POE	POE INXARS0	05960	02959	0772	334	AA BA DA GG
260/639(0000-0999),639(3000-3999),639(6000-6999)						GM GN GR HB
260/639(7000-7999)						HD II RC RD
						RF RM SQ TU
						UA VM

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
POKAGON	PKGNINXARS0	05819	03037	0772	334	AA DA GE GG
260/833(0000-0999),833(1000-1999),833(2000-2999)						GM GN GR HB
260/833(3000-3999),833(4000-4999),833(5000-5999)						HD II RC RD
260/833(6000-6999),833(8000-8999),833(9000-9999)						RF RM SQ TU
						VM
POLAND	POLDINXADS0	06400	03079	0753	938	DA OE TJ
/						
PORTAGE	PRTGINXA15T	06006	03330	0772	332	GB HB TU
/						
PORTAGE	PRTGINXADS0	06006	03330	0772	332	AA DA GC GD
219/762,763,764						GE GG GN HB
						HD II RC RD
						RF RM SC SD
						SE SN SQ TJ
						TU UG VM
PORTAGE NORTH	PRTGINXBDS0	05999	03327	0772	332	AA DA GC GD
219/734(2000-5999),787,841(4000-4999),940(0000-0999)						GE GG GN HB
						HD II TU UG
						VM
PORTLAND	PTLDINXARS1	06051	02891	0832	334	AA BA DA GI
260/726(0000-4999),726(6000-9999),729(0000-0999)						GK GR HD PB
260/729(4000-6999),729(8000-9999)						PK PN RC RD
						SA SH SP SQ
						TJ TW UP UR
						WE WG WJ
POSEYVILLE	POVLINXADS0	06706	03069	0809	330	AA BA DA GM
812/874(0000-0999),874(2000-3999),874(5000-5999)						GR OE RA RB
812/874(8000-8999)						RC RD TJ TU
						TZ

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
PRAIRIE CREEK	PRCKINXARS0	06474	03139	0772	938	AA DA GE GG
812/898(1000-2999),898(9000-9999)						GM GN HB HD
						II RC RD RF
						RM SQ TU VM
PREBLE	PRBLINXARS1	05982	02944	0832	334	AA BA DA GI
260/547(0000-0999),547(4000-4999)						GK GM GR HD
						PC PL PN RC
						RD SA SH SP
						SQ TJ TW UP
						UR WE WG WJ
PRINCETON	PRTNINXADS0	06655	03056	0779	330	AA DA GC GD
812/385(0000-5999),385(7000-9999),386,387						GE GJ GN II
						RC RD SQ TU
RAMSEY	RMSYINXARS1	06547	02842	0779	462	AA DA GC GD
812/347(0000-3999),347(9000-9999)						GE GJ GM GN
						II TU
REDDINGTON	RDTNINXARS1	06385	02866	0779	338	AA DA GC GD
812/445(0000-0999),445(3000-3999)						GE GJ GM GN
						II
REDKEY	RDKYINXARS0	06081	02907	0772	937	AA DA GG GM
765/369(2000-2999),369(3000-3999),369(8000-8999)						GN HB HD II
						RC RD RF RM
						SQ TU VM
REMINGTON	RMTNINXARS1	06163	03241	0832	332	AA BA DA GI
219/261(0000-0999),261(2000-4999)						GK GR HD PB
						PK PN RC RD
						SA SH SP SQ
						TJ TW UP UR
						WE WG WJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
RENSSELAER	RNSLINXADS0	06129	03259	0832	332	AA BA DA GI
219/866						GK GR PB PK
						PN RC RD RM
						SA SH SP SQ
						TJ TW UP UR
						WE WG WJ
RESERVOIR	RSVRINXARS1	06032	03003	0831	334	AA BA DA GM
260/468(2000-2999),468(9000-9999)						GN GR HD II
						TU
REYNOLDS	RYNLINXARS1	06149	03196	0832	332	AA BA DA GI
219/984(0000-0999),984(5000-6999)						GK GM GR HD
						PC PL PN RC
						RD SA SH SP
						SQ TJ TW UP
						UR WE WG WJ
RICHMOND	RCMDINXB01T	06157	02813	0772	937	GB HB
/						
RICHMOND	RCMDINXB0MD	06157	02813	7440	937	BA DA
765/207(4000-4999),305(3000-3999),310(3000-3999)						
765/312(3000-3999),333(9000-9999),373(2000-2999)						
765/373(9000-9999),439(3000-3999),530(3000-3999)						
765/570(5000-5999),692(3000-3999),874(3000-3999)						
RICHMOND	RCMDINXB3MD	06157	02813	7951	937	GR
765/207(7000-7999),209(7000-7999),222(7000-7999)						
765/223(7000-7999),232(7000-7999),253(7000-7999)						
765/256(7000-7999),263(7000-7999),304(7000-7999)						
765/306(7000-7999),308(7000-7999),309(9000-9999)						
765/312(7000-7999),321(7000-7999),370(7000-7999)						
765/383(7000-7999),392(7000-7999),439(7000-7999)						
765/504(7000-7999),530(7000-7999),542(7000-7999)						
765/570(7000-7999),595(7000-7999),629(7000-7999)						
765/663(7000-7999),725(5000-5999),740(7000-7999)						
765/755(7000-7999),766(3000-3999),856(7000-7999)						
937/590(7000-7999)						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
RICHMOND	RCMDINXBDS1	06157	02813	0772	937	AA BA DA GC
765/935,939(0000-0999),939(1000-1999),939(2000-2999)						GD GN HB II
765/939(3000-3999),939(4000-4999),939(6000-6999)						RC RD RF RM
765/939(7000-7999),939(8000-8999),939(9000-9999),962,965						SA SN SQ TD
765/966,973,983						
RIDGEVILLE	RGVLINXARS0	06082	02882	0772	937	AA CA GG GM
765/857(1000-1999),857(2000-2999)						GN HB HD II
						RC RD RF RM
						SQ VM
RILEY	RILYINXARS3	06436	03121	0772	938	AA DA GE GG
812/894(0000-0999),894(2000-3999),894(9000-9999)						GJ GM GN HB
						HD II RC RD
						RF RM SQ TU
						UG VM
RISING SUN	RSSNINXARS1	06320	02713	0832	922	AA BA DA GI
812/438(0000-5999),438(9000-9999)						GK GR HD PB
						PK PN RC RD
						SA SH SP SQ
						TJ TW UP UR
						WE WG WJ
ROACHDALE	RCDLINXA0MD	06308	03095	0776	336	OE TJ UD
765/512(1000-1999),522(0000-0999),522(1000-1999)						
765/522(2000-2999),522(3000-3999),522(4000-4999)						
765/522(5000-5999),522(6000-6999),522(8000-8999)						
ROANN	RONNINXARL0	06037	03079	0832	336	AA BA DA GI
765/833(0000-0999),833(2000-2999)						GK GM GR HD
						PC PL PN RC
						RD SA SH SP
						SQ TW UP UR
						WE WG WJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ROANOKE	RONKINXARS0	05982	03005	0772	334	AA DA GC GD
260/672,673(0000-0999),673(1000-1999),673(2000-2999)						GE GG GM GN
260/673(3000-3999)						GR HB HD II
						RC RD RF RM
						SN SQ TJ TU
						UA VM
ROCHESTER	ROCHINXADS1	06031	03137	0815	332	DA DD G7 GC
574/223,224						GI GJ GL GN
						HB HD HJ IA
						IB IC ID IE
						IG II IS OE
						RC RD SH SQ
						SX T3 T9 TJ
						TZ UG VC XF
ROCKPORT	RCPTIN01RSJ	06704	02929	5080	330	AA BA DA GC
812/649(2000-2999),649(4000-4999),649(5000-5999)						GD GM GQ GR
812/649(6000-6999),649(9000-9999)						II PO PQ PT
						RA RF RH RJ
						RK SJ SV UB
						VD
ROCKVILLE	RKVLIN01DS0	06359	03149	5080	336	AA BA DA GC
765/569(0000-6999)						GD GQ GR II
						PO PQ PT RA
						RF RH RJ RK
						SH SV UB VD
ROLLING PRAIRIE	RLPRINXARS0	05947	03258	0772	332	AA DA GG GM
219/778(1000-2999),778(4000-4999),778(8000-9999)						GN GR HB HD
						II RC RD RF
						RM TU VM
ROMNEY	RMNYINXA0MD	06228	03158	0830	336	OE UD
765/538(0000-0999),538(2000-3999),538(5000-6999)						
765/538(8000-8999)						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ROSEDALE	RSDLIN01RSA	06390	03143	5080	336	AA BA DA GC
765/548(0000-0999),548(2000-2999)						GD GM GQ GR
						II PO PQ PT
						RA RF RH RJ
						RK SH SV UB
						VD
ROSSVILLE	ROVLINXARS1	06184	03124	0832	336	AA BA DA GI
765/379(0000-0999),379(2000-4999),379(9000-9999)						GK GR HD PC
						PL PN RC RD
						SA SH SP SQ
						TJ TW UP UR
						WE WG WJ
ROYAL CENTER	RYCTINXARS0	06093	03157	0772	336	AA BA DA GG
574/643(2000-2999),643(3000-3999),643(4000-4999)						GM GN GR HB
574/643(5000-5999),643(6000-6999),643(9000-9999)						HD II RC RD
						RF RM TU VM
RUSHVILLE	RUVLINXBDS0	06245	02871	0772	937	AA DA GC GD
765/932(1000-1999),932(2000-2999),932(3000-3999)						GE GG GN HB
765/932(4000-4999),932(5000-5999),932(7000-7999)						HD II RC RD
765/932(8000-8999),938(1000-1999),938(2000-2999)						RF RM VM
765/938(3000-3999),938(4000-4999),938(5000-5999)						
765/938(8000-8999)						
RUSSIAVILLE	RSVLIN01RSA	06158	03077	5080	336	AA BA DA GC
765/883(1000-1999),883(4000-5999),883(7000-8999)						GD GM GQ GR
						II OH OR PO
						PQ PR PS RA
						RF RH RJ RK
						SH SV UB VD
SAINT ANTHONY	STATINXARS0	06604	02940	0779	330	AA DA GE GJ
812/326(2000-2999),326(9000-9999)						GM GN II TU

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SAINT JOE	STJOINXARS0	05878	02975	0772	334	AA DA GC GD
260/337(0000-0999),337(1000-1999),337(2000-2999)						GE GG GM GN
260/337(5000-5999)						GR HB HD II
						RC RD RF RM
						SQ TU VM
SAINT JOHN	STJHINSJRSC	06057	03360	5080	358	AA BA DA GC
219/365,558(2000-2999),558(8000-8999)						GD GM GQ GR
						II OR PO PQ
						RA RC RD RE
						RF RH RJ RK
						SJ SV SX UB
						VD
SAINT JOSEPH	STJSIN01RSF	06721	03046	5080	330	AA BA DA GC
812/963(0000-1999),963(3000-3999),963(5000-9999)						GD GM GQ GR
						II PO PQ PR
						PU RA RF RH
						RJ RK SJ SV
						UB VD
SAINT MARKS	STMKINXA0MD	06650	02889	0807	330	AA BA BC DA
812/836(0000-0999),836(2000-2999),836(4000-4999)						G3 G5 GJ GL
812/836(9000-9999)						GN GQ GR HB
						HJ IB IC ID
						IG II OE SH
						SQ SX TI TJ
						UG UR UU UW
						UX VA VE
SAINT PHILIP	STPHIN01RSG	06733	03044	5080	330	AA BA DA GC
812/985(0000-0999),985(2000-2999),985(3000-3999)						GD GM GQ GR
812/985(4000-4999),985(5000-5999),985(7000-7999)						II PO PQ PR
812/985(9000-9999)						PU RA RF RH
						RJ RK SJ SV
						UB VD

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SALAMONIA	SLMNINXARS0	06051	02869	0832	334	AA BA DA GI
260/335(1000-1999),335(2000-2999)						GK GM GR HD
						PC PL PN RC
						RD SA SH SP
						SQ TW UP UR
						WE WG WJ
SALEM	SALMINXARS2	06488	02861	0779	338	AA DA GC GD
812/883,896(0000-1999)						GE GJ GM GN
						II SQ TU
SAN JACINTO	SNJCINXADS0	06385	02813	0819	338	AA AB BA BC
812/873						DA DD G7 GC
						GL GN HB HD
						HG IC IG II
						OE SH T3 TJ
						UL UM UR US
						VC
SAN PIERRE	SNPRINXARS2	06059	03248	0832	332	AA BA DA GI
219/828(0000-0999),828(3000-3999),828(5000-5999)						GK GM GR HD
						PC PL PN RC
						RD SA SH SP
						SQ TJ TW UP
						UR WE WG WJ
SANDBORN	SNDBINXADS0	06523	03054	0816	338	AA BA DA GM
812/694(0000-2999),694(7000-8999)						HD OE TJ TU
						TZ
SANDRIDGE	SNRGIN01RSK	06709	02950	5080	330	AA BA DA GC
812/359(4000-4999),359(5000-5999)						GD GM GQ GR
						II PO PQ PT
						RA RF RH RJ
						RK SJ SV UB
						VD

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
SANTA CLAUS                 SNTCINXA2MD 06650 02932 5584  330 AA BA BC DA
   812/362(1000-1999),660(3000-3999),772(0000-0999)          G3 G5 GE GJ
   812/772(2000-2999),772(9000-9999),937(6000-6999)          GL GN GQ GR
                                                             HB HJ IB IC
                                                             ID IG II OE
                                                             SH SQ SX T3
                                                             T7 TI TJ TU
                                                             TZ UG UR UU
                                                             UW UX VA VE
.......................................................................
SANTA CLAUS                 SNTCINXADS0 06650 02932 0807  330 AA BA BC DA
   812/357(0000-0999),357(2000-2999),357(5000-5999)          G3 G5 GE GJ
   812/357(6000-6999),357(7000-7999),357(8000-8999)          GL GN GQ GR
   812/357(9000-9999),529(0000-0999),529(8000-8999)          HB HJ IB IC
   812/529(9000-9999),544(0000-0999),544(2000-2999)          ID IG II OE
   812/544(3000-3999),544(9000-9999)                         SH SQ SX T3
                                                             T7 TI TJ TU
                                                             TZ UG UR UU
                                                             UW UX VA VE
.......................................................................
SANTA CLAUS                 SNTCINXADS2 06650 02932 5584  330 AA BA BC DA
   812/684(9000-9999),848(2000-2999),848(9000-9999)          G3 G5 GE GJ
   812/998(0000-0999),998(2000-2999),998(9000-9999)          GL GN GQ GR
                                                             HB HJ IB IC
                                                             ID IG II OE
                                                             SH SQ SX T3
                                                             T7 TI TJ TU
                                                             TZ UG UR UU
                                                             UW UX VA VE
.......................................................................
SCIPIO                      SCIPINXARS0 06367 02854 0779  338 AA DA GM GN
   812/392(0000-0999),392(2000-3999),392(9000-9999)          II
.......................................................................
SCOTTSBURG                  SCBGINXARS0 06447 02822 0779  338 AA DA GC GD
   812/752,754(0000-1999),754(9000-9999)                     GE GJ GM GN
                                                             GR II
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SELLERSBURG	SLBGIN01DS9	06499	02787	5080	462	AA BA DA GM
812/246,248(0000-0999),248(2000-2999),248(4000-4999)						GQ GR II PO
812/248(7000-7999),248(9000-9999)						PQ PR PS RA
						RC RD RE RF
						RH RJ RK SH
						SV UB VD
SEYMOUR	SYMRINXA02T	06404	02867	0779	338	GB HB
/						
SEYMOUR	SYMRINXADS0	06404	02867	0779	338	AA BA D1 DA
812/522,523,524						GC GD GE GJ
						GN HB II RC
						RD SQ TD
SHARPSVILLE	SRVLINXADS0	06159	03048	0818	336	AA DA GL GN
765/963						HB HD HI HJ
						SQ
SHELBURN	SHLBINXARS0	06484	03114	0779	938	AA DA GE GJ
812/397(0000-2999),397(5000-5999)						GM GN II TU
SHELBYVILLE	SHVLIN01DS1	06288	02910	5080	336	AA BA DA GC
317/392,398,421(0000-0999),421(1000-1999),421(2000-2999)						GD GQ GR HB
317/421(3000-3999),421(4000-4999),421(5000-5999)						II OH OR PD
317/421(8000-8999)						PM PR PU RA
765/544(2000-2999)						RC RD RE RF
						RH RJ RK SJ
						SV UB VD
SHERIDAN	SHRDIN01RSA	06208	03039	5080	336	AA BA DA GC
317/758(0000-0999),758(2000-2999),758(4000-6999)						GD GE GM GQ
317/758(9000-9999)						GR II OH OR
						PO PQ PR PU
						RA RF RH RJ
						RK SH SV UB
						VD

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SHIPSHEWANA	SHPSINXARS1	05865	03111	0832	332	AA BA DA GI
260/768						GK GR HD PB
						PK PN RC RD
						SA SH SP SQ
						TJ TW UP UR
						WE WG WJ
SHIRLEY	SHRYIN01RL0	06202	02919	7459	336	DA DD GR TJ
765/738						
SHIRLEY	SHRYINXARS0	06202	02920	0772	336	AA BA DA GG
765/737(1000-1999),737(6000-6999)						GM GN HB HD
						II RC RD RF
						RM SQ UG VM
SHOALS	SHLSINXARS0	06533	02971	0779	330	AA DA GE GJ
812/247(1000-4999),247(9000-9999)						GM GN II TU
SIDNEY	SDNYINXADS0	05986	03073	0772	334	AA DA GG GN
260/839(0000-0999),839(4000-5999)						GR HB HD II
						RC RD RF RM
						SQ TU VM
SILVER LAKE	SLLKINXARS0	06004	03091	0772	334	AA BA DA GG
260/352(0000-0999),352(2000-2999)						GM GN GR HB
						HD II RC RD
						RF RM SQ TU
						VM
SMITHVILLE	SMVLINXADS0	06435	02973	0818	338	AA DA GL GN
812/823(0000-0999),823(1000-1999),823(2000-2999)						GQ HB HD HJ
812/823(3000-3999),823(4000-4999),823(5000-5999)						II SQ TI
812/823(8000-8999),823(9000-9999),824						
SOLITUDE	SLTDIN01RS1	06745	03073	5080	330	AA BA DA GM
812/783(2000-2999)						GQ II PO PQ
						PR PU RA RF
						RH RJ RK SJ
						SV UB VD

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
SOUTH BEND                  MSHWINDQDS0 05909 03198 8366  332 DA
   574/822(0000-0999),822(1000-1999),822(2000-2999)
   574/822(3000-3999),822(4000-4999),822(9000-9999)
   574/830(0000-0999),830(1000-1999),830(2000-2999)
   574/830(3000-3999),830(4000-4999),830(9000-9999)
   574/966(0000-0999),966(1000-1999),966(2000-2999)
   574/966(3000-3999),966(4000-4999),966(9000-9999),968,970
   574/970
.......................................................................
SOUTH BEND                  SBNDIN0108T 05919 03206 5080  332 DA GB GQ GR
      /                                                     PR PS SK SR
                                                            SY VD VM VP
.......................................................................
SOUTH BEND                  SBNDIN011CD 05919 03206 5080  332 DA G1 GQ PR
      /                                                     PS QB SJ SX
                                                            VD
.......................................................................
SOUTH BEND                  SBNDIN01DS1 05919 03206 5080  332 AA DA GB GC
   574/232,233,234,235,236,237,239(0000-4999)               GQ GR II PA
   574/239(6000-9999),245(1000-9999),246,251,280,282,283    PJ PR PS QB
   574/284(0000-7999),287,288,289,472,520(4000-6999),631    RA RC RD RE
   574/634,647                                              RF RH RJ RK
                                                            SL SS TA UB
                                                            UC VD VQ ZX
.......................................................................
SOUTH BEND                  SBNDIN01X1X 05920 03206 7440  332 BA DA
   219/221(4000-4999),244(3000-3999),245(3000-3999)
   219/575(6000-6999),707(4000-4999),707(8000-8999)
   219/728(5000-5999),734(7000-7999),940(6000-6999)
   260/214(3000-3999),616(3000-3999)
   574/275(6000-6999),307(7000-7999),309(9000-9999)
   574/312(7000-7999),334(4000-4999),344(2000-2999)
   574/344(4000-4999),358(3000-3999),549(5000-5999)
   574/584(7000-7999),742(3000-3999),747(8000-8999)
   574/797(3000-3999),891(3000-3999),999(8000-8999)
.......................................................................
SOUTH BEND                  SBNDIN0301W 05926 03199 5080  332 HC PR PS VD
      /
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SOUTH BEND	SBNDIN03DS0	05926	03199	5080	332	AA DA GC GD
574/231(0000-0999),231(1000-1999),231(2000-2999)						GR HB II PD
574/231(3000-3999),231(4000-4999),231(5000-5999)						PM PR PS RA
574/231(8000-8999),231(9000-9999),284(9000-9999),291						RF RH RJ RK
574/299(0000-2999),299(4000-5999),299(7000-9999)						SJ SV UB VD
SOUTH BEND	SBNDIN0401W	05906	03207	5080	332	HC PR PS VD
/						
SOUTH BEND	SBNDIN04DS0	05906	03207	5080	332	AA BA DA GC
574/243,247,271,272,273,277,335(0000-0999)						GD GQ GR HB
574/335(1000-1999),335(2000-2999),335(3000-3999)						II PC PL PR
574/335(4000-4999),335(5000-5999),335(6000-6999)						PS RA RF RH
574/335(7000-7999),335(8000-8999)						RJ RK SJ SV
						UB VD
SOUTH BEND	SBNDINNDRS1	05920	03206	5080	332	DA GC GD GQ
/						GR II PO PQ
						PR PS VD
SOUTH MILFORD	SMFRINXARS1	05858	03057	0832	332	AA BA DA GI
260/351(2000-4999)						GK GR HD PC
						PL PN RC RD
						SA SH SP SQ
						TJ TW UP UR
						WE WG WJ
SOUTH WHITLEY	SWHTINXARS2	05981	03054	0832	332	AA BA DA GI
260/723(0000-0999),723(4000-6999)						GK GR HD PC
						PL PN RC RD
						SA SH SP SQ
						TJ TW UP UR
						WE WG WJ

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SPENCER	SPNCIN01RSE	06413	03031	5080	338	AA BA DA GC
812/828(0000-0999),828(1000-1999),828(7000-7999)						GD GE GM GQ
812/828(9000-9999),829						GR II PO PQ
						PT RA RF RH
						RJ RK SJ SV
						UB VD
SPENCERVILLE	SNVLIN01RS0	05886	02975	5080	334	AA DA GM GQ
260/238(4000-4999)						GR II PO PQ
						PT RA RF RH
						RJ RK SH SV
						UB VD
SPICELAND	SPLDINXARS0	06202	02892	0772	937	AA DA GG GM
765/987(0000-0999),987(1000-1999),987(7000-7999)						GN HB HD RC
765/987(8000-8999)						RD RF RM SQ
						VM
SPRINGPORT	SPPTINXBRS0	06157	02910	0772	937	AA DA GE GG
765/755(3000-3999)						GM GN HB HD
						II RC RD RF
						RM SQ VM
SPURGEON	SPRGINXARS0	06650	02999	0779	330	AA DA GE GJ
812/721(1000-1999)						GM GN II TU
STANFORD	STFRINXADS0	06438	02995	0818	338	AA DA GL GN
812/825,826(0000-0999),826(1000-1999),826(2000-2999)						GQ HB HD HJ
812/826(8000-8999),826(9000-9999)						II SQ TI
STAR CITY	STCYINXADS0	06075	03177	0813	332	BA BC DA G3
574/595						GC GL GN GQ
						GR HB IC IG
						II SK SP ST
						SV T3 T8 TJ
						UG UK UL UM
						UP UU VP WE

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
STEWART	STWTIN01RSK	06265	03246	5080	336	AA BA DA GC
765/986(2000-2999)						GD GM GQ GR
						II PO PQ PT
						RA RF RH RJ
						RK SH SV UB
						VD
SULLIVAN	SLLVINXARS0	06501	03107	0772	938	AA DA GC GD
812/268						GE GG GM GN
						HB HD II RC
						RD RF RM SQ
						TU VM
SULPHUR SPRINGS	SLSPINXARSW	06169	02912	0775	336	UD
/						
SUMMITVILLE	SMVIIN01RS1	06123	02977	5080	336	AA BA DA GC
765/536(2000-2999),536(4000-4999)						GD GM GQ GR
						II OH OR PO
						PQ PR PU RA
						RF RH RJ RK
						SH SV UB VD
SUNMAN	SNMNINXAB0T	06286	02782	0825	338	GB T7 TJ TU
/						
SUNMAN	SNMNINXADS1	06286	02782	0825	338	AA DA GR OE
812/576,623,852						SQ T3 TJ
SWAYZEE	SWYZINXADS1	06105	03021	0826	336	AA DA HA HD
765/922						T3 T9
SWEETSER	SWTSINXADS0	06090	03020	0827	336	AA BA DA GN
765/384						OE T3 TJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
SYRACUSE	SYRCINXARS1	05926	03109	0832	332	AA BA DA GI
574/457(0000-5999),457(7000-8999),528(2000-3999)						GK GR HD PC
574/528(5000-9999)						PL PN RC RD
						SA SH SP SQ
						TJ TW UP UR
						WE WG WJ
TELL CITY	TLCYIN01RSM	06668	02894	5080	330	AA BA DA GC
812/547,548(0000-0999),548(2000-2999),548(4000-4999)						GD GM GQ GR
812/548(5000-5999)						II PO PQ PT
						RA RF RH RJ
						RK SH SV UB
						VD
TENNYSON	TNSNIN01RSL	06672	02961	5080	330	AA BA DA GC
812/567(4000-4999),567(8000-9999)						GD GM GQ GR
						II PO PQ PR
						PU RA RF RH
						RJ RK SJ SV
						UB VD
TERRE HAUTE	TRRHINXA04T	06431	03145	0772	938	GB HB TU
/						
TERRE HAUTE	TRRHINXA8MD	06431	03145	7951	938	GR
217/269(7000-7999),275(7000-7999),279(7000-7999)						
217/340(7000-7999),385(7000-7999),712(7000-7999)						
217/884(7000-7999),887(7000-7999)						
812/356(7000-7999),382(7000-7999),397(6000-6999)						
812/412(7000-7999),420(7000-7999),495(7000-7999)						
812/638(7000-7999),702(7000-7999),710(7000-7999)						
812/835(7000-7999),864(7000-7999),894(6000-6999)						
812/898(7000-7999),974(7000-7999)						

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
TERRE HAUTE	TRRHINXADS2	06431	03145	0772	938	AA DA GC GD
812/231,232,233(8000-8999),234,235,237,238						GE GG GJ GN
812/242(1000-9999),244(0000-0999),244(2000-2999)						HB HD II RC
812/244(4000-8999),261(1000-1999),478,742(0000-0999)						RD RF RM SA
						SP SQ TD TI
						TJ TU UB UG
						VM
TERRE HAUTE EAST	TRRHINXERS0	06414	03127	0772	938	AA DA GC GD
812/543(1000-2999),872(2000-2999),872(6000-6999),877						GE GG GJ GM
						GN HB HD II
						RC RD RF RM
						SQ TJ TU UG
						VM
TERRE HAUTE NORTH	TRRHINXCDS0	06415	03146	0772	938	AA DA GC GD
812/460,462,466,553(0000-0999)						GE GG GN HB
						HD II RC RD
						RF RM SQ TJ
						TU UG VM
TERRE HAUTE NORTHWEST	TRRHINXFRS0	06423	03158	0772	938	AA DA GC GD
812/535(1000-6999)						GE GG GM GN
						HB HD II RC
						RD RF RM SQ
						TJ TU UG VM
TERRE HAUTE SOUTH	TRRHINXBDS0	06447	03135	0772	938	AA DA GC GD
812/298(0000-3999),298(8000-9999),299						GE GG GN HB
						HD II RC RD
						RF RM SQ TJ
						TU UG VM
TERRE HAUTE WEST	TRRHINXDRS0	06433	03151	0772	938	AA DA GC GD
812/533,538(2000-2999)						GE GG GM GN
						HB HD II RC
						RD RF RM SQ
						TJ TU UG VM

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
TERREHAUTE	TRRHINXAEMD	06431	03145	7440	938	BA DA
812/420(4000-4999),514(3000-3999),514(7000-7999)						
812/514(8000-8999),514(9000-9999),638(3000-3999)						
THORNTOWN	THTWINXADS0	06239	03096	0828	336	AA DA GR T3
765/436(2000-2999),436(3000-3999),436(5000-5999)						TJ
765/436(7000-7999),436(9000-9999)						
TIPPECANOE	TPCNINXBRS1	05996	03138	0772	332	AA DA GG GM
574/498(1000-1999),498(6000-6999),498(9000-9999)						GN GR HB HD
						II
TIPTON	TPTNINXADS1	06165	03029	0829	336	AA BA DA GL
765/675						GN GR OE TJ
						TU TZ
TOCSIN	TOSNINXARS1	05982	02944	0832	334	AA BA DA GI
260/597(0000-0999),597(7000-7999)						GK GM GR HD
						PC PL PN RC
						RD SA SH SP
						SQ TW UP UR
						WE WG WJ
TOPEKA	TPKAINXARS1	05886	03091	0832	332	AA BA DA GI
260/593(0000-0999),593(2000-4999)						GK GR HD PB
						PK PN RC RD
						SA SH SP SQ
						TJ TW UP UR
						WE WG WJ
TRAFALGAR	TRFGINXARS1	06339	02954	0832	336	AA BA DA GI
317/878(0000-0999),878(1000-1999),878(2000-2999)						GK GR HD PC
317/878(4000-4999),878(5000-5999),878(6000-6999)						PL PN RC RD
317/878(7000-7999),878(8000-8999),878(9000-9999)						SA SH SP SQ
						TJ TW UP UR
						WE WG WJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
TRI LAKES	TRILINXARS1	05936	03047	0832	332	AA BA DA GI
260/691(0000-0999),691(2000-2999),691(3000-3999)						GK GM GR HD
260/691(9000-9999)						PC PL PN RC
						RD SA SH SP
						SQ TJ TW UP
						UR WE WG WJ
TWELVE MILE	TWMLINXARL0	06070	03117	0832	336	AA BA DA GI
574/664(0000-0999),664(1000-1999),664(2000-2999)						GK GM GR HD
574/664(3000-3999),664(4000-4999),664(5000-5999)						PC PL PN RC
574/664(6000-6999),664(7000-7999),664(9000-9999)						RD SA SH SP
						SQ TW UP UR
						WE WG WJ
UNION CITY	RCMDINXB0MD	06157	02813	7443	937	BA DA
937/714(9000-9999)						
UNION CITY	UNCYINXARS1	06079	02842	0832	937	AA BA DA GI
765/964(0000-0999),964(2000-7999)						GK GR HD PB
937/968(0000-0999),968(3000-7999)						PK PN RC RD
						SA SH SP SQ
						TJ TW UP UR
						WE WG WJ
UNION MILLS	UNMLINXARS0	05994	03262	0772	332	AA DA GG GM
219/767(2000-2999),767(3000-3999)						GN GR HB HD
						RC RD RF RM
						TU VM
UNIONDALE	UNDLINXARL0	05998	02972	0831	334	AA BA DA GM
260/543(2000-2999)						GN GR II TU
UPLAND	UPLDIN01RSA	06089	02967	5080	336	AA BA DA GC
765/998(0000-2999),998(4000-7999)						GD GE GM GQ
						GR II OH OR
						PO PQ PT RA
						RF RH RJ RK
						SH SV UB VD

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
URBANA	URBNINXARL1	06029	03058	0832	334	AA BA DA GI
260/774(0000-0999),774(3000-3999),774(9000-9999)						GK GM GR HD
						PC PL PN RC
						RD SA SH SP
						SQ TW UP UR
						WE WG WJ
VALPARAISO	VLPRINXADS1	06021	03301	0772	332	AA DA GC GD
219/263(1000-2999),263(4000-5999),263(7000-7999),462,464						GE GG GJ GN
219/465(0000-7999),465(9000-9999),476(0000-2999)						GR HB HD II
219/476(4000-4999),476(7000-9999),477(1000-6999),531,548						RC RD RF RM
219/548						SN SQ TI TJ
						TU UG VM
VAN BUREN	VNBRINXARS1	06059	02987	0832	336	AA BA DA GI
765/934(0000-0999),934(2000-5999),934(9000-9999)						GK GM GR HD
						PC PL PN RC
						RD SA SH SP
						SQ TJ TW UP
						UR WE WG WJ
VEEDERSBURG	VDBGIN01RSL	06295	03190	5080	336	AA BA DA GC
765/294(0000-0999),294(2000-2999),294(3000-3999)						GD GM GQ GR
765/294(4000-4999),294(5000-5999)						II PO PQ PT
						RA RF RH RJ
						RK SH SV UB
						VD
VERSAILLES	VRSLINXARS0	06331	02784	0779	338	AA DA GE GJ
812/689(0000-1999),689(3000-8999)						GM GN II
VEVAY	VEVYINXARS1	06376	02723	0832	922	AA BA DA GI
812/427(0000-0999),427(1000-4999),427(6000-7999)						GK GR HD PB
812/427(9000-9999),541(1000-4999),541(6000-8999)						PK PN RC RD
						SA SH SP SQ
						TJ TW UP UR
						WE WG WJ

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE				
---------NPA/NXX----------	----------	-----	-----	----	----	--	--	--	--	
VINCENNES	VINCIN0110T	06590	03083	5080	338	GQ	GR	HC	PT	
/						VD				
VINCENNES	VINCIN01DS0	06590	03083	5080	338	AA	DA	GC	GQ	
812/882,885(0000-3999),885(6000-6999),885(8000-8999)						GR	HB	II	PD	
812/886(0000-6999),886(9000-9999),888(2000-2999)						PM	PT	RA	RC	
812/888(3000-3999),888(4000-4999),888(5000-5999)						RD	RE	RF	RH	
812/888(6000-6999),888(7000-7999),895						RJ	RK	SK	SR	
						UB	UE	VD	VP	
						ZX				
W HARRISON	CNCNOHFBDS0	06263	02680	8286	922	BA	DA			
812/220(9000-9999)										
WABASH	WBSHINXADS0	06051	03052	0772	334	AA	DA	GD	GE	
260/563,569						GG	GN	GR	HB	
						HD	II	RC	RD	
						RF	RM	SC	SD	
						SE	SQ	TU	VM	
WADESVILLE	WSVLINXARS0	06721	03065	0809	330	BA	GM	GR	OE	
812/673(0000-0999),673(3000-5999)						RA	RB	RC	RD	
						TJ				
WAKARUSA	WKRSINXARS0	05927	03159	0772	332	AA	DA	GC	GD	
574/862(1000-1999),862(2000-2999),862(3000-3999)						GE	GG	GM	GN	
574/862(4000-4999),862(7000-7999)						GR	HB	HD	II	
						RC	RD	RF	RM	
						SQ	VM			
WALDRON	WDRNINXA1MD	06292	02886	0778	336	OE	TJ	TZ		(C)
765/525(0000-0999),525(1000-1999),525(4000-4999)										(C)
765/525(5000-5999),525(6000-6999),525(7000-7999)										(C)
765/525(9000-9999)										(C)

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
WALKERTON	WKTNINXARL1	05978	03218	0832	332	AA BA DA GI
574/586(0000-0999),586(2000-4999),586(7000-7999)						GK GR HD PB
574/586(9000-9999)						PK PN RC RD
						SA SH SP SQ
						TJ TW UP UR
						WE WG WJ
WALTON	WLTNINXARS0	06110	03098	0772	336	AA BA DA GG
574/626(0000-0999),626(2000-3999)						GM GN GR HB
						HD II RC RD
						RF RM TU VM
WANATAH	WNTHINXARS0	06016	03273	0772	332	AA DA GG GM
219/733(0000-0999),733(1000-1999),733(2000-2999)						GN HB HD II
219/733(9000-9999)						RC RD RF RM
						TU VM
WARREN	WRRNINXADS0	06038	02983	0751	334	AA BA DA GN
260/375						HB OE TJ TZ
						XE
WARSAW	WRSWINXADS0	05970	03103	0832	332	AA BA DA GI
574/267,268(0000-6999),268(9000-9999),269,371(0000-5999)						GK GR HD PA
574/371(8000-9999),372,373(2000-5999)						PJ PN RC RD
						RM SA SH SP
						SQ T1 TH TJ
						TW UP UR WE
						WG WJ
WASHINGTON	WASHIN01RSH	06566	03028	5080	338	AA DA GC GD
812/254,257						GM GQ GR II
						PO PQ PT RA
						RC RD RE RF
						RH RJ RK SJ
						SV UB VD

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
WATERLOO	WTRLINXARS0	05866	03005	0772	334	AA DA GE GG
260/837(2000-2999),837(3000-3999),837(4000-4999)						GM GN GR HB
260/837(5000-5999),837(6000-6999),837(7000-7999)						HD II RC RD
260/837(8000-8999),837(9000-9999)						RF RM TU UA
						VM
WAVELAND	WVLDIN01RSG	06323	03134	5080	336	AA BA DA GC
765/435(2000-2999),435(3000-3999)						GD GM GQ GR
						II PO PQ PT
						RA RF RH RJ
						RK SH SV UB
						VD
WAWAKA	WAWKINXARS0	05898	03074	0772	334	AA DA GC GD
260/761(1000-1999),761(2000-2999),761(3000-3999)						GE GG GM GN
260/761(4000-4999),761(5000-5999)						GR HB HD II
						RC RD RF RM
						SQ TU VM
WAYNETOWN	WYTWIN01RSE	06284	03158	5080	336	AA BA DA GE
765/234(2000-2999)						GM GQ GR II
						PO PQ PT RA
						RF RH RJ RK
						SH SV UB VD
WEST COLLEGE CORNER	WCCRINXARS0	06200	02774	0772	937	AA DA GG GM
765/732(3000-3999),732(4000-4999)						GN HB HD II
						RC RD RF RM
						VM
WEST LEBANON	WLBNIN01RSM	06275	03224	5080	336	AA BA DA GC
765/893(4000-4999),893(8000-8999)						GD GM GQ GR
						II PO PQ PT
						RA RF RH RJ
						RK SH SV UB
						VD

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
WEST NEWTON	WNTNIN01DS0	06300	02998	5080	336	AA DA GC GD
317/821(0000-6999),821(8000-9999),856						GQ GR HB II
						OH OR PO PQ
						PR PU RA RF
						RH RJ RK SH
						SV UB VD ZX
WEST POINT	WSPNINXA0MD	06234	03181	0837	336	OE UD
765/572(0000-3999),572(6000-7999)						
WESTFIELD	WSFDINABDS0	06212	03020	0772	336	BA DA GN GR
/						TU
WESTFIELD	WSFDINXAPS1	06218	03016	474E	336	DA
/						
WESTFIELD MAIN	WSFDINXADS0	06218	03016	0772	336	AA DA GC GD
317/804(7000-8999),867,896(1000-1999),896(2000-2999)						GE GG GN GR
317/896(3000-3999),896(4000-4999),896(5000-5999)						HB HD II RC
317/896(6000-6999),896(7000-7999),896(8000-8999)						RD RF RM SQ
317/896(9000-9999)						TU UG VM
WESTFIELD NORTH	WSFDINXBRS0	06203	03012	0772	336	AA DA GC GD
317/877						GE GG GM GN
						GR HB HD II
						RC RD RF RM
						SQ TU VM
WESTPORT	WSPTINXARS0	06337	02843	0779	338	AA DC GE GJ
812/591(0000-0999),591(2000-4999),591(8000-8999)						GM GN II
WESTVILLE	WSTVINXARS1	05995	03285	0772	332	AA DA GE GG
219/785(1000-1999),785(2000-2999),785(3000-3999)						GM GN GR HB
219/785(4000-4999),785(5000-5999),785(6000-6999)						HD II RC RD
219/785(7000-7999)						RF RM SN SQ
						TU VM

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
WHEATFIELD                  WHFDINXARS1 06073 03272 0832  332 AA BA DA GI
   219/956(0000-0999),956(2000-2999),956(3000-3999)          GK GR HD PC
   219/956(4000-4999),956(5000-5999),956(9000-9999)          PL PN RC RD
                                                             SA SH SP SQ
                                                             TJ TW UP UR
                                                             WE WG WJ
.......................................................................
WHEATLAND                   WTLDINXARS0 06576 03048 0779  338 AA DA GE GJ
   812/321(1000-2999),321(8000-8999)                         GM GN II TU
.......................................................................
WHEELER                     WHLRINXADS0 06018 03320 0772  332 AA DA GC GD
   219/364(0000-0999),364(1000-1999),364(3000-3999)          GE GG GN HB
   219/364(4000-4999),364(8000-8999),364(9000-9999)          HD II RC RD
   219/759(0000-0999),759(1000-1999),759(2000-2999)          RF RM SN SQ
   219/759(3000-3999),759(4000-4999),759(5000-5999)          TJ TU VM
   219/759(6000-6999),759(7000-7999),759(8000-8999)
.......................................................................
WHITELAND                   WHLDINXARS1 06308 02959 0832  336 AA BA DA GI
   317/530(1000-1999),535,751(6000-6999)                     GK GR HD PB
                                                             PK PN RC RD
                                                             SA SH SP SQ
                                                             TJ TW UP UR
                                                             WE WG WJ
.......................................................................
WHITESTOWN                  WHTWINXA0MD 06244 03043 0776  336 OE TJ TZ UD
   317/768(2000-2999),768(7000-7999),769(2000-8999)
.......................................................................
WHITING                     WHNGINWTDS0 06013 03387 5080  358 AA BA DA GC
   219/473(0000-7999),473(9000-9999),659(0000-8999)          GD GE GQ GR
                                                             HB II OR PD
                                                             PM RA RC RD
                                                             RE RF RH RJ
                                                             RK SJ SV SX
                                                             UB VD
.......................................................................
WICKLIFFE                   WCKLINXBDS1 06577 02917 0776  330 AA BA DA GR
   812/685(0000-4999)                                        RA RB RC RD
                                                             TJ XG
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

```
LOCALITY                    CLLI        WCV   WCH   CC   LATA OFFICE TYPE
---------NPA/NXX---------- ----------- ----- ----- ---- ---- -- -- -- --
WILKINSON                   WDSNIN02RL0 06205 02924 7459  336 DA DD GR TJ
   765/781(0000-0999),781(1000-1999),781(2000-2999)
   765/781(3000-3999),781(4000-4999),781(6000-6999)
   765/781(7000-7999),781(8000-8999),781(9000-9999)
.......................................................................
WILKINSON                   WKSNINXADS0 06204 02922 0832  336 AA BA DA GI
   765/785(0000-0999),785(2000-2999),785(6000-6999)          GK GR HD PC
   765/785(9000-9999)                                        PL PN RC RD
                                                             SA SH SP SQ
                                                             TJ TW UP UR
                                                             WE WG WJ
.......................................................................
WILLOW BRANCH               WLBRINXARSW 06215 02934 0775  336 UD
      /
.......................................................................
WINAMAC                     WNMCINXARS1 06064 03191 0832  332 AA BA DA GI
   574/946(0000-0999),946(2000-7999)                         GK GR HD PB
                                                             PK PN RC RD
                                                             SA SH SP SQ
                                                             TJ TW UP UR
                                                             WE WG WJ
.......................................................................
WINCHESTER                  WNCHINXARS0 06100 02863 0772  937 AA DA GC GE
   765/305(0000-0999),584                                    GG GM GN HB
                                                             HD II RC RD
                                                             RF RM SN SQ
                                                             VM
.......................................................................
WINDFALL                    WNFLINXADS0 06143 03025 0772  336 AA DA GG GM
   765/945(7000-7999),945(8000-8999)                         GN GR HB HD
                                                             II RC RD RF
                                                             RM SQ TU VM
.......................................................................
WINGATE                     WNGTINXA0MD 06269 03169 0830  336 OE UD
   765/275(0000-0999),275(2000-6999),275(8000-8999)
```

==========

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
WOLCOTT	WLCTINXARS1	06155	03224	0832	332	AA BA DA GI
219/279						GK GR HD PC
						PL PN RC RD
						SA SH SP SQ
						TJ TW UP UR
						WE WG WJ
WOLCOTTVILLE	WLVLINXARS1	05876	03064	0832	332	AA BA DA GI
260/854(2000-5999),854(9000-9999)						GK GR HD PC
						PL PN RC RD
						SA SH SP SQ
						TJ TW UP UR
						WE WG WJ
WOODBURN	WDBNINXARS0	05910	02948	0772	334	AA DA GC GD
260/632(0000-0999),632(1000-1999),632(4000-4999)						GE GG GM GN
260/632(5000-5999),632(9000-9999)						GR HB HD II
						RC RD RF RM
						SQ TU VM
WORTHINGTON	WOTNINXARS0	06463	03046	0779	338	AA DA GM GN
812/875(1000-3999),875(8000-8999)						II TU
WYATT	WYTTINXARS0	05933	03177	0772	332	AA DA GC GD
574/633(0000-0999),633(2000-2999),633(4000-4999)						GE GG GM GN
						GR HB HD II
						RC RD RF RM
						SQ VM
YEOMAN	YEMNINXADS0	06149	03168	0839	332	AA BA DA HA
574/965						HE TJ XE
YORKTOWN	YRTWIN01RS1	06142	02938	5080	336	AA BA DA GC
765/759						GD GQ GR II
						OH OR PO PQ
						PR PS RA RF
						RH RJ RK SH
						SV UB VD

ISSUED: DECEMBER 15, 2017 EFFECTIVE: JANUARY 01, 2018

WIRE CENTER AND INTERCONNECTION INFORMATION

SERVING WIRE CENTER V AND H COORDINATE INFORMATION - INDIANA

LOCALITY	CLLI	WCV	WCH	CC	LATA	OFFICE TYPE
---------NPA/NXX----------	----------	-----	-----	----	----	-- -- -- --
ZANESVILLE	ZNVLINXARS0	05984	02986	0831	334	AA BA DA GL
260/638(3000-3999),638(4000-4999)						GN GR HD II
						TU
ZIONSVILLE	ZIVLIN01DS0	06247	03026	5080	336	AA BA DA GC
317/733(0000-0999),733(1000-1999),733(2000-2999)						GD GQ GR II
317/733(3000-3999),733(4000-4999),733(6000-6999)						OH OR PO PQ
317/733(8000-8999),733(9000-9999),873						PR PU RA RF
						RH RJ RK SH
						SV UB VD ZX

END OF SECTION