

ACCESS SERVICE
CHECK SHEET

The Title Page and Pages 1 through 35-13 inclusive of this tariff are effective as of the date shown, and Supplement Nos. 8, 9, 10, 11, 13, 14, 15, 23, and 25 contain all changes from the original tariff that are in effect on the date hereof.

Page	Number Revisions Except as Indicated	Page	Number Revisions Except as Indicated	Page	Number Revisions Except as Indicated
Title Page	1	3rd	24.5	4th	59
1	518th*	26	Original	60	7th
2	45th	27	1st	60.1	9th
3	32nd	28	3rd	60.2	4th
3.1	6th	29	1st	60.3	2nd
4	71st	30	4th	61	2nd
5	9th	31	2nd	62	8th
6	49th	32	Original	63	10th
7	27th	33	5th	64	2nd
8	54th*	34	Original	65	5th
9	34th*	35	6th	66	9th
10	81st	36	1st	67	18th
11	49th	37	12th	67.1	19th
12	40th	38	1st	67.2	32nd
13	24th	39	1st	67.3	25th
14	26th	40	Original	67.4	1st
15	39th	41	7th	68	4th
15.1	5th	42	1st	69	7th
16	49th	43	12th	70	8th
17	20th	44	2nd	71	8th
18	41st	45	2nd	72	6th
18.1	17th	46	Original	73	2nd
18.2	29th	47	2nd	74	3rd
18.3	36th	48	Original	75	2nd
18.3.1	16th	49	1st	75.1	4th
18.4	62nd	50	4th	75.2	Original
18.5	74th	51	2nd	76	3rd
19	63rd	52	2nd	77	3rd
20	36th	53	Original	78	4th
21	93rd	54	2nd	79	1st
22	59th	55	4th	80	3rd
23	10th	56	3rd	81	1st
24	58th	57	2nd	81.1	Original
24.1	33rd	58	7th	82	4th
24.2	21st		7th	82.1	2nd
24.3	19th			83	3rd
24.4	12th			84	5th
24.4.1	6th			85	3rd
24.4.2	8th				
24.4.3	10th				

* Indicates new or revised page

(TR 1373)

Issued: May 17, 2018

Effective: June 1, 2018

Vice President, Federal Regulatory
1300 I Street, NW, Washington, D.C. 20005

ACCESS SERVICE
CHECK SHEET

<u>Page</u>	<u>Number of Revisions Except as Indicated</u>	<u>Page</u>	<u>Number of Revisions Except as Indicated</u>	<u>Page</u>	<u>Number of Revisions Except as Indicated</u>
6-260	2nd	7-1	Original	7-26	Original
6-261	1st	7-2	Original	7-27	3rd
6-262	Original	7-3	8th	7-28	8th
6-263	2nd	7-4	2nd	7-28.1	Original
6-264	2nd	7-5	3rd	7-29	3rd
6-265	1st	7-6	2nd	7-30	2nd
6-266	Original	7-7	6th	7-30.1	1st
6-267	Original	7-8	3rd	7-31	3rd
6-268	2nd	7-9	8th	7-32	5th
6-269	Original	7-10	8th	7-32.1	2nd
6-270	Original	7-10.1	Original	7-32.2	1st
6-271	Original	7-11	7th	7-32.3	1st
6-272	Original	7-11.1	4th	7-32.4	1st*
6-273	Original	7-12	5th	7-32.5	Original*
6-274	2nd	7-12.1	2nd	7-33	2nd
		7-13	3rd	7-34	2nd
		7-13.1	2nd	7-35	1st
		7-14	Original	7-36	1st
		7-15	2nd	7-37	2nd
		7-16	3rd	7-38	1st
		7-17	Original	7-39	1st
		7-18	Original	7-40	3rd
		7-19	Original	7-41	2nd
		7-20	Original	7-42	1st
		7-21	Original	7-43	1st
		7-22	Original	7-44	2nd
		7-23	2nd	7-45	3rd
		7-24	4th	7-46	2nd
		7-25	Original	7-47	2nd
				7-48	1st
				7-49	Original
				7-50	Original

* Indicates new or revised page

(TR 1373)

Issued: May 17, 2018

Effective: June 1, 2018

Vice President, Federal Regulatory
1300 I Street, NW, Washington, D.C. 20005

ACCESS SERVICE
CHECK SHEET

<u>Page</u>	<u>Number of Revisions Except as Indicated</u>	<u>Page</u>	<u>Number of Revisions Except as Indicated</u>	<u>Page</u>	<u>Number of Revisions Except as Indicated</u>
7-51	Original	7-76	1st	7-101	Original
7-52	Original	7-77	Original	7-102	3rd
7-53	1st	7-78	2nd	7-103	1st
7-54	Original	7-79	Original	7-104	Original
7-55	Original	7-80	2nd	7-105	Original
7-55.1	Original	7-80.1	1st	7-106	Original
7-55.2	Original	7-81	1st	7-107	3rd
7-55.3	Original	7-82	Original	7-108	3rd
7-55.4	Original	7-83	Original	7-109	Original
7-55.5	Original	7-84	Original	7-110	Original
7-55.6	Original	7-84.1	Original	7-111	1st
7-55.7	Original	7-85	1st	7-112	1st
7-56	1st	7-86	7th	7-113	1st
7-57	1st	7-86.1	1st	7-114	Original
7-58	1st	7-86.2	1st	7-115	Original
7-59	1st	7-86.3	1st	7-116	Original
7-60	6th	7-86.4	1st*	7-117	1st
7-60.1	1st	7-86.5	Original*	7-118	1st
7-60.2	1st	7-87	2nd	7-119	Original
7-60.3	Original	7-88	2nd	7-120	Original
7-60.4	Original*	7-89	1st	7-121	Original
7-61	2nd	7-90	1st	7-122	Original
7-62	3rd	7-91	1st	7-123	Original
7-63	1st	7-92	1st	7-124	3rd
7-64	9th	7-93	8th	7-125	Original
7-65	2nd	7-93.1	2nd		
7-66	1st	7-93.2	1st		
7-67	2nd	7-93.3	1st		
7-68	3rd	7-93.4	1st*		
7-69	1st	7-93.5	Original*		
7-70	Original	7-94	3rd		
7-71	1st	7-95	2nd		
7-72	2nd	7-96	1st		
7-73	1st	7-97	1st		
7-74	1st	7-98	2nd		
7-75	1st	7-98.1	2nd		
		7-99	Original		
		7-100	Original		

* Indicates new or revised page

(TR 1373)

Issued: May 17, 2018

Effective: June 1, 2018

Vice President, Federal Regulatory
1300 I Street, NW, Washington, D.C. 20005

ACCESS SERVICE

- 7. Special Access Service (Cont'd)
- 7.2 Service Descriptions (Cont'd)
- 7.2.3 Voice Grade Service#
- (A) Basic Channel Description

(Continued)

Service Limited to Existing Customers Effective:	Moves, adds or changes are permitted:	<u>Moves, adds or changes are no longer permitted effective:</u>	<u>Wire Center:</u>
6/1/2018	N/A	On and after 6/1/2018	Bowdoin MA (BSTNMABO) Franklin St. MA (BSTNMAFR) Chelmsford Structure/COB MA (CHFRMANO) Franklin MA (FKLNMAMC) Ipswich MA (IPSWMACO) Littleton MA (LTTNMAKI) Randolph Bldg MA (RNDHMAME) South Boston MA (SBTNMAEF) Taunton MA (TNTNMAPL) Brentwood (Central Islip) NY (BRWDNYBW) Bayshore NY (BYSHNYBY) Congers NY (CNGRNYCN) Deer Park NY (DRPKNYDP) East Northport NY (ENPTNYEN) Farmingdale NY (FRDLNYFM) Fairview NY (GNBGNYFV) Lindenhurst NY (LHSTNYLH) Lynbrook NY (LYBRNYLB) Mahopac NY (MHPCNYMP) Massapequa NY (MSPQNYMP) New Rochelle NY (NWRCNYNR) Narragansett RI (NRGNRIMA) Riverside RI (RVSDRISO) Scituate Structure RI (SCTTRISI)

(N)

(N)

Service availability limited. Refer to # footnote on Page 7-32.

(N)

Material previously found on this page can now be found on Original Page 7-32.5.

(TR 1373)

Issued: May 17, 2018

Effective: June 1, 2018

Vice President, Federal Regulatory
 1300 I Street, NW, Washington, DC 20005

ACCESS SERVICE

7. Special Access Service (Cont'd)

7.2 Service Descriptions (Cont'd)

7.2.3 Voice Grade Service# (Cont'd)

(B) Technical Specification Packages

(M)

Parameter	Package VG-												
	C*	1	2	3	4	5	6	7	8	9	10	11	12
Attenuation													
Distortion	X	X	X	X	X	X	X	X	X	X	X	X	X
C-Message Noise	X	X	X	X	X	X	X	X	X	X	X	X	X
Echo Control	X	X	X	X		X		X	X			X	X
Envelope Delay													
Distortion	X						X	X	X	X	X	X	X
Frequency Shift	X						X	X	X	X	X	X	X
Impulse Noise	X					X	X	X	X	X	X	X	X
Intermodulation													
Distortion	X						X	X	X	X	X	X	
Loss Deviation	X	X	X	X	X	X	X	X	X	X	X	X	X
Phase Hits, Gain Hits, and Dropouts	X												
Phase Jitter		X						X	X	X	X	X	X
Signal-to-C Message Noise					X								
Signal-to-C Notch Noise	X					X	X	X	X	X	X	X	X

(M)

Material on this page formerly appeared on Original Page 7-32.4.

* The desired parameters are selected by the customer from the list of available parameters. (M)

Service availability limited. Refer to # footnote on Page 7-32. (M)

(TR 1373)

Issued: May 17, 2018

Effective: June 1, 2018

Vice President, Federal Regulatory
1300 I Street, NW, Washington, DC 20005

ACCESS SERVICE

- 7. Special Access Service (Cont'd)
- 7.2 Service Descriptions (Cont'd)
- 7.2.8 Digital Data Service#

(Cont'd)

Service Limited to Existing Customers Effective:	Moves, adds or changes are permitted:	<u>Moves, adds or changes are no longer permitted effective:</u>	<u>Wire Center:</u>
6/1/2018	N/A	On and after 6/1/2018	Bowdoin MA (BSTNMABO) Franklin St. MA (BSTNMAFR) Chelmsford Structure/COB MA (CHFRMANO) Franklin MA (FKLNMAMC) Ipswich MA (IPSWMACO) Littleton MA (LTTNMAKI) Randolph Bldg MA (RNDHMAME) South Boston MA (SBTNMAEF) Taunton MA (TNTNMAPL) Brentwood (Central Islip) NY (BRWDNYBW) Bayshore NY (BYSHNYBY) Congers NY (CNGRNYCN) Deer Park NY (DRPKNYDP) East Northport NY (ENPTNYEN) Farmingdale NY (FRDLNYFM) Fairview NY (GNBGNYFV) Lindenhurst NY (LHSTNYLH) Lynbrook NY (LYBRNYLB) Mahopac NY (MHPCNYMP) Massapequa NY (MSPQNYMP) New Rochelle NY (NWRCNYNR) Narragansett RI (NRGNRIMA) Riverside RI (RVSDRISO) Scituate Structure RI (SCTTRISI)

(N)

(N)

Service availability limited. Refer to # footnote on Page 7-60.

(N)

(TR 1373)

Issued: May 17, 2018

Effective: June 1, 2018

Vice President, Federal Regulatory
1300 I Street, NW, Washington, DC 20005

ACCESS SERVICE

- 7. Special Access Service (Cont'd)
- 7.2 Service Descriptions (Cont'd)
- 7.2.10 WATS Access Line (WAL) Service# (Cont'd)
- (A) Basic Channel Description (Cont'd)

(Continued)

(N)

Service Limited to Existing Customers Effective:	Moves, adds or changes are permitted:	<u>Moves, adds or changes are no longer permitted effective:</u>	Wire Center:
6/1/2018	N/A	On and after 6/1/2018	Bowdoin MA (BSTNMABO) Franklin St. MA (BSTNMAFR) Chelmsford Structure/COB MA (CHFRMANO) Franklin MA (FKLNMAMC) Ipswich MA (IPSWMACO) Littleton MA (LTTNMAKI) Randolph Bldg MA (RNDHMAME) South Boston MA (SBTNMAEF) Taunton MA (TNTNMAPL) Brentwood (Central Islip) NY (BRWDNYBW) Bayshore NY (BYSHNYBY) Congers NY (CNGRNYCN) Deer Park NY (DRPKNYDP) East Northport NY (ENPTNYEN) Farmingdale NY (FRDLNYFM) Fairview NY (GNBGNYFV) Lindenhurst NY (LHSTNYLH) Lynbrook NY (LYBRNYLB) Mahopac NY (MHPCNYMP) Massapequa NY (MSPQNYMP) New Rochelle NY (NWRCNYNR) Narragansett RI (NRGNRIMA) Riverside RI (RVSDRISO) Scituate Structure RI (SCTTRISI)

(N)

Service availability limited. Refer to # footnote on Page 7-86.

(N)

Material previously found on this page can now be found on Original Page 7-86.5.

(TR 1373)

Issued: May 17, 2018

Effective: June 1, 2018

Vice President, Federal Regulatory
 1300 I Street, NW, Washington, D.C. 20005

ACCESS SERVICE

7. Special Access Service (Cont'd)

7.2 Service Descriptions (Cont'd)

7.2.10 WATS Access Line (WAL) Service# (Cont'd)

(A) Basic Channel Description (Cont'd)

In Connecticut, as required by Connecticut State Law, Public Act 87-415, without routing of intra-Connecticut calls to the Feature Group D or CST BSA - Option 3 Switched Access Service for customers who have not been issued a certificate of public convenience and necessity by the Department of Public Utility Control and who do not have an effective intrastate tariff for such service.

(M)

In Massachusetts, in accordance with the Department of Public Utilities directive, "...intraLATA traffic will be blocked from those carriers who do not have an approved certificate of public convenience and necessity and an effective intrastate tariff on file with the Department of Public Utilities."

(M)

Service availability limited. Refer to # footnote on Page 7-86.

(M)

Material on this page formerly appeared on Original Page 7-86.4.

(TR 1373)

Issued: May 17, 2018

Effective: June 1, 2018

Vice President, Federal Regulatory
1300 I Street, NW, Washington, D.C. 20005

ACCESS SERVICE

- 7. Special Access Service (Cont'd)
 - 7.2 Service Descriptions (Cont'd)
 - 7.2.11 DIGIPATH Digital Service II## (Cont'd)
 - (A) Basic Channel Description (Cont'd)
- ## (Continued)

Service Limited to Existing Customers Effective:	Moves, adds or changes are permitted:	<u>Moves, adds or changes are no longer permitted effective:</u>	Wire Center:
6/1/2018	N/A	On and after 6/1/2018	Bowdoin MA (BSTNMABO) Franklin St. MA (BSTNMAFR) Chelmsford Structure/COB MA (CHFRMANO) Franklin MA (FKLNMAMC) Ipswich MA (IPSWMACO) Littleton MA (L'TTNMAKI) Randolph Bldg MA (RNDHMAME) South Boston MA (SBTNMAEF) Taunton MA (TNTNMAPL) Brentwood (Central Islip) NY (BRWDNYBW) Bayshore NY (BYSHNYBY) Congers NY (CNGRNYCN) Deer Park NY (DRPKNYDP) East Northport NY (ENPTNYEN) Farmingdale NY (FRDLNYFM) Fairview NY (GNBGNYFV) Lindenhurst NY (LHSTNYLH) Lynbrook NY (LYBRNYLB) Mahopac NY (MHPCNYMP) Massapequa NY (MSPQNYMP) New Rochelle NY (NWRNYNR) Narragansett RI (NRGNRIMA) Riverside RI (RVSDRISO) Scituate Structure RI (SCTTRISI)

(N)

 (N)

Service availability limited. Refer to ## footnote on Page 7-93. (N)

Material previously found on this page can now be found on Original Page 7-93.5.

(TR 1373)

Issued: May 17 ,2018

Effective: June 1, 2018

Vice President, Federal Regulatory
 1300 I Street, NW, Washington, DC 20005

ACCESS SERVICE

7. Special Access Service (Cont'd)

7.2 Service Descriptions (Cont'd)

7.2.11 DIGIPATH Digital Service II# (Cont'd)

(A) Basic Channel Description (Cont'd)

2.4, 4.8, 9.6, 19.2 56.0 or 64.0 kbps. The actual bit rate is a function of the channel interface selected by the customer. DDS II operates on a 24-hour-per-day seven-days-per-week basis in a full-duplex, synchronous transmission mode over facilities between customer-designated premises, between a customer-designated premises and a Telephone Company hub or between a customer-designated premises and a wire center where connection to an advanced data service# occurs. DDSII is subject to the availability of equipment, facilities and technical limitations. The CPE is a CSU/DSU and terminates at the demarcation as a 4-wire interface. (M)

At the option of the customer, DDS II may be provided under a Service Discount Plan as specified in 7.4.10 following. (M)

Material on this page formerly appeared on Original Page 7-93.4.

Advanced data services include Telephone Company provided frame relay services, switched multi-megabit services, Internet Protocol services and ATM-cell relay services. Connections to advanced data services are provided by the Telephone Company where such connections are technically and operationally feasible, as determined by the Telephone Company. (M)

Service availability limited. Refer to ## footnote on Page 7-93. (M)

(TR 1373)

Issued: May 17, 2018

Effective: June 1, 2018

Vice President, Federal Regulatory
1300 I Street, NW, Washington, DC 20005