

## ACCESS SERVICE CHECK SHEET

Title Pages 1 and 2 and Pages 1 to 25-126 inclusive of this tariff are effective as of the date shown. Original and revised pages as named below and Supplement Nos. 13, 14, 15, 16, 17, 19, 20, 28, 29, and 31 contain all changes from the original tariff that are in effect on the date hereof.

<u>Page</u>	<u>Number of Revision Except as Indicated</u>	<u>Page</u>	<u>Number of Revision Except as Indicated</u>	<u>Page</u>	<u>Number of Revision Except as Indicated</u>
Title 1	2nd	27	8th	2-14	Original
Title 2	7th	28	13th	2-15	3rd
		29	14th	2-15.1	3rd
1	593rd*	30	2nd	2-15.2	4th
1.1	27th	31	6th	2-16	5th
1.2	13th	32	3rd	2-16.1	5th
2	177th	33	7th	2-17	5th
3	18th*	34	4th	2-18	4th
4	23rd	35	10th	2-19	5th
5	59th	36	5th	2-20	5th
6	60th	37	15th	2-21	5th
7	85th	37.1	32nd	2-22	4th
8	58th	37.1.1	26th	2-22.1	4th
8.1	32nd	37.1.2	6th	2-23	3rd
9	91st	37.2	7th	2-23.1	1st
9.1	35th	37.3	Original	2-23.2	1st
9.2	5th	38	3rd	2-24	1st
10	47th	39	8th	2-25	2nd
11	33rd	40	11th	2-26	6th
11.1	1st	41	10th	2-26.1	2nd
12	12th	42	6th	2-26.2	2nd
12.1	11th	43	10th	2-26.3	2nd
13	45th	43.1	Original	2-27	4th
13.1	1st	44	3rd	2-27.1	3rd
14	57th	45	2nd	2-28	2nd
14.1	20th	45.1	1st	2-29	4th
15	49th	45.2	1st	2-29.1	1st
16	37th	46	12th	2-30	4th
16.1	38th	46.1	1st	2-31	4th
16.2	27th	47	5th	2-32	2nd
16.2.1	12th	47.1	3rd	2-33	1st
16.2.2	6th	47.2	2nd	2-34	3rd
16.2.3	10th			2-34.1	1st
16.2.4	8th	1-1	6th	2-35	1st
16.2.5	7th			2-36	1st
16.3	22nd	2-1	Original	2-37	4th
16.4	31st	2-2	Original	2-38	2nd
16.5	4th	2-3	1st	2-39	3rd
17	1st	2-4	Original	2-40	1st
18	9th	2-5	1st	2-40.1	3rd
19	3rd	2-6	Original	2-40.2	5th
19.1	1st	2-7	3rd	2-41	1st
20	2nd	2-8	3rd	2-42	1st
21	5th	2-9	4th	2-43	1st
22	10th	2-9.1	Original	2-44	1st
22.1	2nd	2-10	2nd	2-45	2nd
23	1st	2-11	3rd	2-46	3rd
24	1st	2-11.1	Original	2-47	2nd
25	1st	2-12	2nd	2-48	1st
26	5th	2-13	2nd	2-49	1st

\* New or Revised Pages

(Issued under Transmittal No. 1391)

---

Issued: February 28, 2019 Effective: March 15, 2019  
Vice President, Federal Regulatory  
1300 I Street, NW, Washington, D.C. 20005

## ACCESS SERVICE CHECK SHEET (Cont'd)

<u>Page</u>	<u>Number of Revision Except as Indicated</u>	<u>Page</u>	<u>Number of Revision Except as Indicated</u>	<u>Page</u>	<u>Number of Revision Except as Indicated</u>
6-1	1st	6-46	2nd	6-91	Original
6-2	1st*	6-47	Original	6-92	Original
6-3	3rd	6-48	Original	6-93	1st
6-4	3rd	6-49	1st*	6-94	1st`
6-5	2nd	6-49.1	Original*	6-95	1st
6-6	1st	6-50	2nd*	6-96	1st
6-7	1st	6-51	1st*	6-97	1st
6-8	Original	6-52	1st*	6-98	1st
6-9	Original	6-53	1st*	6-99	Original
6-10	1st	6-54	1st*	6-100	Original
6-11	1st	6-55	1st*	6-101	Original
6-12	Original	6-56	1st*	6-102	Original
6-13	Original	6-57	Original	6-103	1st
6-14	2nd	6-58	1st	6-104	1st
6-15	1st	6-59	Original	6-105	2nd
6-16	1st	6-60	Original	6-106	Original
6-17	Original	6-61	Original	6-107	Original
6-18	Original	6-62	1st	6-108	Original
6-19	Original	6-63	1st	6-109	Original
6-20	Original	6-64	1st	6-110	Original
6-21	1st	6-65	Original	6-111	1st
6-22	1st	6-66	Original	6-112	Original
6-23	1st	6-67	Original	6-113	Original
6-24	Original	6-68	1st	6-114	Original
6-25	Original	6-69	1st	6-115	Original
6-26	1st	6-70	Original	6-116	1st
6-27	1st	6-71	1st	6-117	Original
6-28	Original	6-72	2nd	6-118	Original
6-29	1st	6-73	Original	6-119	2nd
6-30	3rd	6-74	Original		
6-31	3rd	6-75	1st		
6-32	1st	6-76	7th		
6-33	1st	6-77	Original		
6-33.1	Original	6-78	1st		
6-34	Original	6-79	3rd		
6-35	Original	6-80	Original		
6-36	1st	6-81	2nd*		
6-37	1st	6-81.1	Original*		
6-38	1st	6-82	1st*		
6-39	1st	6-83	2nd*		
6-40	Original	6-84	1st*		
6-41	Original	6-85	1st*		
6-42	Original	6-86	1st*		
6-43	1st	6-87	2nd*		
6-44	1st	6-88	1st		
6-45	Original	6-89	Original		
		6-90	1st		

\* New or Revised Pages

(Issued under Transmittal No. 1391)

Issued: February 28, 2019

Effective: March 15, 2019

Vice President, Federal Regulatory  
1300 I Street, NW, Washington, D.C. 20005

## ACCESS SERVICE

6. Switched Access Service (Cont'd)6.1 General (Cont'd)6.1.1 Switched Access Service Arrangements

Switched Access Service is provided in three unbundled service arrangements of alternative features and optional BSEs called (1) Lineside Switched Access BSA (Lineside BSA) and (2) Trunkside Switched Access BSA (Trunkside BSA) and (3) Dedicated Network Access Link (DNAL) BSA, and in four optional service arrangements of standard and optional features called (1) Feature Group A (FGA), (2) Feature Group B (FGB), (3) Feature Group C (FGC), and (4) Feature Group D (FGD).

The arrangements are differentiated by their technical characteristics, e.g., lineside vs. trunkside connection at the Telephone Company entry switch, and by the manner in which an end user accesses them in originating calling, e.g., with or without an access code. A description of Lineside BSA, Trunkside BSA and DNAL BSA is in 6.3 following. A description of each Feature Group is in 6.2 following.

Switched Access Service is provided in six service categories of standard and optional features.

These are differentiated by their technical characteristics, e.g., lineside vs. trunkside connection at the Telephone Company entry switch, and the manner in which an end user accesses them in originating calling, e.g., with or without an access code. Following is a brief description of the Feature Group arrangements.

(A) Feature Group A (FGA)#

(T)

FGA Access provides lineside access to Telephone Company end office switches with an associated seven-digit local telephone number for the customer's use in originating and terminating communications (1) to an Interexchange Carrier's interstate service or (2) to the Telephone Company's facilities when used to provide dial tone service from the Telephone Company's end office switch in a state other than the state of the customer's normal serving end office.

When ordering FGA service, the customer must specify the Interexchange Carrier to which the FGA service is physically connected or specify the means by which the FGA access communications is transported interstate. If the customer cannot specify the type of connection used to transport traffic interstate, the lineside service should be obtained as provided under the Telephone Company's local and/or general exchange service tariffs.

A more detailed description of FGA Access is provided in 6.2.1 following.

# Availability limited. Please refer to # footnote on Page 6-49.1.

(N)

(This page filed under Transmittal No. 1391)

Issued: February 28, 2019

Effective: March 15, 2019

Vice President, Federal Regulatory (T)  
1300 I Street, NW, Washington, DC 20005 (T)

## ACCESS SERVICE

6. Switched Access Service (Cont'd)6.2 Provision and Description of Switched Access Service Arrangements  
(Cont'd)

There are various nonchargeable optional and chargeable optional features available with the Switched Access Arrangements. These additional optional features are provided as Switched Transport, Common Switching, Transport Termination or Line Termination Options.

Following are detailed descriptions of each of the available Feature Groups. Each is described in terms of its specific physical characteristics and calling patterns, the transmission specifications with which it is provided, the optional features available for use with it and the standard testing capabilities.

The Common Switching and Transport Termination optional features, which are described in 6.4 following, are available at all Telephone Company end office switches, unless specifically stated otherwise.

6.2.1 Feature Group A (FGA) #

(T)

(A) Description

- (1) FGA is provided in connection with Telephone Company electronic and electromechanical end offices. At the option of the customer, FGA is provided on a single or multiple line group basis and is arranged for originating calling only, terminating calling only, or twoway calling. FGA is arranged for use by the customer in the provision of its FX/ONAL service or MTS/WATStype service.
- (2) FGA provides a line side termination at the first point of switching. The line side termination will be provided with either ground start supervisory signaling or loop start supervisory signaling. The type of signaling is at the option of the customer.

# FGA is no longer available as specified in the footnote on Page 6-49.1. (N)

(This page filed under Transmittal No. 1391)

Issued: February 28, 2019

Effective: March 15, 2019

Vice President, Federal Regulatory (T)  
1300 I Street, NW, Washington DC 20005 (T)







## ACCESS SERVICE

6. Switched Access Service (Cont'd)6.2 Provision and Description of Switched Access Feature Groups  
(Cont'd)6.2.1 Feature Group A (FGA)# (Cont'd)

(T)

(A) Description (Cont'd)

- (3) The Telephone Company shall select the first point of Switching, within the selected LATA, at which the lineside termination is to be provided unless the customer requests a different first point of switching and Telephone Company facilities and measurement capabilities are available to accommodate such a request. Feature Group A service will only be provided in switch types with technical capabilities to provide terminating call screening and individualized call billing detail for both originating and terminating traffic existing. FGA customers (Service in place prior to January 1, 1986) provided service out of offices not possessing these technical capabilities may retain their existing services and may continue to add or subtract lines.
- (4) Entrance facilities are required between the serving wire center and an interexchange carrier's point of presence, or to a Telephone Company provided interstate transport capability, and the customer shall provide the connecting facility assignment (CFA) information, as defined in Section 2.6 preceding, using the industry standard Common Language Facility Identification. The CFA must include channel assignment information necessary to connect the FGA service to the interstate network.
- (5) For existing FGA service installed prior to February 24, 1997, connecting facility assignment information is not required. This information must be provided if any changes or rearrangements are requested for the existing services.

# Availability limited. Please refer to # footnote on Page 6-49.1.

(N)

(This page filed under Transmittal No. 1391)

Issued: February 28, 2019

Effective: March 15, 2019

Vice President, Federal Regulatory  
1300 I Street, NW, Washington, DC 20005

## ACCESS SERVICE

6. Switched Access Service (Cont'd)6.2 Provision and Description of Switched Access Service Arrangements  
(Cont'd)6.2.1 Feature Group A (FGA)# (Cont'd) (T)(A) Description (Cont'd)

- (6) A seven digit local telephone number assigned by the Telephone Company is provided for access to FGA switching in the originating direction. The seven digit local telephone number will be associated with the selected end office switch and is of the form NXX-XXXX.

If the customer requests a specific seven digit telephone number that is not currently assigned, and the Telephone Company can, with reasonable effort, comply with that request, the requested number will be assigned to the customer.

- (7) FGA switching, when used in the terminating direction, is arranged with dial tone start-dial signaling. When used in the terminating direction FGA switching may, at the option of the customer, be arranged for dial pulse or dual tone multifrequency address signaling, subject to availability of equipment at the first point of switching. When FGA switching is provided in a hunt group or uniform call distribution arrangement, all FGA switching will be arranged for the same type of address signaling.
- (8) No address signaling is provided by the Telephone Company when FGA switching is used in the originating direction. Address signaling in such cases, if required by the customer, must be provided by the customer's end user using inband tone signaling techniques. Such inband tone address signals will not be regenerated by the Telephone Company and will be subject to the ordinary transmission capabilities of the Local Transport provided.

# Availability limited. Please refer to # footnote on Page 6-49.1. (N)

(This page filed under Transmittal No. 1391)

Issued: February 28, 2019

Effective: March 15, 2019

Vice President, Federal Regulatory (T)  
1300 I Street, NW, Washington, DC 20005 (T)

## ACCESS SERVICE

6. Switched Access Service (Cont'd)6.2 Provision and Description of Switched Access Service Arrangements  
(Cont'd)6.2.1 Feature Group A (FGA)# (Cont'd)

(T)

(A) Description (Cont'd)

- (9) FGA switching, when used in the terminating direction, may be used to access valid NXXs in the LATA, local operator service (0 and 0+), directory assistance (411 or 5551212, whichever is available), emergency reporting service (911), exchange telephone repair ((800) 275-2355 where available), time or weather announcement services of the Telephone Company, community information services of an information service provider, and other customers' services (by dialing the appropriate digits). Charges for FGA terminating calls requiring operator assistance on calls to (800) 275-2355 or 911 will only apply where sufficient call details are available. Additional nonaccess charges will also be billed on a separate account for (1) an operator surcharge, as set forth in the general services tariffs, for local operator assistance (0 and 0+) calls, (2) calls to certain community information services, for which rates are applicable under Telephone Company local general services tariffs, e.g., 976 Network Services, and, (3) calls from a FGA line to another customer's service in accordance with that customer's applicable service rates when the Telephone Company performs the billing function for that customer. Calls to community information services are permitted only where billing capability exists, i.e., sufficient billing and call detail is available to permit the billing of applicable non-access charges. For calls to Directory Assistance (411 and 5551212 whichever is available), Switched Access Service usage rates will not apply. Instead, calls to this service are subject to the Directory Assistance Service per call rates as set forth in 9.6(B) following.

# Availability limited. Please refer to # footnote on Page 6-49.1.

(N)

(This page filed under Transmittal No. 1391)

---

Issued: February 28, 2019

Effective: March 15, 2019

Vice President, Federal Regulatory (T)  
1300 I Street, NW, Washington, DC 20005 (T)

## ACCESS SERVICE

6. Switched Access Service (Cont'd)6.2 Provision and Description of Switched Access Service Arrangements  
(Cont'd)6.2.1 Feature Group A (FGA)# (Cont'd) (T)(A) Description (Cont'd)

(10) When a FGA switching arrangement for an individual customer (a single line or entire hunt group) is discontinued at an end office, an intercept announcement is provided. This arrangement provides, for a limited period of time, an announcement that the service associated with the number dialed has been disconnected.

(B) Optional Features(1) Common Switching Optional Features

- (a) Hunt Group Arrangement
- (b) Uniform Call Distribution Arrangement
- (c) Nonhunting Number for Use with Hunt Group Arrangement or Uniform Call Distribution Arrangement
- (d) Call Denial
- (e) Service Code Denial
- (f) Toll Billing Exception
- (g) WATS Access Line Service with the following options:
  - 1) Hunt Group Arrangement
  - \*2) Uniform Call Distribution Arrangement
  - \*3) Nonhunting Number for use with Hunt Group or Uniform Call Distribution Arrangements
  - 4) Code Screening
  - 5) Overflow Advance Arrangement

# Availability limited. Please refer to # footnote on Page 6-49.1. (N)

(This page filed under Transmittal No. 1391)

Issued: February 28, 2019

Effective: March 15, 2019

Vice President, Federal Regulatory (T)  
1300 I Street, NW, Washington, DC 20005 (T)

## ACCESS SERVICE

6. Switched Access Service (Cont'd)6.2 Provision and Description of Switched Access Service Arrangements  
(Cont'd)6.2.1 Feature Group A (FGA)# (Cont'd) (T)(B) Optional Features (Cont'd)(2) Transport Termination Optional Features

- (a) Tway operation with dial pulse address signaling and loop start supervisory signaling
- (b) Tway operation with dial pulse address signaling and ground start supervisory signaling
- (c) Tway operation with dual tone multifrequency address signaling and loop
- (d) Tway operation with dual tone multifrequency address signaling and ground start supervisory signaling
- (e) Terminating operation with dial pulse address signaling and loop start supervisory signaling
- (f) Terminating operation with dial pulse address signaling and ground start supervisory signaling
- (g) Terminating operation with dual tone multifrequency address signaling and loop start supervisory signaling
- (h) Terminating operation with dual tone multifrequency address signaling and ground start supervisory signaling
- (i) Originating operation with loop start supervisory signaling
- (j) Originating operation with ground start supervisory signaling.

# Availability limited. Please refer to # footnote on Page 6-49.1. (N)

(This page filed under Transmittal No. 1391)

Issued: February 28, 2019

Effective: March 15, 2019

Vice President, Federal Regulatory (T)  
1300 I Street, NW, Washington, DC 20005 (T)

## ACCESS SERVICE

6. Switched Access Service (Cont'd)6.2 Provision and Description of Switched Access Service Arrangements  
(Cont'd)6.2.1 Feature Group A (FGA)# (Cont'd) (T)(B) Optional Features (Cont'd)(3) Switched Transport Optional Features

- (a) Supervisory Signaling (as set forth in 6.1.2(A)(2)(a) preceding)
- (b) Customer Specified Entry Switch Receive Level

## (4) Certain other features which may be available in connection with Feature Group A are provided under the Telephone Company's local general services tariffs: These are:

- (a) Call Forwarding
- (b) Call Waiting
- (c) Speed Calling
- (d) Remote Call Forwarding
- (e) IntraLATA extensions
- (f) Directory listings

(C) Transmission Specifications

FGA is provided with either Type B or Type C Transmission Specifications. The specifications for the associated parameters are guaranteed to the first point of switching. Type C Transmission Specifications are provided with Interface Group 1 and Type B is provided with Interface Groups 2 through 10. Type DB Data Transmission Parameters are provided with FGA to the first point of switching.

# Availability limited. Please refer to # footnote on Page 6-49.1. (N)

(This page filed under Transmittal No. 1391)

Issued: February 28, 2019

Effective: March 15, 2019

Vice President, Federal Regulatory (T)  
1300 I Street, NW, Washington, DC 20005 (T)

## ACCESS SERVICE

6. Switched Access Service (Cont'd)6.2 Provision and Description of Switched Access Feature Groups  
(Cont'd)6.2.1 Feature Group A (FGA)# (Cont'd)

(T)

(D) Testing Capabilities

FGA is provided, in the terminating direction where equipment is available, with seven digit access to balance (100 type) test line and milliwatt (102 type) test line. In addition to the tests described in 6.1.5 preceding which are included with the installation of service, additional Cooperative Acceptance Testing and Nonscheduled Testing are available for FGA as set forth in 13.3. 4. following.

6.2.2 Feature Group B (FGB)(A) Description

- (1) FGB, when directly routed to an end office (i.e., provided without the use of an access tandem switch), is provided at appropriately equipped Telephone Company electronic end office switches. When provided via Telephone Company designated electronic access tandem switches, FGB switching is provided at Telephone Company electronic and electromechanical end office switches.
- (2) FGB is provided as trunk side switching through the use of end office or access tandem switch trunk equipment. The switch trunk equipment is provided with wink start startpulsing signals and answer and disconnect supervisory signaling.
- (3) FGB switching is provided with multifrequency address signaling in both the originating and terminating directions. Except for FGB switching provided with the automatic number identification (ANI) or rotary dial station signaling arrangements as set forth in 6.4 following, any other address signaling in the originating direction, if required by the customer, must be provided by the customer's end user using inband tone signaling techniques. Such inband tone address signals will not be regenerated by the Telephone Company and will be subject to the ordinary transmission capabilities of the Switched Transport provided.

# Availability limited. Please refer to # footnote on Page 6-49.1.

(N)

(This page filed under Transmittal No. 1391)

Issued: February 28, 2019

Effective: March 15, 2019

Vice President, Federal Regulatory (T)  
1300 I Street, NW, Washington, DC 20005 (T)

## ACCESS SERVICE

6. Switched Access Service (Cont'd)6.3 Provision and Description of Switched Access BSAs (Cont'd)

Following are detailed descriptions of each of the available BSAs. Each BSA is described in terms of its specific physical characteristics and calling patterns, the transmission specifications with which it is provided, the optional features and BSEs available for use with it, and the standard testing capabilities.

6.3.1 Lineside BSA#

(T)

(A) General Description

- (1) Lineside BSA is provided in connection with the Telephone Company electronic and electromechanical end offices. At the option of the customer, Lineside BSA is provided on a single or multiple line group basis and is arranged for originating calling only, terminating calling only, or two-way calling. Lineside BSA provides lineside access to Telephone Company end office switches with an associated seven-digit local telephone number for the customer's use in originating communications (1) to an Interexchange Carrier's interstate service, or (2) to the Telephone Company's facilities when used to provide dial tone service from the Telephone Company's end office switch in a state other than the state of the customer's normal serving end office.

# Availability limited. Please refer to # footnote on Page 6-81.1.

(N)

(This page filed under Transmittal No. 1391)

---

Issued: February 28, 2019

Effective: March 15, 2019

Vice President, Federal Regulatory  
1300 I Street, NW, Washington, DC 20005



## ACCESS SERVICE

6. Switched Access Service (Cont'd)6.3 Provision and Description of Switched Access BSAs (Cont'd)6.3.1 Lineside BSA# (Cont'd)

(T)

(A) General Description (Cont'd)

## (1) (Cont'd)

Entrance facilities are required between the serving wire center and an interexchange carrier's point of presence, or to a Telephone Company provided interstate transport capability, and the customer shall provide the connecting facility assignment (CFA) information, as defined in Section 2.6 preceding, using the industry standard Common Language Facility Identification. The CFA must include channel assignment information necessary to connect the Lineside BSA to the interstate network.

For existing Lineside BSA that is installed prior to February 24, 1997, connecting facility assignment information is not required. This information must be provided if any changes or rearrangements are requested for the existing services.

- (2) Lineside BSA provides for a lineside termination at the first point of switching, which shall be selected by the Telephone Company within the requested LATA, unless the customer requests a different location at which Telephone Company facilities and measurement capabilities are available to accommodate such a request.
- (3) The Telephone Company assigns a seven digit telephone number associated with the selected end office to provide access to Lineside BSA in the originating direction. The assigned number will be in the form NXX-XXXX. If the customer requests a specific number that is currently unassigned, the requested number will be assigned to the customer if the Telephone Company can comply with that request with reasonable effort.
- (4) Calls from end users to the seven digit telephone numbers associated with Lineside BSA may be subject to Telephone Company Local and/or General Exchange

# Availability limited. Please refer to # footnote on Page 6-81.1.

(N)

(This page filed under Transmittal No. 1391)

---

Issued: February 28, 2019

Effective: March 15, 2019

Vice President, Federal Regulatory (T)  
1300 I Street, NW, Washington, DC 20005 (T)

## ACCESS SERVICE

6. Switched Access Service (Cont'd)6.3 Provision and Description of Switched Access BSAs (Cont'd)6.3.1 Lineside BSA# (Cont'd)

(T)

(A) General Description (Cont'd)

## (4) (Cont'd)

Service tariff charges (including message unit and toll charges, as applicable). The monthly bills rendered to customers for their Lineside BSA service for which section 3, Carrier Common Line Access Service charges apply will include a credit to reflect message unit charges collected from their end users under the Telephone Company's Local and/or General Exchange Service tariffs. The credit will apply for recorded originating usage, as appropriate, for the Lineside BSA service provided. No credit will apply for any terminating Lineside BSA access minutes. The message unit credit for originating Lineside BSA access minutes is set forth in section 6.8.11.

## (5) At the option of the customer, Lineside BSA will be provided:

(a) with either ground start or loop start supervisory signaling and

(b) on a single or multiple line group basis.

## (6) When Lineside BSA is used in the originating direction, no address signaling is provided by the Telephone Company. If such signaling is required, it must be provided by the customer's end user using inband tone signaling techniques. Inband tone address signals will not be regenerated by the Telephone Company and will be subject to the ordinary transmission capabilities of the Local Transport provided.

## (7) When used in the terminating direction, Lineside BSA is arranged with dial tone start-dial signaling. At the option of the customer, terminating Lineside BSA may be arranged for dial pulse or dual tone multifrequency address signaling, subject to the availability of equipment at the first point of switching. When Lineside BSA is provided with a

# Availability limited. Please refer to # footnote on Page 6-81.1.

(N)

(This page filed under Transmittal No. 1391)

Issued: February 28, 2019

Effective: March 15, 2019

Vice President, Federal Regulatory  
1300 I Street, NW, Washington, DC 20005

## ACCESS SERVICE

6. Switched Access Service (Cont'd)6.3 Provision and Description of Switched Access BSAs (Cont'd)6.3.1 Lineside BSA# (Cont'd)

(T)

(A) General Description (Cont'd)

## (7) (Cont'd)

hunt group or uniform call distribution arrangement BSE, all Lineside BSAs will be arranged for the same type of address signaling.

Lineside BSA switching, when used in the terminating direction, may be used to access valid NXXs in the LATA, local operator service (0- and 0+), Directory Assistance (411 where available and 555-1212), emergency reporting service (911 where available), time or weather announcement services of the Telephone Company, community information services of an information service provider, and other customer's services (by dialing the appropriate digits). Charges for Lineside BSA terminating calls requiring operator assistance or calls to (800) 275-2355 or 911 will only apply where sufficient call details are available.

- (8) Additional non-access charges will also be billed on a separate account for (1) an operator surcharge, as set forth in the local exchange tariffs, for local operator assistance (0- and 0+) calls, (2) calls to certain community information services, for which rates are applicable under Telephone Company exchange service tariffs, e.g., 976 Network Services, and, (3) calls from a Lineside BSA line to another customer's service in accordance with that customer's applicable service rates when the Telephone Company performs the billing function for that customer. For Lineside BSA calls to Directory Assistance (411 where available and 555-1212), Switched Access Service usage rates will not apply. Instead, Lineside BSA calls to this service are subject to the Directory Assistance and Directory Assistance Service per call rates as set forth in section 9.6(B) following.

- (9) When Lineside BSA for an individual customer (A single line or entire hunt group) is discontinued at an end office, an intercept announcement is provided. This arrangement provides, for a limited period of time, an announcement that the service

# Availability limited. Please refer to # footnote on Page 6-81.1.

(N)

(This page filed under Transmittal No. 1391)

Issued: February 28, 2019

Effective: March 15, 2019

Vice President, Federal Regulatory (T)  
1300 I Street, NW, Washington, DC 20005 (T)

## ACCESS SERVICE

6. Switched Access Service (Cont'd)6.3 Provision and Description of Switched Access BSAs (Cont'd)6.3.1 Lineside BSA# (Cont'd)

(T)

(A) General Description (Cont'd)

## (9) (Cont'd)

associated with the number dialed has been discontinued.

- (10) When a WAL service is provided in conjunction with a Lineside BSA, the customer will be provided with Routing of IntraLATA Calls to the Telephone Company for Use with WATS Access Line Service Option.

(B) Lineside BSA Optional Features and BSEs(1) Common Switching

- (a) Hunting Service Arrangements (BSE)
- (b) Uniform Call Distribution Arrangement (BSE)
- (c) Non-Hunt Directory Numbers (BSE)
- (d) Call Denial (Optional Feature)
- (e) Service Code Denial (Optional Feature)
- (f) Toll Billing Exception (Optional Feature)
- (g) WATS Access Line Service with the following options:
  - (1) Hunt Group Arrangement (Optional Feature)
  - (2) Uniform Call Distribution Arrangement (Optional Feature)
  - (3) Nonhunting Number for use with Hunt Group Arrangement or Uniform Call Distribution Arrangement (Optional Feature)
  - (4) Code Screening (Optional Feature)
  - (5) Overflow Advance Arrangement (Optional Feature)
- (h) Answer Supervision with a Line Side Interface (BSE)
- (i) Make Busy Arrangement (BSE)
- (j) Three-Way Call Transfer (BSE)
- (k) Messaging Services Interface (BSE)
- (l) Three-Way Calling (BSE)
- (n) Direct Inward Dialing (DID) Service (BSE)
- (o) DID Trunk Queuing (BSE)

# Availability limited. Please refer to # footnote on Page 6-81.1.

(N)

(This page filed under Transmittal No. 1391)

Issued: February 28, 2019

Effective: March 15, 2019

Vice President, Federal Regulatory (T)  
1300 I Street, NW, Washington, DC 20005 (T)

## ACCESS SERVICE

6. Switched Access Service (Cont'd)6.3 Provision and Description of Switched Access BSAs (Cont'd)6.3.1 Lineside BSA# (Cont'd)

(T)

(B) Lineside BSA Optional Features and BSEs (Cont'd)(2) Transport Termination

- (a) Two-way operation with dial pulse address signaling and loop start supervisory signaling.
- (b) Two-way operation with dial pulse address signaling and ground start supervisory signaling.
- (c) Two-way operation with dual tone multifrequency address signaling and loop start supervisory signaling.
- (d) Two-way operation with dual tone multifrequency address signaling and ground start supervisory signaling.
- (e) Terminating operation with dial pulse address signaling and loop start supervisory signaling.
- (f) Terminating operation with dial pulse address signaling and ground start supervisory signaling.
- (g) Terminating operation with dual tone multifrequency address signaling and loop start supervisory signaling.
- (h) Terminating operation with dual tone multifrequency address signaling and ground start supervisory signaling.
- (i) Originating operation with loop start supervisory signaling.
- (j) Originating operation with ground start supervisory signaling.

(3) Switched Transport

- (a) Supervisory Signaling (as set forth in 6.1.3(A) (2) (a) preceding).
- (b) Customer Specified Entry Switch Receive Level.

## (4) Certain other features which may be available in connection with Lineside BSA are provided under the Telephone Company's General Subscriber Service Tariffs. These are:

- (a) Call Forwarding
- (b) Call Waiting
- (c) Speed Calling
- (d) Remote Call Forwarding

# Availability limited. Please refer to # footnote on Page 6-81.1.

(N)

(This page filed under Transmittal No. 1391)

Issued: February 28, 2019

Effective: March 15, 2019

Vice President, Federal Regulatory (T)  
1300 I Street, NW, Washington, DC 20005 (T)

## ACCESS SERVICE

6. Switched Access Service (Cont'd)6.3 Provision and Description of Switched Access BSAs (Cont'd)6.3.1 Lineside BSA# (Cont'd)

(T)

(B) Lineside BSA Optional Features and BSEs (Cont'd)

(4) (Cont'd)

- (e) IntraLATA extensions
- (f) Directory listings

(C) Transmission Specifications

Lineside BSA is provided with either Type A or Type C Transmission Specifications. The specifications for the associated parameters are guaranteed to the first point of switching. Type C Transmission Specifications are provided with Interface Group 1 and Type B is provided with Interface Groups 2 through 9. Type DB Data Transmission Parameters are provided with Lineside BSA to the first point of switching.

(D) Testing Capabilities

Lineside BSA is provided, in the terminating direction where equipment is available, with seven digit access to balance (100 type) text and milliwatt (102 type) test line. In addition to the tests described in 6.1.6 preceding which are included with the installation of service, additional Cooperative Acceptance Testing and Nonscheduled Testing are available for Lineside BSA as set forth in section 13.3.5 following.

6.3.2 Trunkside BSA

Trunkside BSA is provided in switched access packages. These are differentiated by their technical characteristics, e.g., the manner in which an end user accesses them in originating calls. Two options are offered as Trunkside BSA - 950 Option and Trunkside BSA-101XXXX Option. The Trunkside - 950 Option is provided as set forth in 6.4.2.1 following. The Trunkside BSA-101XXXX Option is set forth in 6.4.2.3 following.

Trunkside BSAs provide trunk side access to Telephone Company end office switches, either directly or through a Telephone Company designated Switched Access Service tandem switch. The Telephone Company will establish a trunk group (or groups)

# Availability limited. Please refer to # footnote on Page 6-81.1.

(N)

(This page filed under Transmittal No. 1391)

---

Issued: February 28, 2019

Effective: March 15, 2019

Vice President, Federal Regulatory  
1300 I Street, NW, Washington, DC 20005