

ACCESS SERVICE

CHECK SHEET

Title Page and Pages 1 to 301 inclusive of this tariff are effective as of the date shown. Original and revised pages as named below and Supplement Nos. 17, 38, 58, 60, 64, 66, 67, 68, 69, 71, 73, 74, 75, 76, 77, 78, 79, 80, 81 and 82 contain all changes from the original tariff that are in effect on the date hereof.

<u>Page</u>	<u>Number Revision Except as Indicated</u>	<u>Page</u>	<u>Number Revision Except as Indicated</u>	<u>Page</u>	<u>Number Revision Except as Indicated</u>
Title	6th	12.3	4th	36	6th
1	371st*	12.3	Original	36.1	8th
1.1	119th*	13	2nd	37	16th
1.2	70th	14	2nd	37.1	6th
1.3	110th	15	3rd	37.2	6th
1.4	82nd	16	6th	37.3	1st
1.5	112th	16.1	3rd	37.4	1st
1.6	62nd	17	3rd	38	13th
1.7	64th	18	3rd	38.1	7th
1.8	10th	19	5th	38.2	1st
2	4th	19.1	6th	40	3rd
3	10th	20	5th	40.1	5th
4	7th*	21	3rd	40.2	2nd
5	12th*	22	2nd	41	2nd
5.1	13th	23	3rd	42	12th
6	13th	24	2nd	42.1	Original
6.1	4th*	25	1st	43	13th
6.2	4th	26	1st	43.1	14th
7	5th	27	1st	43.1.1	8th
7.1	4th	28	7th	43.1.2	9th
7.2	5th	28.1	7th	43.1.3	6th
7.3	8th	28.2	8th	43.1.4	1st
7.4	10th	28.3	9th	43.2	6th
7.5	13th	28.4	12th	43.3	6th
7.6	1st	28.5	4th	43.4	3rd
8	4th	29	6th	43.4.1	1st
8.1	1st	30	5th	44	2nd*
8.2	11th	30.1	1st	45	1st
8.3	2nd	30.2	Original	46	1st
8.4	1st	31	8th	47	1st
9	6th	32	6th	48	1st
10	7th	33	10th	49	1st
11	11th	34	8th	50	1st
11.1	2nd*	35	9th	51	1st
12	8th	35.1	10th	52	1st
12.1	7th			53	1st
				54	1st

*New or Revised Page
(This page filed under Transmittal No. 786)

Issued: October 2, 2003

Effective: October 17, 2003

Vice President
201 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

CHECK SHEET

<u>Page</u>	<u>Number Revision Except as Indicated</u>	<u>Page</u>	<u>Number Revision Except as Indicated</u>	<u>Page</u>	<u>Number Revision Except as Indicated</u>
55	1st	89	7th	102.13	1st
56	1st	90	10th	102.14	1st
57	1st	91	10th	102.15	5th
58	1st	91.1	2nd	102.16	4th
59	1st	92	10th	102.17	3rd
60	1st	92.1	3rd	102.18	3rd
61	1st	93	8th	102.19	1st
62	1st	94	8th	102.20	Original
63	1st	94.1	9th	102.21	1st
64	1st	95	8th	102.22	2nd
65	1st	95.1	7th	102.23	2nd
66	1st	95.2	Original	102.24	46th
67	1st	96	6th	103	6th
68	1st	97	13th	104	6th
69	1st	98	11th	104.1	3rd
70	1st	98.1	Original	105	3rd
71	1st	99	7th	105.1	3rd
72	1st	99.1	11th	105.2	5th
73	1st	99.2	2nd	105.3	6th
74	1st	100	9th	106	41st
75	1st	101	8th	106.1	10th
76	1st	101.1	2nd	106.2	12th
77	1st	101.1.1	Original	106.3	1st
78	1st	101.2	3rd*	107	6th
79	1st	101.3	2nd	107.1	5th
80	1st	102	6th	107.2	5th
81	1st	102.1	Original	107.3	7th
82	1st	102.2	Original		
83	6th	102.3	1st		
84	4th	102.4	Original		
84.1	2nd	102.5	Original		
85	6th	102.6	Original		
86	4th	102.7	1st		
87	5th	102.8	Original		
87.1	4th*	102.9	1st		
87.2	1st	102.10	Original		
88	6th	102.11	1st		
		102.12	1st		

*New or Revised Page
(This page filed under Transmittal No. 786)

Issued: October 2, 2003

Effective: October 17, 2003

Vice President
201 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

TABLE OF CONTENTS

	<u>Page No.</u>	
2. <u>GENERAL REGULATIONS</u> (Cont'd)		
2.5 <u>Connections</u>	44	
2.5.1 General	44	
2.5.2 Connection with Unbundled Elements	44	(N)
2.5.3	46	
2.5.4	47	
2.5.5	59	
2.5.6	66	
2.5.7	66	
2.5.8	68	
2.5.9	69	
2.5.10	72	
2.5.11	77	
2.5.12	78	
2.5.13	82	
2.6 <u>Definitions</u>	83	
Access Code	83	
Access Minutes	83	
Access Tandem	83	
Answer/Disconnect Supervision	84	
Attenuation Distortion	84	
Automatic Number Identification (ANI)	84	
Balance (100 Type) Test Line	84	
Bit	84	
Business Day	84.1	
Busy Hour Minutes of Capacity (BHMC)	84.1	
Call	85	
Call Gapping	85	
Carrier or Common Carrier	85	

(This page filed under Transmittal No. 786)

Issued: October 2, 2003

Effective: October 17, 2003

Vice President
201 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

TABLE OF CONTENTS

	<u>Page No.</u>	
2. <u>GENERAL REGULATIONS</u> (Cont'd)		
2.6 <u>Definitions</u> (Cont'd)		
Central Office	86	
Central Office Prefix	86	
Centralized Automatic Reporting on Trunks Testing	86	
Channel(s)	86	
Channel Service Unit	86	
Channelize	86	
C-Message Noise	87	
C-Notched Noise	87	
Coin Station	87	
Commingling	87.1	(N)
Common Channel Signaling	87.1	
Common Channel Signaling Access Capability	87.1	
Common Channel Signaling Access Capability Signaling Link	87.1	
Common Line	87.1	
Communications System	87.1	
Conventional Signaling	88	
Customer(s)	88	
Data Base Query	88	
Data Transmission (107 Type) Test Line	88	
Decibel	88	
Decibel Reference Noise C-Message Referenced to 0	88	
Decibel Reference Noise C-Message Weighting	89	
Design and Construction Work	89	
Detail Billing	89	
Direct-Trunked Transport	89	
Directory Assistance (Interstate)	89	
Directory Assistance Location (Interstate)	90	
Dual Tone Multifrequency Address Signaling	90	
Echo Control	90	
Echo Path Loss	90	
Echo Return Loss	90	
Effective 2-Wire	91	
Effective 4-Wire	91	
Electronic Access	91	
End Office Switch	91	
End User	91.1	
Entrance Facility	91.1	
Entry Switch	91.1	
Envelope Delay Distortion	91.1	
Equal Access Signaling	91.1	
Equal Level Echo Path Loss	92	
Expected Measured Loss	92	
Exchange	92	

(This page filed under Transmittal No. 786)

Issued: October 12 2003

Effective: October 17, 2003

Vice President
201 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

TABLE OF CONTENTS (Cont'd)

	<u>Page No.</u>	
2. <u>GENERAL REGULATIONS</u> (Cont'd)		
2.6 <u>Definitions</u> (Cont'd)		
Synchronous Test Line 101		
Tandem Switch Provider	101.1	
Tandem-Switched Transmission Charge	101.1	
Tandem-Switching Charge	101.1	
Terminating Direction	101.1	
Transmission Measuring (105 Type) Test Line/Responder	101.1.1	
Transmission Path	101.1.1	
Trunk	101.1.1	
Trunk Access Limitation	101.1.1	
Trunk Group	101.1.1	
Trunk Side Connection	101.1.1	
Two-Wire to Four-Wire Conversion	101.2	
Unbundled Network Elements	101.2	(N)
Uniform Service Order Code	101.2	
V and H Coordinates Method	101.2	
WATS Serving Office	101.3	
Wire Center	101.3	
3. <u>CARRIER COMMON LINE ACCESS SERVICE</u>	102	
3.1 <u>General Description</u>	102	
3.2 <u>Limitations</u>	102.1	
3.2.1 Exclusions	102.1	
3.2.2 Access Groups	102.1	
3.2.3 WATS Access Lines	102.1	
3.3 <u>Undertaking of the Telephone Company</u>	102.2	
3.3.1 Provision of Service	102.2	
3.3.2 Interstate and Intrastate Use	102.2	
3.4 <u>Obligations of the Customer</u>	102.2	
3.4.1 Switched Access Service Requirement	102.2	
3.4.2 Supervision	102.2	

(This page filed under Transmittal No. 786)

Issued: October 2, 2003

Effective: October 17, 2003

Vice President
201 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

EXPLANATION OF ABBREVIATIONS (Cont'd)

NPA - Numbering Plan Area
NRC - Nonrecurring Charge
NTS - Non-Traffic Sensitive
NXX - Three-Digit Central Office Code
PBX - Private Branch Exchange
PCM - Pulse Code Modulation
PDR - Percent Direct Routed
PI - Priority Installation
PLR - Private Line Ringdown
POT - Point of Termination
PR - Priority Restoration
RCC - Radio Common Carrier(s)
rms - root-mean-square
RSM - Remote Switching Modules
RSS - Remote Switching Systems
SP - Signaling Point
SPOI - Signaling Point of Interconnection
SRL - Singing Return Loss
SSN - Switched Service Network
SS7 - Signaling System 7
STP - Signaling Transfer Point
SWC - Serving Wire Center
TES - Telephone Exchange Service(s)
TG - Telegraph Grade
TLP - Transmission Level Point
TSP - Telecommunications Service Priority
TSPS - Traffic Service Position System
TV - Television
UNES - Unbundled Network Elements
USOC- Uniform Service Order Code

(N)

(This page filed under Transmittal No. 786)

Issued: October 2, 2003

Effective: October 17, 2003

Vice President
201 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

2. General Regulations (Cont'd)

2.5 Connections

2.5.1 General

Equipment and Systems (i.e., terminal equipment, multiline terminating systems and communications systems) may be connected with Switched and Special Access Service furnished by the Telephone Company where such connection is made in accordance with the provisions specified in Technical Reference Publication AS No. 1 and in 2.1 preceding.

2.5.2 Connection with Unbundled Network Elements

(N)

Pursuant to the Federal Communication Commission's Report and Order on Remand and Further Notice of Proposed Rulemaking, FCC 03-36, paragraph 581, adopted February 20, 2003, Unbundled Network Elements (UNEs) and combinations of UNEs can be commingled with wholesale access services obtained from this tariff. UNEs and combinations of UNEs that are commingled with access services are not available in this tariff.

(N)

(This page filed under Transmittal No. 786)

Issued: October 2, 2003

Effective: October 17, 2003

Vice President
201 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

2. General Regulations (Cont'd)2.6 Definitions (Cont'd)Committed Information Rate (CIR)

The user's throughput that the network commits to support under normal network conditions. This is measured in bits per second.

Committed Burst Size (CBS)

The maximum amount of user data that the network agrees to transfer, under normal conditions, during one second. This is equal to the special access circuit interface speed.

Commingling

(N)

The term "Commingling" means the connecting, attaching, or otherwise linking of an Unbundled Network Element (UNE) or a combination of Unbundled Network Elements (UNEs), to one or more facilities or services that a requesting telecommunications carrier has obtained at wholesale from an incumbent LEC, or the combining of a UNE or the combinations of UNEs, with one or more facilities or services.

(N)

Common Channel Signaling

The term "Common Channel Signaling" (CCS) denotes a high speed packet switched communications network which is separate (out of band) from the public packet switched and message networks. Its purpose is to carry addressed signaling messages for individual trunk circuits and/or database related services between Signaling Points in the CCS network.

Common Channel Signaling Access Capability

The term "Common Channel Signaling Access Capability" (CCSAC) denotes option which allows customers access to the CCS signaling network to transmit/receive signals for call set-up out of band. The Signaling links established between the signaling point of interconnection and the signaling transfer points and the Signaling Transfer Point Port Terminations are requirements of the capability.

Common Channel Signaling Access Capability Signaling Link

The "Common Channel Signaling Access Capability (CCSAC) Signaling Link" provides a 56 kbps Facility dedicated to a single customer which originates at the customer's signaling point of interface in a LATA and terminates at the Telephone Company's Signaling Transfer Point (STP). This facility connects the customer to the STP and is a requirement with the CCSAC option.

(This page filed under Transmittal No. 786)

Issued: October 2, 1995

Effective: October 17, 2003

Vice President
201 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

2. General Regulations (Cont'd)2.6 Definitions (Cont'd)Two-Wire to Four-Wire Conversion

The term "Two-Wire to Four-Wire Conversion" denotes an arrangement which converts a four-wire transmission path to a two-wire transmission path to allow a four-wire facility to terminate in a two-way entity (e.g., a central office switch).

Unauthorized PIC Change

The term "Unauthorized PIC Change" denotes a customer whose selected PIC was changed and the IC is unable to produce the signed Letter of Authorization (LOA) or other form of valid authorization to the Telephone Company for the resolution of the PIC dispute.

Unbundled Network Elements (UNEs)

(N)

The term "Unbundled Network Elements" denotes the physical facilities of the network, including the associated features, functions and capabilities, that may be used in the provision of a telecommunications service, and made available pursuant to Section 251 of the Telecommunications Act of 1996. (N)

Uniform Service Order Code

The term "Uniform Service Order Code" denotes a three or five character alphabetic, numeric, or an alphanumeric code that identifies a specific item of service or equipment. Uniform Service Order Codes are used in the Telephone Company billing system to generate recurring and nonrecurring charges.

V and H Coordinates Method

The term "V and H Coordinates Method" denotes a method of computing airline miles between two points by utilizing an established formula which is based on the vertical and horizontal coordinates of the two points.

Virtual Collocation

An arrangement where an Interconnector's fiber optic facilities are connected to Telephone company facilities at a designated Point of Interconnection (POI), then terminating on Interconnector-designated, but Telephone company-owned or leased transmission equipment located within the Telephone Company Wire Center, to terminate an Interconnector's circuits, for interconnection with certain Telephone Company services.

(This page filed under Transmittal No. 786)

Issued: October 2, 2003

Effective: October 17, 2003

Vice President
201 East Fourth Street
Cincinnati, Ohio 45202