

ACCESS SERVICE

EXPLANATION OF SYMBOLS

- (R) - to signify reduction.
- (I) - to signify increase.
- (C) - to signify changed regulation.
- (T) - to signify a change in text but no change in rate or regulation.
- (S) - to signify reissued matter.
- (M) - to signify matter relocated without change.
- (N) - to signify new rate or regulation.
- (D) - to signify a discontinued rate or regulation.
- (Z) - to signify a correction.

EXPLANATION OF ABBREVIATIONS

- AAM - Assumed Access Minutes
- ac - Alternating current
- ACAT - Additional Cooperative Acceptance Testing
- ACD - Automatic Call Distributor
- AIOD - Automatic Identification of Outward Dialed
- AM - Access Minutes
- AML - Actual Measured Loss
- ANI - Automatic Number Identification
- AP - Program Audio
- ARD - Automatic Ringdown
- ASR - Access Service Request
- AST - Automatic Scheduled Testing
- AT&T - American Telephone and Telegraph Company
- AUL - Annual Underutilization Liability

- BD - Business Day
- BHMC - Busy Hour Minutes of Capacity
- BP - Billing Percentage

- CAROT - Centralized Automatic Reporting on Trunks
- CCS - Centum Call Seconds
- CCSA - Common Control Switching Arrangement(s)
- CCS7 - Common Channel Signaling System 7
- CDL - Customer Designated Location
- CDM - Call Days in Month
- CMF - Chargeable Minimum Factor

Issued: November 22, 1993

Vice-President
Regulatory

Effective: January 1, 1994

Citizens Telecommunications Company
3 High Ridge Park
Stamford, CT 06905

ACCESS SERVICE

EXPLANATION OF ABBREVIATIONS (Cont'd)

CI	- Changes Interface	
CIC	- Carrier Identification Code	(S)(X)
CO	- Central Office	
COCTX	- Central Office Centrex	
COMPS	- Central Office Maintenance Planning System	
Cont'd	- Continued	
CPE	- Customer Premises Equipment or Customer Provided Equipment	
CST	- Cooperative Scheduled Testing	
CSU	- Circuit Switching Unit	
CTX	- Centrex	
DA	- Directory Assistance	
DAM-	Distance in Airline Miles	
dB	- decibel	
dBm	- Decibels below one milliwatt	
dBm	- Transmission Level Referred to the Zero Transmission Level Point	
dBrnC	- Decibel Reference Noise C-Message Weighting	
dBrnCO	- Decibel Reference Noise C-Message Weighted O	
dBv	- Decibel(s) Relative to 1 Volt (Reference)	
dBvl	- Decibel(s) Relating to 1 Volt (Reference)	
dc	- direct current	
DDA	- Digital Data Access	
DDS	- Digital Data Service	
DSAL	- Dedicated Switched Access Line	
DSAT	- Dedicated Switched Access Transport	
DTMF	- Dual Tone Multifrequency	
DX	- Duplex	
E&M	- The Receive and Transmit Leads of a Signaling System	
EDD	- Envelope Day Distortion	
ELEPL	- Equal Level Echo Path Loss	
EML	- Expected Measured Loss	
EPL	- Echo Path Loss	
ERL	- Echo Return Loss	
ESS	- Electronic Switching System	
ESSX	- Electronic Switching System Exchange	

(X) Effective date of material deferred from November 10, 1994 to December 1, 1994 by Special Permission No. 94-1269.

Issued: November 9, 1994

Vice-President
Regulatory

Effective: November 10, 1994

Citizens Telecommunications Company
 3 High Ridge Park
 Stamford, CT 06905

ACCESS SERVICE

EXPLANATION OF ABBREVIATIONS (Cont'd)

f	- frequency
FCC	- Federal Communications Commission
FCO	- Foreign Central Office Service
FIA	- Facilities for Interstate Access
FID	- Field Identifier
FNPA	- Foreign Numbering Plan Area
FX	- Foreign Exchange
GSEC	- General Services and Equipment Code
HC	- High Capacity
HNPA	- Home Numbering Plan Area
Hz	- Hertz
IA	- Interface Arrangement
IC	- Interexchange Carrier
ICB	- Individual Case Basis
ICL	- Inserted Connection Loss
IDDD	- International Direct Distance Dialing
ILP	- Initial Liability Period
IP	- Interconnection Point
Kbps	- kilobits per second
kHz	- kilohertz
LATA	- Local Access and Transport Area
LEC	- Local Exchange Carrier
Ma	- Milliamperes
Mbps	- Megabits per second
MF	- Multifrequency
MHz	- Megahertz
MJU	- Multi-Junction Unit
MMUC	- Minimum Monthly Usage Charge
MRC	- Monthly Recurring Charge
MST	- Manual Scheduled Testing
MT	- Metallic
MTL	- Maximum Termination Liability
MTS	- Message Telecommunications Services

ACCESS SERVICE

EXPLANATION OF ABBREVIATIONS (Cont'd)

NA	- Not Available
NANP	- North American Numbering Plan
NECA	- National Exchange Carrier Association
NPA	- Numbering Plan Area
NRC	- Nonrecurring Charge
NST	- Nonscheduled Testing
NTS	- Non-Traffic Sensitive
NXX	- Three-Digit Central Office Code
OPS	- Off-Premises Station
OTPL	- Zero Transmission Level Point
PBX	- Private Branch Exchange
PCM	- Pulse Code Modulation
PI	- Priority Installation
PLP	- Private Line Ringdown
POT	- Point of Termination
PR	- Priority Restoration
RMC	- Recurring Monthly Charge
rms	- root-mean-square
RSM	- Remote Switching Modules
RSS	- Remote Switching Systems
SCP	- Service Control Point
SF	- Single Frequency
SMS	- Service Management System
SNAL	- Signaling Network Access Line
SP	- Signaling Point
SPOI	- Signaling Point of Interface
SRL	- Singing Return Loss
SSN	- Switched Service Network
SSP	- Service Switching Point
SS7	- Signaling System Seven
STP	- Signal Transfer Point
STR	- Switched Transport Rate
SWC	- Service Wire Center

ACCESS SERVICE

EXPLANATION OF ABBREVIATIONS (Cont'd)

TDCF	- Total Day Conversion Factor
TES	- Telephone Exchange Service(s)
TLP	- Transmission Level Point
TSP	- Telecommunications Service Priority
TSPS	- Traffic Service Position System
TV	- Television
UL	- Under Utilization Liability
USOC	- Uniform Service Order Code
VG	- Voice Grade
V&H	- Vertical & Horizontal
WA	- Wideband Analog
WATS	- Wide Area Telecommunications Service(s)
WD	- Wideband Data

STATE ABBREVIATIONS

AZ	- Arizona	(N)
CA	- California	(N)
ID	- Idaho	
MT	- Montana	(N)
NM	- New Mexico	(N)
NV	- Nevada	(N)
NY	- New York	
OR	- Oregon	(N)
TN	- Tennessee	
UT	- Utah	
WV	- West Virginia	