

CHECK SHEET

Title Page and Original Pages 0-1 to 0-53; 1-1; 2-0 to 2-138; 3-0 to 3-24; 4-0 to 4-14; 5-0 to 5-40; 6-0 to 6-455; 7-0 to 7-798; 8-1 to 8-457; 9-0 to 9-26; 10-0 to 10-71; 11-0 to 11-14; 12-0 to 12-42; 13-0 to 13-94; 14-0 to 14-25; 15-0 to 15-104; 16-0 to 16-185; 17-0 to 17-472; 18-0 to 18-3; 19-0 to 19-5, 20-0 to 20-28; 21-1 to 21-48; 22-0 to 22-4; 23-0 to 23-28; 24-0 to 24-18 inclusive of this Tariff are effective as of November 11, 2003. Original and revised pages as named below and Supplement Nos. 1, 2, 3, and 4 contain all changes from the original Tariff that are in effect on the date hereof.

PAGE	NUMBER OF REVISION EXCEPT AS INDICATED	PAGE	NUMBER OF REVISION EXCEPT AS INDICATED	PAGE	NUMBER OF REVISION EXCEPT AS INDICATED
Title	Original	0-1.23	40th	0-8	Original
0-1	216th *	0-1.24	12th	0-9	Original
0-1.1	36th	0-1.25	17th	0-10	Original
0-1.2	27th	0-1.26	26th	0-11	Original
0-1.3	27th	0-1.27	24th	0-12	Original
0-1.4	17th	0-1.28	8th	0-13	2nd
0-1.5	3rd	0-1.29	14th	0-14	1st
0-1.6	3rd	0-1.30	8th	0-15	6th
0-1.7	6th	0-1.31	3rd	0-15.1	Original
0-1.8	8th	0-1.32	6th	0-16	2nd
0-1.9	12th	0-1.33	7th	0-16.1	4th
0-1.10	14th	0-1.34	7th	0-17	5th
0-1.11	10th	0-1.35	7th	0-18	Original
0-1.12	19th	0-1.36	11th	0-19	Original
0-1.13	7th	0-1.37	4th	0-20	Original
0-1.14	17th	0-1.38	4th	0-21	Original
0-1.15	8th	0-1.39	30th	0-22	Original
0-1.16	18th *	0-1.40	10th	0-23	Original
0-1.17	12th	0-2	1st	0-24	2nd
0-1.18	19th	0-3	1st	0-25	1st
0-1.19	54th	0-4	Original	0-26	5th
0-1.20	23rd *	0-5	3rd	0-27	1st
0-1.21	8th	0-6	Original	0-28	Original
0-1.22	8th	0-7	Original	0-29	1st

* New or Revised Page.

(Filed under Transmittal No. 240.)

Issued: May 17, 2005

Effective: June 1, 2005

1801 California Street, Denver, Colorado 80202

CHECK SHEET (Cont'd)

PAGE	NUMBER OF REVISION EXCEPT AS INDICATED	PAGE	NUMBER OF REVISION EXCEPT AS INDICATED	PAGE	NUMBER OF REVISION EXCEPT AS INDICATED
7-493	1st	7-525	2nd	7-559	4th
7-494	1st	7-526	3rd	7-560	5th
7-495	1st	7-527	2nd	7-561	5th
7-496	1st	7-528	2nd	7-562	3rd
7-497	1st	7-529	2nd	7-563	3rd
7-498	Original	7-530	4th	7-564	5th
7-499	1st	7-531	4th	7-565	4th
7-500	Original	7-532	5th	7-566	5th
7-501	Original	7-533	2nd	7-567	4th
7-502	1st	7-534	2nd	7-568	3rd
7-503	Original	7-535	3rd	7-569	3rd
7-504	3rd *	7-536	4th	7-570	4th
7-505	2nd	7-537	5th	7-571	5th
7-506	4th	7-538	2nd	7-572	3rd
7-507	2nd *	7-539	2nd	7-573	3rd
7-508	1st	7-540	4th	7-574	2nd
7-509	1st	7-541	3rd	7-575	5th
7-510	3rd *	7-542	5th	7-576	3rd
7-511	1st	7-543	3rd	7-577	3rd
7-512	1st	7-544	2nd	7-578	5th
7-513	3rd	7-545	2nd	7-579	5th
7-514	2nd	7-546	3rd	7-580	5th
7-514.1	1st	7-547	5th	7-581	3rd
7-515	3rd	7-548	3rd	7-582	3rd
7-516	3rd	7-549	3rd	7-583	4th
7-516.1	1st	7-550	2nd	7-584	5th
7-517	7th	7-551	5th	7-585	5th
7-518	3rd	7-552	3rd	7-586	3rd
7-519	5th	7-553	3rd	7-587	3rd
7-520	4th	7-554	5th	7-588	5th
7-521	3rd	7-555	5th	7-589	4th
7-522	3rd	7-556	5th	7-590	5th
7-523	3rd	7-557	3rd	7-591	4th
7-524	2nd	7-558	3rd	7-592	3rd

* New or Revised Page.

(Filed under Transmittal No. 240.)

Issued: May 17, 2005

Effective: June 1, 2005

1801 California Street, Denver, Colorado 80202

FCC2005-033

CHECK SHEET (Cont'd)

PAGE	NUMBER OF REVISION EXCEPT AS INDICATED	PAGE	NUMBER OF REVISION EXCEPT AS INDICATED	PAGE	NUMBER OF REVISION EXCEPT AS INDICATED
8-39	1st	8-40.38	Original	8-77	1st
8-40	1st	8-40.39	Original *	8-78	2nd
8-40.1	1st	8-41	1st	8-79	2nd
8-40.2	2nd	8-42	1st	8-80	1st
8-40.3	2nd	8-43	1st	8-81	2nd
8-40.4	Original	8-44	1st	8-82	2nd
8-40.5	Original	8-45	1st	8-83	2nd
8-40.6	Original	8-46	1st	8-84	1st
8-40.7	Original	8-47	1st	8-85	2nd
8-40.8	Original	8-48	1st	8-85.1	1st
8-40.9	3rd	8-49	1st	8-86	1st
8-40.10	Original	8-50	2nd	8-87	2nd
8-40.11	Original	8-51	2nd	8-88	2nd
8-40.12	Original	8-52	1st	8-89	2nd
8-40.13	Original	8-53	1st	8-90	2nd
8-40.14	Original	8-54	1st	8-91	3rd
8-40.15	Original	8-55	1st	8-92	1st
8-40.16	1st	8-56	1st	8-93	1st
8-40.17	Original	8-57	1st	8-93.1	3rd
8-40.18	Original	8-58	1st	8-93.2	2nd
8-40.19	Original	8-59	1st	8-93.3	1st
8-40.20	Original	8-60	1st	8-94	2nd
8-40.21	1st	8-61	1st	8-95	1st
8-40.22	Original	8-62	1st	8-96	1st
8-40.23	Original	8-63	1st	8-97	1st
8-40.24	Original	8-64	1st	8-98	1st
8-40.25	Original	8-65	1st	8-99	1st
8-40.26	Original	8-66	1st	8-100	1st
8-40.27	Original	8-67	1st	8-101	1st
8-40.28	1st	8-68	1st	8-102	1st
8-40.29	Original	8-69	1st	8-103	1st
8-40.30	Original	8-70	1st	8-104	1st
8-40.31	1st	8-71	1st	8-105	1st
8-40.32	Original	8-72	1st	8-106	3rd
8-40.33	Original	8-73	1st	8-107	2nd
8-40.34	1st	8-74	2nd	8-108	2nd
8-40.35	Original	8-74.1	Original	8-109	1st
8-40.36	Original	8-75	2nd	8-110	1st
8-40.37	Original	8-76	2nd	8-111	1st

* New or Revised Page.

(Filed under Transmittal No. 240.)

Issued: May 17, 2005

Effective: June 1, 2005

1801 California Street, Denver, Colorado 80202

FCC2005-033

7. PRIVATE LINE TRANSPORT SERVICE

7.14 SYNCHRONOUS SERVICE TRANSPORT (SST)

7.14.1 GENERAL

A. Basic Service Description

Synchronous Service Transport (SST) is a high capacity channel for synchronous transmission of Bandwidth Capacity of 155.52 Mbps, 622.08 Mbps, 1.244 Gbps, 2.488 Gbps or 9.952 Gbps. SST channels are provided via fiber optic facilities between:

- A customer-designated premises and a CO Node,
- A customer-designated premises and a CO Node and an SST Remote Node located at the Central Office,
- Two Remote Nodes located in two separate Company Central Offices.

SST consists of a Central Office (CO) Node and if applicable, CO Ports, SST Remote Node, SST Remote Ports, SST CO multiplexing and Transport Channel.

When SST is ordered with only a CO Node or a CO Node in conjunction with a SST Remote Node located at the Central Office, SST will be provisioned utilizing Company-provided equipment in the Company wire center and the necessary fiber optic facilities to the customer-designated premises where the SST Bandwidth Capacity is terminated on a Company-provided or customer-provided fiber distribution panel.

When SST is ordered with a CO Node and a SST Remote Node, both nodes will be provisioned utilizing Company-provided equipment. The SST Remote Node will be installed in a common space at the customer-designated premises and the equipment will be under the control of the Company.

The SST Remote Node can be placed in a central office independent of SST channels. For example: an SST Remote Node can be ordered as a standalone SST system in order to multiplex lower speed channels. Once multiplexed, the transmission will pass to other customer ordered services such as GeoMax or SHNS.

(N)
—
(N)

7. PRIVATE LINE TRANSPORT SERVICE

7.14 SYNCHRONOUS SERVICE TRANSPORT (SST)

7.14.1 GENERAL

B. Rate Categories (Cont'd)

1. Central Office (CO) Node

The CO Node is the electronics located in a Company wire center that provides Bandwidth Capacities of 155.52 Mbps (OC3), 622.08 Mbps (OC12), 1.244 Gbps (OC24), 2.488 Gbps (OC48) or 9.952 Gbps (OC192) and the necessary fiber optic facilities to the customer-designated premises where it is terminated on a Company-provided fiber distribution panel.

CO NODE	CHANNELIZED CO PORT LEVELS
OC3:	1.544 Mbps (DS1), 44.736 Mbps (DS3) or 51.840 Mbps (STS1)
OC12:	1.544 Mbps (DS1), 44.736 Mbps (DS3), 51.840 Mbps (STS1) or OC3
OC24:	44.736 Mbps (DS3), 51.840 Mbps (STS1), OC3 or OC12
OC48:	44.736 Mbps (DS3), 51.840 Mbps (STS1), OC3 or OC12
OC192:	44.736 Mbps (DS3), 51.840 Mbps (STS1), OC3, OC12 or OC48

The CO Node may be provided without channelization to allow direct pass through connectivity to a different CO Node.

One Company CO Node must be utilized for each SST Bandwidth Capacity except when the SST is comprised only of two Remote Nodes both located in different Company Central Offices or when a Remote Node is placed in a central office independent of SST Channels and used as a standalone SST system.

(C)
(C)

The CO Node rate element is assessed per node, per month, as set forth in 7.14.3., following.

7. PRIVATE LINE TRANSPORT SERVICE

7.14 SYNCHRONOUS SERVICE TRANSPORT (SST)

7.14.1 GENERAL

B. Rate Categories (Cont'd)

3. SST Remote Node

The SST Remote Node, at the customer's option, provides multiplexing and remote equipment necessary to deliver Bandwidth Capacity and/or applicable CO Ports from the CO Node or another Remote Node to the customer-designated SST Remote Node location except when a Remote Node is placed in a central office independent of SST Channels and used as a standalone SST system. The location can be a CO when CO is not directly connected to a customer premises via the SST Service. A Remote Node can also be placed at a customer premises. This rate category applies to Bandwidth Capacity of 155.52 Mbps (OC3), 622.08 Mbps (OC12), 1.244 Gbps (OC24), 2.488 Gbps (OC48) and 9.952 Gbps (OC192).

(C)
(C)

When a Remote Node is placed in a CO, applicable Bandwidth capacity transport channel mileage as set forth in 5, following, applies for mileage between the Remote Node and the CO Node or between two Remote Nodes located in different Company wire centers. When the SST Remote Node is Company-provided, the rate element is assessed per SST Remote Node, per month, as set forth in 7.14.3, following.

(C)

4. SST Remote Port

The SST Remote Port rate category will only apply in conjunction with an SST Remote Node. The SST Remote Port provides the equipment necessary to deliver the specified CO Node or another Remote Node Bandwidth Capacity and applicable Ports to the SST Remote Node on Company equipment. Applicable channelized Port levels as they pertain to the CO Node may be determined as set forth in 1, preceding. The SST Remote Port rate element applies per port, per month, as set forth in 7.14.3, following.

Certain material previously found on this page has been grandfathered and can now be found in Section 7.99.

(Filed under Transmittal No. 240.)

Issued: May 17, 2005

Effective: June 1, 2005

8. ADVANCED COMMUNICATIONS NETWORKS

8.1 GENERAL

8.1.8 PROMOTIONS (Cont'd)

A11. ATM, FRS and LSS Pricing Plan Promotion – June 1, 2005 through August 30, 2005.

For a limited time only, from June 1, 2005 through August 30, 2005, all nonrecurring charges for ATM, FRS and LSS will be waived as set forth, following. This promotion is available to:

- New customers subscribing to a new 36-month or greater Fixed Period Service Rate Plan and existing customers signing a contract renewal for a 36-month or greater Fixed Period Service Rate Plan
- Existing customers who have a 36-month or greater Fixed Period Service Rate Plan with at least 13 months remaining on the plan can add new locations
- Existing customers who have a 36-month or greater Fixed Period Service Rate Plan with at least 13 months remaining on the plan who upgrade existing Access Links and/or ports/speeds to a higher capacity service as follows:
 - FRS customer upgrading to a higher speed FRS, ATM or LSS
 - LSS customer upgrading to a higher speed LSS or ATM
 - ATM customer upgrading to a higher speed ATM
 - TLS customer migrating to LSS

Should this service be disconnected prior to completion of the Fixed Period Service Rate Plan, the customer would forfeit the nonrecurring waiver and be subject to the Termination Liability and Waiver Policy. This offering is not available with other promotions, and does not apply to Special Construction Charges. Available only where facilities exist.

Signed Service Agreements must be submitted on or before August 30, 2005 with order applications into the system by September 30, 2005. Order completion for FRS – DS1 and below must be within 90 days of the order application date and for FRS – DS3 and ATM must be within 120 days of the order application date. When order completion is delayed due to Company reasons, the order completion date will be extended.

(N)

(N)