

BELLSOUTH TELECOMMUNICATIONS, INC.  
 BY: Operations Manager - Pricing  
 29G57, 675 W. Peachtree St., N.E.  
 Atlanta, Georgia 30375  
 ISSUED: AUGUST 1, 2005

TARIFF F.C.C. NO. 1  
 776TH REVISED PAGE 1  
 CANCELS 775TH REVISED PAGE 1

EFFECTIVE: AUGUST 2, 2005

ACCESS SERVICE  
 CHECK SHEET

The Title Page and Pages 1 to 29-6 inclusive of this tariff are effective as of the date shown.

Page	Number of Revision Except as Indicated	Page	Number of Revision Except as Indicated	Page	Number of Revision Except as Indicated
Title	2nd	16	4th	43	10th
1	776th*	17	16th	44	7th
1.1	4th	18	17th	45	7th
2	231st	18.1	5th	46	8th
2.1	83rd	19	6th	47	2nd
3	76th	20	15th	48	6th
3.1	14th	21	15th	49	7th
4	172nd	21.1	2nd	50	5th
4.1	16th	22	25th	51	8th
5	148th	22.1	8th	52	5th
5.1	97th	23	8th	53	5th
5.1.0.1	3rd	23.1	Original	54	8th
5.1.1	31st	24	8th	55	8th
5.1.2	2nd	25	12th	56	5th
6	99th	26	1st	57	6th
6.1	33rd	27	6th*	58	4th
6.2	1st	27.0.1	4th	59	7th
7	140th	27.1	5th	60	9th
7.1	1st	27.2	8th	61	3rd
8	51st	27.3	5th	62	7th
8.1	57th	27.4	5th	63	3rd
8.2	8th*	27.5	1st	63.1	4th
9	52nd	27.5.1	Original	64	4th
9.0.0.1	29th	27.6	6th	65	7th
9.0.0.2	17th	27.6.1	1st	66	3rd
9.0.1	21st	27.7	12th	67	9th
9.0.1.1	6th	27.7.1	6th	67.1	2nd
9.0.2	12th	27.7.1.1	2nd	68	5th
9.0.3	14th	27.7.1.2	Original	69	6th
9.0.3.1	1st	27.8	2nd	69.1	1st
9.0.4	19th	27.9	3rd	70	6th
9.0.4.0.1	1st	28	6th	70.1	1st
9.0.4.1	10th	29	8th	71	9th
9.0.4.2	Original	30	2nd	72	11th
9.0.5	47th	31	8th	72.1	5th
9.0.5.1	30th	31.1	8th	73	5th
9.0.5.2	34th	32	7th	74	7th
9.0.5.3	3rd	33	6th	74.1	6th
9.1	Original	34	6th	75	10th
10	2nd	35	4th	75.1	8th
11	11th	36	5th	75.2	16th*
12	13th	37	6th*	75.2.0.1	1st
12.1	6th	38	8th	75.2.1	1st
13	14th	39	5th	76	5th
14	7th	40	7th	77	3rd
14.1	4th	41	3rd		
15	9th	42	6th		

All BellSouth marks contained herein and as set forth in the trademarks and servicemarks section of this Tariff are owned by BellSouth Intellectual Property Corporation.

\*New or Revised Page

\*\*\*\*\*

BELLSOUTH TELECOMMUNICATIONS, INC.  
BY: Operations Manager - Pricing  
29G57, 675 W. Peachtree St., N.E.  
Atlanta, Georgia 30375  
ISSUED: AUGUST 1, 2005

TARIFF F.C.C. NO. 1  
8TH REVISED PAGE 8.2  
CANCELS 7TH REVISED PAGE 8.2

EFFECTIVE: AUGUST 2, 2005

ACCESS SERVICE

CHECK SHEET

<u>Page</u>	<u>Number of Revision Except as Indicated</u>	<u>Page</u>	<u>Number of Revision Except as Indicated</u>	<u>Page</u>	<u>Number of Revision Except as Indicated</u>
16-1	2nd				
16-1.1	Original				
16-2	2nd				
16-3	1st				
17-1	1st*				
17-2	Original*				
17-3	Original*				
17-4	Original*				
18-1	4th				
18-2	5th				
18-3	15th				
18-4	1st				
18-5	1st				
18-6	1st				
18-7	17th				
18-8	1st				
18-9	1st				
18-10	1st				
18-11	2nd				
18-12	2nd				
18-13	3rd				
18-14	3rd				
18-15	2nd				
18-16	Original				
19-1	9th				
19-1.1	Original				

All BellSouth marks contained herein and as set forth in the trademarks and servicemarks section of this Tariff are owned by BellSouth Intellectual Property Corporation.

\*New or Revised Page

\*\*\*\*\*

ACCESS SERVICE

TABLE OF CONTENTS (Cont'd)

	<u>Page No.</u>	
15. <u>OPERATING TERRITORY OF THE TELEPHONE COMPANY (CONT'D)</u>		
15.6 <u>Mississippi</u>	15-13	
15.6.1 Jackson-LATA	15-13	
15.6.2 Biloxi-LATA	15-15	
15.7 <u>North Carolina</u>	15-15	
15.7.1 Asheville-LATA	15-15	
15.7.2 Charlotte-LATA	15-15	
15.7.3 Greensboro-LATA	15-16	
15.7.4 Raleigh-LATA	15-16	
15.7.5 Wilmington-LATA	15-16	
15.8 <u>South Carolina</u>	15-17	
15.8.1 Greenville-LATA	15-17	
15.8.2 Florence-LATA	15-17	
15.8.3 Columbia-LATA	15-17	
15.8.4 Charleston-LATA	15-18	
15.9 <u>Tennessee</u>	15-18	
15.9.1 Chattanooga-LATA	15-18	
15.9.2 Knoxville-LATA	15-18	
15.9.3 Memphis-LATA	15-19	
15.9.4 Nashville-LATA	15-20	
16. <u>BELLSOUTH TELECOMMUNICATIONS RELAY SERVICE TRANSPORT</u>	16-1	
16.1 <u>BellSouth Telecommunications Relay Service Transport</u>		
16.1.1 General Description	16-1	
16.1.2 Undertaking of the Telephone	16-1	
16.1.3 Obligation of the Customer	16-1	
16.1.4 Jurisdictional Report Requirements	16-2	
16.1.5 Ordering Provisions	16-2	
16.1.6 Interface Cost Combinations	16-2	
16.1.7 Rate Regulations	16-2	
16.1.8 Rates and Charges	16-3	
17. <u>BellSouth Voice over Internet Protocol E9-1-1 Services</u>	17-1	(C)
17.1 <u>Connectivity of VoIP Service Providers to E9-1-1 Service</u>	17-1	(N) (N)
17.1.1 General Description	17-1	(N)
17.1.2 Undertaking of the Telephone	17-1	(N)
17.1.3 Obligation of the VoIP Service Provider	17-2	(N)

# ACCESS SERVICE

## TARIFF SUBJECT INDEX

<u>Subject</u>	<u>Section No.</u>	<u>Page No.</u>	
High Capacity Service (a.k.a. BellSouth SPA High Capacity)	7.3.5(I)	7-69	
Metallic Service (a.k.a. BellSouth SPA Metallic)	7.3.5(A)	7-68	
Program Audio Service (a.k.a. BellSouth Program Audio)	7.3.5(D)	7-68	
Telegraph Grade Service (a.k.a. BellSouth SPA Telegraph)	7.3.5(B)	7-68	
Video Service (a.k.a. BellSouth SPA Video)	7.3.5(E)	7-68	
Voice Service (a.k.a. BellSouth SPA DS0 VG)	7.3.5(C)	7-68	
Concurring Carriers		69	
Connecting Carriers		69	
Connections of Equipment and Systems	2.5	2-49.1	
Connectivity of VoIP Service Providers to E9-1-1 Service	17.1	17-1	(N) (N)
Controller Arrangement	13.3.8	13-55	
Coordination of Telephone Company and Customer with Respect			
obligation of customers	2.3.9	2-12	
undertaking of telephone company	2.1.11	2-8	
Credit Allowance. See also Payment Arrangements			
alternative service	2.4.4(D)	2-35	
application of credit allowance	2.4.4(B)	2-30	
circumstances beyond telephone company control	2.1.3(H)	2-4	
definition	2.4.4(A)	2-29	
BellSouth direct access to directory assistance	9.3.2(D)	9-15	
BellSouth Directory Assistance Access	9.1.4(F)	9-9	
end user common line	4.5(D)	4-2	
error performance below specifications	2.4.4(B)(5)	2-32	
federal universal service	4.5(D)	4-2	
interruptions for testing	2.3.4	2-10	
maintenance, rearrangements and implementation	2.4.4(C)(4)	2-34	
major fraction	2.6	2-64	
maximum allowance	2.4.4(B)(4)	2-32	
minimum allowance	2.4.4(C)(8)	2-35	
negligence of customer	2.4.4(C)(1)	2-34	
not applicable	2.4.4(C)	2-34	
program audio (a.k.a. BellSouth SPA Program Audio)/video service (a.k.a. BellSouth SPA Video)	2.4.4(B)(2)	2-31.1	
special access service (a.k.a. BellSouth SPA)	2.4.4(B)(1)	2-30	
special construction	2.4.4(C)(5)	2-34	
specialized service arrangements	2.4.4(B)(6)	2-33	

BELLSOUTH TELECOMMUNICATIONS, INC.  
BY: Operations Manager - Pricing  
29G57, 675 W. Peachtree St., N.E.  
Atlanta, Georgia 30375  
ISSUED: AUGUST 1, 2005

TARIFF F.C.C. NO. 1  
16TH REVISED PAGE 75.2  
CANCELS 15TH REVISED PAGE 75.2  
EFFECTIVE: AUGUST 2, 2005

ACCESS SERVICE

REFERENCE TO OTHER PUBLICATIONS (CONT'D)

The following publications, referenced in this tariff, may be obtained from BellSouth Telecommunications, Inc., Regional Documentation Coordinator, 20th Floor, 600 North 19th Street, Birmingham, AL 35203.

TR-73575 Issued: February, 1994	Available: February, 1994
TR-73575, Addendum 1 Issued: November, 1994	Available: November, 1994
TR-73583 Issued: November, 1994	Available: September, 1994
TR-73592 Issued: June, 1995	Available: June, 1995
BellSouth Enhanced Originating Line Screening (EOLS) Service Technical Reference TR-73604 Issued: July, 1997	Available: August, 1977
TR-73606 Issued: April, 1998	Available: April, 1998
TR-73607 Issued: April, 1998	Available: April, 1998
TR-73608 Issued: April, 1998	Available: April, 1998
TR-73609 Issued: April, 1998	Available: April, 1998
TR-73610 Issued: June, 2005	Available: June, 2005
TR-73611 Issued: April, 1998	Available: April, 1998
BellSouth ADSL Service TR-73612 Issued: April, 2001	Available: April, 2001
TR-73621 Issued: September, 1999	Available: September, 1999
TR-73624 Issued: March, 2002	Available: March, 2002
TR-73630 Issued: October, 2002	Available: October, 2002
TR-73631BT Issued: March, 2003	Available: March, 2003

(N)  
(N)

BELLSOUTH TELECOMMUNICATIONS, INC.  
BY: Operations Manager - Pricing  
29G57, 675 W. Peachtree St., N.E.  
Atlanta, Georgia 30375  
ISSUED: AUGUST 1, 2005

TARIFF F.C.C. NO. 1  
1ST REVISED PAGE 17-1  
CANCELS ORIGINAL PAGE 17-1

EFFECTIVE: AUGUST 2, 2005

## ACCESS SERVICE


- 17 – E9-1-1 Access Services for Voice over Internet Protocol (N)
- 17.1 Connectivity of VoIP Service Providers to E9-1-1 Service (N)
- 17.1.1 General Description (N)
- E9-1-1 Access Services for Voice over Internet Protocol (VoIP) enables the interconnected Voice over Internet Protocol Service Providers (VSPs) to connect to the BellSouth E9-1-1 tandems for the purposes of reporting E9-1-1 emergencies by the VSP's end user customers. This tariff only allows connectivity to the E9-1-1 tandem switch from the VSP's Point of Interface (POI) in the BellSouth Lata serving the E9-1-1 tandem switch. A VSP is defined as, for the purposes of subscribing to the services offered herein as bearing the following characteristics: (1) the service enables real-time, two way voice communications; (2) the service requires a broadband connection from the user's location; (3) the service requires IP-compatible CPE; and (4) the service offering permits users generally to receive calls that originate on the Public Switched Telephone Network (PSTN) and to terminate calls to the PSTN. (N)
- This service is offered solely as an aid in handling calls in connection with fire, police and other emergencies and does not create any relationship or obligations, direct or indirect, to any person other than the VSP subscribing to the service. This tariff does not supersede any negotiated contractual arrangements or state tariffed arrangements unless the Customer agrees to such an arrangement. (N)
- The Company does not undertake to answer and forward E9-1-1 calls, but furnishes the use of its facilities to enable the VSP to direct calls to the appropriate Public Safety Answering Point (PSAP) in locations where government authorities or their authorized agents have subscribed to E9-1-1 service. (N)
- Except as noted, services provided in this section are subject to all general regulations applicable to the provisioning of service by the Company. (N)
- The technical specifications for this service are as specified in Technical Reference TR-73610. As an aid to the VSP's use of E9-1-1 Access services, BellSouth maintains a VSP E9-1-1 User Guide on its website at [www.interconnection.bellsouth.com](http://www.interconnection.bellsouth.com). (N)
- 17.1.2 Undertaking of the Telephone Company (N)
- The Telephone Company will provide connection between a VoIP Service Provider's ("VSP") network and the Company's Universal Emergency Number Service 9-1-1 (hereafter referred to as "911 service") network. This service shall be used exclusively to route calls from the VSP's end user customers needing to access emergency E9-1-1 services. (N)

EFFECTIVE: AUGUST 2, 2005

## ACCESS SERVICE

- 17 - E9-1-1 Access Services for Voice over Internet Protocol (Cont'd) (N)  
 17.1 Connectivity of VoIP Service Providers to E9-1-1 Service (Cont'd) (N)  
 17.1.2 Undertaking of the Telephone Company (Cont'd) (N)

The Telephone Company will provision a minimum of two dedicated DS0 level trunks per E9-1-1 tandem and shall be configured as part of a digital (1.544Mbps) interface (DS1 facility) terminated in the E9-1-1 tandem switch and ordered from the FCC No. 1 tariff Section 6.8.1. Switched access rates and charges as set forth in section 6.8 preceding will apply to all DS1 facilities and trunks. The configuration shall use CAMA-type signaling with multi-frequency (MF) pulsing or SS7/ISUP signaling either of which shall deliver Pseudo Automatic Number Identification (P-ANI) or Emergency Service Query Key (ESQK), and call-back number with the voice portion of the call. (N)



- 17.1.3 Obligations of the VoIP Service Provider (N)

It is the sole responsibility of the VSP to subscribe to a sufficient number of trunks to handle the volume of E9-1-1 emergency calls from their end users. BellSouth requires a minimum of two one-way dedicated trunks originating at the VSP's Point of Interconnection (POI) and terminating at the E9-1-1 selective router tandem. The POI must be in the same LATA as each of the E9-1-1 tandems. (N)

The quantity of trunks should be determined based on achieving parity with wireline E9-1-1 calls by providing a P.01 grade of service. (N)

The BellSouth E9-1-1 database consists of data records provided by various service providers located within the BellSouth E9-1-1 service area. Each service provider, including the VSP, is responsible for providing their data records for the E9-1-1 database using its own individual NENA ID when submitting records for the E9-1-1 database. These records must be present in the E9-1-1 database for the Real-Time Data Interface to function properly. These records must be assigned a Master Street Address Guide (MSAG) valid address. MSAG valid addresses are obtained from the addressing authority in the E9-1-1 service area where VoIP service is provided. (N)

The BellSouth Automatic Location Information (ALI) computer provides the PSAP with the caller's location information and call-back number associated with the Pseudo Automatic Number Identification (pANI). This may be accomplished by the VSP providing real-time updates to the ALI database during E9-1-1 call processing. (N)

EFFECTIVE: AUGUST 2, 2005

ACCESS SERVICE

- 17 – E9-1-1 Access Services for Voice over Internet Protocol (Cont'd) (N)
- 17.1 Connection of VoIP Service Providers to E9-1-1 Service (Cont'd) (N)
- 17.1.3 Obligations of the VoIP Service Provider Cont'd) (N)
- BellSouth supports E2 connectivity between the VoIP Position Center (VPC) and the ALI database hosts as defined in the BellSouth Technical Reference TR73610. The VPC will provide location information utilizing the E2 Interface to provide real time updates. Interoperability testing of existing or newly installed circuits to the logical router ports must be conducted between the VPC and the ALI Computer to ensure compatibility. (N)
- The VSP must identify all premises based ALI systems in their service areas and comply with any special data or interface requirements. VSPs should meet with PSAPs to determine if selective routing or direct trunking is used to deliver 9-1-1 calls. If calls are not selectively routed to premises based ALI systems, the VSP may need to deliver 9-1-1 calls to the PSAP administrative lines or use other arrangements as negotiated with the PSAP. The VSP is responsible for coordinating with the government authorities who subscribe to 9-1-1 services and with any other provider of 9-1-1 services to populate any associated database(s) which is used to provide Enhanced Universal Emergency Number (9-1-1) service or equivalent. (N)
- The VSP must provide a p-ANI/ESQK that is geographically correct to the serving E9-1-1 selective router switch to enable calls to be routed to the appropriate PSAP as designated by the VSP. (N)
- The VSP must provide valid data records for inclusion in the Telephone Number (TN) database prior to testing or activating service. Valid data records include the telephone number, name of the subscriber, address, location, class and type of service and may also include the p-ANI/ESQK telephone number assigned by the VSP and included in security tables. (N)
- VSP's will be required to provide shell p-ANI/ESQK data records using the Service Order Interface Record (SOIR) process to the E9-1-1 host with MSAG valid addresses. (N)
- Determining the proper PSAP to route VoIP E9-1-1 calls must be negotiated between the VSP and the E9-1-1 Coordinator(s) in the serving areas, including the PSAP to receive the 9-1-1 call in the event of an Automatic Number Identification (ANI) failure. The Emergency Service Number (ESN) must be provided to BellSouth when placing a service order for VoIP E9-1-1 trunks. (N)

EFFECTIVE: AUGUST 2, 2005

## ACCESS SERVICE

- 17 – E9-1-1 Access Services for Voice over Internet Protocol (Cont'd) (N)
- 17.1 Connectivity of VoIP Service Providers to E9-1-1 Service (Cont'd) (N)
- 17.1.3 Obligations of the VoIP Service Provider (Cont'd) (N)
- VSP's will be responsible for ordering two data circuits to the BellSouth Automatic Location Identification (ALI) computers. These circuits are necessary to provide real-time updates to the ALI database for storing the VoIP subscriber's ten digit call-back number and location information. The need for digital data circuits depends on the technical solution chosen. Customer will be required to provide BellSouth daily and dynamic updates to the E9-1-1 database to facilitate this service offering. (N)
- The VSP is required to establish VoIP Position Center (VPC) connectivity via the E2 Interface. BellSouth is not responsible for the location determination technology, the accuracy of the location determination technology, solution trouble investigation or maintenance of said technologies. The delivery, or lack of delivery, of additional data elements, which may be provided by the VSP will not be the responsibility of BellSouth and BellSouth assumes no responsibility or liability for such information. (N)
- Connectivity to the E2 Interface, pursuant to the technical standards set forth in technical reference TR73610, shall occur by one of the following methods: (N)
- (a) VSP may use their own VPC equipment and will be required to purchase E2 Interface data link port connectivity to each ALI database host computer. (N)
- (b) VSP must designate a VoIP Positioning Center (VPC) operator via written notification to Company. The VPC operator must also connect to each ALI database host computer via E2 Interface data link ports using existing connectivity or purchase separate data link ports for VoIP E9-1-1 traffic. (N)
- (c) The VSP will be required to obtain a National Emergency Numbering Association Company ID and provide the Company a 24x7 contact number of the appropriate VSP center that can provide assistance to the PSAP during live 9-1-1 calls. (N)