

BELLSOUTH TELECOMMUNICATIONS, INC.
 BY: Operations Manager - Pricing
 29G57, 675 W. Peachtree St., N.E.
 Atlanta, Georgia 30375
 ISSUED: APRIL 10, 2006

TARIFF F.C.C. NO. 1
 824TH REVISED PAGE 1
 CANCELS 823RD REVISED PAGE 1

EFFECTIVE: APRIL 11, 2006

ACCESS SERVICE
 CHECK SHEET

The Title Page and Pages 1 to 29-48 inclusive of this tariff are effective as of the date shown.

<u>Page</u>	<u>Number of Revision Except as Indicated</u>	<u>Page</u>	<u>Number of Revision Except as Indicated</u>	<u>Page</u>	<u>Number of Revision Except as Indicated</u>
Title	2nd	9.0.4.0.1	6th	27	6th
1	824th*	9.0.4.1	11th	27.0.1	4th
1.1	5th	9.0.4.2	Original	27.1	5th
2	235th	9.0.5	48th	27.2	8th
2.1	87th	9.0.5.1	34th	27.3	5th
3	78th*	9.0.5.2	52nd	27.4	6th
3.1	14th	9.0.5.2.1	6th	27.5	1st
4	175th	9.0.5.3	8th	27.5.1	Original
4.1	17th	9.1	Original	27.6	6th
5	151st	10	2nd	27.6.1	1st
5.1	98th	11	11th	27.7	12th
5.1.0.1	3rd	12	13th	27.7.1	6th
5.1.1	31st	12.1	6th	27.7.1.1	2nd
5.1.2	2nd	13	15th	27.7.1.1.1	Original
6	99th	14	7th	27.7.1.2	Original
6.1	33rd	14.1	4th	27.8	2nd
6.2	1st	15	9th	27.9	3rd
7	144th	16	4th	28	6th
7.1	1st	17	16th	29	8th
8	51st	18	17th	30	2nd
8.1	59th	18.1	5th	31	8th
8.2	8th	19	6th	31.1	8th
9	55th	20	15th	32	7th
9.0.0.1	32nd	21	15th	33	6th
9.0.0.1.1	Original	21.1	2nd	34	6th
9.0.0.2	21st	22	25th	35	4th
9.0.1	23rd	22.1	8th	36	5th
9.0.1.1	7th	23	8th	37	6th
9.0.2	12th	23.1	Original	38	8th
9.0.3	14th	24	8th	39	5th
9.0.3.1	1st	25	12th	40	7th
9.0.4	19th	26	1st		

All BellSouth marks contained herein and as set forth in the trademarks and service marks section of the BellSouth Tariffs are owned by BellSouth Intellectual Property Corporation.
 * New or Revised Page

BELLSOUTH TELECOMMUNICATIONS, INC.
 BY: Operations Manager - Pricing
 29G57, 675 W. Peachtree St., N.E.
 Atlanta, Georgia 30375
 ISSUED: APRIL 10, 2006

TARIFF F.C.C. NO. 1
 78TH REVISED PAGE 3
 CANCELS 77TH REVISED PAGE 3

EFFECTIVE: APRIL 11, 2006

ACCESS SERVICE
 CHECK SHEET

Page	Number of Revision Except as Indicated	Page	Number of Revision Except as Indicated	Page	Number of Revision Except as Indicated
6-1	7th#	6-25.14	Original	6-62	5th
6-2	4th	6-25.15	Original	6-63	3rd
6-3	7th	6-25.16	Original	6-64	6th
6-3.1	1st	6-26	9th#	6-65	4th
6-4	7th	6-27	11th	6-66	3rd
6-5	4th	6-27.0.1	Original	6-67	3rd
6-6	7th	6-27.1	9th	6-68	3rd
6-7	16th*	6-27.2	2nd	6-69	6th
6-7.1	Original	6-27.3	2nd	6-70	2nd
6-8	13th#	6-27.4	Original	6-71	3rd
6-9	7th#	6-28	15th#	6-72	3rd
6-10	5th	6-28.1	5th	6-73	4th
6-11	9th	6-29	10th	6-74	7th
6-11.1	7th#	6-30	4th	6-75	7th
6-11.2	5th	6-31	4th	6-75.1	10th
6-11.3	2nd	6-32	4th	6-75.2	8th
6-11.4	4th	6-33	5th	6-75.3	3rd
6-12	5th	6-34	5th	6-75.4	4th
6-12.1	6th	6-34.1	4th	6-75.5	2nd
6-13	7th	6-35	4th	6-75.6	1st
6-14	6th	6-36	6th	6-75.7	1st
6-15	5th	6-37	5th	6-75.8	2nd
6-16	5th	6-38	5th	6-75.9	3rd
6-17	5th	6-39	5th	6-75.9.1	Original
6-18	5th	6-40	4th	6-75.10	6th
6-18.1	7th	6-41	6th	6-75.10.1	1st
6-19	6th	6-42	5th	6-75.11	3rd
6-20	6th	6-43	5th	6-75.12	3rd
6-21	7th	6-44	5th	6-75.13	4th
6-22	10th	6-45	7th	6-75.14	3rd
6-22.1	5th	6-46	10th	6-75.15	1st
6-23	4th	6-47	8th	6-75.16	1st
6-23.1	3rd	6-48	9th	6-75.17	Original
6-24	7th	6-49	11th	6-75.18	1st
6-25	10th	6-50	9th	6-75.19	Original
6-25.1	7th	6-51	8th	6-75.20	Original
6-25.2	4th	6-52	9th	6-75.21	Original
6-25.3	11th	6-52.0.1	Original	6-75.22	1st
6-25.3.1	2nd	6-52.1	5th	6-75.22.1	Original
6-25.4	3rd	6-53	7th	6-75.23	4th*
6-25.5	3rd	6-53.1	5th	6-75.24	2nd*
6-25.6	4th	6-54	6th	6-75.24.1	Original
6-25.7	2nd	6-55	9th	6-75.25	Original
6-25.8	Original	6-56	1st	6-75.26	Original
6-25.9	1st	6-57	5th	6-76	6th
6-25.10	2nd	6-58	3rd	6-77	6th
6-25.10.1	3rd	6-58.1	1st	6-77.1	5th
6-25.11	Original	6-59	4th	6-78	6th
6-25.12	Original	6-60	5th	6-78.1	3rd
6-25.13	Original	6-61	3rd	6-79	6th

#The material on this page is not revised in this filing. The check sheet only is being changed to reflect the correct revision number.

All BellSouth marks contained herein and as set forth in the trademarks and service marks section of the BellSouth Tariffs are owned by BellSouth Intellectual Property Corporation.

*New or Revised Page

EFFECTIVE: APRIL 11, 2006

ACCESS SERVICE

6 - BellSouth SWA Service (Cont'd)

6.1 General (Cont'd)

6.1.1 BellSouth SWA Service Arrangements and Manner of Provision (Cont'd)

(J) BellSouth Local Number Portability Database Services

BellSouth Local Number Portability (LNP) Database services, which are available to wireline and wireless telecommunications carriers, provide routing information necessary to direct calls placed to a ported number to the correct switch for completion to the end user. Carriers may obtain the routing information directly by subscription to BellSouth LNP Query service. To obtain BellSouth LNP Query Service, the customer must order new or use existing CCS7 Signaling Connections and Terminations as described in 6.1.3(C) following. On a default basis, N-1 Carriers may deliver traffic to BellSouth's network without having made a LNP query. In such cases BellSouth's LNP Call Routing service will secure the necessary routing information in order for the call to be delivered properly. A more detailed description of BellSouth LNP Database services is provided in Section 6.2.11.

(K) BellSouth SWA Common Transport IP Option

BellSouth SWA Common Transport IP Option is a carrier-to-carrier internetworking capability that is available only to telecommunications carriers and provides terminating and originating access service from IP based networks utilizing IP gateways. The SWA Common Transport IP Option is only provided for terminating or originating traffic within the BellSouth Region and is only available where facilities and capacity of facilities permit.

(C)

(C)

(C)

(L) Manner of Provision

BellSouth SWA service arrangements are furnished in either quantities of lines or trunks. Trunks are differentiated by type and directionality of traffic carried over a BellSouth SWA service arrangement.

There are six major traffic types: Originating, Terminating, Directory Assistance, Operator Services, Inward Operator Services and CCS7 Access. The originating traffic type represents access within a LATA for carrying traffic from the end user to the customer. The terminating traffic type represents access within a LATA for carrying traffic from the customer to the end user. The Directory Assistance traffic from the customer to a Directory Assistance location. The Operator Services traffic type represents access within a LATA for carrying Operator Services traffic to or from the customer, to or from the Operator Services System (OSS) location. Within a LATA for carrying Inward Operator Services traffic from the customer to the Inward Operator Services location. The CCS7 access traffic type represents access for services requiring use of the Telephone Company CCS7 network.

ACCESS SERVICE
6 - BellSouth SWA Service (Cont'd)

6.2 Provision and Description of BellSouth SWA Service Arrangements (Cont'd)

6.2.13 BellSouth SWA Managed Shared Network Service (Cont'd)

The Telephone Company and the customer shall work cooperatively in revising their network arrangements in order to accommodate aggregation of the customer's BellSouth SWA Managed Shared Network Service traffic at an Aggregation Location, including the conversion of the customer's BellSouth SWA Managed Shared Network Service traffic from Alternate Aggregation Locations, as applicable.

The customer may request reconfiguration of all BellSouth SWA Managed Shared Network Service traffic from one Aggregation Location to another Aggregation Location. A new DS1 equivalent commitment level for the second Aggregation Location shall be established equal to no less than the sum of the commitment at the first Aggregation Location and the commitment at the second Aggregation Location. The first Aggregation Location shall become an Alternate Aggregation Location associated with the second Aggregation Location, and a two-year conversion period shall apply. Termination liability charges for discontinuance of the first Aggregation Location are as set forth in Section 6.7.22. The cost of reconfiguring traffic from one Aggregation Location to another Aggregation Location shall be determined on an Individual Case Basis.

6.2.14 BellSouth SWA Common Transport IP Option

(A) Description

- (1) The BellSouth SWA Common Transport IP Option is provided to telecommunications carriers in LATAs in which BellSouth has installed gateways that will allow IP traffic to terminate and originate to the BellSouth switched network. (C)
- (2) The BellSouth SWA Common Transport IP Option includes connectivity from the Gateway to the public internet. For those telecommunications carriers desiring connectivity from the Gateway to a private IP network, a dedicated connection may be purchased from the Section 7 of this tariff or may be provided by the telecommunications carriers. (C)
- (3) The SWA Common Transport IP Option allows voice and call set-up signaling to be carried from the internet connection to the public switched network.
- (4) The BellSouth SWA Common Transport IP Option may be used to access all valid NXXs in the LATA.
- (5) Calls will not be completed to 950-XXXX access codes, local operator assistance (0- and 0+), BellSouth Directory Assistance (411), service codes 611 and 911 and 101XXXX access codes. The SWA Common Transport IP Option may not be switched, to the BellSouth SWA FGB, BellSouth SWA FGC, or BellSouth SWA TSBSA.

BELLSOUTH TELECOMMUNICATIONS, INC.
BY: Operations Manager - Pricing
29G57, 675 W. Peachtree St., N.E.
Atlanta, Georgia 30375
ISSUED: APRIL 10, 2006

TARIFF F.C.C. NO. 1
2ND REVISED PAGE 6-75.24
CANCELS 1ST REVISED PAGE 6-75.24

EFFECTIVE: APRIL 11, 2006

ACCESS SERVICE
6 - BellSouth SWA Service (Cont'd)

6.2 Provision and Description of BellSouth SWA Service Arrangements (Cont'd)

6.2.14 BellSouth IPTG Terminating service (Cont'd)

(B) Transmission Specifications

The BellSouth Common Transport IP Option is provided with either Type A, Type B or Type C Transmission Specifications as follows:

- (1) When routed to an access tandem only Type A is provided.
- (2) Type A is provided on the transmission path from the access tandem to the end office.
- (3) When equipped with tandem signaling, only Type A is provided.

Type C Transmission Specifications are provided with Interface Group 1. Type A and Type B Transmission Specifications are provided with Interface Groups 2, 3, 6 and/or 9.

(C) Maintenance Window

In order to maintain the quality of the BellSouth SWA Common Transport IP Option, the Company reserves the right to perform preventive maintenance of software updates to the network. This could result in the BellSouth SWA Common Transport IP Option being unavailable during the time period between 12:00 A.M. and 4:00 A.M. Eastern Time on any given Wednesday or Sunday morning. However, the Company only expects to utilize this maintenance window for any given switch on the average of once a quarter. In addition, the Company will make every reasonable effort to provide advance notice to those customers likely to be severely affected by such maintenance work. This maintenance window may be adjusted by the Company upon written notice to the customer.

(D) Technical Specifications

The BellSouth Common Transport IP Option is provided in accordance with Technical Reference TR-73631, Issue 2.

(C)