

Issued: May 31, 2007

FACILITIES FOR INTERSTATE ACCESS

CHECK SHEET

Title Pages 1 to 3 and Pages 1 to 21-119 inclusive, of this tariff are effective as of the date shown. Original and revised pages as named below and Supplement No. 1, 2, 3, 4, 5, 6 and 7 contain all changes from the original tariff that are in effect on the date shown.

| <u>Page</u> | <u>Revision</u> | <u>Page</u> | <u>Revision</u> | <u>Page</u> | <u>Revision</u> | <u>Page</u> | <u>Revision</u> |
|--------------|-----------------|-------------|-----------------|-------------|-----------------|-------------|-----------------|
| Title Page 1 | 1st | 28 | 5th | 2-13.2 | Original | 2-47 | Original |
| Title Page 2 | 5th | 29 | 1st | 2-14 | 1st | 2-47.1 | Original |
| Title Page 3 | 3rd | 30 | 1st | 2-14.1 | 2nd | 2-47.2 | Original |
| 1 | 270th* | 31 | 1st | 2-14.2 | 2nd | 2-48 | Original |
| 1.1 | 4th | 32 | Original | 2-14.3 | Original | 2-49 | 2nd |
| 2 | 46th | 33 | Original | 2-15 | 1st | 2-50 | 1st |
| 2.1 | 6th | 34 | 5th | 2-16 | 2nd | 2-50.1 | Original |
| 3 | 44th | 35 | Original | 2-16.1 | 2nd | 2-50.2 | Original |
| 3.1 | 18th | 36 | 2nd | 2-16.2 | 6th | 2-50.3 | Original |
| 4 | 59th | 37 | 3rd | 2-17 | Original | 2-51 | 1st |
| 4.1 | 73rd* | 38 | 1st | 2-18 | 4th | 2-52 | Original |
| 5 | 55th | 39 | 1st | 2-19 | Original | 2-53 | Original |
| 6 | 9th | 40 | 3rd | 2-20 | Original | 2-54 | Original |
| 7 | 36th | 41 | 10th | 2-21 | 1st | 2-55 | Original |
| 7.1 | 24th | 41.1 | Original | 2-22 | Original | 2-56 | Original |
| 8 | 22nd | 41.2 | 4th | 2-23 | Original | 2-57 | Original |
| 9 | 9th | 41.3 | Original | 2-24 | Original | 2-58 | Original |
| 9.1 | 6th | 42 | 7th | 2-25 | 1st | 2-59 | Original |
| 10 | 50th | 43 | 5th | 2-26 | 1st | 2-60 | Original |
| 10.1 | 22nd | 44 | 5th | 2-27 | Original | 2-61 | Original |
| 10.2 | 12th | 44.1 | 10th | 2-28 | Original | 2-62 | Original |
| 10.3 | 4th | 45 | 1st | 2-29 | 1st | 2-63 | Original |
| 11 | 2nd | 46 | 5th | 2-30 | 1st | 2-64 | Original |
| 12 | 1st | 47 | 5th* | 2-31 | 1st | 2-65 | Original |
| 13 | 2nd | 48 | Original | 2-32 | Original | 2-66 | Original |
| 13.1 | Original | 1-1 | Original | 2-33 | 1st | 2-67 | Original |
| 14 | Original | 2-1 | 1st | 2-34 | 1st | 2-68 | Original |
| 15 | 1st | 2-2 | 1st | 2-34.1 | 1st | 2-69 | Original |
| 16 | Original | 2-3 | Original | 2-35 | Original | 2-70 | Original |
| 17 | 1st | 2-4 | Original | 2-36 | Original | 2-71 | Original |
| 18 | 3rd | 2-5 | Original | 2-37 | 1st | 2-72 | Original |
| 19 | 1st | 2-6 | 3rd | 2-38 | Original | 2-73 | Original |
| 20 | Original | 2-6.1 | 1st | 2-39 | 1st | 2-74 | 1st |
| 21 | Original | 2-7 | 4th | 2-40 | Original | 2-75 | Original |
| 22 | Original | 2-8 | 2nd | 2-41 | 2nd | | |
| 23 | Original | 2-9 | 2nd | 2-41.1 | 1st | | |
| 24 | 3rd | 2-10 | Original | 2-42 | Original | | |
| 24.1 | Original | 2-11 | 5th | 2-43 | Original | | |
| 25 | 2nd | 2-11.1 | 2nd | 2-44 | Original | | |
| 26 | 1st | 2-11.2 | 2nd | 2-45 | Original | | |
| 27 | 2nd | 2-12 | 3rd | 2-46 | Original | | |
| | | 2-13 | 3rd | | | | |
| | | 2-13.1 | Original | | | | |

* New or Revised Page

(This page filed under Transmittal No. 814.)

Vice President, Federal Regulatory
1300 I Street NW, Washington, DC 20005

Issued: May 31, 2007

FACILITIES FOR INTERSTATE ACCESS

CHECK SHEET

| <u>Page</u> | <u>Revision</u> | <u>Page</u> | <u>Revision</u> | <u>Page</u> | <u>Revision</u> | <u>Page</u> | <u>Revision</u> |
|-------------|-----------------|-------------|-----------------|-------------|-----------------|-------------|-----------------|
| 5-251 | 6th | 6-5 | Original | 6-45 | 5th | 7-18 | Original |
| 5-251.1 | 2nd | 6-6 | 7th | 6-46 | 6th | 7-19 | Original |
| 5-252 | 5th | 6-7 | 6th | 6-47 | Original | 7-20 | Original |
| 5-252.1 | 2nd | 6-8 | 6th | 6-48 | Original | 7-21 | Original |
| 5-253 | 5th | 6-8.1 | 1st | 6-49 | 3rd | 7-22 | Original |
| 5-253.1 | 2nd | 6-8.2 | 1st | 6-50 | Original | 7-23 | Original |
| 5-254 | 6th | 6-8.3 | 1st | 6-51 | 4th | 7-24 | 1st |
| 5-254.1 | 1st | 6-8.4 | 1st | 6-52 | Original | 7-25 | Original |
| 5-254.2 | Original | 6-8.5 | 1st | 6-53 | 4th | 7-26 | Original |
| 5-254.3 | Original | 6-8.6 | 1st | 6-54 | 2nd | 7-27 | Original |
| 5-255 | Original | 6-9 | Original | 6-54.1 | 2nd | 7-28 | Original |
| 5-256 | 1st | 6-10 | Original | 6-54.2 | 2nd | 7-29 | Original |
| 5-257 | Original | 6-11 | Original | 6-54.3 | 1st | 7-30 | Original |
| 5-258 | 9th | 6-12 | Original | 6-54.4 | 1st | 7-31 | Original |
| 5-258.1 | Original | 6-13 | Original | 6-54.5 | 1st | 7-32 | Original |
| 5-259 | Original | 6-14 | 5th | 6-55 | Original | 7-33 | Original |
| 5-260 | 6th | 6-15 | 5th | 6-56 | Original | 7-34 | Original |
| 5-261 | 1st | 6-16 | Original | 6-57 | 30th | 8-1 | Original |
| 5-262 | 3rd | 6-17 | 1st | 6-57.1 | 15th | 8-2 | Original |
| 5-263 | 2nd | 6-18 | Original | 6-58 | 19th | 8-3 | Original |
| 5-264 | 2nd | 6-19 | Original | 6-59 | 18th | 8-4 | Original |
| 5-265 | 5th | 6-20 | 1st | 6-60 | 18th | 8-5 | Original |
| 5-266 | 1st | 6-21 | Original | 6-61 | 18th | 8-6 | Original |
| 5-267 | 6th | 6-22 | 1st | 6-62 | 18th | 8-7 | 3rd |
| 5-268 | 1st | 6-23 | 4th | 6-63 | 18th | 8-8 | Original |
| 5-269 | 2nd | 6-24 | 3rd | 6-64 | 18th | 8-9 | Original |
| 5-270 | 3rd | 6-24.1 | Original | 6-65 | 19th | 8-10 | Original |
| 5-271 | Original | 6-25 | Original | 6-66 | 1st* | 8-11 | Original |
| 5-272 | 1st | 6-26 | 1st | 6-67 | 1st* | 8-12 | Original |
| 5-273 | 5th | 6-27 | Original | 6-68 | 1st | 8-13 | Original |
| 5-274 | Original | 6-28 | Original | 7-1 | 7th | 8-14 | Original |
| 5-275 | 1st | 6-29 | Original | 7-2 | Original | 8-15 | Original |
| 5-276 | 2nd | 6-30 | Original | 7-3 | Original | 8-16 | Original |
| 5-277 | 4th | 6-31 | Original | 7-4 | 2nd | 8-17 | Original |
| 5-278 | 2nd | 6-32 | 3rd | 7-5 | 1st | 9-1 | Original |
| 5-279 | 1st | 6-33 | 3rd | 7-6 | Original | 9-2 | Original |
| 5-280 | 1st | 6-34 | 3rd | 7-7 | Original | 9-3 | 9th |
| 5-281 | 2nd | 6-35 | 3rd | 7-8 | Original | 9-4 | 6th |
| 5-282 | 5th | 6-36 | 3rd | 7-9 | Original | 9-4.1 | 8th |
| 5-283 | 2nd | 6-37 | Original | 7-10 | Original | 9-4.2 | 7th |
| 5-284 | 3rd | 6-38 | Original | 7-11 | Original | 9-5 | Original |
| 5-285 | Original | 6-39 | 4th | 7-12 | Original | 9-6 | Original |
| 5-286 | Original | 6-40 | 4th | 7-13 | Original | 9-7 | Original |
| 6-1 | 1st | 6-41 | 3rd | 7-14 | Original | | |
| 6-2 | Original | 6-42 | Original | 7-15 | Original | | |
| 6-3 | 2nd | 6-43 | Original | 7-16 | Original | | |
| 6-4 | Original | 6-44 | 10th | 7-17 | Original | | |

* New or Revised page

(This page filed under Transmittal No. 814.)

Vice President, Federal Regulatory
1300 I Street NW, Washington, DC 20005

Issued: May 31, 2007

FACILITIES FOR INTERSTATE ACCESS

REFERENCE TO TECHNICAL PUBLICATIONS (Cont'd)

NCS Manual 3-1-1 "Telecommunications Service Priority (TSP) System for National Security Emergency Preparedness (NSEP) Service User Manual", dated July 9, 1990 ^{Note 1} (Section 6.4(E)(8))

NCS Handbook 3-1-2 "Telecommunications Service Priority (TSP) System for National Security Emergency Preparedness (NSEP) Service Vendor Handbook", dated July 9, 1990 ^{Note 1} (Section 6.4(F)(4))

47 C.F.R. FCC Rules and Regulations, Part 15.109 ^{Note 1}

Issued: April 17, 2001 and 10-01-95 Available 10-01-95 (Z)

Society of Motion Picture and Television Engineers (SMPTE) 259M-1997 standards ^{Note 2}

Issued: April 17, 2001 and 09-25-97 (Z)

Network Equipment – Building System (NEBS), SR-3580, Issue 1, ^{Note 3}

Issued: April 17, 2001 and November 1995 Available: April 2000 (Z)

GR-1089-CORE, Issue 2 ^{Note 3}

Issued: April 17, 2001 & December 1997 & February 1999 Available: April 2000 (Z)

Planning Fiber Optic Channel Links (Fifth Edition) GA23-0367-04 ^{Note 4}

Issued: April, 1996 Available: April, 1996 (Z)

Parallel Sysplex Configuration Cookbook GA24-2076-00 ^{Note 4}

Issued: January, 1998 Available: January, 1998 (Z)

IBM 9037 Sysplex Timer SG24-2070 ^{Note 4}

Issued: September, 1998 Available: September, 1998 (Z)

Optical Interfaces for Multichannel Systems with Optical Amplifiers, ITU-T G692 ^{Note 5}

Issued: October, 1998 Available: October, 1998 (Z)

Optical Transport Network Physical Layer Interfaces, ITU-T G959.1 ^{Note 5}

Issued: January, 2001 Available: January, 2001 (Z)

Technical Memorandum for Incidental InterLATA Call Management Signaling Service associated with the Verizon FCC Short Term Notice of Network Change ^{Note 6} (T)

Issued: March 2007 Available: March 2007 (C)(x)

Coupling Facility Channel Physical Layer SA23-0395-00 ^{Note 4}

Issued: June, 2002 Available: June, 2002

Note 1: Available from Government Printing Office, Superintendent of Documentation, Document Control Branch, 941 North Capitol Street, N.E., Washington, DC 20401.

Note 2: Available from SMPTE, 595 W. Hartsdale Ave, White Plains, NY 10607.

Note 3: Available from Telcordia Technologies, Inc., One Telcordia Drive, RRC IB-180, Piscataway, NJ 08854-4156 (C)

Note 4: Available from IBM Publications, P. O. Box 29570, Raleigh, NC 27626.

Note 5: Available from International Telecommunications Union (ITU), Place des Nations, CH-1211, Geneva 20, Switzerland or on the internet at <http://www.itu.int/>.

Note 6: Available from Verizon Telecommunications, 600 Hidden Ridge, MC-E03L07, Irving, TX 75038. (C)

(x) Technical Memorandum for Incidental InterLATA Call Management Signaling Service associated with the Verizon FCC Short Term Notice of Network Change, issued March 2007, replaces issued April 2004.

(This page filed under Transmittal No. 814.)
Vice President, Federal Regulatory
1300 I Street NW, Washington, DC 20005

Issued: May 31, 2007

FACILITIES FOR INTERSTATE ACCESS

6. MISCELLANEOUS SERVICES (Cont'd)6.19 Incidental InterLATA Call Management Signaling Service(A) General

Call Management Signaling Service ("Service" or "CMSS") provides a customer with terminating detail information and with the capability to provide instructions back to the Telephone Company regarding the forwarding or other disposition of calls terminating or attempting to terminate at the customer's end user's telephone number. The Telephone Company will deliver this service over a secure IP (Internet Protocol) network connection using standard XML-based formatted data. (C)

In every instance that a call attempts to terminate at a Telephone Company end office to a customer's end user's telephone line provisioned with the Service, Verizon will provide the customer with signaling information describing the attempted call termination and terminating detail for the call (collectively "Terminating Detail"). All Terminating Detail will be provided to a Telephone Company interface server and then made available to customers through a secure IP network connection using an XML-based data format. (C)

In every instance that a customer is provided with Terminating Detail for a call, the customer will be required to respond with a valid response ("Response") within 18 seconds, as further described in the Technical Memorandum documentation referenced in the front of this tariff under Reference to Technical Publications (Technical Memorandum associated with the Verizon FCC Short Term Notice of Network Change dated March 2007). Valid Responses include an instruction for Verizon to forward the call to a different domestic telephone number, to block the call or to permit the call to terminate to the customer's end user's line. (C)

In the event no Response is received within 18 seconds, the Telephone Company will proceed with terminating the call to the customer's end user's line. Responses to the Telephone Company from the customer are received through a secure IP network connection and in an XML-based data format. (C)

(B) Service Availability

Call Management Signaling Service will be provided where technical capability exists on the customer's end-user lines that originate from a Telephone Company end office, in the Service Areas listed below, equipped with Advanced Intelligent Network (AIN) capability. The AIN capability information can be found in the NATIONAL EXCHANGE CARRIER, INC., TARIFF FCC NO. 4. (T)

| | |
|----------------|----------------|
| California | Ohio |
| Florida | Oregon |
| Idaho | Pennsylvania |
| Illinois | South Carolina |
| Indiana | Texas |
| Michigan | Virginia |
| North Carolina | Washington |
| | Wisconsin |

(This page filed under Transmittal No. 814.)

Vice President, Federal Regulatory
1300 I Street NW, Washington, DC 20005

Issued: May 31, 2007

FACILITIES FOR INTERSTATE ACCESS

6. MISCELLANEOUS SERVICES (Cont'd)6.19 Incidental InterLATA Caller ID Signaling Access Service (Cont'd)(C) Responsibilities of the Customer

The customer must notify its end users to provide the Telephone Company with authorization for each line, on a per-line basis, for which the customer is seeking to receive an end user customer's Terminating Detail information. Customer's end users must provide authorization by accessing a Telephone Company Internet web site, as follows: <https://www22.verizon.com/CallMgmtSigsvc/Registration/LOAMain.aspx>. The Telephone Company will reject a customer's request for Call Management Signaling Service if authorization from customer's end-user has not been provided prior to receipt of an order. The customer must also provide notification of each of its end-user's lines for which it requests Terminating Detail. (C) (C)

In order to use the Call Management Signaling Service, the customer will be required to have computer server equipment to exchange data in XML format over a secure IP network connection, to obtain a secure IP network connection from the customer's location and to comply with the Telephone Company's security/network integrity and data exchange requirements. Detailed information about the XML-based data interchange, such as data fields and valid values can be found in the Technical Memorandum for Incidental InterLATA Call Management Signaling Service associated with the Verizon FCC Short Term Notice of Network Change referenced in the front of this tariff under Reference to Technical Publications. To use this Service, the Customer must procure either a secure IP network connection using the Internet or a secure dedicated IP network connection. Either option selected must support Secure Socket Layer (SSL) communication, using 128-bit encryption, and the customer's server must be equipped with a valid SSL certificate for authentication. Customers will be required to complete interoperability/network integrity testing, and to submit to a security review by the Telephone Company, prior to turn up. The Telephone Company may implement transaction management procedures when experiencing excessive volume traffic or other adverse conditions. Additional details about the Telephone Company's security/network integrity requirements can be found in the Technical Memorandum referenced in the front of this tariff under Reference to Technical Publications, Technical Memorandum for Incidental InterLATA Call Management Signaling Service associated with the Verizon FCC Short Term Notice of Network Change, March 2007. (C) (C) (C) (C)

(This page filed under Transmittal No. 814.)

Vice President, Federal Regulatory
1300 I Street NW, Washington, DC 20005