

CINCINNATI BELL EXTENDED TERRITORIES LLC

TARIFF FCC NO. 1

Title Page

ACCESS SERVICE

CINCINNATI BELL EXTENDED TERRITORIES LLC

TARIFF FCC NO. 1

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

CHECK SHEET

Title Page and Pages 1 to 126 inclusive of this tariff are effective as of the date shown. Original and revised pages as named.

<u>Page</u>	<u>Number Revision Except as Indicated</u>	<u>Page</u>	<u>Number Revision Except as Indicated</u>	<u>Page</u>	<u>Number Revision Except as Indicated</u>
Title	Original	31	Original	62	Original
1	Original	32	Original	63	Original
2	Original	33	Original	64	Original
3	Original	34	Original	65	Original
4	Original	35	Original	66	Original
5	Original	36	Original	67	Original
6	Original	37	Original	68	Original
7	Original	38	Original	69	Original
8	Original	39	Original	70	Original
9	Original	40	Original	71	Original
10	Original	41	Original	72	Original
11	Original	42	Original	73	Original
12	Original	43	Original	74	Original
13	Original	44	Original	75	Original
14	Original	45	Original	76	Original
15	Original	46	Original	77	Original
16	Original	47	Original	78	Original
17	Original	48	Original	79	Original
18	Original	49	Original	80	Original
19	Original	50	Original	81	Original
20	Original	51	Original	82	Original
21	Original	52	Original	83	Original
22	Original	53	Original	84	Original
23	Original	54	Original	85	Original
24	Original	55	Original	86	Original
25	Original	56	Original	87	Original
26	Original	57	Original	88	Original
27	Original	58	Original	89	Original
28	Original	59	Original	90	Original
29	Original	60	Original	91	Original
30	Original	61	Original	92	Original

*New or Revised Page
(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

CHECK SHEET

<u>Page</u>	<u>Number Revision Except as Indicated</u>	<u>Page</u>	<u>Number Revision Except as Indicated</u>
93	Original	121	Original
94	Original	122	Original
95	Original	123	Original
96	Original	124	Original
97	Original	125	Original
98	Original	126	Original
99	Original		
100	Original		
101	Original		
102	Original		
103	Original		
104	Original		
106	Original		
107	Original		
108	Original		
109	Original		
110	Original		
111	Original		
112	Original		
113	Original		
114	Original		
115	Original		
116	Original		
117	Original		
118	Original		
119	Original		
120	Original		

*New or Revised Page
(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

TABLE OF CONTENTS

	<u>Page No.</u>	(N)
EXPLANATION OF SYMBOLS		
1. <u>APPLICATION OF TARIFF</u>	10	
2. <u>GENERAL REGULATIONS</u>		
2.1 <u>Undertaking of the Company</u>		
2.1.1 Scope	10	
2.1.2 Limitations	11	
2.1.3 Liability	12	
2.1.4 Provision of Services	14	
2.1.5 Maintenance of Services	14	
2.1.6 Changes and Substitutions	15	
2.1.7 Refusal and Discontinuance of Service	16	
2.2 <u>Use</u>		
2.2.1 Unlawful Use	17	
2.3 <u>Obligations of the Customer</u>		
2.3.1 Damages	17	
2.3.2 Ownership of Facilities and Theft	18	
2.3.3 Equipment Space and Power	18	
2.3.4 Availability for Testing	18	
2.3.5 Design of Customer Services	18	
2.3.6 References to the Company	19	
2.3.7 Claims and Demands for Damages	19	
2.4 <u>Payment Arrangements and Credit Allowances</u>		
2.4.1 Payment of Rates, Charges and Deposits	21	
2.4.2 Minimum Periods	24	
2.4.3 Credit Allowance for Service Interruptions	25	
2.4.4 Title or Ownership Rights	28	(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

TABLE OF CONTENTS (Cont'd)

	<u>Page No.</u>	(N)
2. <u>GENERAL REGULATIONS</u> (Cont'd)		
2.5 <u>Definitions</u>		
Access Code	29	
Access Minutes	29	
Access Tandem	29	
Access tandem trunk Port	29	
Answer/Disconnect Supervision	29	
Automatic Number Identification (ANI)	30	
Balance (100 Type) Test Line	30	
Bit	30	
Call	30	
Call Gapping	30	
Carrier or Common Carrier	30	
Carrier Identification Parameter	30	
Central Office	31	
Central Office Prefix	31	
Centralized Automatic Reporting on Trunks Testing	31	
Channel(s)	31	
Channel Service Unit	31	
Channelize	31	
C-Message Noise	32	
C-Notched Noise	32	
Common Channel Signaling	32	
Common Channel Signaling Access Capability	32	
Common Channel Signaling Access Capability Signaling Link	32	
Common Line	33	
Communications System	33	
Conventional Signaling	33	
Customer(s)	33	
Data Base Query	33	
Data Transmission (107 Type) Test Line	34	
Decibel	34	
Decibel Reference Noise C-Message Referenced to 0	34	
Decibel Reference Noise C-Message Weighting	34	
Demarcation Point	34	
Design and Construction Work	34	
Detail Billing	35	
Direct-Trunked Transport	35	
Echo Control	35	
Echo Path Loss	35	
Echo Return Loss	35	
Effective 2-Wire	35	
Effective 4-Wire	36	
800 Access Service	36	(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

TABLE OF CONTENTS (Cont'd)

	<u>Page No.</u>	(N)
2. <u>GENERAL REGULATIONS</u> (Cont'd)		
2.5 <u>Definitions</u> (Cont'd)		
End Office Switch	36	
End User	36	
End User Port Charge	36	
Entrance Facility	37	
Envelope Delay Distortion	37	
Equal Level Echo Path Loss	37	
Excess Burst Size	37	
Exchange	37	
Expected Measured Loss	37	
Exit Message	38	
First Point of Switching	38	
Flexible Automatic Number Identification (Flex ANI)	38	
Frame	38	
Frequency Shift	38	
Grandfathered	38	
Host Office	39	
Hundred Call Seconds	39	
Immediately Available Funds	39	
Impedance Balance	39	
Impulse Noise	39	
Individual Case Basis	39	
Initial Address Message	40	
Inserted Connection Loss	40	
Interconnector Charge	40	
Interexchange Carrier (IC) or Interexchange Common Carrier	40	
Intermodulation Distortion	40	
Interstate Communications	40	
Intrastate Communications	41	
Letter of Authorization (LOA)	41	
Line-Side Connection	41	
Local Access and Transport Area	41	
Local Switching Common Trunk Port	41	
Local Switching Dedicated Trunk Port	41	
Local Tandem Switch	41	
Loop Around Test Line	42	
Loss Deviation	42	
Major Fraction Thereof	42	
Manhole	42	
Network Control Signaling	42	
Network Management Control	42	
North American Numbering Plan	43	
Off-Hook	43	
On-Hook	43	
Open Circuit Test Line	43	(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

TABLE OF CONTENTS (Cont'd)

	<u>Page No.</u>	(N)
2. <u>GENERAL REGULATIONS</u> (Cont'd)		
2.5 <u>Definitions</u> (Cont'd)		
Originating Direction	43	
Overlap Outpulsing	43	
Peaked Service	43	
Periodic Inspection	43	
Phase Jitter	44	
Point of Termination	44	
Power, D.C.	44	
Premises	44	
Primary IC (PIC)	44	
Remote Switching Modules and/or Remote Switching Systems	44	
Return Loss	44	
Registered Equipment	45	
Service Switching Point	45	
Serving Wire Center	45	
Seven Digit Manual Test Line	45	
Short Circuit Test Line	45	
Signal-To-C-Notched Noise Ratio	45	
Signaling Transfer Point	45	
Signaling Transfer Point Port Termination	46	
Signaling Point of Interconnection	46	
Signaling System 7	46	
Singing Return Loss	46	
Switching Systems	46	
Tandem-Switched Transmission Charge	47	
Tandem-Switching Charge	47	
Terminating Direction	47	
Transmission Measuring (105 Type) Test Line/Responder	47	
Transmission Path	47	
Trunk	47	
Trunk Access Limitation	47	
Trunk Group	47	
Trunk Side Connection	47	
Two-Wire to Four-Wire Conversion	47	
Unauthorized PIC Change	47	
V and H Coordinates Method	47	(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

TABLE OF CONTENTS (Cont'd)

	<u>Page No.</u>	(N)
3. <u>ORDERING OPTIONS FOR SWITCHED AND ACCESS SERVICE</u>		
3.1 <u>General</u>		
3.1.1 Ordering Conditions	48	
3.1.2 Provision of Other Services	49	
3.2 <u>Access Order</u>		
3.2.1 Access Order Service Date Intervals	52	
3.2.2 Access Order Modifications	44	
3.2.3 Cancellation of an Access Order	57	
3.2.4 Selection of Facilities For Access Orders	59	
3.2.5 Minimum Period	59	
4. <u>SWITCHED ACCESS SERVICE</u>		
4.1 <u>General</u>		
4.1.1 Switched Access Arrangements and Manner of Provision	61	
4.1.2 Rate Categories	63	
4.1.3 Design Layout Report	72	
4.1.4 Acceptance Testing	73	
4.1.5 Ordering Options and Conditions	73	
4.1.6 CCSAC Testing Requirements	73	
4.2 <u>Local Switching Optional Features</u>		
4.2.1 Common Switching Optional Features	74	
4.3 <u>Obligations of the Company</u>		
4.3.1 Network Management	81	
4.3.2 Design and Traffic Routing of Switched Access Service	82	
4.3.3 Determination of Number of Transmission Paths	82	
4.3.4 Determination of Number of End Office Transport Terminations	82	
4.4 <u>Obligations of the Customer</u>		
4.4.1 Supervisory Signaling	84	
4.4.2 Trunk Group Measurement Reports	84	
4.4.3 Design of Switched Access Services	84	(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

TABLE OF CONTENTS (Cont'd)

	<u>Page No.</u>	(N)
<u>4.5 Rate Regulations</u>		
4.5.1 Description of Rates and Charges	85	
4.5.2 Minimum Periods	91	
4.5.3 Minimum Monthly Charge	91	
4.5.4 Moves	92	
4.5.5 Measuring Access Minutes	92	
4.5.6 Network Blocking Charge for Feature Group D	96	
4.5.7 Mileage Measurement	97	
4.5.8 Shared Use	100	
4.5.9 Data Base Query	100	
<u>4.6 Rates and Changes</u>		
4.4.1 Switched Transport	101	
4.4.2 Local Switching	104	
<u>5. ADDITIONAL ENGINEERING, ADDITIONAL LABOR AND MISCELLANEOUS SERVICES</u>		
<u>5.1 Additional Engineering</u>		
5.1.1 Charges for Additional Engineering	106	
<u>5.2 Additional Labor</u>		
5.2.1 Overtime Installation	107	
5.2.2 Overtime Repair	107	
5.2.3 Stand by	107	
5.2.4 Testing and Maintenance with Other Telephone Companies	108	
5.2.5 Other Labor	108	
5.2.6 Charges for Additional Labor	108	
<u>5.3 Miscellaneous Services</u>		
5.3.1 Testing Services	109	
5.3.2 International Blocking Service (IBS)	115	
5.4.3 Local Number Portability	116	
5.3.4 Presubscription	119	
5.3.5 Carrier Toll Restriction Services		
123		
5.3.6 Service/Circuit Rearrangement	125	
5.3.7 Circuit Identification Change Charge	125	(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

EXPLANATION OF SYMBOLS

(N)

- (C) - To signify changed regulation
- (D) - To signify discontinued rate or regulation
- (I) - To signify increase
- (M) - To signify matter relocated without change
- (N) - To signify new rate or regulation
- (R) - To signify reduction
- (S) - To signify reissued matter
- (T) - To signify a change in text but no change in rate or regulation
- (Z) - To signify a correction

PRINCIPAL OFFICE

CINCINNATI BELL EXTENDED TERRITORIES LLC's principal office is located at 201 East Fourth Street, Cincinnati, Ohio 45202. This tariff is available for public inspection at the above address during regular business hours.

APPLICATION OF TARIFF

1. This tariff applies to provision of Access Services for Interstate customers in the State of Ohio.

2. General Regulations

- 2.1 Undertaking of the Company

- 2.1.1 Scope

- (A) The Company shall be responsible only for the installation, operation, and maintenance of the services it provides.
- (B) The Company will, for maintenance purposes, test its services only to the extent necessary to detect and/or clear troubles.
- (C) Services are provided 24 hours daily, seven days per week, except as set forth in other applicable sections of this tariff.
- (D) The Company does not warrant that its facilities and services meet standards other than those set forth in this tariff.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

2. General Regulations (Cont'd)

(N)

2.1 Undertaking of the Company (Cont'd)2.1.2 Limitations

(A) The customer may not assign or transfer the use of services provided under this tariff except as provided herein. Where there is no interruption of use or relocation of the services, such assignment or transfer may be made to:

(1) another customer, whether an individual, partnership, association, or corporation, provided the assignee or transferee assumes all outstanding indebtedness for such services, and the unexpired portion of the minimum period and the termination liability applicable to such services, if any; or

(2) a court-appointed receiver, trustee, or other person acting pursuant to law in bankruptcy, receivership, reorganization, insolvency, liquidation, or other similar proceedings, provided the assignee or transferee assumes the unexpired portion of the minimum period and the termination liability applicable to such services, if any.

In all cases of assignment or transfer, the written acknowledgment of the Company is required prior to such assignment or transfer which acknowledgment shall be made within 15 days from the receipt of notification. All regulations and conditions contained in this tariff shall apply to such assignee or transferee.

The assignment or transfer of services does not relieve or discharge the assignor or transferor from remaining jointly or severally liable with the assignee or transferee for any obligations existing at the time of the assignment or transfer.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

2. General Regulations (Cont'd)

(N)

2.1 Undertaking of the Company (Cont'd)2.1.2 Limitations (Cont'd)

- (B) Services offered herein will be provided to customers on a first-come, first-served basis.

First-come first-served shall be based upon the received time and date stamped by the Company on complete and accurate customer orders which allow the Company to initiate its ordering process. The customer shall not be penalized for any delay in the Company review process beyond 1 working day of receipt. To the extent the order does not allow the Company to initiate the ordering process, the Company will attempt to complete the ordering process verbally with the customer. Once having been advised of the errors and/or omissions, any delay in correction on the part of the customer shall be added to the received time.

2.1.3 Liability

- (A) The Company's liability, if any, for its willful misconduct is not limited by this tariff. With respect to any other claim or suit, by a customer or by any others, for damages associated with the installation, provision, preemption, termination, maintenance, repair, or restoration of service, and subject to the provisions of (B) through (H) following, the Company's liability, if any, shall not exceed an amount equal to the proportionate charge for the service for the period during which the service was affected. This liability for damages shall be in addition to any amounts that may otherwise be due the customer under this tariff as a Credit Allowance for a Service Interruption.
- (B) The Company shall not be liable for any act or omission of any other carrier or customer providing a portion of a service, nor shall the for its own act or omission hold liable any other carrier or customer providing a portion of a service.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

2. General Regulations (Cont'd)

(N)

2.1 Undertaking of the Company (Cont'd)2.1.3 Liability (Cont'd)

- (C) The Company is not liable for damages to the customer premises resulting from the furnishing of a service, including the installation and removal of equipment and associated wiring, unless the damage is caused by the Company's negligence.
- (D) The Company shall be indemnified, defended and held harmless by the end user against any claim, loss, or damage arising from the end user's use of services offered under this tariff, involving:
 - (1) Claims for libel, slander, invasion of privacy, or infringement of copyright arising from the end user's own communications;
 - (2) Claims for patent infringement arising from the end user's acts combining or using the service furnished by the Company in connection with facilities or equipment furnished by the end user or IC or;
 - (3) All other claims arising out of any act or omission of the end user in the course of using services provided pursuant to this tariff.
- (E) The Company shall be indemnified, defended and held harmless by the IC against any claim, loss or damage arising from the IC's use of services offered under this tariff, involving:
 - (1) Claims for libel, slander, invasion of privacy, or infringement of copyright arising from the IC's own communications;
 - (2) Claims for patent infringement arising from the IC's acts combining or using the service furnished by the Company in connection with facilities or equipment furnished by the end user or IC or;
 - (3) All other claims arising out of any act or omission of the IC in the course of using services provided pursuant to this tariff.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

2. General Regulations (Cont'd)

(N)

2.1 Undertaking of the Company (Cont'd)2.1.3 Liability (Cont'd)

- (F) The Company does not guarantee or make any warranty with respect to its services when used in an explosive atmosphere. The Company shall be indemnified, defended and held harmless by the customer from any and all claims by any person relating to such customer's use of services so provided.
- (G) No license under patents (other than the limited license to use) is granted by the Company or shall be implied or arise by estoppel, with respect to any service offered under this tariff. The Company will defend the customer against claims of patent infringement arising solely from the use by the customer of services offered under this tariff and will indemnify such customer for any damages awarded based solely on such claims.
- (H) The Company's failure to provide or maintain services under this tariff shall be excused by labor difficulties, governmental orders, civil commotions, criminal actions taken against the Company, acts of God, and other circumstances beyond the Company's reasonable control, subject to the Credit Allowance for a Service Interruption as set forth in 2.4.3 following.

2.1.4 Provision of Services

The Company, to the extent that such services are or can be made available with reasonable effort, and after provision has been made for the Company's Telephone Exchange Services, will provide to the customer upon reasonable notice services offered in other applicable sections of this tariff at rates and charges specified therein.

2.1.5 Maintenance of Services

The services provided under this tariff shall be maintained by the Company. The customer or others may not rearrange, move, disconnect, remove or attempt to repair any facilities provided by the Company, other than by connection or disconnection to any interface means used, except with the written consent of the Company.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

2. General Regulations (Cont'd)

(N)

2.1 Undertaking of the Company (Cont'd)2.1.6 Changes and Substitutions

Except as provided for equipment and systems subject to FCC Part 68 Regulations at 47 C.F.R. Section 68.110 (b), the Company may, where such action is reasonably required in the operation of its business, (A) substitute, change or rearrange any facilities used in providing service under this tariff, including but not limited to, (1) substitution of different metallic facilities, (2) substitution of carrier or derived facilities for wire facilities used to provide other than metallic services and (3) substitution of wire facilities for carrier or derived facilities used to provide other than metallic services, (B) change minimum protection criteria, (C) change operating or maintenance characteristics of facilities or (D) change operations or procedures of the Company. In case of any such substitution, change or rearrangement, the transmission parameters will be within the range as set forth in 4. and 7. following. The Company shall not be responsible if any such substitution, change or rearrangement renders any customer furnished services obsolete or requires modification or alteration thereof or otherwise affects their use or performance. If such substitution, change or rearrangement materially affects the operating characteristics of the facility, the Company will provide reasonable notification to the customer in writing. Reasonable time will be allowed for any redesign and implementation required by the change in operating characteristics. The Company will work cooperatively with the customer to determine reasonable notification requirements.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

2. General Regulations (Cont'd)

(N)

2.1 Undertaking of the Company (Cont'd)2.1.7 Refusal and Discontinuance of Service

- (A) When the customer's account is thirty (30) days past due, and the customer fails to comply with the provisions of Section 2, the Telephone Company may send a written notice to the customer regarding such noncompliance. The Telephone Company will send this delinquency notice via overnight Certified U.S. Mail or other commercial courier to the person the customer has designated to receive such notices of noncompliance. If the customer has not designated a person to whom notices should be sent, the Telephone Company will send the notice to the address where it sends invoices to the customer. The Telephone Company will give the customer fifteen (15) days from the day the Telephone Company mails the notice to comply and bring its applicable account current. If the customer does not bring its applicable account current and into compliance by the end of that 15-day period (when the account is 45-days past due), the Telephone Company may refuse additional applications for service, or may refuse to complete pending orders for service, or both. The Telephone Company may process additional applications for service and/or complete orders during the fifteen (15) days. However, nothing contained herein shall preclude the Telephone Company's right to refuse additional applications for service and/or to refuse to complete pending orders for the non-complying customer after this 15-day period without further notice to the customer.
- (B) When the account is forty-five (45) days past due, and the customer has not complied and its applicable account is not current, the Telephone Company may send a disconnect notice to the customer. This notice shall give the customer an additional fifteen (15) days from the day the Telephone Company mails the disconnect notice to bring its applicable account current and into compliance. If the customer does not bring its applicable account current and into compliance by the end of this second 15-day period (when the account is 60-days past due), the Telephone Company may discontinue existing services in addition to exercising its rights described above in Part (A). If the Telephone Company does not disconnect the existing services, nothing contained herein shall preclude the Telephone Company's right to disconnect existing services to the non-complying customer without further notice to the customer. Early-termination charges may also apply when services have been disconnected pursuant to this Part.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

2. General Regulations (Cont'd)

(N)

2.1 Undertaking of the Company (Cont'd)2.1.7 Refusal and Discontinuance of Service (Cont'd)

(C) When access service is provided by more than company, the Companies involved in providing the joint service may individually or collectively deny service to a customer for nonpayment. Where the Company (Companies) affected by the nonpayment is (are) incapable of effecting discontinuance of service without cooperation from the other joint provider(s) of Switched Access Service, such other Company (Companies) will, if technically feasible, assist in denying the joint service to the customer. Service denial for such joint service will only include calls which originate or terminate within, or transit, the operating territory of the Company (Companies) initiating the service denial for nonpayment. When more than one of the joint providers must deny service to effectuate termination for nonpayment, in cases where a conflict exists in the applicable tariff provisions, the tariff regulations of the end office Company shall apply for joint service discontinuance.

2.2 Use2.2.1 Unlawful Use

The service provided under this tariff shall not be used for an unlawful purpose.

2.3 Obligation of the Customer2.3.1 Damages

The customer shall reimburse the Company for damages to Company facilities utilized to provide services under this tariff caused by the negligence or willful act of the customer or resulting from the customer's improper use of the Company facilities, or due to malfunction of any facilities or equipment provided by other than the Company. Nothing in the foregoing provision shall be interpreted to hold one customer liable for another customer's actions. The Company will, upon reimbursement for damages, cooperate with the customer in prosecuting a claim against the person causing such damage and the customer shall be subrogated to the right of recovery by the Company for the damages to the extent of such payment.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

2. General Regulations (Cont'd)

(N)

2.3 Obligations of the Customer (Cont'd)2.3.2 Ownership of Facilities and Theft

Facilities utilized by the Company to provide service under the provisions of this tariff shall remain the property of the Company. Such facilities shall be returned to the Company by the customer, whenever requested, within a reasonable period following the request in as good condition as reasonable wear will permit.

2.3.3 Equipment Space and Power

The customer shall furnish or arrange to have furnished to the Company, at no charge, equipment space with suitable environmental characteristics and electrical power required by the Company to provide services under this tariff at the points of termination of such services. The selection of ac or dc power shall be mutually agreed to by the customer and the Company. The customer shall also make necessary arrangements in order that the Company will have access to such spaces at reasonable times for installing, testing, testing, repairing or removing Company services.

2.3.4 Availability for Testing

The services provided under this tariff shall be available to the Company at times mutually agreed upon in order to permit the Company to make tests and adjustments appropriate for maintaining the services in satisfactory operating condition. Such tests and adjustments shall be completed within a reasonable time. No credit will be allowed for any interruptions involved during such tests and adjustments.

2.3.5 Design of Customer Services

The customer shall be solely responsible, at its own expense, for the overall design of its services and for any redesigning or rearrangement of its services which may be required because of changes in facilities, operations or procedures of the Company, minimum protection criteria or operating or maintenance characteristics of the facilities.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

2. General Regulations (Cont'd)

(N)

2.3 Obligations of the Customer (Cont'd)2.3.6 References to the Company

The customer may advise End Users that certain services are provided by the Company in connection with the service the customer furnishes to End Users; however, the customer shall not represent that the Company jointly participates in the customer's services

2.3.7 Claims and Demands for Damages

- (A) With respect to claims of patent infringement made by third persons, the customer shall defend, indemnify, protect and save harmless the Company from and against all claims arising out of the combining with, or use in connection with, the services provided under this tariff, any circuit, apparatus, system or method provided by the customer.
- (B) The customer shall defend, indemnify and save harmless the Company from and against any suits, claims, losses or damages, including punitive damages, attorney fees and court costs by third persons arising out of the construction, installation, operation, maintenance, or removal of the customer's circuits, facilities, or equipment connected to the Company's services provided under this tariff, including, without limitation, Workmen's Compensation claims, actions for infringement of copyright and/or unauthorized use of program material, libel and slander actions based on the content of communications transmitted over the customer's circuits, facilities or equipment, and proceedings to recover taxes, fines, or penalties for failure of the customer to obtain or maintain in effect any necessary certificates, permits, (N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

2. General Regulations (Cont'd)

(N)

2.3 Obligations of the Customer (Cont'd)2.3.7 Claims and Demands for Damages (Cont'd)

(B) (Cont'd)

licenses, or other authority to acquire or operate the services provided under this tariff; provided, however, the foregoing indemnification shall not apply to suits, claims, and demands to recover damages for damage to property, death, or personal injury unless such suits, claims, or demands are based on the tortious conduct of the customer, its officers, agents or employees.

- (C) The customer shall defend, indemnify and save harmless the Company from and against any suits, claims, losses or damages, including punitive damages, attorney fees and court costs by the customer or third parties arising out of any act or omission of the customer in the course of using services provided under this tariff.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

2. General Regulations (Cont'd)

(N)

2.4 Payment Arrangements and Credit Allowances2.4.1 Payment of Rates, Charges and Deposits

- (A) The Telephone Company will, in order to safeguard its interests, require a customer which has a proven history of late payments to the Telephone Company or does not have established credit, to make an advance payment, or make a deposit (prior to or at any time after the provision of a service to the customer) to be held by the Telephone Company as a guarantee of the payment of rates and charges. No such advance payment, or deposit will be required of a customer which is a successor of a company which has established credit and has no history of late payments to the Telephone Company. Such advance payment or deposit may not exceed the actual or estimated rates and charges for the service for a two-month period. The fact that a deposit has been made in no way relieves the customer from complying with the Telephone Company's regulations as to the prompt payment of bills. At such time as the provision of the service to the customer is terminated, the remaining amount of the advance payment or deposit will be credited to the customer's account and any credit balance which may remain will be refunded.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

2. General Regulations (Cont'd)

(N)

2.4 Payment Arrangements and Credit Allowances (Cont'd)2.4.1 Payment of Rates, Charges and Deposits (Cont'd)

(B) The Telephone Company shall bill on a current basis all charges incurred by and credits due to the customer under this tariff attributable to services, including, but not limited to, Maintenance of Service as set forth in 5.3.1 following, established or discontinued during the preceding billing period. In addition, the Telephone Company shall bill in advance charges for all services to be provided during the ensuing billing period except for charges associated with service usage and for the Federal Government which will be billed in arrears. The bill day (i.e., the billing date of a bill for a customer for Access Service under this tariff), the period of service each bill covers and the payment date will be as follows:

(1) For End User Access Service and Presubscription the Telephone Company will establish a bill day each month for each end user account. The bill will cover End User Access Service charges and Presubscribed Interexchange Carrier charges for the ensuing billing period except for End User Access Service for the Federal Government which will be billed in arrears. Any applicable Presubscription Charges, any known unbilled charges for prior periods and any known unbilled adjustments for prior periods for End User Access Service and Presubscription Service will be applied to this bill. Such bills are due when rendered.

(2) For Service other than End User Access Service and Presubscription the Telephone Company will establish a bill day each month for each customer account. The bill will cover nonusage sensitive

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

2. General Regulations (Cont'd)

(N)

2.4 Payment Arrangements and Credit Allowances (Cont'd)2.4.1 Payment of Rates, Charges and Deposits (Cont'd)

(3) Amounts not paid within 31 days of invoice will be considered past due. Interest at a rate of 1.5% per month may be applied to any unpaid amount commencing 31 days after the statement date.

4) A check return charge will be assessed for checks with insufficient funds or non-existing accounts. The Company may waive the check return charge under appropriate circumstances.

Check Return Charge \$20.00

(C) Adjustments for the quantities of services established or discontinued in any billing period beyond the minimum period set forth for services in other sections of this tariff will be prorated to the number of days or major fraction of days based on a 30 day month. Company will, upon request and if available, furnish such detailed information as may reasonably be required for verification of any bill.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

2. General Regulations (Cont'd)

(N)

2.4 Payment Arrangements and Credit Allowances (Cont'd)2.4.2 Minimum Periods

The minimum period for which services are provided and for which rates and charges are applicable is one month except as noted otherwise.

When a service is discontinued prior to the expiration of the minimum period, charges are applicable, whether the service is used or not, as follows:

- (A) When a service with a one month minimum period is discontinued prior to the expiration of the minimum period, a one month charge will apply at the rate level in effect at the time service is discontinued.
- (B) When a service with a minimum period greater than one month is discontinued prior to the expiration of the minimum period, the applicable charge will be the lesser of (1) the Company's total nonrecoverable costs less the net salvage value for the discontinued service or (2) the total monthly charges, at the rate level in effect at the time service is discontinued, for the remainder of the minimum period, unless otherwise specified under the terms of an Optional Payment Plan.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

2. General Regulations (Cont'd)

(N)

2.4 Payment Arrangements and Credit Allowances (Cont'd)2.4.3 Credit Allowance for Service Interruptions(A) General

A service is interrupted when it becomes unusable to the customer because of a failure of a facility component used to furnish service under this tariff or in the event that the protective controls applied by the Company result in the complete loss of service by the customer as set forth in 4.3.1 following. An interruption period starts when an inoperative service is reported to the Company, and ends when the service is operative.

(B) When a Credit Allowance Applies

In case of an interruption to any service, allowance for the period of interruption, if not due to the negligence of the customer, shall be as follows:

- (1) For Switched Transport, no credit shall be allowed for an interruption of less than thirty (30) minutes. The customer shall be credited for an interruption of 30 minutes or more at the rate of 1/1440 of the monthly charges for the facility or service for each period of 30 minutes or major fraction thereof that the interruption continues.

The monthly charges used to determine the credit shall be as follows:

- (a) For multiplexed Switched Transport services, the monthly charge shall be the total of all the monthly rate element charges associated with that portion of the service that is inoperative. When the facility which is multiplexed or the multiplexer itself is inoperative, the monthly charge shall be the total of all monthly rate element charges associated with the service.* When the service which rides a channel of the multiplexed facility is inoperative, the monthly charge shall be the total of all the monthly rate element charges associated with that portion of the service* from the Hub to an end office.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

2. General Regulations (Cont'd)

(N)

2.4 Payment Arrangements and Credit Allowances (Cont'd)2.4.3 Credit Allowance for Service Interruptions (Cont'd)(B) When a Credit Allowance Applies (Cont'd)

- (2) For Switched Transport Entrance Facilities and Direct Trunked Transport, a credit allowance will be made for each occurrence of a service interruption period of (30) thirty or more consecutive minutes. The credit allowance rate can only be applied once on a per calendar month, per circuit basis. The credit allowance is applied to the customer bill in addition to the existing monthly service rates for Switched Transport Entrance Facilities and Direct Trunked Transport. The customer credit allowance is the monthly rate associated with the Switched Transport Entrance Facility and Direct Trunked Transport (fixed and per mile) terminations and mileage (fixed and per mile) charges in Section 4 of this tariff.
- (3) The MOU credit will be derived by assuming 9000 MOU per trunk per month. Therefore, the daily credit would be limited to 300 MOU per trunk.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

2. General Regulations (Cont'd)

(N)

2.4 Payment Arrangements and Credit Allowances (Cont'd)2.4.3 Credit Allowance for Service Interruptions (Cont'd)(C) When A Credit Allowance Does Not Apply

No credit allowance will be made for:

- (1) Interruptions caused by the negligence of the customer.
- (2) Interruptions of a service due to the failure of equipment or systems provided by the customer or others.
- (3) Interruptions of a service during any period in which the Company is not afforded access to the premises where the service is terminated.
- (4) Interruptions of a service when the customer has released that service to the Company for maintenance purposes, to make rearrangements, or for the implementation of an order for a change in the service during the time that was negotiated with the customer prior to the release of that service. Thereafter, a credit allowance as set forth in (B) preceding applies.
- (5) Periods when the customer elects not to release the service for testing and/or repair and continues to use it on an impaired basis.
- (6) Periods of interruption as set forth in 5.3.1 following.
- (7) An interruption or a group of interruptions, Resulting from a common cause, for amounts less than one dollar.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

2. General Regulations (Cont'd)

(N)

2.4 Payment Arrangements and Credit Allowances (Cont'd)2.4.3 Credit Allowance for Service Interruptions (Cont'd)(D) Use of an Alternative Service Provided by the Company

Should the customer elect to use an alternative service provided by the Company during the period that a service is interrupted, the customer must pay the tariffed rates and charges for the alternative service used.

(E) Temporary Surrender of a Service

In certain instances, the customer may be requested by the Company to surrender a service for purposes other than maintenance, testing or activity relating to a service order. If the customer consents, a credit allowance will be granted. The credit allowance will be 1/1440 of the monthly rate for each period of 30 minutes or fraction thereof that the service is surrendered. In no case will the credit allowance exceed the monthly rate for the service surrendered in any one monthly billing period.

2.4.4 Title or Ownership Rights

The payment of rates and charges by customers for the service offered under the provisions of this tariff does not assign, confer, or transfer title or ownership rights to proposals or facilities developed or utilized, respectively, by the Company in the provision of such services.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

2. General Regulations (Cont'd)

(N)

2.5 Definitions

Certain terms used herein are defined as follows:

Access Code

The term "Access Code" denotes a uniform five or seven digit code assigned by the Company to an individual customer. The five digit code has the form 10XXX, and the seven digit code has the form 101XXXX and 950-XXXX.

Access Minutes

The term "Access Minutes" denotes that usage of exchange facilities in interstate or foreign service for the purpose of calculating chargeable usage. On the originating end of an interstate or foreign call, usage is measured from the time the originating end user's call is delivered by the Company to and acknowledged as received by the customer's facilities connected with the originating exchange. On the terminating end of an interstate or foreign call, usage is measured from the time the call is received by the end user in the terminating exchange. Timing of usage at both originating and terminating ends of an interstate or foreign call shall terminate when the calling or called party disconnects, whichever event is recognized first in the originating and terminating exchanges, as applicable.

Access Tandem

The term "Access Tandem" denotes a Company switching system that provides a concentration and distribution function for originating or terminating traffic between end offices and a customer's premises.

Access Tandem Trunk Port

The Access Tandem Trunk Port is a port for each dedicated trunk on the serving Wire Center side of the access tandem.

Answer/Disconnect Supervision

The term "Answer/Disconnect Supervision" denotes the transmission of the switch trunk equipment supervisory signal (off-hook or on-hook) to the customer's point of termination as an indication that the called party has answered or disconnected.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

2. General Regulations (Cont'd)

(N)

2.5 Definitions (Cont'd)Automatic Number Identification (ANI)

The term "Automatic Number Identification (ANI)" denotes the provision Of automatic transmission of a seven or ten digit number and information digits to the customer's premises for calls originating in the LATA, to identify the calling station. Also see "Flexible Automatic Number Identification".

Balance (100 Type) Test Line

The term "Balance (100 Type) Test Line" denotes an arrangement in an end office which provides for balance and noise testing.

Bit

The term "Bit" denotes the smallest unit of information in the binary system of notation.

Call

The term "Call" denotes a customer attempt for which the complete address code (e.g., 0-, 911, or 10 digits) is provided to the serving dial tone office.

Call Gapping

The term "Call Gapping" denotes the routing of originating calls to all transmission paths in a trunk group at a prescribed rate of flow, e.g., one call every five seconds, in order to limit (choke) the completion of such traffic. Calls which are denied access, i.e., the choked calls, would be routed to a no-circuit announcement.

Carrier or Common Carrier

See Interexchange Carrier.

Carrier Identification Parameter

A feature allowing the CCS/SS7 call setup protocol to carry the Carrier Identification Code (CIC) through interconnected networks

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

2. General Regulations (Cont'd)

(N)

2.5 Definitions (Cont'd)Central Office

The term "Central Office" denotes a local Company switching system where Telephone Exchange Service customer station loops are terminated for purposes of interconnection to each other and to trunks.

Central Office Prefix

The term "Central Office Prefix" denotes the first three digits (NXX) of the seven digit telephone number assigned to a customer's Telephone Exchange Service when dialed on a local basis.

Centralized Automatic Reporting on Trunks Testing

The term "Centralized Automatic Reporting on Trunks Testing" denotes a type of testing which includes the capacity for measuring operational and transmission parameters.

Channel(s)

The term "Channel(s)" denotes an electrical or photonic, in the case of fiber optic-based transmission systems, communications path between two or more points of termination.

Channel Service Unit

The term "Channel Service Unit" denotes equipment which performs one or more of the following functions: termination of a digital facility, regeneration of digital signals, detection and/or correction of signal format errors and remote loop back.

Channelize

The term "Channelize" denotes the process of multiplexing-demultiplexing wider bandwidth or higher speed channels into narrower bandwidth or lower speed channels.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

2. General Regulations (Cont'd)

(N)

2.5 Definitions (Cont'd)C-Message Noise

The term "C-Message Noise" denotes the frequency weighted average noise within an idle voice channel. The frequency weighting, called C-message, is used to simulate the frequency characteristic of the 500-type telephone set and the hearing of the average subscriber.

C-Notched Noise

The term "C-Notched Noise" denotes the C-message frequency weighted noise on a voice channel with a holding tone, which is removed at the measuring end through a notch (very narrow band) filter.

Common Channel Signaling

The term "Common Channel Signaling" (CCS) denotes a high speed packet switched communications network which is separate (out of band) from the public packet switched and message networks. Its purpose is to carry addressed signaling messages for individual trunk circuits and/or database related services between Signaling Points in the CCS network.

Common Channel Signaling Access Capability

The term "Common Channel Signaling Access Capability" (CCSAC) denotes option which allows customers access to the CCS signaling network to transmit/receive signals for call set-up out of band. The Signaling links established between the signaling point of interconnection and the signaling transfer points and the Signaling Transfer Point Port Terminations are requirements of the capability.

Common Channel Signaling Access Capability Signaling Link

The "Common Channel Signaling Access Capability (CCSAC) Signaling Link" provides a 56 kbps Facility dedicated to a single customer which originates at the customer's signaling point of interface in a LATA and terminates at the Company's Signaling Transfer Point (STP). This facility connects the customer to the STP and is a requirement with the CCSAC option.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

2. General Regulations (Cont'd)

(N)

2.5 Definitions (Cont'd)Common Line

The term "Common Line" denotes a line, trunk, pay telephone line or other facility provided under the general and/or local exchange service tariffs of the Company, terminated on a central office switch. A common line-residence is a line or trunk provided under the regulations of the general and/or local exchange service tariffs for a residence Class of Service. A common line-business is a line provided under the regulations of the general and/or local exchange service tariffs for a nonresidence Class of Service. For purposes of this tariff, any reference to "business" is considered to reference "nonresidence".

Communications System

The term "Communications System" denotes channels and other facilities which are capable of communications between terminal equipment.

Conventional Signaling

The inter-machine signaling system which has been traditionally used in North America for the purpose of transmitting the called number's address digits from the originating end office to the switching machine which will terminate the call. In this system, all of the dialed digits are received by the originating switching machine, a path is selected, and the sequence of supervisory signals and outpulsed digits is initiated. No overlap outpulsing, ten-digit ANI, ANI information digits, or acknowledgement wink are included in this signaling sequence.

Customer(s)

The term "Customer(s)" denotes any individual, partnership, association, joint-stock company, trust, corporation, or governmental entity or other entity which subscribes to the services offered under this tariff, including, but not limited to, Interexchange Carriers (ICs), End Users, and Enhanced Service Providers (ESPs).

Data Base Query

The term "Data Base Query" denotes a Signaling System 7 (SS7) Message launched from a Service Switching Point (SSP) requesting processing instructions or service data contained in a centralized data base.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

2. General Regulations (Cont'd)

(N)

2.5 Definitions (Cont'd)Data Transmission (107 Type) Test Line

The term "Data Transmission (107 Type) Test Line" denotes an arrangement which provides for a connection to a signal source which provides test signals for one-way testing of data and voice transmission parameters.

Decibel

The term "Decibel" denotes a unit used to express relative difference in power, usually between acoustic or electric signals, equal to ten (10) times the common logarithm of the ratio of two signal powers.

Decibel Reference Noise C-Message Referenced to 0

The term "Decibel Reference Noise C-Message Referenced to 0" denotes noise power in "Decibel Reference Noise C-Message Weighting" referred to or measured at a zero transmission level point.

Decibel Reference Noise C-Message Weighting

The term "Decibel Reference Noise C-Message Weighting" denotes noise power measurements with C-Message Weighting in decibels relative to a reference 1000 Hz tone of 90 dB below 1 milliwatt.

Demarcation Point

Demarcation Point means the point of physical separation of CBT's network, and associated responsibilities, from Customer's network and associated responsibilities. The location of the Demarcation Point shall be the physical interface for LAN Advantage service presented by CBT to Customer.

Design and Construction Work

All work by the Company, including but not limited to, space design and preparation, the rearrangement of existing facilities, design and placement of required support structure or any other activity required to accommodate the installation of an Interconnector's facilities in the Company's space(s) covered under this tariff. Similar work required or requested by Interconnector after initial installation solely because of the existence of the Interconnector's facilities shall be referred to as "Additional Design and Construction", and shall be at Interconnector's expense.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

2. General Regulations (Cont'd)

(N)

2.5 Definitions (Cont'd)Detail Billing

The term "Detail Billing" denotes the listing of each message and/or rate element for which charges to a customer are due on a bill prepared by the Company.

Direct - Trunked Transport Facility

The term "Direct-Trunked Transport Facility" denotes a Switched Transport facility between a customer's premises serving wire center and an end office or between a customer's serving wire center and an access tandem that provides a customer with dedicated switched access transport.

Echo Control

The term "Echo Control" denotes the control of reflected signals in a telephone transmission path.

Echo Path Loss

The term "Echo Path Loss" denotes the measure of reflected signal at a 4-wire point of termination without regard to the send and receive Transmission Level Point.

Echo Return Loss

The term "Echo Return Loss" denotes a frequency weighted measure of return loss over the middle of the voiceband (approximately 500 to 2500 Hz), where talker echo is most annoying.

Effective 2-Wire

The term "Effective 2-Wire" denotes a condition which permits the simultaneous transmission in both directions over a channel, but it is not possible to insure independent information transmission in both directions. Effective 2-wire channels may be terminated with 2-wire or 4-wire interfaces.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

2. General Regulations (Cont'd)

(N)

2.5 Definitions (Cont'd)Effective 4-Wire

The term "Effective 4-Wire" denotes a condition which permits the simultaneous independent transmission of information in both directions over a channel. The method of implementing effective 4-wire transmission is at the discretion of the Company (physical, time domain, frequency-domain separation or echo cancellation techniques). Effective 4-wire channels may be terminated with a 2-wire interface at the customer's premises. However, when terminated 2-wire, simultaneous independent transmission cannot be supported because the two wire interface combines the transmission path into a single path.

800 Access Service

800 Access Service denotes a service which provides 10-digit screening as an originating switched access service. This 10-digit screening determines the Interexchange Carrier to which a call is routed.

End Office Switch

The term "End Office Switch" denotes a local Company switching system where Telephone Exchange Service customer station loops are terminated for purposes of interconnection to trunks. Included are Remote Switching Modules and Remote Switching Systems served by a host office in a different wire center.

End User

The term "End User" denotes any customer of an interstate or foreign telecommunications service that is not a carrier, except that a carrier other than a Company shall be deemed to be an "end user" when such carrier uses a telecommunications service for administrative purposes and a person or entity that offers telecommunications services exclusively as a reseller shall be deemed to be an "end user" if all resale transmissions offered by such reseller originate on the premises of such reseller.

End User Port Charge

The End Use Port charge applies to ISDN lines only.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

2. General Regulations (Cont'd)

(N)

2.5 Definitions (Cont'd)Entrance Facility

The term "Entrance Facility" denotes a Switched Transport dedicated facility between a customer premises and a customer's premises serving wire center that provides a customer with switched access transport between the customer's premises and its serving wire center.

Envelope Delay Distortion

The term "Envelope Delay Distortion" denotes a measure of the linearity of the phase shift versus frequency of a channel.

Equal Level Echo Path Loss

The term "Equal Level Echo Path Loss" (ELEPL) denotes the measure of Echo Path Loss (EPL) at a 4-wire interface which is corrected by the difference between the send and receive Transmission Level Point (TLP). [ELEPL = EPL - TLP (send) + TLP (receive)]

Excess Burst Size (EBS)

The maximum amount of uncommitted data exceeding the CBS that the network will attempt to deliver during one second.

Exchange

The term "Exchange" denotes a unit generally smaller than a Local Access and Transport Area, established by the Company for the administration of communications service in a specified area which usually embraces a city, town or village and its environs. It consists of one or more central offices together with the associated facilities used in furnishing communications service within that area. One or more designated exchanges comprise a given Local Access and Transport Area.

Expected Measured Loss

The term "Expected Measured Loss" denotes a calculated loss which specifies the end-to-end 1004-Hz loss on a terminated test connection between two readily accessible manual or remote test points. It is the sum of the inserted connection loss and test access loss including any test pads.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

2. General Regulations (Cont'd)

(N)

2.5 Definitions (Cont'd)Exit Message

The term "Exit Message" denotes a SS7 message sent to an end office by the Company's tandem switch to mark the Carrier Connect Time when the Company's tandem switch sends an Initial Address Message to an Interexchange customer.

First Point of Switching

The term "First Point of Switching" denotes the first Company location at which switching occurs on the terminating path of a call proceeding from the customer premises to the terminating end office and, at the same time, the last Company location at which switching occurs on the originating path of a call proceeding from the originating end office to the customer premises.

Flexible Automatic Number Identification (Flex ANI)

The term "Flexible Automatic Number Identification" denotes the provision of additional values for the information indicator digits available with the Automatic Number Identification feature on originating calls. The additional information digits are used to identify the class or type of service from which the call originated.

Frame

In Frame Relay Service, the term "Frame" denotes a group of data bits in a specific format, which enables network equipment to recognize the meaning and purpose of the specific bits.

Frequency Shift

The term "Frequency Shift" denotes the change in the frequency of a tone as it is transmitted over a channel.

Grandfathered

The term "Grandfathered" denotes Terminal Equipment, Multiline Terminating Systems and Protective Circuitry directly connected to the facilities utilized to provide services under the provisions of this tariff, and which are considered grandfathered under Part 68 of the F.C.C.'s Rules and Regulations.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

2. General Regulations (Cont'd)

(N)

2.5 Definitions (Cont'd)Host Office

The term "Host Office" denotes an electronic switching system which provides call processing capabilities for one or more Remote Switching Modules or Remote Switching Systems.

Hundred Call Seconds

A standard unit of traffic load that is equal to 100 seconds of usage or capacity of a group of servers (e.g., trunks).

Immediately Available Funds

The term "Immediately Available Funds" denotes a corporate or personal check drawn on a bank account and funds which are available for use by the receiving party on the same day on which they are received and include U.S. Federal Reserve bank wire transfers, U.S. Federal Reserve Notes (paper cash), U.S. coins, U.S. Postal Money Orders and New York Certificates of Deposit.

Impedance Balance

The term "Impedance Balance" denotes the method of expressing Echo Return Loss and Singing Return Loss at a 4-wire interface whereby the gains and/or loss of the 4-wire portion of the transmission path, including the hybrid, are not included in the specification.

Impulse Noise

The term "Impulse Noise" denotes any momentary occurrence of noise on a channel over a specified threshold level. It is evaluated by counting the number of occurrences which exceed the threshold.

Individual Case Basis

The term "Individual Case Basis" denotes a condition in which the regulations, if applicable, rates and charges for an offering under the provision of this tariff are developed based on the circumstances in each case.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

2. General Regulations (Cont'd)

(N)

2.5 Definitions (Cont'd)Initial Address Message

The term "Initial Address Message" denotes a SS7 message sent in the forward direction to initiate trunk set up with the busying of an outgoing trunk which carries the information about that trunk along with other information relating to the routing and handling of the call to the next switch.

Inserted Connection Loss

The term "Inserted Connection Loss" denotes the 1004 Hz power difference (in dB) between the power at the originating end and the power reaching the terminating end through the inserted connection.

Interconnection Charge

The Interconnection Charge recovers the costs associated with Switched Transport that are not recovered by the Entrance Facilities, Direct-Trunked Transport, Tandem-Switched Transport, Multiplexing, or CCSAC rates. The Interconnection Charge applies to all access minutes of use (i.e., both Tandem-Switched and Direct Trunked).

Interexchange Carrier (IC) or Interexchange Common Carrier

The terms "Interexchange Carrier" (IC) or "Interexchange Common Carrier" denote any individual, partnership, association, joint-stock company, trust, governmental entity or corporation engaged for hire in interstate or foreign communications by wire or radio, between two or more exchanges.

Intermodulation Distortion

The term "Intermodulation Distortion" denotes a measure of the non-linearity of a channel. It is measured using four tones, and evaluating the ratios (in dB) of the transmitted composite four-tone signal power to the second-order products of the tones (R2), and the third-order products of the tones (R3).

Interstate Communications

The term "Interstate Communications" denotes both interstate and foreign communications.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

2. General Regulations (Cont'd)

(N)

2.5 Definitions (Cont'd)Intrastate Communications

The term "Intrastate Communications" denotes any communications within a state subject to oversight by a state regulatory commission as provided by the laws of the state involved.

Letter of Authorization (LOA)

The term "Letter of Authorization" (LOA) denotes the signed authorization form from a customer designating the primary IC (PIC) for interLATA access.

Line-Side Connection

The term "Line-Side Connection" denotes a connection of a transmission path to the line side of a local exchange switching system.

Local Access and Transport Area

The term "Local Access and Transport Area" denotes a geographic area established for the purpose of defining the area within which the Company will offer its telecommunications services

Local Switching Dedicated Trunk Port

The Local Switching Dedicated Trunk Port provides for termination of a dedicated trunk in the end office port.

Local Switching Common Trunk Port

The Local Switching Shared Trunk Port provides for the use of the shared end office trunk ports for terminating of common transport trunks for tandem switched traffic.

Local Tandem Switch

The term "Local Tandem Switch" denotes a local Telephone Company switching unit by which local or access telephonic communications are switched to and from an End Office Switch.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

2. General Regulations (Cont'd)

(N)

2.5 Definitions (Cont'd)Loop Around Test Line

The term "Loop Around Test Line" denotes an arrangement utilizing a Company central office to provide a means to make certain two-way transmission tests on a manual basis. This arrangement has two central office terminations, each reached by means of separate telephone numbers and does not require any specific customer premises equipment. Equipment subject to this test arrangement is at the discretion of the customer.

Loss Deviation

The term "Loss Deviation" denotes the variation of the actual loss from the designed value.

Major Fraction Thereof

The term "Major Fraction Thereof" is any period of time in excess of 1/2 of the stated amount of time. As an example, in considering a period of 24 hours, a major fraction thereof would be any period of time in excess of 12 hours exactly. Therefore, if a given service is interrupted for a period of thirty six hours and fifteen minutes, the customer would be given a credit allowance for two twenty-four hour periods for a total of forty eight hours.

Manhole

An underground enclosure where the feeder route conduit system terminates and which provides ready access to the Conduit Space.

Network Control Signaling

The term "Network Control Signaling" denotes the transmission of signals used in the telecommunications system which perform functions such as supervision (control, status, and charge signals), address signaling (e.g., dialing), calling and called number identifications, rate of flow, service selection error control and audible tone signals (call progress signals indicating re-order or busy conditions, alerting, coin denominations, coin collect and, coin return tones) to control the operation of the telecommunications system.

Network Management Control

The term "Network Management Control" denotes the type of control that the Company may need to implement when a substantial number of calls are expected during a short period of time.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

2. General Regulations (Cont'd)

(N)

2.5 Definitions (Cont'd)North American Numbering Plan

The term "North American Numbering Plan" denotes a three-digit area (Numbering Plan Area) code and a seven-digit telephone number made up of a three-digit Central Office code plus a four-digit station number.

Off-hook

The term "Off-hook" denotes the active state of a Switched Access or a Telephone Exchange Service line.

On-hook

The term "On-hook" denotes the idle state of a Switched Access or a Telephone Exchange Service line.

Open Circuit Test Line

The term "Open Circuit Test Line" denotes an arrangement in an end Office which provides termination of a trunk or line by means of an inductor of several Henries. The impedance is so high as to be virtually an open circuit to alternating current at the frequencies used in voice communications.

Originating Direction

The term "Originating Direction" denotes the use of Access Service for the origination of calls from an end users premises to an IC premises.

Overlap Outpulsing

The feature of the equal access signaling system which permits initiation of pulsing to the customer's premises before the calling subscriber has completed dialing an originating call.

Peaked Service

The term "Peaked Service" denotes a service that will produce a substantial call volume during a short period of time, e.g., media stimulated events, that may cause excessive network congestion.

Periodic Inspection

Work activities performed by the Company at irregular intervals to determine that the Interconnector's Facilities are authorized and are installed and maintained in conformance with the Company's required standards. The Company will notify the Interconnector by phone, with confirmation in writing, five (5) business days in advance of such inspections and the Interconnector shall have the right to be present at the time of inspection.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

2. General Regulations (Cont'd)

(N)

2.5 Definitions (Cont'd)Phase Jitter

The term "Phase Jitter" denotes the unwanted phase variations of a signal.

Point of Termination

The term "Point of Termination" denotes the point of demarcation within a customer-designated premises at which the Telephone Company's responsibility for the provision of Access Service ends.

Power, D.C.

Nominal 48-volt power derived from the Company's rectifier and battery DC plant voltage with generator backup. D.C. Power can vary between 54.00 volts (high voltage shutdown) and 44.64 volts (5E shutdown). Normal plant float voltage is 52.08 volts.

Premises

The term "Premises" denotes a building or a portion of a building in a multi-tenant building, or buildings on continuous property (except railroad right-of-way, etc.) not separated by a public highway.

Primary IC (PIC)

The term "Primary IC" (PIC) denotes a customer designated Interexchange Carrier (IC). The PIC is designated by the customer on a signed Letter of Authorization (LOA) or verbally through the Business Service Center. The PIC allows a customer to access interLATA calls without dialing an access code.

Remote Switching Modules and/or Remote Switching Systems

The term "Remote Switching Modules and/or Remote Switching Systems" denotes remotely controlled electronic end office switches which obtain their call processing capability from an ESS-type Host Office. The Remote Switching Modules and/or Remote Switching Systems cannot accommodate direct trunks to a customer.

Return Loss

The term "Return Loss" denotes a measure of the similarity between the two impedances at the junction of two transmission paths. The higher the return loss, the greater the similarity.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

2. General Regulations (Cont'd)

(N)

2.5 Definitions (Cont'd)Registered Equipment

The term "Registered Equipment" denotes the customer's premises equipment which complies with and has been approved within the Registration Provisions of Part 68 of the F.C.C.'s Rules and Regulations.

Service Switching Point

The term "Service Switching Point" (SSP) denotes a switch in the Company's Common Channel Signaling (CCS) network equipped with the functionality to interact with a data base using Signaling System 7 (SS7) messages to obtain call routing information.

Serving Wire Center

The term "Serving Wire Center" denotes the wire center from which the customer designated premises would normally obtain dial tone from the Company.

Seven Digit Manual Test Line

The term "Seven Digit Manual Test Line" denotes an arrangement which allows the customer to select balance, milliwatt and synchronous test lines by manually dialing a seven digit number over the associated access connection.

Short Circuit Test Line

The term "Short Circuit Test Line" denotes an arrangement in an end office which provides termination of a trunk or line by means of a capacitor of at least four microfarads. The impedance is so low as to be virtually a short circuit to alternating current at the frequencies used in voice communications.

Signal-to-C Notched Noise Ratio

The term "Signal-to-C Notched Noise Ratio" denotes the ratio in dB of a test signal to the corresponding C-Notched Noise, i.e., the level in dB by which the signal exceeds the noise.

Signaling Transfer Point

The term "Signaling Transfer Point" denotes a specialized switch which provides CCS network access and performs SS7 message screening, routing, and/or transferring of such signaling information through the common channel signaling network.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

2. General Regulations (Cont'd)

(N)

2.5 Definitions (Cont'd)Signaling Transfer Point Port Termination

The "Signaling Transfer Point Port Termination" provides a customer dedicated point of interface at the Company's STP for each of the customer's CCSAC Signaling Links.

Signaling Point of Interconnection

The term "Signaling Point of Interconnection" denotes the customer designated location where SS7 signaling information is exchanged between the Company and the Customer.

Signaling System 7

The term "Signaling System 7" denotes common channel out of band signaling using the SS7 protocol developed by the Consultative Committee for International Telephone and Telegraph (CCITT) and the American National Standards Institute (ANSI).

Singing Return Loss

The term "Singing Return Loss" denotes the frequency weighted measure of return loss at the edges of the voiceband (200 to 500 Hz and 2500 to 3200 Hz), where singing (instability) problems are most likely to occur.

Switching Systems

The term "Switching System" denotes the hardware and/or software utilized by the Company for the establishment and maintenance of a given central office.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

2. General Regulations (Cont'd)

(N)

2.5 DefinitionsTandem-Switched Transmission Charge

The Tandem-Switched Transmission charge is a mileage sensitive, per minute of use rate which applies to the transmission of the customer's traffic from the customer's serving wire center, through the Company's Access Tandem, to the customer designated Company end office(s), or from the Access Tandem to the end office(s).

Tandem-Switching Charge

The Tandem-Switching charge is a per minute of use rate element which applies to the switching used to move a customer's traffic through the Access Tandem to the Company's end office(s).

Terminating Direction

The term "Terminating Direction" denotes the use of Access Service for the completion of calls from a customer premises to an end user premises.

Transmission Measuring (105 Type) Test Line/Responder

The term "Transmission Measuring (105 Type) Test Line/Responder" Denotes an arrangement in an end office which provides far-end access to a responder and permits two-way loss and noise measurements to be made on trunks from a near end office.

Transmission Path

The term "Transmission Path" denotes an electrical path capable of transmitting signals within the range of the service offering, e.g., a voice grade transmission path is capable of transmitting voice frequencies within the approximate range of 300 to 3000 Hz. A transmission path is comprised of physical or derived channels consisting of any form or configuration of facilities typically used in the telecommunications industry.

Trunk

The term "Trunk" denotes a communications path connecting two Switching systems in a network, used in the establishment of an end-to-end connection.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

2. General Regulations (Cont'd)

(N)

2.5 DefinitionsTrunk Access Limitation

The term "Trunk Access Limitation" denotes the routing of originating calls to a specified number of transmission paths in a trunk group in order to limit (choke) the completion of such traffic. Calls which could not be completed over the subset of transmission paths in the trunk group, i.e., the choked calls, would be routed to reorder tone.

Trunk Group

The term "Trunk Group" denotes a set of trunks which are traffic engineered as a unit for the establishment of connections between switching systems in which all of the communications paths are interchangeable.

Trunk-Side Connection

The term "Trunk-Side Connection" denotes the connection of a transmission path to the trunk side of a local exchange switching system

Two-Wire to Four-Wire Conversion

The term "Two-Wire to Four-Wire Conversion" denotes an arrangement which converts a four-wire transmission path to a two-wire transmission path to allow a four-wire facility to terminate in a two-way entity (e.g., a central office switch).

Unauthorized PIC Change

The term "Unauthorized PIC Change" denotes a customer whose selected PIC was changed and the IC is unable to produce the signed Letter of Authorization (LOA) or other form of valid authorization to the Company for the resolution of the PIC dispute.

V and H Coordinates Method

The term "V and H Coordinates Method" denotes a method of computing airline miles between two points by utilizing an established formula which is based on the vertical and horizontal coordinates of the two points.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

3. Ordering Options for Switched and Access Service

(N)

3.1 General

This section sets forth the regulations and order related charges for Access Orders for Switched Access Services. These charges are in addition to other applicable charges as set forth in other sections of this tariff.

An Access Order is an order to provide the customer with Switched Access Service or to provide changes to existing services.

3.1.1 Ordering Conditions

A customer may order any number of services of the same type and between the same premises on a single Access Order. All details for services for a particular order must be identical except multipoint service. All details for multipoint services for a particular order must be identical.

The customer shall provide all information necessary for the Company to provide and bill for the requested service. In addition to the order information required in 3.2 following, the customer must also provide:

- Customer name and premise address(es).
- Billing name and address (when different from customer name and address).
- Customer contact name(s) and telephone number(s) for the following provisioning activities: order negotiation, order confirmation, interactive design, installation and billing.

The order date, which is known as the Application Date, is the date on which the Company receives a firm commitment and sufficient information from the customer to allow processing of the Access Order. The customer is advised of the Application Date at the time the Company gives the customer a firm order confirmation.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

3. Ordering Options for Switched Access Service (Cont'd)

(N)

3.1 General (Cont'd)3.1.2 Provision of Other Services

- (A) In addition to Switched Access Services, other services offered under the provisions of this tariff shall be ordered with an Access Order or as set forth in (B) following. The rates and charges for these other services, as set forth in other sections of this tariff, will apply in addition to the ordering charges set forth in this section and the rates and charges for the Access Service with which they are associated.
- (B) With the agreement of the Company, other services set forth in (A) preceding may subsequently be added to an Access Order at any time, up to and including the service date for the Access Service. When added subsequently, charges for a design change as set forth in 5.2.2(C) following will apply when an engineering review is required.
- (C) Additional Engineering is not an ordering option, but will be applied to an Access Order when the Telephone Company determines that Additional Engineering is necessary to accommodate a customer request. Additional Engineering will only be required as set forth in 5.1 following. When it is required, the customer will be so notified and will be furnished with a written statement setting forth the justification for the Additional Engineering as well as an estimate of the charges. If the customer agrees to the Additional Engineering, a firm order will be established. If the customer does not want the service or facilities after being notified that Additional Engineering of Telephone Company facilities is required, the order will be withdrawn and no charges will apply. Once a firm order has been established, the total charge to the customer for the Additional Engineering may not exceed the estimated amount by more than 10%.

The regulations, rates and charges for Additional Engineering are as set forth in 5.1 following and are in addition to the regulations, rates and charges specified in this section.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

3. Ordering Options for Switched Access Service (Cont'd)

(N)

3.2 Access Order

An Access Order is used by the Company to provide a customer Access Service as follows:

- Switched Access Services as set forth in 4. following,

When placing an order for Access Service, the customer shall provide, at a minimum, the following information:

For Feature Group D Switched Access Service, the customer shall specify Entrance Facilities and Direct-Trunked Transport Facilities, by channel assignment, e.g., voice grade, or DS1 or DS3 high capacity, and facility assignment between the customer premises and the end office when direct routing to the end office is desired. When routing is desired via a Company Facilities access tandem switch, the customer shall specify Entrance Facilities and Direct-Trunked Transport Facilities (if desired), by channel assignment, e.g., voice grade or, DS1 or DS3 high capacity, and the facility assignment between their premises and the access tandem switch. The customer shall also specify the Switched Transport and Local Switching options desired.

When ordering by trunk quantities to an access tandem, the customer must also provide the Company, when requested, an estimate of the amount of traffic it will generate to and/or from each end office subtending the access tandem to assist the Company in its own efforts to project facility requirements.

When routing is desired via a TSP's access tandem switch, the TSP customer shall specify Entrance Facilities and Direct-Trunked Transport Facilities by channel assignment, e.g., voice grade or DS1 or DS3 high capacity between the TSP customer premises and end office. Additionally, when signaling for Tandem Switching is ordered, the customer must specify the traffic which will be riding those facilities by carrier identification code (CIC), by trunk group, by end office.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

3. Ordering Options for Switched Access Service (Cont'd)

(N)

3.2 Access Order (Cont'd)

In addition to the preceding information, the customer shall specify for Feature Group D with CCSAC signaling option a reference to an existing signaling link or reference to a related CCSAC Signaling link order. Specification of the level of diversity in its network, as defined in Technical Reference TR-TSV-000905, will be required for CSAC Signaling links and STP Port Terminations. Diversity will be provided as mutually agreed upon by the Company and customer based upon availability from the customer's SPOI to the Company STPs. The customer shall also specify the CCSAC Local Switching options, if any, desired. STP point codes and location identifier codes, trunk circuit identification codes and switch type are required for all interconnecting CCSAC trunks regardless of ordering method. The scheduling of CCSAC trunk conversion orders will be negotiated between the Company and the customer.

The customer shall work cooperatively with the Company to determine the number of CCSAC Signaling links and STP Port Terminations ordered with the Feature Group D CCSAC option, required to handle its signaling traffic.

When a customer orders Switched Access Service in trunks, the customer is responsible to assure that sufficient access facilities have been ordered to handle its traffic.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

3. Ordering Options for Switched Access Service (Cont'd)

(N)

3.2 Access Order (Cont'd)3.2.1 Access Order Service Date Intervals

Access Service is provided with one of the following Service Date Intervals:

- Standard Interval
- Negotiated Interval

To the extent the Access Service can be made available with reasonable effort, the Company will provide the Access Service in accordance with the customer's requested interval, subject to the following conditions:

(A) Standard Interval

A schedule of Standard Intervals applicable for Switched Access Services will be provided to customers. The schedule specifies the services and quantities that can be provided within Standard Intervals.

Access Services provided in a Standard Interval will be installed during Company business days. If a customer requests that installation be done outside of normally scheduled working hours, and the Company agrees to this request, the customer will be subject to applicable Additional Labor Charges as set forth in 5.2 following

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

3. Ordering Options for Switched Access Service (Cont'd)

(N)

3.2 Access Order (Cont'd)3.2.1 Access Order Service Date Intervals (Cont'd)(B) Negotiated Interval

The Company will negotiate a service date interval with the customer when:

- (1) There is no Standard Interval for the service,
- (2) The quantity of Access Services ordered exceeds the quantities specified in the Schedule of Standard Intervals, or
- (3) The customer requests a service date beyond the applicable Standard Interval service date.
- (4) The access service is jointly provided by one or more Local Exchange Carriers within the same LATA.

The Company will offer a service date based on the type and quantity of Access Services the customer has requested. The Negotiated Interval may not exceed by more than six months the Standard Interval Service date, or, when there is no Standard Interval, the Company offered service date.

All services for which rates are applied on an individual case basis are provided with a Negotiated Interval.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

3. Ordering Options for Switched Access Service (Cont'd)

(N)

3.2 Access Order (Cont'd)3.2.2 Access Order Modifications

The customer may request a modification of its Access Order at any time prior to notification by the Company that service is available for the customer's use. The Company will make every effort to accommodate a requested modification when it is able to do so with the normal work force assigned to complete such an order within normal business hours. If the modification cannot be made with the normal work force during normal business hours, the Company will notify the customer. If the customer still desires the Access Order modification, the Company will schedule a new service date. All charges for Access Order modifications will apply on a per occurrence basis.

Any increase in the number of Switched Access Service lines, trunks, channels, or CCSAC Signaling links or STP Port Terminations will be treated as a new Access Order (for the increased amount only).

(A) Service Date Change Charge

Access Order service dates for the installation of new services or rearrangements of existing services may be changed, but the new service date may not exceed the original service date by more than 30 calendar days. When, for any reason, the customer indicates that service cannot be accepted for a period not to exceed 30 calendar days, and the Company accordingly delays the start of service, a Service Date Change Charge will apply. If the customer requested service date is more than 30 calendar days after the original service date, the order may be canceled by the Company and reissued with the appropriate cancellation charges applied unless the customer indicates that billing for the service is to commence as set forth in 3.2.3 (A) following.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

3. Ordering Options for Switched Access Service (Cont'd)

(N)

3.2 Access Order (Cont'd)3.2.2 Access Order Modifications (Cont'd)(A) Service Date Change Charge (Cont'd)

A new service date may be established that is prior to the original Standard or Negotiated Interval service date if the Company determines it can accommodate the customer's request without delaying service dates for orders of other customers.

A Service Date Change Charge will apply, on a per order per occurrence basis, for each service date changed. The applicable charge is:

	<u>USOC</u>	
Service Date Change Charge,		
per order	OMC	\$67.22

(B) Partial Cancellation Charge

Any decrease in the number of ordered Switched Access Service lines, trunks, channels, CCSAC Signaling links or STP Port Terminations will be treated as a partial cancellation and the charges as set forth in 5.2.3(B) following will apply.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

3. Ordering Options for Switched Access Service (Cont'd)

(N)

3.2 Access Order (Cont'd)3.2.2 Access Order Modifications (Cont'd)(C) Design Change Charge

The customer may request a design change to the service ordered. A design change is any change to an Access Order which requires engineering review. An engineering review is a review by Company personnel, of the service ordered and the requested changes to determine what changes in the design, if any, are necessary to meet the changes requested by the customer. Design changes include such things as the addition or deletion of optional features or functions or a change in the type of Transport Termination (Switched Access only), type of channel interface, type of Interface Group or technical specification package. Design changes do not include a change of customer premises, end user premises, end office switch, or Feature Group type. Changes of this nature will require the issuance of a new order and the cancellation of the original order with appropriate cancellation charges applied.

The Company will review the requested change, notify the customer whether the change is a design change, if it can be accommodated and if a new service date is required. If the customer authorizes the Company to proceed with the design change, a Design Change Charge will apply. The Design Change Charge will apply on a per order per occurrence basis, for each order requiring a design change. The applicable charge is:

USOC

Design Change Charge,
per order

H28 \$67.22

If a change of service date is required, the Service Date Change Charge as set forth in (A) preceding will also apply.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

3. Ordering Options for Switched Access Service (Cont'd)

(N)

3.2 Access Order (Cont'd)3.2.3 Cancellation of an Access Order

(A) A customer may cancel an Access Order for the installation of service at any time prior to notification by the Company that service is available for the customer's use, subject to charges specified in (B) following. The cancellation date is the date the Company receives written or verbal notice from the customer that the order is to be cancelled. The verbal notice must be followed by written confirmation within 10 days. If a customer or a customer's end user is unable to accept Access Service within 30 calendar days after the original customer requested service date, the customer has the choice of the following options:

- The Access Order shall be cancelled and charges set forth in (B) following will apply, or
- Billing for the service will commence.

In any event, the cancellation date or the date billing is to commence (depending on which option is selected by the customer) shall be the 31st day beyond the original service date of the Access Order.

(B) When a customer cancels an Access Order for the installation of service, a Cancellation Charge will apply as follows:

- (1) Installation of Switched Access Service facilities is considered to have started when the Company incurs any cost in connection therewith or in preparation thereof which would not otherwise have been incurred.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

3. Ordering Options for Switched Access Service (Cont'd)

(N)

3.2 Access Order (Cont'd)3.2.3 Cancellation of an Access Order (Cont'd)

- (2) When the customer cancels an Access Order prior to the start of installation of access facilities, no charges shall apply.
- (3) When installation of access facilities has been started prior to the cancellation, the charges specified in (a) or (b) following, whichever is lower, shall apply.
 - (a) A charge equal to the costs incurred in such installation, less estimated net salvage. Such charge is determined as detailed in (4) following.
 - (b) The charge for the minimum period of Switched Access Service ordered by the customer.
 - (4) Charges applicable as specified in (3)(a) preceding include the nonrecoverable cost of equipment and material ordered, provided or used, plus the nonrecoverable cost of installation and removal including the costs of engineering, labor, supervision, transportation, rights-of-way and other associated costs.
- (C) When a customer cancels an order for the discontinuance of service, no charges apply for the cancellation.
- (D) If the Company misses a service date by more than 30 days due to circumstances over which it has direct control (excluding, e.g., acts of God, governmental requirements, work stoppages and civil commotions), the customer may cancel the Access Order without incurring cancellation charges.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

3. Ordering Options for Switched Access Service (Cont'd)

(N)

3.2 Access Order (Cont'd)3.2.4 Selection Of Facilities For Access Orders

- (A) When a customer places an Access Order, it may choose To utilize facilities it previously purchased as a Facility to a Hub. If the customer has a high capacity interface for use with Switched Access Service Interface Groups 6 and 9, or has a Switched Transport the customer must request that specific channels be used to implement the Access Order.

3.2.5 Minimum Period

- (A) Except as set forth in (C), following, the minimum period for which Access Service is provided and for which charges are applicable, is one month.

The changes listed below are those which will be treated as a discontinuance and installation of service and for which a new minimum period is to be established.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

3. Ordering Options for Switched Access Service (Cont'd)

(N)

3.2 Access Order (Cont'd)3.2.5 Minimum Period (Cont'd)

(C) Changes following will be treated as a discontinuance of the existing service and an installation of a new service. All associated nonrecurring charges will apply for the new service. A new minimum period will be established for the new service. The customer will also remain responsible for all outstanding minimum period obligations associated with the disconnected service.

(1) A change of customer of record (i.e., Access Service is provided to and billed to a different entity)

(2) A move to a different building as set forth in 4.5.4 following.

(3) A change in the type of Switched Access Service Entrance Facility

(4) A change in Switched Access Service

(5) Change in Switched Access Service traffic type

(N)

.

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

4. Switched Access Service

(N)

4.1 General

Switched Access Service, which is available to customers for their use in furnishing their services to end users, provides a two-point electrical communications path between a customer's premises and an end user's premises. It provides for the use of common terminating, switching and trunking facilities and common subscriber plant of the Company. Switched Access Service provides for the ability to originate calls from an end user's premises to a customer's premises, and to terminate calls from a customer's premises to an end user's premises in the LATA where it is provided. Specific references to material describing the elements of Switched Access Service are provided in 4.1.1 and 4.1.2 following.

4.1.1 Switched Access Service Arrangements and Manner of Provision

Switched Access Services are differentiated by their technical characteristics, e.g., line side vs. trunk side connection at the Company entry switch, and the manner in which an end user accesses them in originating calling, e.g., with or without an access code. Following is a brief description of each type of service arrangement.

(A) Feature Group D (FGD)

FGD Access, which is available to all customers, provides Trunk side access to Company end office switches with an associated uniform 10XXX or 10XXXX access code for the customer's use in originating and terminating communications.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

4. Switched Access Service (Cont'd)

(N)

4.1 General (Cont'd)4.1.1 Switched Access Service Arrangements and Manner of Provision(Cont'd)(B) 800 Access Service

800 Access Service, which is available to all customers, is an originating offering utilizing FGD Switched Access Service. The service provides a customer identification function based on the dialed 800 Series number. The 800 Series includes 800, 888, 877, 866, 855, 844, 833, 822. This customer identification function could include additional call handling and destination features, such as; alternate carrier(s) and/or alternate destination(s), time-of-day, day-of-week, specific dates, originating NPA-NXX-XXXX, percent allocation, routing to a single carrier and destination from an area of service which is smaller than an area defined by an NPA-NXX.

When a 1 + 800 Series + NXX + XXXX call is originated by an end user, the Company will perform the customer identification function based on the dialed 1 + 800 Series + NXX + XXXX (ten digit screening) to determine the customer location to which the call is to be routed. Where 800 Series prefixes are not part of ten digit screening, the customer identification function will be performed based on the 800 Series + NXX digits only (e.g., Canada). If an 800 Series call originates from an end office not equipped to provide the SSP Data Base Query function, the call will be routed to an office at which the function is available. The SSP Data Base Query function will be available at the tandem and select end offices. Once customer identification has been established, the call will be routed to the customer.

Unless prohibited by technical limitations (e.g., different dialing plans), the customer's 800 Access Service traffic may, at the option of the customer, be combined in the same trunk group arrangement with the customer's non-800 Access Service traffic. When required by technical limitations, or at the request of the customer, a separate trunk group will be established for 800 Access Service.

When 800 Access Service traffic is combined in the same trunk group arrangement with other traffic, usage for the 800 Access Service traffic may be aggregated with or shown separately from the other traffic for billing purposes. When separate trunk groups are provided for 800 Access Service, usage will be billed separately.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

4. Switched Access Service (Cont'd)

(N)

4.1 General (Cont'd)4.1.2 Rate Categories

The rate categories which apply to Switched Access Service are:

- Switched Transport (described in 4.1.2(A) following)
- Local Switching (described in 4.1.2(B) following)

(A) Switched Transport

The Switched Transport rate category establishes the charges related to the transmission and tandem facilities between the customer's premises and the end office switch(es) which may be a Remote Switching Module, where the customer's traffic is switched to originate or terminate the customer's communications. Mileage measurement rules are set forth in 4.5.7 following.

Switched Transport is a two-way voice frequency transmission path composed of facilities determined by the Telephone Company. The two-way voice frequency transmission path permits the transport of calls in the originating direction (from the end user's end office switch to the customer's premises) and in the terminating direction (from the customer's premises to the end office switch), but not simultaneously. The voice frequency transmission path may comprise any form or configuration of plant capable of and typically used in the telecommunications industry for the transmission of voice and associated telephone signals within the frequency bandwidth of approximately 300 to 3000 Hz.

The customer must specify when ordering (1) whether the service is to be directly routed to an end office switch or through the Company's access tandem switch or a TSP's access tandem switch, (2) the type of Direct-Trunked Transport and whether it will overflow to the Company's or a TSP's access tandem switch when service is directly routed to an end office, (3) the type of Entrance Facility, (4) the directionality of the service, and (6) when multiplexing is required, the hub(s) at which the multiplexing will be provided.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

4. Switched Access Service (Cont'd)

(N)

4.1 General (Cont'd)4.1.2 Rate Categories (Cont'd)(A) Switched Transport (Cont'd)

Additionally, when service is to be routed through an access tandem switch, the customer must specify whether the facility between the serving wire center and the tandem is to be provided as Direct-Trunked Transport or Tandem-Switched Transport.

Switched Transport is provided at the rates and charges set forth in 4.6.1 following. The description of these rates with respect to the different types of service is as set forth in 4.5.1 following.

(1) Switched Transport Facilities(a) Entrance Facility

An Entrance Facility provides the communication path between a customer's premises and the Company's serving wire center for that premises. The Entrance Facility is provided to a single customer and is available for use with all line side and trunk side Switched Access services. An Entrance Facility is provided even if the customer's premises and the serving wire center are located in the same building

(b) Direct-Trunked Transport Facility

A Direct-Trunked Transport facility provides the communications path between the serving wire center of a customer's premises and an end office, between the serving wire center of a customer's premises and the Company's Access tandem. Direct-Trunked Transport facilities are provided to a single customer. Direct-Trunked Transport facilities are available for use with all line side and trunk side Switched Access services.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

4. Switched Access Service (Cont'd)

(N)

4.1 General (Cont'd)4.1.2 Rate Categories (Cont'd)(A) Switched Transport (Cont'd)(1) Switched Transport Facilities (Cont'd)(c) Tandem-Switched Transport Facility

The Tandem-Switched Transport facility provides the communications path between the customer's serving wire center and the end office or between the tandem and the end office on circuits that are switched at an access tandem. Tandem-Switched Transport facilities are available for use with all trunk side Switched Access Services.

Tandem-Switched Transport charges consist of a Tandem-Switched Transmission charge (fixed and per mile minute of use charges) and a Tandem-Switching charge (per minute charge) where elements may apply independently of one another as described herein.

(d) Access Tandem Trunk Port

The Access Tandem Trunk Port is a monthly per port rate that provides a port for each dedicated trunk on the Serving Wire Center side of the access tandem.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

4. Switched Access Service (Cont'd)

(N)

4.1 General (Cont'd)4.1.2 Rate Categories (Cont'd)(A) Switched Transport (Cont'd)(2) Switched Transport Connections

Switched Transport is comprised of specific connection types. These connections may be either analog or digital. Analog connections are differentiated by spectrum and bandwidth; digital connections are differentiated by bit rate. Depending on the spectrum, bandwidth or bit rate selected by the customer, multiplexing, as described in 4.1.2(A)(3), may also be required to allow interconnection with other Switched Transport facilities or to a Company switch.

With one exception, the customer may choose the Switched Transport connection comprising the Switched Transport facility. For the tandem to end office portion of Tandem-Switched Transport, the Company will determine the type of connection used.

Each type of connection is composed of specific channels which are provided for use with a Switched Access service. Each channel in a Switched Transport following types of connections are available for all Switched Transport facilities.

(a) Mercury 1.544 (DS1)

A Mercury 1.544 (DS1) provides 24 channels for the transmission of nominal 64.0 kbps or 1.544 Mbps isochronous serial data. The actual bit rate and framing format is a function of the channel interface selected by the customer.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

4. Switched Access Service (Cont'd)

(N)

4.1 General (Cont'd)4.1.2 Rate Categories (Cont'd)(A) Switched Transport (Cont'd)(b) Mercury 45 (DS3)

Mercury 45 (DS3) provides 28 Mercury 1.544s (DS1) or 672 DSO channels and provides for transmission of nominal 44.736 Mbps isochronous serial data. The actual bit rate and framing format is a function of the channel interface selected by the customer. With Mercury 45 (DS3), customers may request to have an electrical interface installed at their customer premises. For DS3 connections utilizing an electrical interface, the customer will receive an electrical signal with a transmission speed of 44.736 Mbps per channel

(3) Multiplexing

Multiplexing provides the capability of converting the capacity or bandwidth of a Switched Transport facility from a higher level to a lower level or from a lower level to a higher level. Multiplexing is required when the customer requests to interconnect Entrance facilities, or Direct - Trunked Transport facilities of different capacities or bandwidths, i.e., DS1 to Voice Grade or DS3 to DS1.

When customers request to interconnect DS3 facilities with Company switches, DS3 to DS1 multiplexing is required at appropriately equipped end offices. Locations where multiplexing is available are specified in the NECA Tariff F.C.C. No. 4.

Customers ordering Tandem Switched Transport will incur a multiplexing charge for multiplexing on the Serving Wire Center side of the Access Tandem and a multiplexing charge for multiplexing on the End Office side of the Access Tandem.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

4. Switched Access Service (Cont'd)

(N)

4.1 General (Cont'd)4.1.2 Rate Categories (Cont'd)(A) Switched Transport (Cont'd)

(3) Multiplexing (Cont'd)

Rates and charges for multiplexing are set forth in 4.4.1.

For each of the multiplexing options listed below, the multiplexer is associated with the Switched Transport facility with the higher capacity or bandwidth (e.g., a DS3 to DS1 multiplexer is associated with the facility DS3 connection).

(a) Mercury 45 (DS3) to Mercury 1.544 (DS1)

Available with all Switched Transport facilities using DS3 connections. Provides an arrangement that converts a DS3 signal to or from 28 DS1 channels. Conversion is accomplished using digital time division multiplexing.

(b) Mercury 1.544 (DS1) to Voice Grade

Available with all Switched Transport facilities using DS1 connections. Provides an arrangement that converts a DS1 connection to or from 24 voice grade channels. Conversion is accomplished using digital time division multiplexing.

(c) Common Multiplexing

Common Multiplexing is provided on a usage sensitive basis in conjunction with Tandem Switched Transport. Switched Access facilities are connected to the Tandem as DS1 circuits. Multiplexing is required to connect common switched facilities from DS3 to DS1. (N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

4. Switched Access Service (Cont'd)

(N)

4.1 General (Cont'd)4.1.2 Rate Categories (Cont'd)(A) Switched Transport (Cont'd)

(4) Chargeable Optional Features

(a) Common Channel Signaling Access Capability (CCSAC)

This option allows the customer to receive signals for call setup out-of-band. This option is only available with Feature Group D.

The Company will provide the CCSAC option in accordance with the technical specifications set forth in Technical Reference TR-TSV-000905 from properly equipped signaling elements in the Telephone Company CCS network.

This option requires the establishment of the required number of CCSAC signaling links between the customer's signaling point of interconnection and each of the Telephone Company's designated Signaling Transfer Points (STPs) and STP Port Terminations. The STP locations are set forth in the National Exchange Carrier Association, Inc. Tariff F.C.C. No. 4. The customer will have the option of ordering a Signaling Link provisioned over a dedicated Mercury 1.544 (DS1) Facility or over a 56 Kbps DDS channel.

(b) Carrier Identification Parameter (CIP)

The CIP Optional Feature provides for the delivery of the Carrier Identification Code (CIC) within the Initial Address Message (IAM) SS7 call setup protocol. CIP is available with originating Feature Group D Switched Access Service from certain end offices and from the access tandem. Customers should contact the Company

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

4. Switched Access Service (Cont'd)

(N)

4.1 General (Cont'd)4.1.2 Rate Categories (Cont'd)(A) Switched Transport (Cont'd)

(4) Chargeable Optional Features (Cont'd)

(b) Carrier Identification Parameter (CIP)(Cont'd)

to determine where CIP is available. This feature requires the customer to purchase or use already established CCSAC signaling links between the customer's signaling point of interconnection and each of the Company's designated STPs and STP Port Terminations, as described in Section 4.1.2(A)(4)(a). The rates for the CIP Optional Feature are described in Section 4.6.1(I).

(c) Signaling for Tandem Switching

This option allows any interested third party, including competitive access providers (CAPS), interexchange carriers (IXCs), and end users, to receive signaling information necessary to provide tandem signaling. Signaling for tandem switching provides the carrier identification code (CIC) and the OZZ code (or the CKTD code for SS7) to the Tandem Switch Provider (TSP). The CIC identifies the IXC to receive the call, and the OZZ identifies the IXC trunk group to which traffic should be routed. This option is available only with Feature Group D (FGD).

The customer may choose to have this option provided with Multifrequency or Common Channel Signaling.

When tandem switching is provided by a TSP, the TSP will be required to order one-way

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

4. Switched Access Service (Cont'd)

(N)

4.1 General (Cont'd)4.1.2 Rate Categories (Cont'd)(A) Switched Transport (Cont'd)

(4) Chargeable Optional Features (Cont'd)

(c) Signaling for Tandem Switching (Cont'd)

direct-trunks between the desired Company end offices and the TSP's access tandem switch. These one-way trunks will be billed as direct-trunks to the TSP.

Either the TSP or the IXC using the TSP as its access tandem provider, may be the customer for the remaining FGD usage charges i.e., carrier common line, local switching, information surcharge and the interconnection charge. The signaling nonrecurring charge, described in Section 4.6.1(C), will be assessed to the TSP

If an IXC wishes to move their traffic to a TSP's access tandem switch, the TSP must provide the Company with a written letter of authorization (LOA). If a TSP contacts the Company on behalf of an IXC to move the IXC traffic from the Company access tandem switch to a TSP access tandem switch, the IXC must provide the Company an LOA.

If the IXC is the customer of record, for terminating usage, the IXC's TSP of choice is obligated to provide the Telephone Company with all billing detail needed to accurately count and bill usage. The requirements for providing this billing data are described in the following paragraphs.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

4. Switched Access Service (Cont'd)

(N)

4.1 General (Cont'd)4.1.2 Rate Categories (Cont'd)(B) Local Switching

This rate category provides for (1) local end office switching, i.e., the common switching functions associated with the various Switched Access Service arrangements, (2) the termination of switched transport at end offices, and (3) 800 Data Base Queries. This category includes usage sensitive rates and both chargeable and nonchargeable optional features.

- (a) Local Switching applies on a per minute of use basis, providing local switching functions for FGD, and 800 Access Service. Where end offices are appropriately equipped, international dialing may also be provided a capability of Local Switching, i.e., the capability of switching international calls with service prefix and address codes having more digits than can be switched through a standard FGD end office.
- (b) 800 Access Service, Data Base Query Charge and Routing Options Capability apply on a per query basis and are originating offerings utilizing FGD. These services provide customer identification and additional call handling and destination features (i.e., time of day, day of week, etc.).

4.1.3 Design Layout Report

At the request of the customer, the Company will provide to the customer the makeup of the facilities and services provided from the customer's premises to the first point of switching. This information will be provided in the form of a Design Layout Report. The Design Layout Report will be provided to the customer at no charge, and will be reissued or updated whenever these facilities are materially changed.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

4. Switched Access Service (Cont'd)

(N)

4.1 General (Cont'd)4.1.4 Acceptance Testing

At no additional charge, the Company will, at the customer's request, cooperatively test, at the time of installation, the following parameters: loss, C-notched noise, C-message noise, 3-tone slope, d.c. continuity and operational signaling.

At no additional charge, the Company will, at the time of installation of Feature Group D with the 64CCC Local Transport option trunks, perform the Digital Trunk Acceptance Tests described in TR-TSV-000905.

4.1.5 Ordering Options and Conditions

Switched Access Service is ordered under the Access Order provisions set forth in Section 5 (Ordering Options For Switched Access. Rate elements for Switched Access Services are defined in 4.6.

4.1.6 CCSAC Testing Requirements

When Feature Group D with CCSAC option is ordered, network compatibility and other operational tests will be performed cooperatively by the Company and the customer. These tests are as specified in Technical Reference TR-TSV-000905.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

4. Switched Access Service (Cont'd)

(N)

4.2 Local Switching4.2.1 Common Switching Optional features(A) Call Denial on Line or Hunt Group

This option allows for the screening of terminating calls within the LATA, and for the completion only of calls to 611, 911, 800, 555-1212, and a Telephone Company specified set of NXXs within the Telephone Company local exchange calling area of the dial tone office in which the arrangement is provided. All other "toll" calls are routed to a reorder tone or recorded announcement.

(B) Uniform Call Distribution Arrangement

This option provides a type of multiline hunting arrangement which provides for an even distribution of calls among the available lines in a hunt group. Where available, this feature is provided in Company electronic end offices only.

(C) Nonhunting Number for Use with Hunt Group or Uniform Call Distribution Arrangement

This option provides an arrangement for an individual line within a multiline hunt or uniform call distribution group that provides access to that line within the hunt or uniform call distribution group when it is idle or provides busy tone when it is busy, when the nonhunting number is dialed. Where available, this feature is provided in Company electronic end offices only

(D) Automatic Number Identification (ANI)

This option provides the automatic transmission of a seven or ten digit number and information digits to the customer's premises for calls originating in the LATA, to identify the calling station. The ANI feature is an end office software function which is associated on a call-by-call basis with (1) all individual transmission paths in a trunk group routed directly between an end office and a customer's premises or, where technically feasible, with (2) all individual transmission paths in a trunk group between an end office and an access tandem, and a trunk group between an access tandem and a customer's premises.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

4. Switched Access Service (Cont'd)

(N)

4.2 Local Switching (Cont'd)4.2.1 Common Switching Optional Features (Cont'd)(E) Automatic Number Identification (ANI) (Cont'd)

The ten digit ANI telephone number is only available with Feature Group D with multifrequency address signaling. When the CCSAC optional feature is specified, the customer may obtain an ANI equivalent by ordering the charge number (CN) optional feature as specified in 4.2.1 (K) following. The ten digit ANI telephone number consists of the Numbering Plan Area (NPA) plus the seven digit ANI telephone number. The ten digit ANI telephone number will be transmitted on all calls except those identified as ANI failure, in which case only the NPA will be transmitted (in addition to the information digits described below).

Also, ANI Information Indicator (ANI II) digits or Flexible ANI information digits will be provided to the customer along with the ten digit ANI telephone number.

- (1) The ANI Information Indicator (ANI II) digits identify: (1) telephone number is the station billing number - no special treatment required, (2) ANI failure has occurred in the end office switch which prevents identification of calling telephone number - must be obtained by operator or in some other manner, (3) hotel/motel originated call which requires room number identification, (4) coinless station, hospital, inmate, etc., call which requires special screening or handling by the customer, and (5) Local Exchange Company Coin.

ANI information digits are either 00, 01, 02, 06, 07, 20, or 27.

Customers who subscribe to ANI, may also elect to obtain expanded ANI digits, 52 for WATS, at no additional charge. Expanded ANI digits, 52 for WATS was previously provided in this tariff under the name Flexible ANI.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

4. Switched Access Service (Cont'd)

(N)

4.2 Local Switching Optional Features (Cont'd)4.2.1 Common Switching Optional Features (Cont'd)(E) Automatic Number Identification (ANI) (Cont'd)

- (2) Flexible Automatic Number Identification (Flex-ANI)
The Flex-ANI feature is an Optional Switching Feature and enhancement to ANI. The feature is available on inband signaling or in the Originating Line Information Parameter in the Basic Initial Address Message (IAM) Delivery optional feature for SS7 signaling. Flex-ANI provides additional values for the Information Indicator (ii) digits that are associated with various classes of service not available with the standard ANI digits. The customer must have ANI in order to have Flex-ANI or may order the features simultaneously.

The following Flex-ANI are currently available:

29 Confinement/Detention Facility

70 Private Pay stations

All ii codes will be delivered to the customer when Flex ANI is ordered.

Flexible ANI information digits must be ordered per Carrier Identification Code (CIC), per End Office and must be provisioned in conjunction with the ANI optional feature.

(F) Cut-Through

This option allows end users of the customer to reach the customer's premises by using the end of dialing digit (#). This option provides for connection of the call to the premises of the customer indicated by the 10XXX or 10XXXX code upon receipt of the end of dialing digit (#). The Company will not record any other dialed digits for these calls. This option is available with Feature Group D.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

4. Switched Access Service (Cont'd)

(N)

4.2 Local Switching Optional Features (Cont'd)4.2.1 Common Switching Optional Features (Cont'd)(G) 900/976 Call Blocking

This option, where available, allows for the screening of terminating calls within the LATA for the purpose of blocking 900/976 or "dial-it" type calls only. 900/976 calls are routed to a reorder tone or to a recorded announcement. This option is available with Feature Group A. 900/976 Call Blocking, Call Denial and Service Code Denial are mutually exclusive. 900/976 Call Blocking blocks 1+900 and 976 dialed calls.

(H) Calling Party Number (CPN)

This option provides for the automatic transmission of the calling party's ten digit telephone number to the customer's premises for calls originating in the LATA. The ten digit telephone number consists of the NPA plus the seven digit telephone number, which may or may not be the same number as the calling station's charge number. The ten digit telephone number will be coded as presented, or restricted via a "Privacy Indicator" for delivery to the called end user. The specific protocol for CPN is contained in Technical Reference TR-TSV-000905. This feature is available with Feature Group D when the CCSAC option is specified.

(I) Charge Number (CN)

This option provides for the automatic transmission of the ten digit billing number of the calling station number and originating line information. The specific protocol for CN is contained in Technical Reference TR-TSV-000905. This feature is available with Feature Group D when CCSAC is specified.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

4. Switched Access Service (Cont'd)

(N)

4.2 Local Switching Optional Features (Cont'd)4.2.1 Common Switching Optional Features (Cont'd)(J) Carrier Selection Parameter (CSP)

This option provides for the automatic transmission of a signaling indicator which signifies to the customer whether the call being processed originated from a presubscribed end user of that customer. The specific protocol for CSP is contained in Technical Reference TR-TSV-000905. This feature is available with Feature Group D when CCSAC is specified.

(K) Service Class Routing

This option provides the capability of directing originating traffic from an end office to a trunk group to a customer designated premises, based on the line class of service (e.g., coin or hotel/motel), service prefix indicator (e.g., 0-, 0+, 01+ or 011+) or service access code (e.g., 800). It is provided in suitably equipped end office or access tandem switches and is available with Feature Group D.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

4. Switched Access Service (Cont'd)

(N)

4.2 Local Switching (Cont'd)4.2.1 Common Switching Optional Features (Cont'd)(L) Alternate Traffic Routing(1) Multiple Customer Premises Alternate Routing

This option provides the capability of directing originating traffic from an end office (or appropriately equipped access tandem) to a trunk group (the "high usage" group) to a customer designated premises until that group is fully loaded, and then delivering additional originating traffic (the "overflowing" traffic) from the same end office or access tandem to a different trunk group (the "final" group) to a second customer designated premises. It is provided in suitably equipped end office or access tandem switches and is available with Feature Group D.

(2) End Office Alternate Routing

This option provides an alternate routing arrangement for customers who have access for a particular Feature Group to an end office via two routes: one route via an access tandem and one direct route. The feature allows the customers originating traffic from the end office to be offered first to the direct trunk group and then overflow to the access tandem group or to a TSP's access tandem group. It is provided in suitably equipped end offices and is available with Feature Group D.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

4. Switched Access Service (Cont'd)

(N)

4.2 Local Switching (Cont'd)4.2.1 Common Switching Optional Features (Cont'd)(M) Originating Line Number Screening Service (OLNS)

OLNS Service provides information concerning the nature of the subscriber's line from which a call originates. OLNS service sends a two digit code with the Automatic Number Identification (ANI) at the beginning of a call to the Interexchange Carrier (IXC) and Operator Service Provider (OSP). When an IXC or OSP receives a call, it can use the information about the nature of the originating location (i.e., whether prison inmate or private payphone) to determine whether to allow the call to be billed to the originating line or require another form of payment, such as a calling card.

The two digits sent are either Automatic Number Identification Information Indicators (ANI II) or Flexible Automatic Number Identification (Flex-ANI). The charge for OLNS is recovered from the IXC and OSP through the Flex-ANI charge.

(N) International Carrier Option

This option allows for Feature Group D end offices or access tandem switches equipped for International Direct Distance Dialing to be arranged to forward the international calls of one or more international carriers to the customer (i.e., the Company is able to route originating international calls to a customer other than the one designated by the end user either through presubscription or 10XXX or 10XXXX dialing). This arrangement requires provision of written verification to the Company that the customer is authorized to forward such calls. The written verification must be in the form of a letter of agency authorizing the customer to order the option on behalf of the international carrier. This option is only provided at Company end offices or access tandems equipped for International Direct Distance Dialing. It is available with Feature Group D.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

4. Switched Access Service (Cont'd)

(N)

4.3 Obligations of the Company

In addition to the obligations of the Company set forth in 2. preceding, the Company has certain other obligations pertaining only to the provision of Switched Access Service. These obligations are as follows:

4.3.1 Network Management

The Company will administer its network to insure the provision of acceptable service levels to all telecommunications users of the Company's network services. Generally, service levels are considered acceptable only when both end users and customers are able to establish connections with little or no delay encountered within the Company network. The Company maintains the right to apply protective controls, i.e., those actions, such as call gapping, which selectively cancel the completion of traffic, over any traffic carried over its network, including that associated with a customer's Switched Access Service. Generally, such protective measures would only be taken as a result of occurrences such as failure or overload of Company or customer facilities, natural disasters, mass calling or national security demands. In the event that the protective controls applied by the Company result in the complete loss of service by the customer, the customer will be granted a Credit Allowance for Service Interruption as set forth in 2.4.3 preceding.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

4. Switched Access Service (Cont'd)4.3 Obligations of the Company (Cont'd)

(N)

4.3.2 Design and Traffic Routing of Switched Access Service

For Switched Access Service, ordered on a per line or per trunk basis, the customer desired line or trunk directionality and/or traffic routing of the Switched Access Service between the customer's premises and the entry switch are specified on the customer's order for service. Also, the customer must specify the Switched Transport facilities to be used (i.e., Entrance Facility, or Electronic Cross-Connect, Direct-Trunked Transport facility, and Tandem-Switched Transport facility). When specifying the Switched Transport facilities to be used, the customer must indicate if the facilities are existing or new.

The Company will be responsible for selection of facilities from the interface to any switching point and to the end offices where capacity is ordered.

4.3.3 Determination of Number of Transmission Paths

The following applies to switched access voice transmission paths, and does not apply to CCSAC signaling links and STP Port Terminations provided with the CCSAC option. For determination of the number of CCSAC signaling links and STP Port Terminations required to handle its signaling traffic, the customer shall work cooperatively with the Company.

For Switched Access Service which is ordered on a per line or per trunk basis, the customer specifies the number of transmission paths in the order for service. A transmission path is a communication path within the frequency bandwidth of approximately 300 to 3000 Hz or a derived communication path of a frequency bandwidth of approximately 300 Hz to 3000 Hz provided over a high frequency analog facility or a high speed digital facility between a customer's premises and a Company location.

4.3.4 Determination of Number of End Office Transport Terminations

For analog entry switches, a termination will be provided for each feature group line or trunk requested. For digital entry switches, an equivalent termination will be provided for each feature group line or trunk requested.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

4. Switched Access Service (Cont'd)

(N)

4.4 Obligations of the Customer

In addition to the obligations of the customer set forth in 2. preceding, the customer has certain specific obligations pertaining to the use of Switched Access Service. These obligations are as follows:

(A) Substantial Call Volume

When a customer offers services for which a substantial call volume is expected during a short period of time (e.g., media stimulated events), the customer must notify the Company of the anticipated demand for each peak period. For events scheduled during weekends or holidays, the Company must be notified no later than 5:00 p.m. local time the second prior business day. Notification should include the nature, time, duration, and frequency of the event, an estimated call volume, and the NPA NXX line number(s) to be used.

On the basis of the information provided, the Company may invoke network management controls if required to reduce the probability of excessive network congestion. The Company will work cooperatively with the customer to determine the appropriate level of such control.

Failure to provide prescribed notification may result in customer caused network congestion, which could result in discontinuation of service under section 2.1 and/or damages under paragraph 2.3.1.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

4. Switched Access Service (Cont'd)

(N)

4.4 Obligations of the Customer (Cont'd)4.4.1 Supervisory Signaling

The customer's facilities shall provide the necessary on-hook, off-hook, answer and disconnect supervision.

4.4.2 Trunk Group Measurement Reports

With the agreement of the customer, trunk group data in the form of usage in hundred call seconds, peg count and overflow for its end of all access trunk groups, where technologically feasible, will be made available to the Company. These data will be used to monitor trunk group utilization and service performance and will be based on previously arranged intervals and format.

4.4.3 Design of Switched Access Services

When a customer orders Switched Access Service on a per line or per trunk basis, it is the customer's responsibility to assure that sufficient access services have been ordered to handle its traffic.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

4. Switched Access Service (Cont'd)

(N)

4.5 Rate Regulation

This section contains the specific regulations governing the rates and charges that apply for Switched Access Service.

4.5.1 Description of Rates and Charges

There are four types of rates and charges that apply to Switched Access Service. These are monthly recurring rates, Usage rates, nonrecurring charges, and payment plans for Mercury 1.544 (DS1) service. These rates and charges are applied differently to the various rate elements as set forth following.

(A) Monthly Rates

Monthly rates are flat recurring rates that apply each month or fraction thereof that a specific rate element is provided. For billing purposes, each month is considered to have 30 days.

(B) Usage Rates

Usage rates are rates that apply only when a specific rate element is used. These are applied on a per occurrence (e.g., query, access minute, access minute fixed and per mile basis. Usage rate charges are accumulated over a monthly period.

(C) Nonrecurring Charges

Nonrecurring charges are one-time charges that apply for a specific work activity (i.e., installation or change to an existing service). The types of nonrecurring charges that apply for Switched Access Service are: installation of service, service rearrangements, and Signaling for Tandem Switching

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

4. Switched Access Service (Cont'd)4.5 Rate Regulation (cont'd)

(N)

4.5.1 Description of Rates and Charges (Cont'd)(C) Nonrecurring Charges (Cont'd)(1) Installation of Service

Nonrecurring charges apply to each Switched Access Service installed as follows:

- Per Line or Per Trunk
- Per Entrance Facility (DS1 or DS3)
- Per Multiplexer ordered

(D) Payment Plans for Mercury 1.544 (DS1) Service

The Optional Payment Plan (OPP) is a provision that allows a customer to pay a fixed rate for specific Mercury 1.544 (DS1) Service over a 36 or 60 month payment period. During the effective term, monthly rates for services installed under this arrangement will not be subject to Company initiated rate changes.

Mercury 1.544 (DS1) rates and charges for which the OPP is available are listed in 4.6.1 following.

During a customer's OPP term, the customer shall pay current rates provided they do not exceed the original rate contracted for by the customer, and conversion may be made to a new OPP term of the same or different length. If the expiration date for the new service or OPP term is beyond the end of the original OPP term, the remaining OPP charges for the original term will not apply.

At the expiration of the OPP term and if the customer wishes to continue Mercury 1.544 (DS1) Service the customer may elect:

- Prevailing month-to-month tariff rates
- A new OPP at the prevailing OPP rate, if available

The customer continues to receive the OPP rate on a month-to-month basis for a period of up to six months following the completion of the term. After the six months, the rates will automatically revert to the month-to-month rates.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

4. Switched Access Service (Cont'd)

(N)

4.5 Rate Regulation (cont'd)4.5.1 Description and Application of Rates and Charges (Cont'd)(D) Payment Plan for Mercury 1.544 (DSIs) Service (Cont'd)

During an OPP term, a customer may move one Entrance Facility service to another location while keeping the OPP in force, provided the customer and customer's end user remain the same and no lapse in service occurs.

The Minimum Period for service provided under an OPP is the same as the OPP term selected by the customer (i.e. 36 or 60 month payment period). The Minimum Period for service provided under the month-to-month payment arrangement is 1 month for Mercury 1.544 (DS1).

Customers requesting termination of service prior to the expiration date of the Minimum Period will be liable for payment of a Minimum Period Charge. The Minimum Period Charge for all OPP terms will be calculated as follows:

- The service that is in place less than 12 months the customer would pay the monthly rate for the service.
- The dollar difference between (a) the current OPP rate for the OPP term that could have been completed during the time the service was actually in service, and (b) the customer's current OPP rate for each month the service was provided.

For example, a customer subscribed to a 60 month OPP term and disconnected service during the 39th month. This customer's minimum period charge would be:

$[36 \text{ month OPP rate} - 60 \text{ month OPP rate}] \times 39 = \text{Minimum Period Charge.}$

The 36 month OPP term could have been completed during the months the service was actually in service.

All minimum period charges will be based on the OPP rates in effect at the time of termination.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

4. Switched Access Service (Cont'd)

(N)

4.5 Rate Regulations (Cont'd)4.5.1 Description of Rates and Charges (Cont'd)(E) Nonrecurring Charges (Cont'd)(1) Service Rearrangements

Service rearrangements are changes to existing services installed which do not result in either a change in the minimum period requirements as set forth in 5.2.5 preceding or a change in the physical location of the point of termination at a customer's premises or a customer's end user's premises. Changes which result in the establishment of new minimum period obligations are treated as disconnects and starts. Changes in the physical location of the point of termination are treated as moves and are described and charged for as set forth in 4.5.4 following.

The charge to the customer for the service rearrangement is dependent on whether the change is administrative only in nature or involves an actual physical change to the service.

Administrative changes will be made without charge(s) to the customer. Such changes require the continued provision and billing of the Access Service to the same entity (i.e., customer remains responsible for all outstanding indebtedness for the Access Service). Administrative changes are as follows:

- Change of customer name (i.e., the customer of record does not change but rather the customer of record changes its name.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

4. Switched Access Service (Cont'd)

(N)

4.5 Rate Regulations (Cont'd)4.5.1 Description of Rates and Charges (Cont'd)(E) Nonrecurring Charges (Cont'd)(1) Service Rearrangements (Cont'd)

- Change of customer or customer's end user premises address when the change of address is not a result of a physical relocation of equipment,
- Change in billing data (name, address, or contact name or telephone number),
- Change of customer circuit identification,
- Change of billing account number,
- Change of customer test line number,
- Change of customer or customer's end user contact name or telephone number, and
- Change of jurisdiction.

All other service rearrangements will be charged for as follows:

- If, due to technical limitations of the Company, a customer could not combine its 800 Access Service traffic with its other trunk side Switched Access Service, no charge will apply to combine these trunk groups when it becomes technically possible.
- If the change involves the conversion of existing Feature Group D service with multifrequency address signaling to Feature Group D with the CCSAC option, a service rearrangement charge, as set forth in 4.6.2, will apply for the first trunk converted in a trunk group, and an additional trunk rearrangement charge, as set forth in 4.6.2, will apply for each additional trunk in the same trunk group.
- For all other changes, including the addition of, or modifications to, optional features a charge equal to the Switched Transport nonrecurring (i.e., installation) charge will apply. When an optional feature is not required on each transmission path, but rather for an entire transmission path group,

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

4. Switched Access Service (Cont'd)

(N)

4.5 Rate Regulations (Cont'd)4.5.1 Description of Rates and Charges (Cont'd)(E) Nonrecurring Charges (Cont'd)(1) Service Rearrangements (Cont'd)

an end office or an access tandem switch, only one such charge will apply (i.e., it will not apply per transmission path). When the CCSAC option is elected, the customer may add Calling Party Number (CPN), Charge Number (CN), and Carrier Selection Parameter (CSP) at no additional charge if these features are specified at the time the CCSAC option is ordered for existing switched access trunks.

- In compliance with FCC Docket No. 91-213 Report and Order, Adopted September 17, 1992, no Switched Transport nonrecurring charges will apply for service connection when an interexchange carrier converts trunks from tandem-switched transport to direct-trunked transport or from direct-trunked transport to tandem-switched transport, or for movement between Voice Grade, DS1 or DS3 facilities. The customer, however, must maintain the same Point of Termination (POT) location to receive the waiver. This waiving of Switched Transport nonrecurring charges remains in effect until six months from the effective date of the Local Transport Restructure tariff.

(3) Signaling for Tandem Switching

A nonrecurring charge as specified in 4.6.2 following applies when a TSP request signaling information for the provision of tandem switching. The nonrecurring signaling charge applies per CIC routed over a TSP's trunk group, by Telephone Company end office.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

4. Switched Access Service (Cont'd)

(N)

4.5 Rate Regulations (Cont'd)4.5.1 Description of Rates and Charges (Cont'd)(F) Local Switching Ports

(1) Local Switching Common Port

The Local Switching Common Trunk Port minutes-of-use rate provides for the use of the shared end office trunk ports for termination of common transport trunks for tandem routed traffic.

(2) Local Switching Dedicated Trunk Port

The Local Switching Dedicated Trunk Port monthly rate provides for termination of a dedicated trunk in the end office port. The rate is assessed per trunk for all trunk side services, per analog or digital end office.

4.5.2 Minimum Periods

Switched Access Service is provided for a minimum period of one month.

4.5.3 Minimum Monthly Charge

Switched Access Service is subject to a minimum monthly charge. The minimum charge applies for the total capacity provided. The minimum monthly charge consists of the following elements:

The minimum monthly charge for the Tandem-Switched Transmission and Tandem-Switching rate elements is the sum of the charges set forth in 4.6.1 following for the measured usage for the month.

The minimum monthly charge for Entrance Facilities and Direct-Trunked Transport rate elements is the sum of the charges set forth in 4.6.1 following.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

4. Switched Access Service (Cont'd)

(N)

4.5 Rate Regulations (Cont'd)

4.5.4 Moves

A move involves a change in the physical location of one of the following:

- The point of termination at the customer's premises
- The customer's premises

The charges for the move are identical whether the move is to a new location within the same building or to a different building.

All Moves will be treated as a discontinuance and start of service and all associated nonrecurring charges will apply. New minimum period requirements will be established for the new services. The customer will also remain responsible for satisfying all outstanding minimum period charges for the discontinued services.

4.5.5 Measuring Access Minutes

Customer traffic to end offices will be measured by the Telephone Company at end office switches or access tandem switches. Originating and terminating calls will be measured by the Company to determine the basis for computing chargeable access minutes.

For terminating calls over FGD, where the off-hook supervisory signal is provided by the customer's equipment the measured minutes are the chargeable access minutes.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

4. Switched Access Service (Cont'd)

(N)

4.5 Rate Regulations (Cont'd)4.5.5 Measuring Access Minutes (Cont'd)

Step 1: Obtain recorded originating minutes and messages (measured as set forth in (A) following for FGA where the off-hook supervisory signal is forwarded by the customer's equipment when the called party answers) from the appropriate recording data.

Step 2: Obtain the total attempts by dividing the originating measured messages by the completion ratio. Completion ratios (CR) are obtained separately for the major call categories such as DDD, 800, directory assistance and international from a sample study which analyzes the ultimate completion status of the total attempts which receive acknowledgement from the customer. That is, Measured Messages divided by Completion Ratio equals Total Attempts.

Step 3: Obtain the total non-conversation time additive (NCTA) by multiplying the total attempts (obtained in Step 2) by the NCTA per attempt ratio. The NCTA per attempt ratio is obtained from the sample study identified in Step 2 by measuring the non-conversation time associated with both completed and uncompleted attempts. The total NCTA is the time on a completed attempt from customer acknowledgment of receipt of call to called party answer (set up and ringing) plus the time on an uncompleted attempt from customer acknowledgment of call until the access tandem or end office receives a disconnect signal (ring - no answer, busy or network blockage). That is, Total Attempts times Non-Conversation Time per Attempt Ratio equals Total NCTA.

Step 4: Obtain total chargeable originating access minutes by adding the total NCTA (obtained in Step 3) to the recorded originating measured minutes (obtained in Step 1). That is, Measured Minutes plus NCTA equals Chargeable Originating Access Minutes.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

4. Switched Access Service (Cont'd)

(N)

4.5 Rate Regulations (Cont'd)4.5.5 Measuring Access Minutes (Cont'd)

Following is an example which illustrates how the chargeable originating access minutes are derived from the measured originating minutes using this formula.

Where: Measured Minutes (M. Min.) = 7,000
Measured Messages (M. Mes.) = 1,000
Completion Ratio (CR) = .75
NCTA per Attempt = .4

$$(1) \text{ Total Attempts} = \frac{1,000(\text{M. Mes.})}{.75 (\text{CR})} = 1,333.33$$

$$(2) \text{ Total NCTA} = .4 (\text{NCTA per Attempt}) \times 1,333.33 = 533.33$$

$$(3) \text{ Total Chargeable Originating Access Minutes} = 7,000(\text{M. Min}) + 533.33(\text{NCTA}) = 7,533.33$$

FGD access minutes or fractions thereof are accumulated over the billing period. The exact value of the fraction is a function of the switch technology where the measurement is made. FGD access minutes are accumulated for each end office.

When determining chargeable access minutes the accumulated access minutes or fractions thereof are rounded up to the nearest access minute.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

4. Switched Access Service (Cont'd)

(N)

4.7 Rate Regulations (Cont'd)4.5.5 Measuring Access Minutes (Cont'd)(A) Feature Group D Usage Measurement

For originating calls over FGD with multifrequency address signaling, usage measurement begins when the originating FGD entry switch receives the first wink supervisory signal forwarded from the customer's point of termination. For originating calls over FGD with CCSAC, usage measurement begins when the last point of switching sends the initial address message to the customer.

The measurement of originating call usage over FGD ends when the originating FGD entry switch receives disconnect supervision from either the originating end user's end office, indicating the originating end user has disconnected, or the customer's point of termination, whichever is recognized first by the entry switch.

For terminating calls over FGD, the measurement of access minutes begins when the terminating FGD entry switch receives answer supervision from the terminating end user's end office, indicating the terminating end user has answered.

The measurement of terminating call usage over FGD ends when the terminating FGD entry switch receives disconnect supervision from either the terminating end user's end office, indicating the terminating end user has disconnected, or the customer's point of termination, whichever is recognized first by the entry switch.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

4. Switched Access Service (Cont'd)

(N)

4.5 Rate Regulations (Cont'd)4.5.6 Network Blocking Charge for Feature Group D

The customer will be notified by the Company to increase its capacity (quantities of trunks) when excessive trunk group blocking occurs on groups carrying Feature Group D traffic and the measured access minutes for that hour exceed the capacity purchased. Excessive trunk group blocking occurs when the blocking thresholds stated below are exceeded. They are predicated on time consistent, hourly measurements over a 30 day period excluding Saturdays, Sundays and national holidays. If the order for additional capacity has not been received by the Company within 15 days of the notification, the Company will bill the customer, at the rate set forth in 4.6.1(D) following, for each overflow in excess of the blocking threshold when (1) the average "30 day period" overflow exceeds the threshold level for any particular hour and (2) the "30 day period" measured average originating or two-way usage for the same clock hour exceeds the capacity purchased.

Blocking Thresholds

<u>Trunks in Service</u>	<u>1%</u>	<u>1/2%</u>
1-2	.070	.045
3-4	.050	.035
5-6	.040	.025
7 or greater	.030	.020

The 1% blocking threshold is for transmission paths carrying traffic direct (without an alternate route) between an end office and a customer's premises. The 1/2% blocking threshold is for transmission paths carrying first routed traffic between an end office and a customer's premises via an access tandem.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

4. Switched Access Service (Cont'd)

(N)

4.5 Rate Regulations (Cont'd)4.5.7 Mileage Measurement

The mileage to be used to determine monthly rates for Switched Transport rate elements is calculated on the airline distance between the end office switch where the call carried by Switched Transport originates or terminates and the customer's serving wire center, except as set forth in (A) through (H) following. The V&H coordinates method is used to determine mileage. This method is set forth in the NATIONAL EXCHANGE CARRIER ASSOCIATION TARIFF F.C.C. NO. 4 for Wire Center Information (V&H coordinates).

Exceptions to the mileage measurement rules are as follows:

(A) When Switched Transport facilities of different capacities or bandwidths are interconnected by a multiplexer at a location other than the serving wire center, mileage is determined using the V&H coordinates method following:

- (1) When only one multiplexer is involved, mileage for Direct-Trunked Transport is measured separately from the serving wire center to the hub where multiplexing occurs and then measured from the hub to the end office where the call is switched to originate or terminate.
- (2) When more than one multiplexer is used, mileage for Direct-Trunked Transport is measured successively from the serving wire center to the first hub, from the first hub to the second hub and then from the second hub to the end office where the call is switched to originate or terminate.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

4. Switched Access Service (Cont'd)

(N)

4.5 Rate Regulations (Cont'd)4.5.7 Mileage Measurement (Cont'd)

- (B) When Direct-Trunked Transport is provided to a Host/Remote arrangement, Direct-Trunked Transport rates apply and mileage is calculated using the V & H coordinate method between the customer's serving wire center and the Host office serving the Remote Office. When Tandem-Switched Transport is provided to a Host/Remote arrangement, Tandem-Switching Transmission rates and Tandem-Switched rates apply. Tandem-Switched Transport mileage is calculated using the V & H coordinate method between the customer's serving wire center and the Host office for both Direct-Trunked Transport and Tandem-Switched Transport to a Host/Remote arrangement, the Tandem-Switching Transmission rate will apply separately from the Host office to the Remote office. The Inter-connection charge will apply to both Direct and Tandem access minutes of use. Remote end offices are set forth in the National Exchange Carrier Association Tariff F.C.C. No. 4.
- (C) When Direct-Trunked Transport is provided for line side Switched Access Service both Direct-Trunked Transport and Tandem-Switched Transmission rates apply. Direct-Trunked Transport applies to both originating and terminating usage and mileage is calculated using the V&H Coordinates method between the customer's serving wire center and the end office switch where the dial tone for the line side Switched Access Service is provided. Tandem-Switched Transmission applies only to terminating usage and mileage is calculated using the V&H coordinate method between the dial tone office and the end office where the call is switched to terminate.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

4. Switched Access Service (Cont'd)

(N)

4.5 Rate Regulations (Cont'd)4.5.7 Mileage Measurement (Cont'd)

(D) The Alternate Traffic Routing optional feature is provided with Feature Group D to provide service from an end office to different customer premises locations. For Feature Group D traffic routed via an access tandem, such apportionment be made using standard Company traffic engineering methodology and will be based on the last trunk hundred call seconds desired for the high usage group, as described in 4.3.1(J) preceding, and the relative capacity ordered to the end office, when the feature is provided at an end office switch, or to the subtending end offices when the feature is provided at an access tandem switch. This apportionment will serve as the basis for the Switched Transport Tandem-Switching Transmission mileage calculation. The customer will be billed accordingly.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

4. Switched Access Service (Cont'd)

(N)

4.5 Rate Regulations (Cont'd)4.5.8 Shared Use

- (A) When shared use of a facility occurs in a Host/Remote situation, the facility must route to the Host end office. The Company will continue to provide shared use to any end office so long as capabilities exist.
- (B) Channels being used in conjunction with CCSAC may be included as Shared Use. However, CCSAC signaling connections nonrecurring charges will not apply to the individual channels of the shared use facility.

4.5.9 Data Base Query

A Data Base Query charge as set forth in 4.6.2(A)(2) applies for each data base query that returns a valid carrier identification code that provides the appropriate routing information even if the call is not completed. When additional routing options (i.e., alternate carrier(s) and/or alternate destination(s) identified based on criteria such as; time of day, day-of-week, specific dates, originating NPA-NXX, percent allocation, routing to a single carrier and destination from an area of service smaller than an area defined by an NPA-NXX) are performed, a Routing Options Capability charge as set forth in 4.6.2(A)(2) will also apply per query.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

4. Switched Access Service (Cont'd)

(N)

4.6 Rates and Charges

4.6.1 Switched Transport(A) Entrance FacilitiesRecurring Charges-Optional Payment Plan

		<u>USOC</u>		
(1)	Mercury 1.5 (DS1)	EFYB1	<u>Monthly</u>	\$ 135.79
			<u>36 Month</u>	129.00
			<u>60 Month</u>	122.21
(2)	Mercury 45 (DS3)	<u>USOC</u>		<u>Monthly Rates</u>
		EFYC1		\$1,500.00
		<u>Nonrecurring Charges</u>	NONE	

(B) Switched Transport

(1) Mercury 1.5 (DS1)

Monthly, Optional
Payment Plan

<u>Mileage Bands</u>	<u>USOC</u>	<u>Monthly Rates</u>	
		<u>Fixed</u>	<u>Per Mile</u>

Mileage Bands

0	1YTX1		
Over 0 to 4	1YTX1	\$ 100.00	\$ 9.42
Over 4 to 8	1YTX1	100.00	9.42
Over 8 to 25	1YTX1	100.00	9.42
Over 25	1YTX1		

(2) Mercury 45 (DS3)

1YTX1	\$ 703.48	\$ 80.00
-------	-----------	----------

(3) Voice Grade

- Two wire	1YTXS	\$ 61.00	\$ 0.54
- Four Wire	1YTXS		

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

4. Switched Access Service (Cont'd)4.6 Rates and Charges

(N)

4.6.1 Switched Transport (Cont'd)

(C) Tandem-Switched Transport

Monthly Rates(1) Tandem-Switched
Transmission

Originating Terminating

Per MOU

Note 1

Note 1

Per MOU, Per Mile

Note 1

Note 1

(2) Tandem-Switching

Note 1

Note 1

USOC Monthly Rate

(3) Access Tandem Trunk

Port Charge, Per Trunk Originating

PO8UX

\$ 3.08

Terminating

PT8UX

\$ 3.08

(D) Multiplexing (Including Tandem
Multiplexers-End Office Side of
Access Tandem)Monthly Rates(1) MercNET 1.544 (DS1) to
Voice Grade

- Per Arrangement

MKW11 \$ 285.45

(2) Mercury 45 (DS3) to Mercury 1.5 (DS1)

- Per Arrangement

MKW31 \$ 678.02

(3) Tandem Multiplexing
(EO Side of Access Tandem)Rate Per Access Minute

Originating

Terminating

\$0.000240

\$0.000240

(E) Installation

- Per Line or Trunk

NonrecurringCharge

None

Rate Per Call Blocked

(F) Network Blocking Charge

\$0.0034

(N)

Note 1: Cincinnati Bell Extended Territories' interstate switched access rates mirror the current intrastate switched access rates of the underlying Incumbent Local Exchange Company ("ILEC") which serves the territory in which traffic originates or terminates as set forth in AT&T Ohio Tariff No. 20 Part 21, Cincinnati Bell Telephone Access Tariff FCC No. 35, Frontier North Access Tariff FCC No. 1 and United Telephone Company of Ohio dba CenturyLink Access Tariff PUCO No.1.

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

4. Switched Access Service (Cont'd)

(N)

4.6 Rates and Charges4.6.1 Switched Transport (Continued))(G) CCSAC Signaling Link and STP Port Termination Charges

USOC		Monthly Rates	Nonrecurring Charge
1) CCSAC Signaling Link			
a) Channel Termination*			
- per DS1 link		\$ 135.79	NONE
- per 56 Kbps link			
link	TNTFX	70.00	NONE
			<u>Nonrecurring Charge</u>
b) Channel Mileage**			
- per DS1 link			
<u>Mileage Band</u>			
0	Fixed	NONE	NONE
	Per Mile	NONE	NONE
Over 0	Fixed	\$ 100.00	NONE
	Per Mile	9.42	NONE
- per 56 Kbps link			
<u>Mileage Band</u>			
0	1J5FS Fixed	NONE	NONE
	Per Mile		
Over 0	1J5FS Fixed	\$ 60.72	NONE
	Per Mile	1.04	NONE

* One Channel Termination applies per CGSAC Signaling Link.

** Channel Mileage applies between Serving Wire Center and STP,
but does not apply when mileage is zero.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

4. Switched Access Service (Cont'd)

(N)

4.6 Rates and Charges (Cont'd)4.6.1 Switched Transport (Cont'd)(H) Signaling for Tandem Switching

	<u>USOC</u>	<u>Nonrecurring Charge</u>
per end office, per trunk group, per CIC	CF3TZ	\$ 300.00

(I) Carrier Identification Parameter (CIP)

	<u>USOC</u>	<u>Monthly Rate</u>
per trunk group	U7CPG	\$ 105.00

4.6.2 Local Switching(A) Usage Sensitive Rates

		<u>Rate Per Access Minute</u>	
		<u>Origination</u>	<u>Terminating</u>
(1)	Local Switching	Note 1	Note 1
	(A) Common Trunk Port, per trunk	Note 1	Note 1
		<u>USOC</u>	<u>Monthly Rate</u>
(B)	Dedicated Trunk Port,		
	per trunk		
	Originating	PO8GX	\$ 3.25
	Terminating	PT8GX	\$ 1.38
		<u>USOC</u>	<u>Monthly Rate</u>
(C)	STP Port Termination	PT85X	\$ 886.68
	Non-recurring Charge	None	

(N)

Note 1: Cincinnati Bell Extended Territories' interstate switched access rates mirror the current intrastate switched access rates of the underlying Incumbent Local Exchange Company ("ILEC") which serves the territory in which traffic originates or terminates as set forth in AT&T Ohio Tariff No. 20 Part 21, Cincinnati Bell Telephone Access Tariff FCC No. 35, Frontier North Access Tariff FCC No. 1 and United Telephone Company of Ohio dba CenturyLink Access Tariff PUCO No.1.

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

4. Switched Access Service (Cont'd)

(N)

4.6 Rates and Charges (Cont'd)4.6.2 Local Switching (Cont'd)(A) Usage Sensitive Rates (Cont'd)

	<u>USOC</u>	<u>Rate Per Query</u>
800 Access Service		
Data Base Query Charge per query		Note 1
Routing Options Capability per query		Note 1

(N)

Note 1: Cincinnati Bell Extended Territories' interstate switched access rates mirror the current intrastate switched access rates of the underlying Incumbent Local Exchange Company ("ILEC") which serves the territory in which traffic originates or terminates as set forth in AT&T Ohio Tariff No. 20 Part 21, Cincinnati Bell Telephone Access Tariff FCC No. 35, Frontier North Access Tariff FCC No. 1 and United Telephone Company of Ohio dba CenturyLink Access Tariff PUCO No.1.

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

5. Additional Engineering, Additional Labor and Miscellaneous Services

(N)

In this section normally scheduled working hours are an employee's scheduled work period in any given calendar day (e.g., 7:00 a.m. to 4:00 p.m.) for the application of rates based on working hours.

5.1 Additional Engineering

Additional Engineering will be provided by the Company at the request of the customer only when:

- (A) A customer requests additional technical information after the Company has already provided the technical information normally included on the Design Layout Report (DLR) as set forth in 4.1.3 preceding.

The Company will notify the customer that additional engineering charges, as set forth in 5.1.1 following, will apply before any additional engineering is undertaken.

5.1.1 Charges For Additional Engineering

The charges for additional Engineering are as follows:

<u>Additional Engineering</u> <u>Periods</u>	<u>USOC</u>	<u>First Half</u> <u>Hour or</u> <u>Fraction</u> <u>Thereof</u>	<u>Each Additional</u> <u>Half Hour or</u> <u>Fraction</u> <u>Thereof</u>
(A) Basic Time, normally scheduled working hours#	AEH	\$ 100.00	\$ 75.00

If more than one engineer is involved with the same additional engineering project, the total amount of time for all engineers involved will be aggregated prior to the distribution of time between the "First Half Hour or Fraction Thereof" and "Each Additional Half Hour or Fraction Thereof" rate categories. (N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

5. Additional Engineering, Additional Labor and Miscellaneous Services (Cont'd) (N)5.1 Additional Engineering (Cont'd)5.1.1 Charges for Additional Engineering (Cont'd)

<u>Additional Engineering Periods</u>	<u>USOC</u>	<u>First Half Hour or Fraction Thereof</u>	<u>Each Additional Half Hour or Fraction Thereof</u>
---	-------------	--	--

B) Overtime, outside of normally scheduled working hours#	AEH	\$ 100.00	\$ 75.00
---	-----	-----------	----------

5.2 Additional Labor

Additional labor is that labor requested by the customer on a given service and agreed to by the Company as set forth in 5.2.1 through 5.2.5 following. The Company will notify the customer that additional labor charges as set forth in 5.2.6 following will apply before any additional labor is undertaken.

5.2.1 Overtime Installation

Overtime installation is that Company installation effort outside of normally scheduled working hours.

5.2.2 Overtime Repair

Overtime repair is that Company maintenance effort performed outside of normally scheduled working hours.

5.2.3 Stand by

Stand by includes all time in excess of one-half (1/2) hour during which Company personnel stand by to make cooperative tests with a customer to verify facility repair on a given service.

If more than one engineer is involved with the same additional engineering project, the total amount of time for all engineers involved will be aggregated prior to the distribution of time between the "First Half Hour or Fraction Thereof" and "Each Additional Half Hour or Fraction Thereof" rate categories. (N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

5. Additional Engineering, Additional Labor and Miscellaneous Services (Cont'd) (N)5.2 Additional Labor (Cont'd)5.2.4 Testing and Maintenance with Other Telephone Companies

Testing and Maintenance with Other Telephone Companies is that additional testing, maintenance or repair of facilities which connect to facilities of other telephone companies, which is in addition to normal effort required to test, maintain or repair facilities provided solely by the Company.

5.2.5 Other Labor

Other labor is that additional labor not included in 5.2.1 through 5.2.4 preceding and labor incurred to accommodate a specific customer request that involves only labor which is not covered by any other section of this tariff.

5.2.6 Charges For Additional Labor, Overtime Installation or Repair, Stand By, Maintenance and Other Labor

The charges for additional labor are as follows:

<u>Additional Labor</u> <u>Periods</u>	<u>USOC</u>	<u>First Half</u> <u>Hour or</u> <u>Fraction</u> <u>Thereof</u>	<u>Each Additional</u> <u>Half Hour or</u> <u>Fraction</u> <u>Thereof</u>
- Overtime, outside Normally scheduled working hours on a scheduled work day#	ALH	\$ 60.00*	\$60.00*
- Premium Time, outside of scheduled work day#	ALH	74.00*	74.00*

If more than one technician is involved with the same additional labor project, the total amount of time for all technicians involved will be aggregated prior to the distribution of time between the "First Half Hour or Fraction Thereof" and "Each Additional Half Hour or Fraction Thereof" rate categories.

* A call-out of a Company employee at a time not consecutive with the employee's scheduled work period is subject to a minimum charge of four hours. (N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

5. Additional Engineering, Additional Labor and Miscellaneous Services (Cont'd) (N)5.3 Miscellaneous Services5.3.1 Testing Services

Testing Services offered under this section of the tariff are optional and subject to rates and charges as set forth in 5.3.2(C) following. Other testing services provided by the Company in association with Access Services are furnished at no additional charge.

Testing services are normally provided by Company personnel at Company locations. However, provisions are made in (A)(5) and (B)(1) and (2) following for a customer to request Company personnel to perform testing services at the customer's premises.

The offering of Testing Services under this section of the tariff is made subject to the availability of the necessary qualified personnel and test equipment at the various test locations mentioned in (A), (B) and (C) following:

(A) Switched Access Service

Testing Services for Switched Access are comprised of (a) tests which are performed during the installation of a Switched Access Service, and (b) tests which are performed after acceptance of such access services by a customer, i.e., in-service tests. These in-service tests may be further divided into two broad categories of tests: scheduled and nonscheduled.

Scheduled tests are those tests performed by the Company on a regular basis, e.g., monthly which result in the measurement of Switched Access Service. Scheduled tests may be done on an automatic basis (no Company or customer technicians

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

5. Additional Engineering, Additional Labor and Miscellaneous Services (Cont'd) (N)5.3 Miscellaneous Services (Cont'd)5.3.1 Testing Services (Cont'd)(A) Switched Access Service (Cont'd)

involved), on a cooperative basis (Company technician(s) involved at Company office(s) and customer technician(s) involved at customer's premises), or a manual basis (Company technician(s) involved at Company office(s) and at customer's premises).

Nonscheduled tests are performed by the Company "on demand", which result in the measurement of Switched Access Services. Nonscheduled tests may involve Company technicians at Company offices and at the customer's premises.

(1) Additional Cooperative Acceptance Testing

Additional Cooperative Acceptance Testing (ACAT) or Switched Access Service involves the Company provision of a technician at its office(s) and the customer provides a technician at its premises, with suitable test equipment to perform the required tests.

Additional Cooperative Acceptance Tests may, for example, consists of the following tests:

- Impulse Noise
- Phase Jitter
- Signal to C-Notched Noise Ratio
- Intermodulation (Nonlinear) Distortion
- Frequency Shift (Offset)
- Envelope Delay Distortion
- Dial Pulse Percent Break

(N)

ACCESS SERVICE

5. Additional Engineering, Additional Labor and Miscellaneous Services (Cont'd) (N)5.3 Miscellaneous Services (Cont'd)5.3.1 Testing Services (Cont'd)(A) Switched Access Service (Cont'd)(2) Automatic Scheduled Testing

Automatic Schedules Testing (AST) of Switched Access Services where the customer provides remote office test lines and 105 test lines with associated responders or their functional equivalent, will consist of monthly loss and C-message noise tests and annual balance test. However, the customer may specify a more frequent schedule of tests. In addition to the loss/noise/balance tests, the IC may also order, at additional charges, gain-slope and C-notched noise testing.

The Company will provide a monthly AST report that lists the test results for each trunk tested. Trunk test failures requiring customer participation for trouble resolution will be provided to the customer on an as-occurs basis.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

5. Additional Engineering, Additional Labor and Miscellaneous Services (Cont'd) (N)5.3 Miscellaneous Services (Cont'd)5.3.1 Testing Services (Cont'd)(A) Switched Access Service (Cont'd)(3) Cooperative Scheduled Testing

Cooperative Scheduled Testing (CST) of Switched Access Services (Features Groups B, and D and Directory Access Service not routed through an access tandem), where the Company provides a technician at its office(s) and the customer provides a technician at its premises, with suitable test equipment to perform the required tests, will consist of quarterly loss and C-message noise tests, and annual balance tests. However, the customer may specify a more frequent schedule of tests. In addition to the loss/noise/balance measurements, the customer may also order, at additional charges, gain-slope and C-notched noise testing.

The Company will provide, on a quarterly basis, a CST report that lists the test results for each trunk tested. Trunk test failures requiring customer participation for trouble resolution will be provided to the customer on an as-occurs basis.

(4) Manual Scheduled Testing

Manual Scheduled Testing (MST) of Switched Access Services (Feature Groups D and Directory Access Service not routed through an access tandem), where the Company provides a technician at its office(s) and at the customer's premises, will consist of quarterly loss and C-message noise tests, and annual balance tests. However, the customer may specify a more frequent schedule of tests. In addition to the loss/noise/balance tests, the customer may also order, at additional charges, gain-slope and C-notched noise testing.

The Company will provide, on a quarterly basis, an MST report that lists the test results for each trunk tested. Trunk test failures requiring customer participation for trouble resolution will be provided to the customer on an as-occurs basis.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

5. Additional Engineering, Additional Labor and Miscellaneous Services (Cont'd) (N)5.3 Miscellaneous Services (Cont'd)5.3.1 Testing Services (Cont'd)(A) Switched Access Service (Cont'd)(5) Nonscheduled Testing

Nonscheduled Testing (NST) of Switched Access Services is where:

- the customer provides remote office test lines and 105 test lines with associated responders or their functional equivalent ("automatic testing"), or
- the Company provides a technician at its office(s) and the customer provides a technician at its premises, with suitable test equipment to perform the required test ("cooperative testing"), or
- the Company provides a technician at its office(s), and/or at the customer's premises with suitable test equipment to perform the required tests ("manual testing")

Nonscheduled Tests may consist of any tests, e.g., loss, noise, slope, envelope delay, which the customer require.

(6) Obligations of the Customer

(A) The customer shall provide the Remote Office Test Line priming data to the Company, as appropriate, to support AST as set forth in 5.2.5(A)(2) preceding or NST as set forth in 5.2.5(A)(5) preceding.

(B) The customer shall make the facilities to be tested available to the Company at times mutually agreed upon.

(N)

ACCESS SERVICE

5. Additional Engineering, Additional Labor and Miscellaneous Services (Cont'd) (N)5.3 Miscellaneous Services (Cont'd)5.3.1 Testing Services (Cont'd)(C) Rates and Charges(1) Switched Access(a) Additional Cooperative Acceptance Testing

<u>Testing Periods</u>	<u>USOC</u>	<u>First Half Hour or Fraction Thereof</u>	<u>Each Additional Half Hour or Fraction Thereof</u>
Basic Time, normally scheduled working hours#	UBCX+	\$ 50.00*	\$ 50.00*
Overtime, outside of normally scheduled working hours on a scheduled work day#	UBCX+	60.00*	60.00*
Premium Time, outside of scheduled work day#	UBCX+	74.00*	74.00*

If more than one technician is involved with the same testing project, the total amount of time for all technicians involved will be aggregated prior to the distribution of time between the "First Half Hour or Fraction Thereof" and "Each Additional Half Hour or Fraction Thereof" rate categories.

* A call-out of a Company employee at a time not consecutive with the employee's scheduled work period is subject to a minimum charge of four hours. (N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

5. Additional Engineering, Additional Labor and Miscellaneous Services (Cont'd) (N)5.3 Miscellaneous Services (Cont'd)

5.3.2 International Blocking Service (IBS)

International Blocking Service (IBS) is an optional end user service that provides end office blocking of 011+ and 10XXX 011+ dialed calls. Originating 011+ and 10XXX or 10XXXX 011+ dialed calls from exchange lines provisioned with IBS will be blocked and routed to a recorded announcement. IBS is available to any customer with exchange line side services that are subject to either the Single Line End User Common Line (EUCL) or Multiline Business EUCL rates. It is provided where facilities permit as specified in the National Exchange Carrier Association Inc., Tariff FCC No. 4.

The service (IBS) is available and may only be ordered on exchange line side services and only on a per line/trunk basis. No separate nonrecurring charge will apply for the installation of IBS when it is installed coincident with the initial installation of Company exchange service.

A separate nonrecurring charge applies to IBS when it is installed subsequent to the initial installation of Company Exchange Service.

	<u>USOC</u>	<u>Rate</u>	
International Blocking Service			
- Per Line or Trunk	RBVXC	\$14.10	(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

5. Additional Engineering, Additional Labor and Miscellaneous Services (Cont'd) (N)5.3 Miscellaneous Services (Cont'd)5.3.3 Local Number Portability (LNP) Query Service

(A) General

Local Number Portability (LNP) Query Service provides the ability (1) of a Telecommunications Carrier's customers to maintain the same Telecommunications Number (TN) when changing from one telecommunications service provider to another while remaining at the same location, and (2) for all Company customers to complete local calls to numbers that have been ported. LNP capability will be activated in Company end office switches based on receipt of a Bona Fide Request.

N-1 wireline and wireless telecommunications carriers ("Carriers") will be assessed a LNP query charge as set forth in 5.3.3(D) following where they deliver calls for termination by the Company for which a query has not been performed.

(B) LNP Query Service Application

Terminating calls from N-1 Carriers upon which a query has not been performed to numbers in the Company's network with NXX codes that have been designated as number portable may require a query to the LNP data base.

(1) LNP Database Query

This rate element applies to wireless and wireline N-1 telecommunications carriers who make a number portability database query.

(2) Limitations

LNP Query Service is to be used only on a call-by-call basis for routing calls to number portable NXX codes and cannot be used for purposes other than those functions described herein.

Information residing in the Company's LNP database is protected from unauthorized access and may not be stored in a carrier's data base or elsewhere for any reason.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

5. Additional Engineering, Additional Labor and Miscellaneous Services (Cont'd) (N)5.3 Miscellaneous Services (Cont'd)5.3.3 Local Number Portability (LNP) Query Service

(B) LNP Query Service Application (Cont'd)

(3) Network Management

The Company will administer its network with the objective of the provision of acceptable service levels to all users of LNP query service. The Company maintains the right to block traffic upon which it is assessing the Default LNP Query rate in a non-discriminatory manner, if the processing of default queries should result in congestion or overload of its network. The Company may also block traffic received on a prearranged basis where the query volume is 125 percent or more of the forecasted busy hour level and the processing of these queries should result in congestion or overload of its network.

(C) Rate Regulations

The rates and charges associated with LNP Query Service are "query" based and will be billed on a monthly basis, based on recorded usage. Query charges will be applied by the Company based upon the recordings of carrier queries to the database. If such recordings are not available, the Company will develop monthly charges based on an average number of queries per month.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

5. Additional Engineering, Additional Labor and Miscellaneous Services (Cont'd) (N)5.3 Miscellaneous Services (Cont'd)5.3.3 Local Number Portability (LNP) Query Service

(D) Rates and Charges

(1) Rate Per Query

LNP Query \$ 0.001540

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

5. Additional Engineering, Additional Labor and Miscellaneous Services (Cont'd) (N)5.3.4 Presubscription

Presubscription is furnished in accordance with the detailed provisions of the Federal Communications Commission's Memorandum Opinion and Order, CC Docket No. 83-1145, Phase I, adopted May 31, 1985, and released June 12, 1985. The Order is available for inspection in the Public Reference Room of the Tariff Division at the Federal Communications Commission's Washington D.C. location or may be obtained from the Commission's commercial contractor.

Principal provisions of presubscription are as follows:

- (A) Presubscription is the process by which end user customers may select and designate to the Company an IC to access, without an access code, for interstate interLATA calls. This IC is referred to as the end user's presubscribed IC.
- (B) End users may select one of the following options at no charge:
 - indicates a single presubscribed IC for all of its lines,
 - indicates the presubscribed IC for each of its lines, or
 - indicate that they do not want to be presubscribed to any IC and choose to dial 10XXX or 10XXXX for all calls to any IC providing service in the end office.

Only one presubscribed IC may be designated per line. After the end user's initial selection of a presubscribed IC, for any change in selection a nonrecurring charge, as set forth in 5.3.4(F) following applies.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

5. Additional Engineering, Additional Labor and Miscellaneous Services (Cont'd) (N)5.3 Miscellaneous Services (Cont'd)5.3.4 Presubscription (Cont'd)

(C) New end users will be asked to presubscribe to an IC at the time they place an order with the Company for telephone exchange service. They may verbally select one of the following options. There will be no charge for this initial selection.

- designate a presubscribed IC for all of its lines,
- designate the presubscribed IC for each of its lines, or
- designate that they do not want to be presubscribed to any IC and choose to dial 10XXX, 10XXXX, or 10-10XXX for all calls to any IC providing service in the end office.

An IC obtaining service commitments from end users directly must obtain valid authorization from those end users. The IC will be required to provide the signed Letter of Authorization (LOA), PIC Switchback Plan contract or other form of valid authorization to the Company upon demand for the resolution of as set forth in 5.3.4(E) following.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

5. Additional Engineering, Additional Labor and Miscellaneous Services (Cont'd) (N)5.3 Miscellaneous Services (Cont'd)5.3.4 Presubscription (Cont'd)

- (D) If an end user disputes a PIC change made by a certain IC, within 90 days of the billed date, the Company will determine if the IC is a PIC Switchback Plan participant. If the IC has signed a PIC Switchback Plan Letter of Agreement with the Company, the IC will automatically be charged the per dispute rate, as set forth in 5.3.3(F), without an investigation of the dispute being implemented. The IC is not required to provide a Letter of Authorization (LOA) and relinquishes its right to provide an LOA at a later date. The Company will then make a reasonable effort to restore the end user to their previous primary IC.

This option does not relieve the IC of the F.C.C.'s requirements for verifying all PIC orders obtained by telemarketing prior to submitting orders to the Company and for instituting steps to obtain LOAs on all PIC orders submitted to the Company. In addition, the end user has the option of initiating a complaint to the F.C.C. concerning unauthorized changes.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

5. Additional Engineering, Additional Labor and Miscellaneous Services (Cont'd) (N)5.3 Miscellaneous Services (Cont'd)5.3.4 Presubscription (Cont'd)

(E) (Cont'd)

If an end user disputes a PIC change where there is no PIC Switchback Plan, the Company will investigate the origin of the change. An end user has 90 days from the billed date to dispute a change. If the change was due to a Company error, the end user will be returned to their previous primary IC free of charge. If the change was submitted by an IC, and the IC is unable to produce the signed customer Letter of Authorization (LOA) or another form of valid authorization, the Unauthorized PIC change charge will be assessed to the unauthorized IC.

When an end user notifies the Company that an unauthorized (PIC) change has occurred, the Company will make a reasonable effort to restore the end user to their previous primary IC. The unauthorized IC will be assessed the nonrecurring charge for the unauthorized PIC change.

The nonrecurring charge for an unauthorized PIC change is set forth in 5.3.4 (F) following.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

5. Additional Engineering, Additional Labor and Miscellaneous Services (Cont'd) (N)5.3 Miscellaneous Services (Cont'd)5.3.4 Presubscription (Cont'd)

(F) Nonrecurring charges for presubscription are as follows:

Nonrecurring ChargeMechanized Change

- per Telephone Exchange Service line or trunk
InterLATA or IntraLATA PIC Change only \$1.25
- per Telephone Exchange Service line or trunk
InterLATA and IntraLATA PIC Change at one time \$0.625

Manual Change

- per Telephone Exchange Service line or trunk
InterLATA or IntraLATA PIC Change only \$5.50
- per Telephone Exchange Service line or trunk
InterLATA and IntraLATA PIC Change at one time \$2.75

5.3.5 Carrier Toll Restriction Services

Carrier Toll Restricted Services are central office switch based service arrangements designed to provide selective toll blocking service to all toll service providers, on a non-discriminatory basis. This service is designed to be used by all toll service providers, including the Telephone Company, when they disconnect their own toll service customers for nonpayment of toll services.

The toll service provider (carrier) is the subscriber for this service and will be billed the charges specified below when the service is activated. After subscribing to this service, the carrier provides the Telephone Company with a list of subscribers who should be denied access to the carrier's facilities and a list of previously denied subscribers who should regain access. See note below.

(A) Carrier Toll Restriction Services

Selective Carrier Denial

Selective Carrier Denial is a Carrier Toll Restriction Service which limits the Telephone Company's end user customer's access to the requesting toll services provider's facilities. The service selectively restricts 1+, 10-XXX and 0+ toll calling on a toll service provide basis. However, the service does not restrict access to the operator by dialing 0- and therefore cannot prevent calls placed through an operator

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

5. Additional Engineering, Additional Labor and Miscellaneous Services (Cont'd) (N)

5.3 Miscellaneous Services (Cont'd)5.3.5 Carrier Toll Restriction Services (Cont'd)(B) Regulations

- (1) The Telephone Company will provide the service(s), on a nondiscriminatory basis, to all toll service providers in service areas where implementation of intraLATA equal access has occurred.
- (2) Carrier Toll Restriction Service(s) is (are) offered subject to the availability of suitable facilities and is limited to central offices specifically equipped to provide the service(s).
- (3) The Telephone Company shall not be liable to the carrier or to any other person or entity for damages of any nature or kind arising out of, resulting from, or in connection with the provision of the service, including without limitation, the inability to access the operator or any non-toll free number for any purpose.
- (4) Carrier Toll Restriction Service(s) does (do) not provide restriction of non-chargeable calls to numbers such as repair service, public emergency service (i.e., 9-1-1), 1+800 calling, or local directory assistance (DA) service in the event charges do not apply to the provision of DA.
- (5) Carrier Toll Restriction Services will be provided to Residence One-Party, Business One-Party and Business Trunk and Centrex Services customers. The service will be provided on other types of end-user lines where technically feasible

(C) Rates

There will be a nonrecurring charge of \$5.00 per line for each line equipped with Carrier Toll Restriction Services. End user customers with multiple lines billed to the same account will have all lines billed to the same presubscribed carrier blocked. The toll provider requesting Carrier Toll Restriction Service will be billed for the service.

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202

ACCESS SERVICE

5. Additional Engineering, Additional Labor and Miscellaneous Services (Cont'd) (N)

5.3 Miscellaneous Services (Cont'd)5.3.6 Service/Circuit Rearrangement

This option changes the Common Language Location Identification (CLLI) for a customer to their Point-Of-Presence (POP), or changes the customer facilities assignment.

USOC	Non-Recurring Rate
------	-----------------------

Per Channel	NRMC6	60.00
-------------	-------	-------

5.3.7 Circuit Identification Change Charge

Applies per occurrence when a carrier requests changing the customer circuit identification.

USOC	Non-Recurring Rate
------	-----------------------

NRTAG	\$ 300.00
-------	-----------

(N)

(This page filed under Transmittal No. 1)

Issued: December 2, 2016

Effective: December 17, 2016

Vice President
221 East Fourth Street
Cincinnati, Ohio 45202